


DIN 603 — Carriage Bolt



Catalogue data sheet · 373 sizes · category Bolts and Screws / Carriage Bolts · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
603050121	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 12, Zinc Plated	Steel 4.6/4.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		13.55 mm
60305016	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 16, Plain	Steel 4.6/4.8	M5 x 16	Plain (no plating)	5 mm	16 mm		13.55 mm
603050161	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 16, Zinc Plated	Steel 4.6/4.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		13.55 mm
603050201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 20, Zinc Plated	Steel 4.6/4.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		13.55 mm
603050251	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 25, Zinc Plated	Steel 4.6/4.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		13.55 mm
603050301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 30, Zinc Plated	Steel 4.6/4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		13.55 mm
603050351	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 35, Zinc Plated	Steel 4.6/4.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		13.55 mm
603050401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 40, Zinc Plated	Steel 4.6/4.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		13.55 mm
603050451	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 45, Zinc Plated	Steel 4.6/4.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm		13.55 mm
603050501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 50, Zinc Plated	Steel 4.6/4.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		13.55 mm
603050551	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 55, Zinc Plated	Steel 4.6/4.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm		13.55 mm
603050601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 60, Zinc Plated	Steel 4.6/4.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm		13.55 mm
60305070	DIN 603 Carriage Bolt, Steel 4.6/4.8, M5 x 70, Plain	Steel 4.6/4.8	M5 x 70	Plain (no plating)	5 mm	70 mm		13.55 mm
603060121	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 12, Zinc Plated	Steel 4.6/4.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		16.55 mm
603060141	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 14, Zinc Plated	Steel 4.6/4.8	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm		16.55 mm
603060161	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 16, Zinc Plated	Steel 4.6/4.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		16.55 mm
603060201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 20, Zinc Plated	Steel 4.6/4.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		16.55 mm
603060251	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 25, Zinc Plated	Steel 4.6/4.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm		16.55 mm
603060301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 30, Zinc Plated	Steel 4.6/4.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		16.55 mm
60306035	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 35, Plain	Steel 4.6/4.8	M6 x 35	Plain (no plating)	6 mm	35 mm		16.55 mm
603060351	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 35, Zinc Plated	Steel 4.6/4.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		16.55 mm
603060401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 40, Zinc Plated	Steel 4.6/4.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		16.55 mm
603060451	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 45, Zinc Plated	Steel 4.6/4.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm		16.55 mm
603060501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 50, Zinc Plated	Steel 4.6/4.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm		16.55 mm
603060551	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 55, Zinc Plated	Steel 4.6/4.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm		16.55 mm
60306060	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 60, Plain	Steel 4.6/4.8	M6 x 60	Plain (no plating)	6 mm	60 mm		16.55 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
603060601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 60, Zinc Plated	Steel 4.6/4.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm		16.55 mm
603060651	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 65, Zinc Plated	Steel 4.6/4.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm		16.55 mm
603060701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 70, Zinc Plated	Steel 4.6/4.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm		16.55 mm
603060751	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 75, Zinc Plated	Steel 4.6/4.8	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm		16.55 mm
603060801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 80, Zinc Plated	Steel 4.6/4.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm		16.55 mm
603060901	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 90, Zinc Plated	Steel 4.6/4.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm		16.55 mm
603061001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 100, Zinc Plated	Steel 4.6/4.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm		16.55 mm
603061101	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 110, Zinc Plated	Steel 4.6/4.8	M6 x 110	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm		16.55 mm
603061301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 130, Zinc Plated	Steel 4.6/4.8	M6 x 130	Zinc Bright Passivation Fe/Zn P1	6 mm	130 mm		16.55 mm
603061401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 140, Zinc Plated	Steel 4.6/4.8	M6 x 140	Zinc Bright Passivation Fe/Zn P1	6 mm	140 mm		16.55 mm
603061501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M6 x 150, Zinc Plated	Steel 4.6/4.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm		16.55 mm
603080161	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 16, Zinc Plated	Steel 4.6/4.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		20.65 mm
60308020	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 20, Plain	Steel 4.6/4.8	M8 x 20	Plain (no plating)	8 mm	20 mm		20.65 mm
603080201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 20, Zinc Plated	Steel 4.6/4.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		20.65 mm
60308025	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 25, Plain	Steel 4.6/4.8	M8 x 25	Plain (no plating)	8 mm	25 mm		20.65 mm
603080251	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 25, Zinc Plated	Steel 4.6/4.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		20.65 mm
603080252	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 25, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 25	Hot Dip Galvanizing	8 mm	25 mm		20.65 mm
60308030	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 30, Plain	Steel 4.6/4.8	M8 x 30	Plain (no plating)	8 mm	30 mm		20.65 mm
603080301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 30, Zinc Plated	Steel 4.6/4.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		20.65 mm
603080302	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 30, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 30	Hot Dip Galvanizing	8 mm	30 mm		20.65 mm
603080351	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 35, Zinc Plated	Steel 4.6/4.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		20.65 mm
603080352	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 35, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 35	Hot Dip Galvanizing	8 mm	35 mm		20.65 mm
60308040	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 40, Plain	Steel 4.6/4.8	M8 x 40	Plain (no plating)	8 mm	40 mm		20.65 mm
603080401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 40, Zinc Plated	Steel 4.6/4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		20.65 mm
603080451	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 45, Zinc Plated	Steel 4.6/4.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		20.65 mm
603080452	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 45, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 45	Hot Dip Galvanizing	8 mm	45 mm		20.65 mm
603080501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 50, Zinc Plated	Steel 4.6/4.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		20.65 mm
603080502	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 50, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 50	Hot Dip Galvanizing	8 mm	50 mm		20.65 mm
603080551	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 55, Zinc Plated	Steel 4.6/4.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm		20.65 mm
60308060	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 60, Plain	Steel 4.6/4.8	M8 x 60	Plain (no plating)	8 mm	60 mm		20.65 mm
603080601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 60, Zinc Plated	Steel 4.6/4.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		20.65 mm
603080602	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 60, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 60	Hot Dip Galvanizing	8 mm	60 mm		20.65 mm
603080651	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 65, Zinc Plated	Steel 4.6/4.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm		20.65 mm
603080701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 70, Zinc Plated	Steel 4.6/4.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		20.65 mm
603080702	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 70, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 70	Hot Dip Galvanizing	8 mm	70 mm		20.65 mm
603080751	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 75, Zinc Plated	Steel 4.6/4.8	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm		20.65 mm
603080752	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 75, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 75	Hot Dip Galvanizing	8 mm	75 mm		20.65 mm
603080801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 80, Zinc Plated	Steel 4.6/4.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm		20.65 mm
603080802	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 80, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 80	Hot Dip Galvanizing	8 mm	80 mm		20.65 mm
603080901	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 90, Zinc Plated	Steel 4.6/4.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm		20.65 mm
603080902	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 90, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 90	Hot Dip Galvanizing	8 mm	90 mm		20.65 mm
603081001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 100, Zinc Plated	Steel 4.6/4.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm		20.65 mm
603081002	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 100, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 100	Hot Dip Galvanizing	8 mm	100 mm		20.65 mm
603081101	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 110, Zinc Plated	Steel 4.6/4.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm		20.65 mm
603081102	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 110, Hot-Dip Galvanise	Steel 4.6/4.8	M8 x 110	Hot Dip Galvanizing	8 mm	110 mm		20.65 mm
603081201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 120, Zinc Plated	Steel 4.6/4.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm		20.65 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
603081202	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 120, Hot-Dip Galvanis	Steel 4.6/4.8	M8 x 120	Hot Dip Galvanizing	8 mm	120 mm		20.65 mm
603081301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 130, Zinc Plated	Steel 4.6/4.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm		20.65 mm
603081401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 140, Zinc Plated	Steel 4.6/4.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm		20.65 mm
603081402	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 140, Hot-Dip Galvanis	Steel 4.6/4.8	M8 x 140	Hot Dip Galvanizing	8 mm	140 mm		20.65 mm
603081501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 150, Zinc Plated	Steel 4.6/4.8	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm		20.65 mm
603081502	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 150, Hot-Dip Galvanis	Steel 4.6/4.8	M8 x 150	Hot Dip Galvanizing	8 mm	150 mm		20.65 mm
603081601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 160, Zinc Plated	Steel 4.6/4.8	M8 x 160	Zinc Bright Passivation Fe/Zn P1	8 mm	160 mm		20.65 mm
603081801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 180, Zinc Plated	Steel 4.6/4.8	M8 x 180	Zinc Bright Passivation Fe/Zn P1	8 mm	180 mm		20.65 mm
603081802	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 180, Hot-Dip Galvanis	Steel 4.6/4.8	M8 x 180	Hot Dip Galvanizing	8 mm	180 mm		20.65 mm
603082001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M8 x 200, Zinc Plated	Steel 4.6/4.8	M8 x 200	Zinc Bright Passivation Fe/Zn P1	8 mm	200 mm		20.65 mm
603100201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 20, Zinc Plated	Steel 4.6/4.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm		24.65 mm
603100251	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 25, Zinc Plated	Steel 4.6/4.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm		24.65 mm
603100301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 30, Zinc Plated	Steel 4.6/4.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm		24.65 mm
603100302	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 30, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 30	Hot Dip Galvanizing	10 mm	30 mm		24.65 mm
603100351	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 35, Zinc Plated	Steel 4.6/4.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm		24.65 mm
603100352	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 35, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 35	Hot Dip Galvanizing	10 mm	35 mm		24.65 mm
60310040	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 40, Plain	Steel 4.6/4.8	M10 x 40	Plain (no plating)	10 mm	40 mm		24.65 mm
603100401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 40, Zinc Plated	Steel 4.6/4.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm		24.65 mm
60310045	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 45, Plain	Steel 4.6/4.8	M10 x 45	Plain (no plating)	10 mm	45 mm		24.65 mm
603100451	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 45, Zinc Plated	Steel 4.6/4.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm		24.65 mm
603100501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 50, Zinc Plated	Steel 4.6/4.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm		24.65 mm
603100502	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 50, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 50	Hot Dip Galvanizing	10 mm	50 mm		24.65 mm
603100551	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 55, Zinc Plated	Steel 4.6/4.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm		24.65 mm
60310060	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 60, Plain	Steel 4.6/4.8	M10 x 60	Plain (no plating)	10 mm	60 mm		24.65 mm
603100601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 60, Zinc Plated	Steel 4.6/4.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm		24.65 mm
603100602	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 60, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 60	Hot Dip Galvanizing	10 mm	60 mm		24.65 mm
603100651	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 65, Zinc Plated	Steel 4.6/4.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm		24.65 mm
603100701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 70, Zinc Plated	Steel 4.6/4.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm		24.65 mm
603100702	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 70, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 70	Hot Dip Galvanizing	10 mm	70 mm		24.65 mm
603100751	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 75, Zinc Plated	Steel 4.6/4.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm		24.65 mm
60310080	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 80, Plain	Steel 4.6/4.8	M10 x 80	Plain (no plating)	10 mm	80 mm		24.65 mm
603100801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 80, Zinc Plated	Steel 4.6/4.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm		24.65 mm
603100802	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 80, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm		24.65 mm
603100901	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 90, Zinc Plated	Steel 4.6/4.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm		24.65 mm
603101001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 100, Zinc Plated	Steel 4.6/4.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm		24.65 mm
603101002	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 100, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 100	Hot Dip Galvanizing	10 mm	100 mm		24.65 mm
603101101	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 110, Zinc Plated	Steel 4.6/4.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm		24.65 mm
60310120	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 120, Plain	Steel 4.6/4.8	M10 x 120	Plain (no plating)	10 mm	120 mm		24.65 mm
603101201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 120, Zinc Plated	Steel 4.6/4.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm		24.65 mm
603101202	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 120, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 120	Hot Dip Galvanizing	10 mm	120 mm		24.65 mm
603101301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 130, Zinc Plated	Steel 4.6/4.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm		24.65 mm
603101302	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 130, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 130	Hot Dip Galvanizing	10 mm	130 mm		24.65 mm
603101401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 140, Zinc Plated	Steel 4.6/4.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm		24.65 mm
603101402	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 140, Hot-Dip Galvanis	Steel 4.6/4.8	M10 x 140	Hot Dip Galvanizing	10 mm	140 mm		24.65 mm
603101501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 150, Zinc Plated	Steel 4.6/4.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm		24.65 mm
603101502	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 150, Hot-Dip Galvanis							

Galvani

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
603101601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 160, Zinc Plated	Steel 4.6/4.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm		24.65 mm
603101602	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 160, Hot-Dip Galvanizing	Steel 4.6/4.8	M10 x 160	Hot Dip Galvanizing	10 mm	160 mm		24.65 mm
603101701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 170, Zinc Plated	Steel 4.6/4.8	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm		24.65 mm
603101801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 180, Zinc Plated	Steel 4.6/4.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm		24.65 mm
603101802	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 180, Hot-Dip Galvanizing	Steel 4.6/4.8	M10 x 180	Hot Dip Galvanizing	10 mm	180 mm		24.65 mm
603102001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 200, Zinc Plated	Steel 4.6/4.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm		24.65 mm
603102002	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 200, Hot-Dip Galvanizing	Steel 4.6/4.8	M10 x 200	Hot Dip Galvanizing	10 mm	200 mm		24.65 mm
603102201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 220, Zinc Plated	Steel 4.6/4.8	M10 x 220	Zinc Bright Passivation Fe/Zn P1	10 mm	220 mm		24.65 mm
603102202	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 220, Hot-Dip Galvanizing	Steel 4.6/4.8	M10 x 220	Hot Dip Galvanizing	10 mm	220 mm		24.65 mm
603102401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 240, Zinc Plated	Steel 4.6/4.8	M10 x 240	Zinc Bright Passivation Fe/Zn P1	10 mm	240 mm		24.65 mm
603102601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 260, Zinc Plated	Steel 4.6/4.8	M10 x 260	Zinc Bright Passivation Fe/Zn P1	10 mm	260 mm		24.65 mm
603102801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 280, Zinc Plated	Steel 4.6/4.8	M10 x 280	Zinc Bright Passivation Fe/Zn P1	10 mm	280 mm		24.65 mm
603103001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M10 x 300, Zinc Plated	Steel 4.6/4.8	M10 x 300	Zinc Bright Passivation Fe/Zn P1	10 mm	300 mm		24.65 mm
603120251	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 25, Zinc Plated	Steel 4.6/4.8	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm		30.65 mm
603120301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 30, Zinc Plated	Steel 4.6/4.8	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm		30.65 mm
603120302	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 30, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 30	Hot Dip Galvanizing	12 mm	30 mm		30.65 mm
603120351	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 35, Zinc Plated	Steel 4.6/4.8	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm		30.65 mm
603120352	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 35, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 35	Hot Dip Galvanizing	12 mm	35 mm		30.65 mm
603120401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 40, Zinc Plated	Steel 4.6/4.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm		30.65 mm
603120402	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 40, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 40	Hot Dip Galvanizing	12 mm	40 mm		30.65 mm
603120451	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 45, Zinc Plated	Steel 4.6/4.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm		30.65 mm
603120501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 50, Zinc Plated	Steel 4.6/4.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm		30.65 mm
603120551	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 55, Zinc Plated	Steel 4.6/4.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm		30.65 mm
603120601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 60, Zinc Plated	Steel 4.6/4.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm		30.65 mm
603120602	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 60, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 60	Hot Dip Galvanizing	12 mm	60 mm		30.65 mm
603120651	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 65, Zinc Plated	Steel 4.6/4.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm		30.65 mm
603120652	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 65, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 65	Hot Dip Galvanizing	12 mm	65 mm		30.65 mm
603120701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 70, Zinc Plated	Steel 4.6/4.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm		30.65 mm
603120702	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 70, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 70	Hot Dip Galvanizing	12 mm	70 mm		30.65 mm
603120751	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 75, Zinc Plated	Steel 4.6/4.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm		30.65 mm
603120801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 80, Zinc Plated	Steel 4.6/4.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm		30.65 mm
603120802	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 80, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 80	Hot Dip Galvanizing	12 mm	80 mm		30.65 mm
603120851	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 85, Zinc Plated	Steel 4.6/4.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm		30.65 mm
603120901	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 90, Zinc Plated	Steel 4.6/4.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm		30.65 mm
603120902	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 90, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 90	Hot Dip Galvanizing	12 mm	90 mm		30.65 mm
603121001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 100, Zinc Plated	Steel 4.6/4.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm		30.65 mm
603121002	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 100, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm		30.65 mm
603121101	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 110, Zinc Plated	Steel 4.6/4.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm		30.65 mm
603121201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 120, Zinc Plated	Steel 4.6/4.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm		30.65 mm
603121202	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 120, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 120	Hot Dip Galvanizing	12 mm	120 mm		30.65 mm
603121301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 130, Zinc Plated	Steel 4.6/4.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm		30.65 mm
603121401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 140, Zinc Plated	Steel 4.6/4.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm		30.65 mm
603121402	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 140, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 140	Hot Dip Galvanizing	12 mm	140 mm		30.65 mm
603121501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 150, Zinc Plated	Steel 4.6/4.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm		30.65 mm
603121502	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 150, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 150	Hot Dip Galvanizing	12 mm	150 mm		30.65 mm
603121601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 160, Zinc							

Plated

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
603121602	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 160, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 160	Hot Dip Galvanizing	12 mm	160 mm		30.65 mm
603121701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 170, Zinc Plated	Steel 4.6/4.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm		30.65 mm
603121702	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 170, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 170	Hot Dip Galvanizing	12 mm	170 mm		30.65 mm
603121801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 180, Zinc Plated	Steel 4.6/4.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm		30.65 mm
603121802	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 180, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 180	Hot Dip Galvanizing	12 mm	180 mm		30.65 mm
603121901	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 190, Zinc Plated	Steel 4.6/4.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm		30.65 mm
603122001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 200, Zinc Plated	Steel 4.6/4.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm		30.65 mm
603122201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 220, Zinc Plated	Steel 4.6/4.8	M12 x 220	Zinc Bright Passivation Fe/Zn P1	12 mm	220 mm		30.65 mm
603122202	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 220, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 220	Hot Dip Galvanizing	12 mm	220 mm		30.65 mm
603122301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 230, Zinc Plated	Steel 4.6/4.8	M12 x 230	Zinc Bright Passivation Fe/Zn P1	12 mm	230 mm		30.65 mm
603122401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 240, Zinc Plated	Steel 4.6/4.8	M12 x 240	Zinc Bright Passivation Fe/Zn P1	12 mm	240 mm		30.65 mm
603122402	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 240, Hot-Dip Galvanizing	Steel 4.6/4.8	M12 x 240	Hot Dip Galvanizing	12 mm	240 mm		30.65 mm
603122501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 250, Zinc Plated	Steel 4.6/4.8	M12 x 250	Zinc Bright Passivation Fe/Zn P1	12 mm	250 mm		30.65 mm
60312260	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 260, Plain	Steel 4.6/4.8	M12 x 260	Plain (no plating)	12 mm	260 mm		30.65 mm
603122601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 260, Zinc Plated	Steel 4.6/4.8	M12 x 260	Zinc Bright Passivation Fe/Zn P1	12 mm	260 mm		30.65 mm
603122801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 280, Zinc Plated	Steel 4.6/4.8	M12 x 280	Zinc Bright Passivation Fe/Zn P1	12 mm	280 mm		30.65 mm
60312300	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 300, Plain	Steel 4.6/4.8	M12 x 300	Plain (no plating)	12 mm	300 mm		30.65 mm
603123001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 300, Zinc Plated	Steel 4.6/4.8	M12 x 300	Zinc Bright Passivation Fe/Zn P1	12 mm	300 mm		30.65 mm
603123401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 340, Zinc Plated	Steel 4.6/4.8	M12 x 340	Zinc Bright Passivation Fe/Zn P1	12 mm	340 mm		30.65 mm
603123501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 350, Zinc Plated	Steel 4.6/4.8	M12 x 350	Zinc Bright Passivation Fe/Zn P1	12 mm	350 mm		30.65 mm
60312380	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 380, Plain	Steel 4.6/4.8	M12 x 380	Plain (no plating)	12 mm	380 mm		30.65 mm
603123801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 380, Zinc Plated	Steel 4.6/4.8	M12 x 380	Zinc Bright Passivation Fe/Zn P1	12 mm	380 mm		30.65 mm
603124001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 400, Zinc Plated	Steel 4.6/4.8	M12 x 400	Zinc Bright Passivation Fe/Zn P1	12 mm	400 mm		30.65 mm
603124201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 420, Zinc Plated	Steel 4.6/4.8	M12 x 420	Zinc Bright Passivation Fe/Zn P1	12 mm	420 mm		30.65 mm
603125501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M12 x 550, Zinc Plated	Steel 4.6/4.8	M12 x 550	Zinc Bright Passivation Fe/Zn P1	12 mm	550 mm		30.65 mm
603160401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 40, Zinc Plated	Steel 4.6/4.8	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm		38.8 mm
603160451	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 45, Zinc Plated	Steel 4.6/4.8	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm		38.8 mm
603160501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 50, Zinc Plated	Steel 4.6/4.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm		38.8 mm
603160502	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 50, Hot-Dip Galvanizing	Steel 4.6/4.8	M16 x 50	Hot Dip Galvanizing	16 mm	50 mm		38.8 mm
603160601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 60, Zinc Plated	Steel 4.6/4.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm		38.8 mm
603160701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 70, Zinc Plated	Steel 4.6/4.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm		38.8 mm
603160751	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 75, Zinc Plated	Steel 4.6/4.8	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm		38.8 mm
603160801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 80, Zinc Plated	Steel 4.6/4.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm		38.8 mm
603160901	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 90, Zinc Plated	Steel 4.6/4.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm		38.8 mm
60316100	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 100, Plain	Steel 4.6/4.8	M16 x 100	Plain (no plating)	16 mm	100 mm		38.8 mm
603161001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 100, Zinc Plated	Steel 4.6/4.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm		38.8 mm
603161101	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 110, Zinc Plated	Steel 4.6/4.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm		38.8 mm
603161201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 120, Zinc Plated	Steel 4.6/4.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm		38.8 mm
603161301	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 130, Zinc Plated	Steel 4.6/4.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm		38.8 mm
60316150	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 150, Plain	Steel 4.6/4.8	M16 x 150	Plain (no plating)	16 mm	150 mm		38.8 mm
603161501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 150, Zinc Plated	Steel 4.6/4.8	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm		38.8 mm
603161601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 160, Zinc Plated	Steel 4.6/4.8	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm		38.8 mm
603161701	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 170, Zinc Plated	Steel 4.6/4.8	M16 x 170	Zinc Bright Passivation Fe/Zn P1	16 mm	170 mm		38.8 mm
603161801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 180, Zinc Plated	Steel 4.6/4.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm		38.8 mm
603162001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 200, Zinc Plated	Steel 4.6/4.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm		38.8 mm
603162201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 220, Zinc Plated	Steel 4.6/4.8	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm		38.8 mm

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
603162401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 240, Zinc Plated	Steel 4.6/4.8	M16 x 240	Zinc Bright Passivation Fe/Zn P1	16 mm	240 mm		38.8 mm
603162601	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 260, Zinc Plated	Steel 4.6/4.8	M16 x 260	Zinc Bright Passivation Fe/Zn P1	16 mm	260 mm		38.8 mm
603163001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 300, Zinc Plated	Steel 4.6/4.8	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm		38.8 mm
603163801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M16 x 380, Zinc Plated	Steel 4.6/4.8	M16 x 380	Zinc Bright Passivation Fe/Zn P1	16 mm	380 mm		38.8 mm
603201201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 120, Zinc Plated	Steel 4.6/4.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm		46.8 mm
60320160	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 160, Plain	Steel 4.6/4.8	M20 x 160	Plain (no plating)	20 mm	160 mm		46.8 mm
603201602	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 160, Hot-Dip Galvanised	Steel 4.6/4.8	M20 x 160	Hot Dip Galvanizing	20 mm	160 mm		46.8 mm
603202001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 200, Zinc Plated	Steel 4.6/4.8	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm		46.8 mm
603202201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 220, Zinc Plated	Steel 4.6/4.8	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm		46.8 mm
603202401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 240, Zinc Plated	Steel 4.6/4.8	M20 x 240	Zinc Bright Passivation Fe/Zn P1	20 mm	240 mm		46.8 mm
603203801	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 380, Zinc Plated	Steel 4.6/4.8	M20 x 380	Zinc Bright Passivation Fe/Zn P1	20 mm	380 mm		46.8 mm
603205001	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 500, Zinc Plated	Steel 4.6/4.8	M20 x 500	Zinc Bright Passivation Fe/Zn P1	20 mm	500 mm		46.8 mm
603206501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 650, Zinc Plated	Steel 4.6/4.8	M20 x 650	Zinc Bright Passivation Fe/Zn P1	20 mm	650 mm		46.8 mm
603207501	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 750, Zinc Plated	Steel 4.6/4.8	M20 x 750	Zinc Bright Passivation Fe/Zn P1	20 mm	750 mm		46.8 mm
603208401	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 840, Zinc Plated	Steel 4.6/4.8	M20 x 840	Zinc Bright Passivation Fe/Zn P1	20 mm	840 mm		46.8 mm
603209201	DIN 603 Carriage Bolt, Steel 4.6/4.8, M20 x 920, Zinc Plated	Steel 4.6/4.8	M20 x 920	Zinc Bright Passivation Fe/Zn P1	20 mm	920 mm		46.8 mm
6038050161	DIN 603 Carriage Bolt, Steel 8.8, M5 x 16, Zinc Plated	Steel 8.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		13.55 mm
6038050201	DIN 603 Carriage Bolt, Steel 8.8, M5 x 20, Zinc Plated	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		13.55 mm
6038050251	DIN 603 Carriage Bolt, Steel 8.8, M5 x 25, Zinc Plated	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		13.55 mm
6038050501	DIN 603 Carriage Bolt, Steel 8.8, M5 x 50, Zinc Plated	Steel 8.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		13.55 mm
6038060121	DIN 603 Carriage Bolt, Steel 8.8, M6 x 12, Zinc Plated	Steel 8.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		16.55 mm
6038060161	DIN 603 Carriage Bolt, Steel 8.8, M6 x 16, Zinc Plated	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		16.55 mm
6038060201	DIN 603 Carriage Bolt, Steel 8.8, M6 x 20, Zinc Plated	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		16.55 mm
6038060251	DIN 603 Carriage Bolt, Steel 8.8, M6 x 25, Zinc Plated	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm		16.55 mm
6038060301	DIN 603 Carriage Bolt, Steel 8.8, M6 x 30, Zinc Plated	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		16.55 mm
6038060351	DIN 603 Carriage Bolt, Steel 8.8, M6 x 35, Zinc Plated	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		16.55 mm
6038060401	DIN 603 Carriage Bolt, Steel 8.8, M6 x 40, Zinc Plated	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		16.55 mm
6038060451	DIN 603 Carriage Bolt, Steel 8.8, M6 x 45, Zinc Plated	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm		16.55 mm
6038060501	DIN 603 Carriage Bolt, Steel 8.8, M6 x 50, Zinc Plated	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm		16.55 mm
603806055	DIN 603 Carriage Bolt, Steel 8.8, M6 x 55, Plain	Steel 8.8	M6 x 55	Plain (no plating)	6 mm	55 mm		16.55 mm
6038060551	DIN 603 Carriage Bolt, Steel 8.8, M6 x 55, Zinc Plated	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm		16.55 mm
6038060601	DIN 603 Carriage Bolt, Steel 8.8, M6 x 60, Zinc Plated	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm		16.55 mm
6038060651	DIN 603 Carriage Bolt, Steel 8.8, M6 x 65, Zinc Plated	Steel 8.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm		16.55 mm
6038060701	DIN 603 Carriage Bolt, Steel 8.8, M6 x 70, Zinc Plated	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm		16.55 mm
6038060751	DIN 603 Carriage Bolt, Steel 8.8, M6 x 75, Zinc Plated	Steel 8.8	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm		16.55 mm
6038060801	DIN 603 Carriage Bolt, Steel 8.8, M6 x 80, Zinc Plated	Steel 8.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm		16.55 mm
6038060901	DIN 603 Carriage Bolt, Steel 8.8, M6 x 90, Zinc Plated	Steel 8.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm		16.55 mm
6038080161	DIN 603 Carriage Bolt, Steel 8.8, M8 x 16, Zinc Plated	Steel 8.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		20.65 mm
603808020	DIN 603 Carriage Bolt, Steel 8.8, M8 x 20, Plain	Steel 8.8	M8 x 20	Plain (no plating)	8 mm	20 mm		20.65 mm
6038080201	DIN 603 Carriage Bolt, Steel 8.8, M8 x 20, Zinc Plated	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		20.65 mm
603808025	DIN 603 Carriage Bolt, Steel 8.8, M8 x 25, Plain	Steel 8.8	M8 x 25	Plain (no plating)	8 mm	25 mm		20.65 mm
6038080251	DIN 603 Carriage Bolt, Steel 8.8, M8 x 25, Zinc Plated	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		20.65 mm
6038080301	DIN 603 Carriage Bolt, Steel 8.8, M8 x 30, Zinc Plated	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		20.65 mm
6038080302	DIN 603 Carriage Bolt, Steel 8.8, M8 x 30, Hot-Dip Galvanised	Steel 8.8	M8 x 30	Hot Dip Galvanizing	8 mm	30 mm		20.65 mm
6038080351	DIN 603 Carriage Bolt, Steel 8.8, M8 x 35, Zinc Plated	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		20.65 mm
6038080401	DIN 603 Carriage Bolt, Steel 8.8, M8 x 40, Zinc Plated	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		20.65 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6038080451	DIN 603 Carriage Bolt, Steel 8.8, M8 x 45, Zinc Plated	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		20.65 mm
6038080501	DIN 603 Carriage Bolt, Steel 8.8, M8 x 50, Zinc Plated	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		20.65 mm
6038080551	DIN 603 Carriage Bolt, Steel 8.8, M8 x 55, Zinc Plated	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm		20.65 mm
6038080601	DIN 603 Carriage Bolt, Steel 8.8, M8 x 60, Zinc Plated	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		20.65 mm
6038080602	DIN 603 Carriage Bolt, Steel 8.8, M8 x 60, Hot-Dip Galvanised	Steel 8.8	M8 x 60	Hot Dip Galvanizing	8 mm	60 mm		20.65 mm
6038080651	DIN 603 Carriage Bolt, Steel 8.8, M8 x 65, Zinc Plated	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm		20.65 mm
6038080701	DIN 603 Carriage Bolt, Steel 8.8, M8 x 70, Zinc Plated	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		20.65 mm
6038080751	DIN 603 Carriage Bolt, Steel 8.8, M8 x 75, Zinc Plated	Steel 8.8	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm		20.65 mm
603808080	DIN 603 Carriage Bolt, Steel 8.8, M8 x 80, Plain	Steel 8.8	M8 x 80	Plain (no plating)	8 mm	80 mm		20.65 mm
6038080801	DIN 603 Carriage Bolt, Steel 8.8, M8 x 80, Zinc Plated	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm		20.65 mm
6038080901	DIN 603 Carriage Bolt, Steel 8.8, M8 x 90, Zinc Plated	Steel 8.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm		20.65 mm
6038081001	DIN 603 Carriage Bolt, Steel 8.8, M8 x 100, Zinc Plated	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm		20.65 mm
6038081101	DIN 603 Carriage Bolt, Steel 8.8, M8 x 110, Zinc Plated	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm		20.65 mm
6038081201	DIN 603 Carriage Bolt, Steel 8.8, M8 x 120, Zinc Plated	Steel 8.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm		20.65 mm
6038100201	DIN 603 Carriage Bolt, Steel 8.8, M10 x 20, Zinc Plated	Steel 8.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm		24.65 mm
6038100251	DIN 603 Carriage Bolt, Steel 8.8, M10 x 25, Zinc Plated	Steel 8.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm		24.65 mm
6038100252	DIN 603 Carriage Bolt, Steel 8.8, M10 x 25, Hot-Dip Galvanised	Steel 8.8	M10 x 25	Hot Dip Galvanizing	10 mm	25 mm		24.65 mm
6038100301	DIN 603 Carriage Bolt, Steel 8.8, M10 x 30, Zinc Plated	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm		24.65 mm
6038100302	DIN 603 Carriage Bolt, Steel 8.8, M10 x 30, Hot-Dip Galvanised	Steel 8.8	M10 x 30	Hot Dip Galvanizing	10 mm	30 mm		24.65 mm
603810035	DIN 603 Carriage Bolt, Steel 8.8, M10 x 35, Plain	Steel 8.8	M10 x 35	Plain (no plating)	10 mm	35 mm		24.65 mm
6038100351	DIN 603 Carriage Bolt, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm		24.65 mm
6038100352	DIN 603 Carriage Bolt, Steel 8.8, M10 x 35, Hot-Dip Galvanised	Steel 8.8	M10 x 35	Hot Dip Galvanizing	10 mm	35 mm		24.65 mm
6038100401	DIN 603 Carriage Bolt, Steel 8.8, M10 x 40, Zinc Plated	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm		24.65 mm
6038100402	DIN 603 Carriage Bolt, Steel 8.8, M10 x 40, Hot-Dip Galvanised	Steel 8.8	M10 x 40	Hot Dip Galvanizing	10 mm	40 mm		24.65 mm
6038100451	DIN 603 Carriage Bolt, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm		24.65 mm
6038100501	DIN 603 Carriage Bolt, Steel 8.8, M10 x 50, Zinc Plated	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm		24.65 mm
6038100551	DIN 603 Carriage Bolt, Steel 8.8, M10 x 55, Zinc Plated	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm		24.65 mm
6038100601	DIN 603 Carriage Bolt, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm		24.65 mm
6038100651	DIN 603 Carriage Bolt, Steel 8.8, M10 x 65, Zinc Plated	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm		24.65 mm
6038100652	DIN 603 Carriage Bolt, Steel 8.8, M10 x 65, Hot-Dip Galvanised	Steel 8.8	M10 x 65	Hot Dip Galvanizing	10 mm	65 mm		24.65 mm
6038100701	DIN 603 Carriage Bolt, Steel 8.8, M10 x 70, Zinc Plated	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm		24.65 mm
6038100751	DIN 603 Carriage Bolt, Steel 8.8, M10 x 75, Zinc Plated	Steel 8.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm		24.65 mm
6038100801	DIN 603 Carriage Bolt, Steel 8.8, M10 x 80, Zinc Plated	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm		24.65 mm
6038100851	DIN 603 Carriage Bolt, Steel 8.8, M10 x 85, Zinc Plated	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm		24.65 mm
6038100901	DIN 603 Carriage Bolt, Steel 8.8, M10 x 90, Zinc Plated	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm		24.65 mm
6038101001	DIN 603 Carriage Bolt, Steel 8.8, M10 x 100, Zinc Plated	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm		24.65 mm
6038101101	DIN 603 Carriage Bolt, Steel 8.8, M10 x 110, Zinc Plated	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm		24.65 mm
6038101151	DIN 603 Carriage Bolt, Steel 8.8, M10 x 115, Zinc Plated	Steel 8.8	M10 x 115	Zinc Bright Passivation Fe/Zn P1	10 mm	115 mm		24.65 mm
6038101201	DIN 603 Carriage Bolt, Steel 8.8, M10 x 120, Zinc Plated	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm		24.65 mm
6038101301	DIN 603 Carriage Bolt, Steel 8.8, M10 x 130, Zinc Plated	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm		24.65 mm
6038101302	DIN 603 Carriage Bolt, Steel 8.8, M10 x 130, Hot-Dip Galvanised	Steel 8.8	M10 x 130	Hot Dip Galvanizing	10 mm	130 mm		24.65 mm
6038101401	DIN 603 Carriage Bolt, Steel 8.8, M10 x 140, Zinc Plated	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm		24.65 mm
6038101501	DIN 603 Carriage Bolt, Steel 8.8, M10 x 150, Zinc Plated	Steel 8.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm		24.65 mm
6038101601	DIN 603 Carriage Bolt, Steel 8.8, M10 x 160, Zinc Plated	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm		24.65 mm
6038101701	DIN 603 Carriage Bolt, Steel 8.8, M10 x 170, Zinc Plated	Steel 8.8	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm		24.65 mm
6038101801	DIN 603 Carriage Bolt, Steel 8.8, M10 x 180, Zinc Plated	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm		24.65 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6038102001	DIN 603 Carriage Bolt, Steel 8.8, M10 x 200, Zinc Plated	Steel 8.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm		24.65 mm
6038120251	DIN 603 Carriage Bolt, Steel 8.8, M12 x 25, Zinc Plated	Steel 8.8	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm		30.65 mm
6038120301	DIN 603 Carriage Bolt, Steel 8.8, M12 x 30, Zinc Plated	Steel 8.8	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm		30.65 mm
6038120302	DIN 603 Carriage Bolt, Steel 8.8, M12 x 30, Hot-Dip Galvanised	Steel 8.8	M12 x 30	Hot Dip Galvanizing	12 mm	30 mm		30.65 mm
6038120351	DIN 603 Carriage Bolt, Steel 8.8, M12 x 35, Zinc Plated	Steel 8.8	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm		30.65 mm
6038120352	DIN 603 Carriage Bolt, Steel 8.8, M12 x 35, Hot-Dip Galvanised	Steel 8.8	M12 x 35	Hot Dip Galvanizing	12 mm	35 mm		30.65 mm
6038120401	DIN 603 Carriage Bolt, Steel 8.8, M12 x 40, Zinc Plated	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm		30.65 mm
6038120402	DIN 603 Carriage Bolt, Steel 8.8, M12 x 40, HDG High Temp	Steel 8.8	M12 x 40	Hot Dip Galvanizing (530-560 Å°)	12 mm	40 mm		30.65 mm
6038120451	DIN 603 Carriage Bolt, Steel 8.8, M12 x 45, Zinc Plated	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm		30.65 mm
6038120501	DIN 603 Carriage Bolt, Steel 8.8, M12 x 50, Zinc Plated	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm		30.65 mm
6038120551	DIN 603 Carriage Bolt, Steel 8.8, M12 x 55, Zinc Plated	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm		30.65 mm
6038120601	DIN 603 Carriage Bolt, Steel 8.8, M12 x 60, Zinc Plated	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm		30.65 mm
6038120651	DIN 603 Carriage Bolt, Steel 8.8, M12 x 65, Zinc Plated	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm		30.65 mm
6038120701	DIN 603 Carriage Bolt, Steel 8.8, M12 x 70, Zinc Plated	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm		30.65 mm
6038120702	DIN 603 Carriage Bolt, Steel 8.8, M12 x 70, Hot-Dip Galvanised	Steel 8.8	M12 x 70	Hot Dip Galvanizing	12 mm	70 mm		30.65 mm
6038120751	DIN 603 Carriage Bolt, Steel 8.8, M12 x 75, Zinc Plated	Steel 8.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm		30.65 mm
6038120801	DIN 603 Carriage Bolt, Steel 8.8, M12 x 80, Zinc Plated	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm		30.65 mm
603812085	DIN 603 Carriage Bolt, Steel 8.8, M12 x 85, Plain	Steel 8.8	M12 x 85	Plain (no plating)	12 mm	85 mm		30.65 mm
6038120851	DIN 603 Carriage Bolt, Steel 8.8, M12 x 85, Zinc Plated	Steel 8.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm		30.65 mm
6038120901	DIN 603 Carriage Bolt, Steel 8.8, M12 x 90, Zinc Plated	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm		30.65 mm
6038121001	DIN 603 Carriage Bolt, Steel 8.8, M12 x 100, Zinc Plated	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm		30.65 mm
6038121101	DIN 603 Carriage Bolt, Steel 8.8, M12 x 110, Zinc Plated	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm		30.65 mm
603812120	DIN 603 Carriage Bolt, Steel 8.8, M12 x 120, Plain	Steel 8.8	M12 x 120	Plain (no plating)	12 mm	120 mm		30.65 mm
6038121201	DIN 603 Carriage Bolt, Steel 8.8, M12 x 120, Zinc Plated	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm		30.65 mm
6038121301	DIN 603 Carriage Bolt, Steel 8.8, M12 x 130, Zinc Plated	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm		30.65 mm
603812180	DIN 603 Carriage Bolt, Steel 8.8, M12 x 180, Plain	Steel 8.8	M12 x 180	Plain (no plating)	12 mm	180 mm		30.65 mm
6038121801	DIN 603 Carriage Bolt, Steel 8.8, M12 x 180, Zinc Plated	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm		30.65 mm
6038160401	DIN 603 Carriage Bolt, Steel 8.8, M16 x 40, Zinc Plated	Steel 8.8	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm		38.8 mm
6038160402	DIN 603 Carriage Bolt, Steel 8.8, M16 x 40, Hot-Dip Galvanised	Steel 8.8	M16 x 40	Hot Dip Galvanizing	16 mm	40 mm		38.8 mm
6038160451	DIN 603 Carriage Bolt, Steel 8.8, M16 x 45, Zinc Plated	Steel 8.8	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm		38.8 mm
6038160501	DIN 603 Carriage Bolt, Steel 8.8, M16 x 50, Zinc Plated	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm		38.8 mm
6038160502	DIN 603 Carriage Bolt, Steel 8.8, M16 x 50, Hot-Dip Galvanised	Steel 8.8	M16 x 50	Hot Dip Galvanizing	16 mm	50 mm		38.8 mm
6038160551	DIN 603 Carriage Bolt, Steel 8.8, M16 x 55, Zinc Plated	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm		38.8 mm
6038160601	DIN 603 Carriage Bolt, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm		38.8 mm
6038160602	DIN 603 Carriage Bolt, Steel 8.8, M16 x 60, Hot-Dip Galvanised	Steel 8.8	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm		38.8 mm
6038160652	DIN 603 Carriage Bolt, Steel 8.8, M16 x 65, Hot-Dip Galvanised	Steel 8.8	M16 x 65	Hot Dip Galvanizing	16 mm	65 mm		38.8 mm
6038160701	DIN 603 Carriage Bolt, Steel 8.8, M16 x 70, Zinc Plated	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm		38.8 mm
6038160801	DIN 603 Carriage Bolt, Steel 8.8, M16 x 80, Zinc Plated	Steel 8.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm		38.8 mm
6038160901	DIN 603 Carriage Bolt, Steel 8.8, M16 x 90, Zinc Plated	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm		38.8 mm
6038161001	DIN 603 Carriage Bolt, Steel 8.8, M16 x 100, Zinc Plated	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm		38.8 mm
6038161101	DIN 603 Carriage Bolt, Steel 8.8, M16 x 110, Zinc Plated	Steel 8.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm		38.8 mm
6038161201	DIN 603 Carriage Bolt, Steel 8.8, M16 x 120, Zinc Plated	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm		38.8 mm
6038161301	DIN 603 Carriage Bolt, Steel 8.8, M16 x 130, Zinc Plated	Steel 8.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm		38.8 mm
6038161302	DIN 603 Carriage Bolt, Steel 8.8, M16 x 130, Hot-Dip Galvanised	Steel 8.8	M16 x 130	Hot Dip Galvanizing	16 mm	130 mm		38.8 mm
6038161401	DIN 603 Carriage Bolt, Steel 8.8, M16 x 140, Zinc Plated	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm		38.8 mm
6038200402	DIN 603 Carriage Bolt, Steel 8.8, M20 x 40, Hot-Dip							

Galvanised

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6038200502	DIN 603 Carriage Bolt, Steel 8.8, M20 x 50, Hot-Dip Galvanised	Steel 8.8	M20 x 50	Hot Dip Galvanizing	20 mm	50 mm		46.8 mm
6038200602	DIN 603 Carriage Bolt, Steel 8.8, M20 x 60, Hot-Dip Galvanised	Steel 8.8	M20 x 60	Hot Dip Galvanizing	20 mm	60 mm		46.8 mm
6038200651	DIN 603 Carriage Bolt, Steel 8.8, M20 x 65, Zinc Plated	Steel 8.8	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm		46.8 mm
6038200801	DIN 603 Carriage Bolt, Steel 8.8, M20 x 80, Zinc Plated	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm		46.8 mm
6038201001	DIN 603 Carriage Bolt, Steel 8.8, M20 x 100, Zinc Plated	Steel 8.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm		46.8 mm
6038201101	DIN 603 Carriage Bolt, Steel 8.8, M20 x 110, Zinc Plated	Steel 8.8	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm		46.8 mm
6038201302	DIN 603 Carriage Bolt, Steel 8.8, M20 x 130, Hot-Dip Galvanised	Steel 8.8	M20 x 130	Hot Dip Galvanizing	20 mm	130 mm		46.8 mm
603A205060	DIN 603 Carriage Bolt, Stainless A2-70, M5 x 60	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm		13.55 mm
603A206110	DIN 603 Carriage Bolt, Stainless A2-70, M6 x 110	Stainless A2-70	M6 x 110	Plain (no plating)	6 mm	110 mm		16.55 mm
603A208150	DIN 603 Carriage Bolt, Stainless A2-70, M8 x 150	Stainless A2-70	M8 x 150	Plain (no plating)	8 mm	150 mm		20.65 mm
603A210016	DIN 603 Carriage Bolt, Stainless A2-70, M10 x 16	Stainless A2-70	M10 x 16	Plain (no plating)	10 mm	16 mm		24.65 mm
603A21008070	DIN 603 Carriage Bolt, Stainless A2-70, M10 x 80	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm		24.65 mm
603A21010070	DIN 603 Carriage Bolt, Stainless A2-70, M10 x 100	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm		24.65 mm
603A210120	DIN 603 Carriage Bolt, Stainless A2-70, M10 x 120	Stainless A2-70	M10 x 120	Plain (no plating)	10 mm	120 mm		24.65 mm
603A210160	DIN 603 Carriage Bolt, Stainless A2-70, M10 x 160	Stainless A2-70	M10 x 160	Plain (no plating)	10 mm	160 mm		24.65 mm
603A212120	DIN 603 Carriage Bolt, Stainless A2-70, M12 x 120	Stainless A2-70	M12 x 120	Plain (no plating)	12 mm	120 mm		30.65 mm
603A212130	DIN 603 Carriage Bolt, Stainless A2-70, M12 x 130	Stainless A2-70	M12 x 130	Plain (no plating)	12 mm	130 mm		30.65 mm
603A212200	DIN 603 Carriage Bolt, Stainless A2-70, M12 x 200	Stainless A2-70	M12 x 200	Plain (no plating)	12 mm	200 mm		30.65 mm
603A216045	DIN 603 Carriage Bolt, Stainless A2-70, M16 x 45	Stainless A2-70	M16 x 45	Plain (no plating)	16 mm	45 mm		38.8 mm
603A216055	DIN 603 Carriage Bolt, Stainless A2-70, M16 x 55	Stainless A2-70	M16 x 55	Plain (no plating)	16 mm	55 mm		38.8 mm
603A216120	DIN 603 Carriage Bolt, Stainless A2-70, M16 x 120	Stainless A2-70	M16 x 120	Plain (no plating)	16 mm	120 mm		38.8 mm
603A408120	DIN 603 Carriage Bolt, Stainless A4-70, M8 x 120	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm		20.65 mm
603A408130	DIN 603 Carriage Bolt, Stainless A4-70, M8 x 130	Stainless A4-70	M8 x 130	Plain (no plating)	8 mm	130 mm		20.65 mm
603A412050	DIN 603 Carriage Bolt, Stainless A4-70, M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm		30.65 mm
603A416065	DIN 603 Carriage Bolt, Stainless A4-70, M16 x 65	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm		38.8 mm

