


DIN 6799 — Retaining Washer



Catalogue data sheet · 139 sizes · category Washers / Retaining Washers · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15.
Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6799-1.4122-06	DIN 6799 Retaining Washer, Stainless EN 1.4122, 6 mm	Stainless EN 1.4122	6 mm	Plain (no plating)				12.3 mm
6799-1.4122-24	DIN 6799 Retaining Washer, Stainless EN 1.4122, 24 mm	Stainless EN 1.4122	24 mm	Plain (no plating)				44.6 mm
6799008	DIN 6799 Retaining Washer, Steel, 0.8 mm, Plain	Steel	0.8 mm	Plain (no plating)				2.25 mm
6799012	DIN 6799 Retaining Washer, Steel 460-580 HV, 1.2 x 3.25	Steel 460-580 HV	1.2 x 3.25 x 0.3 mm	Plain (no plating)				3.25 mm
6799015	DIN 6799 Retaining Washer, Steel, 1.5 mm, Plain	Steel	1.5 mm	Plain (no plating)				4.25 mm
6799015PHM	DIN 6799 Retaining Washer, Steel, 1.5 mm, Zinc Phosphated	Steel	1.5 mm	Phosphating				4.25 mm
6799019	DIN 6799 Retaining Washer, Steel, 1.9 mm, Plain	Steel	1.9 mm	Plain (no plating)				4.8 mm
67990191	DIN 6799 Retaining Washer, Steel, 1.9 mm, Zinc Plated	Steel	1.9 mm	Zinc Bright Passivation Fe/Zn P1				4.8 mm
6799019PHM	DIN 6799 Retaining Washer, Steel, 1.9 mm, Zinc Phosphated	Steel	1.9 mm	Phosphating				4.8 mm
6799023	DIN 6799 Retaining Washer, Steel, 2.3 mm, Plain	Steel	2.3 mm	Plain (no plating)				6.3 mm
67990231	DIN 6799 Retaining Washer, Steel, 2.3 mm, Zinc Plated	Steel	2.3 mm	Zinc Bright Passivation Fe/Zn P1				6.3 mm
6799023PHM	DIN 6799 Retaining Washer, Steel, 2.3 mm, Zinc Phosphated	Steel	2.3 mm	Phosphating				6.3 mm
6799032	DIN 6799 Retaining Washer, Steel, 3.2 mm, Plain	Steel	3.2 mm	Plain (no plating)				7.3 mm
67990321	DIN 6799 Retaining Washer, Steel, 3.2 mm, Zinc Plated	Steel	3.2 mm	Zinc Bright Passivation Fe/Zn P1				7.3 mm
6799032PHM	DIN 6799 Retaining Washer, Steel, 3.2 mm, Zinc Phosphated	Steel	3.2 mm	Phosphating				7.3 mm
679904	DIN 6799 Retaining Washer, Steel, 4 mm, Plain	Steel	4 mm	Plain (no plating)				9.3 mm
6799041	DIN 6799 Retaining Washer, Steel, 4 mm, Zinc Plated	Steel	4 mm	Zinc Bright Passivation Fe/Zn P1				9.3 mm
679904E	DIN 6799 Retaining Washer, Steel, 4 mm, Stapled, Plain	Steel	4 mm	Plain (no plating)				9.3 mm
679904I	DIN 6799 Retaining Washer, Steel, 4 mm, Plain	Steel	4 mm	Plain (no plating)				9.3 mm
679904PHM	DIN 6799 Retaining Washer, Steel, 4 mm, Zinc Phosphated	Steel	4 mm	Phosphating				9.3 mm
679905	DIN 6799 Retaining Washer, Steel, 5 mm, Plain	Steel	5 mm	Plain (no plating)				11.3 mm
6799051	DIN 6799 Retaining Washer, Steel, 5 mm, Zinc Plated	Steel	5 mm	Zinc Bright Passivation Fe/Zn P1				11.3 mm
679905PHM	DIN 6799 Retaining Washer, Steel, 5 mm, Zinc Phosphated	Steel	5 mm	Phosphating				11.3 mm
679906	DIN 6799 Retaining Washer, Steel, 6 mm, Plain	Steel	6 mm	Plain (no plating)				12.3 mm
6799061	DIN 6799 Retaining Washer, Steel, 6 mm, Zinc Plated	Steel	6 mm	Zinc Bright Passivation Fe/Zn P1				12.3 mm
679906PHM	DIN 6799 Retaining Washer, Steel, 6 mm, Zinc Phosphated	Steel	6 mm	Phosphating				12.3 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
679907	DIN 6799 Retaining Washer, Steel, 7 mm, Plain	Steel	7 mm	Plain (no plating)				14.3 mm
6799071	DIN 6799 Retaining Washer, Steel, 7 mm, Zinc Plated	Steel	7 mm	Zinc Bright Passivation Fe/Zn P1				14.3 mm
679907PHM	DIN 6799 Retaining Washer, Steel, 7 mm, Zinc Phosphated	Steel	7 mm	Phosphating				14.3 mm
679908	DIN 6799 Retaining Washer, Steel, 8 mm, Plain	Steel	8 mm	Plain (no plating)				16.3 mm
6799081	DIN 6799 Retaining Washer, Steel, 8 mm, Zinc Plated	Steel	8 mm	Zinc Bright Passivation Fe/Zn P1				16.3 mm
679909	DIN 6799 Retaining Washer, Steel, 9 mm, Plain	Steel	9 mm	Plain (no plating)				18.8 mm
6799091	DIN 6799 Retaining Washer, Steel, 9 mm, Zinc Plated	Steel	9 mm	Zinc Bright Passivation Fe/Zn P1				18.8 mm
679909S25351	DIN 6799 Retaining Washer, Steel, 9 mm, Plain	Steel	9 mm	Plain (no plating)				18.8 mm
679910	DIN 6799 Retaining Washer, Steel, 10 mm, Plain	Steel	10 mm	Plain (no plating)				20.4 mm
6799101	DIN 6799 Retaining Washer, Steel, 10 mm, Zinc Plated	Steel	10 mm	Zinc Bright Passivation Fe/Zn P1				20.4 mm
679912	DIN 6799 Retaining Washer, Steel, 12 mm, Plain	Steel	12 mm	Plain (no plating)				23.4 mm
6799121	DIN 6799 Retaining Washer, Steel, 12 mm, Zinc Plated	Steel	12 mm	Zinc Bright Passivation Fe/Zn P1				23.4 mm
679912FS	DIN 6799 Retaining Washer, Steel, 12 mm, Zinc Phosphated	Steel	12 mm	Phosphating				23.4 mm
679914122032	DIN 6799 Retaining Washer, Stainless EN 1.4122, 3.2 mm	Stainless EN 1.4122	3.2 mm	Plain (no plating)				7.3 mm
679915	DIN 6799 Retaining Washer, Steel, 15 mm, Plain	Steel	15 mm	Plain (no plating)				29.4 mm
6799151	DIN 6799 Retaining Washer, Steel, 15 mm, Zinc Plated	Steel	15 mm	Zinc Bright Passivation Fe/Zn P1				29.4 mm
679919	DIN 6799 Retaining Washer, Steel, 19 mm, Plain	Steel	19 mm	Plain (no plating)				37.6 mm
6799191	DIN 6799 Retaining Washer, Steel, 19 mm, Zinc Plated	Steel	19 mm	Zinc Bright Passivation Fe/Zn P1				37.6 mm
679924	DIN 6799 Retaining Washer, Steel, 24 mm, Plain	Steel	24 mm	Plain (no plating)				44.6 mm
6799241	DIN 6799 Retaining Washer, Steel, 24 mm, Zinc Plated	Steel	24 mm	Zinc Bright Passivation Fe/Zn P1				44.6 mm
679930	DIN 6799 Retaining Washer, Steel, 30 mm, Plain	Steel	30 mm	Plain (no plating)				52.6 mm
6799A2012	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 1.2 mm	Stainless EN 1.4122(or equiv)	1.2 mm	Plain (no plating)				3.25 mm
6799A2015	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 1.5 mm	Stainless EN 1.4122(or equiv)	1.5 mm	Plain (no plating)				4.25 mm
6799A2019	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 1.9 mm	Stainless EN 1.4122(or equiv)	1.9 mm	Plain (no plating)				4.8 mm
6799A2023	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 2.3 mm	Stainless EN 1.4122(or equiv)	2.3 mm	Plain (no plating)				6.3 mm
6799A2032	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 3.2 mm	Stainless EN 1.4122(or equiv)	3.2 mm	Plain (no plating)				7.3 mm
6799A2032S134	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 3.2 mm	Stainless EN 1.4122(or equiv)	3.2 mm	Plain (no plating)				7.3 mm
6799A204	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 4 mm	Stainless EN 1.4122(or equiv)	4 mm	Plain (no plating)				9.3 mm
6799A205	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 5 mm	Stainless EN 1.4122(or equiv)	5 mm	Plain (no plating)				11.3 mm
6799A2050	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 5 mm	Stainless EN 1.4122(or equiv)	5 mm	Plain (no plating)				11.3 mm
6799A206	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 6 mm	Stainless EN 1.4122(or equiv)	6 mm	Plain (no plating)				12.3 mm
6799A2060	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 6 mm	Stainless EN 1.4122(or equiv)	6 mm	Plain (no plating)				12.3 mm
6799A207	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 7 mm	Stainless EN 1.4122(or equiv)	7 mm	Plain (no plating)				14.3 mm
6799A2070	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 7 mm	Stainless EN 1.4122(or equiv)	7 mm	Plain (no plating)				14.3 mm
6799A208	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 8 mm	Stainless EN 1.4122(or equiv)	8 mm	Plain (no plating)				16.3 mm
6799A2080	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 8 mm	Stainless EN 1.4122(or equiv)	8 mm	Plain (no plating)				16.3 mm
6799A209	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 9 mm	Stainless EN 1.4122(or equiv)	9 mm	Plain (no plating)				18.8 mm
6799A210	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 10 mm	Stainless EN 1.4122(or equiv)	10 mm	Plain (no plating)				20.4 mm
6799A212	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 12 mm	Stainless EN 1.4122(or equiv)	12 mm	Plain (no plating)				23.4 mm
6799A215	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 15 mm	Stainless EN 1.4122(or equiv)	15 mm	Plain (no plating)				29.4 mm
6799A215ST	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 15 mm	Stainless EN 1.4122(or equiv)	15 mm	Plain (no plating)				29.4 mm
6799A219	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 19 mm	Stainless EN 1.4122(or equiv)	19 mm	Plain (no plating)				37.6 mm
6799A224	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 24 mm	Stainless EN 1.4122(or equiv)	24 mm	Plain (no plating)				44.6 mm
6799A4012	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 1.2 mm	Stainless EN 1.4532(or equiv)	1.2 mm	Plain (no plating)				3.25 mm
6799A4015	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 1.5 mm	Stainless EN 1.4532(or equiv)	1.5 mm	Plain (no plating)				4.25 mm
6799A4019	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 1.9 mm	Stainless EN 1.4532(or equiv)	1.9 mm	Plain (no plating)				4.8 mm

equiv), 1.9 mm

Stainless EN 1.4532(or equiv) 1.9 mm

Plain (no plating)

4.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6799A404	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 4 mm	Stainless EN 1.4532(or equiv)	4 mm	Plain (no plating)				9.3 mm
6799A405	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 5 mm	Stainless EN 1.4532(or equiv)	5 mm	Plain (no plating)				11.3 mm
6799A406	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 6 mm	Stainless EN 1.4532(or equiv)	6 mm	Plain (no plating)				12.3 mm
6799A407	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 7 mm	Stainless EN 1.4532(or equiv)	7 mm	Plain (no plating)				14.3 mm
6799A408	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 8 mm	Stainless EN 1.4532(or equiv)	8 mm	Plain (no plating)				16.3 mm
6799A409	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 9 mm	Stainless EN 1.4532(or equiv)	9 mm	Plain (no plating)				18.8 mm
6799A410	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 10 mm	Stainless EN 1.4532(or equiv)	10 mm	Plain (no plating)				20.4 mm
6799A4120	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 12 mm	Stainless EN 1.4532(or equiv)	12 mm	Plain (no plating)				23.4 mm
6799A4150	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 15 mm	Stainless EN 1.4532(or equiv)	15 mm	Plain (no plating)				29.4 mm
6799B08	DIN 6799 Retaining Washer, 8 mm, Plain		8 mm	Plain (no plating)				16.3 mm
6799BR09	DIN 6799 Retaining Washer, 9 mm, Plain		9 mm	Plain (no plating)				18.8 mm
6799BR12	DIN 6799 Retaining Washer, 12 mm, Plain		12 mm	Plain (no plating)				23.4 mm
6799C032	DIN 6799 Retaining Washer, 3.2 mm, Copper, Plain		3.2 mm	Plain (no plating)				7.3 mm
6799C4032	DIN 6799 Retaining Washer, C4, 3.2 mm, Plain	C4	3.2 mm	Plain (no plating)				7.3 mm
6799C404	DIN 6799 Retaining Washer, C4, 4 mm, Plain	C4	4 mm	Plain (no plating)				9.3 mm
6799C407	DIN 6799 Retaining Washer, C4, 7 mm, Plain	C4	7 mm	Plain (no plating)				14.3 mm
6799C409	DIN 6799 Retaining Washer, C4, 9 mm, Plain	C4	9 mm	Plain (no plating)				18.8 mm
6799PBS023	DIN 6799 Retaining Washer, 2.3 mm, Stapled, Plain		2.3 mm	Plain (no plating)				6.3 mm
6799S012	DIN 6799 Retaining Washer, Steel, 1.2 mm, Stapled, Plain	Steel	1.2 mm	Plain (no plating)				3.25 mm
6799S015	DIN 6799 Retaining Washer, Steel, 1.5 mm, Stapled, Plain	Steel	1.5 mm	Plain (no plating)				4.25 mm
6799S0151	DIN 6799 Retaining Washer, Steel, 1.5 mm, Stapled, Zinc Plated	Steel	1.5 mm	Zinc Bright Passivation Fe/Zn P1				4.25 mm
6799S019	DIN 6799 Retaining Washer, Steel, 1.9 mm, Stapled, Plain	Steel	1.9 mm	Plain (no plating)				4.8 mm
6799S023	DIN 6799 Retaining Washer, Steel, 2.3 mm, Stapled, Plain	Steel	2.3 mm	Plain (no plating)				6.3 mm
6799S032	DIN 6799 Retaining Washer, Steel, 3.2 mm, Stapled, Plain	Steel	3.2 mm	Plain (no plating)				7.3 mm
6799S0321	DIN 6799 Retaining Washer, Steel, 3.2 mm, Stapled, Zinc Plated	Steel	3.2 mm	Zinc Bright Passivation Fe/Zn P1				7.3 mm
6799S032PH	DIN 6799 Retaining Washer, Steel, 3.2 mm, Stapled, Zinc Phosphated	Steel	3.2 mm	Phosphating				7.3 mm
6799S04	DIN 6799 Retaining Washer, Steel, 4 mm, Stapled, Plain	Steel	4 mm	Plain (no plating)				9.3 mm
6799S041	DIN 6799 Retaining Washer, Steel, 4 mm, Stapled, Zinc Plated	Steel	4 mm	Zinc Bright Passivation Fe/Zn P1				9.3 mm
6799S05	DIN 6799 Retaining Washer, Steel, 5 mm, Stapled, Plain	Steel	5 mm	Plain (no plating)				11.3 mm
6799S051	DIN 6799 Retaining Washer, Steel, 5 mm, Stapled, Zinc Plated	Steel	5 mm	Zinc Bright Passivation Fe/Zn P1				11.3 mm
6799S06	DIN 6799 Retaining Washer, Steel, 6 mm, Stapled, Plain	Steel	6 mm	Plain (no plating)				12.3 mm
6799S061	DIN 6799 Retaining Washer, Steel, 6 mm, Stapled, Zinc Plated	Steel	6 mm	Zinc Bright Passivation Fe/Zn P1				12.3 mm
6799S07	DIN 6799 Retaining Washer, Steel, 7 mm, Stapled, Plain	Steel	7 mm	Plain (no plating)				14.3 mm
6799S071	DIN 6799 Retaining Washer, Steel, 7 mm, Stapled, Zinc Plated	Steel	7 mm	Zinc Bright Passivation Fe/Zn P1				14.3 mm
6799S08	DIN 6799 Retaining Washer, Steel, 8 mm, Stapled, Plain	Steel	8 mm	Plain (no plating)				16.3 mm
6799S081	DIN 6799 Retaining Washer, Steel, 8 mm, Stapled, Zinc Plated	Steel	8 mm	Zinc Bright Passivation Fe/Zn P1				16.3 mm
6799S08PH	DIN 6799 Retaining Washer, Steel, 8 mm, Stapled, Zinc Phosphated	Steel	8 mm	Phosphating				16.3 mm
6799S091	DIN 6799 Retaining Washer, Steel, 9 mm, Stapled, Zinc Plated	Steel	9 mm	Zinc Bright Passivation Fe/Zn P1				18.8 mm
6799S09PH	DIN 6799 Retaining Washer, Steel, 9 mm, Stapled, Zinc Phosphated	Steel	9 mm	Phosphating				18.8 mm
6799S10	DIN 6799 Retaining Washer, Steel 460-580 HV, 10 x 20.4 x 1.2 mm	Steel 460-580 HV	10 x 20.4 x 1.2 mm	Plain (no plating)				20.4 mm
6799S101	DIN 6799 Retaining Washer, Steel, 10 mm, Stapled, Zinc Plated	Steel	10 mm	Zinc Bright Passivation Fe/Zn P1				20.4 mm
6799SA2015	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 1.5 mm	Stainless EN 1.4122(or equiv)	1.5 mm	Plain (no plating)				4.25 mm
6799SA2023	DIN 6799 Retaining Washer, Stainless EN 1.4568, 2.3 mm, Stapled	Stainless EN 1.4568	2.3 mm	Plain (no plating)				6.3 mm
6799SA2032	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 3.2 mm	Stainless EN 1.4122(or equiv)	3.2 mm	Plain (no plating)				7.3 mm
6799SA204	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 4 mm	Stainless EN 1.4122(or equiv)	4 mm	Plain (no plating)				9.3 mm
6799SA205	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 5 mm	Stainless EN 1.4122(or equiv)	5 mm	Plain (no plating)				11.3 mm

equiv), 5 mm,

Stainless EN 1.4122(or equiv) 5 mm

Plain (no plating)

11.3 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6799SA206	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 6 mm	Stainless EN 1.4122(or equiv)	6 mm	Plain (no plating)				12.3 mm
6799SA207	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 7 mm	Stainless EN 1.4122(or equiv)	7 mm	Plain (no plating)				14.3 mm
6799SA208	DIN 6799 Retaining Washer, Stainless EN 1.4122(or equiv), 8 mm	Stainless EN 1.4122(or equiv)	8 mm	Plain (no plating)				16.3 mm
6799SA4019	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 1.9 mm	Stainless EN 1.4532(or equiv)	1.9 mm	Plain (no plating)				4.8 mm
6799SA4032	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 3.2 mm	Stainless EN 1.4532(or equiv)	3.2 mm	Plain (no plating)				7.3 mm
6799SA404	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 4 mm	Stainless EN 1.4532(or equiv)	4 mm	Plain (no plating)				9.3 mm
6799SA405	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 5 mm	Stainless EN 1.4532(or equiv)	5 mm	Plain (no plating)				11.3 mm
6799SA406	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 6 mm	Stainless EN 1.4532(or equiv)	6 mm	Plain (no plating)				12.3 mm
6799SA408	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 8 mm	Stainless EN 1.4532(or equiv)	8 mm	Plain (no plating)				16.3 mm
6799SA410	DIN 6799 Retaining Washer, Stainless EN 1.4532(or equiv), 10 mm	Stainless EN 1.4532(or equiv)	10 mm	Plain (no plating)				20.4 mm
6799SC4012	DIN 6799 Retaining Washer, C4, 1.2 mm, Stapled, Plain	C4	1.2 mm	Plain (no plating)				3.25 mm
6799SC4015	DIN 6799 Retaining Washer, C4, 1.5 mm, Stapled, Plain	C4	1.5 mm	Plain (no plating)				4.25 mm
6799SC408	DIN 6799 Retaining Washer, C4, 8 mm, Stapled, Plain	C4	8 mm	Plain (no plating)				16.3 mm
6799SS015	DIN 6799 Retaining Washer, Stainless AISI 420, 1.5 mm	Stainless AISI 420	1.5 mm	Plain (no plating)				4.25 mm
6799SS06	DIN 6799 Retaining Washer, Stainless AISI 420, 6 mm	Stainless AISI 420	6 mm	Plain (no plating)				12.3 mm
6799SS420015	DIN 6799 Retaining Washer, Stainless AISI 420, 1.5 mm	Stainless AISI 420	1.5 mm	Plain (no plating)				4.25 mm
6799SS42004	DIN 6799 Retaining Washer, Stainless AISI 420, 4 mm	Stainless AISI 420	4 mm	Plain (no plating)				9.3 mm
6799SS42005	DIN 6799 Retaining Washer, Stainless AISI 420, 5 mm	Stainless AISI 420	5 mm	Plain (no plating)				11.3 mm
6799SS42006	DIN 6799 Retaining Washer, Stainless AISI 420, 6 mm	Stainless AISI 420	6 mm	Plain (no plating)				12.3 mm
6799SS42007	DIN 6799 Retaining Washer, Stainless AISI 420, 7 mm	Stainless AISI 420	7 mm	Plain (no plating)				14.3 mm
6799SS42008	DIN 6799 Retaining Washer, Stainless AISI 420, 8 mm	Stainless AISI 420	8 mm	Plain (no plating)				16.3 mm

