


DIN 6912 — Socket Head Screw with Hex Drive



Catalogue data sheet · 397 sizes · category Bolts and Screws / Socket Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
691210050201	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5	Steel 10.9	010.9 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
69121006010	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M6	Steel 10.9	010.9 M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
691210060101	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M6	Steel 10.9	010.9 M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	5 mm	10 mm
69121006012	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M6	Steel 10.9	010.9 M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
69121006016	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M6	Steel 10.9	010.9 M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
69121006020	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M6	Steel 10.9	010.9 M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
69121006025	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M6	Steel 10.9	010.9 M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
69121006040	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M6	Steel 10.9	010.9 M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
69121008016	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
691210080161	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
69121008020	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
691210080201	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
69121008025	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
69121008030	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
69121008035	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
69121008040	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
69121008060	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M8	Steel 10.9	010.9 M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
69121010016	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
69121010020	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
69121010025	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
691210100251	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
691210100301	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
69121010035	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
69121010040	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
69121010060	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
69121010075	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10							

010.9 M10

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
69121010090	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M10	Steel 10.9	010.9 M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
69121012030	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M12	Steel 10.9	010.9 M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
69121012035	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M12	Steel 10.9	010.9 M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
69121012100	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M12	Steel 10.9	010.9 M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
69121012150301	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M12	Steel 10.9	010.9 M12 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
69121014065	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M14	Steel 10.9	010.9 M14 x 65	Plain (no plating)	14 mm	65 mm	12 mm	21 mm
69121014075	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M14	Steel 10.9	010.9 M14 x 75	Plain (no plating)	14 mm	75 mm	12 mm	21 mm
69121016030	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
69121016035	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
69121016040	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
69121016045	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
69121016050	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
69121016065	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
69121016070	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
69121016080	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M16	Steel 10.9	010.9 M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
69121020040	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
69121020050	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
69121020060	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
69121020070	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
69121024080	DIN 6912 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
69121210030	DIN 6912 Socket Head Screw with Hex Drive, Steel 12.9, 012.9 M10	Steel 12.9	012.9 M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
69128040061	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 6	Steel 8.8	08.8 M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	3 mm	7 mm
6912804008	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 8	Steel 8.8	08.8 M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
69128040081	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 8	Steel 8.8	08.8 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	3 mm	7 mm
6912804010	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 10	Steel 8.8	08.8 M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
69128040101	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 10	Steel 8.8	08.8 M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
6912804012	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 12	Steel 8.8	08.8 M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
69128040121	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 12	Steel 8.8	08.8 M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
69128040161	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 16	Steel 8.8	08.8 M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
6912804020	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 20	Steel 8.8	08.8 M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
69128040201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 20	Steel 8.8	08.8 M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	3 mm	7 mm
6912804025	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 25	Steel 8.8	08.8 M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
69128040251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 25	Steel 8.8	08.8 M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
69128040301	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 30	Steel 8.8	08.8 M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	3 mm	7 mm
69128040401	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 40	Steel 8.8	08.8 M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	3 mm	7 mm
69128050061	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 6	Steel 8.8	08.8 M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm	4 mm	8.5 mm
69128050081	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 8	Steel 8.8	08.8 M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	4 mm	8.5 mm
6912805010	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 10	Steel 8.8	08.8 M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
69128050101	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 10	Steel 8.8	08.8 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	4 mm	8.5 mm
6912805012	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 12	Steel 8.8	08.8 M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
69128050121	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 12	Steel 8.8	08.8 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	4 mm	8.5 mm
69128050141	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 14	Steel 8.8	08.8 M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	4 mm	8.5 mm
6912805016	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 16	Steel 8.8	08.8 M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
69128050161	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 16	Steel 8.8	08.8 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
6912805018	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 18	Steel 8.8	08.8 M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
69128050181	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 18	Steel 8.8	08.8 M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm

08.8 M5 x

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6912805020	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
69128050201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
6912805025	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
69128050251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	4 mm	8.5 mm
6912805030	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
6912805035	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
69128050351	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	4 mm	8.5 mm
6912805050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
6912805060	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
69128050601	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	4 mm	8.5 mm
6912806008	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
69128060081	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	5 mm	10 mm
6912806010	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
69128060101	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	5 mm	10 mm
6912806012	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
69128060121	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	5 mm	10 mm
69128060141	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	5 mm	10 mm
6912806016	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
69128060161	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
69128060181	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 18	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm	5 mm	10 mm
6912806020	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
69128060201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
6912806025	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
69128060251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
6912806030	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
69128060301	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	5 mm	10 mm
6912806035	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
69128060351	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
69128060401	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm
69128060451	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
6912806050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
69128060501	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
6912806065	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
6912806070	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
69128060701	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	5 mm	10 mm
69128060801	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm
6912808012	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
69128080121	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	6 mm	13 mm
6912808016	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
69128080161	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
6912808020	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
69128080201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
6912808025	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
69128080251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
6912808030	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
69128080301	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,							

08.8 M8 x

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6912808032	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 32	Plain (no plating)	8 mm	32 mm	6 mm	13 mm
6912808035	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
69128080351	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
6912808040	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
69128080401	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
6912808045	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
69128080451	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	6 mm	13 mm
6912808050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
69128080501	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
6912808055	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
69128080551	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
6912808060	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
69128080601	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
69128080651	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	6 mm	13 mm
69128080751	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	6 mm	13 mm
69128080801	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
69128081001	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	6 mm	13 mm
6912808100201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 1.0 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
6912810016	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
69128100161	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	8 mm	16 mm
6912810020	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
69128100201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
6912810025	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
69128100251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
6912810030	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
69128100301	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
6912810035	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
69128100351	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
69128100351SST14	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
6912810040	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
69128100401	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
69128100451	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
6912810050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
69128100501	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
69128100501SST14	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
6912810055	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
69128100551	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
69128100601	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	8 mm	16 mm
69128100651	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	8 mm	16 mm
6912810070	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
69128100701	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	8 mm	16 mm
69128100751	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	8 mm	16 mm
69128100801	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	8 mm	16 mm
69128100901	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	8 mm	16 mm
6912810110	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
69128101101	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,							

08.8 M10 x

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
69128101201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	8 mm	16 mm
6912812016	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 16	Plain (no plating)	12 mm	16 mm	10 mm	18 mm
69128120161	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 16	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	10 mm	18 mm
6912812020	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
69128120201	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	10 mm	18 mm
6912812025	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
69128120251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
6912812030	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
69128120301	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
69128120302	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	M12 x 30	Hot Dip Galvanizing	12 mm	30 mm	10 mm	18 mm
6912812035	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
69128120351	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	10 mm	18 mm
6912812040	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
69128120401	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
69128120451	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	10 mm	18 mm
6912812050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
69128120501	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
6912812060	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
69128120601	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
6912812070	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
69128120701	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	10 mm	18 mm
6912812080	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
69128120801	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	10 mm	18 mm
69128120851SST40	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm	10 mm	18 mm
6912812090	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
69128120901	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	10 mm	18 mm
6912812095	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 95	Plain (no plating)	12 mm	95 mm	10 mm	18 mm
69128121001	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	10 mm	18 mm
6912812120	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
6912812150	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm
6912812150251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M12 x 1.5 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
6912814020	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M14 x 20	Plain (no plating)	14 mm	20 mm	12 mm	21 mm
69128140301	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M14 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	12 mm	21 mm
69128140401	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	12 mm	21 mm
6912814050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M14 x 50	Plain (no plating)	14 mm	50 mm	12 mm	21 mm
69128160251	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 25	Zinc Bright Passivation Fe/Zn P1	16 mm	25 mm	14 mm	24 mm
6912816030	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
69128160301	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	14 mm	24 mm
6912816035	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
69128160351	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	14 mm	24 mm
6912816040	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
69128160401	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	14 mm	24 mm
69128160451	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	14 mm	24 mm
6912816050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
69128160501	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	14 mm	24 mm
69128160551	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8,							

08.8 M16 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6912816060	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x	Steel 8.8	08.8 M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
69128160601	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x	Steel 8.8	08.8 M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	14 mm	24 mm
6912816065	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x	Steel 8.8	08.8 M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
6912816070	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x	Steel 8.8	08.8 M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
69128160801	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x	Steel 8.8	08.8 M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	14 mm	24 mm
6912816090	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x	Steel 8.8	08.8 M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
6912816120	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x	Steel 8.8	08.8 M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
6912820030	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
6912820035	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 35	Plain (no plating)	20 mm	35 mm	17 mm	30 mm
6912820045	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
69128200451	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	17 mm	30 mm
6912820050	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
6912820055	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
6912820060	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
6912820070	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
69128200701	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	17 mm	30 mm
69128200901	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	17 mm	30 mm
6912820110	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
69128201101	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	17 mm	30 mm
6912820130	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 130	Plain (no plating)	20 mm	130 mm	17 mm	30 mm
6912820140	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
69128201601	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x	Steel 8.8	08.8 M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	17 mm	30 mm
6912824045	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x	Steel 8.8	08.8 M24 x 45	Plain (no plating)	24 mm	45 mm	19 mm	36 mm
6912824060	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x	Steel 8.8	08.8 M24 x 60	Plain (no plating)	24 mm	60 mm	19 mm	36 mm
6912830055	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M30 x	Steel 8.8	08.8 M30 x 55	Plain (no plating)	30 mm	55 mm	22 mm	45 mm
69128300701	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M30 x	Steel 8.8	08.8 M30 x 70	Zinc Bright Passivation Fe/Zn P1	30 mm	70 mm	22 mm	45 mm
6912830080	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M30 x	Steel 8.8	08.8 M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
6912830090	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M30 x	Steel 8.8	08.8 M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
69128300901	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M30 x	Steel 8.8	08.8 M30 x 90	Zinc Bright Passivation Fe/Zn P1	30 mm	90 mm	22 mm	45 mm
69128330801	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M33 x	Steel 8.8	08.8 M33 x 80	Zinc Bright Passivation Fe/Zn P1	33 mm	80 mm	24 mm	50 mm
6912836110	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M36 x	Steel 8.8	08.8 M36 x 110	Plain (no plating)	36 mm	110 mm	27 mm	54 mm
6912836150	DIN 6912 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M36 x	Steel 8.8	08.8 M36 x 150	Plain (no plating)	36 mm	150 mm	27 mm	54 mm
6912A204006	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M4 x 6	Stainless A2	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
6912A204008	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M4 x 8	Stainless A2	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
6912A204010	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M4 x 10	Stainless A2	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
6912A204012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x 12	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
6912A204016	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x 16	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
6912A204020	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x 20	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
6912A204025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x 25	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
6912A204030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x 30	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
6912A204035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x 35	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
6912A205006	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M5 x 6	Stainless A2	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
6912A205008	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M5 x 8	Stainless A2	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
6912A205010	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M5 x 10	Stainless A2	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
6912A205012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M5 x 12	Stainless A2	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
6912A205016	DIN 6912 Socket Head Screw with Hex Drive, Stainless							

A2-70, M5 x

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6912A205020	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x 20	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
6912A205025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x 25	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
6912A205030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x 30	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
6912A205035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x 35	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
6912A205040	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x 40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
6912A205050	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x 50	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
6912A206010	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M6 x 10	Stainless A2	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
6912A206012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M6 x 12	Stainless A2	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
6912A206014	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M6 x 14	Stainless A2	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
6912A206016	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M6 x 16	Stainless A2	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
6912A206020	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 20	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
6912A206025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 25	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
6912A206030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 30	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
6912A206035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 35	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
6912A206040	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 40	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
6912A206060	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 60	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
6912A206070	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 70	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
6912A206080	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 80	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
6912A208012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M8 x 12	Stainless A2	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
6912A208014	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M8 x 14	Stainless A2	M8 x 14	Plain (no plating)	8 mm	14 mm	6 mm	13 mm
6912A208016	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M8 x 16	Stainless A2	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
6912A208020	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M8 x 20	Stainless A2	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
6912A208025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 25	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
6912A208030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 30	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
6912A208035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 35	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
6912A208045	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 45	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
6912A208070	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 70	Stainless A2-70	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
6912A208080	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 80	Stainless A2-70	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
6912A208090	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 90	Stainless A2-70	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
6912A208100	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 100	Stainless A2-70	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
6912A210012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M10 x 12	Stainless A2	M10 x 12	Plain (no plating)	10 mm	12 mm	8 mm	16 mm
6912A210020	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M10 x 20	Stainless A2	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
6912A210025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M10 x 25	Stainless A2	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
6912A210030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 30	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
6912A210035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 35	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
6912A210040	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 40	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm

M12 x 2

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6912A212030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M12 x 3 A2-70 M12	Stainless A2	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
6912A212035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M12 x 3 A2-70 M12	Stainless A2	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
6912A212040	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
6912A212045	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
6912A212050	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
6912A212055	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
6912A212060	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
6912A212070	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
6912A212080	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
6912A212090	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
6912A212100	DIN 6912 Socket Head Screw with Hex Drive, Stainless M12 x 3 A2-70 M12	Stainless A2-70	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
6912A214035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M14 x 3 A2-70 M14	Stainless A2	M14 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
6912A216030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M16 x 3 A2-70 M16	Stainless A2	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
6912A216040	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M16 x 3 A2-70 M16	Stainless A2	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
6912A216045	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M16 x 4 A2-70 M16	Stainless A2	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
6912A216050	DIN 6912 Socket Head Screw with Hex Drive, Stainless M16 x 4 A2-70 M16	Stainless A2-70	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
6912A216060	DIN 6912 Socket Head Screw with Hex Drive, Stainless M16 x 4 A2-70 M16	Stainless A2-70	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
6912A220025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M20 x 2 A2-70 M20	Stainless A2	M20 x 25	Plain (no plating)	20 mm	25 mm	17 mm	30 mm
6912A220045	DIN 6912 Socket Head Screw with Hex Drive, Stainless A2, M20 x 2 A2-70 M20	Stainless A2	M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
6912A220060	DIN 6912 Socket Head Screw with Hex Drive, Stainless M20 x 4 A2-70 M20	Stainless A2-70	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
6912A224120	DIN 6912 Socket Head Screw with Hex Drive, Stainless M24 x 120 A2-70 M24	Stainless A2-70	M24 x 120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
6912A230230	DIN 6912 Socket Head Screw with Hex Drive, Stainless M30 x 230 A2-70 M30	Stainless A2-70	M30 x 230	Plain (no plating)	30 mm	230 mm	22 mm	45 mm
6912A404006	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M4 x 6 A4-70 M4	Stainless A4	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
6912A404010	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M4 x 6 A4-70 M4	Stainless A4	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
6912A404012	DIN 6912 Socket Head Screw with Hex Drive, Stainless M4 x 10 A4-70 M4	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
6912A40401270	DIN 6912 Socket Head Screw with Hex Drive, Stainless M4 x 10 A4-70 M4	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
6912A404016	DIN 6912 Socket Head Screw with Hex Drive, Stainless M4 x 16 A4-70 M4	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
6912A404025	DIN 6912 Socket Head Screw with Hex Drive, Stainless M4 x 25 A4-70 M4	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
6912A404030	DIN 6912 Socket Head Screw with Hex Drive, Stainless M4 x 30 A4-70 M4	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
6912A404035	DIN 6912 Socket Head Screw with Hex Drive, Stainless M4 x 35 A4-70 M4	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
6912A404040	DIN 6912 Socket Head Screw with Hex Drive, Stainless M4 x 40 A4-70 M4	Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
6912A405006	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M5 x 6 A4-70 M5	Stainless A4	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
6912A405008	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M5 x 8 A4-70 M5	Stainless A4	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
6912A405010	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M5 x 10 A4-70 M5	Stainless A4	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
6912A405012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M5 x 12 A4-70 M5	Stainless A4	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
6912A405016	DIN 6912 Socket Head Screw with Hex Drive, Stainless M5 x 16 A4-70 M5	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
6912A405020	DIN 6912 Socket Head Screw with Hex Drive, Stainless M5 x 20 A4-70 M5	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
6912A405025	DIN 6912 Socket Head Screw with Hex Drive, Stainless M5 x 25 A4-70 M5	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
6912A405030	DIN 6912 Socket Head Screw with Hex Drive, Stainless M5 x 30 A4-70 M5	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
6912A405060	DIN 6912 Socket Head Screw with Hex Drive, Stainless M5 x 60 A4-70 M5	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
6912A406008	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M6 x 8 A4-70 M6	Stainless A4	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
6912A406010	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M6 x 10 A4-70 M6	Stainless A4	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
6912A406012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M6 x 12 A4-70 M6	Stainless A4	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
6912A406016	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M6 x 16 A4-70 M6	Stainless A4	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
6912A40601670	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M6 x 16 A4-70 M6	Stainless A4	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
6912A406020	DIN 6912 Socket Head Screw with Hex Drive, Stainless M6 x 16 A4-70 M6							

A4-70, M6 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6912A406025	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
6912A406030	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
6912A406035	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
6912A406050	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
6912A406060	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
6912A408010	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm
6912A408012	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
6912A408016	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
6912A40801670	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
6912A408020	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
6912A408025	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
6912A408030	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
6912A408035	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
6912A408040	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
6912A408045	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
6912A408050	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
6912A408070	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
6912A408090	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
6912A410016	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
6912A410025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
6912A410030	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
6912A410035	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
6912A410040	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
6912A410050	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
6912A41006070	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
6912A410080	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
6912A410100	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
6912A412025	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
6912A412030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
6912A412035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
6912A412040	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
6912A412045	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
6912A412070	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
6912A412080	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
6912A412100	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
6912A416030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
6912A416035	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
6912A416040	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
6912A416045	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
6912A416060	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
6912A416070	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
6912A416100	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
6912A420030	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
6912A420040	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
6912A42007070	DIN 6912 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
6912A420130	DIN 6912 Socket Head Screw with Hex Drive, Stainless							

A4-70, M20

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6912A42407070	DIN 6912 Socket Head Screw with Hex Drive, Stainless A4, M24 x 70	Stainless A4	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
6912C32006080	DIN 6912 Socket Head Screw with Hex Drive, C3-80, M20 x 60	C3-80	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
6912C32010080	DIN 6912 Socket Head Screw with Hex Drive, C3-80, M20 x 100, Pla	C3-80	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm

