

DIN 7504-K — Hexagon Head Self-Tapping Screw with Flange

Catalogue data sheet · 116 sizes · category Bolts and Screws / Self Drilling Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7504K350091	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST3.5 x 9.5	Zinc Bright Passivation Fe/Zn P1	3.5 mm	9.5 mm	5.5 mm	
7504K350131	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST3.5 x 13	Zinc Bright Passivation Fe/Zn P1	3.5 mm	13 mm	5.5 mm	
7504K350161	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST3.5 x 16	Zinc Bright Passivation Fe/Zn P1	3.5 mm	16 mm	5.5 mm	
7504K390251	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST3.9 x 25	Zinc Bright Passivation Fe/Zn P1	3.9 mm	25 mm	5.5 mm	
7504K420091	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 9.5	Zinc Bright Passivation Fe/Zn P1	4.2 mm	9.5 mm	7 mm	
7504K420131	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 13	Zinc Bright Passivation Fe/Zn P1	4.2 mm	13 mm	7 mm	
7504K420161	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 16	Zinc Bright Passivation Fe/Zn P1	4.2 mm	16 mm	7 mm	
7504K420191	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 19	Zinc Bright Passivation Fe/Zn P1	4.2 mm	19 mm	7 mm	
7504K420221	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 22	Zinc Bright Passivation Fe/Zn P1	4.2 mm	22 mm	7 mm	
7504K420251	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 25	Zinc Bright Passivation Fe/Zn P1	4.2 mm	25 mm	7 mm	
7504K420321	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 32	Zinc Bright Passivation Fe/Zn P1	4.2 mm	32 mm	7 mm	
7504K420381	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.2 x 38	Zinc Bright Passivation Fe/Zn P1	4.2 mm	38 mm	7 mm	
7504K480131	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 13	Zinc Bright Passivation Fe/Zn P1	4.8 mm	13 mm	8 mm	
7504K480131Z	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, CH, ST4	CH	ST4.8 x 13	Zinc Bright Passivation Fe/Zn P1	4.8 mm	13 mm	8 mm	
7504K480161	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 16	Zinc Bright Passivation Fe/Zn P1	4.8 mm	16 mm	8 mm	
7504K480161Z	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, CH, ST4	CH	ST4.8 x 16	Zinc Bright Passivation Fe/Zn P1	4.8 mm	16 mm	8 mm	
7504K480191	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 19	Zinc Bright Passivation Fe/Zn P1	4.8 mm	19 mm	8 mm	
7504K480191Z	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, CH, ST4	Steel	ST4.8 x 19	Zinc Bright Passivation Fe/Zn P1	4.8 mm	19 mm	8 mm	
7504K480221	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 22	Zinc Bright Passivation Fe/Zn P1	4.8 mm	22 mm	8 mm	
7504K480251	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 25	Zinc Bright Passivation Fe/Zn P1	4.8 mm	25 mm	8 mm	
7504K480251Z	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 25	Zinc Bright Passivation Fe/Zn P1	4.8 mm	25 mm	8 mm	
7504K480321	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 32	Zinc Bright Passivation Fe/Zn P1	4.8 mm	32 mm	8 mm	
7504K480321Z	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 32	Zinc Bright Passivation Fe/Zn P1	4.8 mm	32 mm	8 mm	
7504K480351	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 35	Zinc Bright Passivation Fe/Zn P1	4.8 mm	35 mm	8 mm	
7504K480381	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 38	Zinc Bright Passivation Fe/Zn P1	4.8 mm	38 mm	8 mm	
7504K480451	DIN 7504-K Hexagon Head Self-Tapping Screw with							

Flange, Steel, S

Steel	ST4.8 x 45	Zinc Bright Passivation Fe/Zn P1	4.8 mm	45 mm	8 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7504K480501	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 50	Zinc Bright Passivation Fe/Zn P1	4.8 mm	50 mm	8 mm	
7504K480651Z	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST4.8 x 65	Zinc Bright Passivation Fe/Zn P1	4.8 mm	65 mm	8 mm	
7504K550161	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 16	Zinc Bright Passivation Fe/Zn P1	5.5 mm	16 mm	8 mm	
7504K550191	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 19	Zinc Bright Passivation Fe/Zn P1	5.5 mm	19 mm	8 mm	
7504K550221	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 22	Zinc Bright Passivation Fe/Zn P1	5.5 mm	22 mm	8 mm	
7504K550251	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 25	Zinc Bright Passivation Fe/Zn P1	5.5 mm	25 mm	8 mm	
7504K550321	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 32	Zinc Bright Passivation Fe/Zn P1	5.5 mm	32 mm	8 mm	
7504K550381	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 38	Zinc Bright Passivation Fe/Zn P1	5.5 mm	38 mm	8 mm	
7504K550451	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 45	Zinc Bright Passivation Fe/Zn P1	5.5 mm	45 mm	8 mm	
7504K550501	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 50	Zinc Bright Passivation Fe/Zn P1	5.5 mm	50 mm	8 mm	
7504K550571	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 57	Zinc Bright Passivation Fe/Zn P1	5.5 mm	57 mm	8 mm	
7504K550601	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 60	Zinc Bright Passivation Fe/Zn P1	5.5 mm	60 mm	8 mm	
7504K550701	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 70	Zinc Bright Passivation Fe/Zn P1	5.5 mm	70 mm	8 mm	
7504K550751	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST5.5 x 75	Zinc Bright Passivation Fe/Zn P1	5.5 mm	75 mm	8 mm	
7504K630161	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 16	Zinc Bright Passivation Fe/Zn P1	6.3 mm	16 mm	10 mm	
7504K630191	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 19	Zinc Bright Passivation Fe/Zn P1	6.3 mm	19 mm	10 mm	
7504K630221	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 22	Zinc Bright Passivation Fe/Zn P1	6.3 mm	22 mm	10 mm	
7504K630251	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 25	Zinc Bright Passivation Fe/Zn P1	6.3 mm	25 mm	10 mm	
7504K630251Z	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 25	Zinc Bright Passivation Fe/Zn P1	6.3 mm	25 mm	10 mm	
7504K630321	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 32	Zinc Bright Passivation Fe/Zn P1	6.3 mm	32 mm	10 mm	
7504K630381	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 38	Zinc Bright Passivation Fe/Zn P1	6.3 mm	38 mm	10 mm	
7504K630451	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 45	Zinc Bright Passivation Fe/Zn P1	6.3 mm	45 mm	10 mm	
7504K630501	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 50	Zinc Bright Passivation Fe/Zn P1	6.3 mm	50 mm	10 mm	
7504K630801	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 80	Zinc Bright Passivation Fe/Zn P1	6.3 mm	80 mm	10 mm	
7504K630901	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 90	Zinc Bright Passivation Fe/Zn P1	6.3 mm	90 mm	10 mm	
7504K631001	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 100	Zinc Bright Passivation Fe/Zn P1	6.3 mm	100 mm	10 mm	
7504K631201	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 120	Zinc Bright Passivation Fe/Zn P1	6.3 mm	120 mm	10 mm	
7504K631301	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 130	Zinc Bright Passivation Fe/Zn P1	6.3 mm	130 mm	10 mm	
7504K631501	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Steel, S	Steel	ST6.3 x 150	Zinc Bright Passivation Fe/Zn P1	6.3 mm	150 mm	10 mm	
7504KA235013	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm	5.5 mm	
7504KA235016	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.5 x 16	Plain (no plating)	3.5 mm	16 mm	5.5 mm	
7504KA235019	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm	5.5 mm	
7504KA235025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.5 x 25	Plain (no plating)	3.5 mm	25 mm	5.5 mm	
7504KA239013	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.9 x 13	Plain (no plating)	3.9 mm	13 mm	5.5 mm	
7504KA239016	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.9 x 16	Plain (no plating)	3.9 mm	16 mm	5.5 mm	
7504KA239019	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.9 x 19	Plain (no plating)	3.9 mm	19 mm	5.5 mm	
7504KA239022	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.9 x 22	Plain (no plating)	3.9 mm	22 mm	5.5 mm	
7504KA239025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST3.9 x 25	Plain (no plating)	3.9 mm	25 mm	5.5 mm	
7504KA242013	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.2 x 13	Plain (no plating)	4.2 mm	13 mm	7 mm	
7504KA242016	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.2 x 16	Plain (no plating)	4.2 mm	16 mm	7 mm	
7504KA242019	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.2 x 19	Plain (no plating)	4.2 mm	19 mm	7 mm	
7504KA242022	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.2 x 22	Plain (no plating)	4.2 mm	22 mm	7 mm	
7504KA242025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.2 x 25	Plain (no plating)	4.2 mm	25 mm	7 mm	
7504KA242032	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm	7 mm	
7504KA242038	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.2 x 38	Plain (no plating)	4.2 mm	38 mm	7 mm	
7504KA248013	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles							

Flange, Stainles

Stainless A2-20H	ST4.8 x 13	Plain (no plating)	4.8 mm	13 mm	8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7504KA248016	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 16	Plain (no plating)	4.8 mm	16 mm	8 mm	
7504KA248019	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 19	Plain (no plating)	4.8 mm	19 mm	8 mm	
7504KA248022	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 22	Plain (no plating)	4.8 mm	22 mm	8 mm	
7504KA248025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 25	Plain (no plating)	4.8 mm	25 mm	8 mm	
7504KA248032	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 32	Plain (no plating)	4.8 mm	32 mm	8 mm	
7504KA248038	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 38	Plain (no plating)	4.8 mm	38 mm	8 mm	
7504KA248045	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 45	Plain (no plating)	4.8 mm	45 mm	8 mm	
7504KA248050	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 50	Plain (no plating)	4.8 mm	50 mm	8 mm	
7504KA248060	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 60	Plain (no plating)	4.8 mm	60 mm	8 mm	
7504KA248070	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST4.8 x 70	Plain (no plating)	4.8 mm	70 mm	8 mm	
7504KA255013	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 13	Plain (no plating)	5.5 mm	13 mm	8 mm	
7504KA255019	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 19	Plain (no plating)	5.5 mm	19 mm	8 mm	
7504KA255022	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 22	Plain (no plating)	5.5 mm	22 mm	8 mm	
7504KA255025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 25	Plain (no plating)	5.5 mm	25 mm	8 mm	
7504KA255028	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 28	Zinc Bright Passivation Fe/Zn P1	5.5 mm	28 mm	8 mm	
7504KA255032	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 32	Plain (no plating)	5.5 mm	32 mm	8 mm	
7504KA255038	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 38	Plain (no plating)	5.5 mm	38 mm	8 mm	
7504KA255045	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 45	Plain (no plating)	5.5 mm	45 mm	8 mm	
7504KA255050	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 50	Plain (no plating)	5.5 mm	50 mm	8 mm	
7504KA255060	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 60	Plain (no plating)	5.5 mm	60 mm	8 mm	
7504KA255070	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 70	Plain (no plating)	5.5 mm	70 mm	8 mm	
7504KA255090	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST5.5 x 90	Plain (no plating)	5.5 mm	90 mm	8 mm	
7504KA263013	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 13	Plain (no plating)	6.3 mm	13 mm	10 mm	
7504KA263016	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 16	Plain (no plating)	6.3 mm	16 mm	10 mm	
7504KA263019	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 19	Plain (no plating)	6.3 mm	19 mm	10 mm	
7504KA263025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 25	Plain (no plating)	6.3 mm	25 mm	10 mm	
7504KA263032	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 32	Plain (no plating)	6.3 mm	32 mm	10 mm	
7504KA263038	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 38	Plain (no plating)	6.3 mm	38 mm	10 mm	
7504KA263045	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 45	Plain (no plating)	6.3 mm	45 mm	10 mm	
7504KA263050	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 50	Plain (no plating)	6.3 mm	50 mm	10 mm	
7504KA263060	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 60	Plain (no plating)	6.3 mm	60 mm	10 mm	
7504KA263070	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 70	Plain (no plating)	6.3 mm	70 mm	10 mm	
7504KA263080	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 80	Plain (no plating)	6.3 mm	80 mm	10 mm	
7504KA263100	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A2-20H	ST6.3 x 100	Plain (no plating)	6.3 mm	100 mm	10 mm	
7504KA448016	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST4.8 x 16	Plain (no plating)	4.8 mm	16 mm	8 mm	
7504KA448025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST4.8 x 25	Plain (no plating)	4.8 mm	25 mm	8 mm	
7504KA448038	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST4.8 x 38	Plain (no plating)	4.8 mm	38 mm	8 mm	
7504KA448045	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST4.8 x 45	Plain (no plating)	4.8 mm	45 mm	8 mm	
7504KA455025	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST5.5 x 25	Plain (no plating)	5.5 mm	25 mm	8 mm	
7504KA455040	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST5.5 x 40	Plain (no plating)	5.5 mm	40 mm	8 mm	
7504KA455050	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST5.5 x 50	Plain (no plating)	5.5 mm	50 mm	8 mm	
7504KA463016	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST6.3 x 16	Plain (no plating)	6.3 mm	16 mm	10 mm	
7504KA463019	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, Stainles	Stainless A4-20H	ST6.3 x 19	Plain (no plating)	6.3 mm	19 mm	10 mm	
7504KC148013	DIN 7504-K Hexagon Head Self-Tapping Screw with Flange, C1-30H,	C1-30H	ST4.8 x 13	Plain (no plating)	4.8 mm	13 mm	8 mm	