

DIN 7504-M — Rounded Head Self-Tapping Screw with Phillips

Catalogue data sheet · 66 sizes · category Bolts and Screws / Self Drilling Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7504N290091	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST2.9 x 9.5	Zinc Bright Passivation Fe/Zn P1	2.9 mm	9.5 mm		5.6 mm
7504N290131	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST2.9 x 13	Zinc Bright Passivation Fe/Zn P1	2.9 mm	13 mm		5.6 mm
7504N350091	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.5 x 9.5	Zinc Bright Passivation Fe/Zn P1	3.5 mm	9.5 mm		6.9 mm
7504N350131Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.5 x 13	Zinc Bright Passivation Fe/Zn P1	3.5 mm	13 mm		6.9 mm
7504N350161	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.5 x 16	Zinc Bright Passivation Fe/Zn P1	3.5 mm	16 mm		6.9 mm
7504N350191	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.5 x 19	Zinc Bright Passivation Fe/Zn P1	3.5 mm	19 mm		6.9 mm
7504N350251	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.5 x 25	Zinc Bright Passivation Fe/Zn P1	3.5 mm	25 mm		6.9 mm
7504N390131	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.9 x 13	Zinc Bright Passivation Fe/Zn P1	3.9 mm	13 mm		7.5 mm
7504N390161	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.9 x 16	Zinc Bright Passivation Fe/Zn P1	3.9 mm	16 mm		7.5 mm
7504N390191	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.9 x 19	Zinc Bright Passivation Fe/Zn P1	3.9 mm	19 mm		7.5 mm
7504N390221	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.9 x 22	Zinc Bright Passivation Fe/Zn P1	3.9 mm	22 mm		7.5 mm
7504N390251	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.9 x 25	Zinc Bright Passivation Fe/Zn P1	3.9 mm	25 mm		7.5 mm
7504N390321	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST3.9 x 32	Zinc Bright Passivation Fe/Zn P1	3.9 mm	32 mm		7.5 mm
7504N420131	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 13	Zinc Bright Passivation Fe/Zn P1	4.2 mm	13 mm		8.2 mm
7504N420161	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 16	Zinc Bright Passivation Fe/Zn P1	4.2 mm	16 mm		8.2 mm
7504N420161Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 16	Zinc Bright Passivation Fe/Zn P1	4.2 mm	16 mm		8.2 mm
7504N420191	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 19	Zinc Bright Passivation Fe/Zn P1	4.2 mm	19 mm		8.2 mm
7504N420251	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 25	Zinc Bright Passivation Fe/Zn P1	4.2 mm	25 mm		8.2 mm
7504N420251Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 25	Zinc Bright Passivation Fe/Zn P1	4.2 mm	25 mm		8.2 mm
7504N420321	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 32	Zinc Bright Passivation Fe/Zn P1	4.2 mm	32 mm		8.2 mm
7504N420381	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.2 x 38	Zinc Bright Passivation Fe/Zn P1	4.2 mm	38 mm		8.2 mm
7504N480131	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 13	Zinc Bright Passivation Fe/Zn P1	4.8 mm	13 mm		9.5 mm
7504N480131Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 13	Zinc Bright Passivation Fe/Zn P1	4.8 mm	13 mm		9.5 mm
7504N480161	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 16	Zinc Bright Passivation Fe/Zn P1	4.8 mm	16 mm		9.5 mm
7504N480191	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 19	Zinc Bright Passivation Fe/Zn P1	4.8 mm	19 mm		9.5 mm
7504N480191Z	DIN 7504-M Rounded Head Self-Tapping Screw with							

Phillips, Steel,

Steel	ST4.8 x 19	Zinc Bright Passivation Fe/Zn P1	4.8 mm	19 mm		9.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7504N480221	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 22	Zinc Bright Passivation Fe/Zn P1	4.8 mm	22 mm		9.5 mm
7504N480251	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 25	Zinc Bright Passivation Fe/Zn P1	4.8 mm	25 mm		9.5 mm
7504N480321	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 32	Zinc Bright Passivation Fe/Zn P1	4.8 mm	32 mm		9.5 mm
7504N480381	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 38	Zinc Bright Passivation Fe/Zn P1	4.8 mm	38 mm		9.5 mm
7504N480451	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 45	Zinc Bright Passivation Fe/Zn P1	4.8 mm	45 mm		9.5 mm
7504N480501	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 50	Zinc Bright Passivation Fe/Zn P1	4.8 mm	50 mm		9.5 mm
7504N480701	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST4.8 x 70	Zinc Bright Passivation Fe/Zn P1	4.8 mm	70 mm		9.5 mm
7504N550251	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST5.5 x 25	Zinc Bright Passivation Fe/Zn P1	5.5 mm	25 mm		10.8 mm
7504N550321	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST5.5 x 32	Zinc Bright Passivation Fe/Zn P1	5.5 mm	32 mm		10.8 mm
7504N550381	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST5.5 x 38	Zinc Bright Passivation Fe/Zn P1	5.5 mm	38 mm		10.8 mm
7504N550501	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST5.5 x 50	Zinc Bright Passivation Fe/Zn P1	5.5 mm	50 mm		10.8 mm
7504N630191	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST6.3 x 19	Zinc Bright Passivation Fe/Zn P1	6.3 mm	19 mm		12.5 mm
7504N630251	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST6.3 x 25	Zinc Bright Passivation Fe/Zn P1	6.3 mm	25 mm		12.5 mm
7504N630381	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST6.3 x 38	Zinc Bright Passivation Fe/Zn P1	6.3 mm	38 mm		12.5 mm
7504N630501	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST6.3 x 50	Zinc Bright Passivation Fe/Zn P1	6.3 mm	50 mm		12.5 mm
7504N630601	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Steel	Steel	ST6.3 x 60	Zinc Bright Passivation Fe/Zn P1	6.3 mm	60 mm		12.5 mm
7504NA235013Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm		6.9 mm
7504NA235016	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST3.5 x 16	Plain (no plating)	3.5 mm	16 mm		6.9 mm
7504NA235016Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST3.5 x 16	Plain (no plating)	3.5 mm	16 mm		6.9 mm
7504NA235019Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm		6.9 mm
7504NA235022	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST3.5 x 22	Plain (no plating)	3.5 mm	22 mm		6.9 mm
7504NA235025Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST3.5 x 25	Plain (no plating)	3.5 mm	25 mm		6.9 mm
7504NA239016	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST3.9 x 16	Plain (no plating)	3.9 mm	16 mm		7.5 mm
7504NA242013	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 13	Plain (no plating)	4.2 mm	13 mm		8.2 mm
7504NA242016	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 16	Plain (no plating)	4.2 mm	16 mm		8.2 mm
7504NA242016Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 16	Plain (no plating)	4.2 mm	16 mm		8.2 mm
7504NA242019	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 19	Plain (no plating)	4.2 mm	19 mm		8.2 mm
7504NA242019Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 19	Plain (no plating)	4.2 mm	19 mm		8.2 mm
7504NA242025Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 25	Plain (no plating)	4.2 mm	25 mm		8.2 mm
7504NA242032Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm		8.2 mm
7504NA242038Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.2 x 38	Plain (no plating)	4.2 mm	38 mm		8.2 mm
7504NA248016	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.8 x 16	Plain (no plating)	4.8 mm	16 mm		9.5 mm
7504NA248019	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.8 x 19	Plain (no plating)	4.8 mm	19 mm		9.5 mm
7504NA248019Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.8 x 19	Plain (no plating)	4.8 mm	19 mm		9.5 mm
7504NA248025	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.8 x 25	Plain (no plating)	4.8 mm	25 mm		9.5 mm
7504NA248032Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST4.8 x 32	Plain (no plating)	4.8 mm	32 mm		9.5 mm
7504NA255019Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST5.5 x 19	Plain (no plating)	5.5 mm	19 mm		10.8 mm
7504NA255025Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST5.5 x 25	Plain (no plating)	5.5 mm	25 mm		10.8 mm
7504NA255032Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST5.5 x 32	Plain (no plating)	5.5 mm	32 mm		10.8 mm
7504NA255038Z	DIN 7504-M Rounded Head Self-Tapping Screw with Phillips, Stainl	Stainless A2-20H	ST5.5 x 38	Plain (no plating)	5.5 mm	38 mm		10.8 mm