


DIN 7984 — Socket Head Screw with Hex Drive



Catalogue data sheet · 628 sizes · category Bolts and Screws / Socket Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
22372	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M6 x 12	Steel 8.8	08.8 M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	4 mm	10 mm
798406012	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M6 x 12	Steel 8.8	08.8 M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	10 mm
79841003006	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 6	Steel 10.9	010.9 M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.5 mm
79841003010	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 10	Steel 10.9	010.9 M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.5 mm
79841004006	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 6	Steel 10.9	010.9 M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7 mm
79841004008	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 8	Steel 10.9	010.9 M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7 mm
798410040081	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 8	Steel 10.9	010.9 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	2.5 mm	7 mm
79841004010	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 10	Steel 10.9	010.9 M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7 mm
798410040101	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 10	Steel 10.9	010.9 M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	2.5 mm	7 mm
79841004012	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 12	Steel 10.9	010.9 M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7 mm
79841004016	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 16	Steel 10.9	010.9 M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7 mm
79841004020	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 20	Steel 10.9	010.9 M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7 mm
79841004025	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 25	Steel 10.9	010.9 M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7 mm
79841005008	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 8	Steel 10.9	010.9 M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	8.5 mm
79841005010	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 10	Steel 10.9	010.9 M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	8.5 mm
79841005012	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 12	Steel 10.9	010.9 M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	8.5 mm
79841005014	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 14	Steel 10.9	010.9 M5 x 14	Plain (no plating)	5 mm	14 mm	3 mm	8.5 mm
79841005016	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 16	Steel 10.9	010.9 M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	8.5 mm
798410050161	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 16	Steel 10.9	010.9 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	3 mm	8.5 mm
79841005016NV4	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 16	Steel 10.9	010.9 M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
79841005016W	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 16	Steel 10.9	010.9 M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	8.5 mm
79841005020	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 20	Steel 10.9	010.9 M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	8.5 mm
798410050201	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 20	Steel 10.9	010.9 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	3 mm	8.5 mm
79841005025	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 25	Steel 10.9	010.9 M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	8.5 mm
79841005030	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 30	Steel 10.9	010.9 M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	8.5 mm
798410050401	DIN 7984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M5 x 30	Steel 10.9	010.9 M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	8.5 mm

010.9 M5

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
79841006008	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 8	Plain (no plating)	6 mm	8 mm	4 mm	10 mm
79841006010	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	10 mm
79841006012	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	10 mm
79841006012AF5	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
79841006016	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	10 mm
798410060161	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	4 mm	10 mm
79841006020	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	10 mm
798410060201	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	4 mm	10 mm
79841006025	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	10 mm
798410060251	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	4 mm	10 mm
79841006030	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	10 mm
798410060301	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	4 mm	10 mm
798410060351	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	4 mm	10 mm
79841006040	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	10 mm
79841006045	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	10 mm
79841008010	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	13 mm
79841008012	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 12	Plain (no plating)	8 mm	12 mm	5 mm	13 mm
798410080121	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	5 mm	13 mm
79841008016	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	13 mm
798410080161	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	5 mm	13 mm
79841008016AF6	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
79841008018	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 18	Plain (no plating)	8 mm	18 mm	5 mm	13 mm
798410080181	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 18	Zinc Bright Passivation Fe/Zn P1	8 mm	18 mm	5 mm	13 mm
79841008020	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	13 mm
798410080201	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	5 mm	13 mm
79841008020AF6	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
79841008025	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	13 mm
798410080251	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	5 mm	13 mm
79841008028	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 28	Plain (no plating)	8 mm	28 mm	5 mm	13 mm
79841008030	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	13 mm
79841008035	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	13 mm
798410080351	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	5 mm	13 mm
79841008040	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	13 mm
79841008050	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	13 mm
798410080501	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	5 mm	13 mm
79841008080	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	13 mm
79841010012	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 12	Plain (no plating)	10 mm	12 mm	7 mm	16 mm
79841010016	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 16	Plain (no plating)	10 mm	16 mm	7 mm	16 mm
79841010016AF8	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
79841010020	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 20	Plain (no plating)	10 mm	20 mm	7 mm	16 mm
798410100201	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	7 mm	16 mm
798410100203	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 20	Plain (no plating)	10 mm	20 mm	7 mm	16 mm
79841010025	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 25	Plain (no plating)	10 mm	25 mm	7 mm	16 mm
79841010025AF8	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
79841010030	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 30	Plain (no plating)	10 mm	30 mm	7 mm	16 mm
79841010035	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9,							

010.9 M10

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
79841010040	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M10	Steel 10.9	010.9 M10 x 40	Plain (no plating)	10 mm	40 mm	7 mm	16 mm
79841010045	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M10	Steel 10.9	010.9 M10 x 45	Plain (no plating)	10 mm	45 mm	7 mm	16 mm
79841010050	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M10	Steel 10.9	010.9 M10 x 50	Plain (no plating)	10 mm	50 mm	7 mm	16 mm
798410100501	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M10	Steel 10.9	010.9 M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	7 mm	16 mm
79841010060	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M10	Steel 10.9	010.9 M10 x 60	Plain (no plating)	10 mm	60 mm	7 mm	16 mm
79841010080	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M10	Steel 10.9	010.9 M10 x 80	Plain (no plating)	10 mm	80 mm	7 mm	16 mm
79841012020	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	18 mm
798410120201	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	8 mm	18 mm
79841012025	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	18 mm
798410120251	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	8 mm	18 mm
79841012025AF10	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
79841012030	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	18 mm
798410120301	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	8 mm	18 mm
79841012035	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	18 mm
798410120351	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	8 mm	18 mm
79841012040	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	18 mm
79841012045	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 45	Plain (no plating)	12 mm	45 mm	8 mm	18 mm
79841012060	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 60	Plain (no plating)	12 mm	60 mm	8 mm	18 mm
79841012070	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	18 mm
79841012080	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 80	Plain (no plating)	12 mm	80 mm	8 mm	18 mm
79841012100TL36	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M12	Steel 10.9	010.9 M12 x 100/36	Plain (no plating)	12 mm	100 mm	8 mm	18 mm
79841016025	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 25	Plain (no plating)	16 mm	25 mm	12 mm	24 mm
79841016030	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 30	Plain (no plating)	16 mm	30 mm	12 mm	24 mm
798410160301	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	12 mm	24 mm
79841016035	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 35	Plain (no plating)	16 mm	35 mm	12 mm	24 mm
79841016040	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 40	Plain (no plating)	16 mm	40 mm	12 mm	24 mm
798410160401	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	12 mm	24 mm
79841016050	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 50	Plain (no plating)	16 mm	50 mm	12 mm	24 mm
79841016060	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 60	Plain (no plating)	16 mm	60 mm	12 mm	24 mm
79841016070	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 70	Plain (no plating)	16 mm	70 mm	12 mm	24 mm
79841016080	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 80	Plain (no plating)	16 mm	80 mm	12 mm	24 mm
79841016090	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 90	Plain (no plating)	16 mm	90 mm	12 mm	24 mm
79841016100	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 100	Plain (no plating)	16 mm	100 mm	12 mm	24 mm
79841016100U	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 100	Plain (no plating)	16 mm	100 mm	12 mm	24 mm
7984101615030	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 1.5 x 30	Plain (no plating)	16 mm	30 mm	12 mm	24 mm
7984101615050	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	12 mm	24 mm
79841016190	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M16	Steel 10.9	010.9 M16 x 190	Plain (no plating)	16 mm	190 mm	12 mm	24 mm
79841020030	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 30	Plain (no plating)	20 mm	30 mm	14 mm	30 mm
79841020040	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 40	Plain (no plating)	20 mm	40 mm	14 mm	30 mm
79841020050	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 50	Plain (no plating)	20 mm	50 mm	14 mm	30 mm
79841020060	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 60	Plain (no plating)	20 mm	60 mm	14 mm	30 mm
79841020070	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 70	Plain (no plating)	20 mm	70 mm	14 mm	30 mm
79841020080	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 80	Plain (no plating)	20 mm	80 mm	14 mm	30 mm
79841020090	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 90	Plain (no plating)	20 mm	90 mm	14 mm	30 mm
79841020100	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20	Steel 10.9	010.9 M20 x 100	Plain (no plating)	20 mm	100 mm	14 mm	30 mm
79841020110	DIN 9134 Socket Head Screw with Hex Drive, Steel 10.9, 010 9 M20							

010.9 M20

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
79841020120	DIN 984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 120	Plain (no plating)	20 mm	120 mm	14 mm	30 mm
79841020130	DIN 984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 130	Plain (no plating)	20 mm	130 mm	14 mm	30 mm
79841020140	DIN 984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 140	Plain (no plating)	20 mm	140 mm	14 mm	30 mm
7984102015040	DIN 984 Socket Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 1.5 x 40	Plain (no plating)	20 mm	40 mm	14 mm	30 mm
79841206014	DIN 984 Socket Head Screw with Hex Drive, Steel 12.9, 012.9 M6	Steel 12.9	012.9 M6 x 14	Plain (no plating)	6 mm	14 mm	4 mm	10 mm
79841208251	DIN 984 Socket Head Screw with Hex Drive, Steel 12.9, 012.9 M8	Steel 12.9	012.9 M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	5 mm	13 mm
798412100251	DIN 984 Socket Head Screw with Hex Drive, Steel 12.9, 012.9 M10	Steel 12.9	012.9 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	7 mm	16 mm
7984803004	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 4	Steel 8.8	08.8 M3 x 4	Plain (no plating)	3 mm	4 mm	2 mm	5.5 mm
7984803005	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 5	Steel 8.8	08.8 M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.5 mm
7984803006	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 6	Steel 8.8	08.8 M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.5 mm
79848030061	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 6	Steel 8.8	08.8 M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2 mm	5.5 mm
7984803008	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 8	Steel 8.8	08.8 M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.5 mm
79848030081	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 8	Steel 8.8	08.8 M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2 mm	5.5 mm
7984803010	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 10	Steel 8.8	08.8 M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.5 mm
79848030101	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 10	Steel 8.8	08.8 M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	2 mm	5.5 mm
7984803012	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 12	Steel 8.8	08.8 M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.5 mm
79848030121	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 12	Steel 8.8	08.8 M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	2 mm	5.5 mm
7984803016	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 16	Steel 8.8	08.8 M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.5 mm
79848030161	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 16	Steel 8.8	08.8 M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2 mm	5.5 mm
7984803018	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 18	Steel 8.8	08.8 M3 x 18	Plain (no plating)	3 mm	18 mm	2 mm	5.5 mm
79848030181	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 18	Steel 8.8	08.8 M3 x 18	Zinc Bright Passivation Fe/Zn P1	3 mm	18 mm	2 mm	5.5 mm
7984803020	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 20	Steel 8.8	08.8 M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.5 mm
79848030201	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 20	Steel 8.8	08.8 M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2 mm	5.5 mm
7984803025	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 25	Steel 8.8	08.8 M3 x 25	Plain (no plating)	3 mm	25 mm	2 mm	5.5 mm
79848030251	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 25	Steel 8.8	08.8 M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2 mm	5.5 mm
79848030301	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 30	Steel 8.8	08.8 M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm	2 mm	5.5 mm
79848040051	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 5	Steel 8.8	08.8 M4 x 5	Zinc Bright Passivation Fe/Zn P1	4 mm	5 mm	2.5 mm	7 mm
7984804006	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 6	Steel 8.8	08.8 M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7 mm
79848040061	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 6	Steel 8.8	08.8 M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	2.5 mm	7 mm
7984804008	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 8	Steel 8.8	08.8 M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7 mm
79848040081	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 8	Steel 8.8	08.8 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	2.5 mm	7 mm
7984804010	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 10	Steel 8.8	08.8 M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7 mm
79848040101	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 10	Steel 8.8	08.8 M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	2.5 mm	7 mm
7984804012	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 12	Steel 8.8	08.8 M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7 mm
79848040121	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 12	Steel 8.8	08.8 M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	2.5 mm	7 mm
7984804014	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 14	Steel 8.8	08.8 M4 x 14	Plain (no plating)	4 mm	14 mm	2.5 mm	7 mm
79848040141	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 14	Steel 8.8	08.8 M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm	2.5 mm	7 mm
7984804016	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 16	Steel 8.8	08.8 M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7 mm
79848040161	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 16	Steel 8.8	08.8 M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	2.5 mm	7 mm
7984804018	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 18	Steel 8.8	08.8 M4 x 18	Plain (no plating)	4 mm	18 mm	2.5 mm	7 mm
7984804020	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 20	Steel 8.8	08.8 M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7 mm
79848040201	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 20	Steel 8.8	08.8 M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	2.5 mm	7 mm
7984804025	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 25	Steel 8.8	08.8 M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7 mm
79848040251	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 25	Steel 8.8	08.8 M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	2.5 mm	7 mm
7984804025ZB	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 25	Steel 8.8	08.8 M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	2.5 mm	7 mm
7984804030	DIN 984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 30	Steel 8.8	08.8 M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	7 mm

08.8 M4 x

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
79848040301	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	2.5 mm	7 mm
79848040401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	2.5 mm	7 mm
79848040405	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M4 x 45	Plain (no plating)	4 mm	45 mm	2.5 mm	7 mm
79848050006	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	8.5 mm
79848050061	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm	3 mm	8.5 mm
79848050007	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 7	Plain (no plating)	5 mm	7 mm	3 mm	8.5 mm
7984805007ZI	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 7	Plain (no plating)	5 mm	7 mm	3 mm	8.5 mm
79848050008	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	8.5 mm
798480500081	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	3 mm	8.5 mm
7984805010	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	8.5 mm
79848050101	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	3 mm	8.5 mm
79848050101DRIL	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	3 mm	8.5 mm
7984805012	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	8.5 mm
79848050121	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	3 mm	8.5 mm
7984805014	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 14	Plain (no plating)	5 mm	14 mm	3 mm	8.5 mm
79848050141	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	3 mm	8.5 mm
7984805016	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	8.5 mm
79848050161	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	3 mm	8.5 mm
7984805018	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 18	Plain (no plating)	5 mm	18 mm	3 mm	8.5 mm
79848050181	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 18	Zinc Bright Passivation Fe/Zn P1	5 mm	18 mm	3 mm	8.5 mm
7984805020	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	8.5 mm
79848050201	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	3 mm	8.5 mm
7984805025	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	8.5 mm
79848050251	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	3 mm	8.5 mm
79848050281	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 28	Zinc Bright Passivation Fe/Zn P1	5 mm	28 mm	3 mm	8.5 mm
7984805030	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	8.5 mm
79848050301	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	3 mm	8.5 mm
7984805035	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	8.5 mm
79848050351	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	3 mm	8.5 mm
7984805040	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	8.5 mm
79848050401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	3 mm	8.5 mm
79848050451	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	3 mm	8.5 mm
79848050501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	3 mm	8.5 mm
79848050551	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	3 mm	8.5 mm
7984805060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 60	Plain (no plating)	5 mm	60 mm	3 mm	8.5 mm
79848050601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	3 mm	8.5 mm
79848050651	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm	3 mm	8.5 mm
7984806006	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 6	Plain (no plating)	6 mm	6 mm	4 mm	10 mm
79848060064	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 6	Plain (no plating)	6 mm	6 mm	4 mm	10 mm
7984806008	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 8	Plain (no plating)	6 mm	8 mm	4 mm	10 mm
79848060081	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	4 mm	10 mm
7984806010	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	10 mm
79848060101	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	4 mm	10 mm
7984806012	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	10 mm
79848060121	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	4 mm	10 mm
79848060121I	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,							

08.8 M6 x

Steel 8.8

08.8 M6 x 12

Zinc Bright Passivation Fe/Zn P1

6 mm

12 mm

4 mm

10 mm

[illegible]

08.8 M8 x

Steel 8.8

08.8 M8 x 35

Zinc Bright Passivation Fe/Zn P1

8 mm

35 mm

5 mm

13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984808040	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	13 mm
79848080401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	5 mm	13 mm
79848080401FT	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 40/40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	5 mm	13 mm
7984808045	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	13 mm
79848080451	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	5 mm	13 mm
79848080451SST20	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	5 mm	13 mm
7984808050	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	13 mm
79848080501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	5 mm	13 mm
7984808055	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 55	Plain (no plating)	8 mm	55 mm	5 mm	13 mm
79848080551	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	5 mm	13 mm
7984808060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	13 mm
79848080601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	5 mm	13 mm
79848080651	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	5 mm	13 mm
79848080651SST09	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	5 mm	13 mm
7984808070	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 70	Plain (no plating)	8 mm	70 mm	5 mm	13 mm
79848080701	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	5 mm	13 mm
7984808080	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	13 mm
79848080801	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	5 mm	13 mm
79848080901	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	5 mm	13 mm
7984810012	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 12	Plain (no plating)	10 mm	12 mm	7 mm	16 mm
79848100121	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	7 mm	16 mm
79848100141	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 14	Zinc Bright Passivation Fe/Zn P1	10 mm	14 mm	7 mm	16 mm
7984810016	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 16	Plain (no plating)	10 mm	16 mm	7 mm	16 mm
79848100161	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	7 mm	16 mm
79848100181	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 18	Zinc Bright Passivation Fe/Zn P1	10 mm	18 mm	7 mm	16 mm
7984810020	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 20	Plain (no plating)	10 mm	20 mm	7 mm	16 mm
79848100201	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	7 mm	16 mm
7984810025	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 25	Plain (no plating)	10 mm	25 mm	7 mm	16 mm
79848100251	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	7 mm	16 mm
79848100251SST40	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	7 mm	16 mm
7984810030	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 30	Plain (no plating)	10 mm	30 mm	7 mm	16 mm
79848100301	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	7 mm	16 mm
79848100301SST40	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	7 mm	16 mm
7984810035	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 35	Plain (no plating)	10 mm	35 mm	7 mm	16 mm
79848100351	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	7 mm	16 mm
7984810040	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 40	Plain (no plating)	10 mm	40 mm	7 mm	16 mm
79848100401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	7 mm	16 mm
79848100401OSAK.	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	7 mm	16 mm
7984810045	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 45	Plain (no plating)	10 mm	45 mm	7 mm	16 mm
79848100451	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	7 mm	16 mm
7984810050	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 50	Plain (no plating)	10 mm	50 mm	7 mm	16 mm
79848100501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	7 mm	16 mm
7984810060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 60	Plain (no plating)	10 mm	60 mm	7 mm	16 mm
79848100601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	7 mm	16 mm
7984810065	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 65	Plain (no plating)	10 mm	65 mm	7 mm	16 mm
79848100651	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8,	Steel 8.8	08.8 M10 x 65	Plain (no plating)	10 mm	65 mm	7 mm	16 mm

08.8 M10 x

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984810070	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M10 x 70	Steel 8.8	08.8 M10 x 70	Plain (no plating)	10 mm	70 mm	7 mm	16 mm
79848100701	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M10 x 70	Steel 8.8	08.8 M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	7 mm	16 mm
7984810075	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M10 x 75	Steel 8.8	08.8 M10 x 75	Plain (no plating)	10 mm	75 mm	7 mm	16 mm
7984810080	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M10 x 80	Steel 8.8	08.8 M10 x 80	Plain (no plating)	10 mm	80 mm	7 mm	16 mm
79848100901	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M10 x 90	Steel 8.8	08.8 M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	7 mm	16 mm
7984810100	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M10 x 100	Steel 8.8	08.8 M10 x 100	Plain (no plating)	10 mm	100 mm	7 mm	16 mm
79848101001	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M10 x 100	Steel 8.8	08.8 M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	7 mm	16 mm
79848120161	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 16	Steel 8.8	08.8 M12 x 16	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	8 mm	18 mm
7984812020	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 20	Steel 8.8	08.8 M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	18 mm
79848120201	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 20	Steel 8.8	08.8 M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	8 mm	18 mm
79848120201SST12	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 20	Steel 8.8	08.8 M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	8 mm	18 mm
7984812025	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 25	Steel 8.8	08.8 M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	18 mm
79848120251	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 25	Steel 8.8	08.8 M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	8 mm	18 mm
7984812030	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 30	Steel 8.8	08.8 M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	18 mm
79848120301	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 30	Steel 8.8	08.8 M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	8 mm	18 mm
7984812035	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 35	Steel 8.8	08.8 M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	18 mm
79848120351	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 35	Steel 8.8	08.8 M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	8 mm	18 mm
7984812040	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 40	Steel 8.8	08.8 M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	18 mm
79848120401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 40	Steel 8.8	08.8 M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	8 mm	18 mm
7984812045	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 45	Steel 8.8	08.8 M12 x 45	Plain (no plating)	12 mm	45 mm	8 mm	18 mm
79848120451	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 45	Steel 8.8	08.8 M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	8 mm	18 mm
79848120451I	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 45	Steel 8.8	08.8 M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	8 mm	18 mm
7984812050	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 50	Steel 8.8	08.8 M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	18 mm
79848120501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 50	Steel 8.8	08.8 M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	8 mm	18 mm
7984812060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 60	Steel 8.8	08.8 M12 x 60	Plain (no plating)	12 mm	60 mm	8 mm	18 mm
79848120601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 60	Steel 8.8	08.8 M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	8 mm	18 mm
7984812065	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 65	Steel 8.8	08.8 M12 x 65	Plain (no plating)	12 mm	65 mm	8 mm	18 mm
79848120701	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 70	Steel 8.8	08.8 M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	8 mm	18 mm
7984812080	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 80	Steel 8.8	08.8 M12 x 80	Plain (no plating)	12 mm	80 mm	8 mm	18 mm
79848120801	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 80	Steel 8.8	08.8 M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	8 mm	18 mm
79848120901	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 90	Steel 8.8	08.8 M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	8 mm	18 mm
7984812095	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 95	Steel 8.8	08.8 M12 x 95	Plain (no plating)	12 mm	95 mm	8 mm	18 mm
7984812100	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M12 x 100	Steel 8.8	08.8 M12 x 100	Plain (no plating)	12 mm	100 mm	8 mm	18 mm
7984814060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M14 x 60	Steel 8.8	08.8 M14 x 60	Plain (no plating)	14 mm	60 mm	10 mm	21 mm
79848140601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M14 x 60	Steel 8.8	08.8 M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	10 mm	21 mm
79848160201	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 20	Steel 8.8	08.8 M16 x 20	Zinc Bright Passivation Fe/Zn P1	16 mm	20 mm	12 mm	24 mm
7984816025	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 25	Steel 8.8	08.8 M16 x 25	Plain (no plating)	16 mm	25 mm	12 mm	24 mm
79848160251	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 25	Steel 8.8	08.8 M16 x 25	Zinc Bright Passivation Fe/Zn P1	16 mm	25 mm	12 mm	24 mm
7984816030	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 30	Steel 8.8	08.8 M16 x 30	Plain (no plating)	16 mm	30 mm	12 mm	24 mm
79848160301	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 30	Steel 8.8	08.8 M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	12 mm	24 mm
7984816035	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 35	Steel 8.8	08.8 M16 x 35	Plain (no plating)	16 mm	35 mm	12 mm	24 mm
79848160351	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 35	Steel 8.8	08.8 M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	12 mm	24 mm
7984816040	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 40	Steel 8.8	08.8 M16 x 40	Plain (no plating)	16 mm	40 mm	12 mm	24 mm
79848160401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 40	Steel 8.8	08.8 M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	12 mm	24 mm
7984816045	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 45	Steel 8.8	08.8 M16 x 45	Plain (no plating)	16 mm	45 mm	12 mm	24 mm
79848160451	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 45	Steel 8.8	08.8 M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	12 mm	24 mm

08.8 M16 x

	Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
	7984816050	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 50	Steel 8.8	08.8 M16 x 50	Plain (no plating)	16 mm	50 mm	12 mm	24 mm
	79848160501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 50	Steel 8.8	08.8 M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	12 mm	24 mm
	7984816055	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 55	Steel 8.8	08.8 M16 x 55	Plain (no plating)	16 mm	55 mm	12 mm	24 mm
	7984816060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 60	Steel 8.8	08.8 M16 x 60	Plain (no plating)	16 mm	60 mm	12 mm	24 mm
	79848160601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 60	Steel 8.8	08.8 M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	12 mm	24 mm
	79848160601G627	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 60	Steel 8.8	08.8 M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	12 mm	24 mm
	79848160701	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 70	Steel 8.8	08.8 M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	12 mm	24 mm
	7984816080	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 80	Steel 8.8	08.8 M16 x 80	Plain (no plating)	16 mm	80 mm	12 mm	24 mm
	79848160801	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 80	Steel 8.8	08.8 M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	12 mm	24 mm
	7984816110	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 110	Steel 8.8	08.8 M16 x 110	Plain (no plating)	16 mm	110 mm	12 mm	24 mm
	7984816140	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 140	Steel 8.8	08.8 M16 x 140	Plain (no plating)	16 mm	140 mm	12 mm	24 mm
	7984816150	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 150	Steel 8.8	08.8 M16 x 150	Plain (no plating)	16 mm	150 mm	12 mm	24 mm
	7984816150551	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 1.5 x 55	Steel 8.8	08.8 M16 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	12 mm	24 mm
	7984816160	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M16 x 160	Steel 8.8	08.8 M16 x 160	Plain (no plating)	16 mm	160 mm	12 mm	24 mm
	79848180451	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M18 x 45	Steel 8.8	08.8 M18 x 45	Zinc Bright Passivation Fe/Zn P1	18 mm	45 mm	12 mm	27 mm
	79848180501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M18 x 50	Steel 8.8	08.8 M18 x 50	Zinc Bright Passivation Fe/Zn P1	18 mm	50 mm	12 mm	27 mm
	7984820030	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 30	Steel 8.8	08.8 M20 x 30	Plain (no plating)	20 mm	30 mm	14 mm	30 mm
	79848200301	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 30	Steel 8.8	08.8 M20 x 30	Zinc Bright Passivation Fe/Zn P1	20 mm	30 mm	14 mm	30 mm
	7984820035	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 35	Steel 8.8	08.8 M20 x 35	Plain (no plating)	20 mm	35 mm	14 mm	30 mm
	7984820040	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 40	Steel 8.8	08.8 M20 x 40	Plain (no plating)	20 mm	40 mm	14 mm	30 mm
	79848200401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 40	Steel 8.8	08.8 M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	14 mm	30 mm
	7984820050	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 50	Steel 8.8	08.8 M20 x 50	Plain (no plating)	20 mm	50 mm	14 mm	30 mm
	79848200501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 50	Steel 8.8	08.8 M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	14 mm	30 mm
	7984820060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 60	Steel 8.8	08.8 M20 x 60	Plain (no plating)	20 mm	60 mm	14 mm	30 mm
	79848200601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 60	Steel 8.8	08.8 M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	14 mm	30 mm
	79848200701	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 70	Steel 8.8	08.8 M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	14 mm	30 mm
	7984820080	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 80	Steel 8.8	08.8 M20 x 80	Plain (no plating)	20 mm	80 mm	14 mm	30 mm
	7984820090	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 90	Steel 8.8	08.8 M20 x 90	Plain (no plating)	20 mm	90 mm	14 mm	30 mm
	79848200901	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 90	Steel 8.8	08.8 M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	14 mm	30 mm
	7984820100	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 100	Steel 8.8	08.8 M20 x 100	Plain (no plating)	20 mm	100 mm	14 mm	30 mm
	7984820110	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 110	Steel 8.8	08.8 M20 x 110	Plain (no plating)	20 mm	110 mm	14 mm	30 mm
	7984820120	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M20 x 120	Steel 8.8	08.8 M20 x 120	Plain (no plating)	20 mm	120 mm	14 mm	30 mm
	79848240301	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 30	Steel 8.8	08.8 M24 x 30	Zinc Bright Passivation Fe/Zn P1	24 mm	30 mm	17 mm	36 mm
	7984824040	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 40	Steel 8.8	08.8 M24 x 40	Plain (no plating)	24 mm	40 mm	17 mm	36 mm
	79848240401	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 40	Steel 8.8	08.8 M24 x 40	Zinc Bright Passivation Fe/Zn P1	24 mm	40 mm	17 mm	36 mm
	7984824045	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 45	Steel 8.8	08.8 M24 x 45	Plain (no plating)	24 mm	45 mm	17 mm	36 mm
	79848240451	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 45	Steel 8.8	08.8 M24 x 45	Zinc Bright Passivation Fe/Zn P1	24 mm	45 mm	17 mm	36 mm
	7984824050	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 50	Steel 8.8	08.8 M24 x 50	Plain (no plating)	24 mm	50 mm	17 mm	36 mm
	79848240501	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 50	Steel 8.8	08.8 M24 x 50	Zinc Bright Passivation Fe/Zn P1	24 mm	50 mm	17 mm	36 mm
	7984824060	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 60	Steel 8.8	08.8 M24 x 60	Plain (no plating)	24 mm	60 mm	17 mm	36 mm
	79848240601	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 60	Steel 8.8	08.8 M24 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	17 mm	36 mm
	7984824080	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 80	Steel 8.8	08.8 M24 x 80	Plain (no plating)	24 mm	80 mm	17 mm	36 mm
	79848241001	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 100	Steel 8.8	08.8 M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	17 mm	36 mm
	7984824250	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 250	Steel 8.8	08.8 M24 x 250	Plain (no plating)	24 mm	250 mm	17 mm	36 mm
	7984824560	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M24 x 560	Steel 8.8	08.8 M24 x 560	Plain (no plating)	24 mm	560 mm	17 mm	36 mm
	7984A203004	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, 08.8 M24 x 50	Stainless A2	08.8 M24 x 50	Plain (no plating)	24 mm	50 mm	17 mm	36 mm

M3 x 4

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984A203005	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M3x5	Stainless A2	M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.5 mm
7984A203006	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M3x6	Stainless A2	M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.5 mm
7984A203008	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M3x8	Stainless A2	M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.5 mm
7984A203010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x10	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.5 mm
7984A203012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x12	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.5 mm
7984A203016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x16	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.5 mm
7984A203020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x20	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.5 mm
7984A203020FT	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x20	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.5 mm
7984A203025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x25	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm	2 mm	5.5 mm
7984A203030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x30	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm	2 mm	5.5 mm
7984A203035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x35	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm	2 mm	5.5 mm
7984A203040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x40	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm	2 mm	5.5 mm
7984A203050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M3x50	Stainless A2-70	M3 x 50	Plain (no plating)	3 mm	50 mm	2 mm	5.5 mm
7984A204005	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M4x5	Stainless A2	M4 x 5	Plain (no plating)	4 mm	5 mm	2.5 mm	7 mm
7984A204006	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M4x6	Stainless A2	M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7 mm
7984A204006T	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M4x6	Stainless A2	M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7 mm
7984A204008	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M4x8	Stainless A2	M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7 mm
7984A204010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M4x10	Stainless A2	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7 mm
7984A204010TB	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M4x10	Stainless A2	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7 mm
7984A204012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x12	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7 mm
7984A204014	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x14	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm	2.5 mm	7 mm
7984A204016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x16	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7 mm
7984A204020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x20	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7 mm
7984A204022	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x22	Stainless A2-70	M4 x 22	Plain (no plating)	4 mm	22 mm	2.5 mm	7 mm
7984A204025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x25	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7 mm
7984A204030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x30	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	7 mm
7984A204035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x35	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm	2.5 mm	7 mm
7984A204040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M4x40	Stainless A2-70	M4 x 40	Plain (no plating)	4 mm	40 mm	2.5 mm	7 mm
7984A205006	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M5x6	Stainless A2	M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	8.5 mm
7984A205008	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M5x8	Stainless A2	M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	8.5 mm
7984A205008T	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M5x8	Stainless A2	M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	8.5 mm
7984A205010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M5x10	Stainless A2	M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	8.5 mm
7984A205010TB	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M5x10	Stainless A2	M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	8.5 mm
7984A205012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M5x12	Stainless A2	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	8.5 mm
7984A205014	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M5x14	Stainless A2	M5 x 14	Plain (no plating)	5 mm	14 mm	3 mm	8.5 mm
7984A205016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x16	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	8.5 mm
7984A205016TB	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x16	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	8.5 mm
7984A205020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x20	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	8.5 mm
7984A205025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x25	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	8.5 mm
7984A205030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x30	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	8.5 mm
7984A20503070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x30	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	8.5 mm
7984A205035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x35	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	8.5 mm
7984A205040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	8.5 mm
7984A205045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x45	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm	3 mm	8.5 mm
7984A205050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x50	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm	3 mm	8.5 mm
7984A205060	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M5x							

A2-70, M5 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984A205080	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M5 x 80	Plain (no plating)	5 mm	80 mm	3 mm	8.5 mm
7984A206010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, A2-70, M5 x 10	Stainless A2	M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	10 mm
7984A206012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, A2-70, M6 x 12	Stainless A2	M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	10 mm
7984A206014	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, A2-70, M6 x 14	Stainless A2	M6 x 14	Plain (no plating)	6 mm	14 mm	4 mm	10 mm
7984A206016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, A2-70, M6 x 16	Stainless A2	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	10 mm
7984A206020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 20	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	10 mm
7984A206025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 25	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	10 mm
7984A206030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 30	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	10 mm
7984A206035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 35	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	4 mm	10 mm
7984A206040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 40	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	10 mm
7984A206045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 45	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	10 mm
7984A20604570	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 45	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	10 mm
7984A206050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 50	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	10 mm
7984A206055	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 55	Stainless A2-70	M6 x 55	Plain (no plating)	6 mm	55 mm	4 mm	10 mm
7984A206060	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 60	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm	4 mm	10 mm
7984A206070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 70	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm	4 mm	10 mm
7984A206080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 80	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm	4 mm	10 mm
7984A206090	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x 90	Stainless A2-70	M6 x 90	Plain (no plating)	6 mm	90 mm	4 mm	10 mm
7984A208010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M8 x 10	Stainless A2	M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	13 mm
7984A208012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M8 x 12	Stainless A2	M8 x 12	Plain (no plating)	8 mm	12 mm	5 mm	13 mm
7984A208014	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M8 x 14	Stainless A2	M8 x 14	Plain (no plating)	8 mm	14 mm	5 mm	13 mm
7984A208016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M8 x 16	Stainless A2	M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	13 mm
7984A208018	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M8 x 18	Stainless A2	M8 x 18	Plain (no plating)	8 mm	18 mm	5 mm	13 mm
7984A208020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M8 x 20	Stainless A2	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	13 mm
7984A208025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 25	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	13 mm
7984A208035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 35	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	13 mm
7984A208040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 40	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	13 mm
7984A208050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 50	Stainless A2-70	M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	13 mm
7984A208055	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 55	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm	5 mm	13 mm
7984A208060	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 60	Stainless A2-70	M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	13 mm
7984A208070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 70	Stainless A2-70	M8 x 70	Plain (no plating)	8 mm	70 mm	5 mm	13 mm
7984A208080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x 80	Stainless A2-70	M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	13 mm
7984A210016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M10 x 16	Stainless A2	M10 x 16	Plain (no plating)	10 mm	16 mm	7 mm	16 mm
7984A210018	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M10 x 18	Stainless A2	M10 x 18	Plain (no plating)	10 mm	18 mm	7 mm	16 mm
7984A210020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M10 x 20	Stainless A2	M10 x 20	Plain (no plating)	10 mm	20 mm	7 mm	16 mm
7984A210025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M10 x 25	Stainless A2	M10 x 25	Plain (no plating)	10 mm	25 mm	7 mm	16 mm
7984A210030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 30	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	7 mm	16 mm
7984A210035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 35	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	7 mm	16 mm
7984A210040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 40	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	7 mm	16 mm
7984A210045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 45	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm	7 mm	16 mm
7984A210050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 50	Stainless A2-70	M10 x 50	Plain (no plating)	10 mm	50 mm	7 mm	16 mm
7984A210055	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 55	Stainless A2-70	M10 x 55	Plain (no plating)	10 mm	55 mm	7 mm	16 mm
7984A210060	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 60	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm	7 mm	16 mm
7984A210065	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 65	Stainless A2-70	M10 x 65	Plain (no plating)	10 mm	65 mm	7 mm	16 mm
7984A210070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 70	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm	7 mm	16 mm
7984A210075	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x 75	Stainless A2-70	M10 x 75	Plain (no plating)	10 mm	75 mm	7 mm	16 mm

A2-70, M10

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984A210080	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm	7 mm	16 mm
7984A210090	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M10 x 90	Plain (no plating)	10 mm	90 mm	7 mm	16 mm
7984A210100	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm	7 mm	16 mm
7984A212020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	18 mm
7984A212025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	18 mm
7984A212030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	18 mm
7984A212035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	18 mm
7984A212040	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	18 mm
7984A212045	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	8 mm	18 mm
7984A212050	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	18 mm
7984A212055	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	8 mm	18 mm
7984A212060	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 60	Plain (no plating)	12 mm	60 mm	8 mm	18 mm
7984A212070	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	18 mm
7984A212075	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 75	Plain (no plating)	12 mm	75 mm	8 mm	18 mm
7984A212080	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	8 mm	18 mm
7984A212090	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm	8 mm	18 mm
7984A212100	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 100	Plain (no plating)	12 mm	100 mm	8 mm	18 mm
7984A214030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M14 x 30	Plain (no plating)	14 mm	30 mm	10 mm	21 mm
7984A216025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M16 x 25	Plain (no plating)	16 mm	25 mm	12 mm	24 mm
7984A216030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M16 x 30	Plain (no plating)	16 mm	30 mm	12 mm	24 mm
7984A216035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M16 x 35	Plain (no plating)	16 mm	35 mm	12 mm	24 mm
7984A216040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M16 x 40	Plain (no plating)	16 mm	40 mm	12 mm	24 mm
7984A21604070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M16 x 40	Plain (no plating)	16 mm	40 mm	12 mm	24 mm
7984A216045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M16 x 45	Plain (no plating)	16 mm	45 mm	12 mm	24 mm
7984A216050	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 50	Plain (no plating)	16 mm	50 mm	12 mm	24 mm
7984A216055	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 55	Plain (no plating)	16 mm	55 mm	12 mm	24 mm
7984A216060	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 60	Plain (no plating)	16 mm	60 mm	12 mm	24 mm
7984A216070	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 70	Plain (no plating)	16 mm	70 mm	12 mm	24 mm
7984A216080	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 80	Plain (no plating)	16 mm	80 mm	12 mm	24 mm
7984A220040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M20 x 40	Plain (no plating)	20 mm	40 mm	14 mm	30 mm
7984A220050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2,	Stainless A2	M20 x 50	Plain (no plating)	20 mm	50 mm	14 mm	30 mm
7984A220060	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 60	Plain (no plating)	20 mm	60 mm	14 mm	30 mm
7984A224120	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M24 x 120	Plain (no plating)	24 mm	120 mm	17 mm	36 mm
7984A403004	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M3 x 4	Plain (no plating)	3 mm	4 mm	2 mm	5.5 mm
7984A403005	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.5 mm
7984A403006	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.5 mm
7984A40300670	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.5 mm
7984A40300670W	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.5 mm
7984A403008	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.5 mm
7984A403010	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.5 mm
7984A403012	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.5 mm
7984A403016	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.5 mm
7984A403018	DIN 7984 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M3 x 18	Plain (no plating)	3 mm	18 mm	2 mm	5.5 mm
7984A404006	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7 mm
7984A404008	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,	Stainless A4	M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7 mm
7984A404010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4,							

M4 x 10

Stainless A4

M4 x 10

Plain (no plating)

4 mm

10 mm

2.5 mm

7 mm

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984A40401070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x10	Stainless A4	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7 mm
7984A404012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x12	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7 mm
7984A404012W	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x12	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7 mm
7984A404016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x16	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7 mm
7984A404020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x20	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7 mm
7984A404025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7 mm
7984A404035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x35	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm	2.5 mm	7 mm
7984A404040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M4x40	Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm	2.5 mm	7 mm
7984A405006	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x6	Stainless A4	M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	8.5 mm
7984A405008	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x8	Stainless A4	M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	8.5 mm
7984A405010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x10	Stainless A4	M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	8.5 mm
7984A405012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x12	Stainless A4	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	8.5 mm
7984A405016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x16	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	8.5 mm
7984A405018	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x18	Stainless A4-70	M5 x 18	Plain (no plating)	5 mm	18 mm	3 mm	8.5 mm
7984A405020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x20	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	8.5 mm
7984A405025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x25	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	8.5 mm
7984A405030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x30	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	8.5 mm
7984A405035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x35	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	8.5 mm
7984A40506070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x60	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm	3 mm	8.5 mm
7984A40508	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M5x8	Stainless A4	M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	8.5 mm
7984A406010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x10	Stainless A4	M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	10 mm
7984A406012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x12	Stainless A4	M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	10 mm
7984A406014	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x14	Stainless A4	M6 x 14	Plain (no plating)	6 mm	14 mm	4 mm	10 mm
7984A406016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x16	Stainless A4	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	10 mm
7984A406018	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x18	Stainless A4-70	M6 x 18	Plain (no plating)	6 mm	18 mm	4 mm	10 mm
7984A406020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x20	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	10 mm
7984A406025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x25	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	10 mm
7984A406030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x30	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	10 mm
7984A406035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x35	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm	4 mm	10 mm
7984A406040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x40	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	10 mm
7984A406045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x45	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	10 mm
7984A406050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x50	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	10 mm
7984A406080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M6x80	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm	4 mm	10 mm
7984A408010	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x10	Stainless A4	M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	13 mm
7984A408012	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x12	Stainless A4	M8 x 12	Plain (no plating)	8 mm	12 mm	5 mm	13 mm
7984A408016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x16	Stainless A4	M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	13 mm
7984A40801680	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x16	Stainless A4	M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	13 mm
7984A408018	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x18	Stainless A4	M8 x 18	Plain (no plating)	8 mm	18 mm	5 mm	13 mm
7984A408020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x20	Stainless A4	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	13 mm
7984A40802080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x20	Stainless A4	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	13 mm
7984A408025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x25	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	13 mm
7984A40802580	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x25	Stainless A4-80	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	13 mm
7984A408030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x30	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	13 mm
7984A40803080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x30	Stainless A4-80	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	13 mm
7984A408035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x35	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	13 mm
7984A408040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M8x40	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	13 mm

A4-70, M8 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984A40804070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x 40	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	13 mm
7984A408045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x 45	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	13 mm
7984A408050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x 50	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	13 mm
7984A408075	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x 75	Stainless A4-70	M8 x 75	Plain (no plating)	8 mm	75 mm	5 mm	13 mm
7984A408080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x 80	Stainless A4-70	M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	13 mm
7984A40809080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-80 M8 x 90	Stainless A4-80	M8 x 90	Plain (no plating)	8 mm	90 mm	5 mm	13 mm
7984A40855	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x 55	Stainless A4-70	M8 x 55	Plain (no plating)	8 mm	55 mm	5 mm	13 mm
7984A410016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M10 x 16	Stainless A4	M10 x 16	Plain (no plating)	10 mm	16 mm	7 mm	16 mm
7984A410020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M10 x 20	Stainless A4	M10 x 20	Plain (no plating)	10 mm	20 mm	7 mm	16 mm
7984A41002070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M10 x 20	Stainless A4	M10 x 20	Plain (no plating)	10 mm	20 mm	7 mm	16 mm
7984A410025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M10 x 25	Stainless A4	M10 x 25	Plain (no plating)	10 mm	25 mm	7 mm	16 mm
7984A410030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 30	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm	7 mm	16 mm
7984A41003070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 30	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm	7 mm	16 mm
7984A410035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 35	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm	7 mm	16 mm
7984A410040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 40	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	7 mm	16 mm
7984A410045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 45	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm	7 mm	16 mm
7984A410050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 50	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm	7 mm	16 mm
7984A410055	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 55	Stainless A4-70	M10 x 55	Plain (no plating)	10 mm	55 mm	7 mm	16 mm
7984A41005580	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-80 M10 x 55	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	7 mm	16 mm
7984A410070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 70	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm	7 mm	16 mm
7984A410080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 80	Stainless A4-70	M10 x 80	Plain (no plating)	10 mm	80 mm	7 mm	16 mm
7984A410090	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M10 x 90	Stainless A4-70	M10 x 90	Plain (no plating)	10 mm	90 mm	7 mm	16 mm
7984A412016	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M12 x 16	Stainless A4	M12 x 16	Plain (no plating)	12 mm	16 mm	8 mm	18 mm
7984A412020	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M12 x 20	Stainless A4	M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	18 mm
7984A412025	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M12 x 25	Stainless A4	M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	18 mm
7984A41202580	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M12 x 25	Stainless A4	M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	18 mm
7984A412030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M12 x 30	Stainless A4	M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	18 mm
7984A41203080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M12 x 30	Stainless A4	M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	18 mm
7984A412035	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M12 x 35	Stainless A4	M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	18 mm
7984A412040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M12 x 40	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	18 mm
7984A412045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M12 x 45	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	8 mm	18 mm
7984A412050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	18 mm
7984A412055	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M12 x 55	Stainless A4-70	M12 x 55	Plain (no plating)	12 mm	55 mm	8 mm	18 mm
7984A412060	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M12 x 60	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm	8 mm	18 mm
7984A412070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M12 x 70	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	18 mm
7984A416030	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M16 x 30	Stainless A4	M16 x 30	Plain (no plating)	16 mm	30 mm	12 mm	24 mm
7984A416040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M16 x 40	Stainless A4	M16 x 40	Plain (no plating)	16 mm	40 mm	12 mm	24 mm
7984A416045	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M16 x 45	Stainless A4	M16 x 45	Plain (no plating)	16 mm	45 mm	12 mm	24 mm
7984A416050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M16 x 50	Stainless A4-70	M16 x 50	Plain (no plating)	16 mm	50 mm	12 mm	24 mm
7984A416060	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M16 x 60	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm	12 mm	24 mm
7984A420040	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M20 x 40	Stainless A4	M20 x 40	Plain (no plating)	20 mm	40 mm	14 mm	30 mm
7984A42004080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M20 x 40	Stainless A4	M20 x 40	Plain (no plating)	20 mm	40 mm	14 mm	30 mm
7984A420050	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M20 x 50	Stainless A4	M20 x 50	Plain (no plating)	20 mm	50 mm	14 mm	30 mm
7984A420060	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M20 x 60	Stainless A4-70	M20 x 60	Plain (no plating)	20 mm	60 mm	14 mm	30 mm
7984A420070	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M20 x 70	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	14 mm	30 mm
7984A42010080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70 M20 x 70	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	14 mm	30 mm

A4-80, M20

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7984A420140	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 140	Plain (no plating)	20 mm	140 mm	14 mm	30 mm
7984A42406080	DIN 7984 Socket Head Screw with Hex Drive, Stainless A4, M24 x 60	Stainless A4	M24 x 60	Plain (no plating)	24 mm	60 mm	17 mm	36 mm
7984ULA203006	DIN 7984 Socket Head Screw with Hex Drive, Stainless A2, M3 x 6	Stainless A2	M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.5 mm
798848080251	DIN 7984 Socket Head Screw with Hex Drive, Steel 8.8, 08.8 M8 x 25	Steel 8.8	08.8 M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	5 mm	13 mm

