


DIN 7985 — Rounded Head Screw with Phillips or Pozidriv



Catalogue data sheet · 856 sizes · category Bolts and Screws / Round Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
18879	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Stainless A2-70	Stainless A2-70	M2 x 5	Plain (no plating)	2 mm	5 mm		4 mm
19534	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Stainless A2-70	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm		6 mm
2RPM040060	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Stainless A2-70	Stainless A2-70	M4 x 60	Plain (no plating)	4 mm	60 mm		8 mm
423001500002	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Polyamide	Polyamide	M2 x 6	Plain (no plating)	2 mm	6 mm		4 mm
42300900002	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Polyamide	Polyamide	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm		5 mm
7895A404060Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Stainless A4-70	Stainless A4-70	M4 x 60	Plain (no plating)	4 mm	60 mm		8 mm
79850160031	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M1.6 x 3	Zinc Bright Passivation Fe/Zn P1	1.6 mm	3 mm		3.2 mm
798501600351	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M1.6 x 3.5	Zinc Bright Passivation Fe/Zn P1	1.6 mm	3.5 mm		3.2 mm
79850160041	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M1.6 x 4	Zinc Bright Passivation Fe/Zn P1	1.6 mm	4 mm		3.2 mm
79850160051	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M1.6 x 5	Zinc Bright Passivation Fe/Zn P1	1.6 mm	5 mm		3.2 mm
79850160061	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M1.6 x 6	Zinc Bright Passivation Fe/Zn P1	1.6 mm	6 mm		3.2 mm
79850160081	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M1.6 x 8	Zinc Bright Passivation Fe/Zn P1	1.6 mm	8 mm		3.2 mm
7985020021	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 2	Zinc Bright Passivation Fe/Zn P1	2 mm	2 mm		4 mm
7985020031	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 3	Zinc Bright Passivation Fe/Zn P1	2 mm	3 mm		4 mm
7985020041	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 4	Zinc Bright Passivation Fe/Zn P1	2 mm	4 mm		4 mm
7985020041Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 4	Zinc Bright Passivation Fe/Zn P1	2 mm	4 mm		4 mm
7985020051	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 5	Zinc Bright Passivation Fe/Zn P1	2 mm	5 mm		4 mm
7985020051Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 5	Zinc Bright Passivation Fe/Zn P1	2 mm	5 mm		4 mm
7985020061	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 6	Zinc Bright Passivation Fe/Zn P1	2 mm	6 mm		4 mm
7985020061Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 6	Zinc Bright Passivation Fe/Zn P1	2 mm	6 mm		4 mm
7985020081	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 8	Zinc Bright Passivation Fe/Zn P1	2 mm	8 mm		4 mm
7985020081Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 8	Zinc Bright Passivation Fe/Zn P1	2 mm	8 mm		4 mm
7985020101	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 10	Zinc Bright Passivation Fe/Zn P1	2 mm	10 mm		4 mm
7985020101Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 10	Zinc Bright Passivation Fe/Zn P1	2 mm	10 mm		4 mm
7985020121	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 12	Zinc Bright Passivation Fe/Zn P1	2 mm	12 mm		4 mm
7985020121Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M2 x 12	Zinc Bright Passivation Fe/Zn P1	2 mm	12 mm		4 mm

Steel 4

[illegible]

Steel 4

Steel 4.8

M3 x 10

Zinc Bright Passivation Fe/Zn P1

3 mm

10 mm

6 mm

[illegible]

Steel 4

Steel 4.8

M4 x 4

Zinc Bright Passivation Fe/Zn P1

4 mm

4 mm

8 mm

[illegible]

Steel 4.8

Steel 4.8

M4 x 70

Zinc Bright Passivation Fe/Zn P1

4 mm

70 mm

8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7985040701Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M4 x 70	Zinc Bright Passivation Fe/Zn P1	4 mm	70 mm		8 mm
7985040751	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M4 x 75	Zinc Bright Passivation Fe/Zn P1	4 mm	75 mm		8 mm
7985040801	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M4 x 80	Zinc Bright Passivation Fe/Zn P1	4 mm	80 mm		8 mm
7985040801Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M4 x 80	Zinc Bright Passivation Fe/Zn P1	4 mm	80 mm		8 mm
7985040901	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M4 x 90	Zinc Bright Passivation Fe/Zn P1	4 mm	90 mm		8 mm
7985041001	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M4 x 100	Zinc Bright Passivation Fe/Zn P1	4 mm	100 mm		8 mm
7985050061	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm		10 mm
7985050061Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm		10 mm
7985050081	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm		10 mm
7985050081Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm		10 mm
7985050101	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		10 mm
7985050101Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		10 mm
7985050121	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		10 mm
7985050121Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		10 mm
798505014	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 14	Plain (no plating)	5 mm	14 mm		10 mm
7985050141	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm		10 mm
7985050141Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm		10 mm
798505016	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 16	Plain (no plating)	5 mm	16 mm		10 mm
7985050161	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		10 mm
7985050161Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		10 mm
7985050181	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 18	Zinc Bright Passivation Fe/Zn P1	5 mm	18 mm		10 mm
7985050201	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		10 mm
7985050201Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		10 mm
7985050221	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 22	Zinc Bright Passivation Fe/Zn P1	5 mm	22 mm		10 mm
7985050251	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		10 mm
7985050251Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		10 mm
7985050301	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		10 mm
7985050301Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		10 mm
7985050351	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		10 mm
7985050351Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		10 mm
7985050401	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		10 mm
7985050401Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		10 mm
7985050451	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm		10 mm
7985050451Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm		10 mm
7985050501	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		10 mm
7985050501Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		10 mm
7985050551	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm		10 mm
7985050601	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm		10 mm
7985050601Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm		10 mm
7985050651	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm		10 mm
7985050701	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm		10 mm
7985050701Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm		10 mm
7985050801	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm		10 mm
7985050801Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm		10 mm
7985050901	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M5 x 90	Zinc Bright Passivation Fe/Zn P1	5 mm	90 mm		10 mm
7985051001	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8						

Steel 4.8

Steel 4.8

M5 x 100

Zinc Bright Passivation Fe/Zn P1

5 mm

100 mm

10 mm

[illegible]

Steel 4

Steel 4.8

M6 x 90

Zinc Bright Passivation Fe/Zn P1

6 mm

90 mm

12 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7985061001	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm		12 mm
7985061001Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm		12 mm
7985061501Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm		12 mm
7985080101	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm		16 mm
7985080121	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm		16 mm
7985080121Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm		16 mm
7985080161	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		16 mm
7985080161Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		16 mm
7985080201	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		16 mm
7985080201Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		16 mm
7985080251	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		16 mm
7985080251Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		16 mm
7985080301	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		16 mm
7985080301Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		16 mm
7985080351	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		16 mm
7985080351Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		16 mm
7985080401	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		16 mm
7985080401Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		16 mm
7985080451	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		16 mm
7985080451Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		16 mm
7985080501Z	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		16 mm
7985080601	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		16 mm
7985080701	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		16 mm
7985080801	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm		16 mm
7985100161	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm		20 mm
7985100251	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm		20 mm
7985100351	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm		20 mm
7985100601	DIN 7985 Rounded Head Screw with Phillips or Pozidriv, Steel 4.8	Steel 4.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm		20 mm
7985205008	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Stainless A2-70	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm		10 mm
79858020051Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M2 x 5	Zinc Bright Passivation Fe/Zn P1	2 mm	5 mm		4 mm
79858030051Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm		6 mm
79858030081	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		6 mm
79858030121Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		6 mm
79858040081	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		8 mm
79858040081SST07	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		8 mm
79858050061	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm		10 mm
79858050101	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		10 mm
79858050201	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		10 mm
79858050201Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		10 mm
79858060161	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		12 mm
79858060301	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		12 mm
79858080121	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm		16 mm
79858080451Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Steel 8.8	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		16 mm
7985A2014003	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Stainless	Stainless A2-70	M1.4 x 3	Plain (no plating)	1.4 mm	3 mm		2.5 mm
7985A2016002Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv, Stainless	Stainless A2-70	M1.6 x 2	Plain (no plating)	1.6 mm	2 mm		3.2 mm
7985A2016003	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Stainless	Stainless						

Stainle

[illegible]

Stainle

[illegible]

Stainle

Stainless A2-70

M3 x 10

Plain (no plating)

3 mm

10 mm

6 mm

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7985A203010ZW62	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm		6 mm
7985A203012	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm		6 mm
7985A203012W627	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm		6 mm
7985A203012Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm		6 mm
7985A203014	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 14	Plain (no plating)	3 mm	14 mm		6 mm
7985A203014Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 14	Plain (no plating)	3 mm	14 mm		6 mm
7985A203016	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm		6 mm
7985A20301670	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm		6 mm
7985A203016Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm		6 mm
7985A203018	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 18	Plain (no plating)	3 mm	18 mm		6 mm
7985A203018Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 18	Plain (no plating)	3 mm	18 mm		6 mm
7985A203020	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm		6 mm
7985A203020Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm		6 mm
7985A203022	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 22	Plain (no plating)	3 mm	22 mm		6 mm
7985A203022Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 22	Plain (no plating)	3 mm	22 mm		6 mm
7985A203025	DIN 7985 Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm		6 mm
7985A20302570	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm		6 mm
7985A203025Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm		6 mm
7985A203028	DIN 7985 Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 28	Plain (no plating)	3 mm	28 mm		6 mm
7985A203030	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm		6 mm
7985A203030Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm		6 mm
7985A203035	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm		6 mm
7985A203035Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm		6 mm
7985A203040	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm		6 mm
7985A203040Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm		6 mm
7985A203045	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 45	Plain (no plating)	3 mm	45 mm		6 mm
7985A203045Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 45	Plain (no plating)	3 mm	45 mm		6 mm
7985A203050	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 50	Plain (no plating)	3 mm	50 mm		6 mm
7985A203050Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 50	Plain (no plating)	3 mm	50 mm		6 mm
7985A203055Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 55	Plain (no plating)	3 mm	55 mm		6 mm
7985A203060Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3 x 60	Plain (no plating)	3 mm	60 mm		6 mm
7985A2035005Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 5	Plain (no plating)	3.5 mm	5 mm		7 mm
7985A2035006Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 6	Plain (no plating)	3.5 mm	6 mm		7 mm
7985A2035008Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 8	Plain (no plating)	3.5 mm	8 mm		7 mm
7985A2035010Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 10	Plain (no plating)	3.5 mm	10 mm		7 mm
7985A2035012Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 12	Plain (no plating)	3.5 mm	12 mm		7 mm
7985A2035016Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 16	Plain (no plating)	3.5 mm	16 mm		7 mm
7985A2035020Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 20	Plain (no plating)	3.5 mm	20 mm		7 mm
7985A2035022	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 22	Plain (no plating)	3.5 mm	22 mm		7 mm
7985A2035025Z	DIN 7985-Z Rounded Head Screw with Phillips or Pozidriv,	Stainless A2-70	M3.5 x 25	Plain (no plating)	3.5 mm	25 mm		7 mm

Stainle

[illegible]

Stainle

[illegible]

Stainle

Stainless A2-70

M5 x 100

Plain (no plating)

5 mm

100 mm

10 mm

[illegible]

Stainle

[illegible]

Stainle

Stainless A4-70

M2 x 6

Plain (no plating)

2 mm

6 mm

4 mm

[illegible]

Stainle

[illegible]

Stainle

[illegible]

Stainle

[illegible]

Stainle

[illegible]

Polyami

Polyamide

M4 x 8

Plain (no plating)

4 mm

8 mm

8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7985P04016	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Polyamide	Polyamide	M4 x 16	Plain (no plating)	4 mm	16 mm		8 mm
7985P06016	DIN 7985-H Rounded Head Screw with Phillips or Pozidriv, Polyamide	Polyamide	M6 x 16	Plain (no plating)	6 mm	16 mm		12 mm

