



DIN 906 — Hexagon Socket Pipe Plug, Conical Thread



Catalogue data sheet · 60 sizes · category Screw plugs / Hexagon socket pipe plugs · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9060610	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M6 x 1	Plain (no plating)	6 mm	6 mm	3 mm	
90606101	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M6 x 1	Zinc Bright Passivation Fe/Zn P1	6 mm	6 mm	3 mm	
9060810	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M8 x 1	Plain (no plating)	8 mm	8 mm	4 mm	
90608101	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M8 x 1	Zinc Bright Passivation Fe/Zn P1	8 mm	8 mm	4 mm	
9061	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1"	Plain (no plating)	33.249 mm	12 mm	17 mm	
9061010	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M10 x 1	Plain (no plating)	10 mm	8 mm	5 mm	
9061010-I1212	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M10 x 1	Plain (no plating)	10 mm	8 mm	5 mm	
90610101	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M10 x 1	Zinc Bright Passivation Fe/Zn P1	10 mm	8 mm	5 mm	
906112	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1 1/2"	Plain (no plating)	47.803 mm	20 mm	24 mm	
9061127	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1 1/2"	Black Oxide	47.803 mm	20 mm	24 mm	
906114	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1 1/4"	Plain (no plating)	41.91 mm	18 mm	22 mm	
90612	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1/2"	Plain (no plating)	20.955 mm	10 mm	10 mm	
906121	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1/2"	Zinc Bright Passivation Fe/Zn P1	20.955 mm	10 mm	10 mm	
9061215	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M12 x 1.5	Plain (no plating)	12 mm	10 mm	6 mm	
90612151	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M12 x 1.5	Zinc Bright Passivation Fe/Zn P1	12 mm	10 mm	6 mm	
906121NPT	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	NPT 1/2"	Zinc Bright Passivation Fe/Zn P1	21.336 mm	10 mm	10 mm	
90614	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1/4"	Plain (no plating)	13.157 mm	10 mm	7 mm	
906141	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1/4"	Zinc Bright Passivation Fe/Zn P1	13.157 mm	10 mm	7 mm	
9061415	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M14 x 1.5	Plain (no plating)	14 mm	10 mm	7 mm	
90614151	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M14 x 1.5	Zinc Bright Passivation Fe/Zn P1	14 mm	10 mm	7 mm	
9061615	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M16 x 1.5	Plain (no plating)	16 mm	10 mm	8 mm	
90616151	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M16 x 1.5	Zinc Bright Passivation Fe/Zn P1	16 mm	10 mm	8 mm	
90618	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	R 1/8"	Plain (no plating)	9.728 mm	8 mm	5 mm	
9061815	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M18 x 1.5	Plain (no plating)	18 mm	10 mm	8 mm	
90618151	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M18 x 1.5	Zinc Bright Passivation Fe/Zn P1	18 mm	10 mm	8 mm	
906181S	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel	Steel	M18 x 1.5					

R 1/8",

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9061NPT	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		NPT 1"	Plain (no plating)	33.401 mm	12 mm	17 mm	
9061NPT1	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		NPT 1"	Zinc Bright Passivation Fe/Zn P1	33.401 mm	12 mm	17 mm	
9061PHO	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		R 1"	Phosphating	33.249 mm	12 mm	17 mm	
9062	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		R 2"	Plain (no plating)	59.614 mm	20 mm	24 mm	
90620151	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		M20 x 1.5	Zinc Bright Passivation Fe/Zn P1	20 mm	10 mm	10 mm	
9062215	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		M22 x 1.5	Plain (no plating)	22 mm	10 mm	10 mm	
9063015	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		M30 x 1.5	Plain (no plating)	30 mm	12 mm	17 mm	
9063320	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		M33 x 2	Plain (no plating)	33 mm	12 mm	17 mm	
90634	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		R 3/4"	Plain (no plating)	26.441 mm	12 mm	12 mm	
906341	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		R 3/4"	Zinc Bright Passivation Fe/Zn P1	26.441 mm	12 mm	12 mm	
90634DS	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		R 3/4"	Plain (no plating)	26.441 mm	12 mm	12 mm	
90638	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		R 3/8"	Plain (no plating)	16.662 mm	10 mm	8 mm	
906381	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		R 3/8"	Zinc Bright Passivation Fe/Zn P1	16.662 mm	10 mm	8 mm	
9064220	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel 5.8, M42	Steel 5.8	M42 x 2	Plain (no plating)	42 mm	18 mm	22 mm	
9066020	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, Steel		M60 x 2	Plain (no plating)	60 mm	22 mm	32 mm	
90681215	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel 8.8, M12	Steel 8.8	M12 x 1.5	Plain (no plating)	12 mm	10 mm	6 mm	
906A2014	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A2, M10	Stainless A2	R 1/4"	Plain (no plating)	13.157 mm	10 mm	7 mm	
906A2034	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A2, M12	Stainless A2	R 3/4"	Plain (no plating)	26.441 mm	12 mm	12 mm	
906A2038	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A2, M16	Stainless A2	R 3/8"	Plain (no plating)	16.662 mm	10 mm	8 mm	
906A20810	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A2, M8	Stainless A2	M8 x 1	Plain (no plating)	8 mm	8 mm	4 mm	
906A40810	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, M8	Stainless A4	M8 x 1	Plain (no plating)	8 mm	8 mm	4 mm	
906A41	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, R 1"	Stainless A4	R 1"	Plain (no plating)	33.249 mm	12 mm	17 mm	
906A41001	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, M10 x 1	Stainless A4	M10 x 1	Plain (no plating)	10 mm	8 mm	5 mm	
906A4112	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, R 1 1/2"	Stainless A4	R 1 1/2"	Plain (no plating)	47.803 mm	20 mm	24 mm	
906A412	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, R 1/2"	Stainless A4	R 1/2"	Plain (no plating)	20.955 mm	10 mm	10 mm	
906A414	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, R 1/4"	Stainless A4	R 1/4"	Plain (no plating)	13.157 mm	10 mm	7 mm	
906A414NPT	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, NPT 1/4"	Stainless A4	NPT 1/4"	Plain (no plating)	13.716 mm	10 mm	7 mm	
906A418	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, R 1/8	Stainless A4	R 1/8	Plain (no plating)	9.728 mm	8 mm	5 mm	
906A420015	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, M20 x 1.5	Stainless A4	M20 x 1.5	Plain (no plating)	20 mm	10 mm	10 mm	
906A424015	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, M24 x 1.5	Stainless A4	M24 x 1.5	Plain (no plating)	24 mm	12 mm	12 mm	
906A434	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, R 3/4"	Stainless A4	R 3/4"	Plain (no plating)	26.441 mm	12 mm	12 mm	
906A438	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, R 3/8"	Stainless A4	R 3/8"	Plain (no plating)	16.662 mm	10 mm	8 mm	
906A438015	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Stainless A4, M38 x 1.5	Stainless A4	M38 x 1.5	Plain (no plating)	38 mm	15 mm	19 mm	
906R11	DIN 906 Hexagon Socket Pipe Plug, Conical Thread, Steel, R 1", Z	Steel	R 1"	Zinc Bright Passivation Fe/Zn P1	33.249 mm	12 mm	17 mm	

