


DIN 908 — Hexagon Socket Screw Plug



Catalogue data sheet · 107 sizes · category Screw plugs / Hexagon socket screws plugs · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
908-1.4410-G14	DIN 908 Hexagon Socket Screw Plug, Stainless D8-70, G 1/4	Stainless D8-70	G 1/4	Plain (no plating)	13.157 mm	12 mm	6 mm	
9080121	DIN 908 Hexagon Socket Screw Plug, Steel, M12 x 1, Plain	Steel	M12 x 1	Plain (no plating)	12 mm	12 mm	6 mm	
9081	DIN 908 Hexagon Socket Screw Plug, Steel, G 1", Plain	Steel	G 1"	Plain (no plating)	33.249 mm	16 mm	17 mm	
9081010	DIN 908 Hexagon Socket Screw Plug, Steel, M10 x 1, Plain	Steel	M10 x 1	Plain (no plating)	10 mm	8 mm	5 mm	
90810101	DIN 908 Hexagon Socket Screw Plug, Steel, M10 x 1, Zinc	Steel	M10 x 1	Zinc Bright Passivation Fe/Zn P1	10 mm	8 mm	5 mm	
90810101I	DIN 908 Hexagon Socket Screw Plug, Steel, M10 x 1, Zinc	Steel	M10 x 1	Zinc Bright Passivation Fe/Zn P1	10 mm	8 mm	5 mm	
90811	DIN 908 Hexagon Socket Screw Plug, Steel, G 1", Zinc	Steel	G 1"	Zinc Bright Passivation Fe/Zn P1	33.249 mm	16 mm	17 mm	
908112	DIN 908 Hexagon Socket Screw Plug, Steel, G 1 1/2, Plain	Steel	G 1 1/2	Plain (no plating)	47.803 mm	16 mm	24 mm	
9081121	DIN 908 Hexagon Socket Screw Plug, Steel, G 1 1/2, Zinc	Steel	G 1 1/2	Zinc Bright Passivation Fe/Zn P1	47.803 mm	16 mm	24 mm	
908114	DIN 908 Hexagon Socket Screw Plug, Steel, G 1 1/4, Plain	Steel	G 1 1/4	Plain (no plating)	41.91 mm	16 mm	22 mm	
9081141	DIN 908 Hexagon Socket Screw Plug, Steel, G 1 1/4, Zinc	Steel	G 1 1/4	Zinc Bright Passivation Fe/Zn P1	41.91 mm	16 mm	22 mm	
90812	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/2, Plain	Steel	G 1/2	Plain (no plating)	20.955 mm	14 mm	10 mm	
908121	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/2, Zinc	Steel	G 1/2	Zinc Bright Passivation Fe/Zn P1	20.955 mm	14 mm	10 mm	
9081215	DIN 908 Hexagon Socket Screw Plug, Steel, M12 x 1.5, Plain	Steel	M12 x 1.5	Plain (no plating)	12 mm	12 mm	6 mm	
90812151	DIN 908 Hexagon Socket Screw Plug, Steel, M12 x 1.5, Zinc	Steel	M12 x 1.5	Zinc Bright Passivation Fe/Zn P1	12 mm	12 mm	6 mm	
908127	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/2, Black Oxide	Steel	G 1/2	Black Oxide	20.955 mm	14 mm	10 mm	
90814	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/4, Plain	Steel	G 1/4	Plain (no plating)	13.157 mm	12 mm	6 mm	
908141	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/4, Zinc	Steel	G 1/4	Zinc Bright Passivation Fe/Zn P1	13.157 mm	12 mm	6 mm	
90814121	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/4, Zinc	Steel	G 1/4	Zinc Bright Passivation Fe/Zn P1	13.157 mm	12 mm	6 mm	
9081415	DIN 908 Hexagon Socket Screw Plug, Steel, M14 x 1.5, Plain	Steel	M14 x 1.5	Plain (no plating)	14 mm	12 mm	6 mm	
90814151	DIN 908 Hexagon Socket Screw Plug, Steel, M14 x 1.5, Zinc	Steel	M14 x 1.5	Zinc Bright Passivation Fe/Zn P1	14 mm	12 mm	6 mm	
90814151PM	DIN 908 Hexagon Socket Screw Plug, Steel, M14 x 1.5, With Magn	Steel	M14 x 1.5	Zinc Bright Passivation Fe/Zn P1	14 mm	12 mm	6 mm	
9081415PM	DIN 908 Hexagon Socket Screw Plug, Steel, M14 x 1.5, With Magn	Steel	M14 x 1.5	Plain (no plating)	14 mm	12 mm	6 mm	
9081615	DIN 908 Hexagon Socket Screw Plug, Steel, M16 x 1.5, Plain	Steel	M16 x 1.5	Plain (no plating)	16 mm	12 mm	8 mm	
90816151	DIN 908 Hexagon Socket Screw Plug, Steel, M16 x 1.5, Zinc	Steel	M16 x 1.5	Zinc Bright Passivation Fe/Zn P1	16 mm	12 mm	8 mm	
90816151SST072	DIN 908 Hexagon Socket Screw Plug, Steel, M16 x 1.5, Zinc	Steel	M16 x 1.5	Zinc Bright Passivation Fe/Zn P1	16 mm	12 mm	8 mm	

SST 72 h, Z

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9081620	DIN 908 Hexagon Socket Screw Plug, Steel, M16 x 2, Plain	Steel	M16 x 2	Plain (no plating)	16 mm	12 mm	8 mm	
90818	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/8, Plain	Steel	G 1/8	Plain (no plating)	9.728 mm	8 mm	5 mm	
908180151	DIN 908 Hexagon Socket Screw Plug, Steel, M18 x 1.5, Zinc Plated	Steel	M18 x 1.5	Zinc Bright Passivation Fe/Zn P1	18 mm	12 mm	8 mm	
908181	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/8, Zinc Plated	Steel	G 1/8	Zinc Bright Passivation Fe/Zn P1	9.728 mm	8 mm	5 mm	
90818121	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/8, Zinc Plated	Steel	G 1/8	Zinc Bright Passivation Fe/Zn P1	9.728 mm	8 mm	5 mm	
9081815	DIN 908 Hexagon Socket Screw Plug, Steel, M18 x 1.5, Plain	Steel	M18 x 1.5	Plain (no plating)	18 mm	12 mm	8 mm	
90818151	DIN 908 Hexagon Socket Screw Plug, Steel, M18 x 1.5, Zinc Plated	Steel	M18 x 1.5	Zinc Bright Passivation Fe/Zn P1	18 mm	12 mm	8 mm	
9081PM	DIN 908 Hexagon Socket Screw Plug, Steel, G 1, With Magnet Pla	Steel	G 1	Plain (no plating)	33.249 mm	16 mm	17 mm	
9082	DIN 908 Hexagon Socket Screw Plug, Steel, G 2", Plain	Steel	G 2"	Plain (no plating)	59.614 mm	20 mm	32 mm	
9082015	DIN 908 Hexagon Socket Screw Plug, Steel, M20 x 1.5, Plain	Steel	M20 x 1.5	Plain (no plating)	20 mm	14 mm	10 mm	
90820151	DIN 908 Hexagon Socket Screw Plug, Steel, M20 x 1.5, Zinc Plated	Steel	M20 x 1.5	Zinc Bright Passivation Fe/Zn P1	20 mm	14 mm	10 mm	
90821	DIN 908 Hexagon Socket Screw Plug, Steel, G 2", Zinc Plated	Steel	G 2"	Zinc Bright Passivation Fe/Zn P1	59.614 mm	20 mm	32 mm	
9082215	DIN 908 Hexagon Socket Screw Plug, Steel, M22 x 1.5, Plain	Steel	M22 x 1.5	Plain (no plating)	22 mm	14 mm	10 mm	
90822151	DIN 908 Hexagon Socket Screw Plug, Steel, M22 x 1.5, Zinc Plated	Steel	M22 x 1.5	Zinc Bright Passivation Fe/Zn P1	22 mm	14 mm	10 mm	
9082343114	DIN 908 Hexagon Socket Screw Plug, Steel, G 1 1/4, Plain	Steel	G 1 1/4	Plain (no plating)	41.91 mm	16 mm	22 mm	
9082415	DIN 908 Hexagon Socket Screw Plug, Steel, M24 x 1.5, Plain	Steel	M24 x 1.5	Plain (no plating)	24 mm	14 mm	12 mm	
90824151	DIN 908 Hexagon Socket Screw Plug, Steel, M24 x 1.5, Zinc Plated	Steel	M24 x 1.5	Zinc Bright Passivation Fe/Zn P1	24 mm	14 mm	12 mm	
9082415A3C	DIN 908 Hexagon Socket Screw Plug, Steel, M24 x 1.5, Zinc Plated	Steel	M24 x 1.5	ZINC PLATED, 8 MICRON	24 mm	14 mm	12 mm	
9082415ZN12	DIN 908 Hexagon Socket Screw Plug, Steel, M24 x 1.5, Zinc Plated	Steel	M24 x 1.5	ZINC PLATED, 12 MICRON	24 mm	14 mm	12 mm	
9082615	DIN 908 Hexagon Socket Screw Plug, Steel, M26 x 1.5, Plain	Steel	M26 x 1.5	Plain (no plating)	26 mm	16 mm	12 mm	
9083015	DIN 908 Hexagon Socket Screw Plug, Steel, M30 x 1.5, Plain	Steel	M30 x 1.5	Plain (no plating)	30 mm	16 mm	17 mm	
90830151	DIN 908 Hexagon Socket Screw Plug, Steel, M30 x 1.5, Zinc Plated	Steel	M30 x 1.5	Zinc Bright Passivation Fe/Zn P1	30 mm	16 mm	17 mm	
9083320	DIN 908 Hexagon Socket Screw Plug, Steel, M33 x 2, Plain	Steel	M33 x 2	Plain (no plating)	33 mm	16 mm	17 mm	
90834	DIN 908 Hexagon Socket Screw Plug, Steel, G 3/4, Plain	Steel	G 3/4	Plain (no plating)	26.441 mm	16 mm	12 mm	
908341	DIN 908 Hexagon Socket Screw Plug, Steel, G 3/4, Zinc Plated	Steel	G 3/4	Zinc Bright Passivation Fe/Zn P1	26.441 mm	16 mm	12 mm	
9083615	DIN 908 Hexagon Socket Screw Plug, Steel, M36 x 1.5, Plain	Steel	M36 x 1.5	Plain (no plating)	36 mm	16 mm	19 mm	
90836151	DIN 908 Hexagon Socket Screw Plug, Steel, M36 x 1.5, Zinc Plated	Steel	M36 x 1.5	Zinc Bright Passivation Fe/Zn P1	36 mm	16 mm	19 mm	
90838	DIN 908 Hexagon Socket Screw Plug, Steel, G 3/8, Plain	Steel	G 3/8	Plain (no plating)	16.662 mm	12 mm	8 mm	
908381	DIN 908 Hexagon Socket Screw Plug, Steel, G 3/8, Zinc Plated	Steel	G 3/8	Zinc Bright Passivation Fe/Zn P1	16.662 mm	12 mm	8 mm	
9083815	DIN 908 Hexagon Socket Screw Plug, Steel, M38 x 1.5, Plain	Steel	M38 x 1.5	Plain (no plating)	38 mm	16 mm	19 mm	
9083920ZN12	DIN 908 Hexagon Socket Screw Plug, Steel, M39 x 2, Zinc Plated	Steel	M39 x 2	ZINC PLATED, 12 MICRON	39 mm	16 mm	19 mm	
9084215	DIN 908 Hexagon Socket Screw Plug, Steel, M42 x 1.5, Plain	Steel	M42 x 1.5	Plain (no plating)	42 mm	16 mm	22 mm	
9084815	DIN 908 Hexagon Socket Screw Plug, Steel, M48 x 1.5, Plain	Steel	M48 x 1.5	Plain (no plating)	48 mm	16 mm	24 mm	
9085215P	DIN 908 Hexagon Socket Screw Plug, Steel, M52 x 1.5, Zinc Phosph	Steel	M52 x 1.5	Phosphating	52 mm	16 mm	24 mm	
9085220	DIN 908 Hexagon Socket Screw Plug, Steel, M52 x 2, Plain	Steel	M52 x 2	Plain (no plating)	52 mm	16 mm	24 mm	
9085620	DIN 908 Hexagon Socket Screw Plug, Steel, M56 x 2, Plain	Steel	M56 x 2	Plain (no plating)	56 mm	20 mm	32 mm	
9086020	DIN 908 Hexagon Socket Screw Plug, Steel, M60 x 2, Plain	Steel	M60 x 2	Plain (no plating)	60 mm	20 mm	32 mm	
9086420	DIN 908 Hexagon Socket Screw Plug, Steel, M64 x 2, Plain	Steel	M64 x 2	Plain (no plating)	64 mm	20 mm	32 mm	
908A2012	DIN 908 Hexagon Socket Screw Plug, Stainless A2, G 1/2	Stainless A2	G 1/2	Plain (no plating)	20.955 mm	14 mm	10 mm	
908A2014	DIN 908 Hexagon Socket Screw Plug, Stainless A2, G 1/4	Stainless A2	G 1/4	Plain (no plating)	13.157 mm	12 mm	6 mm	
908A2038	DIN 908 Hexagon Socket Screw Plug, Stainless A2, G 3/8	Stainless A2	G 3/8	Plain (no plating)	16.662 mm	12 mm	8 mm	
908A2100	DIN 908 Hexagon Socket Screw Plug, Stainless A2, G 1"	Stainless A2	G 1"	Plain (no plating)	33.249 mm	16 mm	17 mm	
908A21001	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M10 x 1	Stainless A2	M10 x 1	Plain (no plating)	10 mm	8 mm	5 mm	
908A210017	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M10 x 1, Black	Stainless A2	M10 x 1	Black Oxide	10 mm	8 mm	5 mm	
908A210100	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M10 x 1	Stainless A2	M10 x 1	Plain (no plating)	10 mm	8 mm	5 mm	
908A2114	DIN 908 Hexagon Socket Screw Plug, Stainless A2, G 1 1/4	Stainless A2	G 1 1/4	Plain (no plating)	41.91 mm	16 mm	22 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
908A214	DIN 908 Hexagon Socket Screw Plug, Stainless A2, G 1/4	Stainless A2	G 1/4	Plain (no plating)	13.157 mm	12 mm	6 mm	
908A214015	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M14 x 1.5	Stainless A2	M14 x 1.5	Plain (no plating)	14 mm	12 mm	6 mm	
908A21415	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M14 x 1.5	Stainless A2	M14 x 1.5	Plain (no plating)	14 mm	12 mm	6 mm	
908A218	DIN 908 Hexagon Socket Screw Plug, Stainless A2, G 1/8	Stainless A2	G 1/8	Plain (no plating)	9.728 mm	8 mm	5 mm	
908A21815	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M18 x 1.5	Stainless A2	M18 x 1.5	Plain (no plating)	18 mm	12 mm	8 mm	
908A22215	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M22 x 1.5	Stainless A2	M22 x 1.5	Plain (no plating)	22 mm	14 mm	10 mm	
908A23015	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M30 x 1.5	Stainless A2	M30 x 1.5	Plain (no plating)	30 mm	16 mm	17 mm	
908A24202	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M42 x 2	Stainless A2	M42 x 2	Plain (no plating)	42 mm	16 mm	22 mm	
908A26002	DIN 908 Hexagon Socket Screw Plug, Stainless A2, M60 x 2	Stainless A2	M60 x 2	Plain (no plating)	60 mm	20 mm	32 mm	
908A40034	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 3/4	Stainless A4	G 3/4	Plain (no plating)	26.441 mm	16 mm	12 mm	
908A40038	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 3/8	Stainless A4	G 3/8	Plain (no plating)	16.662 mm	12 mm	8 mm	
908A403870	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 3/8	Stainless A4	G 3/8	Plain (no plating)	16.662 mm	12 mm	8 mm	
908A40801	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M8 x 1	Stainless A4	M8 x 1	Plain (no plating)	8 mm	7.5 mm	4 mm	
908A41001	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M10 x 1	Stainless A4	M10 x 1	Plain (no plating)	10 mm	8 mm	5 mm	
908A4112	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 1 1/2	Stainless A4	G 1 1/2	Plain (no plating)	47.803 mm	16 mm	24 mm	
908A412015	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M12 x 1.5	Stainless A4	M12 x 1.5	Plain (no plating)	12 mm	12 mm	6 mm	
908A4121570	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M12 x 1.5	Stainless A4	M12 x 1.5	Plain (no plating)	12 mm	12 mm	6 mm	
908A414	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 1/4	Stainless A4	G 1/4	Plain (no plating)	13.157 mm	12 mm	6 mm	
908A414015	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M14 x 1.5	Stainless A4	M14 x 1.5	Plain (no plating)	14 mm	12 mm	6 mm	
908A416015	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M16 x 1.5	Stainless A4	M16 x 1.5	Plain (no plating)	16 mm	12 mm	8 mm	
908A41601570	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M16 x 1.5	Stainless A4	M16 x 1.5	Plain (no plating)	16 mm	12 mm	8 mm	
908A4170	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 1"	Stainless A4	G 1"	Plain (no plating)	33.249 mm	16 mm	17 mm	
908A418	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 1/8	Stainless A4	G 1/8	Plain (no plating)	9.728 mm	8 mm	5 mm	
908A42	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 2"	Stainless A4	G 2"	Plain (no plating)	59.614 mm	20 mm	32 mm	
908A420015	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M20 x 1.5	Stainless A4	M20 x 1.5	Plain (no plating)	20 mm	14 mm	10 mm	
908A42001570	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M20 x 1.5	Stainless A4	M20 x 1.5	Plain (no plating)	20 mm	14 mm	10 mm	
908A42215	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M22 x 1.5	Stainless A4	M22 x 1.5	Plain (no plating)	22 mm	14 mm	10 mm	
908A43015	DIN 908 Hexagon Socket Screw Plug, Stainless A4, M30 x 1.5	Stainless A4	M30 x 1.5	Plain (no plating)	30 mm	16 mm	17 mm	
908A434	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 3/4	Stainless A4	G 3/4	Plain (no plating)	26.441 mm	16 mm	12 mm	
908A438	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 3/8	Stainless A4	G 3/8	Plain (no plating)	16.662 mm	12 mm	8 mm	
908B1	DIN 908 Hexagon Socket Screw Plug, G 1", Plain		G 1"	Plain (no plating)	33.249 mm	16 mm	17 mm	
908B38	DIN 908 Hexagon Socket Screw Plug, G 3/8, Plain		G 3/8	Plain (no plating)	16.662 mm	12 mm	8 mm	
908G18	DIN 908 Hexagon Socket Screw Plug, Steel, G 1/8, Plain	Steel	G 1/8	Plain (no plating)	9.728 mm	8 mm	5 mm	
M187648-1	DIN 908 Hexagon Socket Screw Plug, Steel, M8 x 1, Zinc Plated (M187648-1)	Steel	M8 x 1	Zinc Bright Passivation Fe/Zn P1	8 mm	7.5 mm	4 mm	
P1818-571	DIN 908 Hexagon Socket Screw Plug, Stainless A4, G 1/4, With, Ma	Stainless A4	G 1/4	Plain (no plating)	13.157 mm	12 mm	6 mm	

