



DIN 910 — Hexagon Head Screw Plug



Catalogue data sheet · 68 sizes · category Screw plugs / Hexagon head screw plugs · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
910-1.4462-G12	DIN 910-A Hexagon Head Screw Plug, D5, G 1/2", Plain	D5	G 1/2"	Plain (no plating)	20.955 mm	14 mm	19 mm	
910-1.4571-G1	DIN 910-A Hexagon Head Screw Plug, Stainless A5	Stainless A5 (1.4571)	G 1"	Plain (no plating)	33.249 mm	16 mm	30 mm	
910-1.4571-G11/2	DIN 910-A Hexagon Head Screw Plug, Stainless A5	Stainless A5 (1.4571)	G 1 1/2"	Plain (no plating)	47.803 mm	16 mm	30 mm	
910-1.4571-G3/8	DIN 910-A Hexagon Head Screw Plug, Stainless A5	Stainless A5 (1.4571)	G 3/8"	Plain (no plating)	16.662 mm	12 mm	17 mm	
910-1.4571-R1/2	DIN 910-A Hexagon Head Screw Plug, Stainless A5	Stainless A5 (1.4571)	G 1/2"	Plain (no plating)	20.955 mm	14 mm	19 mm	
910-1.4571-R1/4	DIN 910-A Hexagon Head Screw Plug, Stainless A5	Stainless A5 (1.4571)	G 1/4"	Plain (no plating)	13.157 mm	12 mm	13 mm	
9101	DIN 910-A Hexagon Head Screw Plug, Steel, G 1", Plain	Steel	G 1"	Plain (no plating)	33.249 mm	16 mm	27 mm	
9101010	DIN 910-A Hexagon Head Screw Plug, Steel, M10 x 1, Plain	Steel	M10 x 1	Plain (no plating)	10 mm	8 mm	10 mm	
91011	DIN 910-A Hexagon Head Screw Plug, Steel, G 1", Zinc Plated	Steel	G 1"	Zinc Bright Passivation Fe/Zn P1	33.249 mm	16 mm	27 mm	
910112	DIN 910-A Hexagon Head Screw Plug, Steel, G 1 1/2", Plain	Steel	G 1 1/2"	Plain (no plating)	47.803 mm	16 mm	30 mm	
9101141	DIN 910-A Hexagon Head Screw Plug, Steel, G 1 1/4", Plain	Steel	G 1 1/4"	Zinc Bright Passivation Fe/Zn P1	41.91 mm	16 mm	30 mm	
91012	DIN 910-A Hexagon Head Screw Plug, Steel, G 1/2", Plain	Steel	G 1/2"	Plain (no plating)	20.955 mm	14 mm	19 mm	
910121	DIN 910-A Hexagon Head Screw Plug, Steel, G 1/2", Zinc Plated	Steel	G 1/2"	Zinc Bright Passivation Fe/Zn P1	20.955 mm	14 mm	19 mm	
910122ZN8	DIN 910-A Hexagon Head Screw Plug, Steel, G 1/2", Zinc Plated	Steel	G 1/2"	ZINC PLATED, 8 MICRON	20.955 mm	14 mm	19 mm	
91014	DIN 910-A Hexagon Head Screw Plug, Steel, G 1/4", Plain	Steel	G 1/4"	Plain (no plating)	13.157 mm	12 mm	13 mm	
910141	DIN 910-A Hexagon Head Screw Plug, Steel, G 1/4", Zinc Plated	Steel	G 1/4"	Zinc Bright Passivation Fe/Zn P1	13.157 mm	12 mm	13 mm	
9101415	DIN 910-A Hexagon Head Screw Plug, Steel, M14 x 1.5, Plain	Steel	M14 x 1.5	Plain (no plating)	14 mm	12 mm	13 mm	
91014151	DIN 910-A Hexagon Head Screw Plug, Steel, M14 x 1.5, Zinc Plated	Steel	M14 x 1.5	Zinc Bright Passivation Fe/Zn P1	14 mm	12 mm	13 mm	
9101615	DIN 910-A Hexagon Head Screw Plug, Steel, M16 x 1.5, Plain	Steel	M16 x 1.5	Plain (no plating)	16 mm	12 mm	17 mm	
91016151	DIN 910-A Hexagon Head Screw Plug, Steel, M16 x 1.5, Zinc Plated	Steel	M16 x 1.5	Zinc Bright Passivation Fe/Zn P1	16 mm	12 mm	17 mm	
91018	DIN 910-A Hexagon Head Screw Plug, Steel, G 1/8", Zinc Plated	Steel	G 1/8"	Zinc Bright Passivation Fe/Zn P1	9.728 mm	8 mm	10 mm	
910181	DIN 910-A Hexagon Head Screw Plug, Steel, G 1/8", Zinc Plated	Steel	G 1/8"	Zinc Bright Passivation Fe/Zn P1	9.728 mm	8 mm	10 mm	
9101815	DIN 910-A Hexagon Head Screw Plug, Steel, M18 x 1.5, Plain	Steel	M18 x 1.5	Plain (no plating)	18 mm	12 mm	17 mm	
91018151	DIN 910-A Hexagon Head Screw Plug, Steel, M18 x 1.5, Zinc Plated	Steel	M18 x 1.5	Zinc Bright Passivation Fe/Zn P1	18 mm	12 mm	17 mm	
9102015	DIN 910-A Hexagon Head Screw Plug, Steel, M20 x 1.5, Plain	Steel	M20 x 1.5	Plain (no plating)	20 mm	14 mm	19 mm	
91020151	DIN 910-A Hexagon Head Screw Plug, Steel, M20 x 1.5, Zinc Plated	Steel	M20 x 1.5	Zinc Bright Passivation Fe/Zn P1	20 mm	14 mm	19 mm	

Zinc Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91021	DIN 910-A Hexagon Head Screw Plug, Steel, G 2", Zinc Plated	Steel	G 2"	Zinc Bright Passivation Fe/Zn P1	59.614 mm	20 mm	36 mm	
9102215	DIN 910-A Hexagon Head Screw Plug, Steel, M22 x 1.5, Plain	Steel	M22 x 1.5	Plain (no plating)	22 mm	14 mm	19 mm	
9102415	DIN 910-A Hexagon Head Screw Plug, Steel, M24 x 1.5, Plain	Steel	M24 x 1.5	Plain (no plating)	24 mm	14 mm	22 mm	
9102415ZN12	DIN 910-A Hexagon Head Screw Plug, Steel, M24 x 1.5, Zinc Plated, 12 MICRON	Steel	M24 x 1.5	ZINC PLATED, 12 MICRON	24 mm	14 mm	22 mm	
9102415ZN8	DIN 910-A Hexagon Head Screw Plug, Steel, M24 x 1.5, Zinc Plated, 8 MICRON	Steel	M24 x 1.5	ZINC PLATED, 8 MICRON	24 mm	14 mm	22 mm	
91030151	DIN 910-A Hexagon Head Screw Plug, Steel, M30 x 1.5, Zinc Bright Passivation Fe/Zn P1	Steel	M30 x 1.5	Zinc Bright Passivation Fe/Zn P1	30 mm	16 mm	24 mm	
9103020	DIN 910-A Hexagon Head Screw Plug, Steel, M30 x 2, Plain	Steel	M30 x 2	Plain (no plating)	30 mm	16 mm	24 mm	
91033201	DIN 910-A Hexagon Head Screw Plug, Steel, M33 x 2, Zinc Bright Passivation Fe/Zn P1	Steel	M33 x 2	Zinc Bright Passivation Fe/Zn P1	33 mm	16 mm	27 mm	
91034	DIN 910-A Hexagon Head Screw Plug, Steel, G 3/4", Plain	Steel	G 3/4"	Plain (no plating)	26.441 mm	16 mm	24 mm	
910341	DIN 910-A Hexagon Head Screw Plug, Steel, G 3/4", Zinc Bright Passivation Fe/Zn P1	Steel	G 3/4"	Zinc Bright Passivation Fe/Zn P1	26.441 mm	16 mm	24 mm	
91034PM	DIN 910-A Hexagon Head Screw Plug, Steel, G, Plain	Steel	G	Plain (no plating)	26.441 mm	16 mm	24 mm	
9103615	DIN 910-A Hexagon Head Screw Plug, Steel, M36 x 1.5, Plain	Steel	M36 x 1.5	Plain (no plating)	36 mm	16 mm	27 mm	
91038	DIN 910-A Hexagon Head Screw Plug, Steel, G 3/8", Plain	Steel	G 3/8"	Plain (no plating)	16.662 mm	12 mm	17 mm	
910381	DIN 910-A Hexagon Head Screw Plug, Steel, G 3/8", Zinc Bright Passivation Fe/Zn P1	Steel	G 3/8"	Zinc Bright Passivation Fe/Zn P1	16.662 mm	12 mm	17 mm	
9103815	DIN 910-A Hexagon Head Screw Plug, Steel, M38 x 1.5, Plain	Steel	M38 x 1.5	Plain (no plating)	38 mm	16 mm	27 mm	
91038151	DIN 910-A Hexagon Head Screw Plug, Steel, M38 x 1.5, Zinc Bright Passivation Fe/Zn P1	Steel	M38 x 1.5	Zinc Bright Passivation Fe/Zn P1	38 mm	16 mm	27 mm	
9104215	DIN 910-A Hexagon Head Screw Plug, Steel, M42 x 1.5, Plain	Steel	M42 x 1.5	Plain (no plating)	42 mm	16 mm	30 mm	
91045151	DIN 910-A Hexagon Head Screw Plug, Steel, M45 x 1.5, Zinc Bright Passivation Fe/Zn P1	Steel	M45 x 1.5	Zinc Bright Passivation Fe/Zn P1	45 mm	16 mm	30 mm	
9105202ZN12	DIN 910-A Hexagon Head Screw Plug, Steel, M52 x 2, ZINC PLATED, 12 MICRON	Steel	M52 x 2	ZINC PLATED, 12 MICRON	52 mm	16 mm	30 mm	
910A2112	DIN 910-A Hexagon Head Screw Plug, Stainless A2, G 1 1/2"	Stainless A2	G 1 1/2"	Plain (no plating)	47.803 mm	16 mm	30 mm	
910A212	DIN 910-A Hexagon Head Screw Plug, Stainless A2, G 1/2"	Stainless A2	G 1/2"	Plain (no plating)	20.955 mm	14 mm	19 mm	
910A214	DIN 910-A Hexagon Head Screw Plug, Stainless A2, G 1/4"	Stainless A2	G 1/4"	Plain (no plating)	13.157 mm	12 mm	13 mm	
910A22	DIN 910-A Hexagon Head Screw Plug, Stainless A2, G 2"	Stainless A2	G 2"	Plain (no plating)	59.614 mm	20 mm	36 mm	
910A24515	DIN 910-A Hexagon Head Screw Plug, Stainless A2, M45	Stainless A2	M45 x 1.5	Plain (no plating)	45 mm	16 mm	30 mm	
910A401270	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1/2"	Stainless A4	G 1/2"	Plain (no plating)	20.955 mm	14 mm	19 mm	
910A4014	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1/4"	Stainless A4	G 1/4"	Plain (no plating)	13.157 mm	12 mm	13 mm	
910A401470	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1/4"	Stainless A4	G 1/4"	Plain (no plating)	13.157 mm	12 mm	13 mm	
910A41	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1"	Stainless A4	G 1"	Plain (no plating)	33.249 mm	16 mm	27 mm	
910A41001	DIN 910-A Hexagon Head Screw Plug, Stainless A4, M10	Stainless A4	M10 x 1	Plain (no plating)	10 mm	8 mm	10 mm	
910A4112	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1 1/2"	Stainless A4	G 1 1/2"	Plain (no plating)	47.803 mm	16 mm	30 mm	
910A4114	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1 1/4"	Stainless A4	G 1 1/4"	Plain (no plating)	41.91 mm	16 mm	30 mm	
910A412	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1/2"	Stainless A4	G 1/2"	Plain (no plating)	20.955 mm	14 mm	19 mm	
910A412015	DIN 910-A Hexagon Head Screw Plug, Stainless A4, M12	Stainless A4	M12 x 1.5	Plain (no plating)	12 mm	12 mm	13 mm	
910A414	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1/4"	Stainless A4	G 1/4"	Plain (no plating)	13.157 mm	12 mm	13 mm	
910A414015	DIN 910-A Hexagon Head Screw Plug, Stainless A4, M14	Stainless A4	M14 x 1.5	Plain (no plating)	14 mm	12 mm	13 mm	
910A416015	DIN 910-A Hexagon Head Screw Plug, Stainless A4, M16	Stainless A4	M16 x 1.5	Plain (no plating)	16 mm	12 mm	17 mm	
910A418	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 1/8"	Stainless A4	G 1/8"	Plain (no plating)	9.728 mm	8 mm	10 mm	
910A434	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 3/4"	Stainless A4	G 3/4"	Plain (no plating)	26.441 mm	16 mm	24 mm	
910A43615	DIN 910-A Hexagon Head Screw Plug, Stainless A4, M36	Stainless A4	M36 x 1.5	Plain (no plating)	36 mm	16 mm	27 mm	
910A438	DIN 910-A Hexagon Head Screw Plug, Stainless A4, G 3/8"	Stainless A4	G 3/8"	Plain (no plating)	16.662 mm	12 mm	17 mm	
910A44515	DIN 910-A Hexagon Head Screw Plug, Stainless A4, M45	Stainless A4	M45 x 1.5	Plain (no plating)	45 mm	16 mm	30 mm	
910R11	DIN 910-A Hexagon Head Screw Plug, Steel, G 1", Zinc Plated	Steel	G 1"	Zinc Bright Passivation Fe/Zn P1	33.249 mm	16 mm	27 mm	

