



DIN 914 — Set Screw with Hex Drive and Cone-Point



Catalogue data sheet · 431 sizes · category Bolts and Screws / Set Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15.
Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
182476-0110	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	2.5 mm	
91401430	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 30	Black Oxide	14 mm	30 mm	6 mm	
91402006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M2 x 6	Black Oxide	2 mm	6 mm	0.9 mm	
9140250041	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M2.5 x 4	Zinc Bright Passivation Fe/Zn P1	2.5 mm	4 mm	1.3 mm	
914025006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M2.5 x 6	Black Oxide	2.5 mm	6 mm	1.3 mm	
914025008	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M2.5 x 8	Black Oxide	2.5 mm	8 mm	1.3 mm	
914025010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M2.5 x 10	Black Oxide	2.5 mm	10 mm	1.3 mm	
91403003	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 3	Black Oxide	3 mm	3 mm	1.5 mm	
914030031	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 3	Zinc Bright Passivation Fe/Zn P1	3 mm	3 mm	1.5 mm	
91403004	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 4	Black Oxide	3 mm	4 mm	1.5 mm	
914030041	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 4	Zinc Bright Passivation Fe/Zn P1	3 mm	4 mm	1.5 mm	
91403005	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 5	Black Oxide	3 mm	5 mm	1.5 mm	
914030051	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm	1.5 mm	
91403006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 6	Black Oxide	3 mm	6 mm	1.5 mm	
914030061	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	1.5 mm	
914030067	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 6	Black Oxide	3 mm	6 mm	1.5 mm	
91403008	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 8	Black Oxide	3 mm	8 mm	1.5 mm	
914030081	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	1.5 mm	
91403010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 10	Black Oxide	3 mm	10 mm	1.5 mm	
914030101	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	1.5 mm	
91403015	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 15	Black Oxide	3 mm	15 mm	1.5 mm	
91403016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 16	Black Oxide	3 mm	16 mm	1.5 mm	
914030161	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	1.5 mm	
91403018	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 18	Black Oxide	3 mm	18 mm	1.5 mm	
91403020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M3 x 20	Black Oxide	3 mm	20 mm	1.5 mm	
91403030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel							

45H, M3 x

Steel 45H

M3 x 30

Black Oxide

3 mm

30 mm

1.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91404004	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 4	Black Oxide	4 mm	4 mm	2 mm	
914040041	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 4	Zinc Bright Passivation Fe/Zn P1	4 mm	4 mm	2 mm	
91404005	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 5	Black Oxide	4 mm	5 mm	2 mm	
914040051	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 5	Zinc Bright Passivation Fe/Zn P1	4 mm	5 mm	2 mm	
91404006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 6	Black Oxide	4 mm	6 mm	2 mm	
914040061	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	2 mm	
91404008	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 8	Black Oxide	4 mm	8 mm	2 mm	
914040081	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	2 mm	
91404010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 10	Black Oxide	4 mm	10 mm	2 mm	
914040101	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	2 mm	
91404012	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 12	Black Oxide	4 mm	12 mm	2 mm	
914040121	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	2 mm	
914040121SST096	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	2 mm	
91404016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 16	Black Oxide	4 mm	16 mm	2 mm	
91404020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 20	Black Oxide	4 mm	20 mm	2 mm	
914040201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	2 mm	
91404025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 25	Black Oxide	4 mm	25 mm	2 mm	
91404030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 30	Black Oxide	4 mm	30 mm	2 mm	
914040301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	2 mm	
91404035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 35	Black Oxide	4 mm	35 mm	2 mm	
91404050	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M4 x 50	Black Oxide	4 mm	50 mm	2 mm	
91405004	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 4	Black Oxide	5 mm	4 mm	2.5 mm	
914050041	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 4	Zinc Bright Passivation Fe/Zn P1	5 mm	4 mm	2.5 mm	
91405005	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 5	Black Oxide	5 mm	5 mm	2.5 mm	
914050051	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 5	Zinc Bright Passivation Fe/Zn P1	5 mm	5 mm	2.5 mm	
91405006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 6	Black Oxide	5 mm	6 mm	2.5 mm	
914050061	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm	2.5 mm	
91405008	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 8	Black Oxide	5 mm	8 mm	2.5 mm	
914050081	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	2.5 mm	
914050081SST096	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	2.5 mm	
914050087	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 8	Black Oxide	5 mm	8 mm	2.5 mm	
91405010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 10	Black Oxide	5 mm	10 mm	2.5 mm	
914050101	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	2.5 mm	
914050101SST096	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	2.5 mm	
91405012	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 12	Black Oxide	5 mm	12 mm	2.5 mm	
914050121	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	2.5 mm	
91405014	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 14	Black Oxide	5 mm	14 mm	2.5 mm	
91405016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 16	Black Oxide	5 mm	16 mm	2.5 mm	
91405018	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 18	Black Oxide	5 mm	18 mm	2.5 mm	
91405020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 20	Black Oxide	5 mm	20 mm	2.5 mm	
914050201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	2.5 mm	
91405025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 25	Black Oxide	5 mm	25 mm	2.5 mm	
914050251	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	2.5 mm	
91405030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 30	Black Oxide	5 mm	30 mm	2.5 mm	
914050301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	2.5 mm	
91405035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel							

45H, M5 x

Steel 45H

M5 x 35

Black Oxide

5 mm

35 mm

2.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91405040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 40	Black Oxide	5 mm	40 mm	2.5 mm	
91405045	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M5 x 45	Black Oxide	5 mm	45 mm	2.5 mm	
91406005	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 5	Black Oxide	6 mm	5 mm	3 mm	
91406006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 6	Black Oxide	6 mm	6 mm	3 mm	
914060061	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 6	Zinc Bright Passivation Fe/Zn P1	6 mm	6 mm	3 mm	
91406008	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 8	Black Oxide	6 mm	8 mm	3 mm	
914060081	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	3 mm	
914060081SST200	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	3 mm	
91406010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 10	Black Oxide	6 mm	10 mm	3 mm	
914060101	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	3 mm	
91406012	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 12	Black Oxide	6 mm	12 mm	3 mm	
914060121	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	3 mm	
91406014	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 14	Black Oxide	6 mm	14 mm	3 mm	
914060141	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	3 mm	
91406016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 16	Black Oxide	6 mm	16 mm	3 mm	
914060161	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	3 mm	
914060161SST072	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	3 mm	
91406018	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 18	Black Oxide	6 mm	18 mm	3 mm	
91406020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 20	Black Oxide	6 mm	20 mm	3 mm	
914060201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	3 mm	
91406025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 25	Black Oxide	6 mm	25 mm	3 mm	
914060251	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	3 mm	
914060251	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 25	Black Oxide	6 mm	25 mm	3 mm	
91406030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 30	Black Oxide	6 mm	30 mm	3 mm	
914060301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	3 mm	
91406035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 35	Black Oxide	6 mm	35 mm	3 mm	
91406040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 40	Black Oxide	6 mm	40 mm	3 mm	
91406045	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 45	Black Oxide	6 mm	45 mm	3 mm	
914060451	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	3 mm	
91406050	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 50	Black Oxide	6 mm	50 mm	3 mm	
914060501	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	3 mm	
91406060	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 60	Black Oxide	6 mm	60 mm	3 mm	
914060750301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M6 x 0.75 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	3 mm	
91408006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 6	Black Oxide	8 mm	6 mm	4 mm	
914080061	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 6	Zinc Bright Passivation Fe/Zn P1	8 mm	6 mm	4 mm	
91408008	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 8	Black Oxide	8 mm	8 mm	4 mm	
914080081	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 8	Zinc Bright Passivation Fe/Zn P1	8 mm	8 mm	4 mm	
914080081SST096	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 8	Zinc Bright Passivation Fe/Zn P1	8 mm	8 mm	4 mm	
91408010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 10	Black Oxide	8 mm	10 mm	4 mm	
914080101	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm	4 mm	
91408012	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 12	Black Oxide	8 mm	12 mm	4 mm	
914080121	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	4 mm	
914080127	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 12	Black Oxide	8 mm	12 mm	4 mm	
91408014	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 14	Black Oxide	8 mm	14 mm	4 mm	
914080141	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 14	Zinc Bright Passivation Fe/Zn P1	8 mm	14 mm	4 mm	
91408016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel							

45H, M8 x

Steel 45H

M8 x 16

Black Oxide

8 mm

16 mm

4 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
914080161	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	4 mm	
91408020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 20	Black Oxide	8 mm	20 mm	4 mm	
914080201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	4 mm	
91408022	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 22	Black Oxide	8 mm	22 mm	4 mm	
91408025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 25	Black Oxide	8 mm	25 mm	4 mm	
914080251	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	4 mm	
91408030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 30	Black Oxide	8 mm	30 mm	4 mm	
914080301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	4 mm	
91408035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 35	Black Oxide	8 mm	35 mm	4 mm	
914080351	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	4 mm	
91408040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 40	Black Oxide	8 mm	40 mm	4 mm	
914080401	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	4 mm	
91408045	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 45	Black Oxide	8 mm	45 mm	4 mm	
91408050	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 50	Black Oxide	8 mm	50 mm	4 mm	
91408060	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 60	Black Oxide	8 mm	60 mm	4 mm	
91408070	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 70	Black Oxide	8 mm	70 mm	4 mm	
91408090	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 90	Black Oxide	8 mm	90 mm	4 mm	
914081012	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M8 x 1.0 x 12	Black Oxide	8 mm	12 mm	4 mm	
91410006	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 6	Black Oxide	10 mm	6 mm	5 mm	
91410008	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 8	Black Oxide	10 mm	8 mm	5 mm	
91410010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 10	Black Oxide	10 mm	10 mm	5 mm	
914100101	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 10	Zinc Bright Passivation Fe/Zn P1	10 mm	10 mm	5 mm	
91410012	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 12	Black Oxide	10 mm	12 mm	5 mm	
914100121	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	5 mm	
91410016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 16	Black Oxide	10 mm	16 mm	5 mm	
914100161	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	5 mm	
91410020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 20	Black Oxide	10 mm	20 mm	5 mm	
914100201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	5 mm	
91410025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 25	Black Oxide	10 mm	25 mm	5 mm	
914100251	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	5 mm	
91410030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 30	Black Oxide	10 mm	30 mm	5 mm	
91410035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 35	Black Oxide	10 mm	35 mm	5 mm	
91410040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 40	Black Oxide	10 mm	40 mm	5 mm	
914100401	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	5 mm	
91410045	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 45	Black Oxide	10 mm	45 mm	5 mm	
91410050	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 50	Black Oxide	10 mm	50 mm	5 mm	
91410055	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 55	Black Oxide	10 mm	55 mm	5 mm	
91410060	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 60	Black Oxide	10 mm	60 mm	5 mm	
91410080	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 80	Black Oxide	10 mm	80 mm	5 mm	
91410100	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 100	Black Oxide	10 mm	100 mm	5 mm	
914101010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M10 x 1.0 x 10	Black Oxide	10 mm	10 mm	5 mm	
91412010	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 10	Black Oxide	12 mm	10 mm	6 mm	
91412012	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 12	Black Oxide	12 mm	12 mm	6 mm	
914120121	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 12	Zinc Bright Passivation Fe/Zn P1	12 mm	12 mm	6 mm	
91412016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 16	Black Oxide	12 mm	16 mm	6 mm	
914120161	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 16	Black Oxide	12 mm	16 mm	6 mm	

45H, M12

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91412020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 20	Black Oxide	12 mm	20 mm	6 mm	
914120201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	6 mm	
91412025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 25	Black Oxide	12 mm	25 mm	6 mm	
914120250107	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 12.9	M2.5 x 10	Black Oxide	2.5 mm	10 mm	1.3 mm	
914120251	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	6 mm	
91412030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 30	Black Oxide	12 mm	30 mm	6 mm	
914120301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	6 mm	
91412035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 35	Black Oxide	12 mm	35 mm	6 mm	
914120351	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	6 mm	
91412040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 40	Black Oxide	12 mm	40 mm	6 mm	
914120401	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	6 mm	
91412050	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 50	Black Oxide	12 mm	50 mm	6 mm	
91412060	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 60	Black Oxide	12 mm	60 mm	6 mm	
91412060067	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 12.9	M6 x 6	Black Oxide	6 mm	6 mm	3 mm	
91412150161	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M12 x 1.5 x 16	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	6 mm	
914140201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 20	Zinc Bright Passivation Fe/Zn P1	14 mm	20 mm	6 mm	
91414030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 30	Black Oxide	14 mm	30 mm	6 mm	
91414035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 35	Black Oxide	14 mm	35 mm	6 mm	
914140351	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	6 mm	
914140357	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 35	Black Oxide	14 mm	35 mm	6 mm	
91414040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 40	Black Oxide	14 mm	40 mm	6 mm	
914140401	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	6 mm	
91414070	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 70	Black Oxide	14 mm	70 mm	6 mm	
91414080	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M14 x 80	Black Oxide	14 mm	80 mm	6 mm	
91416016	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 16	Black Oxide	16 mm	16 mm	8 mm	
91416020	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 20	Black Oxide	16 mm	20 mm	8 mm	
914160201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 20	Zinc Bright Passivation Fe/Zn P1	16 mm	20 mm	8 mm	
91416025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 25	Black Oxide	16 mm	25 mm	8 mm	
914160301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	8 mm	
91416035	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 35	Black Oxide	16 mm	35 mm	8 mm	
91416040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 40	Black Oxide	16 mm	40 mm	8 mm	
914160401	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	8 mm	
91416060	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 60	Black Oxide	16 mm	60 mm	8 mm	
91416080	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 80	Black Oxide	16 mm	80 mm	8 mm	
91416090	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M16 x 90	Black Oxide	16 mm	90 mm	8 mm	
91418025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M18 x 25	Black Oxide	18 mm	25 mm	10 mm	
91420015	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 15	Black Oxide	20 mm	15 mm	10 mm	
914200201	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 20	Zinc Bright Passivation Fe/Zn P1	20 mm	20 mm	10 mm	
91420025	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 25	Black Oxide	20 mm	25 mm	10 mm	
914200251	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 25	Zinc Bright Passivation Fe/Zn P1	20 mm	25 mm	10 mm	
91420030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 30	Black Oxide	20 mm	30 mm	10 mm	
91420040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 40	Black Oxide	20 mm	40 mm	10 mm	
91420050	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 50	Black Oxide	20 mm	50 mm	10 mm	
914200501	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	10 mm	
91420055	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 55	Black Oxide	20 mm	55 mm	10 mm	
91420070	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel							

45H, M20

Steel 45H

M20 x 70

Black Oxide

20 mm

70 mm

10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91420080	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 80	Black Oxide	20 mm	80 mm	10 mm	
914200801	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	10 mm	
91420100	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 100	Black Oxide	20 mm	100 mm	10 mm	
91420150	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 150	Black Oxide	20 mm	150 mm	10 mm	
91420160	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M20 x 160	Black Oxide	20 mm	160 mm	10 mm	
91424030	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 30	Black Oxide	24 mm	30 mm	12 mm	
914240301	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 30	Zinc Bright Passivation Fe/Zn P1	24 mm	30 mm	12 mm	
91424040	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 40	Black Oxide	24 mm	40 mm	12 mm	
91424045	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 45	Black Oxide	24 mm	45 mm	12 mm	
91424050	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 50	Black Oxide	24 mm	50 mm	12 mm	
91424060	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 60	Black Oxide	24 mm	60 mm	12 mm	
91424080	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 80	Black Oxide	24 mm	80 mm	12 mm	
91424090	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 90	Black Oxide	24 mm	90 mm	12 mm	
91424100	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 100	Black Oxide	24 mm	100 mm	12 mm	
914241001	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 45H	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	12 mm	
91480250107	DIN 914 Set Screw with Hex Drive and Cone-Point, Steel	Steel 8.8	M2.5 x 10	Black Oxide	2.5 mm	10 mm	1.3 mm	
914A106025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A1-12	Stainless A1-12H	M6 x 25	Plain (no plating)	6 mm	25 mm	3 mm	
914A202002	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 2	Plain (no plating)	2 mm	2 mm	0.9 mm	
914A202003	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 3	Plain (no plating)	2 mm	3 mm	0.9 mm	
914A202004	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 4	Plain (no plating)	2 mm	4 mm	0.9 mm	
914A202005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 5	Plain (no plating)	2 mm	5 mm	0.9 mm	
914A202006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 6	Plain (no plating)	2 mm	6 mm	0.9 mm	
914A202008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 8	Plain (no plating)	2 mm	8 mm	0.9 mm	
914A202010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 10	Plain (no plating)	2 mm	10 mm	0.9 mm	
914A202012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2 x 12	Plain (no plating)	2 mm	12 mm	0.9 mm	
914A2025003	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	1.3 mm	
914A2025004	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	1.3 mm	
914A2025005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	1.3 mm	
914A2025006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	1.3 mm	
914A2025008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	1.3 mm	
914A2025010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	1.3 mm	
914A2025012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	1.3 mm	
914A2025016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	1.3 mm	
914A203003	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 3	Plain (no plating)	3 mm	3 mm	1.5 mm	
914A203004	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 4	Plain (no plating)	3 mm	4 mm	1.5 mm	
914A2030047	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 4	Black Oxide	3 mm	4 mm	1.5 mm	
914A203005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 5	Plain (no plating)	3 mm	5 mm	1.5 mm	
914A2030057	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 5	Black Oxide	3 mm	5 mm	1.5 mm	
914A203005CZ	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 5	Black Oxide	3 mm	5 mm	1.5 mm	
914A203006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 6	Plain (no plating)	3 mm	6 mm	1.5 mm	
914A2030067	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 6	Black Oxide	3 mm	6 mm	1.5 mm	
914A203008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 8	Plain (no plating)	3 mm	8 mm	1.5 mm	
914A203010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 10	Plain (no plating)	3 mm	10 mm	1.5 mm	
914A203012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 12	Plain (no plating)	3 mm	12 mm	1.5 mm	
914A203014	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 14	Plain (no plating)	3 mm	14 mm	1.5 mm	
914A203016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 14	Plain (no plating)	3 mm	14 mm	1.5 mm	

Stainless A2-21

Stainless A2-21H

M3 x 16

Plain (no plating)

3 mm

16 mm

1.5 mm

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
914A203020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 20	Plain (no plating)	3 mm	20 mm	1.5 mm	
914A203025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 25	Plain (no plating)	3 mm	25 mm	1.5 mm	
914A203030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M3 x 30	Plain (no plating)	3 mm	30 mm	1.5 mm	
914A204003	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 3	Plain (no plating)	4 mm	3 mm	2 mm	
914A204004	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 4	Plain (no plating)	4 mm	4 mm	2 mm	
914A204005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 5	Plain (no plating)	4 mm	5 mm	2 mm	
914A204006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 6	Plain (no plating)	4 mm	6 mm	2 mm	
914A204007	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 7	Plain (no plating)	4 mm	7 mm	2 mm	
914A204008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 8	Plain (no plating)	4 mm	8 mm	2 mm	
914A204010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 10	Plain (no plating)	4 mm	10 mm	2 mm	
914A204012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 12	Plain (no plating)	4 mm	12 mm	2 mm	
914A204016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 16	Plain (no plating)	4 mm	16 mm	2 mm	
914A204020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 20	Plain (no plating)	4 mm	20 mm	2 mm	
914A204025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 25	Plain (no plating)	4 mm	25 mm	2 mm	
914A204030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M4 x 30	Plain (no plating)	4 mm	30 mm	2 mm	
914A205004	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 4	Plain (no plating)	5 mm	4 mm	2.5 mm	
914A205005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 5	Plain (no plating)	5 mm	5 mm	2.5 mm	
914A205006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 6	Plain (no plating)	5 mm	6 mm	2.5 mm	
914A205008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 8	Plain (no plating)	5 mm	8 mm	2.5 mm	
914A205010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 10	Plain (no plating)	5 mm	10 mm	2.5 mm	
914A205012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 12	Plain (no plating)	5 mm	12 mm	2.5 mm	
914A205014	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 14	Plain (no plating)	5 mm	14 mm	2.5 mm	
914A205016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 16	Plain (no plating)	5 mm	16 mm	2.5 mm	
914A205020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 20	Plain (no plating)	5 mm	20 mm	2.5 mm	
914A205025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 25	Plain (no plating)	5 mm	25 mm	2.5 mm	
914A205030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 30	Plain (no plating)	5 mm	30 mm	2.5 mm	
914A205035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 35	Plain (no plating)	5 mm	35 mm	2.5 mm	
914A205040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 40	Plain (no plating)	5 mm	40 mm	2.5 mm	
914A205050	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 50	Plain (no plating)	5 mm	50 mm	2.5 mm	
914A205060	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M5 x 60	Plain (no plating)	5 mm	60 mm	2.5 mm	
914A206005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 5	Plain (no plating)	6 mm	5 mm	3 mm	
914A206006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 6	Plain (no plating)	6 mm	6 mm	3 mm	
914A206008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 8	Plain (no plating)	6 mm	8 mm	3 mm	
914A206010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 10	Plain (no plating)	6 mm	10 mm	3 mm	
914A206012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 12	Plain (no plating)	6 mm	12 mm	3 mm	
914A206014	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 14	Plain (no plating)	6 mm	14 mm	3 mm	
914A206016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 16	Plain (no plating)	6 mm	16 mm	3 mm	
914A206020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 20	Plain (no plating)	6 mm	20 mm	3 mm	
914A206025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 25	Plain (no plating)	6 mm	25 mm	3 mm	
914A206030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 30	Plain (no plating)	6 mm	30 mm	3 mm	
914A206035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 35	Plain (no plating)	6 mm	35 mm	3 mm	
914A206040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 40	Plain (no plating)	6 mm	40 mm	3 mm	
914A206045	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 45	Plain (no plating)	6 mm	45 mm	3 mm	
914A206050	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 50	Plain (no plating)	6 mm	50 mm	3 mm	
914A206060	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M6 x 60	Plain (no plating)	6 mm	60 mm	3 mm	
914A208006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21							

Stainless A2-21

Stainless A2-21H

M8 x 6

Plain (no plating)

8 mm

6 mm

4 mm

[illegible]

Stainless A2-21

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
914A216050	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M16 x 50	Plain (no plating)	16 mm	50 mm	8 mm	
914A216060	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M16 x 60	Plain (no plating)	16 mm	60 mm	8 mm	
914A216070	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M16 x 70	Plain (no plating)	16 mm	70 mm	8 mm	
914A216080	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M16 x 80	Plain (no plating)	16 mm	80 mm	8 mm	
914A216090	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M16 x 90	Plain (no plating)	16 mm	90 mm	8 mm	
914A216100	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M16 x 100	Plain (no plating)	16 mm	100 mm	8 mm	
914A216160	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M16 x 160	Plain (no plating)	16 mm	160 mm	8 mm	
914A220035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M20 x 35	Plain (no plating)	20 mm	35 mm	10 mm	
914A220040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M20 x 40	Plain (no plating)	20 mm	40 mm	10 mm	
914A224030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M24 x 30	Plain (no plating)	24 mm	30 mm	12 mm	
914A225016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A2-21	Stainless A2-21H	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	1.3 mm	
914A4025003	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	1.3 mm	
914A4025005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	1.3 mm	
914A403004	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M3 x 4	Plain (no plating)	3 mm	4 mm	1.5 mm	
914A403005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M3 x 5	Plain (no plating)	3 mm	5 mm	1.5 mm	
914A403006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M3 x 6	Plain (no plating)	3 mm	6 mm	1.5 mm	
914A403008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M3 x 8	Plain (no plating)	3 mm	8 mm	1.5 mm	
914A403010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M3 x 10	Plain (no plating)	3 mm	10 mm	1.5 mm	
914A403012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M3 x 12	Plain (no plating)	3 mm	12 mm	1.5 mm	
914A404004	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M4 x 4	Plain (no plating)	4 mm	4 mm	2 mm	
914A404005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M4 x 5	Plain (no plating)	4 mm	5 mm	2 mm	
914A404006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M4 x 6	Plain (no plating)	4 mm	6 mm	2 mm	
914A404008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M4 x 8	Plain (no plating)	4 mm	8 mm	2 mm	
914A404010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M4 x 10	Plain (no plating)	4 mm	10 mm	2 mm	
914A404012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M4 x 12	Plain (no plating)	4 mm	12 mm	2 mm	
914A404016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M4 x 16	Plain (no plating)	4 mm	16 mm	2 mm	
914A405005	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 5	Plain (no plating)	5 mm	5 mm	2.5 mm	
914A405006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 6	Plain (no plating)	5 mm	6 mm	2.5 mm	
914A405008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 8	Plain (no plating)	5 mm	8 mm	2.5 mm	
914A40500880	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 8	Plain (no plating)	5 mm	8 mm	2.5 mm	
914A405010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 10	Plain (no plating)	5 mm	10 mm	2.5 mm	
914A405012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 12	Plain (no plating)	5 mm	12 mm	2.5 mm	
914A405014	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 14	Plain (no plating)	5 mm	14 mm	2.5 mm	
914A405016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 16	Plain (no plating)	5 mm	16 mm	2.5 mm	
914A405018	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 18	Plain (no plating)	5 mm	18 mm	2.5 mm	
914A405020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 20	Plain (no plating)	5 mm	20 mm	2.5 mm	
914A405030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M5 x 30	Plain (no plating)	5 mm	30 mm	2.5 mm	
914A406006	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 6	Plain (no plating)	6 mm	6 mm	3 mm	
914A406008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 8	Plain (no plating)	6 mm	8 mm	3 mm	
914A406010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 10	Plain (no plating)	6 mm	10 mm	3 mm	
914A406012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 12	Plain (no plating)	6 mm	12 mm	3 mm	
914A406016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 16	Plain (no plating)	6 mm	16 mm	3 mm	
914A406020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 20	Plain (no plating)	6 mm	20 mm	3 mm	
914A406025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 25	Plain (no plating)	6 mm	25 mm	3 mm	
914A406030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 30	Plain (no plating)	6 mm	30 mm	3 mm	
914A406035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 30	Plain (no plating)	6 mm	30 mm	3 mm	

Stainless A4-21

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
914A406040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 40	Plain (no plating)	6 mm	40 mm	3 mm	
914A406060	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M6 x 60	Plain (no plating)	6 mm	60 mm	3 mm	
914A408008	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 8	Plain (no plating)	8 mm	8 mm	4 mm	
914A408010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 10	Plain (no plating)	8 mm	10 mm	4 mm	
914A408012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 12	Plain (no plating)	8 mm	12 mm	4 mm	
914A408016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 16	Plain (no plating)	8 mm	16 mm	4 mm	
914A408020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 20	Plain (no plating)	8 mm	20 mm	4 mm	
914A408025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 25	Plain (no plating)	8 mm	25 mm	4 mm	
914A408030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 30	Plain (no plating)	8 mm	30 mm	4 mm	
914A408035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 35	Plain (no plating)	8 mm	35 mm	4 mm	
914A408040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 40	Plain (no plating)	8 mm	40 mm	4 mm	
914A408050	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 50	Plain (no plating)	8 mm	50 mm	4 mm	
914A408060	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M8 x 60	Plain (no plating)	8 mm	60 mm	4 mm	
914A410010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 10	Plain (no plating)	10 mm	10 mm	5 mm	
914A410012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 12	Plain (no plating)	10 mm	12 mm	5 mm	
914A410016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 16	Plain (no plating)	10 mm	16 mm	5 mm	
914A410020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 20	Plain (no plating)	10 mm	20 mm	5 mm	
914A410025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 25	Plain (no plating)	10 mm	25 mm	5 mm	
914A410030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 30	Plain (no plating)	10 mm	30 mm	5 mm	
914A410035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 35	Plain (no plating)	10 mm	35 mm	5 mm	
914A410040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 40	Plain (no plating)	10 mm	40 mm	5 mm	
914A410050	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M10 x 50	Plain (no plating)	10 mm	50 mm	5 mm	
914A412010	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 10	Plain (no plating)	12 mm	10 mm	6 mm	
914A412012	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 12	Plain (no plating)	12 mm	12 mm	6 mm	
914A412016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 16	Plain (no plating)	12 mm	16 mm	6 mm	
914A412018	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 18	Plain (no plating)	12 mm	18 mm	6 mm	
914A412020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 20	Plain (no plating)	12 mm	20 mm	6 mm	
914A412025	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 25	Plain (no plating)	12 mm	25 mm	6 mm	
914A412030	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 30	Plain (no plating)	12 mm	30 mm	6 mm	
914A412035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 35	Plain (no plating)	12 mm	35 mm	6 mm	
914A412040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 40	Plain (no plating)	12 mm	40 mm	6 mm	
914A412055	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M12 x 55	Plain (no plating)	12 mm	55 mm	6 mm	
914A416016	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M16 x 16	Plain (no plating)	16 mm	16 mm	8 mm	
914A416020	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M16 x 20	Plain (no plating)	16 mm	20 mm	8 mm	
914A416035	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M16 x 35	Plain (no plating)	16 mm	35 mm	8 mm	
914A416040	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M16 x 40	Plain (no plating)	16 mm	40 mm	8 mm	
914A416060	DIN 914 Set Screw with Hex Drive and Cone-Point, Stainless A4-21	Stainless A4-21H	M16 x 60	Plain (no plating)	16 mm	60 mm	8 mm	

