



DIN 916 — Set Screw with Hex Drive and Cup-Point



Catalogue data sheet · 721 sizes · category Bolts and Screws / Set Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15.
Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1532-001801	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 25	Plain (no plating)	10 mm	25 mm	5 mm	
182476-0112	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M5 x 4	Steel 45H	M5 x 4	Black Oxide	5 mm	4 mm	2.5 mm	
182476-0115	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M3 x 8	Steel 45H	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	1.5 mm	
182476-0127	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M3 x 4	Steel 45H	M3 x 4	Zinc Bright Passivation Fe/Zn P1	3 mm	4 mm	1.5 mm	
26810	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H M3 x 12	Stainless A4-21H	M3 x 12	Plain (no plating)	3 mm	12 mm	1.5 mm	
26811	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H M3 x 16	Stainless A4-21H	M3 x 16	Plain (no plating)	3 mm	16 mm	1.5 mm	
2KSM020005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H M2 x 5	Stainless A2-21H	M2 x 5	Plain (no plating)	2 mm	5 mm	0.9 mm	
30123-103619-004	DIN 916 Set Screw with Hex Drive and Cup-Point, D8-21H, M5 x 12	D8-21H	M5 x 12	Plain (no plating)	5 mm	12 mm	2.5 mm	
30123-103619-010	DIN 916 Set Screw with Hex Drive and Cup-Point, D8-21H, M6 x 12	D8-21H	M6 x 12	Plain (no plating)	6 mm	12 mm	3 mm	
30123-103619-020	DIN 916 Set Screw with Hex Drive and Cup-Point, D8-21H, M8 x 16	D8-21H	M8 x 16	Plain (no plating)	8 mm	16 mm	4 mm	
3220591212030	DIN 916 Set Screw with Hex Drive and Cup-Point, D6-21H, M12 x 30	D6-21H	M12 x 30	Plain (no plating)	12 mm	30 mm	6 mm	
3276091608012	DIN 916 Set Screw with Hex Drive and Cup-Point, D8-21H, M8 x 12	D8-21H	M8 x 12	Plain (no plating)	8 mm	12 mm	4 mm	
3712-916A406008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H M6 x 8	Stainless A4-21H	M6 x 8	Plain (no plating)	6 mm	8 mm	3 mm	
9160140040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M1.4	Steel 45H	M1.4 x 4	Black Oxide	1.4 mm	4 mm	0.7 mm	
9160140050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M1.4	Steel 45H	M1.4 x 5	Black Oxide	1.4 mm	5 mm	0.7 mm	
916016002	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M1.6	Steel 45H	M1.6 x 2	Black Oxide	1.6 mm	2 mm	0.7 mm	
9160160025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M1.6	Steel 45H	M1.6 x 2.5	Black Oxide	1.6 mm	2.5 mm	0.7 mm	
9160160030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M1.6	Steel 45H	M1.6 x 3	Black Oxide	1.6 mm	3 mm	0.7 mm	
91602002	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 2	Steel 45H	M2 x 2	Black Oxide	2 mm	2 mm	0.9 mm	
916020020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 2	Steel 45H	M2 x 2	Black Oxide	2 mm	2 mm	0.9 mm	
916020025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 2.5	Steel 45H	M2 x 2.5	Black Oxide	2 mm	2.5 mm	0.9 mm	
91602003	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 3	Steel 45H	M2 x 3	Black Oxide	2 mm	3 mm	0.9 mm	
916020030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 3	Steel 45H	M2 x 3	Black Oxide	2 mm	3 mm	0.9 mm	
91602004	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 4	Steel 45H	M2 x 4	Black Oxide	2 mm	4 mm	0.9 mm	
916020040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 4	Steel 45H	M2 x 4	Black Oxide	2 mm	4 mm	0.9 mm	
91602005	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel 45H M2 x 4	Steel 45H	M2 x 4	Black Oxide	2 mm	4 mm	0.9 mm	

45H, M2 x

Steel 45H

M2 x 5

Black Oxide

2 mm

5 mm

0.9 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916020050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2 x 5	Black Oxide	2 mm	5 mm	0.9 mm	
916020100	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2 x 10	Black Oxide	2 mm	10 mm	0.9 mm	
91602016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2 x 16	Black Oxide	2 mm	16 mm	0.9 mm	
9160250025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 2.5	Black Oxide	2.5 mm	2.5 mm	1.3 mm	
916025003	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 3	Black Oxide	2.5 mm	3 mm	1.3 mm	
9160250030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 3	Black Oxide	2.5 mm	3 mm	1.3 mm	
916025004	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 4	Black Oxide	2.5 mm	4 mm	1.3 mm	
9160250041	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 4	Zinc Bright Passivation Fe/Zn P1	2.5 mm	4 mm	1.3 mm	
916025005	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 5	Black Oxide	2.5 mm	5 mm	1.3 mm	
91602500501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 5	Zinc Bright Passivation Fe/Zn P1	2.5 mm	5 mm	1.3 mm	
916025006	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 6	Black Oxide	2.5 mm	6 mm	1.3 mm	
9160250060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 6	Black Oxide	2.5 mm	6 mm	1.3 mm	
9160250061	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 6	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm	1.3 mm	
916025008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 8	Black Oxide	2.5 mm	8 mm	1.3 mm	
9160250080	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 8	Black Oxide	2.5 mm	8 mm	1.3 mm	
9160250100	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M2.5 x 10	Black Oxide	2.5 mm	10 mm	1.3 mm	
91603003	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 3	Black Oxide	3 mm	3 mm	1.5 mm	
916030031	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 3	Zinc Bright Passivation Fe/Zn P1	3 mm	3 mm	1.5 mm	
916030037	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 3	Black Oxide	3 mm	3 mm	1.5 mm	
91603004	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 4	Black Oxide	3 mm	4 mm	1.5 mm	
916030041	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 4	Zinc Bright Passivation Fe/Zn P1	3 mm	4 mm	1.5 mm	
91603005	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 5	Black Oxide	3 mm	5 mm	1.5 mm	
916030051	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm	1.5 mm	
91603006	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 6	Black Oxide	3 mm	6 mm	1.5 mm	
916030061	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	1.5 mm	
91603008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 8	Black Oxide	3 mm	8 mm	1.5 mm	
916030081	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	1.5 mm	
91603010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 10	Black Oxide	3 mm	10 mm	1.5 mm	
916030101	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	1.5 mm	
91603012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 12	Black Oxide	3 mm	12 mm	1.5 mm	
916030121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	1.5 mm	
91603014	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 14	Black Oxide	3 mm	14 mm	1.5 mm	
91603016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 16	Black Oxide	3 mm	16 mm	1.5 mm	
916030161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	1.5 mm	
91603020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 20	Black Oxide	3 mm	20 mm	1.5 mm	
916030207	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 20	Black Oxide	3 mm	20 mm	1.5 mm	
91603025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 25	Black Oxide	3 mm	25 mm	1.5 mm	
916030251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	1.5 mm	
91603030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M3 x 30	Black Oxide	3 mm	30 mm	1.5 mm	
91604003	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 3	Black Oxide	4 mm	3 mm	2 mm	
91604004	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 4	Black Oxide	4 mm	4 mm	2 mm	
916040041	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 4	Zinc Bright Passivation Fe/Zn P1	4 mm	4 mm	2 mm	
91604005	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 5	Black Oxide	4 mm	5 mm	2 mm	
916040051	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 5	Zinc Bright Passivation Fe/Zn P1	4 mm	5 mm	2 mm	
916040057	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 5	Black Oxide	4 mm	5 mm	2 mm	
91604005R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel							

45H, M4 x

Steel 45H

M4 x 5

Black Oxide

4 mm

5 mm

2 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91604006	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 6	Black Oxide	4 mm	6 mm	2 mm	
916040061	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	2 mm	
916040061SST200	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	2 mm	
91604008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 8	Black Oxide	4 mm	8 mm	2 mm	
916040081	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	2 mm	
91604010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 10	Black Oxide	4 mm	10 mm	2 mm	
916040101	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	2 mm	
91604012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 12	Black Oxide	4 mm	12 mm	2 mm	
916040121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	2 mm	
916040127	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 12	Black Oxide	4 mm	12 mm	2 mm	
91604014	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 14	Black Oxide	4 mm	14 mm	2 mm	
91604015	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 15	Black Oxide	4 mm	15 mm	2 mm	
91604016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 16	Black Oxide	4 mm	16 mm	2 mm	
916040161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	2 mm	
91604018	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 18	Black Oxide	4 mm	18 mm	2 mm	
91604020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 20	Black Oxide	4 mm	20 mm	2 mm	
916040201	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	2 mm	
91604025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 25	Black Oxide	4 mm	25 mm	2 mm	
916040251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	2 mm	
91604030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 30	Black Oxide	4 mm	30 mm	2 mm	
916040301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	2 mm	
91604040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 40	Black Oxide	4 mm	40 mm	2 mm	
916040401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	2 mm	
91605004	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 4	Black Oxide	5 mm	4 mm	2.5 mm	
91605005	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 5	Black Oxide	5 mm	5 mm	2.5 mm	
916050051	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 5	Zinc Bright Passivation Fe/Zn P1	5 mm	5 mm	2.5 mm	
916050057	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 5	Black Oxide	5 mm	5 mm	2.5 mm	
91605006	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 6	Black Oxide	5 mm	6 mm	2.5 mm	
916050061	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm	2.5 mm	
91605008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 8	Black Oxide	5 mm	8 mm	2.5 mm	
916050081	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	2.5 mm	
91605008R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 8	Black Oxide	5 mm	8 mm	2.5 mm	
91605010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 10	Black Oxide	5 mm	10 mm	2.5 mm	
916050101	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	2.5 mm	
91605010R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 10	Black Oxide	5 mm	10 mm	2.5 mm	
91605012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 12	Black Oxide	5 mm	12 mm	2.5 mm	
916050121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	2.5 mm	
91605015	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 15	Black Oxide	5 mm	15 mm	2.5 mm	
91605016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 16	Black Oxide	5 mm	16 mm	2.5 mm	
916050161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	2.5 mm	
91605018	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 18	Black Oxide	5 mm	18 mm	2.5 mm	
91605020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 20	Black Oxide	5 mm	20 mm	2.5 mm	
916050201	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	2.5 mm	
916050225	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 22.5	Black Oxide	5 mm	22.5 mm	2.5 mm	
91605025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 25	Black Oxide	5 mm	25 mm	2.5 mm	
916050251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel							

45H, M5 x

Steel 45H

M5 x 25

Zinc Bright Passivation Fe/Zn P1

5 mm

25 mm

2.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91605030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 30	Black Oxide	5 mm	30 mm	2.5 mm	
916050301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	2.5 mm	
91605035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 35	Black Oxide	5 mm	35 mm	2.5 mm	
91605040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 40	Black Oxide	5 mm	40 mm	2.5 mm	
916050401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	2.5 mm	
91605045	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 45	Black Oxide	5 mm	45 mm	2.5 mm	
91605050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 50	Black Oxide	5 mm	50 mm	2.5 mm	
916050601	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	2.5 mm	
91606004	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 4	Black Oxide	6 mm	4 mm	3 mm	
916060041	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 4	Zinc Bright Passivation Fe/Zn P1	6 mm	4 mm	3 mm	
91606005	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 5	Black Oxide	6 mm	5 mm	3 mm	
916060051	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 5	Zinc Bright Passivation Fe/Zn P1	6 mm	5 mm	3 mm	
91606006	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 6	Black Oxide	6 mm	6 mm	3 mm	
916060061	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 6	Zinc Bright Passivation Fe/Zn P1	6 mm	6 mm	3 mm	
916060067	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 6	Black Oxide	6 mm	6 mm	3 mm	
91606006R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 6	Black Oxide	6 mm	6 mm	3 mm	
91606008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 8	Black Oxide	6 mm	8 mm	3 mm	
916060081	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	3 mm	
91606008R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 8	Black Oxide	6 mm	8 mm	3 mm	
91606010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 10	Black Oxide	6 mm	10 mm	3 mm	
916060101	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	3 mm	
91606010R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 10	Black Oxide	6 mm	10 mm	3 mm	
91606012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 12	Black Oxide	6 mm	12 mm	3 mm	
916060121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	3 mm	
91606014	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 14	Black Oxide	6 mm	14 mm	3 mm	
91606015	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 15	Black Oxide	6 mm	15 mm	3 mm	
91606016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 16	Black Oxide	6 mm	16 mm	3 mm	
916060161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	3 mm	
91606016R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 16	Black Oxide	6 mm	16 mm	3 mm	
916060181	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 18	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm	3 mm	
91606020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 20	Black Oxide	6 mm	20 mm	3 mm	
916060201	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	3 mm	
91606025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 25	Black Oxide	6 mm	25 mm	3 mm	
916060251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	3 mm	
91606030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 30	Black Oxide	6 mm	30 mm	3 mm	
916060301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	3 mm	
91606035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 35	Black Oxide	6 mm	35 mm	3 mm	
916060351	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	3 mm	
91606040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 40	Black Oxide	6 mm	40 mm	3 mm	
916060401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	3 mm	
91606045	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 45	Black Oxide	6 mm	45 mm	3 mm	
916060451	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	3 mm	
91606050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 50	Black Oxide	6 mm	50 mm	3 mm	
916060501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	3 mm	
91606060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 60	Black Oxide	6 mm	60 mm	3 mm	
9160607506	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel							

45H, M6 x

Steel 45H

M6 x 0.75 x 6

Black Oxide

6 mm

6 mm

3 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9160607520	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M6 x 0.75 x 20	Black Oxide	6 mm	20 mm	3 mm	
91608006	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 6	Black Oxide	8 mm	6 mm	4 mm	
916080061	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 6	Zinc Bright Passivation Fe/Zn P1	8 mm	6 mm	4 mm	
91608008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 8	Black Oxide	8 mm	8 mm	4 mm	
916080081	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 8	Zinc Bright Passivation Fe/Zn P1	8 mm	8 mm	4 mm	
91608008R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 8	Black Oxide	8 mm	8 mm	4 mm	
91608010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 10	Black Oxide	8 mm	10 mm	4 mm	
916080101	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm	4 mm	
91608012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 12	Black Oxide	8 mm	12 mm	4 mm	
916080121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	4 mm	
91608012R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 12	Black Oxide	8 mm	12 mm	4 mm	
91608014	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 14	Black Oxide	8 mm	14 mm	4 mm	
91608015	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 15	Black Oxide	8 mm	15 mm	4 mm	
91608016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 16	Black Oxide	8 mm	16 mm	4 mm	
916080161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	4 mm	
916080161SST200	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	4 mm	
91608016R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 16	Black Oxide	8 mm	16 mm	4 mm	
91608020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 20	Black Oxide	8 mm	20 mm	4 mm	
916080201	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	4 mm	
91608020R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 20	Black Oxide	8 mm	20 mm	4 mm	
91608022	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 22	Black Oxide	8 mm	22 mm	4 mm	
91608025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 25	Black Oxide	8 mm	25 mm	4 mm	
916080251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	4 mm	
91608030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 30	Black Oxide	8 mm	30 mm	4 mm	
916080301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	4 mm	
91608035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 35	Black Oxide	8 mm	35 mm	4 mm	
916080351	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	4 mm	
916080351XY	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	4 mm	
91608040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 40	Black Oxide	8 mm	40 mm	4 mm	
916080401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	4 mm	
91608045	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 45	Black Oxide	8 mm	45 mm	4 mm	
916080451	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	4 mm	
91608050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 50	Black Oxide	8 mm	50 mm	4 mm	
916080501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	4 mm	
91608055	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 55	Black Oxide	8 mm	55 mm	4 mm	
91608060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 60	Black Oxide	8 mm	60 mm	4 mm	
91608070	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 70	Black Oxide	8 mm	70 mm	4 mm	
91608075008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 0.75 x 8	Black Oxide	8 mm	8 mm	4 mm	
91608075010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 0.75 x 10	Black Oxide	8 mm	10 mm	4 mm	
916080801	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	4 mm	
91608090	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 90	Black Oxide	8 mm	90 mm	4 mm	
91608100040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 1.0 x 40	Black Oxide	8 mm	40 mm	4 mm	
9160810010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 1.0 x 10	Black Oxide	8 mm	10 mm	4 mm	
9160810012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 1.0 x 12	Black Oxide	8 mm	12 mm	4 mm	
916081020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M8 x 1.0 x 20	Black Oxide	8 mm	20 mm	4 mm	
91610008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel							

45H, M10 x

Steel 45H

M10 x 8

Black Oxide

10 mm

8 mm

5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916100081	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 8	Zinc Bright Passivation Fe/Zn P1	10 mm	8 mm	5 mm	
91610010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 10	Black Oxide	10 mm	10 mm	5 mm	
916100101	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 10	Zinc Bright Passivation Fe/Zn P1	10 mm	10 mm	5 mm	
91610012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 12	Black Oxide	10 mm	12 mm	5 mm	
916100121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	5 mm	
91610012R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 12	Black Oxide	10 mm	12 mm	5 mm	
91610014	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 14	Black Oxide	10 mm	14 mm	5 mm	
916100141	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 14	Zinc Bright Passivation Fe/Zn P1	10 mm	14 mm	5 mm	
91610015	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 15	Black Oxide	10 mm	15 mm	5 mm	
91610016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 16	Black Oxide	10 mm	16 mm	5 mm	
916100161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	5 mm	
91610016R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 16	Black Oxide	10 mm	16 mm	5 mm	
916100181	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 18	Zinc Bright Passivation Fe/Zn P1	10 mm	18 mm	5 mm	
91610020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 20	Black Oxide	10 mm	20 mm	5 mm	
916100201	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	5 mm	
91610022	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 22	Black Oxide	10 mm	22 mm	5 mm	
91610025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 25	Black Oxide	10 mm	25 mm	5 mm	
916100251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	5 mm	
91610025R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 25	Black Oxide	10 mm	25 mm	5 mm	
91610030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 30	Black Oxide	10 mm	30 mm	5 mm	
916100301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	5 mm	
91610035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 35	Black Oxide	10 mm	35 mm	5 mm	
916100351	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	5 mm	
91610040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 40	Black Oxide	10 mm	40 mm	5 mm	
916100401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	5 mm	
91610045	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 45	Black Oxide	10 mm	45 mm	5 mm	
916100451	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	5 mm	
91610050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 50	Black Oxide	10 mm	50 mm	5 mm	
916100501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	5 mm	
916100507	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 50	Black Oxide	10 mm	50 mm	5 mm	
91610060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 60	Black Oxide	10 mm	60 mm	5 mm	
916100601	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	5 mm	
916100607	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 60	Black Oxide	10 mm	60 mm	5 mm	
91610070	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 70	Black Oxide	10 mm	70 mm	5 mm	
916100701	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	5 mm	
91610080	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 80	Black Oxide	10 mm	80 mm	5 mm	
91610090	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 90	Black Oxide	10 mm	90 mm	5 mm	
9161010008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.0 x 8	Black Oxide	10 mm	8 mm	5 mm	
9161010010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.0 x 10	Black Oxide	10 mm	10 mm	5 mm	
9161010012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.0 x 12	Black Oxide	10 mm	12 mm	5 mm	
9161010016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.0 x 16	Black Oxide	10 mm	16 mm	5 mm	
9161010020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.0 x 20	Black Oxide	10 mm	20 mm	5 mm	
9161010025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.0 x 25	Black Oxide	10 mm	25 mm	5 mm	
916101010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.0 x 22	Black Oxide	10 mm	22 mm	5 mm	
91610125010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M10 x 1.25 x 10	Black Oxide	10 mm	10 mm	5 mm	
91612010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel							

45H, M12 x

Steel 45H

M12 x 10

Black Oxide

12 mm

10 mm

6 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916120101	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 10	Zinc Bright Passivation Fe/Zn P1	12 mm	10 mm	6 mm	
91612012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 12	Black Oxide	12 mm	12 mm	6 mm	
916120121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 12	Zinc Bright Passivation Fe/Zn P1	12 mm	12 mm	6 mm	
91612012R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 12	Black Oxide	12 mm	12 mm	6 mm	
91612014	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 14	Black Oxide	12 mm	14 mm	6 mm	
91612016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 16	Black Oxide	12 mm	16 mm	6 mm	
916120161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 16	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	6 mm	
91612016GEO500B	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 16	GEOMET 500B	12 mm	16 mm	6 mm	
916120181	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 18	Zinc Bright Passivation Fe/Zn P1	12 mm	18 mm	6 mm	
91612020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 20	Black Oxide	12 mm	20 mm	6 mm	
916120201	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	6 mm	
91612020R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 20	Black Oxide	12 mm	20 mm	6 mm	
91612025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 25	Black Oxide	12 mm	25 mm	6 mm	
916120251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	6 mm	
91612030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 30	Black Oxide	12 mm	30 mm	6 mm	
916120301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	6 mm	
91612030GEO500B	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 30	GEOMET 500B	12 mm	30 mm	6 mm	
91612035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 35	Black Oxide	12 mm	35 mm	6 mm	
916120351	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	6 mm	
91612040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 40	Black Oxide	12 mm	40 mm	6 mm	
91612040067	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 12.9	M4 x 6	Black Oxide	4 mm	6 mm	2 mm	
916120401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	6 mm	
91612045	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 45	Black Oxide	12 mm	45 mm	6 mm	
91612050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 50	Black Oxide	12 mm	50 mm	6 mm	
916120501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	6 mm	
91612050GEO500B	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 50	GEOMET 500B	12 mm	50 mm	6 mm	
91612055	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 55	Black Oxide	12 mm	55 mm	6 mm	
91612060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 60	Black Oxide	12 mm	60 mm	6 mm	
916120601	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	6 mm	
916120701	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	6 mm	
91612080	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 80	Black Oxide	12 mm	80 mm	6 mm	
91612080307	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 12.9	M8 x 30	Black Oxide	8 mm	30 mm	4 mm	
91612090	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 90	Plain (no plating)	12 mm	90 mm	6 mm	
916120901	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	6 mm	
91612100	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 100	Black Oxide	12 mm	100 mm	6 mm	
9161210010	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 1.0 x 10	Black Oxide	12 mm	10 mm	6 mm	
9161210012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 1.0 x 12	Black Oxide	12 mm	12 mm	6 mm	
91612120127	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 12.9	M12 x 12	Black Oxide	12 mm	12 mm	6 mm	
91612125025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 1.25 x 25	Black Oxide	12 mm	25 mm	6 mm	
9161215030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 1.5 x 30	Black Oxide	12 mm	30 mm	6 mm	
9161215035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M12 x 1.5 x 35	Black Oxide	12 mm	35 mm	6 mm	
91614016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M14 x 16	Black Oxide	14 mm	16 mm	6 mm	
91614020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M14 x 20	Black Oxide	14 mm	20 mm	6 mm	
916140251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M14 x 25	Zinc Bright Passivation Fe/Zn P1	14 mm	25 mm	6 mm	
91614030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M14 x 30	Black Oxide	14 mm	30 mm	6 mm	
91614040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel							

45H, M14 x

Steel 45H

M14 x 40

Black Oxide

14 mm

40 mm

6 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916140401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	6 mm	
91614050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M14 x 50	Black Oxide	14 mm	50 mm	6 mm	
9161450112016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Stainless EN 1.4501	M12 x 16	Plain (no plating)	12 mm	16 mm	6 mm	
9161450116020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Stainless EN 1.4501	M16 x 20	Plain (no plating)	16 mm	20 mm	8 mm	
9161450116025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Stainless EN 1.4501	M16 x 25	Plain (no plating)	16 mm	25 mm	8 mm	
9161450116030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Stainless EN 1.4501	M16 x 30	Plain (no plating)	16 mm	30 mm	8 mm	
9161454705006	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Stainless EN 1.4547	M5 x 6	Plain (no plating)	5 mm	6 mm	2.5 mm	
9161454706008	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Stainless EN 1.4547	M6 x 8	Plain (no plating)	6 mm	8 mm	3 mm	
91616012	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 12	Black Oxide	16 mm	12 mm	8 mm	
916160121	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 12	Zinc Bright Passivation Fe/Zn P1	16 mm	12 mm	8 mm	
91616016	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 16	Black Oxide	16 mm	16 mm	8 mm	
916160161	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 16	Zinc Bright Passivation Fe/Zn P1	16 mm	16 mm	8 mm	
91616016R	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 16	Black Oxide	16 mm	16 mm	8 mm	
91616020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 20	Black Oxide	16 mm	20 mm	8 mm	
916160201	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 20	Zinc Bright Passivation Fe/Zn P1	16 mm	20 mm	8 mm	
91616025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 25	Black Oxide	16 mm	25 mm	8 mm	
916160251	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 25	Zinc Bright Passivation Fe/Zn P1	16 mm	25 mm	8 mm	
91616030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 30	Black Oxide	16 mm	30 mm	8 mm	
916160301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	8 mm	
91616035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 35	Black Oxide	16 mm	35 mm	8 mm	
916160351	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	8 mm	
91616040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 40	Black Oxide	16 mm	40 mm	8 mm	
916160401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	8 mm	
91616040GEO500B	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 40	GEOMET 500B	16 mm	40 mm	8 mm	
91616050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 50	Black Oxide	16 mm	50 mm	8 mm	
916160501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	8 mm	
91616060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 60	Black Oxide	16 mm	60 mm	8 mm	
916160601	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	8 mm	
91616070	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 70	Black Oxide	16 mm	70 mm	8 mm	
91616090	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 90	Black Oxide	16 mm	90 mm	8 mm	
91616100	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 100	Black Oxide	16 mm	100 mm	8 mm	
9161615030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 1.5 x 30	Black Oxide	16 mm	30 mm	8 mm	
9161615050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M16 x 1.5 x 50	Black Oxide	16 mm	50 mm	8 mm	
91618020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M18 x 20	Black Oxide	18 mm	20 mm	10 mm	
91618060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M18 x 60	Black Oxide	18 mm	60 mm	10 mm	
91620020	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 20	Black Oxide	20 mm	20 mm	10 mm	
916200227	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 1.5 x 22	Black Oxide	20 mm	22 mm	10 mm	
91620025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 25	Black Oxide	20 mm	25 mm	10 mm	
91620030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 30	Black Oxide	20 mm	30 mm	10 mm	
916200301	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 30	Zinc Bright Passivation Fe/Zn P1	20 mm	30 mm	10 mm	
91620035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 35	Black Oxide	20 mm	35 mm	10 mm	
916200401	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	10 mm	
916200501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	10 mm	
91620055	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 55	Black Oxide	20 mm	55 mm	10 mm	
91620060	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 60	Black Oxide	20 mm	60 mm	10 mm	
91620070	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel							

45H, M20 x

Steel 45H

M20 x 70

Black Oxide

20 mm

70 mm

10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
91620080	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 80	Black Oxide	20 mm	80 mm	10 mm	
91620100	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 100	Black Oxide	20 mm	100 mm	10 mm	
91620150501	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M20 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	10 mm	
9162215015	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M22 x 1.5 x 15	Black Oxide	22 mm	15 mm	12 mm	
91624025	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M24 x 25	Black Oxide	24 mm	25 mm	12 mm	
91624030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M24 x 30	Black Oxide	24 mm	30 mm	12 mm	
91624035	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M24 x 35	Black Oxide	24 mm	35 mm	12 mm	
91624040	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M24 x 40	Black Oxide	24 mm	40 mm	12 mm	
91624050	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M24 x 50	Black Oxide	24 mm	50 mm	12 mm	
91624080	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M24 x 80	Black Oxide	24 mm	80 mm	12 mm	
91624100	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M24 x 100	Black Oxide	24 mm	100 mm	12 mm	
91630030	DIN 916 Set Screw with Hex Drive and Cup-Point, Steel	Steel 45H	M30 x 30	Black Oxide	30 mm	30 mm	14 mm	
916A0250025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 2.5	Plain (no plating)	2.5 mm	2.5 mm	1.3 mm	
916A2016002	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M1.6 x 2	Plain (no plating)	1.6 mm	2 mm	0.7 mm	
916A2016003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M1.6 x 3	Plain (no plating)	1.6 mm	3 mm	0.7 mm	
916A2016004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm	0.7 mm	
916A20160040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm	0.7 mm	
916A2016005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm	0.7 mm	
916A2016006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm	0.7 mm	
916A2016008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm	0.7 mm	
916A202002	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 2	Plain (no plating)	2 mm	2 mm	0.9 mm	
916A2020020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 2	Plain (no plating)	2 mm	2 mm	0.9 mm	
916A2020025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 2.5	Plain (no plating)	2 mm	2.5 mm	0.9 mm	
916A202003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 3	Plain (no plating)	2 mm	3 mm	0.9 mm	
916A2020030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 3	Plain (no plating)	2 mm	3 mm	0.9 mm	
916A2020037	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 3	Black Oxide	2 mm	3 mm	0.9 mm	
916A202004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 4	Plain (no plating)	2 mm	4 mm	0.9 mm	
916A2020040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 4	Plain (no plating)	2 mm	4 mm	0.9 mm	
916A2020047	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 4	Black Oxide	2 mm	4 mm	0.9 mm	
916A202005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 5	Plain (no plating)	2 mm	5 mm	0.9 mm	
916A2020050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 5	Plain (no plating)	2 mm	5 mm	0.9 mm	
916A202006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 6	Plain (no plating)	2 mm	6 mm	0.9 mm	
916A2020060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 6	Plain (no plating)	2 mm	6 mm	0.9 mm	
916A202008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 8	Plain (no plating)	2 mm	8 mm	0.9 mm	
916A2020080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 8	Plain (no plating)	2 mm	8 mm	0.9 mm	
916A202010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 10	Plain (no plating)	2 mm	10 mm	0.9 mm	
916A2020100	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 10	Plain (no plating)	2 mm	10 mm	0.9 mm	
916A202012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 12	Plain (no plating)	2 mm	12 mm	0.9 mm	
916A2020120	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 12	Plain (no plating)	2 mm	12 mm	0.9 mm	
916A202014	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 14	Plain (no plating)	2 mm	14 mm	0.9 mm	
916A2020160	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2 x 16	Plain (no plating)	2 mm	16 mm	0.9 mm	
916A20250025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 2.5	Plain (no plating)	2.5 mm	2.5 mm	1.3 mm	
916A2025003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	1.3 mm	
916A20250030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	1.3 mm	
916A2025004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2	Stainless A2	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	1.3 mm	
916A20250040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2	Stainless A2	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	1.3 mm	

Stainless A2-21H

Stainless A2-21H

M2.5 x 4

Plain (no plating)

2.5 mm

4 mm

1.3 mm

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916A2025005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	1.3 mm	
916A20250050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	1.3 mm	
916A2025006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	1.3 mm	
916A20250060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	1.3 mm	
916A2025008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	1.3 mm	
916A20250080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	1.3 mm	
916A2025010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	1.3 mm	
916A20250100	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	1.3 mm	
916A2025012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	1.3 mm	
916A20250120	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	1.3 mm	
916A2025016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	1.3 mm	
916A20250160	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	1.3 mm	
916A203002	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 2	Plain (no plating)	3 mm	2 mm	1.5 mm	
916A2030025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 2.5	Plain (no plating)	3 mm	2.5 mm	1.5 mm	
916A203003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 3	Plain (no plating)	3 mm	3 mm	1.5 mm	
916A203004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 4	Plain (no plating)	3 mm	4 mm	1.5 mm	
916A203005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 5	Plain (no plating)	3 mm	5 mm	1.5 mm	
916A203005CZ	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 5	Black Oxide	3 mm	5 mm	1.5 mm	
916A203006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 6	Plain (no plating)	3 mm	6 mm	1.5 mm	
916A203008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 8	Plain (no plating)	3 mm	8 mm	1.5 mm	
916A203010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 10	Plain (no plating)	3 mm	10 mm	1.5 mm	
916A203012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 12	Plain (no plating)	3 mm	12 mm	1.5 mm	
916A203014	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 14	Plain (no plating)	3 mm	14 mm	1.5 mm	
916A203016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 16	Plain (no plating)	3 mm	16 mm	1.5 mm	
916A20301670	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 16	Plain (no plating)	3 mm	16 mm	1.5 mm	
916A203020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2	Stainless A2	M3 x 20	Plain (no plating)	3 mm	20 mm	1.5 mm	
916A203025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 25	Plain (no plating)	3 mm	25 mm	1.5 mm	
916A203030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M3 x 30	Plain (no plating)	3 mm	30 mm	1.5 mm	
916A204003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 3	Plain (no plating)	4 mm	3 mm	2 mm	
916A204004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 4	Plain (no plating)	4 mm	4 mm	2 mm	
916A2040047	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 4	Black Oxide	4 mm	4 mm	2 mm	
916A204005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 5	Plain (no plating)	4 mm	5 mm	2 mm	
916A204006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 6	Plain (no plating)	4 mm	6 mm	2 mm	
916A204008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 8	Plain (no plating)	4 mm	8 mm	2 mm	
916A204010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 10	Plain (no plating)	4 mm	10 mm	2 mm	
916A204012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 12	Plain (no plating)	4 mm	12 mm	2 mm	
916A204014	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 14	Plain (no plating)	4 mm	14 mm	2 mm	
916A204016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 16	Plain (no plating)	4 mm	16 mm	2 mm	
916A204018	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 18	Plain (no plating)	4 mm	18 mm	2 mm	
916A204020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 20	Plain (no plating)	4 mm	20 mm	2 mm	
916A204022	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 22	Plain (no plating)	4 mm	22 mm	2 mm	
916A204025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 25	Plain (no plating)	4 mm	25 mm	2 mm	
916A204030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 30	Plain (no plating)	4 mm	30 mm	2 mm	
916A204035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 35	Plain (no plating)	4 mm	35 mm	2 mm	
916A204040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M4 x 40	Plain (no plating)	4 mm	40 mm	2 mm	
916A205004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H						

Stainless A2-21H

Stainless A2-21H

M5 x 4

Plain (no plating)

5 mm

4 mm

2.5 mm

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916A205005	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 5	Plain (no plating)	5 mm	5 mm	2.5 mm	
916A205006	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 6	Plain (no plating)	5 mm	6 mm	2.5 mm	
916A205008	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 8	Plain (no plating)	5 mm	8 mm	2.5 mm	
916A205008BO	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 8	Black Oxide	5 mm	8 mm	2.5 mm	
916A205010	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 10	Plain (no plating)	5 mm	10 mm	2.5 mm	
916A205012	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 12	Plain (no plating)	5 mm	12 mm	2.5 mm	
916A205014	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 14	Plain (no plating)	5 mm	14 mm	2.5 mm	
916A205016	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 16	Plain (no plating)	5 mm	16 mm	2.5 mm	
916A205018	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 18	Plain (no plating)	5 mm	18 mm	2.5 mm	
916A205020	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 20	Plain (no plating)	5 mm	20 mm	2.5 mm	
916A205020BO	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 20	Black Oxide	5 mm	20 mm	2.5 mm	
916A205025	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 25	Plain (no plating)	5 mm	25 mm	2.5 mm	
916A205030	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 30	Plain (no plating)	5 mm	30 mm	2.5 mm	
916A205035	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 35	Plain (no plating)	5 mm	35 mm	2.5 mm	
916A205040	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 40	Plain (no plating)	5 mm	40 mm	2.5 mm	
916A205045	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 45	Plain (no plating)	5 mm	45 mm	2.5 mm	
916A205050	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 50	Plain (no plating)	5 mm	50 mm	2.5 mm	
916A205055	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 55	Plain (no plating)	5 mm	55 mm	2.5 mm	
916A205060	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M5 x 60	Plain (no plating)	5 mm	60 mm	2.5 mm	
916A206004	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 4	Plain (no plating)	6 mm	4 mm	3 mm	
916A206005	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 5	Plain (no plating)	6 mm	5 mm	3 mm	
916A206006	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 6	Plain (no plating)	6 mm	6 mm	3 mm	
916A206006KN	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 6	Plain (no plating)	6 mm	6 mm	3 mm	
916A206008	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 8	Plain (no plating)	6 mm	8 mm	3 mm	
916A206010	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 10	Plain (no plating)	6 mm	10 mm	3 mm	
916A206010GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2	M6 x 10	GEOMET 500A	6 mm	10 mm	3 mm	
916A206012	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 12	Plain (no plating)	6 mm	12 mm	3 mm	
916A206014	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 14	Plain (no plating)	6 mm	14 mm	3 mm	
916A206015	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 15	Plain (no plating)	6 mm	15 mm	3 mm	
916A206016	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 16	Plain (no plating)	6 mm	16 mm	3 mm	
916A206018	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 18	Plain (no plating)	6 mm	18 mm	3 mm	
916A206020	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 20	Plain (no plating)	6 mm	20 mm	3 mm	
916A206025	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 25	Plain (no plating)	6 mm	25 mm	3 mm	
916A206030	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 30	Plain (no plating)	6 mm	30 mm	3 mm	
916A206035	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 35	Plain (no plating)	6 mm	35 mm	3 mm	
916A206040	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 40	Plain (no plating)	6 mm	40 mm	3 mm	
916A206045	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 45	Plain (no plating)	6 mm	45 mm	3 mm	
916A206050	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 50	Plain (no plating)	6 mm	50 mm	3 mm	
916A206055	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 55	Plain (no plating)	6 mm	55 mm	3 mm	
916A206060	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 60	Plain (no plating)	6 mm	60 mm	3 mm	
916A20607506	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M6 x 0.75 x 6	Plain (no plating)	6 mm	6 mm	3 mm	
916A208006	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M8 x 6	Plain (no plating)	8 mm	6 mm	4 mm	
916A208008	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M8 x 8	Plain (no plating)	8 mm	8 mm	4 mm	
916A208008GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2	M8 x 8	GEOMET 500A	8 mm	8 mm	4 mm	
916A208010	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H	M8 x 10	Plain (no plating)	8 mm	10 mm	4 mm	
916A208012	DIN 916 Set Screw with Hex Drive and Cup-Point, ~~Stainless A2-21H~~	Stainless A2-21H						

Stainless A2-21H

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916A208016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 16	Plain (no plating)	8 mm	16 mm	4 mm	
916A208016GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2	Stainless A2	M8 x 16	GEOMET 500A	8 mm	16 mm	4 mm	
916A208018	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 18	Plain (no plating)	8 mm	18 mm	4 mm	
916A208020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 20	Plain (no plating)	8 mm	20 mm	4 mm	
916A208025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 25	Plain (no plating)	8 mm	25 mm	4 mm	
916A208030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 30	Plain (no plating)	8 mm	30 mm	4 mm	
916A208035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 35	Plain (no plating)	8 mm	35 mm	4 mm	
916A208040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 40	Plain (no plating)	8 mm	40 mm	4 mm	
916A208045	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 45	Plain (no plating)	8 mm	45 mm	4 mm	
916A208050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 50	Plain (no plating)	8 mm	50 mm	4 mm	
916A208055	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 55	Plain (no plating)	8 mm	55 mm	4 mm	
916A208060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 60	Plain (no plating)	8 mm	60 mm	4 mm	
916A208070	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 70	Plain (no plating)	8 mm	70 mm	4 mm	
916A208080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 80	Plain (no plating)	8 mm	80 mm	4 mm	
916A208090	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 90	Plain (no plating)	8 mm	90 mm	4 mm	
916A208100	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M8 x 100	Plain (no plating)	8 mm	100 mm	4 mm	
916A210008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 8	Plain (no plating)	10 mm	8 mm	5 mm	
916A210010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 10	Plain (no plating)	10 mm	10 mm	5 mm	
916A210012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 12	Plain (no plating)	10 mm	12 mm	5 mm	
916A210016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 16	Plain (no plating)	10 mm	16 mm	5 mm	
916A210016GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2	Stainless A2	M10 x 16	GEOMET 500A	10 mm	16 mm	5 mm	
916A210020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 20	Plain (no plating)	10 mm	20 mm	5 mm	
916A210025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 25	Plain (no plating)	10 mm	25 mm	5 mm	
916A210030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 30	Plain (no plating)	10 mm	30 mm	5 mm	
916A210030GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2	Stainless A2	M10 x 30	GEOMET 500A	10 mm	30 mm	5 mm	
916A210035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 35	Plain (no plating)	10 mm	35 mm	5 mm	
916A210040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 40	Plain (no plating)	10 mm	40 mm	5 mm	
916A210040GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2	Stainless A2	M10 x 40	GEOMET 500A	10 mm	40 mm	5 mm	
916A210045	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 45	Plain (no plating)	10 mm	45 mm	5 mm	
916A210050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 50	Plain (no plating)	10 mm	50 mm	5 mm	
916A210060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 60	Plain (no plating)	10 mm	60 mm	5 mm	
916A210065	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 65	Plain (no plating)	10 mm	65 mm	5 mm	
916A210070	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 70	Plain (no plating)	10 mm	70 mm	5 mm	
916A210080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 80	Plain (no plating)	10 mm	80 mm	5 mm	
916A210090	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 90	Plain (no plating)	10 mm	90 mm	5 mm	
916A210100	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M10 x 100	Plain (no plating)	10 mm	100 mm	5 mm	
916A212010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M12 x 10	Plain (no plating)	12 mm	10 mm	6 mm	
916A212012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M12 x 12	Plain (no plating)	12 mm	12 mm	6 mm	

Stainless A2-21H

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916A212055	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M12 x 55	Plain (no plating)	12 mm	55 mm	6 mm	
916A212060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M12 x 60	Plain (no plating)	12 mm	60 mm	6 mm	
916A212070	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M12 x 70	Plain (no plating)	12 mm	70 mm	6 mm	
916A212080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M12 x 80	Plain (no plating)	12 mm	80 mm	6 mm	
916A212090	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M12 x 90	Plain (no plating)	12 mm	90 mm	6 mm	
916A216014	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 14	Plain (no plating)	16 mm	14 mm	8 mm	
916A216016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 16	Plain (no plating)	16 mm	16 mm	8 mm	
916A216020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 20	Plain (no plating)	16 mm	20 mm	8 mm	
916A216025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 25	Plain (no plating)	16 mm	25 mm	8 mm	
916A216030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 30	Plain (no plating)	16 mm	30 mm	8 mm	
916A216035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 35	Plain (no plating)	16 mm	35 mm	8 mm	
916A216040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 40	Plain (no plating)	16 mm	40 mm	8 mm	
916A216045	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 45	Plain (no plating)	16 mm	45 mm	8 mm	
916A216050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 50	Plain (no plating)	16 mm	50 mm	8 mm	
916A216060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 60	Plain (no plating)	16 mm	60 mm	8 mm	
916A216070	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 70	Plain (no plating)	16 mm	70 mm	8 mm	
916A216080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 80	Plain (no plating)	16 mm	80 mm	8 mm	
916A216090	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 90	Plain (no plating)	16 mm	90 mm	8 mm	
916A216100	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M16 x 100	Plain (no plating)	16 mm	100 mm	8 mm	
916A220020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 20	Plain (no plating)	20 mm	20 mm	10 mm	
916A220025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 25	Plain (no plating)	20 mm	25 mm	10 mm	
916A220030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 30	Plain (no plating)	20 mm	30 mm	10 mm	
916A220035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 35	Plain (no plating)	20 mm	35 mm	10 mm	
916A220040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 40	Plain (no plating)	20 mm	40 mm	10 mm	
916A220045	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 45	Plain (no plating)	20 mm	45 mm	10 mm	
916A220050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 50	Plain (no plating)	20 mm	50 mm	10 mm	
916A220060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 60	Plain (no plating)	20 mm	60 mm	10 mm	
916A220070	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 70	Plain (no plating)	20 mm	70 mm	10 mm	
916A220080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 80	Plain (no plating)	20 mm	80 mm	10 mm	
916A220090	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 90	Plain (no plating)	20 mm	90 mm	10 mm	
916A220100	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A2-21H	Stainless A2-21H	M20 x 100	Plain (no plating)	20 mm	100 mm	10 mm	
916A402002	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2 x 2	Plain (no plating)	2 mm	2 mm	0.9 mm	
916A402003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2 x 3	Plain (no plating)	2 mm	3 mm	0.9 mm	
916A402004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2 x 4	Plain (no plating)	2 mm	4 mm	0.9 mm	
916A402005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2 x 5	Plain (no plating)	2 mm	5 mm	0.9 mm	
916A402010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2 x 10	Plain (no plating)	2 mm	10 mm	0.9 mm	
916A4025003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	1.3 mm	
916A4025004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	1.3 mm	
916A40250047	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2.5 x 4	Black Oxide	2.5 mm	4 mm	1.3 mm	
916A4025005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	1.3 mm	
916A40250057	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2.5 x 5	Black Oxide	2.5 mm	5 mm	1.3 mm	
916A4025006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	1.3 mm	
916A40250100	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	1.3 mm	
916A403003	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 3	Plain (no plating)	3 mm	3 mm	1.5 mm	
916A403004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 4	Plain (no plating)	3 mm	4 mm	1.5 mm	
916A403004W	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H						

Stainless A4-21H

Stainless A4-21H

M3 x 4

Plain (no plating)

3 mm

4 mm

1.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916A403005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 5	Plain (no plating)	3 mm	5 mm	1.5 mm	
916A403006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 6	Plain (no plating)	3 mm	6 mm	1.5 mm	
916A403008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 8	Plain (no plating)	3 mm	8 mm	1.5 mm	
916A403010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 10	Plain (no plating)	3 mm	10 mm	1.5 mm	
916A403012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M3 x 12	Plain (no plating)	3 mm	12 mm	1.5 mm	
916A403016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 16	Plain (no plating)	3 mm	16 mm	1.5 mm	
916A403020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 20	Plain (no plating)	3 mm	20 mm	1.5 mm	
916A403025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M3 x 25	Plain (no plating)	3 mm	25 mm	1.5 mm	
916A404004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 4	Plain (no plating)	4 mm	4 mm	2 mm	
916A404005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 5	Plain (no plating)	4 mm	5 mm	2 mm	
916A404006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 6	Plain (no plating)	4 mm	6 mm	2 mm	
916A404008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 8	Plain (no plating)	4 mm	8 mm	2 mm	
916A404010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 10	Plain (no plating)	4 mm	10 mm	2 mm	
916A404012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 12	Plain (no plating)	4 mm	12 mm	2 mm	
916A404014	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 14	Plain (no plating)	4 mm	14 mm	2 mm	
916A404016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 16	Plain (no plating)	4 mm	16 mm	2 mm	
916A404018	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 18	Plain (no plating)	4 mm	18 mm	2 mm	
916A404020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 20	Plain (no plating)	4 mm	20 mm	2 mm	
916A404025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 25	Plain (no plating)	4 mm	25 mm	2 mm	
916A404030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 30	Plain (no plating)	4 mm	30 mm	2 mm	
916A404040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M4 x 40	Plain (no plating)	4 mm	40 mm	2 mm	
916A405004	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 4	Plain (no plating)	5 mm	4 mm	2.5 mm	
916A405005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 5	Plain (no plating)	5 mm	5 mm	2.5 mm	
916A405006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 6	Plain (no plating)	5 mm	6 mm	2.5 mm	
916A405008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 8	Plain (no plating)	5 mm	8 mm	2.5 mm	
916A405010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 10	Plain (no plating)	5 mm	10 mm	2.5 mm	
916A405010K	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 10	Plain (no plating)	5 mm	10 mm	2.5 mm	
916A405012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 12	Plain (no plating)	5 mm	12 mm	2.5 mm	
916A405016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 16	Plain (no plating)	5 mm	16 mm	2.5 mm	
916A40501680	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 16	Plain (no plating)	5 mm	16 mm	2.5 mm	
916A405020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 20	Plain (no plating)	5 mm	20 mm	2.5 mm	
916A405025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 25	Plain (no plating)	5 mm	25 mm	2.5 mm	
916A405030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 30	Plain (no plating)	5 mm	30 mm	2.5 mm	
916A405035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 35	Plain (no plating)	5 mm	35 mm	2.5 mm	
916A405040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 40	Plain (no plating)	5 mm	40 mm	2.5 mm	
916A405055	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M5 x 55	Plain (no plating)	5 mm	55 mm	2.5 mm	
916A406005	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 5	Plain (no plating)	6 mm	5 mm	3 mm	
916A406006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 6	Plain (no plating)	6 mm	6 mm	3 mm	
916A406008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 8	Plain (no plating)	6 mm	8 mm	3 mm	
916A40600880	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 8	Plain (no plating)	6 mm	8 mm	3 mm	
916A406010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 10	Plain (no plating)	6 mm	10 mm	3 mm	
916A406012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 12	Plain (no plating)	6 mm	12 mm	3 mm	
916A406012GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4	Stainless A4	M6 x 12	GEOMET 500A	6 mm	12 mm	3 mm	
916A406016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-M6	Stainless A4-21H	M6 x 16	Plain (no plating)	6 mm	16 mm	3 mm	
916A406020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 20	Plain (no plating)	6 mm	20 mm	3 mm	
916A406025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 25	Plain (no plating)	6 mm	25 mm	3 mm	

Stainless A4-21H

Stainless A4-21H

M6 x 25

Plain (no plating)

6 mm

25 mm

3 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916A406030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 30	Plain (no plating)	6 mm	30 mm	3 mm	
916A406035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 35	Plain (no plating)	6 mm	35 mm	3 mm	
916A406040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 40	Plain (no plating)	6 mm	40 mm	3 mm	
916A406045	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 45	Plain (no plating)	6 mm	45 mm	3 mm	
916A406050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 50	Plain (no plating)	6 mm	50 mm	3 mm	
916A406055	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 55	Plain (no plating)	6 mm	55 mm	3 mm	
916A406060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 60	Plain (no plating)	6 mm	60 mm	3 mm	
916A406070	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M6 x 70	Plain (no plating)	6 mm	70 mm	3 mm	
916A408006	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 6	Plain (no plating)	8 mm	6 mm	4 mm	
916A408008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 8	Plain (no plating)	8 mm	8 mm	4 mm	
916A408008GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M8 x 8	GEOMET 500A	8 mm	8 mm	4 mm	
916A408010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 10	Plain (no plating)	8 mm	10 mm	4 mm	
916A408010GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M8 x 10	GEOMET 500A	8 mm	10 mm	4 mm	
916A408010W	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 10	Plain (no plating)	8 mm	10 mm	4 mm	
916A408012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 12	Plain (no plating)	8 mm	12 mm	4 mm	
916A408014	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 14	Plain (no plating)	8 mm	14 mm	4 mm	
916A408016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 16	Plain (no plating)	8 mm	16 mm	4 mm	
916A408018	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 18	Plain (no plating)	8 mm	18 mm	4 mm	
916A408020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 20	Plain (no plating)	8 mm	20 mm	4 mm	
916A408025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 25	Plain (no plating)	8 mm	25 mm	4 mm	
916A408025GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M8 x 25	GEOMET 500A	8 mm	25 mm	4 mm	
916A408030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 30	Plain (no plating)	8 mm	30 mm	4 mm	
916A408035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 35	Plain (no plating)	8 mm	35 mm	4 mm	
916A408040	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 40	Plain (no plating)	8 mm	40 mm	4 mm	
916A408045	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 45	Plain (no plating)	8 mm	45 mm	4 mm	
916A408050	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 50	Plain (no plating)	8 mm	50 mm	4 mm	
916A408055	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 55	Plain (no plating)	8 mm	55 mm	4 mm	
916A408060	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M8 x 60	Plain (no plating)	8 mm	60 mm	4 mm	
916A408070GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M8 x 70	GEOMET 500A	8 mm	70 mm	4 mm	
916A410008	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 8	Plain (no plating)	10 mm	8 mm	5 mm	
916A410008W	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 8	Plain (no plating)	10 mm	8 mm	5 mm	
916A410010	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 10	Plain (no plating)	10 mm	10 mm	5 mm	
916A410010K	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 10	Plain (no plating)	10 mm	10 mm	5 mm	
916A410012	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 12	Plain (no plating)	10 mm	12 mm	5 mm	
916A41001280	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 12	Plain (no plating)	10 mm	12 mm	5 mm	
916A410014	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 14	Plain (no plating)	10 mm	14 mm	5 mm	
916A410016	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 16	Plain (no plating)	10 mm	16 mm	5 mm	
916A410016GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M10 x 16	GEOMET 500A	10 mm	16 mm	5 mm	
916A410020	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 20	Plain (no plating)	10 mm	20 mm	5 mm	
916A41002080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 20	Plain (no plating)	10 mm	20 mm	5 mm	
916A410020GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M10 x 20	GEOMET 500A	10 mm	20 mm	5 mm	
916A410025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 25	Plain (no plating)	10 mm	25 mm	5 mm	
916A410030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 30	Plain (no plating)	10 mm	30 mm	5 mm	
916A41003080	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 30	Plain (no plating)	10 mm	30 mm	5 mm	
916A410030GEO50	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4	M10 x 30	GEOMET 500A	10 mm	30 mm	5 mm	
916A410035	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M10 x 35	Plain (no plating)	10 mm	35 mm	5 mm	

Stainless A4-21H

[illegible]

Stainless A4-21H

Stainless A4-21H

M20 x 50

Plain (no plating)

20 mm

50 mm

10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
916A424025	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M24 x 25	Plain (no plating)	24 mm	25 mm	12 mm	
916A424030	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M24 x 30	Plain (no plating)	24 mm	30 mm	12 mm	
916A43004070	DIN 916 Set Screw with Hex Drive and Cup-Point, Stainless A4-21H	Stainless A4-21H	M30 x 40	Plain (no plating)	30 mm	40 mm	14 mm	
916SDX08010	DIN 916 Set Screw with Hex Drive and Cup-Point, D8-21H, M8 x 10	D8-21H	M8 x 10	Plain (no plating)	8 mm	10 mm	4 mm	
916T05005	DIN 916 Set Screw with Hex Drive and Cup-Point, TITANIUM GR.2, M	TITANIUM GR.2	M5 x 5	Plain (no plating)	5 mm	5 mm	2.5 mm	

