


DIN 931 — Hexagon Head Screw



Catalogue data sheet · 6046 sizes · category Bolts and Screws / Hexagon Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9,3110080451E+190	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 45, Patch, Zinc Pla	Steel 10.9	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	13 mm	
9311005030	DIN 931 Hexagon Head Screw, Steel 10.9, M5 x 30, Plain	Steel 10.9	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
9311005045	DIN 931 Hexagon Head Screw, Steel 10.9, M5 x 45, Plain	Steel 10.9	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
9311006030	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 30, Plain	Steel 10.9	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
93110060301	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 30, Zinc Plated	Steel 10.9	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
9311006035	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 35, Plain	Steel 10.9	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
93110060351	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 35, Zinc Plated	Steel 10.9	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	10 mm	
9311006035FS	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 35, Zinc Phosphated	Steel 10.9	M6 x 35	Phosphating	6 mm	35 mm	10 mm	
9311006040	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 40, Plain	Steel 10.9	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
93110060401	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 40, Zinc Plated	Steel 10.9	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	10 mm	
9311006040FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 40, Zinc Flake Sil	Steel 10.9	M6 x 40	ZINC FLAKE SILVER NO CR6+ 480	6 mm	40 mm	10 mm	
9311006045	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 45, Plain	Steel 10.9	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
93110060451	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 45, Zinc Plated	Steel 10.9	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	10 mm	
9311006050	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 50, Plain	Steel 10.9	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
93110060501	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 50, Zinc Plated	Steel 10.9	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	10 mm	
9311006050BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 50, Zinc Flake Pla	Steel 10.9	M6 x 50	DELTA KL100x2/SEAL	6 mm	50 mm	10 mm	
9311006050GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 50, Zinc Flake Sil	Steel 10.9	M6 x 50	GEOMET 321A	6 mm	50 mm	10 mm	
9311006055	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 55, Plain	Steel 10.9	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
9311006060	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 60, Plain	Steel 10.9	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
93110060601	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 60, Zinc Plated	Steel 10.9	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	10 mm	
9311006060BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 60, Zinc Flake Pla	Steel 10.9	M6 x 60	DELTA KL100x2/SEAL	6 mm	60 mm	10 mm	
9311006060FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 60, Zinc Flake Sil	Steel 10.9	M6 x 60	ZINC FLAKE SILVER NO CR6+	6 mm	60 mm	10 mm	
93110060601	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 60, Plain	Steel 10.9	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
9311006065	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 65, Plain	Steel 10.9	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
93110060651	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 65, Zinc Plated	Steel 10.9	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	10 mm	
9311006070	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 70, Plain	Steel 10.9	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110060701	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 70, Zinc Plated	Steel 10.9	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
9311006070BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 70, Zinc Plated	Steel 10.9	M6 x 70	DELTA KL100x2/SEAL	6 mm	70 mm	10 mm	
9311006080	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 80, Plain	Steel 10.9	M6 x 80	BLACKx2+GZ	6 mm	80 mm	10 mm	
9311006090	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 90, Plain	Steel 10.9	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
93110060901	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 90, Zinc Plated	Steel 10.9	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	10 mm	
9311006100	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 100, Plain	Steel 10.9	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
93110061001	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 100, Zinc Plated	Steel 10.9	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	10 mm	
9311006100GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 100, Zinc Plated	Steel 10.9	M6 x 100	GEOMET 500A	6 mm	100 mm	10 mm	
9311006110	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 110, Plain	Steel 10.9	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
9311006120	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 120, Plain	Steel 10.9	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
9311006130	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 130, Plain	Steel 10.9	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
9311006140	DIN 931 Hexagon Head Screw, Steel 10.9, M6 x 140, Plain	Steel 10.9	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
9311007055	DIN 931 Hexagon Head Screw, Steel 10.9, M7 x 55, Plain	Steel 10.9	M7 x 55	Plain (no plating)	7 mm	55 mm	11 mm	
9311008035	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 35, Plain	Steel 10.9	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
93110080351	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 35, Zinc Plated	Steel 10.9	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
93110080353SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 35, SST	Steel 10.9	M8 x 35	Zinc Yellow Passivation Fe/Zn P2	8 mm	35 mm	13 mm	
9311008035GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 35, Zinc Plated	Steel 10.9	M8 x 35	GEOMET 500A	8 mm	35 mm	13 mm	
9311008035ZNFL	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 35, Zinc Plated	Steel 10.9	M8 x 35	ZINC FLAKE SILVER NO CR6+ 480	8 mm	35 mm	13 mm	
9311008040	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 40, Plain	Steel 10.9	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
93110080401	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 40, Zinc Plated	Steel 10.9	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
93110080404	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 40, Nickel Plated	Steel 10.9	M8 x 40	Nickel Plating	8 mm	40 mm	13 mm	
9311008040ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 40, Zinc Plated	Steel 10.9	M8 x 40	ZINC FLAKE SILVER NO CR6+ 480	8 mm	40 mm	13 mm	
9311008045	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 45, Plain	Steel 10.9	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
93110080451	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 45, Zinc Plated	Steel 10.9	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	13 mm	
9311008045BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 45, Zinc Plated	Steel 10.9	M8 x 45	DELTA KL100x2/SEAL	8 mm	45 mm	13 mm	
9311008050	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 50, Plain	Steel 10.9	M8 x 50	BLACKx2+GZ	8 mm	50 mm	13 mm	
93110080501	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 50, Zinc Plated	Steel 10.9	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
9311008050ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 50, Zinc Plated	Steel 10.9	M8 x 50	ZINC FLAKE SILVER NO CR6+ 480	8 mm	50 mm	13 mm	
9311008050ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 50, Zinc-Nickel	Steel 10.9	M8 x 50	HNi8/Cn/T4	8 mm	50 mm	13 mm	
9311008055	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 55, Plain	Steel 10.9	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
93110080551	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 55, Zinc Plated	Steel 10.9	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	13 mm	
9311008060	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 60, Plain	Steel 10.9	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
93110080601	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 60, Zinc Plated	Steel 10.9	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
93110080601SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 60, SST	Steel 10.9	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
93110080603	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 60, Zinc Plated	Steel 10.9	M8 x 60	Zinc Yellow Passivation Fe/Zn P2	8 mm	60 mm	13 mm	
9311008060BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 60, Zinc Plated	Steel 10.9	M8 x 60	DELTA KL100x2/SEAL	8 mm	60 mm	13 mm	
9311008060FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 60, Zinc Plated	Steel 10.9	M8 x 60	ZINC FLAKE SILVER NO CR6+	8 mm	60 mm	13 mm	
9311008060GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 60, Zinc Plated	Steel 10.9	M8 x 60	GEOMET 500B	8 mm	60 mm	13 mm	
9311008065	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 65, Plain	Steel 10.9	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
93110080651	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 65, Zinc Plated	Steel 10.9	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	13 mm	
9311008065DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 65, Zinc Plated	Steel 10.9	M8 x 65	DELTA KL100x2/SEAL	8 mm	65 mm	13 mm	
9311008065ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 65, EN	Steel 10.9	M8 x 65	ZINC FLAKE SILVER NO CR6+ 480	8 mm	65 mm	13 mm	
9311008070	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 70, Plain	Steel 10.9	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
93110080701	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 70, Zinc Plated	Steel 10.9	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
9311008070FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 70, Zinc Plated	Steel 10.9	M8 x 70	ZINC FLAKE SILVER NO CR6+	8 mm	70 mm	13 mm	
9311008075	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 75, Plain	Steel 10.9	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110080751	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 75, Zinc Plated	Steel 10.9	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	13 mm	
93110080751SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 75, SST 200 h-Zinc	Steel 10.9	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	13 mm	
9311008075ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 75, Zinc Flake, Si	Steel 10.9	M8 x 75	ZINC FLAKE SILVER NO CR6+ 480	8 mm	75 mm	13 mm	
9311008080	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 80, Plain	Steel 10.9	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
93110080801	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 80, Zinc Plated	Steel 10.9	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
93110080801SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 80, SST 200 h-Zinc	Steel 10.9	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9311008080BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 80, Zinc Flake, Pla	Steel 10.9	M8 x 80	DELTA KL100x2/SEAL	8 mm	80 mm	13 mm	
9311008085	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 85, Plain	Steel 10.9	M8 x 85	Plain (no plating)	8 mm	85 mm	13 mm	
9311008085ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 85, Zinc Flake, Si	Steel 10.9	M8 x 85	ZINC FLAKE SILVER NO CR6+ 480	8 mm	85 mm	13 mm	
9311008090	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 90, Plain	Steel 10.9	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
93110080901	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 90, Zinc Plated	Steel 10.9	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	13 mm	
9311008090FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 90, Zinc Flake, Sil	Steel 10.9	M8 x 90	ZINC FLAKE SILVER NO CR6+	8 mm	90 mm	13 mm	
93110080951	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 95, Zinc Plated	Steel 10.9	M8 x 95	Zinc Bright Passivation Fe/Zn P1	8 mm	95 mm	13 mm	
9311008100	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 100, Plain	Steel 10.9	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
93110081001	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 100, Zinc Plated	Steel 10.9	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	13 mm	
9311008100GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 100, Zinc Flake, Si	Steel 10.9	M8 x 100	GEOMET 500A	8 mm	100 mm	13 mm	
9311008105	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 105, Plain	Steel 10.9	M8 x 105	Plain (no plating)	8 mm	105 mm	13 mm	
93110081051	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 105, Zinc Plated	Steel 10.9	M8 x 105	Zinc Bright Passivation Fe/Zn P1	8 mm	105 mm	13 mm	
9311008110	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 110, Plain	Steel 10.9	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
93110081101	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 110, Zinc Plated	Steel 10.9	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	13 mm	
9311008115GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 115, Zinc Flake, Si	Steel 10.9	M8 x 115	GEOMET 500A	8 mm	115 mm	13 mm	
9311008120	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 120, Plain	Steel 10.9	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
93110081201	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 120, Zinc Plated	Steel 10.9	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	13 mm	
9311008130	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 130, Plain	Steel 10.9	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
93110081301	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 130, Zinc Plated	Steel 10.9	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	13 mm	
9311008140	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 140, Plain	Steel 10.9	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
93110081401	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 140, Zinc Plated	Steel 10.9	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm	13 mm	
9311008140C	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 140, EN 10204-3-1-C	Steel 10.9	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
9311008140ZFSC	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 140, EN 10204-3-1-C	Steel 10.9	M8 x 140	ZINC FLAKE SILVER NO CR6+ 480	8 mm	140 mm	13 mm	
9311008150	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 150, Plain	Steel 10.9	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
9311008155	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 155, Plain	Steel 10.9	M8 x 155	Plain (no plating)	8 mm	155 mm	13 mm	
9311008155GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 155, Zinc Flake, Si	Steel 10.9	M8 x 155	GEOMET 500A	8 mm	155 mm	13 mm	
9311008160	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 160, Plain	Steel 10.9	M8 x 160	Plain (no plating)	8 mm	160 mm	13 mm	
9311008160GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 160, Zinc Flake, Si	Steel 10.9	M8 x 160	GEOMET 500A	8 mm	160 mm	13 mm	
9311008180	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 180, Plain	Steel 10.9	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	
9311008200	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 200, Plain	Steel 10.9	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
9311008220	DIN 931 Hexagon Head Screw, Steel 10.9, M8 x 220, Plain	Steel 10.9	M8 x 220	Plain (no plating)	8 mm	220 mm	13 mm	
9311010035	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 35, Plain	Steel 10.9	M10 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
93110100351	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 35, Zinc Plated	Steel 10.9	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	17 mm	
9311010035GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 35, Zinc Flake, Si	Steel 10.9	M10 x 35	GEOMET 321A	10 mm	35 mm	17 mm	
9311010035ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 35, Zinc Flake, Si	Steel 10.9	M10 x 35	ZINC FLAKE SILVER NO CR6+ 480	10 mm	35 mm	17 mm	
9311010040	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 40, Plain	Steel 10.9	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
93110100401	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 40, Zinc Plated	Steel 10.9	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9311010040DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 40, Zinc Flake, Pl	Steel 10.9	M10 x 40	DELTA KL100x2/SEAL	10 mm	40 mm	17 mm	
9311010040GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 40, Zinc Flake, Si	Steel 10.9	M10 x 40	GEOMET 500A	10 mm	40 mm	17 mm	
9311010040GEO50	Flake, Si							

Flake, Si

Steel 10.9

M10 x 40

GEOMET 500B

10 mm

40 mm

17 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311010040P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 40, Plain	Steel 10.9	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
9311010040TL12	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 40/12, Plain	Steel 10.9	M10 x 40/12	Plain (no plating)	10 mm	40 mm	17 mm	
9311010045	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 45, Plain	Steel 10.9	M10 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
93110100451	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 45, Zinc Plated	Steel 10.9	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
93110100451E	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 45, Patch-Zinc Pl	Steel 10.9	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
9311010045FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 45, Zinc Flake-Si	Steel 10.9	M10 x 45	ZINC FLAKE SILVER NO CR6+ 480	10 mm	45 mm	17 mm	
9311010045GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 45, Zinc Flake-Si	Steel 10.9	M10 x 45	GEOMET 500B	10 mm	45 mm	17 mm	
9311010050	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Plain	Steel 10.9	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
93110100501	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Plated	Steel 10.9	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
93110100501SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, SST 9-16 h Zinc	Steel 10.9	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9311010050DEL B	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Plated	Steel 10.9	M10 x 50	DELTA KL100x2/SEAL	10 mm	50 mm	17 mm	
9311010050FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Flake-Bl	Steel 10.9	M10 x 50	BLACKx2+GZ	10 mm	50 mm	17 mm	
9311010050GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Flake-Si	Steel 10.9	M10 x 50	ZINC FLAKE SILVER NO CR6+	10 mm	50 mm	17 mm	
9311010050GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Flake-Si	Steel 10.9	M10 x 50	GEOMET 321A	10 mm	50 mm	17 mm	
9311010050GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Geoblack-Zinc	Steel 10.9	M10 x 50	GEOMET 500B	10 mm	50 mm	17 mm	
9311010050ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Flake-Si	Steel 10.9	M10 x 50	GEOBLACK 500M	10 mm	50 mm	17 mm	
9311010055	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 55, Plain	Steel 10.9	M10 x 55	ZINC FLAKE SILVER NO CR6+ 480	10 mm	50 mm	17 mm	
93110100551	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 55, Zinc Plated	Steel 10.9	M10 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
9311010055GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 55, Zinc Flake-Si	Steel 10.9	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	17 mm	
9311010055ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 55, Zinc Flake-Si	Steel 10.9	M10 x 55	GEOMET 500B	10 mm	55 mm	17 mm	
9311010060	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 60, Plain	Steel 10.9	M10 x 60	ZINC FLAKE SILVER NO CR6+ 480	10 mm	55 mm	17 mm	
93110100601	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 60, Zinc Plated	Steel 10.9	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
9311010060DEL B	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 60, Zinc Plated	Steel 10.9	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	17 mm	
9311010060GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 60, Zinc Flake-Bl	Steel 10.9	M10 x 60	DELTA KL100x2/SEAL	10 mm	60 mm	17 mm	
9311010060GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 60, Zinc Flake-Si	Steel 10.9	M10 x 60	BLACKx2+GZ	10 mm	60 mm	17 mm	
9311010060P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 60, Zinc Flake-Si	Steel 10.9	M10 x 60	GEOMET 500A	10 mm	60 mm	17 mm	
9311010060ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 60, Zinc-Nickel-S	Steel 10.9	M10 x 60	GEOMET 500B	10 mm	60 mm	17 mm	
9311010065	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 65, Plain	Steel 10.9	M10 x 65	ZINC FLAKES SILVER P1000	10 mm	60 mm	17 mm	
93110100651	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 65, Zinc Plated	Steel 10.9	M10 x 65	ZnNi8/Cn/T4	10 mm	60 mm	17 mm	
9311010065GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 65, Zinc Flake-Si	Steel 10.9	M10 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
9311010065GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 65, Geoblack-Zinc	Steel 10.9	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	17 mm	
9311010065ZB	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 65, Zinc Plated, B	Steel 10.9	M10 x 65	GEOMET 500A	10 mm	65 mm	17 mm	
9311010065ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 65, Zinc Flake-Si	Steel 10.9	M10 x 65	GEOBLACK 500M	10 mm	65 mm	17 mm	
9311010065ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 65, EN 10204 3.1 C	Steel 10.9	M10 x 65	Zinc Black Passivation Fe/Zn P4	10 mm	65 mm	17 mm	
9311010070	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 70, Plain	Steel 10.9	M10 x 70	ZINC FLAKE SILVER NO CR6+ 480	10 mm	65 mm	17 mm	
93110100701	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 70, Zinc Plated	Steel 10.9	M10 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
9311010070FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 70, Zinc Flake-Si	Steel 10.9	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
9311010070GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 70, Zinc Flake-Si	Steel 10.9	M10 x 70	ZINC FLAKE SILVER NO CR6+	10 mm	70 mm	17 mm	
9311010070GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 70, Zinc Flake-Si	Steel 10.9	M10 x 70	GEOMET 500B	10 mm	70 mm	17 mm	
9311010075	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 75, Plain	Steel 10.9	M10 x 75	GEOMET 500B	10 mm	70 mm	17 mm	
93110100751	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 75, Zinc Plated	Steel 10.9	M10 x 75	Plain (no plating)	10 mm	75 mm	17 mm	
9311010075DTB	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 75, Zinc Plated	Steel 10.9	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	17 mm	
9311010075ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 75, Zinc Flake-Si	Steel 10.9	M10 x 75	DELTATONE/SEAL BLACKx2+GZ	10 mm	75 mm	17 mm	
9311010080	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 80, Plain	Steel 10.9	M10 x 80	ZINC FLAKE SILVER NO CR6+ 480	10 mm	75 mm	17 mm	
93110100801	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 80, Zinc Plated	Steel 10.9	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
93110100807	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 80, Black			Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	17 mm	

Oxide

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311010080GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 80, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 80	GEOMET 500B	10 mm	80 mm	17 mm	
9311010080P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 80, Plain	Steel 10.9	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
9311010080ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 80, Zinc-Nickel	Steel 10.9	M10 x 80	ZnNi8/Cn/T4	10 mm	80 mm	17 mm	
9311010085	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 85, Plain	Steel 10.9	M10 x 85	Plain (no plating)	10 mm	85 mm	17 mm	
93110100851	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 85, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	17 mm	
93110100851SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 85, SST	Steel 10.9	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	17 mm	
93110100851TUL	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 85, Tuflok, Zinc P	Steel 10.9	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	17 mm	
9311010090	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 90, Plain	Steel 10.9	M10 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
93110100901	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 90, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	17 mm	
9311010090DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 90, Zinc Flake, Bl	Steel 10.9	M10 x 90	DELTA KL100x2/SEAL	10 mm	90 mm	17 mm	
9311010090FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 90, Zinc Flake, Bl	Steel 10.9	M10 x 90	ZINC FLAKE SILVER NO CR6+	10 mm	90 mm	17 mm	
9311010095	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 95, Plain	Steel 10.9	M10 x 95	Plain (no plating)	10 mm	95 mm	17 mm	
9311010095TL15	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 95/15, Plain	Steel 10.9	M10 x 95/15	Plain (no plating)	10 mm	95 mm	17 mm	
9311010095TL15GE	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 95/15, Zinc Flake	Steel 10.9	M10 x 95/15	GEOMET 500A	10 mm	95 mm	17 mm	
9311010100	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 100, Plain	Steel 10.9	M10 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
93110101001	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 100, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
93110101001SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 100, SST 66 h Zinc	Steel 10.9	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
9311010110	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 110, Plain	Steel 10.9	M10 x 110	Plain (no plating)	10 mm	110 mm	17 mm	
93110101101	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 110, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	17 mm	
9311010110GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 110, Zinc Flake, S	Steel 10.9	M10 x 110	GEOMET 500A	10 mm	110 mm	17 mm	
9311010110GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 110, Zinc Flake, S	Steel 10.9	M10 x 110	GEOMET 500B	10 mm	110 mm	17 mm	
9311010115	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 115, Plain	Steel 10.9	M10 x 115	Plain (no plating)	10 mm	115 mm	17 mm	
9311010115C	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 115, EN 1204 3 1	Steel 10.9	M10 x 115	Plain (no plating)	10 mm	115 mm	17 mm	
9311010115DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 115, Zinc Flake, B	Steel 10.9	M10 x 115	DELTA KL100x2/SEAL	10 mm	115 mm	17 mm	
9311010115GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 115, Geoblack, Zinc	Steel 10.9	M10 x 115	BLACK 2+GZ	10 mm	115 mm	17 mm	
9311010120	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 120, Plain	Steel 10.9	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
93110101201	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 120, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	17 mm	
9311010120GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 120, Zinc Flake, S	Steel 10.9	M10 x 120	GEOMET 500A	10 mm	120 mm	17 mm	
9311010120GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 120, Geoblack, Zinc	Steel 10.9	M10 x 120	GEOBLACK 500M	10 mm	120 mm	17 mm	
9311010130	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 130, Plain	Steel 10.9	M10 x 130	Plain (no plating)	10 mm	130 mm	17 mm	
93110101301	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 130, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	17 mm	
931101013019	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 130, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	17 mm	
9311010135	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 135, Plain	Steel 10.9	M10 x 135	Plain (no plating)	10 mm	135 mm	17 mm	
9311010140	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 140, Plain	Steel 10.9	M10 x 140	Plain (no plating)	10 mm	140 mm	17 mm	
93110101401	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 140, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	17 mm	
9311010140ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 140, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 140	ZINC FLAKE SILVER NO CR6+ 480	10 mm	140 mm	17 mm	
9311010145	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 145, Plain	Steel 10.9	M10 x 145	Plain (no plating)	10 mm	145 mm	17 mm	
9311010150	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 150, Plain	Steel 10.9	M10 x 150	Plain (no plating)	10 mm	150 mm	17 mm	
93110101501	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 150, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm	17 mm	
9311010150ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 150, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 150	ZINC FLAKE SILVER NO CR6+ 480	10 mm	150 mm	17 mm	
9311010160	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 160, Plain	Steel 10.9	M10 x 160	Plain (no plating)	10 mm	160 mm	17 mm	
93110101601	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 160, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	17 mm	
9311010170	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 170, Plain	Steel 10.9	M10 x 170	Plain (no plating)	10 mm	170 mm	17 mm	
93110101701	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 170, Zinc Plated, 66 h Zinc	Steel 10.9	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm	17 mm	
9311010170DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 170, Zinc Flake, S	Steel 10.9	M10 x 170	DELTA KL100x2/VH301+GZ	10 mm	170 mm	17 mm	
9311010170ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 170, Zinc							

Flake, S

Steel 10.9

M10 x 170

ZINC FLAKE SILVER NO CR6+ 480

H

10 mm

170 mm

17 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311010175	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 175, Plain	Steel 10.9	M10 x 175	Plain (no plating)	10 mm	175 mm	17 mm	
9311010180	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 180, Plain	Steel 10.9	M10 x 180	Plain (no plating)	10 mm	180 mm	17 mm	
93110101801	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 180, Zinc Plated	Steel 10.9	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm	17 mm	
9311010180ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 180, Zinc Flake-S	Steel 10.9	M10 x 180	ZINC FLAKE SILVER NO CR6+ 480	10 mm	180 mm	17 mm	
9311010180ZFSC	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 180, EN 10204-3-1	Steel 10.9	M10 x 180	ZINC FLAKE SILVER NO CR6+ 480	10 mm	180 mm	17 mm	
93110101851	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 185, Zinc Plated	Steel 10.9	M10 x 185	Zinc Bright Passivation Fe/Zn P1	10 mm	185 mm	17 mm	
9311010190	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 190, Plain	Steel 10.9	M10 x 190	Plain (no plating)	10 mm	190 mm	17 mm	
9311010190ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 190, Zinc Flake-S	Steel 10.9	M10 x 190	ZINC FLAKE SILVER NO CR6+ 480	10 mm	190 mm	17 mm	
9311010200	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 200, Plain	Steel 10.9	M10 x 200	Plain (no plating)	10 mm	200 mm	17 mm	
9311010200ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 200, Zinc Flake-S	Steel 10.9	M10 x 200	ZINC FLAKE SILVER NO CR6+ 480	10 mm	200 mm	17 mm	
9311010200ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 200, EN 10204-3-1	Steel 10.9	M10 x 200	ZINC FLAKE SILVER NO CR6+ 480	10 mm	200 mm	17 mm	
9311010210	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 210, Plain	Steel 10.9	M10 x 210	Plain (no plating)	10 mm	210 mm	17 mm	
9311010210ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 210, Zinc Flake-S	Steel 10.9	M10 x 210	ZINC FLAKE SILVER NO CR6+ 480	10 mm	210 mm	17 mm	
9311010210ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 210, EN 10204-3-1	Steel 10.9	M10 x 210	ZINC FLAKE SILVER NO CR6+ 480	10 mm	210 mm	17 mm	
9311010220	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 220, Plain	Steel 10.9	M10 x 220	Plain (no plating)	10 mm	220 mm	17 mm	
9311010220ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 220, Zinc Plated	Steel 10.9	M10 x 220	ZINC FLAKE SILVER NO CR6+ 480	10 mm	220 mm	17 mm	
9311010220ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 220, EN 10204-3-1	Steel 10.9	M10 x 220	ZINC FLAKE SILVER NO CR6+ 480	10 mm	220 mm	17 mm	
9311010230ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 230, Zinc Flake-S	Steel 10.9	M10 x 230	ZINC FLAKE SILVER NO CR6+ 480	10 mm	230 mm	17 mm	
9311010230ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 230, EN 10204-3-1	Steel 10.9	M10 x 230	ZINC FLAKE SILVER NO CR6+ 480	10 mm	230 mm	17 mm	
9311010250ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 250, Zinc Flake-S	Steel 10.9	M10 x 250	ZINC FLAKE SILVER NO CR6+ 480	10 mm	250 mm	17 mm	
93110103001	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 300, Zinc Plated	Steel 10.9	M10 x 300	Zinc Bright Passivation Fe/Zn P1	10 mm	300 mm	17 mm	
9311010320	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 320, Plain	Steel 10.9	M10 x 320	Plain (no plating)	10 mm	320 mm	17 mm	
9311010320ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 320, Zinc Plated	Steel 10.9	M10 x 320	ZINC FLAKE SILVER NO CR6+ 480	10 mm	320 mm	17 mm	
9311010320ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M10 x 320, EN 10204-3-1	Steel 10.9	M10 x 320	ZINC FLAKE SILVER NO CR6+ 480	10 mm	320 mm	17 mm	
93110120351	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 35, Zinc Plated	Steel 10.9	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	19 mm	
9311012040	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 40, Plain	Steel 10.9	M12 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
93110120401	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 40, Zinc Plated	Steel 10.9	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
93110120401SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 40, SST 96 hot zinc	Steel 10.9	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
9311012040ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 40, Zinc Flake-S	Steel 10.9	M12 x 40	ZINC FLAKE SILVER NO CR6+ 480	12 mm	40 mm	19 mm	
9311012045	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 45, Plain	Steel 10.9	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
93110120451	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 45, Zinc Plated	Steel 10.9	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	19 mm	
9311012045C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 45, EN 10204-3-1	Steel 10.9	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
9311012045DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 45, Zinc Flake-Bl	Steel 10.9	M12 x 45	DELTA KL100x2/SEAL	12 mm	45 mm	19 mm	
9311012045GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 45, Zinc Flake-Si	Steel 10.9	M12 x 45	GEOMET 500A	12 mm	45 mm	19 mm	
9311012045P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 45, Plain	Steel 10.9	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
9311012050	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 50, Plain	Steel 10.9	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
93110120501	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 50, Zinc Plated	Steel 10.9	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
93110120503	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 50, Zinc Plated	Steel 10.9	M12 x 50	Zinc Yellow Passivation Fe/Zn P2	12 mm	50 mm	19 mm	
9311012050GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 50, Zinc Plated	Steel 10.9	M12 x 50	GEOMET 500B	12 mm	50 mm	19 mm	
9311012050GEOVL	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 50, Zinc Flake-Si	Steel 10.9	M12 x 50	GEOMET 500A	12 mm	50 mm	19 mm	
9311012055	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 55, Plain	Steel 10.9	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
93110120551	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 55, Zinc Plated	Steel 10.9	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
93110120553	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 55, Zinc Plated	Steel 10.9	M12 x 55	Zinc Yellow Passivation Fe/Zn P2	12 mm	55 mm	19 mm	
9311012055BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 55, Zinc Flake-Bl	Steel 10.9	M12 x 55	DELTA KL100x2/SEAL	12 mm	55 mm	19 mm	
9311012055HDG	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 55, Hot-Dip Galvanizing	Steel 10.9	M12 x 55	PLAIN	12 mm	55 mm	19 mm	
9311012055P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 55, Plain	Steel 10.9	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311012055P1000_	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 55, EN 10204-3.1 C	Steel 10.9	M12 x 55	ZINC FLAKES SILVER P1000	12 mm	55 mm	19 mm	
9311012060	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Plain	Steel 10.9	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
93110120601	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc	Steel 10.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
93110120602	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Hot-Dip Galvan	Steel 10.9	M12 x 60	Hot Dip Galvanizing	12 mm	60 mm	19 mm	
93110120607	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Black Oxide	Steel 10.9	M12 x 60	Oxide (black or brown)	12 mm	60 mm	19 mm	
9311012060DEL	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc Flake-Si	Steel 10.9	M12 x 60	DELTA KL100x2/SEAL+GZ	12 mm	60 mm	19 mm	
9311012060GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc Flake-Si	Steel 10.9	M12 x 60	GEOMET 500B	12 mm	60 mm	19 mm	
9311012060GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc Flake-Si	Steel 10.9	M12 x 60	GEOMET 500B	12 mm	60 mm	19 mm	
9311012060ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc Flake-Si	Steel 10.9	M12 x 60	ZINC FLAKE SILVER NO CR6+ 480	12 mm	60 mm	19 mm	
9311012060ZNNIB	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc-Ni	Steel 10.9	M12 x 60	Zn-Ni BLACK + FINIGARD 105	12 mm	60 mm	19 mm	
9311012060ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc-Nickel-P	Steel 10.9	M12 x 60	ZnNi8/Cn/T4	12 mm	60 mm	19 mm	
9311012065	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 65, Plain	Steel 10.9	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
93110120651	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 65, Zinc	Steel 10.9	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	19 mm	
9311012065CV7262	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 65, Plated	Steel 10.9	M12 x 65	Coventec (ZIB 3+)	12 mm	65 mm	19 mm	
9311012065P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 65, Plain	Steel 10.9	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
9311012070	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 70, Plain	Steel 10.9	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
93110120701	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 70, Zinc	Steel 10.9	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
93110120702	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 70, Hot-Dip Galvan	Steel 10.9	M12 x 70	Hot Dip Galvanizing	12 mm	70 mm	19 mm	
9311012070C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 70, EN 10204-3.1 C	Steel 10.9	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
9311012070GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 70, Zinc Flake-Si	Steel 10.9	M12 x 70	GEOMET 500A	12 mm	70 mm	19 mm	
9311012070GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 70, Zinc Flake-Si	Steel 10.9	M12 x 70	GEOMET 500B	12 mm	70 mm	19 mm	
9311012070GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 70, Zinc Flake-Si	Steel 10.9	M12 x 70	GEOMET 500B	12 mm	70 mm	19 mm	
9311012075	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 75, Plain	Steel 10.9	M12 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
93110120751	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 75, Zinc	Steel 10.9	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	19 mm	
9311012075BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 75, Zinc Plated	Steel 10.9	M12 x 75	DELTA KL100x2/SEAL	12 mm	75 mm	19 mm	
9311012075GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 75, Zinc Flake-Si	Steel 10.9	M12 x 75	BLACKx2+GZ GEOMET 500A	12 mm	75 mm	19 mm	
9311012075ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 75, EN 10204-3.1 C	Steel 10.9	M12 x 75	ZINC FLAKE SILVER NO CR6+ 480	12 mm	75 mm	19 mm	
9311012080	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Plain	Steel 10.9	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
93110120801	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc	Steel 10.9	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
9311012080FS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc Phosphate	Steel 10.9	M12 x 80	Phosphating	12 mm	80 mm	19 mm	
9311012080GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc Flake-Si	Steel 10.9	M12 x 80	GEOMET 500A	12 mm	80 mm	19 mm	
9311012080GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc Flake-Si	Steel 10.9	M12 x 80	GEOMET 500B	12 mm	80 mm	19 mm	
9311012080I	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Plain	Steel 10.9	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
9311012080P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Plain	Steel 10.9	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
9311012080ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc	Steel 10.9	M12 x 80	ZINC FLAKE SILVER NO CR6+ 480	12 mm	80 mm	19 mm	
9311012080ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc-Nickel-P	Steel 10.9	M12 x 80	ZnNi8/Cn/T4	12 mm	80 mm	19 mm	
9311012085	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 85, Plain	Steel 10.9	M12 x 85	Plain (no plating)	12 mm	85 mm	19 mm	
93110120851	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 85, Zinc	Steel 10.9	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm	19 mm	
9311012085BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 85, Zinc Plated	Steel 10.9	M12 x 85	DELTA KL100x2/SEAL	12 mm	85 mm	19 mm	
9311012090	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Plain	Steel 10.9	M12 x 90	BLACKx2+GZ Plain (no plating)	12 mm	90 mm	19 mm	
93110120901	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc	Steel 10.9	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	19 mm	
93110120902	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Hot-Dip Galvan	Steel 10.9	M12 x 90	Hot Dip Galvanizing	12 mm	90 mm	19 mm	
93110120903	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc Plated-Y	Steel 10.9	M12 x 90	Zinc Yellow Passivation Fe/Zn P2	12 mm	90 mm	19 mm	
9311012090DEL	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc Flake-Si	Steel 10.9	M12 x 90	DELTA KL100x2/SEALx2+GZ	12 mm	90 mm	19 mm	
9311012090DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc Flake-Si	Steel 10.9	M12 x 90	DELTA KL100x2/VH301+GZ	12 mm	90 mm	19 mm	
9311012090FS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc							

Phosphate

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311012090GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc Plated	Steel 10.9	M12 x 90	GEOMET 500A	12 mm	90 mm	19 mm	
9311012090GEO-S	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc Plated	Steel 10.9	M12 x 90	GEOMET 500A	12 mm	90 mm	19 mm	
9311012090GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc Plated	Steel 10.9	M12 x 90	GEOMET 500B	12 mm	90 mm	19 mm	
9311012090I	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Plain	Steel 10.9	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
9311012090ZNNIB	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc-Nickel-P	Steel 10.9	M12 x 90	Zn-Ni BLACK + FINIGARD 105	12 mm	90 mm	19 mm	
9311012090ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc-Nickel-S	Steel 10.9	M12 x 90	ZnNi8/Cn/T4	12 mm	90 mm	19 mm	
9311012095	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 95, Plain	Steel 10.9	M12 x 95	Plain (no plating)	12 mm	95 mm	19 mm	
93110120951	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 95, Zinc Plated	Steel 10.9	M12 x 95	Zinc Bright Passivation Fe/Zn P1	12 mm	95 mm	19 mm	
9311012100	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Plain	Steel 10.9	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
93110121001	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	19 mm	
93110121002	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Hot-Dip Galva	Steel 10.9	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm	19 mm	
93110121003	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	Zinc Yellow Passivation Fe/Zn P2	12 mm	100 mm	19 mm	
9311012100DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	DELTA KL100x2/SEAL	12 mm	100 mm	19 mm	
9311012100GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	BLACKx2+GZ GEOMET 500A	12 mm	100 mm	19 mm	
9311012100GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	GEOMET 500B	12 mm	100 mm	19 mm	
9311012100GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	GEOMET 500B	12 mm	100 mm	19 mm	
9311012100P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Plain	Steel 10.9	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
9311012100ZF	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	ZINC FLAKE SILVER NO CR6+ 480 H	12 mm	100 mm	19 mm	
9311012100ZNBSS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 100, SST 700	Steel 10.9	M12 x 100	Zn-Ni BLACK + FINIGARD 105	12 mm	100 mm	19 mm	
9311012110	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 110, Plain	Steel 10.9	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
93110121101	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 110, Zinc Plated	Steel 10.9	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
93110121101SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 110, Zinc Plated	Steel 10.9	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
9311012110FS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 110, Zinc Plated	Steel 10.9	M12 x 110	Phosphating	12 mm	110 mm	19 mm	
9311012110GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 110, Zinc Plated	Steel 10.9	M12 x 110	GEOMET 500B	12 mm	110 mm	19 mm	
9311012110GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 110, Zinc Plated	Steel 10.9	M12 x 110	GEOMET 500B	12 mm	110 mm	19 mm	
9311012110P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 110, Plain	Steel 10.9	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
9311012120	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 120, Plain	Steel 10.9	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
93110121201	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 120, Zinc Plated	Steel 10.9	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
93110121201SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 120, Zinc Plated	Steel 10.9	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
9311012120GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 120, Zinc Plated	Steel 10.9	M12 x 120	GEOMET 500B	12 mm	120 mm	19 mm	
9311012120P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 120, Plain	Steel 10.9	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
9311012120PHS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 120, Phospho-Zinc-P	Steel 10.9	M12 x 120	Phosphating	12 mm	120 mm	19 mm	
9311012120ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 120, Zinc-Nickel	Steel 10.9	M12 x 120	ZnNi8/Cn/T4	12 mm	120 mm	19 mm	
9311012130	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 130, Plain	Steel 10.9	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
93110121301	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 130, Zinc Plated	Steel 10.9	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	19 mm	
93110121303	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 130, Zinc Plated	Steel 10.9	M12 x 130	Zinc Yellow Passivation Fe/Zn P2	12 mm	130 mm	19 mm	
9311012130GEOC	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 130, EN 10204 3.1	Steel 10.9	M12 x 130	GEOMET 500A	12 mm	130 mm	19 mm	
9311012130P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 130, Plain	Steel 10.9	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
9311012130ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 130, Zinc-Nickel	Steel 10.9	M12 x 130	ZnNi8/Cn/T4	12 mm	130 mm	19 mm	
93110121351	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 135, Zinc Plated	Steel 10.9	M12 x 135	Zinc Bright Passivation Fe/Zn P1	12 mm	135 mm	19 mm	
9311012140	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 140, Plain	Steel 10.9	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
93110121401	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 140, Zinc Plated	Steel 10.9	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	19 mm	
9311012140GEOC	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 140, EN 10204 3.1	Steel 10.9	M12 x 140	GEOMET 500A	12 mm	140 mm	19 mm	
9311012140P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 140, Plain	Steel 10.9	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
9311012140ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 140, Zinc Plated	Steel 10.9	M12 x 140	ZINC FLAKE SILVER NO CR6+ 480 H	12 mm	140 mm	19 mm	
9311012140ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 140, EN							

H

12 mm

140 mm

19 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311012150	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 150, Plain	Steel 10.9	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
93110121501	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 150, Zinc Plated	Steel 10.9	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	19 mm	
9311012150DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 150, Zinc Plated	Steel 10.9	M12 x 150	DELTA KL100x2/VH301+GZ	12 mm	150 mm	19 mm	
9311012150P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 150, Plain	Steel 10.9	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
9311012150P1000_6	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 150, EN 10204 3.1	Steel 10.9	M12 x 150	ZINC FLAKES SILVER P1000	12 mm	150 mm	19 mm	
9311012160	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 160, Plain	Steel 10.9	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
93110121601	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 160, Zinc Plated	Steel 10.9	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	19 mm	
93110121603	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 160, Zinc Plated	Steel 10.9	M12 x 160	Zinc Yellow Passivation Fe/Zn P2	12 mm	160 mm	19 mm	
9311012160P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 160, Plain	Steel 10.9	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
9311012160P1000_6	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 160, EN 10204 3.1	Steel 10.9	M12 x 160	ZINC FLAKES SILVER P1000	12 mm	160 mm	19 mm	
93110121651	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 165, Zinc Plated	Steel 10.9	M12 x 165	Zinc Bright Passivation Fe/Zn P1	12 mm	165 mm	19 mm	
9311012165GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 165, Zinc Plated	Steel 10.9	M12 x 165	GEOMET 500B	12 mm	165 mm	19 mm	
9311012170	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 170, Plain	Steel 10.9	M12 x 170	Plain (no plating)	12 mm	170 mm	19 mm	
93110121701	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 170, Zinc Plated	Steel 10.9	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	19 mm	
9311012170P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 170, Zinc Plated	Steel 10.9	M12 x 170	ZINC FLAKES SILVER P1000	12 mm	170 mm	19 mm	
9311012170ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 170, Zinc Nickel	Steel 10.9	M12 x 170	ZnNi8/Cn/T4	12 mm	170 mm	19 mm	
9311012175	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 175, Plain	Steel 10.9	M12 x 175	Plain (no plating)	12 mm	175 mm	19 mm	
93110121751	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 175, Zinc Plated	Steel 10.9	M12 x 175	Zinc Bright Passivation Fe/Zn P1	12 mm	175 mm	19 mm	
9311012175I	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 175, Plain	Steel 10.9	M12 x 175	Plain (no plating)	12 mm	175 mm	19 mm	
9311012175ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 175, Zinc Nickel	Steel 10.9	M12 x 175	ZnNi8/Cn/T4	12 mm	175 mm	19 mm	
9311012180	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 180, Plain	Steel 10.9	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	
93110121801	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 180, Zinc Plated	Steel 10.9	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	19 mm	
9311012180DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 180, Zinc Plated	Steel 10.9	M12 x 180	DELTA KL100x2/SEAL+GZ	12 mm	180 mm	19 mm	
9311012180P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 180, Zinc Plated	Steel 10.9	M12 x 180	ZINC FLAKES SILVER P1000	12 mm	180 mm	19 mm	
9311012180ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 180, EN 10204 3.1	Steel 10.9	M12 x 180	ZINC FLAKE SILVER NO CR6+ 480 H	12 mm	180 mm	19 mm	
9311012180ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 180, Zinc Nickel	Steel 10.9	M12 x 180	ZnNi8/Cn/T4	12 mm	180 mm	19 mm	
9311012190	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 190, Plain	Steel 10.9	M12 x 190	Plain (no plating)	12 mm	190 mm	19 mm	
93110121901	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 190, Zinc Plated	Steel 10.9	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm	19 mm	
9311012190P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 190, Plain	Steel 10.9	M12 x 190	Plain (no plating)	12 mm	190 mm	19 mm	
93110121951	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 195, Zinc Plated	Steel 10.9	M12 x 195	Zinc Bright Passivation Fe/Zn P1	12 mm	195 mm	19 mm	
9311012200	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 200, Plain	Steel 10.9	M12 x 200	Plain (no plating)	12 mm	200 mm	19 mm	
93110122001	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 200, Zinc Plated	Steel 10.9	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm	19 mm	
9311012200P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 200, Plain	Steel 10.9	M12 x 200	Plain (no plating)	12 mm	200 mm	19 mm	
9311012210	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 210, Plain	Steel 10.9	M12 x 210	Plain (no plating)	12 mm	210 mm	19 mm	
93110122101	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 210, Zinc Plated	Steel 10.9	M12 x 210	Zinc Bright Passivation Fe/Zn P1	12 mm	210 mm	19 mm	
9311012210GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 210, Zinc Plated	Steel 10.9	M12 x 210	GEOMET 500B	12 mm	210 mm	19 mm	
9311012210GEO50_08	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 210, Zinc Plated	Steel 10.9	M12 x 210	GEOMET 500B	12 mm	210 mm	19 mm	
93110122151	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 215, Zinc Plated	Steel 10.9	M12 x 215	Zinc Bright Passivation Fe/Zn P1	12 mm	215 mm	19 mm	
9311012220	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 220, Plain	Steel 10.9	M12 x 220	Plain (no plating)	12 mm	220 mm	19 mm	
93110122201	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 220, Zinc Plated	Steel 10.9	M12 x 220	Zinc Bright Passivation Fe/Zn P1	12 mm	220 mm	19 mm	
9311012220GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 220, Zinc Plated	Steel 10.9	M12 x 220	GEOMET 500A	12 mm	220 mm	19 mm	
9311012220P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 220, Plain	Steel 10.9	M12 x 220	Plain (no plating)	12 mm	220 mm	19 mm	
9311012230	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 230, Plain	Steel 10.9	M12 x 230	Plain (no plating)	12 mm	230 mm	19 mm	
93110122301	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 230, Zinc Plated	Steel 10.9	M12 x 230	Zinc Bright Passivation Fe/Zn P1	12 mm	230 mm	19 mm	
9311012230GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 230, Zinc Plated	Steel 10.9	M12 x 230	GEOMET 500B	12 mm	230 mm	19 mm	
9311012230GEO50_08	Flake, S							

Flake, S

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311012240	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 240, Plain	Steel 10.9	M12 x 240	Plain (no plating)	12 mm	240 mm	19 mm	
93110122401	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 240, Zinc Plated	Steel 10.9	M12 x 240	Zinc Bright Passivation Fe/Zn P1	12 mm	240 mm	19 mm	
9311012240GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 240, Zinc Plated	Steel 10.9	M12 x 240	GEOMET 500A	12 mm	240 mm	19 mm	
9311012240GEOI	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 240, Zinc Plated	Steel 10.9	M12 x 240	GEOMET 500A	12 mm	240 mm	19 mm	
9311012240ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 240, EN 10204-3-1, Zinc Plated	Steel 10.9	M12 x 240	ZINC FLAKE SILVER NO CR6+ 480	12 mm	240 mm	19 mm	
9311012250ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 250, Zinc Plated	Steel 10.9	M12 x 250	ZINC FLAKE SILVER NO CR6+ 480	12 mm	250 mm	19 mm	
9311012260	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 260, Plain	Steel 10.9	M12 x 260	Plain (no plating)	12 mm	260 mm	19 mm	
9311012260GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 260, Zinc Plated	Steel 10.9	M12 x 260	GEOMET 500B	12 mm	260 mm	19 mm	
9311012260GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 260, Zinc Plated	Steel 10.9	M12 x 260	GEOMET 500B	12 mm	260 mm	19 mm	
9311012260ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 260, EN 10204-3-1, Zinc Plated	Steel 10.9	M12 x 260	ZINC FLAKE SILVER NO CR6+ 480	12 mm	260 mm	19 mm	
9311012280	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 280, Plain	Steel 10.9	M12 x 280	Plain (no plating)	12 mm	280 mm	19 mm	
9311012280P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 280, Plain	Steel 10.9	M12 x 280	Plain (no plating)	12 mm	280 mm	19 mm	
9311012280P1000_6	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 280, EN 10204-3-1, Plain	Steel 10.9	M12 x 280	ZINC FLAKES SILVER P1000	12 mm	280 mm	19 mm	
9311012280ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 280, EN 10204-3-1, Zinc Plated	Steel 10.9	M12 x 280	ZINC FLAKE SILVER NO CR6+ 480	12 mm	280 mm	19 mm	
9311012300	DIN 931 Hexagon Head Screw, Steel 10.9, M12 x 300, Plain	Steel 10.9	M12 x 300	Plain (no plating)	12 mm	300 mm	19 mm	
9311014045	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 45, Plain	Steel 10.9	M14 x 45	Plain (no plating)	14 mm	45 mm	22 mm	
93110140451	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 45, Zinc Plated	Steel 10.9	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	22 mm	
93110140452	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 45, Hot-Dip Galvan	Steel 10.9	M14 x 45	Hot Dip Galvanizing	14 mm	45 mm	22 mm	
9311014045PH	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 45, Zinc Phosphate	Steel 10.9	M14 x 45	Phosphating	14 mm	45 mm	22 mm	
9311014050	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 50, Plain	Steel 10.9	M14 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
93110140501	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 50, Zinc Plated	Steel 10.9	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
931101405016	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 50, Zinc Plated	Steel 10.9	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
93110140501SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 50, SST	Steel 10.9	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
9311014050GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 50, Zinc Plated	Steel 10.9	M14 x 50	GEOMET 500A	14 mm	50 mm	22 mm	
9311014055	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 55, Plain	Steel 10.9	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
93110140551	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 55, Zinc Plated	Steel 10.9	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	22 mm	
9311014055C	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 55, EN 10204-3-1, Zinc Plated	Steel 10.9	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
9311014055GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 55, EN 10204-3-1, Zinc Plated	Steel 10.9	M14 x 55	GEOMET 500A	14 mm	55 mm	22 mm	
9311014060	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 60, Plain	Steel 10.9	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
93110140601	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 60, Zinc Plated	Steel 10.9	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
9311014060DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 60, Zinc Plated	Steel 10.9	M14 x 60	DELTA KL100x2/SEAL	14 mm	60 mm	22 mm	
9311014060FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 60, Zinc Plated	Steel 10.9	M14 x 60	ZINC FLAKE SILVER NO CR6+ 480	14 mm	60 mm	22 mm	
9311014060GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 60, Zinc Plated	Steel 10.9	M14 x 60	GEOMET 500B	14 mm	60 mm	22 mm	
9311014065	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 65, Plain	Steel 10.9	M14 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
93110140651	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 65, Zinc Plated	Steel 10.9	M14 x 65	Zinc Bright Passivation Fe/Zn P1	14 mm	65 mm	22 mm	
9311014065BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 65, Zinc Plated	Steel 10.9	M14 x 65	DELTA KL100x2/SEAL	14 mm	65 mm	22 mm	
9311014065GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 65, Zinc Plated	Steel 10.9	M14 x 65	GEOMET 500B	14 mm	65 mm	22 mm	
9311014065GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 65, Zinc Plated	Steel 10.9	M14 x 65	GEOMET 500B	14 mm	65 mm	22 mm	
9311014065I	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 65, Plain	Steel 10.9	M14 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
9311014070	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 70, Plain	Steel 10.9	M14 x 70	Plain (no plating)	14 mm	70 mm	22 mm	
93110140701	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 70, Zinc Plated	Steel 10.9	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	22 mm	
9311014070BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 70, Zinc Plated	Steel 10.9	M14 x 70	DELTA KL100x2/SEAL	14 mm	70 mm	22 mm	
9311014070DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 70, Zinc Plated	Steel 10.9	M14 x 70	DELTA KL100x2/SEAL	14 mm	70 mm	22 mm	
9311014070GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 70, Zinc Plated	Steel 10.9	M14 x 70	GEOMET 500B	14 mm	70 mm	22 mm	
9311014070GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 70, Zinc Plated	Steel 10.9	M14 x 70	GEOMET 500B	14 mm	70 mm	22 mm	
9311014070ZF	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 70, Zinc Plated	Steel 10.9	M14 x 70	GEOMET 500B	14 mm	70 mm	22 mm	

Flake, Si

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311014075	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 75, Plain	Steel 10.9	M14 x 75	Plain (no plating)	14 mm	75 mm	22 mm	
93110140751	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 75, Zinc	Steel 10.9	M14 x 75	Zinc Bright Passivation Fe/Zn P1	14 mm	75 mm	22 mm	
9311014075GEO50	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 75, Zinc	Steel 10.9	M14 x 75	GEOMET 500B	14 mm	75 mm	22 mm	
9311014075GEO5B	Flake-Si, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 75, Zinc	Steel 10.9	M14 x 75	GEOMET 500B	14 mm	75 mm	22 mm	
9311014080	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 80, Plain	Steel 10.9	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
93110140801	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 80, Zinc	Steel 10.9	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	22 mm	
93110140801SST09	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 80, SST	Steel 10.9	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	22 mm	
9311014080GEO	SST 200 h, Zn, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 80, Zinc	Steel 10.9	M14 x 80	GEOMET 500A	14 mm	80 mm	22 mm	
9311014080GEO50	Flake-Si, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 80, Zinc	Steel 10.9	M14 x 80	GEOMET 500B	14 mm	80 mm	22 mm	
9311014080GEO5B	Flake-Si, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 80, Zinc	Steel 10.9	M14 x 80	GEOMET 500B	14 mm	80 mm	22 mm	
9311014080ZFL	Flake-Si, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 80, Zinc	Steel 10.9	M14 x 80	ZINC FLAKE SILVER NO CR6+ 480	14 mm	80 mm	22 mm	
9311014085	Flake-Si, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 85, Plain	Steel 10.9	M14 x 85	Plain (no plating)	14 mm	85 mm	22 mm	
93110140851	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 85, Zinc	Steel 10.9	M14 x 85	Zinc Bright Passivation Fe/Zn P1	14 mm	85 mm	22 mm	
9311014090	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 90, Plain	Steel 10.9	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
93110140901	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 90, Zinc	Steel 10.9	M14 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	22 mm	
9311014090BKL100	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 90, Zinc	Steel 10.9	M14 x 90	DELTA KL100x2/SEAL	14 mm	90 mm	22 mm	
9311014090GEO50	Flake-Si, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 90, Zinc	Steel 10.9	M14 x 90	GEOMET 500B	14 mm	90 mm	22 mm	
9311014090ZFL	Flake-Si, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 90, Zinc	Steel 10.9	M14 x 90	ZINC FLAKE SILVER NO CR6+ 480	14 mm	90 mm	22 mm	
9311014100	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 100,	Steel 10.9	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
93110141001	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 100, Zinc	Steel 10.9	M14 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	22 mm	
9311014100BKL100	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 100, Zinc	Steel 10.9	M14 x 100	DELTA KL100x2/SEAL	14 mm	100 mm	22 mm	
9311014100FLZN	Flake-S, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 100, Zinc	Steel 10.9	M14 x 100	ZINC FLAKE SILVER NO CR6+	14 mm	100 mm	22 mm	
9311014110	Flake-S, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 110,	Steel 10.9	M14 x 110	Plain (no plating)	14 mm	110 mm	22 mm	
93110141101	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 110, Zinc	Steel 10.9	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	22 mm	
9311014110BKL100	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 110, Zinc	Steel 10.9	M14 x 110	DELTA KL100x2/SEAL	14 mm	110 mm	22 mm	
9311014110GEO50	Flake-B, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 110, Zinc	Steel 10.9	M14 x 110	BLACKx2+GZ, GEOMET 500B	14 mm	110 mm	22 mm	
9311014120	Flake-S, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 120,	Steel 10.9	M14 x 120	Plain (no plating)	14 mm	120 mm	22 mm	
93110141201	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 120, Zinc	Steel 10.9	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	22 mm	
93110141201SST09	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 120,	Steel 10.9	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	22 mm	
93110141201SST20	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 120,	Steel 10.9	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	22 mm	
9311014120BKL100	SST 200 h, Zn, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 120, Zinc	Steel 10.9	M14 x 120	DELTA KL100x2/SEAL	14 mm	120 mm	22 mm	
9311014120GEO	Flake-B, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 120, Zinc	Steel 10.9	M14 x 120	BLACKx2+GZ, GEOMET 500A	14 mm	120 mm	22 mm	
9311014130	Flake-S, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 130,	Steel 10.9	M14 x 130	Plain (no plating)	14 mm	130 mm	22 mm	
93110141301	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 130, Zinc	Steel 10.9	M14 x 130	Zinc Bright Passivation Fe/Zn P1	14 mm	130 mm	22 mm	
9311014140	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 140,	Steel 10.9	M14 x 140	Plain (no plating)	14 mm	140 mm	22 mm	
93110141401	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 140, Zinc	Steel 10.9	M14 x 140	Zinc Bright Passivation Fe/Zn P1	14 mm	140 mm	22 mm	
9311014145	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 145,	Steel 10.9	M14 x 145	Plain (no plating)	14 mm	145 mm	22 mm	
9311014150	Plain, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 150,	Steel 10.9	M14 x 150	Plain (no plating)	14 mm	150 mm	22 mm	
93110141501	Plain, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 150, Zinc	Steel 10.9	M14 x 150	Zinc Bright Passivation Fe/Zn P1	14 mm	150 mm	22 mm	
9311014150FLZNN	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 150, Zinc	Steel 10.9	M14 x 150	ZINC FLAKE SILVER NO CR6+ 480	14 mm	150 mm	22 mm	
9311014160	Flake-S, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 160,	Steel 10.9	M14 x 160	Plain (no plating)	14 mm	160 mm	22 mm	
93110141601	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 160, Zinc	Steel 10.9	M14 x 160	Zinc Bright Passivation Fe/Zn P1	14 mm	160 mm	22 mm	
9311014160DELGZ	Plated, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 160, Zinc	Steel 10.9	M14 x 160	DELTA KL100x2/SEAL+GZ	14 mm	160 mm	22 mm	
9311014160GEO50	Flake-S, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 160, Zinc	Steel 10.9	M14 x 160	GEOMET 500B	14 mm	160 mm	22 mm	
9311014170	Flake-S, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 170,	Steel 10.9	M14 x 170	Plain (no plating)	14 mm	170 mm	22 mm	
93110141701	Plain, DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 170, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311014170FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 170, Zinc	Steel 10.9	M14 x 170	ZINC FLAKE SILVER NO CR6+	14 mm	170 mm	22 mm	
9311014180	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 180, Plain	Steel 10.9	M14 x 180	Plain (no plating)	14 mm	180 mm	22 mm	
93110141801	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 180, Zinc	Steel 10.9	M14 x 180	Zinc Bright Passivation Fe/Zn P1	14 mm	180 mm	22 mm	
9311014180ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 180, Zinc	Steel 10.9	M14 x 180	ZINC FLAKE SILVER NO CR6+ 480	14 mm	180 mm	22 mm	
9311014190	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 190, Plain	Steel 10.9	M14 x 190	Plain (no plating)	14 mm	190 mm	22 mm	
9311014200	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 200, Plain	Steel 10.9	M14 x 200	Plain (no plating)	14 mm	200 mm	22 mm	
93110142001	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 200, Zinc	Steel 10.9	M14 x 200	Zinc Bright Passivation Fe/Zn P1	14 mm	200 mm	22 mm	
9311014200GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 200, Zinc	Steel 10.9	M14 x 200	GEOMET 500B	14 mm	200 mm	22 mm	
9311014210	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 210, Plain	Steel 10.9	M14 x 210	Plain (no plating)	14 mm	210 mm	22 mm	
9311014220	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 220, Plain	Steel 10.9	M14 x 220	Plain (no plating)	14 mm	220 mm	22 mm	
9311014240	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 240, Plain	Steel 10.9	M14 x 240	Plain (no plating)	14 mm	240 mm	22 mm	
93110142401	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 240, Zinc	Steel 10.9	M14 x 240	Zinc Bright Passivation Fe/Zn P1	14 mm	240 mm	22 mm	
9311014240ZNTF10	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 240, Zinc	Steel 10.9	M14 x 240	Zn-Ni SILVER 8 MICRON +	14 mm	240 mm	22 mm	
9311014250	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 250, Zinc	Steel 10.9	M14 x 250	ZINC FLAKE SILVER NO CR6+	14 mm	250 mm	22 mm	
93110142501	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 250, Zinc	Steel 10.9	M14 x 250	Zinc Bright Passivation Fe/Zn P1	14 mm	250 mm	22 mm	
9311014290	DIN 931 Hexagon Head Screw, Steel 10.9, M14 x 290, Plain	Steel 10.9	M14 x 290	Plain (no plating)	14 mm	290 mm	22 mm	
93110160401	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 40, Zinc	Steel 10.9	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	24 mm	
9311016045	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 45, Plain	Steel 10.9	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
93110160451	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 45, Zinc	Steel 10.9	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	24 mm	
93110160453	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 45, Zinc	Steel 10.9	M16 x 45	Zinc Yellow Passivation Fe/Zn P2	16 mm	45 mm	24 mm	
9311016050	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50, Plain	Steel 10.9	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
93110160501	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50, Zinc	Steel 10.9	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
93110160501TL35	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50/35, Zinc	Steel 10.9	M16 x 50/35	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
93110160502	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50, Hot-Dip Galvanizing	Steel 10.9	M16 x 50	Hot Dip Galvanizing	16 mm	50 mm	24 mm	
93110160503	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50, Zinc	Steel 10.9	M16 x 50	Zinc Yellow Passivation Fe/Zn P2	16 mm	50 mm	24 mm	
9311016050GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50, Zinc	Steel 10.9	M16 x 50	GEOMET 321A	16 mm	50 mm	24 mm	
9311016050GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50, Zinc	Steel 10.9	M16 x 50	GEOMET 500A	16 mm	50 mm	24 mm	
9311016050TL35	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 50/35, Plain	Steel 10.9	M16 x 50/35	Plain (no plating)	16 mm	50 mm	24 mm	
9311016055	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Plain	Steel 10.9	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
93110160551	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Zinc	Steel 10.9	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
93110160553	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Zinc	Steel 10.9	M16 x 55	Zinc Yellow Passivation Fe/Zn P2	16 mm	55 mm	24 mm	
9311016055FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Zinc	Steel 10.9	M16 x 55	ZINC FLAKE SILVER NO CR6+	16 mm	55 mm	24 mm	
9311016055GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Zinc	Steel 10.9	M16 x 55	GEOMET 500A	16 mm	55 mm	24 mm	
9311016055GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Zinc	Steel 10.9	M16 x 55	GEOMET 500B	16 mm	55 mm	24 mm	
9311016055GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Zinc	Steel 10.9	M16 x 55	GEOBLACK 500M	16 mm	55 mm	24 mm	
9311016055GEOVL	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Zinc	Steel 10.9	M16 x 55	GEOMET 500A	16 mm	55 mm	24 mm	
93110160551	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 55, Plain	Steel 10.9	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
9311016060	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Plain	Steel 10.9	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
93110160601	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Zinc	Steel 10.9	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
93110160601C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, EN	Steel 10.9	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
93110160601SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, SST	Steel 10.9	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
93110160602	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Hot-Dip Galvanizing	Steel 10.9	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm	24 mm	
9311016060DEL900	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Zinc	Steel 10.9	M16 x 60	DELATONE 9000	16 mm	60 mm	24 mm	
9311016060FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Zinc	Steel 10.9	M16 x 60	ZINC FLAKE SILVER NO CR6+	16 mm	60 mm	24 mm	
9311016060GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Zinc	Steel 10.9	M16 x 60	GEOMET 500A	16 mm	60 mm	24 mm	
9311016060GEO50	Flake, Si							

Flake, Si

Steel 10.9

M16 x 60

GEOMET 500B

16 mm

60 mm

24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311016060ZNTF10	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Zinc-Plated	Steel 10.9	M16 x 60	Zn-Ni SILVER 8 MICRON + FINISH	16 mm	60 mm	24 mm	
9311016060ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 60, Zinc-Plated	Steel 10.9	M16 x 60	ZnNi8/Cn/T4	16 mm	60 mm	24 mm	
9311016065	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Plain	Steel 10.9	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
93110160651	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Zinc-Plated	Steel 10.9	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
93110160652	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Hot-Dip Galvanizing	Steel 10.9	M16 x 65	Hot Dip Galvanizing	16 mm	65 mm	24 mm	
93110160653	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Zinc-Plated	Steel 10.9	M16 x 65	Zinc Yellow Passivation Fe/Zn P2	16 mm	65 mm	24 mm	
9311016065E	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Plain	Steel 10.9	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
9311016065GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Zinc-Plated	Steel 10.9	M16 x 65	GEOMET 500A	16 mm	65 mm	24 mm	
9311016065GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Zinc-Plated	Steel 10.9	M16 x 65	GEOMET 500B	16 mm	65 mm	24 mm	
9311016065ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 65, Zinc-Plated	Steel 10.9	M16 x 65	ZnNi8/Cn/T4	16 mm	65 mm	24 mm	
9311016070	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Plain	Steel 10.9	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
93110160701	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc-Plated	Steel 10.9	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
93110160701C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, EN 10204 3 1 C	Steel 10.9	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
93110160702	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Hot-Dip Galvanizing	Steel 10.9	M16 x 70	Hot Dip Galvanizing	16 mm	70 mm	24 mm	
93110160703	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc-Plated	Steel 10.9	M16 x 70	Zinc Yellow Passivation Fe/Zn P2	16 mm	70 mm	24 mm	
93110160703SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, SST 200 0 4 1 1	Steel 10.9	M16 x 70	Zinc Yellow Passivation Fe/Zn P2	16 mm	70 mm	24 mm	
9311016070GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc-Plated	Steel 10.9	M16 x 70	GEOMET 500B	16 mm	70 mm	24 mm	
9311016070GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc-Plated	Steel 10.9	M16 x 70	GEOMET 321A	16 mm	70 mm	24 mm	
9311016070GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc-Plated	Steel 10.9	M16 x 70	GEOMET 500A	16 mm	70 mm	24 mm	
9311016070GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Geoblack Zinc	Steel 10.9	M16 x 70	GEOBLACK 500M	16 mm	70 mm	24 mm	
9311016070ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc-Plated	Steel 10.9	M16 x 70	ZINC FLAKE SILVER NO CR6+ 480 H	16 mm	70 mm	24 mm	
9311016070ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc-Plated	Steel 10.9	M16 x 70	ZnNi8/Cn/T4	16 mm	70 mm	24 mm	
9311016075	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 75, Plain	Steel 10.9	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
93110160751	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 75, Zinc-Plated	Steel 10.9	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	24 mm	
93110160752	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 75, Hot-Dip Galvanizing	Steel 10.9	M16 x 75	Hot Dip Galvanizing	16 mm	75 mm	24 mm	
93110160752C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 75, EN 10204 3 1 C	Steel 10.9	M16 x 75	Hot Dip Galvanizing	16 mm	75 mm	24 mm	
9311016075DELTA	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 75, Zinc-Plated	Steel 10.9	M16 x 75	DELTA KL100x2/VH301+GZ	16 mm	75 mm	24 mm	
9311016080	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Plain	Steel 10.9	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
93110160801	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
93110160802	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, EN 10204 3 1 C	Steel 10.9	M16 x 80	Hot Dip Galvanizing	16 mm	80 mm	24 mm	
93110160802C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, EN 10204 3 1 C	Steel 10.9	M16 x 80	Hot Dip Galvanizing	16 mm	80 mm	24 mm	
9311016080GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	GEOMET 321A	16 mm	80 mm	24 mm	
9311016080GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	GEOMET 500A	16 mm	80 mm	24 mm	
9311016080GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	GEOMET 500B	16 mm	80 mm	24 mm	
9311016080GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	GEOMET 500B	16 mm	80 mm	24 mm	
9311016080I	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Plain	Steel 10.9	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
9311016080ZB	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	Zinc Black Passivation Fe/Zn P4	16 mm	80 mm	24 mm	
9311016080ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	ZINC FLAKE SILVER NO CR6+ 480 H	16 mm	80 mm	24 mm	
9311016080ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 80, Zinc-Plated	Steel 10.9	M16 x 80	ZnNi8/Cn/T4	16 mm	80 mm	24 mm	
9311016085	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 85, Plain	Steel 10.9	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
93110160851	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 85, Zinc-Plated	Steel 10.9	M16 x 85	Zinc Bright Passivation Fe/Zn P1	16 mm	85 mm	24 mm	
93110160853SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 85, SST 200 0 4 1 1	Steel 10.9	M16 x 85	Zinc Yellow Passivation Fe/Zn P2	16 mm	85 mm	24 mm	
9311016085ALK	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 85, Plain	Steel 10.9	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
9311016090	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Plain	Steel 10.9	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
93110160901	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Zinc-Plated	Steel 10.9	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
93110160902	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Hot-							

Dip Galvan

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110160903	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Zinc Plated	Steel 10.9	M16 x 90	Zinc Yellow Passivation Fe/Zn P2	16 mm	90 mm	24 mm	
93110160903SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, SST 2004.3.1	Steel 10.9	M16 x 90	Zinc Yellow Passivation Fe/Zn P2	16 mm	90 mm	24 mm	
9311016090DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Zinc Flake-Si	Steel 10.9	M16 x 90	DELTA KL100x2/SEAL+GZ	16 mm	90 mm	24 mm	
9311016090DELSI7	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Zinc Flake-Si	Steel 10.9	M16 x 90	DELTA KL100x2/SEALx2+GZ	16 mm	90 mm	24 mm	
9311016090GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Zinc Flake-Si	Steel 10.9	M16 x 90	GEOMET 500A	16 mm	90 mm	24 mm	
9311016090TL23GE	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90/23, Zinc Flake-Si	Steel 10.9	M16 x 90/23	GEOMET 321A	16 mm	90 mm	24 mm	
9311016090ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Zinc Flake-Si	Steel 10.9	M16 x 90	ZINC FLAKE SILVER NO CR6+ 480	16 mm	90 mm	24 mm	
9311016090ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 90, Zinc-Nickel-S	Steel 10.9	M16 x 90	ZnNi8/Cn/T4	16 mm	90 mm	24 mm	
9311016095	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 95, Plain	Steel 10.9	M16 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
93110160951	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 95, Zinc Plated	Steel 10.9	M16 x 95	Zinc Bright Passivation Fe/Zn P1	16 mm	95 mm	24 mm	
9311016095P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 95, Zinc Plated	Steel 10.9	M16 x 95	ZINC FLAKES SILVER P1000	16 mm	95 mm	24 mm	
9311016095ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 95, Zinc Flake-Si	Steel 10.9	M16 x 95	ZINC FLAKE SILVER NO CR6+ 480	16 mm	95 mm	24 mm	
9311016100	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Plain	Steel 10.9	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
93110161001	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Plated	Steel 10.9	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
93110161001SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, SST 2004.3.1	Steel 10.9	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
93110161003	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Plated	Steel 10.9	M16 x 100	Zinc Yellow Passivation Fe/Zn P2	16 mm	100 mm	24 mm	
9311016100C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, EN 10204.3.1	Steel 10.9	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
9311016100DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Flake-B	Steel 10.9	M16 x 100	DELTA KL100x2/SEAL	16 mm	100 mm	24 mm	
9311016100FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Flake-S	Steel 10.9	M16 x 100	ZINC FLAKE SILVER NO CR6+ Lubric	16 mm	100 mm	24 mm	
9311016100GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Flake-S	Steel 10.9	M16 x 100	GEOMET 500A	16 mm	100 mm	24 mm	
9311016100GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Flake-S	Steel 10.9	M16 x 100	GEOMET 500A	16 mm	100 mm	24 mm	
9311016100GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Flake-S	Steel 10.9	M16 x 100	GEOMET 500B	16 mm	100 mm	24 mm	
9311016100HDG	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Hot-Dip Galv	Steel 10.9	M16 x 100	Hot Dip Galvanizing	16 mm	100 mm	24 mm	
9311016100P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc Plated	Steel 10.9	M16 x 100	ZINC FLAKES SILVER P1000	16 mm	100 mm	24 mm	
9311016100ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 100, Zinc-Nickel-S	Steel 10.9	M16 x 100	ZnNi8/Cn/T4	16 mm	100 mm	24 mm	
9311016105	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 105, Zinc-Nickel	Steel 10.9	M16 x 105	Plain (no plating)	16 mm	105 mm	24 mm	
9311016110	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Plain	Steel 10.9	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
93110161101	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Zinc Plated	Steel 10.9	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
93110161101C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, EN 10204.3.1	Steel 10.9	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
93110161103	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Zinc Plated	Steel 10.9	M16 x 110	Zinc Yellow Passivation Fe/Zn P2	16 mm	110 mm	24 mm	
9311016110DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Zinc Flake-B	Steel 10.9	M16 x 110	DELTA KL100x2/SEAL	16 mm	110 mm	24 mm	
9311016110GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Zinc Flake-S	Steel 10.9	M16 x 110	GEOMET 500B	16 mm	110 mm	24 mm	
9311016110GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Zinc Flake-S	Steel 10.9	M16 x 110	GEOMET 500B	16 mm	110 mm	24 mm	
9311016110GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Zinc Flake-S	Steel 10.9	M16 x 110	GEOMET 500A	16 mm	110 mm	24 mm	
9311016110ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 110, Zinc-Nickel-S	Steel 10.9	M16 x 110	ZnNi8/Cn/T4	16 mm	110 mm	24 mm	
9311016115	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 115, Zinc-Nickel	Steel 10.9	M16 x 115	Plain (no plating)	16 mm	115 mm	24 mm	
9311016120	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, Plain	Steel 10.9	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
93110161201	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, Zinc Plated	Steel 10.9	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
93110161201C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, EN 10204.3.1	Steel 10.9	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
93110161202C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, EN 10204.3.1	Steel 10.9	M16 x 120	Hot Dip Galvanizing	16 mm	120 mm	24 mm	
93110161203	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, Zinc Plated	Steel 10.9	M16 x 120	Zinc Yellow Passivation Fe/Zn P2	16 mm	120 mm	24 mm	
9311016120C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, EN 10204.3.1	Steel 10.9	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
9311016120FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, EN 10204.3.1	Steel 10.9	M16 x 120	ZINC FLAKE SILVER NO CR6+ 480	16 mm	120 mm	24 mm	
9311016120GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, Zinc Flake-S	Steel 10.9	M16 x 120	GEOMET 500A	16 mm	120 mm	24 mm	
9311016120GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, EN 10204.3.1	Steel 10.9	M16 x 120	GEOMET 500A	16 mm	120 mm	24 mm	
9311016120ZFBL	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, Zinc Plated	Steel 10.9	M16 x 120	GEOMET 500A	16 mm	120 mm	24 mm	

Flake, B

Steel 10.9

M16 x 120

ZINC FLAKES BLACK, TOP COAT

with

16 mm

120 mm

24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311016120ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 120, Zinc Nickel	Steel 10.9	M16 x 120	ZnNi8/Cn/T4	16 mm	120 mm	24 mm	
9311016125	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 125, Plain	Steel 10.9	M16 x 125	Plain (no plating)	16 mm	125 mm	24 mm	
9311016125C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 125, EN	Steel 10.9	M16 x 125	Plain (no plating)	16 mm	125 mm	24 mm	
9311016125ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 125, EN	Steel 10.9	M16 x 125	ZINC FLAKE SILVER NO CR6+ 480	16 mm	125 mm	24 mm	
9311016125ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 125, EN	Steel 10.9	M16 x 125	ZINC FLAKE SILVER NO CR6+ 480	16 mm	125 mm	24 mm	
9311016130	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Plain	Steel 10.9	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
93110161301	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Zinc	Steel 10.9	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
93110161301SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Zinc	Steel 10.9	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
93110161302	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Hot-Dip Galva	Steel 10.9	M16 x 130	Hot Dip Galvanizing	16 mm	130 mm	24 mm	
93110161303	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Zinc	Steel 10.9	M16 x 130	Zinc Yellow Passivation Fe/Zn P2	16 mm	130 mm	24 mm	
9311016130C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, EN	Steel 10.9	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
9311016130FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Zinc	Steel 10.9	M16 x 130	ZINC FLAKE SILVER NO CR6+ 480	16 mm	130 mm	24 mm	
9311016130GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Zinc	Steel 10.9	M16 x 130	GEOMET 500B	16 mm	130 mm	24 mm	
9311016130GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, EN	Steel 10.9	M16 x 130	GEOMET 500A	16 mm	130 mm	24 mm	
9311016130ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 130, Zinc Nickel	Steel 10.9	M16 x 130	ZnNi8/Cn/T4	16 mm	130 mm	24 mm	
9311016140	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Plain	Steel 10.9	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
93110161401	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Zinc	Steel 10.9	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
93110161401C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, EN	Steel 10.9	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
93110161403	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Zinc	Steel 10.9	M16 x 140	Zinc Yellow Passivation Fe/Zn P2	16 mm	140 mm	24 mm	
9311016140FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Zinc	Steel 10.9	M16 x 140	ZINC FLAKE SILVER NO CR6+ 480	16 mm	140 mm	24 mm	
9311016140GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Zinc	Steel 10.9	M16 x 140	GEOMET 500A	16 mm	140 mm	24 mm	
9311016140ZB	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Zinc	Steel 10.9	M16 x 140	Zinc Black Passivation Fe/Zn P4	16 mm	140 mm	24 mm	
9311016140ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Zinc	Steel 10.9	M16 x 140	ZINC FLAKE SILVER NO CR6+ 480	16 mm	140 mm	24 mm	
9311016140ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 140, Zinc Nickel	Steel 10.9	M16 x 140	ZnNi8/Cn/T4	16 mm	140 mm	24 mm	
9311016150	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 150, Plain	Steel 10.9	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
93110161501	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 150, Zinc	Steel 10.9	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
93110161502	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 150, Hot-Dip Galva	Steel 10.9	M16 x 150	Hot Dip Galvanizing	16 mm	150 mm	24 mm	
93110161503	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 150, Zinc	Steel 10.9	M16 x 150	Zinc Yellow Passivation Fe/Zn P2	16 mm	150 mm	24 mm	
9311016150BKL100	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 150, Zinc	Steel 10.9	M16 x 150	DELTA KL100x2/SEAL	16 mm	150 mm	24 mm	
9311016150GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 150, Zinc	Steel 10.9	M16 x 150	GEOMET 500A	16 mm	150 mm	24 mm	
9311016150PH	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 150, Zinc	Steel 10.9	M16 x 150	Phosphating	16 mm	150 mm	24 mm	
9311016160	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 160, Plain	Steel 10.9	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
93110161601	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 160, Zinc	Steel 10.9	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
9311016160DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 160, Zinc	Steel 10.9	M16 x 160	DELTA KL100x2/SEAL+GZ	16 mm	160 mm	24 mm	
9311016160FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 160, Zinc	Steel 10.9	M16 x 160	ZINC FLAKE SILVER NO CR6+ 480	16 mm	160 mm	24 mm	
9311016160GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 160, Zinc	Steel 10.9	M16 x 160	GEOMET 500A	16 mm	160 mm	24 mm	
9311016160ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 160, Zinc	Steel 10.9	M16 x 160	ZINC FLAKE SILVER NO CR6+ 480	16 mm	160 mm	24 mm	
9311016165	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 165, Plain	Steel 10.9	M16 x 165	Plain (no plating)	16 mm	165 mm	24 mm	
9311016170	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 170, Plain	Steel 10.9	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	
93110161701	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 170, Zinc	Steel 10.9	M16 x 170	Zinc Bright Passivation Fe/Zn P1	16 mm	170 mm	24 mm	
9311016170ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 170, Zinc	Steel 10.9	M16 x 170	ZINC FLAKE SILVER NO CR6+ 480	16 mm	170 mm	24 mm	
9311016180	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 180, Plain	Steel 10.9	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
93110161801	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 180, Zinc	Steel 10.9	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	24 mm	
93110161802	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 180, Hot-Dip Galva	Steel 10.9	M16 x 180	Hot Dip Galvanizing	16 mm	180 mm	24 mm	
9311016180ZFS_C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 180, EN	Steel 10.9	M16 x 180	ZINC FLAKE SILVER NO CR6+ 480	16 mm	180 mm	24 mm	
9311016190	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 190, H			H				

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110161901	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 190, Zinc Plated	Steel 10.9	M16 x 190	Zinc Bright Passivation Fe/Zn P1	16 mm	190 mm	24 mm	
9311016200	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 200, Plain	Steel 10.9	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
93110162001	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 200, Zinc Plated	Steel 10.9	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
9311016200GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 200, Zinc Flake S	Steel 10.9	M16 x 200	GEOMET 500A	16 mm	200 mm	24 mm	
9311016200GEO-C	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 200, EN 10204 3.1	Steel 10.9	M16 x 200	GEOMET 500A	16 mm	200 mm	24 mm	
9311016200ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 200, Zinc Flake S	Steel 10.9	M16 x 200	ZINC FLAKE SILVER NO CR6+ 480	16 mm	200 mm	24 mm	
9311016200ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 200, Zinc Nickel	Steel 10.9	M16 x 200	ZnNi8/Cn/T4	16 mm	200 mm	24 mm	
9311016210	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 210, Plain	Steel 10.9	M16 x 210	Plain (no plating)	16 mm	210 mm	24 mm	
93110162101	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 210, Zinc Plated	Steel 10.9	M16 x 210	Zinc Bright Passivation Fe/Zn P1	16 mm	210 mm	24 mm	
93110162101TL25	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 210/25, Zinc Plated	Steel 10.9	M16 x 210/25	Zinc Bright Passivation Fe/Zn P1	16 mm	210 mm	24 mm	
9311016210GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 210, Zinc Flake S	Steel 10.9	M16 x 210	GEOMET 321A	16 mm	210 mm	24 mm	
9311016220	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 220, Plain	Steel 10.9	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
93110162201	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 220, Zinc Plated	Steel 10.9	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm	24 mm	
9311016220FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 220, Zinc Flake S	Steel 10.9	M16 x 220	ZINC FLAKE SILVER NO CR6+	16 mm	220 mm	24 mm	
9311016220GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 220, Zinc Flake S	Steel 10.9	M16 x 220	GEOMET 500A	16 mm	220 mm	24 mm	
9311016220ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 220, Zinc Nickel	Steel 10.9	M16 x 220	ZnNi8/Cn/T4	16 mm	220 mm	24 mm	
9311016230	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 230, Plain	Steel 10.9	M16 x 230	Plain (no plating)	16 mm	230 mm	24 mm	
93110162301	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 230, Zinc Plated	Steel 10.9	M16 x 230	Zinc Bright Passivation Fe/Zn P1	16 mm	230 mm	24 mm	
9311016230ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 230, Zinc Flake S	Steel 10.9	M16 x 230	ZINC FLAKE SILVER NO CR6+ 480	16 mm	230 mm	24 mm	
93110162351	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 235, Zinc Plated	Steel 10.9	M16 x 235	Zinc Bright Passivation Fe/Zn P1	16 mm	235 mm	24 mm	
9311016240	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 240, Plain	Steel 10.9	M16 x 240	Plain (no plating)	16 mm	240 mm	24 mm	
9311016240ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 240, Zinc Plated	Steel 10.9	M16 x 240	ZINC FLAKE SILVER NO CR6+ 480	16 mm	240 mm	24 mm	
9311016240ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 240, Zinc Nickel	Steel 10.9	M16 x 240	Zinc-Nickel Fe/Zn-Ni	16 mm	240 mm	24 mm	
9311016250	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 250, Zinc Nickel	Steel 10.9	M16 x 250	TRANSPARENT	16 mm	250 mm	24 mm	
93110162501	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 250, Zinc Plated	Steel 10.9	M16 x 250	Plain (no plating)	16 mm	250 mm	24 mm	
9311016250ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 250, Zinc Flake S	Steel 10.9	M16 x 250	Zinc Bright Passivation Fe/Zn P1	16 mm	250 mm	24 mm	
9311016250ZNTF10	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 250, Zinc Nickel	Steel 10.9	M16 x 250	ZINC FLAKE SILVER NO CR6+ 480	16 mm	250 mm	24 mm	
9311016250ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 250, Zinc Nickel	Steel 10.9	M16 x 250	Zn-Ni SILVER 8 MICRON + FINISHED	16 mm	250 mm	24 mm	
9311016255	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 255, Plain	Steel 10.9	M16 x 255	ZnNi8/Cn/T4	16 mm	255 mm	24 mm	
9311016260	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 260, Plain	Steel 10.9	M16 x 260	Plain (no plating)	16 mm	260 mm	24 mm	
93110162601	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 260, Zinc Plated	Steel 10.9	M16 x 260	Zinc Bright Passivation Fe/Zn P1	16 mm	260 mm	24 mm	
9311016260ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 260, Zinc Nickel	Steel 10.9	M16 x 260	ZnNi8/Cn/T4	16 mm	260 mm	24 mm	
9311016270	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 270, Plain	Steel 10.9	M16 x 270	Plain (no plating)	16 mm	270 mm	24 mm	
9311016270ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 270, Zinc Nickel	Steel 10.9	M16 x 270	ZnNi8/Cn/T4	16 mm	270 mm	24 mm	
9311016280	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 280, Plain	Steel 10.9	M16 x 280	Plain (no plating)	16 mm	280 mm	24 mm	
93110162801	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 280, Zinc Plated	Steel 10.9	M16 x 280	Zinc Bright Passivation Fe/Zn P1	16 mm	280 mm	24 mm	
9311016290	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 290, Plain	Steel 10.9	M16 x 290	Plain (no plating)	16 mm	290 mm	24 mm	
9311016290ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 290, Zinc Nickel	Steel 10.9	M16 x 290	Zinc-Nickel Fe/Zn-Ni	16 mm	290 mm	24 mm	
9311016300	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 300, Plain	Steel 10.9	M16 x 300	TRANSPARENT	16 mm	300 mm	24 mm	
93110163001	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 300, Zinc Plated	Steel 10.9	M16 x 300	Plain (no plating)	16 mm	300 mm	24 mm	
9311016300GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 300, Zinc Flake S	Steel 10.9	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm	24 mm	
9311016300ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 300, Zinc Nickel	Steel 10.9	M16 x 300	GEOMET 321A	16 mm	300 mm	24 mm	
9311016320	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 320, Zinc Nickel	Steel 10.9	M16 x 320	ZnNi8/Cn/T4	16 mm	300 mm	24 mm	
9311016320ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 320, Plain	Steel 10.9	M16 x 320	Plain (no plating)	16 mm	320 mm	24 mm	
9311016330	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 330, Zinc Nickel	Steel 10.9	M16 x 320	Zinc-Nickel Fe/Zn-Ni	16 mm	320 mm	24 mm	
9311016340	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 340, Plain	Steel 10.9	M16 x 330	TRANSPARENT	16 mm	330 mm	24 mm	

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311016350	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 350, Plain	Steel 10.9	M16 x 350	Plain (no plating)	16 mm	350 mm	24 mm	
9311016360	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 360, Plain	Steel 10.9	M16 x 360	Plain (no plating)	16 mm	360 mm	24 mm	
9311016360ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 360, Zinc Flake	Steel 10.9	M16 x 360	ZnNi8/Cn/T4	16 mm	360 mm	24 mm	
9311016400	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 400, Plain	Steel 10.9	M16 x 400	Plain (no plating)	16 mm	400 mm	24 mm	
9311016420	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 420, Plain	Steel 10.9	M16 x 420	Plain (no plating)	16 mm	420 mm	24 mm	
9311016480	DIN 931 Hexagon Head Screw, Steel 10.9, M16 x 480, Plain	Steel 10.9	M16 x 480	Plain (no plating)	16 mm	480 mm	24 mm	
9311018050	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 50, Plain	Steel 10.9	M18 x 50	Plain (no plating)	18 mm	50 mm	27 mm	
9311018060	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 60, Plain	Steel 10.9	M18 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
93110180601	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 60, Zinc Plated	Steel 10.9	M18 x 60	Zinc Bright Passivation Fe/Zn P1	18 mm	60 mm	27 mm	
9311018065	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 65, Plain	Steel 10.9	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
93110180651	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 65, Zinc Plated	Steel 10.9	M18 x 65	Zinc Bright Passivation Fe/Zn P1	18 mm	65 mm	27 mm	
9311018070	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 70, Plain	Steel 10.9	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
93110180701	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 70, Zinc Plated	Steel 10.9	M18 x 70	Zinc Bright Passivation Fe/Zn P1	18 mm	70 mm	27 mm	
9311018070GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 70, Zinc Flake-Si	Steel 10.9	M18 x 70	GEOMET 500A	18 mm	70 mm	27 mm	
9311018070GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 70, EN 10204-3-1-C	Steel 10.9	M18 x 70	GEOMET 500A	18 mm	70 mm	27 mm	
9311018070ZFL	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 70, Zinc Flake-Si	Steel 10.9	M18 x 70	ZINC FLAKE SILVER NO CR6+ 480	18 mm	70 mm	27 mm	
9311018075	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 75, Plain	Steel 10.9	M18 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
9311018080	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 80, Plain	Steel 10.9	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
93110180801	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 80, Zinc Plated	Steel 10.9	M18 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	27 mm	
9311018085	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 85, Plain	Steel 10.9	M18 x 85	Plain (no plating)	18 mm	85 mm	27 mm	
9311018090	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 90, Plain	Steel 10.9	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
93110180901	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 90, Zinc Plated	Steel 10.9	M18 x 90	Zinc Bright Passivation Fe/Zn P1	18 mm	90 mm	27 mm	
9311018100	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 100, Plain	Steel 10.9	M18 x 100	Plain (no plating)	18 mm	100 mm	27 mm	
93110181001	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 100, Zinc Plated	Steel 10.9	M18 x 100	Zinc Bright Passivation Fe/Zn P1	18 mm	100 mm	27 mm	
9311018100P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 100, Plain	Steel 10.9	M18 x 100	Plain (no plating)	18 mm	100 mm	27 mm	
9311018110	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 110, Plain	Steel 10.9	M18 x 110	Plain (no plating)	18 mm	110 mm	27 mm	
93110181101	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 110, Zinc Plated	Steel 10.9	M18 x 110	Zinc Bright Passivation Fe/Zn P1	18 mm	110 mm	27 mm	
9311018120	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 120, Plain	Steel 10.9	M18 x 120	Plain (no plating)	18 mm	120 mm	27 mm	
93110181201	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 120, Zinc Plated	Steel 10.9	M18 x 120	Zinc Bright Passivation Fe/Zn P1	18 mm	120 mm	27 mm	
9311018130	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 130, Plain	Steel 10.9	M18 x 130	Plain (no plating)	18 mm	130 mm	27 mm	
9311018140	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 140, Plain	Steel 10.9	M18 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
93110181401	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 140, Zinc Plated	Steel 10.9	M18 x 140	Zinc Bright Passivation Fe/Zn P1	18 mm	140 mm	27 mm	
9311018140GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 140, Zinc Flake-S	Steel 10.9	M18 x 140	GEOMET 321A	18 mm	140 mm	27 mm	
9311018150	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 150, Plain	Steel 10.9	M18 x 150	Plain (no plating)	18 mm	150 mm	27 mm	
93110181501	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 150, Zinc Plated	Steel 10.9	M18 x 150	Zinc Bright Passivation Fe/Zn P1	18 mm	150 mm	27 mm	
9311018160	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 160, Plain	Steel 10.9	M18 x 160	Plain (no plating)	18 mm	160 mm	27 mm	
93110181601	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 160, Zinc Plated	Steel 10.9	M18 x 160	Zinc Bright Passivation Fe/Zn P1	18 mm	160 mm	27 mm	
9311018170	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 170, Plain	Steel 10.9	M18 x 170	Plain (no plating)	18 mm	170 mm	27 mm	
93110181701	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 170, Zinc Plated	Steel 10.9	M18 x 170	Zinc Bright Passivation Fe/Zn P1	18 mm	170 mm	27 mm	
9311018180	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 180, Plain	Steel 10.9	M18 x 180	Plain (no plating)	18 mm	180 mm	27 mm	
9311018190	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 190, Plain	Steel 10.9	M18 x 190	Plain (no plating)	18 mm	190 mm	27 mm	
93110181901	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 190, Zinc Plated	Steel 10.9	M18 x 190	Zinc Bright Passivation Fe/Zn P1	18 mm	190 mm	27 mm	
9311018200	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 200, Plain	Steel 10.9	M18 x 200	Plain (no plating)	18 mm	200 mm	27 mm	
9311018200GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 200, Zinc Flake-S	Steel 10.9	M18 x 200	GEOMET 500B	18 mm	200 mm	27 mm	
9311018220	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 220, Plain	Steel 10.9	M18 x 220	Plain (no plating)	18 mm	220 mm	27 mm	
93110182201	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 220, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311018260	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 260, Plain	Steel 10.9	M18 x 260	Plain (no plating)	18 mm	260 mm	27 mm	
93110182601	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 260, Zinc Plated	Steel 10.9	M18 x 260	Zinc Bright Passivation Fe/Zn P1	18 mm	260 mm	27 mm	
9311018280	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 280, Plain	Steel 10.9	M18 x 280	Plain (no plating)	18 mm	280 mm	27 mm	
9311018300C	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 300, EN 10204 3.1	Steel 10.9	M18 x 300	Plain (no plating)	18 mm	300 mm	27 mm	
9311018300GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 300, EN 10204 3.1	Steel 10.9	M18 x 300	GEOMET 500A	18 mm	300 mm	27 mm	
9311018320	DIN 931 Hexagon Head Screw, Steel 10.9, M18 x 320, Plain	Steel 10.9	M18 x 320	Plain (no plating)	18 mm	320 mm	27 mm	
9311020040	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 40, Plain	Steel 10.9	M20 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
93110200501	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 50, Zinc Plated	Steel 10.9	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	30 mm	
9311020055	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 55, Plain	Steel 10.9	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
93110200551	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 55, Zinc Plated	Steel 10.9	M20 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	30 mm	
931102005519	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 55, Zinc Plated	Steel 10.9	M20 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	30 mm	
93110200552	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 55, Hot-Dip Galvanizing	Steel 10.9	M20 x 55	Hot Dip Galvanizing	20 mm	55 mm	30 mm	
9311020060	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 60, Plain	Steel 10.9	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
93110200601	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 60, Zinc Plated	Steel 10.9	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
93110200602C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 60, EN 10204 3.1	Steel 10.9	M20 x 60	Hot Dip Galvanizing	20 mm	60 mm	30 mm	
9311020060GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 60, Geoblack-Zinc	Steel 10.9	M20 x 60	GEOBLACK 500M	20 mm	60 mm	30 mm	
9311020060LT31	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 60, Plain	Steel 10.9	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
9311020065	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 65, Plain	Steel 10.9	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
93110200651	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 65, Zinc Plated	Steel 10.9	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
93110200651SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 65, SST 86-ho-zinc	Steel 10.9	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
93110200652	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 65, Hot-Dip Galvanizing	Steel 10.9	M20 x 65	Hot Dip Galvanizing	20 mm	65 mm	30 mm	
9311020065FLZN4	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 65, Zinc Plated	Steel 10.9	M20 x 65	ZINC FLAKE SILVER NO CR6+ 480	20 mm	65 mm	30 mm	
9311020065GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 65, Zinc Plated	Steel 10.9	M20 x 65	GEOMET 500B	20 mm	65 mm	30 mm	
9311020070	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Plain	Steel 10.9	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
93110200701	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Zinc Plated	Steel 10.9	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
93110200702	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Hot-Dip Galvanizing	Steel 10.9	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
93110200702C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, EN 10204 3.1	Steel 10.9	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
9311020070DEL	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Zinc Plated	Steel 10.9	M20 x 70	DELTA KL100x2/SEAL+GZ	20 mm	70 mm	30 mm	
9311020070DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Zinc Plated	Steel 10.9	M20 x 70	DELTA KL100x2/SEAL	20 mm	70 mm	30 mm	
9311020070GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Zinc Plated	Steel 10.9	M20 x 70	BLACK-2-4GZ	20 mm	70 mm	30 mm	
9311020070GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Zinc Plated	Steel 10.9	M20 x 70	GEOMET 500A	20 mm	70 mm	30 mm	
9311020070GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Zinc Plated	Steel 10.9	M20 x 70	GEOMET 500B	20 mm	70 mm	30 mm	
9311020070ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 70, Zinc-Nickel	Steel 10.9	M20 x 70	ZnNi8/Cn/T4	20 mm	70 mm	30 mm	
9311020075	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 75, Plain	Steel 10.9	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
93110200751	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 75, Zinc Plated	Steel 10.9	M20 x 75	Zinc Bright Passivation Fe/Zn P1	20 mm	75 mm	30 mm	
9311020075FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 75, Zinc Plated	Steel 10.9	M20 x 75	ZINC FLAKE SILVER NO CR6+	20 mm	75 mm	30 mm	
9311020075GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 75, Zinc Plated	Steel 10.9	M20 x 75	GEOMET 500A	20 mm	75 mm	30 mm	
9311020080	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Plain	Steel 10.9	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
93110200801	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Zinc Plated	Steel 10.9	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
93110200801SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, SST 86-ho-zinc	Steel 10.9	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
93110200802	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Hot-Dip Galvanizing	Steel 10.9	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm	30 mm	
93110200802C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, EN 10204 3.1	Steel 10.9	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm	30 mm	
93110200803	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Zinc Plated	Steel 10.9	M20 x 80	Zinc Yellow Passivation Fe/Zn P2	20 mm	80 mm	30 mm	
9311020080FS	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Zinc Phosphate	Steel 10.9	M20 x 80	Phosphating	20 mm	80 mm	30 mm	
9311020080GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Zinc Plated	Steel 10.9	M20 x 80	GEOMET 500B	20 mm	80 mm	30 mm	
9311020080GEOC	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, EN							

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311020080ZFSBL	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Zinc Plated	Steel 10.9	M20 x 80	ZINC FLAKES BLACK, TOP COAT with	20 mm	80 mm	30 mm	
9311020080ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 80, Zinc-Nickel-S	Steel 10.9	M20 x 80	ZnNi8/Cn/T4	20 mm	80 mm	30 mm	
9311020085	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 85, Plain	Steel 10.9	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
93110200851	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 85, Zinc Plated	Steel 10.9	M20 x 85	Zinc Bright Passivation Fe/Zn P1	20 mm	85 mm	30 mm	
93110200851TL37	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 85/37, Zinc Plated	Steel 10.9	M20 x 85/37	Zinc Bright Passivation Fe/Zn P1	20 mm	85 mm	30 mm	
93110200852C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 85, EN 10204-3-1 C	Steel 10.9	M20 x 85	Hot Dip Galvanizing	20 mm	85 mm	30 mm	
93110200853SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 85, SST 200 B-Zin	Steel 10.9	M20 x 85	Zinc Yellow Passivation Fe/Zn P2	20 mm	85 mm	30 mm	
9311020085GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 85, Zinc Flake-Si	Steel 10.9	M20 x 85	GEOMET 321A	20 mm	85 mm	30 mm	
9311020090	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Plain	Steel 10.9	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
93110200901	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Zinc Plated	Steel 10.9	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
93110200902	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Hot-Dip Galvan	Steel 10.9	M20 x 90	Hot Dip Galvanizing	20 mm	90 mm	30 mm	
93110200902C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, EN 10204-3-1 C	Steel 10.9	M20 x 90	Hot Dip Galvanizing	20 mm	90 mm	30 mm	
93110200903	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Zinc Plated-Y	Steel 10.9	M20 x 90	Zinc Yellow Passivation Fe/Zn P2	20 mm	90 mm	30 mm	
9311020090C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, EN 10204-3-1 C	Steel 10.9	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
9311020090DRI	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Brised Plain	Steel 10.9	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
9311020090FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Zinc Plated	Steel 10.9	M20 x 90	ZINC FLAKE SILVER NO CR6+	20 mm	90 mm	30 mm	
9311020090GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Zinc Flake-Si	Steel 10.9	M20 x 90	GEOMET 500A	20 mm	90 mm	30 mm	
9311020090GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Zinc Flake-Si	Steel 10.9	M20 x 90	GEOMET 321A	20 mm	90 mm	30 mm	
9311020090GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Zinc Flake-Si	Steel 10.9	M20 x 90	GEOMET 500B	20 mm	90 mm	30 mm	
9311020090GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, EN 10204-3-1 C	Steel 10.9	M20 x 90	GEOMET 500A	20 mm	90 mm	30 mm	
9311020090I	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Plain	Steel 10.9	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
9311020090ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 90, Zinc-Nickel-S	Steel 10.9	M20 x 90	ZnNi8/Cn/T4	20 mm	90 mm	30 mm	
9311020094	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 94, Plain	Steel 10.9	M20 x 94	Plain (no plating)	20 mm	94 mm	30 mm	
9311020095	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 95, Plain	Steel 10.9	M20 x 95	Plain (no plating)	20 mm	95 mm	30 mm	
93110200952	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 95, Hot-Dip Galvan	Steel 10.9	M20 x 95	Hot Dip Galvanizing	20 mm	95 mm	30 mm	
9311020100	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Plain	Steel 10.9	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
93110201001	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Plated	Steel 10.9	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
93110201002	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Hot-Dip Galva	Steel 10.9	M20 x 100	Hot Dip Galvanizing	20 mm	100 mm	30 mm	
93110201003	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Plated	Steel 10.9	M20 x 100	Zinc Yellow Passivation Fe/Zn P2	20 mm	100 mm	30 mm	
9311020100DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Flake-S	Steel 10.9	M20 x 100	DELTA KL100x2/SEAL	20 mm	100 mm	30 mm	
9311020100FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Flake-S	Steel 10.9	M20 x 100	ZINC FLAKE SILVER NO CR6+ 480 H	20 mm	100 mm	30 mm	
9311020100FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Flake-S	Steel 10.9	M20 x 100	ZINC FLAKE SILVER NO CR6+ 480 H	20 mm	100 mm	30 mm	
9311020100FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Phosphat	Steel 10.9	M20 x 100	Phosphating	20 mm	100 mm	30 mm	
9311020100GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Flake-S	Steel 10.9	M20 x 100	GEOMET 500A	20 mm	100 mm	30 mm	
9311020100GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Flake-S	Steel 10.9	M20 x 100	GEOMET 500B	20 mm	100 mm	30 mm	
9311020100GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc Flake-S	Steel 10.9	M20 x 100	GEOMET 500A	20 mm	100 mm	30 mm	
9311020100ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 100, Zinc-Nickel	Steel 10.9	M20 x 100	ZnNi8/Cn/T4	20 mm	100 mm	30 mm	
9311020105	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 105, Plain	Steel 10.9	M20 x 105	Plain (no plating)	20 mm	105 mm	30 mm	
93110201052C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 105, EN 10204-3-1	Steel 10.9	M20 x 105	Hot Dip Galvanizing	20 mm	105 mm	30 mm	
9311020110	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Plain	Steel 10.9	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
93110201101	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Zinc Plated	Steel 10.9	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	30 mm	
93110201101C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, EN 10204-3-1	Steel 10.9	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	30 mm	
93110201102	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Hot-Dip Galva	Steel 10.9	M20 x 110	Hot Dip Galvanizing	20 mm	110 mm	30 mm	
9311020110C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, EN 10204-3-1	Steel 10.9	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
9311020110DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Zinc Flake-S	Steel 10.9	M20 x 110	DELTA KL100x2/SEAL+GZ	20 mm	110 mm	30 mm	
9311020110FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Zinc							

Flake, S

Steel 10.9

M20 x 110

ZINC FLAKE SILVER NO CR6+

Lubric

20 mm

110 mm

30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311020110GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Zinc Flake-S	Steel 10.9	M20 x 110	GEOMET 500A	20 mm	110 mm	30 mm	
9311020110GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Zinc Flake-S	Steel 10.9	M20 x 110	GEOMET 321A	20 mm	110 mm	30 mm	
9311020110GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Zinc Flake-S	Steel 10.9	M20 x 110	GEOMET 500B	20 mm	110 mm	30 mm	
9311020110ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 110, Zinc-Nickel	Steel 10.9	M20 x 110	ZnNi8/Cn/T4	20 mm	110 mm	30 mm	
93110201152C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 115, EN 10204 3 1	Steel 10.9	M20 x 115	Hot Dip Galvanizing	20 mm	115 mm	30 mm	
9311020120	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Plain	Steel 10.9	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
93110201201	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Zinc Plated	Steel 10.9	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
93110201201SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, SST 200 h, Zi	Steel 10.9	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
93110201202	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Hot-Dip Galva	Steel 10.9	M20 x 120	Hot Dip Galvanizing	20 mm	120 mm	30 mm	
9311020120C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, EN 10204 3 1	Steel 10.9	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
9311020120D	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Zinc Flake-S	Steel 10.9	M20 x 120	DELTA KL100x2/SEAL+GZ	20 mm	120 mm	30 mm	
9311020120GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Zinc Flake-S	Steel 10.9	M20 x 120	GEOMET 500A	20 mm	120 mm	30 mm	
9311020120GEO3V	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Zinc Flake-S	Steel 10.9	M20 x 120	GEOMET 321A	20 mm	120 mm	30 mm	
9311020120GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Zinc Flake-S	Steel 10.9	M20 x 120	GEOMET 500A	20 mm	120 mm	30 mm	
9311020120GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Zinc Flake-S	Steel 10.9	M20 x 120	GEOMET 500B	20 mm	120 mm	30 mm	
9311020120ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 120, Zinc-Nickel	Steel 10.9	M20 x 120	ZnNi8/Cn/T4	20 mm	120 mm	30 mm	
9311020122	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 122, Plain	Steel 10.9	M20 x 122	Plain (no plating)	20 mm	122 mm	30 mm	
93110201253SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 125, SST 200 h, Zi	Steel 10.9	M20 x 125	Zinc Yellow Passivation Fe/Zn P2	20 mm	125 mm	30 mm	
9311020130	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 130, Plain	Steel 10.9	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
93110201301	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 130, Zinc Plated	Steel 10.9	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
93110201302	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 130, Hot-Dip Galva	Steel 10.9	M20 x 130	Hot Dip Galvanizing	20 mm	130 mm	30 mm	
93110201303	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 130, Zinc Plated	Steel 10.9	M20 x 130	Zinc Yellow Passivation Fe/Zn P2	20 mm	130 mm	30 mm	
93110201303SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 130, SST 200 h, Zi	Steel 10.9	M20 x 130	Zinc Yellow Passivation Fe/Zn P2	20 mm	130 mm	30 mm	
9311020130GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 130, Zinc Flake-S	Steel 10.9	M20 x 130	GEOMET 500B	20 mm	130 mm	30 mm	
9311020130GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 130, Zinc Flake-S	Steel 10.9	M20 x 130	GEOMET 500A	20 mm	130 mm	30 mm	
9311020135GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 135, Zinc Flake-S	Steel 10.9	M20 x 135	GEOMET 500B	20 mm	135 mm	30 mm	
9311020140	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Plain	Steel 10.9	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
93110201401	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Zinc Plated	Steel 10.9	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
93110201401SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, SST 09	Steel 10.9	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
93110201402	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Hot-Dip Galva	Steel 10.9	M20 x 140	Hot Dip Galvanizing	20 mm	140 mm	30 mm	
93110201402C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, EN 10204 3 1	Steel 10.9	M20 x 140	Hot Dip Galvanizing	20 mm	140 mm	30 mm	
9311020140GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Zinc Flake-S	Steel 10.9	M20 x 140	GEOMET 321A	20 mm	140 mm	30 mm	
9311020140GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Zinc Flake-S	Steel 10.9	M20 x 140	GEOMET 500A	20 mm	140 mm	30 mm	
9311020140GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Zinc Flake-S	Steel 10.9	M20 x 140	GEOMET 500B	20 mm	140 mm	30 mm	
9311020140GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Zinc Flake-S	Steel 10.9	M20 x 140	GEOMET 500B	20 mm	140 mm	30 mm	
9311020140ZBNF10	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Zinc-Nickel	Steel 10.9	M20 x 140	Zn-Ni BLACK + FINIGARD 105	20 mm	140 mm	30 mm	
9311020140ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 140, Zinc-Nickel	Steel 10.9	M20 x 140	ZnNi8/Cn/T4	20 mm	140 mm	30 mm	
9311020145GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 145, Zinc Flake-S	Steel 10.9	M20 x 145	GEOMET 500B	20 mm	145 mm	30 mm	
9311020150	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, Plain	Steel 10.9	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
93110201501	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, Zinc Plated	Steel 10.9	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	30 mm	
93110201501SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, SST 200 h, Zi	Steel 10.9	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	30 mm	
93110201502	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, Hot-Dip Galva	Steel 10.9	M20 x 150	Hot Dip Galvanizing	20 mm	150 mm	30 mm	
93110201503	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, Zinc Plated	Steel 10.9	M20 x 150	Zinc Yellow Passivation Fe/Zn P2	20 mm	150 mm	30 mm	
9311020150FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, Zinc Phosphat	Steel 10.9	M20 x 150	Phosphating	20 mm	150 mm	30 mm	
9311020150GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, Zinc Flake-S	Steel 10.9	M20 x 150	GEOMET 321A	20 mm	150 mm	30 mm	
9311020150GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 150, Zinc							

Flake, S

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311020160	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, Plain	Steel 10.9	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
93110201601	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, Zinc Plated	Steel 10.9	M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	30 mm	
93110201602	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, Hot-Dip Galvanized	Steel 10.9	M20 x 160	Hot Dip Galvanizing	20 mm	160 mm	30 mm	
93110201602C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, EN 10204-3-1	Steel 10.9	M20 x 160	Hot Dip Galvanizing	20 mm	160 mm	30 mm	
9311020160FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, Zinc Flake-S	Steel 10.9	M20 x 160	ZINC FLAKE SILVER NO CR6+ 480	20 mm	160 mm	30 mm	
9311020160FS	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, Zinc Phosphat	Steel 10.9	M20 x 160	Phosphating	20 mm	160 mm	30 mm	
9311020160FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, Zinc Phosphat	Steel 10.9	M20 x 160	Phosphating	20 mm	160 mm	30 mm	
9311020160ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 160, Zinc Nickel	Steel 10.9	M20 x 160	ZnNi8/Cn/T4	20 mm	160 mm	30 mm	
9311020170	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 170, Plain	Steel 10.9	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
93110201701	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 170, Zinc Plated	Steel 10.9	M20 x 170	Zinc Bright Passivation Fe/Zn P1	20 mm	170 mm	30 mm	
93110201703	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 170, Zinc Plated	Steel 10.9	M20 x 170	Zinc Yellow Passivation Fe/Zn P2	20 mm	170 mm	30 mm	
9311020170GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 170, Zinc Flake-S	Steel 10.9	M20 x 170	GEOMET 500A	20 mm	170 mm	30 mm	
9311020170GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 170, Zinc Flake-S	Steel 10.9	M20 x 170	GEOMET 500B	20 mm	170 mm	30 mm	
9311020180	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Plain	Steel 10.9	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
93110201801	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Zinc Plated	Steel 10.9	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	30 mm	
93110201802C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, EN 10204-3-1	Steel 10.9	M20 x 180	Hot Dip Galvanizing	20 mm	180 mm	30 mm	
9311020180C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, EN 10204-3-1	Steel 10.9	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
9311020180DEL	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Zinc Flake-S	Steel 10.9	M20 x 180	DELTA KL100x2/SEAL+GZ	20 mm	180 mm	30 mm	
9311020180FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Zinc Flake-S	Steel 10.9	M20 x 180	ZINC FLAKE SILVER NO CR6+ 480	20 mm	180 mm	30 mm	
9311020180GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Zinc Flake-S	Steel 10.9	M20 x 180	GEOMET 321A	20 mm	180 mm	30 mm	
9311020180GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Zinc Flake-S	Steel 10.9	M20 x 180	GEOMET 500B	20 mm	180 mm	30 mm	
9311020180GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Zinc Flake-S	Steel 10.9	M20 x 180	GEOMET 500A	20 mm	180 mm	30 mm	
9311020180GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, EN 10204-3-1	Steel 10.9	M20 x 180	GEOMET 500A	20 mm	180 mm	30 mm	
9311020180ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 180, Zinc Nickel	Steel 10.9	M20 x 180	ZnNi8/Cn/T4	20 mm	180 mm	30 mm	
9311020190	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 190, Plain	Steel 10.9	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
93110201901	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 190, Zinc Plated	Steel 10.9	M20 x 190	Zinc Bright Passivation Fe/Zn P1	20 mm	190 mm	30 mm	
9311020190GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 190, Zinc Plated	Steel 10.9	M20 x 190	GEOMET 500A	20 mm	190 mm	30 mm	
9311020200	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 200, Plain	Steel 10.9	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
93110202001	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 200, Zinc Plated	Steel 10.9	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	30 mm	
9311020200FLZNL4	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 200, Zinc Plated	Steel 10.9	M20 x 200	ZINC FLAKE SILVER NO CR6+ 480	20 mm	200 mm	30 mm	
9311020200GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 200, Zinc Flake-S	Steel 10.9	M20 x 200	GEOMET 321A	20 mm	200 mm	30 mm	
9311020200GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 200, Zinc Flake-S	Steel 10.9	M20 x 200	GEOMET 500B	20 mm	200 mm	30 mm	
9311020200ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 200, Zinc Nickel	Steel 10.9	M20 x 200	ZnNi8/Cn/T4	20 mm	200 mm	30 mm	
9311020210	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 210, Plain	Steel 10.9	M20 x 210	Plain (no plating)	20 mm	210 mm	30 mm	
9311020210FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 210, EN 10204-3-1	Steel 10.9	M20 x 210	ZINC FLAKE SILVER NO CR6+ 480	20 mm	210 mm	30 mm	
9311020220	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 220, Plain	Steel 10.9	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
93110202201	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 220, Zinc Plated	Steel 10.9	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm	30 mm	
9311020220GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 220, Zinc Plated	Steel 10.9	M20 x 220	GEOMET 500B	20 mm	220 mm	30 mm	
9311020220P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 220, Plain	Steel 10.9	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
9311020230	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 230, Plain	Steel 10.9	M20 x 230	Plain (no plating)	20 mm	230 mm	30 mm	
93110202301	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 230, Zinc Plated	Steel 10.9	M20 x 230	Zinc Bright Passivation Fe/Zn P1	20 mm	230 mm	30 mm	
9311020235	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 235, Plain	Steel 10.9	M20 x 235	Plain (no plating)	20 mm	235 mm	30 mm	
9311020240	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 240, Plain	Steel 10.9	M20 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
93110202401	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 240, Zinc Plated	Steel 10.9	M20 x 240	Zinc Bright Passivation Fe/Zn P1	20 mm	240 mm	30 mm	
93110202402	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 240, Hot-Dip Galva	Steel 10.9	M20 x 240	Hot Dip Galvanizing	20 mm	240 mm	30 mm	
9311020240ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 240, Zinc Nickel							

Zinc-Nickel,

Steel 10.9

M20 x 240

ZnNi8/Cn/T4

20 mm

240 mm

30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311020250	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 250, Plain	Steel 10.9	M20 x 250	Plain (no plating)	20 mm	250 mm	30 mm	
9311020260	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 260, Plain	Steel 10.9	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
93110202601	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 260, Zinc	Steel 10.9	M20 x 260	Zinc Bright Passivation Fe/Zn P1	20 mm	260 mm	30 mm	
9311020260GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 260, Zinc	Steel 10.9	M20 x 260	GEOMET 500B	20 mm	260 mm	30 mm	
9311020260ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 260, Zinc	Steel 10.9	M20 x 260	ZnNi8/Cn/T4	20 mm	260 mm	30 mm	
9311020270	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 270, Plain	Steel 10.9	M20 x 270	Plain (no plating)	20 mm	270 mm	30 mm	
93110202701	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 270, Zinc	Steel 10.9	M20 x 270	Zinc Bright Passivation Fe/Zn P1	20 mm	270 mm	30 mm	
9311020280	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 280, Plain	Steel 10.9	M20 x 280	Plain (no plating)	20 mm	280 mm	30 mm	
93110202901	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 290, Zinc	Steel 10.9	M20 x 290	Zinc Bright Passivation Fe/Zn P1	20 mm	290 mm	30 mm	
9311020290ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 290, Zinc	Steel 10.9	M20 x 290	ZINC FLAKE SILVER NO CR6+ 480	20 mm	290 mm	30 mm	
9311020300	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 300, Plain	Steel 10.9	M20 x 300	Plain (no plating)	20 mm	300 mm	30 mm	
93110203001	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 300, Zinc	Steel 10.9	M20 x 300	Zinc Bright Passivation Fe/Zn P1	20 mm	300 mm	30 mm	
9311020300GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 300, Zinc	Steel 10.9	M20 x 300	GEOMET 500A	20 mm	300 mm	30 mm	
9311020300ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 300, Zinc	Steel 10.9	M20 x 300	ZnNi8/Cn/T4	20 mm	300 mm	30 mm	
9311020310	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 310, Plain	Steel 10.9	M20 x 310	Plain (no plating)	20 mm	310 mm	30 mm	
9311020320	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 320, Plain	Steel 10.9	M20 x 320	Plain (no plating)	20 mm	320 mm	30 mm	
93110203201	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 320, Zinc	Steel 10.9	M20 x 320	Zinc Bright Passivation Fe/Zn P1	20 mm	320 mm	30 mm	
9311020320GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 320, Zinc	Steel 10.9	M20 x 320	GEOMET 500A	20 mm	320 mm	30 mm	
9311020320ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 320, Zinc	Steel 10.9	M20 x 320	Zinc-Nickel Fe/Zn-Ni	20 mm	320 mm	30 mm	
9311020330C	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 330, EN	Steel 10.9	M20 x 330	Plain (no plating)	20 mm	330 mm	30 mm	
9311020330GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 330, EN	Steel 10.9	M20 x 330	GEOMET 500A	20 mm	330 mm	30 mm	
9311020340	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 340, Plain	Steel 10.9	M20 x 340	Plain (no plating)	20 mm	340 mm	30 mm	
93110203401	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 340, Zinc	Steel 10.9	M20 x 340	Zinc Bright Passivation Fe/Zn P1	20 mm	340 mm	30 mm	
9311020350	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 350, Plain	Steel 10.9	M20 x 350	Plain (no plating)	20 mm	350 mm	30 mm	
9311020360	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 360, Plain	Steel 10.9	M20 x 360	Plain (no plating)	20 mm	360 mm	30 mm	
93110203601	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 360, Zinc	Steel 10.9	M20 x 360	Zinc Bright Passivation Fe/Zn P1	20 mm	360 mm	30 mm	
9311020360GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 360, Zinc	Steel 10.9	M20 x 360	GEOMET 500A	20 mm	360 mm	30 mm	
9311020360ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 360, Zinc	Steel 10.9	M20 x 360	Zinc-Nickel Fe/Zn-Ni	20 mm	360 mm	30 mm	
9311020380	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 380, Plain	Steel 10.9	M20 x 380	Plain (no plating)	20 mm	380 mm	30 mm	
9311020400	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 400, Plain	Steel 10.9	M20 x 400	Plain (no plating)	20 mm	400 mm	30 mm	
93110204001	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 400, Zinc	Steel 10.9	M20 x 400	Zinc Bright Passivation Fe/Zn P1	20 mm	400 mm	30 mm	
9311020410	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 410, Plain	Steel 10.9	M20 x 410	Plain (no plating)	20 mm	410 mm	30 mm	
9311020420	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 420, Plain	Steel 10.9	M20 x 420	Plain (no plating)	20 mm	420 mm	30 mm	
93110204201	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 420, Zinc	Steel 10.9	M20 x 420	Zinc Bright Passivation Fe/Zn P1	20 mm	420 mm	30 mm	
9311020450TL150	DIN 931 Hexagon Head Screw, Steel 10.9, M20 x 450/150, Plain	Steel 10.9	M20 x 450/150	Plain (no plating)	20 mm	450 mm	30 mm	
931102206019	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 60, Zinc	Steel 10.9	M22 x 60	Zinc Bright Passivation Fe/Zn P1	22 mm	60 mm	32 mm	
9311022065	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 65, Plain	Steel 10.9	M22 x 65	Plain (no plating)	22 mm	65 mm	32 mm	
93110220653	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 65, Zinc	Steel 10.9	M22 x 65	Zinc Yellow Passivation Fe/Zn P2	22 mm	65 mm	32 mm	
9311022070	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 70, Plain	Steel 10.9	M22 x 70	Plain (no plating)	22 mm	70 mm	32 mm	
93110220701	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 70, Zinc	Steel 10.9	M22 x 70	Zinc Bright Passivation Fe/Zn P1	22 mm	70 mm	32 mm	
9311022080	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 80, Plain	Steel 10.9	M22 x 80	Plain (no plating)	22 mm	80 mm	32 mm	
93110220801	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 80, Zinc	Steel 10.9	M22 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	32 mm	
9311022090	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 90, Plain	Steel 10.9	M22 x 90	Plain (no plating)	22 mm	90 mm	32 mm	
93110220901	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 90, Zinc	Steel 10.9	M22 x 90	Zinc Bright Passivation Fe/Zn P1	22 mm	90 mm	32 mm	
9311022090C	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 90, EN	Steel 10.9	M22 x 90	Plain (no plating)	22 mm	90 mm	32 mm	
9311022090GEO5A	10204 3.1 C							

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311022100	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 100, Plain	Steel 10.9	M22 x 100	Plain (no plating)	22 mm	100 mm	32 mm	
93110221001	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 100, Zinc Plated	Steel 10.9	M22 x 100	Zinc Bright Passivation Fe/Zn P1	22 mm	100 mm	32 mm	
931102210019	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 100, Zinc Plated	Steel 10.9	M22 x 100	Zinc Bright Passivation Fe/Zn P1	22 mm	100 mm	32 mm	
9311022110	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 110, Plain	Steel 10.9	M22 x 110	Plain (no plating)	22 mm	110 mm	32 mm	
93110221101	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 110, Zinc Plated	Steel 10.9	M22 x 110	Zinc Bright Passivation Fe/Zn P1	22 mm	110 mm	32 mm	
93110221107	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 110, Black Oxide	Steel 10.9	M22 x 110	Oxide (black or brown)	22 mm	110 mm	32 mm	
9311022120	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 120, Plain	Steel 10.9	M22 x 120	Plain (no plating)	22 mm	120 mm	32 mm	
93110221201	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 120, Zinc Plated	Steel 10.9	M22 x 120	Zinc Bright Passivation Fe/Zn P1	22 mm	120 mm	32 mm	
9311022130	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 130, Plain	Steel 10.9	M22 x 130	Plain (no plating)	22 mm	130 mm	32 mm	
93110221301	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 130, Zinc Plated	Steel 10.9	M22 x 130	Zinc Bright Passivation Fe/Zn P1	22 mm	130 mm	32 mm	
93110221302	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 130, EN 10204 3 1	Steel 10.9	M22 x 130	Hot Dip Galvanizing	22 mm	130 mm	32 mm	
93110221303	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 130, Zinc Plated	Steel 10.9	M22 x 130	Zinc Yellow Passivation Fe/Zn P2	22 mm	130 mm	32 mm	
93110221307	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 130, Black Oxide	Steel 10.9	M22 x 130	Oxide (black or brown)	22 mm	130 mm	32 mm	
9311022140	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 140, Plain	Steel 10.9	M22 x 140	Plain (no plating)	22 mm	140 mm	32 mm	
9311022150	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 150, Plain	Steel 10.9	M22 x 150	Plain (no plating)	22 mm	150 mm	32 mm	
93110221501	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 150, Zinc Plated	Steel 10.9	M22 x 150	Zinc Bright Passivation Fe/Zn P1	22 mm	150 mm	32 mm	
93110221551	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 155, Zinc Plated	Steel 10.9	M22 x 155	Zinc Bright Passivation Fe/Zn P1	22 mm	155 mm	32 mm	
9311022160	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 160, Plain	Steel 10.9	M22 x 160	Plain (no plating)	22 mm	160 mm	32 mm	
9311022160DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 160, Zinc Flake-S	Steel 10.9	M22 x 160	DELTA KL100x2/SEAL+GZ	22 mm	160 mm	32 mm	
9311022170	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 170, Plain	Steel 10.9	M22 x 170	Plain (no plating)	22 mm	170 mm	32 mm	
9311022180	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 180, Plain	Steel 10.9	M22 x 180	Plain (no plating)	22 mm	180 mm	32 mm	
9311022200	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 200, Plain	Steel 10.9	M22 x 200	Plain (no plating)	22 mm	200 mm	32 mm	
9311022220	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 220, Plain	Steel 10.9	M22 x 220	Plain (no plating)	22 mm	220 mm	32 mm	
9311022240	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 240, Plain	Steel 10.9	M22 x 240	Plain (no plating)	22 mm	240 mm	32 mm	
9311022280	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 280, Plain	Steel 10.9	M22 x 280	Plain (no plating)	22 mm	280 mm	32 mm	
9311022290	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 290, Plain	Steel 10.9	M22 x 290	Plain (no plating)	22 mm	290 mm	32 mm	
9311022300	DIN 931 Hexagon Head Screw, Steel 10.9, M22 x 300, Plain	Steel 10.9	M22 x 300	Plain (no plating)	22 mm	300 mm	32 mm	
9311024060	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 60, Plain	Steel 10.9	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
9311024065	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 65, Plain	Steel 10.9	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
9311024070	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 70, Plain	Steel 10.9	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
93110240701	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 70, Zinc Plated	Steel 10.9	M24 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	36 mm	
93110240702	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 70, Hot-Dip Galvan	Steel 10.9	M24 x 70	Hot Dip Galvanizing	24 mm	70 mm	36 mm	
9311024075	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 75, Plain	Steel 10.9	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
93110240751	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 75, Zinc Plated	Steel 10.9	M24 x 75	Zinc Bright Passivation Fe/Zn P1	24 mm	75 mm	36 mm	
9311024080	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 80, Plain	Steel 10.9	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
93110240801	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 80, Zinc Plated	Steel 10.9	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
93110240802	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 80, Hot-Dip Galvan	Steel 10.9	M24 x 80	Hot Dip Galvanizing	24 mm	80 mm	36 mm	
9311024080DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 80, Zinc Flake-Si	Steel 10.9	M24 x 80	DELTA KL100x2/SEAL+GZ	24 mm	80 mm	36 mm	
9311024080FLZNL	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 80, Zinc Flake-Si	Steel 10.9	M24 x 80	ZINC FLAKE SILVER NO CR6+ 480	24 mm	80 mm	36 mm	
9311024080GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 80, Zinc Flake-Si	Steel 10.9	M24 x 80	GEOMET 500A	24 mm	80 mm	36 mm	
9311024080GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 80, Zinc Flake-Si	Steel 10.9	M24 x 80	GEOMET 500B	24 mm	80 mm	36 mm	
9311024085	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 85, Plain	Steel 10.9	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
93110240851	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 85, Zinc Plated	Steel 10.9	M24 x 85	Zinc Bright Passivation Fe/Zn P1	24 mm	85 mm	36 mm	
9311024090	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, Plain	Steel 10.9	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
93110240901	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, Zinc Plated	Steel 10.9	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
93110240901C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, EN							

10204 3.1 C

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110240902	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, Hot-Dip Galva	Steel 10.9	M24 x 90	Hot Dip Galvanizing	24 mm	90 mm	36 mm	
93110240903C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, EN	Steel 10.9	M24 x 90	Zinc Yellow Passivation Fe/Zn P2	24 mm	90 mm	36 mm	
9311024090C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, EN	Steel 10.9	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
9311024090GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, Zinc Plated	Steel 10.9	M24 x 90	GEOMET 500B	24 mm	90 mm	36 mm	
9311024090ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 90, Zinc-Nickel	Steel 10.9	M24 x 90	ZnNi8/Cn/T4	24 mm	90 mm	36 mm	
93110240951	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 95, Zinc Plated	Steel 10.9	M24 x 95	Zinc Bright Passivation Fe/Zn P1	24 mm	95 mm	36 mm	
9311024100	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Plain	Steel 10.9	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
93110241001	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc Plated	Steel 10.9	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	36 mm	
93110241002	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Hot-Dip Galva	Steel 10.9	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm	36 mm	
93110241003	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc Plated	Steel 10.9	M24 x 100	Zinc Yellow Passivation Fe/Zn P2	24 mm	100 mm	36 mm	
9311024100DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc Flake S	Steel 10.9	M24 x 100	DELTA KL100x2/SEAL+GZ	24 mm	100 mm	36 mm	
9311024100FLZN	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc Flake S	Steel 10.9	M24 x 100	ZINC FLAKE SILVER NO CR6+	24 mm	100 mm	36 mm	
9311024100GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc Flake S	Steel 10.9	M24 x 100	GEOMET 321A	24 mm	100 mm	36 mm	
9311024100GEO5B	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc Flake S	Steel 10.9	M24 x 100	GEOMET 500B	24 mm	100 mm	36 mm	
9311024100GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Geoblack Zin	Steel 10.9	M24 x 100	GEOBLACK 500M	24 mm	100 mm	36 mm	
9311024100GEOI	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc Plated	Steel 10.9	M24 x 100	GEOMET 321A	24 mm	100 mm	36 mm	
9311024100ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 100, Zinc-Nickel	Steel 10.9	M24 x 100	ZnNi8/Cn/T4	24 mm	100 mm	36 mm	
9311024110	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, Plain	Steel 10.9	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
93110241101	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, Zinc Plated	Steel 10.9	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
9311024110C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, EN	Steel 10.9	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
9311024110FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, Zinc Phosphat	Steel 10.9	M24 x 110	Phosphating	24 mm	110 mm	36 mm	
9311024110GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, Zinc Plated	Steel 10.9	M24 x 110	GEOMET 500A	24 mm	110 mm	36 mm	
9311024110GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, Zinc Plated	Steel 10.9	M24 x 110	GEOMET 500B	24 mm	110 mm	36 mm	
9311024110GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, EN	Steel 10.9	M24 x 110	GEOMET 500B	24 mm	110 mm	36 mm	
9311024110TL42	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110/42, Plain	Steel 10.9	M24 x 110/42	Plain (no plating)	24 mm	110 mm	36 mm	
9311024110ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 110, Zinc Flake S	Steel 10.9	M24 x 110	ZINC FLAKE SILVER NO CR6+ 480	24 mm	110 mm	36 mm	
9311024115	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 115, Plain	Steel 10.9	M24 x 115	Plain (no plating)	24 mm	115 mm	36 mm	
9311024115C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 115, EN	Steel 10.9	M24 x 115	Plain (no plating)	24 mm	115 mm	36 mm	
9311024120	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, Plain	Steel 10.9	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
93110241201	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, Zinc Plated	Steel 10.9	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	36 mm	
93110241202	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, Hot-Dip Galva	Steel 10.9	M24 x 120	Hot Dip Galvanizing	24 mm	120 mm	36 mm	
9311024120C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, EN	Steel 10.9	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
9311024120FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, Zinc Phosphat	Steel 10.9	M24 x 120	Phosphating	24 mm	120 mm	36 mm	
9311024120GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, Zinc Flake S	Steel 10.9	M24 x 120	GEOMET 500B	24 mm	120 mm	36 mm	
9311024120GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, Zinc Plated	Steel 10.9	M24 x 120	GEOMET 321A	24 mm	120 mm	36 mm	
9311024120GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 120, EN	Steel 10.9	M24 x 120	GEOMET 500A	24 mm	120 mm	36 mm	
9311024130	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 130, Plain	Steel 10.9	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
93110241301	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 130, Zinc Plated	Steel 10.9	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
9311024130DELB	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 130, Zinc Flake S	Steel 10.9	M24 x 130	DELTA KL100x2/SEAL	24 mm	130 mm	36 mm	
9311024130ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 130, Zinc Plated	Steel 10.9	M24 x 130	ZINC FLAKE SILVER NO CR6+ 480	24 mm	130 mm	36 mm	
9311024130ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 130, Zinc-Nickel	Steel 10.9	M24 x 130	ZnNi8/Cn/T4	24 mm	130 mm	36 mm	
9311024140	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Plain	Steel 10.9	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
93110241401	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Zinc Plated	Steel 10.9	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
93110241401SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, SST 96 h Zin	Steel 10.9	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
93110241402	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Hot-Dip Galva	Steel 10.9	M24 x 140	Hot Dip Galvanizing	24 mm	140 mm	36 mm	
93110241403	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Zinc							

Plated,

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311024140C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, EN 10204 3.1	Steel 10.9	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
9311024140CGEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, EN 10204 3.1	Steel 10.9	M24 x 140	GEOMET 500A	24 mm	140 mm	36 mm	
9311024140DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Zinc Flake S	Steel 10.9	M24 x 140	DELTA KL100x2/SEAL+GZ	24 mm	140 mm	36 mm	
9311024140DELTA	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Zinc Flake S	Steel 10.9	M24 x 140	DELTA KL100x2/SEAL+GZ	24 mm	140 mm	36 mm	
9311024140GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Zinc Flake S	Steel 10.9	M24 x 140	GEOMET 500A	24 mm	140 mm	36 mm	
9311024140L332	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Plain	Steel 10.9	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
9311024140ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Zinc Flake S	Steel 10.9	M24 x 140	ZINC FLAKE SILVER NO CR6+ 480	24 mm	140 mm	36 mm	
9311024140ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 140, Zinc Nickel	Steel 10.9	M24 x 140	ZnNi8/Cn/T4	24 mm	140 mm	36 mm	
9311024150	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Plain	Steel 10.9	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
93110241501	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Zinc Plated	Steel 10.9	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
93110241502	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Hot-Dip Galva	Steel 10.9	M24 x 150	Hot Dip Galvanizing	24 mm	150 mm	36 mm	
9311024150C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, EN 10204 3.1	Steel 10.9	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
9311024150GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Zinc Flake S	Steel 10.9	M24 x 150	GEOMET 321A	24 mm	150 mm	36 mm	
9311024150GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Zinc Flake S	Steel 10.9	M24 x 150	GEOMET 500B	24 mm	150 mm	36 mm	
9311024150ZNTF10	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Zinc Nickel	Steel 10.9	M24 x 150	Zn-Ni SILVER 8 MICRON + PHOSPHAT	24 mm	150 mm	36 mm	
9311024150ZNTF10	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Zinc Nickel	Steel 10.9	M24 x 150	Zn-Ni SILVER 8 MICRON + PHOSPHAT	24 mm	150 mm	36 mm	
9311024150ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 150, Zinc Nickel	Steel 10.9	M24 x 150	ZnNi8/Cn/T4	24 mm	150 mm	36 mm	
9311024160	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Plain	Steel 10.9	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
93110241601	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Zinc Plated	Steel 10.9	M24 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	36 mm	
93110241601C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, EN 10204 3.1	Steel 10.9	M24 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	36 mm	
93110241602	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Hot-Dip Galva	Steel 10.9	M24 x 160	Hot Dip Galvanizing	24 mm	160 mm	36 mm	
93110241603SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, SNT 350 H-Z	Steel 10.9	M24 x 160	Zinc Yellow Passivation Fe/Zn P2	24 mm	160 mm	36 mm	
9311024160C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, EN 10204 3.1	Steel 10.9	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
9311024160FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Zinc Phosphat	Steel 10.9	M24 x 160	Phosphating	24 mm	160 mm	36 mm	
9311024160GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Zinc Flake S	Steel 10.9	M24 x 160	GEOMET 500A	24 mm	160 mm	36 mm	
9311024160GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Zinc Flake S	Steel 10.9	M24 x 160	GEOMET 321A	24 mm	160 mm	36 mm	
9311024160GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Zinc Flake S	Steel 10.9	M24 x 160	GEOMET 500B	24 mm	160 mm	36 mm	
9311024160GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, EN 10204 3.1	Steel 10.9	M24 x 160	GEOMET 500B	24 mm	160 mm	36 mm	
9311024160GEOC	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, EN 10204 3.1	Steel 10.9	M24 x 160	GEOMET 500A	24 mm	160 mm	36 mm	
9311024160ZFL480	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 160, Zinc Flake S	Steel 10.9	M24 x 160	ZINC FLAKE SILVER NO CR6+	24 mm	160 mm	36 mm	
9311024170	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 170, Plain	Steel 10.9	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
93110241701	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 170, Zinc Plated	Steel 10.9	M24 x 170	Zinc Bright Passivation Fe/Zn P1	24 mm	170 mm	36 mm	
9311024170C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 170, EN 10204 3.1	Steel 10.9	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
9311024170ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 170, Zinc Flake S	Steel 10.9	M24 x 170	ZINC FLAKE SILVER NO CR6+ 480	24 mm	170 mm	36 mm	
9311024180	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 180, Plain	Steel 10.9	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
93110241801	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 180, Zinc Plated	Steel 10.9	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	36 mm	
9311024180GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 180, Zinc Plated	Steel 10.9	M24 x 180	GEOMET 321A	24 mm	180 mm	36 mm	
9311024180GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 180, Zinc Flake S	Steel 10.9	M24 x 180	GEOMET 500B	24 mm	180 mm	36 mm	
9311024190	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 190, Plain	Steel 10.9	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
93110241901	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 190, Zinc Plated	Steel 10.9	M24 x 190	Zinc Bright Passivation Fe/Zn P1	24 mm	190 mm	36 mm	
9311024190GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 190, Zinc Plated	Steel 10.9	M24 x 190	GEOMET 321A	24 mm	190 mm	36 mm	
9311024190GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 190, Zinc Flake S	Steel 10.9	M24 x 190	GEOMET 500B	24 mm	190 mm	36 mm	
9311024200	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, Plain	Steel 10.9	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
93110242001	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, Zinc Plated	Steel 10.9	M24 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm	36 mm	
9311024200C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, EN 10204 3.1	Steel 10.9	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
9311024200GEO3A	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, Zinc							

Flake, S

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311024200GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, Zinc Plated	Steel 10.9	M24 x 200	GEOMET 500A	24 mm	200 mm	36 mm	
9311024200GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, EN Phosphat	Steel 10.9	M24 x 200	GEOMET 500A	24 mm	200 mm	36 mm	
9311024200ZFL480	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, Zinc Plated	Steel 10.9	M24 x 200	ZINC FLAKE SILVER NO CR6+	24 mm	200 mm	36 mm	
9311024200ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 200, Zinc Nickel	Steel 10.9	M24 x 200	ZnNi8/Cn/T4	24 mm	200 mm	36 mm	
9311024210	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 210, Plain	Steel 10.9	M24 x 210	Plain (no plating)	24 mm	210 mm	36 mm	
93110242101	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 210, Zinc Plated	Steel 10.9	M24 x 210	Zinc Bright Passivation Fe/Zn P1	24 mm	210 mm	36 mm	
9311024210FS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 210, Zinc Phosphat	Steel 10.9	M24 x 210	Phosphating	24 mm	210 mm	36 mm	
9311024220	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, Plain	Steel 10.9	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
93110242201	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, Zinc Plated	Steel 10.9	M24 x 220	Zinc Bright Passivation Fe/Zn P1	24 mm	220 mm	36 mm	
93110242202	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, Hot-Dip Galva	Steel 10.9	M24 x 220	Hot Dip Galvanizing	24 mm	220 mm	36 mm	
9311024220DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, Zinc Flake S	Steel 10.9	M24 x 220	DELTA KL100x2/SEAL+GZ	24 mm	220 mm	36 mm	
9311024220GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, Zinc Flake S	Steel 10.9	M24 x 220	GEOMET 500A	24 mm	220 mm	36 mm	
9311024220GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, Zinc Flake S	Steel 10.9	M24 x 220	GEOMET 500B	24 mm	220 mm	36 mm	
9311024220GEOC	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, EN Phosphat	Steel 10.9	M24 x 220	GEOMET 500A	24 mm	220 mm	36 mm	
9311024220P1000	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 220, Zinc Plated	Steel 10.9	M24 x 220	ZINC FLAKES SILVER P1000	24 mm	220 mm	36 mm	
9311024225	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 225, Plain	Steel 10.9	M24 x 225	Plain (no plating)	24 mm	225 mm	36 mm	
9311024225FS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 225, Zinc Phosphat	Steel 10.9	M24 x 225	Phosphating	24 mm	225 mm	36 mm	
9311024225ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 225, Zinc Nickel	Steel 10.9	M24 x 225	ZnNi8/Cn/T4	24 mm	225 mm	36 mm	
9311024230	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 230, Plain	Steel 10.9	M24 x 230	Plain (no plating)	24 mm	230 mm	36 mm	
93110242301	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 230, Zinc Plated	Steel 10.9	M24 x 230	Zinc Bright Passivation Fe/Zn P1	24 mm	230 mm	36 mm	
93110242303C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 230, EN Phosphat	Steel 10.9	M24 x 230	Zinc Yellow Passivation Fe/Zn P2	24 mm	230 mm	36 mm	
9311024230GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 230, Zinc Flake S	Steel 10.9	M24 x 230	GEOMET 500A	24 mm	230 mm	36 mm	
9311024240	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 240, Plain	Steel 10.9	M24 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
93110242401	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 240, Zinc Plated	Steel 10.9	M24 x 240	Zinc Bright Passivation Fe/Zn P1	24 mm	240 mm	36 mm	
93110242402	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 240, Hot-Dip Galva	Steel 10.9	M24 x 240	Hot Dip Galvanizing	24 mm	240 mm	36 mm	
9311024240GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 240, Zinc Flake S	Steel 10.9	M24 x 240	GEOMET 500B	24 mm	240 mm	36 mm	
9311024245FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 245, Zinc Phosphat	Steel 10.9	M24 x 245	Phosphating	24 mm	245 mm	36 mm	
9311024250	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 250, Plain	Steel 10.9	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
93110242501	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 250, Zinc Plated	Steel 10.9	M24 x 250	Zinc Bright Passivation Fe/Zn P1	24 mm	250 mm	36 mm	
9311024250GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 250, Zinc Flake S	Steel 10.9	M24 x 250	GEOMET 500A	24 mm	250 mm	36 mm	
9311024260	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 260, Plain	Steel 10.9	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
93110242601	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 260, Zinc Plated	Steel 10.9	M24 x 260	Zinc Bright Passivation Fe/Zn P1	24 mm	260 mm	36 mm	
9311024260ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 260, Zinc Nickel	Steel 10.9	M24 x 260	ZnNi8/Cn/T4	24 mm	260 mm	36 mm	
9311024270	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 270, Plain	Steel 10.9	M24 x 270	Plain (no plating)	24 mm	270 mm	36 mm	
93110242701	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 270, Zinc Plated	Steel 10.9	M24 x 270	Zinc Bright Passivation Fe/Zn P1	24 mm	270 mm	36 mm	
9311024270FSK	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 270, Zinc Phosphat	Steel 10.9	M24 x 270	Phosphating	24 mm	270 mm	36 mm	
9311024270GEOB	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 270, Geoblack Zin	Steel 10.9	M24 x 270	GEOBLACK 500M	24 mm	270 mm	36 mm	
9311024270ZFS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 270, Zinc Flake S	Steel 10.9	M24 x 270	ZINC FLAKE SILVER NO CR6+ 480	24 mm	270 mm	36 mm	
9311024280	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 280, Plain	Steel 10.9	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
9311024290	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 290, Plain	Steel 10.9	M24 x 290	Plain (no plating)	24 mm	290 mm	36 mm	
93110242901	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 290, Zinc Plated	Steel 10.9	M24 x 290	Zinc Bright Passivation Fe/Zn P1	24 mm	290 mm	36 mm	
9311024300	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 300, Plain	Steel 10.9	M24 x 300	Plain (no plating)	24 mm	300 mm	36 mm	
93110243001	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 300, Zinc Plated	Steel 10.9	M24 x 300	Zinc Bright Passivation Fe/Zn P1	24 mm	300 mm	36 mm	
93110243002C	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 300, EN Phosphat	Steel 10.9	M24 x 300	Hot Dip Galvanizing	24 mm	300 mm	36 mm	
9311024300FS	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 300, Zinc Phosphat	Steel 10.9	M24 x 300	Phosphating	24 mm	300 mm	36 mm	
9311024310	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 310, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311024320	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 320, Plain	Steel 10.9	M24 x 320	Plain (no plating)	24 mm	320 mm	36 mm	
93110243201	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 320, Zinc Plated	Steel 10.9	M24 x 320	Zinc Bright Passivation Fe/Zn P1	24 mm	320 mm	36 mm	
9311024320ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 320, Zinc Nickel	Steel 10.9	M24 x 320	Zinc-Nickel Fe/Zn-Ni	24 mm	320 mm	36 mm	
9311024330	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 330, Plain	Steel 10.9	M24 x 330	TRANSPARENT	24 mm	330 mm	36 mm	
9311024340	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 340, Plain	Steel 10.9	M24 x 340	Plain (no plating)	24 mm	340 mm	36 mm	
93110243401	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 340, Zinc Plated	Steel 10.9	M24 x 340	Zinc Bright Passivation Fe/Zn P1	24 mm	340 mm	36 mm	
9311024340GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 340, Zinc Flake-S	Steel 10.9	M24 x 340	GEOMET 500B	24 mm	340 mm	36 mm	
9311024340GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 340, Zinc Flake-S	Steel 10.9	M24 x 340	GEOMET 500B	24 mm	340 mm	36 mm	
9311024340GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 340, Zinc Flake-S	Steel 10.9	M24 x 340	GEOMET 500A	24 mm	340 mm	36 mm	
9311024350	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 350, Plain	Steel 10.9	M24 x 350	Plain (no plating)	24 mm	350 mm	36 mm	
9311024350GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 350, Zinc Flake-S	Steel 10.9	M24 x 350	GEOMET 500A	24 mm	350 mm	36 mm	
9311024360	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 360, Plain	Steel 10.9	M24 x 360	Plain (no plating)	24 mm	360 mm	36 mm	
93110243601	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 360, Zinc Plated	Steel 10.9	M24 x 360	Zinc Bright Passivation Fe/Zn P1	24 mm	360 mm	36 mm	
9311024360GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 360, Zinc Flake-S	Steel 10.9	M24 x 360	GEOMET 500B	24 mm	360 mm	36 mm	
9311024360GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 360, Zinc Flake-S	Steel 10.9	M24 x 360	GEOMET 500B	24 mm	360 mm	36 mm	
9311024360ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 360, Zinc Nickel	Steel 10.9	M24 x 360	Zinc-Nickel Fe/Zn-Ni	24 mm	360 mm	36 mm	
9311024380	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 380, Plain	Steel 10.9	M24 x 380	TRANSPARENT	24 mm	380 mm	36 mm	
9311024380GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 380, Zinc Flake-S	Steel 10.9	M24 x 380	GEOMET 500A	24 mm	380 mm	36 mm	
9311024400	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 400, Plain	Steel 10.9	M24 x 400	Plain (no plating)	24 mm	400 mm	36 mm	
9311024400ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 400, Zinc Nickel	Steel 10.9	M24 x 400	Zinc-Nickel Fe/Zn-Ni	24 mm	400 mm	36 mm	
9311024410	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 410, Plain	Steel 10.9	M24 x 410	TRANSPARENT	24 mm	410 mm	36 mm	
9311024415	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 415, Plain	Steel 10.9	M24 x 415	Plain (no plating)	24 mm	415 mm	36 mm	
9311024420	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 420, Plain	Steel 10.9	M24 x 420	Plain (no plating)	24 mm	420 mm	36 mm	
9311024450	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 450, Plain	Steel 10.9	M24 x 450	Plain (no plating)	24 mm	450 mm	36 mm	
93110244502	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 450, Hot-Dip Galva	Steel 10.9	M24 x 450	Hot Dip Galvanizing	24 mm	450 mm	36 mm	
9311024500	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 500, Plain	Steel 10.9	M24 x 500	Plain (no plating)	24 mm	500 mm	36 mm	
9311024540	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 540, Plain	Steel 10.9	M24 x 540	Plain (no plating)	24 mm	540 mm	36 mm	
9311024560	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 560, Plain	Steel 10.9	M24 x 560	Plain (no plating)	24 mm	560 mm	36 mm	
93110245601	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 560, Zinc Plated	Steel 10.9	M24 x 560	Zinc Bright Passivation Fe/Zn P1	24 mm	560 mm	36 mm	
9311024620	DIN 931 Hexagon Head Screw, Steel 10.9, M24 x 620, Plain	Steel 10.9	M24 x 620	Plain (no plating)	24 mm	620 mm	36 mm	
9311027080	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 80, Plain	Steel 10.9	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
93110270801	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 80, Zinc Plated	Steel 10.9	M27 x 80	Zinc Bright Passivation Fe/Zn P1	27 mm	80 mm	41 mm	
9311027090	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 90, Plain	Steel 10.9	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
93110270901	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 90, Zinc Plated	Steel 10.9	M27 x 90	Zinc Bright Passivation Fe/Zn P1	27 mm	90 mm	41 mm	
93110270902	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 90, Hot-Dip Galva	Steel 10.9	M27 x 90	Hot Dip Galvanizing	27 mm	90 mm	41 mm	
9311027090GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 90, Zinc Flake-S	Steel 10.9	M27 x 90	GEOMET 321A	27 mm	90 mm	41 mm	
9311027100	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 100, Plain	Steel 10.9	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
93110271001	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 100, Zinc Plated	Steel 10.9	M27 x 100	Zinc Bright Passivation Fe/Zn P1	27 mm	100 mm	41 mm	
9311027100GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 100, Zinc Flake-S	Steel 10.9	M27 x 100	GEOMET 500A	27 mm	100 mm	41 mm	
9311027105GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 105, EN 10204 3 1	Steel 10.9	M27 x 105	GEOMET 500A	27 mm	105 mm	41 mm	
9311027110	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 110, Plain	Steel 10.9	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
93110271101	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 110, Zinc Plated	Steel 10.9	M27 x 110	Zinc Bright Passivation Fe/Zn P1	27 mm	110 mm	41 mm	
93110271102	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 110, Hot-Dip Galva	Steel 10.9	M27 x 110	Hot Dip Galvanizing	27 mm	110 mm	41 mm	
9311027120	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 120, Plain	Steel 10.9	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
93110271201	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 120, Zinc Plated	Steel 10.9	M27 x 120	Zinc Bright Passivation Fe/Zn P1	27 mm	120 mm	41 mm	
93110271202	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 120, Hot-Dip Galva							

Dip Galva

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311027120DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 120, Zinc Plated	Steel 10.9	M27 x 120	DELTA KL100x2/SEAL+GZ	27 mm	120 mm	41 mm	
9311027120ZFB	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 120, Zinc Plated	Steel 10.9	M27 x 120	ZINC FLAKES BLACK, TOP COAT	27 mm	120 mm	41 mm	
9311027130	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 130, Plain	Steel 10.9	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
93110271301	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 130, Zinc Plated	Steel 10.9	M27 x 130	Zinc Bright Passivation Fe/Zn P1	27 mm	130 mm	41 mm	
9311027130WAZ	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 130, Plain	Steel 10.9	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
93110271352	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 135, Hot-Dip Galva	Steel 10.9	M27 x 135	Hot Dip Galvanizing	27 mm	135 mm	41 mm	
9311027140	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 140, Plain	Steel 10.9	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
93110271401	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 140, Zinc Plated	Steel 10.9	M27 x 140	Zinc Bright Passivation Fe/Zn P1	27 mm	140 mm	41 mm	
93110271402	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 140, Hot-Dip Galva	Steel 10.9	M27 x 140	Hot Dip Galvanizing	27 mm	140 mm	41 mm	
9311027140GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 140, Zinc Plated	Steel 10.9	M27 x 140	GEOMET 500A	27 mm	140 mm	41 mm	
9311027140ZFB	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 140, Zinc Plated	Steel 10.9	M27 x 140	ZINC FLAKES BLACK, TOP COAT	27 mm	140 mm	41 mm	
9311027145	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 145, Plain	Steel 10.9	M27 x 145	Plain (no plating)	27 mm	145 mm	41 mm	
9311027150	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 150, Plain	Steel 10.9	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
93110271501	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 150, Zinc Plated	Steel 10.9	M27 x 150	Zinc Bright Passivation Fe/Zn P1	27 mm	150 mm	41 mm	
9311027150DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 150, Zinc Plated	Steel 10.9	M27 x 150	DELTA KL100x2/SEAL+GZ	27 mm	150 mm	41 mm	
9311027150ZFB	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 150, Zinc Plated	Steel 10.9	M27 x 150	ZINC FLAKES BLACK, TOP COAT	27 mm	150 mm	41 mm	
9311027160	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 160, Plain	Steel 10.9	M27 x 160	Plain (no plating)	27 mm	160 mm	41 mm	
93110271602	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 160, Hot-Dip Galva	Steel 10.9	M27 x 160	Hot Dip Galvanizing	27 mm	160 mm	41 mm	
9311027165	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 165, Plain	Steel 10.9	M27 x 165	Plain (no plating)	27 mm	165 mm	41 mm	
9311027170	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 170, Plain	Steel 10.9	M27 x 170	Plain (no plating)	27 mm	170 mm	41 mm	
9311027180	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 180, Plain	Steel 10.9	M27 x 180	Plain (no plating)	27 mm	180 mm	41 mm	
93110271802	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 180, Hot-Dip Galva	Steel 10.9	M27 x 180	Hot Dip Galvanizing	27 mm	180 mm	41 mm	
9311027190	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 190, Plain	Steel 10.9	M27 x 190	Plain (no plating)	27 mm	190 mm	41 mm	
9311027200	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 200, Plain	Steel 10.9	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
93110272001	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 200, Zinc Plated	Steel 10.9	M27 x 200	Zinc Bright Passivation Fe/Zn P1	27 mm	200 mm	41 mm	
9311027210	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 210, Plain	Steel 10.9	M27 x 210	Plain (no plating)	27 mm	210 mm	41 mm	
9311027220	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 220, Plain	Steel 10.9	M27 x 220	Plain (no plating)	27 mm	220 mm	41 mm	
93110272201	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 220, Zinc Plated	Steel 10.9	M27 x 220	Zinc Bright Passivation Fe/Zn P1	27 mm	220 mm	41 mm	
9311027220ZFS480	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 220, EN 10204-3.1	Steel 10.9	M27 x 220	ZINC FLAKE SILVER NO CR6+ 480	27 mm	220 mm	41 mm	
9311027230	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 230, Plain	Steel 10.9	M27 x 230	Plain (no plating)	27 mm	230 mm	41 mm	
93110272301	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 230, Zinc Plated	Steel 10.9	M27 x 230	Zinc Bright Passivation Fe/Zn P1	27 mm	230 mm	41 mm	
9311027240	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 240, Plain	Steel 10.9	M27 x 240	Plain (no plating)	27 mm	240 mm	41 mm	
9311027240C	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 240, EN 10204-3.1	Steel 10.9	M27 x 240	Plain (no plating)	27 mm	240 mm	41 mm	
9311027250	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 250, Plain	Steel 10.9	M27 x 250	Plain (no plating)	27 mm	250 mm	41 mm	
9311027260	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 260, Plain	Steel 10.9	M27 x 260	Plain (no plating)	27 mm	260 mm	41 mm	
93110272601	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 260, Zinc Plated	Steel 10.9	M27 x 260	Zinc Bright Passivation Fe/Zn P1	27 mm	260 mm	41 mm	
9311027300	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 300, Plain	Steel 10.9	M27 x 300	Plain (no plating)	27 mm	300 mm	41 mm	
9311027320	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 320, Plain	Steel 10.9	M27 x 320	Plain (no plating)	27 mm	320 mm	41 mm	
9311027330	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 330, Plain	Steel 10.9	M27 x 330	Plain (no plating)	27 mm	330 mm	41 mm	
9311027330DEL	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 330, Zinc Plated	Steel 10.9	M27 x 330	DELTA KL100x2/SEAL+GZ	27 mm	330 mm	41 mm	
9311027370	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 370, Plain	Steel 10.9	M27 x 370	Plain (no plating)	27 mm	370 mm	41 mm	
9311027420	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 420, Plain	Steel 10.9	M27 x 420	Plain (no plating)	27 mm	420 mm	41 mm	
9311027440	DIN 931 Hexagon Head Screw, Steel 10.9, M27 x 440, Plain	Steel 10.9	M27 x 440	Plain (no plating)	27 mm	440 mm	41 mm	
9311030080	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 80, Plain	Steel 10.9	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
9311030080DEL	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 80, Zinc Plated	Steel 10.9	M30 x 80	DELTA KL100x2/SEAL+GZ	30 mm	80 mm	46 mm	
9311030090	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 90, Plain	Steel 10.9	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110300901	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 90, Zinc Plated	Steel 10.9	M30 x 90	Zinc Bright Passivation Fe/Zn P1	30 mm	90 mm	46 mm	
93110300902	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 90, Hot-Dip Galvanizing	Steel 10.9	M30 x 90	Hot Dip Galvanizing	30 mm	90 mm	46 mm	
9311030090FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 90, Zinc Flake-S	Steel 10.9	M30 x 90	ZINC FLAKE SILVER NO CR6+ 480	30 mm	90 mm	46 mm	
9311030090ZFBSS	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 90, Zinc Flake-B	Steel 10.9	M30 x 90	ZINC FLAKES BLACK, TOP COAT	30 mm	90 mm	46 mm	
9311030100	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 100, Plain	Steel 10.9	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
93110301001	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 100, Zinc Plated	Steel 10.9	M30 x 100	Zinc Bright Passivation Fe/Zn P1	30 mm	100 mm	46 mm	
9311030100DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 100, Zinc Flake-S	Steel 10.9	M30 x 100	DELTA KL100x2/SEAL+GZ	30 mm	100 mm	46 mm	
9311030100GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 100, Zinc Flake-S	Steel 10.9	M30 x 100	GEOMET 500A	30 mm	100 mm	46 mm	
9311030100GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 100, Zinc Flake-S	Steel 10.9	M30 x 100	GEOMET 321A	30 mm	100 mm	46 mm	
9311030100GEO72	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 100, Zinc Flake-S	Steel 10.9	M30 x 100	GEOMET 720	30 mm	100 mm	46 mm	
9311030100ZFB	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 100, Zinc Flake-B	Steel 10.9	M30 x 100	ZINC FLAKES BLACK, TOP COAT	30 mm	100 mm	46 mm	
9311030105	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 105, Plain	Steel 10.9	M30 x 105	Plain (no plating)	30 mm	105 mm	46 mm	
93110301052	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 105, Hot-Dip Galvanizing	Steel 10.9	M30 x 105	Hot Dip Galvanizing	30 mm	105 mm	46 mm	
9311030110	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 110, Plain	Steel 10.9	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
93110301101	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 110, Zinc Plated	Steel 10.9	M30 x 110	Zinc Bright Passivation Fe/Zn P1	30 mm	110 mm	46 mm	
93110301102	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 110, Hot-Dip Galvanizing	Steel 10.9	M30 x 110	Hot Dip Galvanizing	30 mm	110 mm	46 mm	
9311030110GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 110, Zinc Flake-S	Steel 10.9	M30 x 110	GEOMET 500B	30 mm	110 mm	46 mm	
9311030110GEOBL	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 110, Geoblack-Zin	Steel 10.9	M30 x 110	GEOBLACK 500M	30 mm	110 mm	46 mm	
9311030110GEOBLI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 110, Geoblack-Zin	Steel 10.9	M30 x 110	GEOBLACK 500M	30 mm	110 mm	46 mm	
9311030120	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 120, Plain	Steel 10.9	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
93110301201	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 120, Zinc Plated	Steel 10.9	M30 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	46 mm	
9311030120DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 120, Zinc Flake-S	Steel 10.9	M30 x 120	DELTA KL100x2/SEAL+GZ	30 mm	120 mm	46 mm	
9311030120GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 120, Zinc Flake-S	Steel 10.9	M30 x 120	GEOMET 500A	30 mm	120 mm	46 mm	
9311030120GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 120, Zinc Flake-S	Steel 10.9	M30 x 120	GEOMET 500B	30 mm	120 mm	46 mm	
9311030120ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 120, Zinc-Nickel	Steel 10.9	M30 x 120	ZnNi8/Cn/T4	30 mm	120 mm	46 mm	
9311030130	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 130, Plain	Steel 10.9	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
93110301301	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 130, Zinc Plated	Steel 10.9	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm	46 mm	
9311030130CGEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 130, EN 10204-3-1	Steel 10.9	M30 x 130	GEOMET 500A	30 mm	130 mm	46 mm	
9311030130DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 130, Zinc Flake-S	Steel 10.9	M30 x 130	DELTA KL100x2/SEAL+GZ	30 mm	130 mm	46 mm	
9311030130GEO72	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 130, Zinc Flake-S	Steel 10.9	M30 x 130	GEOMET 720	30 mm	130 mm	46 mm	
9311030130ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 130, Zinc-Nickel	Steel 10.9	M30 x 130	ZnNi8/Cn/T4	30 mm	130 mm	46 mm	
9311030140	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 140, Plain	Steel 10.9	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
93110301401	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 140, Zinc Plated	Steel 10.9	M30 x 140	Zinc Bright Passivation Fe/Zn P1	30 mm	140 mm	46 mm	
93110301402	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 140, EN 10204-3-1	Steel 10.9	M30 x 140	Hot Dip Galvanizing	30 mm	140 mm	46 mm	
9311030140C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 140, EN 10204-3-1	Steel 10.9	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
9311030140DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 140, Zinc Flake-S	Steel 10.9	M30 x 140	DELTA KL100x2/SEAL+GZ	30 mm	140 mm	46 mm	
9311030140GEOSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 140, Zinc Flake-S	Steel 10.9	M30 x 140	GEOMET 500A	30 mm	140 mm	46 mm	
9311030145C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 145, EN 10204-3-1	Steel 10.9	M30 x 145	Plain (no plating)	30 mm	145 mm	46 mm	
9311030150	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 150, Plain	Steel 10.9	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
93110301501	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 150, Zinc Plated	Steel 10.9	M30 x 150	Zinc Bright Passivation Fe/Zn P1	30 mm	150 mm	46 mm	
93110301502	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 150, Hot-Dip Galvanizing	Steel 10.9	M30 x 150	Hot Dip Galvanizing	30 mm	150 mm	46 mm	
9311030150C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 150, EN 10204-3-1	Steel 10.9	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
9311030150DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 150, Zinc Flake-S	Steel 10.9	M30 x 150	DELTA KL100x2/SEAL+GZ	30 mm	150 mm	46 mm	
9311030150GEO72	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 150, Zinc Flake-S	Steel 10.9	M30 x 150	GEOMET 720	30 mm	150 mm	46 mm	
9311030155C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 155, EN 10204-3-1	Steel 10.9	M30 x 155	Plain (no plating)	30 mm	155 mm	46 mm	
9311030160	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 160,							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110301601	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 160, Zinc Plated	Steel 10.9	M30 x 160	Zinc Bright Passivation Fe/Zn P1	30 mm	160 mm	46 mm	
93110301602	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 160, Hot-Dip Galva	Steel 10.9	M30 x 160	Hot Dip Galvanizing	30 mm	160 mm	46 mm	
9311030160DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 160, Zinc Plated	Steel 10.9	M30 x 160	DELTA KL100x2/SEAL+GZ	30 mm	160 mm	46 mm	
9311030160GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 160, Zinc Plated	Steel 10.9	M30 x 160	GEOMET 500B	30 mm	160 mm	46 mm	
9311030160GEO72	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 160, Zinc Plated	Steel 10.9	M30 x 160	GEOMET 720	30 mm	160 mm	46 mm	
9311030160GEOC	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 160, EN 10204-3.1	Steel 10.9	M30 x 160	GEOMET 500A	30 mm	160 mm	46 mm	
93110301652	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 165, Hot-Dip Galva	Steel 10.9	M30 x 165	Hot Dip Galvanizing	30 mm	165 mm	46 mm	
9311030170	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 170, Plain	Steel 10.9	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
93110301702	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 170, Hot-Dip Galva	Steel 10.9	M30 x 170	Hot Dip Galvanizing	30 mm	170 mm	46 mm	
9311030170C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 170, EN 10204-3.1	Steel 10.9	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
9311030170FLZNN	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 170, Zinc Plated	Steel 10.9	M30 x 170	ZINC FLAKE SILVER NO CR6+ 480	30 mm	170 mm	46 mm	
9311030170GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 170, Zinc Plated	Steel 10.9	M30 x 170	GEOMET 500A	30 mm	170 mm	46 mm	
9311030170GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 170, EN 10204-3.1	Steel 10.9	M30 x 170	GEOMET 500A	30 mm	170 mm	46 mm	
9311030170GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 170, Zinc Plated	Steel 10.9	M30 x 170	GEOMET 500B	30 mm	170 mm	46 mm	
9311030180	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Plain	Steel 10.9	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
93110301801	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Zinc Plated	Steel 10.9	M30 x 180	Zinc Bright Passivation Fe/Zn P1	30 mm	180 mm	46 mm	
93110301802	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Hot-Dip Galva	Steel 10.9	M30 x 180	Hot Dip Galvanizing	30 mm	180 mm	46 mm	
9311030180C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, EN 10204-3.1	Steel 10.9	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
9311030180DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Zinc Plated	Steel 10.9	M30 x 180	DELTA KL100x2/SEAL+GZ	30 mm	180 mm	46 mm	
9311030180GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Zinc Plated	Steel 10.9	M30 x 180	GEOMET 500A	30 mm	180 mm	46 mm	
9311030180GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Zinc Plated	Steel 10.9	M30 x 180	GEOMET 321A	30 mm	180 mm	46 mm	
9311030180GEO72	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Zinc Plated	Steel 10.9	M30 x 180	GEOMET 720	30 mm	180 mm	46 mm	
9311030180ZFB	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 180, Zinc Plated	Steel 10.9	M30 x 180	ZINC FLAKES BLACK, TOP COAT	30 mm	180 mm	46 mm	
9311030190	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 190, Plain	Steel 10.9	M30 x 190	Plain (no plating)	30 mm	190 mm	46 mm	
93110301901	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 190, Zinc Plated	Steel 10.9	M30 x 190	Zinc Bright Passivation Fe/Zn P1	30 mm	190 mm	46 mm	
93110301902	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 190, Hot-Dip Galva	Steel 10.9	M30 x 190	Hot Dip Galvanizing	30 mm	190 mm	46 mm	
9311030190ZFB	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 190, Zinc Plated	Steel 10.9	M30 x 190	ZINC FLAKES BLACK, TOP COAT	30 mm	190 mm	46 mm	
9311030195	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 195, EN 10204-3.1	Steel 10.9	M30 x 195	Plain (no plating)	30 mm	195 mm	46 mm	
9311030200	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 200, Plain	Steel 10.9	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
93110302001	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 200, Zinc Plated	Steel 10.9	M30 x 200	Zinc Bright Passivation Fe/Zn P1	30 mm	200 mm	46 mm	
93110302001SST09	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 200, Zinc Plated	Steel 10.9	M30 x 200	Zinc Bright Passivation Fe/Zn P1	30 mm	200 mm	46 mm	
93110302002	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 200, Hot-Dip Galva	Steel 10.9	M30 x 200	Hot Dip Galvanizing	30 mm	200 mm	46 mm	
9311030200C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 200, EN 10204-3.1	Steel 10.9	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
9311030200GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 200, Zinc Plated	Steel 10.9	M30 x 200	GEOMET 321A	30 mm	200 mm	46 mm	
9311030200GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 200, Zinc Plated	Steel 10.9	M30 x 200	GEOMET 500B	30 mm	200 mm	46 mm	
9311030210	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 210, Plain	Steel 10.9	M30 x 210	Plain (no plating)	30 mm	210 mm	46 mm	
93110302101	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 210, Zinc Plated	Steel 10.9	M30 x 210	Zinc Bright Passivation Fe/Zn P1	30 mm	210 mm	46 mm	
9311030210C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 210, EN 10204-3.1	Steel 10.9	M30 x 210	Plain (no plating)	30 mm	210 mm	46 mm	
9311030220	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 220, Plain	Steel 10.9	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
93110302201	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 220, Zinc Plated	Steel 10.9	M30 x 220	Zinc Bright Passivation Fe/Zn P1	30 mm	220 mm	46 mm	
93110302202	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 220, Hot-Dip Galva	Steel 10.9	M30 x 220	Hot Dip Galvanizing	30 mm	220 mm	46 mm	
9311030220C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 220, EN 10204-3.1	Steel 10.9	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
9311030220GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 220, Zinc Plated	Steel 10.9	M30 x 220	GEOMET 321A	30 mm	220 mm	46 mm	
9311030220GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 220, Zinc Plated	Steel 10.9	M30 x 220	GEOMET 500A	30 mm	220 mm	46 mm	
9311030230	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 230, Plain	Steel 10.9	M30 x 230	Plain (no plating)	30 mm	230 mm	46 mm	
9311030240	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 240, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110302401	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 240, Zinc Plated	Steel 10.9	M30 x 240	Zinc Bright Passivation Fe/Zn P1	30 mm	240 mm	46 mm	
93110302402	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 240, Hot-Dip Galva	Steel 10.9	M30 x 240	Hot Dip Galvanizing	30 mm	240 mm	46 mm	
9311030240C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 240, EN 10204-3-1	Steel 10.9	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
9311030240GEO5A	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 240, EN 10204-3-1	Steel 10.9	M30 x 240	GEOMET 500A	30 mm	240 mm	46 mm	
93110302451	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 245, Zinc Plated	Steel 10.9	M30 x 245	Zinc Bright Passivation Fe/Zn P1	30 mm	245 mm	46 mm	
9311030250	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 250, Plain	Steel 10.9	M30 x 250	Plain (no plating)	30 mm	250 mm	46 mm	
93110302501	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 250, Zinc Plated	Steel 10.9	M30 x 250	Zinc Bright Passivation Fe/Zn P1	30 mm	250 mm	46 mm	
9311030250C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 250, EN 10204-3-1	Steel 10.9	M30 x 250	Plain (no plating)	30 mm	250 mm	46 mm	
9311030260	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 260, Plain	Steel 10.9	M30 x 260	Plain (no plating)	30 mm	260 mm	46 mm	
93110302601	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 260, Zinc Plated	Steel 10.9	M30 x 260	Zinc Bright Passivation Fe/Zn P1	30 mm	260 mm	46 mm	
93110302602	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 260, Hot-Dip Galva	Steel 10.9	M30 x 260	Hot Dip Galvanizing	30 mm	260 mm	46 mm	
9311030260DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 260, Zinc Flake-S	Steel 10.9	M30 x 260	DELTA KL100x2/SEAL+GZ	30 mm	260 mm	46 mm	
9311030260GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 260, EN 10204-3-1	Steel 10.9	M30 x 260	GEOMET 500A	30 mm	260 mm	46 mm	
9311030270	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 270, Plain	Steel 10.9	M30 x 270	Plain (no plating)	30 mm	270 mm	46 mm	
9311030280	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 280, Plain	Steel 10.9	M30 x 280	Plain (no plating)	30 mm	280 mm	46 mm	
9311030280GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 280, Zinc Plated	Steel 10.9	M30 x 280	GEOMET 500A	30 mm	280 mm	46 mm	
9311030280GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 280, EN 10204-3-1	Steel 10.9	M30 x 280	GEOMET 500B	30 mm	280 mm	46 mm	
9311030280GEOC	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 280, EN 10204-3-1	Steel 10.9	M30 x 280	GEOMET 500A	30 mm	280 mm	46 mm	
9311030290	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 290, Plain	Steel 10.9	M30 x 290	Plain (no plating)	30 mm	290 mm	46 mm	
93110302901	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 290, Zinc Plated	Steel 10.9	M30 x 290	Zinc Bright Passivation Fe/Zn P1	30 mm	290 mm	46 mm	
93110302902	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 290, Hot-Dip Galva	Steel 10.9	M30 x 290	Hot Dip Galvanizing	30 mm	290 mm	46 mm	
9311030290GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 290, Zinc Flake-S	Steel 10.9	M30 x 290	GEOMET 500B	30 mm	290 mm	46 mm	
9311030300	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 300, Plain	Steel 10.9	M30 x 300	Plain (no plating)	30 mm	300 mm	46 mm	
93110303001	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 300, Zinc Plated	Steel 10.9	M30 x 300	Zinc Bright Passivation Fe/Zn P1	30 mm	300 mm	46 mm	
93110303002	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 300, Hot-Dip Galva	Steel 10.9	M30 x 300	Hot Dip Galvanizing	30 mm	300 mm	46 mm	
9311030300DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 300, Zinc Flake-S	Steel 10.9	M30 x 300	DELTA KL100x2/SEAL+GZ	30 mm	300 mm	46 mm	
9311030300GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 300, Zinc Flake-S	Steel 10.9	M30 x 300	GEOMET 321A	30 mm	300 mm	46 mm	
9311030320	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 320, Plain	Steel 10.9	M30 x 320	Plain (no plating)	30 mm	320 mm	46 mm	
93110303201	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 320, Zinc Plated	Steel 10.9	M30 x 320	Zinc Bright Passivation Fe/Zn P1	30 mm	320 mm	46 mm	
93110303303SST20	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 330, SST 200 H, Zi	Steel 10.9	M30 x 330	Zinc Yellow Passivation Fe/Zn P2	30 mm	330 mm	46 mm	
9311030340	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 340, Plain	Steel 10.9	M30 x 340	Plain (no plating)	30 mm	340 mm	46 mm	
9311030340TP	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 340, Protection P	Steel 10.9	M30 x 340	Plain (no plating)	30 mm	340 mm	46 mm	
9311030350	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 350, Plain	Steel 10.9	M30 x 350	Plain (no plating)	30 mm	350 mm	46 mm	
9311030350ZNT	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 350, Zinc Nickel	Steel 10.9	M30 x 350	ZnNi8/Cn/T4	30 mm	350 mm	46 mm	
9311030360	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 360, Plain	Steel 10.9	M30 x 360	Plain (no plating)	30 mm	360 mm	46 mm	
93110303601	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 360, Zinc Plated	Steel 10.9	M30 x 360	Zinc Bright Passivation Fe/Zn P1	30 mm	360 mm	46 mm	
9311030380	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 380, Plain	Steel 10.9	M30 x 380	Plain (no plating)	30 mm	380 mm	46 mm	
93110303801	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 380, Zinc Plated	Steel 10.9	M30 x 380	Zinc Bright Passivation Fe/Zn P1	30 mm	380 mm	46 mm	
9311030400	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 400, Plain	Steel 10.9	M30 x 400	Plain (no plating)	30 mm	400 mm	46 mm	
9311030400ZNTW	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 400, Zinc Nickel	Steel 10.9	M30 x 400	ZnNi8/Cn/T4	30 mm	400 mm	46 mm	
9311030420	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 420, Plain	Steel 10.9	M30 x 420	Plain (no plating)	30 mm	420 mm	46 mm	
93110304401	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 440, Zinc Plated	Steel 10.9	M30 x 440	Zinc Bright Passivation Fe/Zn P1	30 mm	440 mm	46 mm	
9311030450	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 450, Plain	Steel 10.9	M30 x 450	Plain (no plating)	30 mm	450 mm	46 mm	
93110304601	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 460, Zinc Plated	Steel 10.9	M30 x 460	Zinc Bright Passivation Fe/Zn P1	30 mm	460 mm	46 mm	
9311030480	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 480, Plain	Steel 10.9	M30 x 480	Plain (no plating)	30 mm	480 mm	46 mm	
9311030500	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 500, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311030500ZFSC	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 500, EN 10204 3.1	Steel 10.9	M30 x 500	ZINC FLAKE SILVER NO CR6+ 480	30 mm	500 mm	46 mm	
9311030550TL150	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 550/150, Plain	Steel 10.9	M30 x 550/150	Plain (no plating)	30 mm	550 mm	46 mm	
9311030600	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 600, Plain	Steel 10.9	M30 x 600	Plain (no plating)	30 mm	600 mm	46 mm	
9311030620C	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 620, EN 10204 3.1	Steel 10.9	M30 x 620	Plain (no plating)	30 mm	620 mm	46 mm	
9311030710	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 710, Plain	Steel 10.9	M30 x 710	Plain (no plating)	30 mm	710 mm	46 mm	
9311030730	DIN 931 Hexagon Head Screw, Steel 10.9, M30 x 730, Plain	Steel 10.9	M30 x 730	Plain (no plating)	30 mm	730 mm	46 mm	
9311033100	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 100, Plain	Steel 10.9	M33 x 100	Plain (no plating)	33 mm	100 mm	50 mm	
9311033110	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 110, Plain	Steel 10.9	M33 x 110	Plain (no plating)	33 mm	110 mm	50 mm	
93110331102	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 110, Hot-Dip Galva	Steel 10.9	M33 x 110	Hot Dip Galvanizing	33 mm	110 mm	50 mm	
9311033120	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 120, Plain	Steel 10.9	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
9311033130	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 130, Plain	Steel 10.9	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
93110331302	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 130, Hot-Dip Galva	Steel 10.9	M33 x 130	Hot Dip Galvanizing	33 mm	130 mm	50 mm	
9311033140	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 140, Plain	Steel 10.9	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
93110331402	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 140, EN 10204 3.1	Steel 10.9	M33 x 140	Hot Dip Galvanizing	33 mm	140 mm	50 mm	
9311033150	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 150, Plain	Steel 10.9	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm	
9311033160	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 160, Plain	Steel 10.9	M33 x 160	Plain (no plating)	33 mm	160 mm	50 mm	
93110331602	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 160, EN 10204 3.1	Steel 10.9	M33 x 160	Hot Dip Galvanizing	33 mm	160 mm	50 mm	
9311033170	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 170, Plain	Steel 10.9	M33 x 170	Plain (no plating)	33 mm	170 mm	50 mm	
9311033180	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 180, Plain	Steel 10.9	M33 x 180	Plain (no plating)	33 mm	180 mm	50 mm	
9311033200	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 200, Plain	Steel 10.9	M33 x 200	Plain (no plating)	33 mm	200 mm	50 mm	
93110332002	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 200, Hot-Dip Galva	Steel 10.9	M33 x 200	Hot Dip Galvanizing	33 mm	200 mm	50 mm	
9311033220	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 220, Plain	Steel 10.9	M33 x 220	Plain (no plating)	33 mm	220 mm	50 mm	
9311033240	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 240, Plain	Steel 10.9	M33 x 240	Plain (no plating)	33 mm	240 mm	50 mm	
9311033240ZFSC480	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 240, EN 10204 3.1	Steel 10.9	M33 x 240	ZINC FLAKE SILVER NO CR6+ 480	33 mm	240 mm	50 mm	
9311033250	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 250, Plain	Steel 10.9	M33 x 250	Plain (no plating)	33 mm	250 mm	50 mm	
9311033260	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 260, Plain	Steel 10.9	M33 x 260	Plain (no plating)	33 mm	260 mm	50 mm	
9311033280	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 280, Plain	Steel 10.9	M33 x 280	Plain (no plating)	33 mm	280 mm	50 mm	
9311033300	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 300, Plain	Steel 10.9	M33 x 300	Plain (no plating)	33 mm	300 mm	50 mm	
9311033400	DIN 931 Hexagon Head Screw, Steel 10.9, M33 x 400, Plain	Steel 10.9	M33 x 400	Plain (no plating)	33 mm	400 mm	50 mm	
9311036090	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 90, Plain	Steel 10.9	M36 x 90	Plain (no plating)	36 mm	90 mm	55 mm	
9311036100	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 100, Plain	Steel 10.9	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
93110361002	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 100, Hot-Dip Galva	Steel 10.9	M36 x 100	Hot Dip Galvanizing	36 mm	100 mm	55 mm	
9311036110	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 110, Plain	Steel 10.9	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
93110361102C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 110, EN 10204 3.1	Steel 10.9	M36 x 110	Hot Dip Galvanizing	36 mm	110 mm	55 mm	
9311036120	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 120, Plain	Steel 10.9	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
93110361201	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 120, Zinc Plated	Steel 10.9	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
93110361201C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 120, EN 10204 3.1	Steel 10.9	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
93110361202	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 120, Hot-Dip Galva	Steel 10.9	M36 x 120	Hot Dip Galvanizing	36 mm	120 mm	55 mm	
93110361252	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 125, Hot-Dip Galva	Steel 10.9	M36 x 125	Hot Dip Galvanizing	36 mm	125 mm	55 mm	
9311036130	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 130, Plain	Steel 10.9	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
93110361301	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 130, Zinc Plated	Steel 10.9	M36 x 130	Zinc Bright Passivation Fe/Zn P1	36 mm	130 mm	55 mm	
93110361302	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 130, Hot-Dip Galva	Steel 10.9	M36 x 130	Hot Dip Galvanizing	36 mm	130 mm	55 mm	
9311036140	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 140, Plain	Steel 10.9	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
93110361401	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 140, Zinc Plated	Steel 10.9	M36 x 140	Zinc Bright Passivation Fe/Zn P1	36 mm	140 mm	55 mm	
93110361402	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 140, Hot-Dip Galva	Steel 10.9	M36 x 140	Hot Dip Galvanizing	36 mm	140 mm	55 mm	
93110361403	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 140, Zinc							

Plated,

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311036150	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 150, Plain	Steel 10.9	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
93110361501	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 150, Zinc Plated	Steel 10.9	M36 x 150	Zinc Bright Passivation Fe/Zn P1	36 mm	150 mm	55 mm	
93110361502	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 150, Hot-Dip Galva	Steel 10.9	M36 x 150	Hot Dip Galvanizing	36 mm	150 mm	55 mm	
9311036150GEO32	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 150, Zinc Plated	Steel 10.9	M36 x 150	GEOMET 321A	36 mm	150 mm	55 mm	
9311036160	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 160, Plain	Steel 10.9	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
93110361601	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 160, Zinc Plated	Steel 10.9	M36 x 160	Zinc Bright Passivation Fe/Zn P1	36 mm	160 mm	55 mm	
93110361602	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 160, Hot-Dip Galva	Steel 10.9	M36 x 160	Hot Dip Galvanizing	36 mm	160 mm	55 mm	
9311036160C32	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 160, EN 10204 3 2	Steel 10.9	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
9311036160DELSI	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 160, Zinc Plated	Steel 10.9	M36 x 160	DELTA KL100x2/SEAL+GZ	36 mm	160 mm	55 mm	
9311036160ZFBSS	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 160, Zinc Plated	Steel 10.9	M36 x 160	ZINC FLAKES BLACK, TOP COAT	36 mm	160 mm	55 mm	
9311036170	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 170, Plain	Steel 10.9	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
93110361702	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 170, Hot-Dip Galva	Steel 10.9	M36 x 170	Hot Dip Galvanizing	36 mm	170 mm	55 mm	
9311036175	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 175, Plain	Steel 10.9	M36 x 175	Plain (no plating)	36 mm	175 mm	55 mm	
9311036180	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 180, Plain	Steel 10.9	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
93110361801	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 180, Zinc Plated	Steel 10.9	M36 x 180	Zinc Bright Passivation Fe/Zn P1	36 mm	180 mm	55 mm	
93110361802	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 180, Hot-Dip Galva	Steel 10.9	M36 x 180	Hot Dip Galvanizing	36 mm	180 mm	55 mm	
93110361802C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 180, EN 10204 3 1	Steel 10.9	M36 x 180	Hot Dip Galvanizing	36 mm	180 mm	55 mm	
9311036180C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 180, EN 10204 3 1	Steel 10.9	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
9311036180GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 180, EN 10204 3 1	Steel 10.9	M36 x 180	GEOMET 500B	36 mm	180 mm	55 mm	
9311036190	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 190, Plain	Steel 10.9	M36 x 190	Plain (no plating)	36 mm	190 mm	55 mm	
9311036200	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 200, Plain	Steel 10.9	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
93110362001C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 200, EN 10204 3 1	Steel 10.9	M36 x 200	Zinc Bright Passivation Fe/Zn P1	36 mm	200 mm	55 mm	
9311036200C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 200, EN 10204 3 1	Steel 10.9	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
9311036200C32	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 200, EN 10204 3 2	Steel 10.9	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
9311036220	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 220, Plain	Steel 10.9	M36 x 220	Plain (no plating)	36 mm	220 mm	55 mm	
9311036220C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 220, EN 10204 3 1	Steel 10.9	M36 x 220	Plain (no plating)	36 mm	220 mm	55 mm	
9311036220C32	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 220, EN 10204 3 2	Steel 10.9	M36 x 220	Plain (no plating)	36 mm	220 mm	55 mm	
9311036220GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 220, Zinc Plated	Steel 10.9	M36 x 220	GEOMET 321A	36 mm	220 mm	55 mm	
9311036220GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 220, Zinc Plated	Steel 10.9	M36 x 220	GEOMET 500B	36 mm	220 mm	55 mm	
9311036220GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 220, Zinc Plated	Steel 10.9	M36 x 220	GEOMET 500B	36 mm	220 mm	55 mm	
9311036230	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 230, Plain	Steel 10.9	M36 x 230	Plain (no plating)	36 mm	230 mm	55 mm	
9311036240	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, Plain	Steel 10.9	M36 x 240	Plain (no plating)	36 mm	240 mm	55 mm	
93110362401	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, Zinc Plated	Steel 10.9	M36 x 240	Zinc Bright Passivation Fe/Zn P1	36 mm	240 mm	55 mm	
93110362402O	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, Hot-Dip Galva	Steel 10.9	M36 x 240	Hot Dip Galvanizing	36 mm	240 mm	55 mm	
9311036240C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, EN 10204 3 1	Steel 10.9	M36 x 240	Plain (no plating)	36 mm	240 mm	55 mm	
9311036240C3.2	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, EN 10204 3 2	Steel 10.9	M36 x 240	Plain (no plating)	36 mm	240 mm	55 mm	
9311036240G5B	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, Zinc Plated	Steel 10.9	M36 x 240	GEOMET 500B	36 mm	240 mm	55 mm	
9311036240GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, Zinc Plated	Steel 10.9	M36 x 240	GEOMET 500B	36 mm	240 mm	55 mm	
9311036240ZFL	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 240, Zinc Plated	Steel 10.9	M36 x 240	ZINC FLAKE SILVER NO CR6+ 480	36 mm	240 mm	55 mm	
9311036250	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 250, Plain	Steel 10.9	M36 x 250	Plain (no plating)	36 mm	250 mm	55 mm	
9311036260	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 260, Plain	Steel 10.9	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
9311036260C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 260, EN 10204 3 1	Steel 10.9	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
9311036265TL97	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 265, Plain	Steel 10.9	M36 x 265	Plain (no plating)	36 mm	265 mm	55 mm	
9311036280	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 280, Plain	Steel 10.9	M36 x 280	Plain (no plating)	36 mm	280 mm	55 mm	
93110362802	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 280, Hot-Dip Galva	Steel 10.9	M36 x 280	Hot Dip Galvanizing	36 mm	280 mm	55 mm	
9311036300	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 300, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93110363001	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 300, Zinc Plated	Steel 10.9	M36 x 300	Zinc Bright Passivation Fe/Zn P1	36 mm	300 mm	55 mm	
93110363002	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 300, Hot-Dip Galva	Steel 10.9	M36 x 300	Hot Dip Galvanizing	36 mm	300 mm	55 mm	
9311036300C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 300, EN Plain	Steel 10.9	M36 x 300	Plain (no plating)	36 mm	300 mm	55 mm	
93110363101	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 310, Zinc Plated	Steel 10.9	M36 x 310	Zinc Bright Passivation Fe/Zn P1	36 mm	310 mm	55 mm	
9311036320	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 320, Plain	Steel 10.9	M36 x 320	Plain (no plating)	36 mm	320 mm	55 mm	
9311036320C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 320, EN Plain	Steel 10.9	M36 x 320	Plain (no plating)	36 mm	320 mm	55 mm	
9311036340	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 340, Plain	Steel 10.9	M36 x 340	Plain (no plating)	36 mm	340 mm	55 mm	
93110363402	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 340, Hot-Dip Galva	Steel 10.9	M36 x 340	Hot Dip Galvanizing	36 mm	340 mm	55 mm	
9311036340DEL	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 340, Zinc Plated	Steel 10.9	M36 x 340	DELTA KL100x2/SEAL+GZ	36 mm	340 mm	55 mm	
9311036350	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 350, Plain	Steel 10.9	M36 x 350	Plain (no plating)	36 mm	350 mm	55 mm	
93110363502	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 350, EN Plain	Steel 10.9	M36 x 350	Hot Dip Galvanizing	36 mm	350 mm	55 mm	
9311036350C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 350, EN Plain	Steel 10.9	M36 x 350	Plain (no plating)	36 mm	350 mm	55 mm	
9311036360	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 360, Plain	Steel 10.9	M36 x 360	Plain (no plating)	36 mm	360 mm	55 mm	
93110363601	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 360, Zinc Plated	Steel 10.9	M36 x 360	Zinc Bright Passivation Fe/Zn P1	36 mm	360 mm	55 mm	
9311036390C	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 390, EN Plain	Steel 10.9	M36 x 390	Plain (no plating)	36 mm	390 mm	55 mm	
9311036420	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 420, Plain	Steel 10.9	M36 x 420	Plain (no plating)	36 mm	420 mm	55 mm	
93110364201	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 420, Zinc Plated	Steel 10.9	M36 x 420	Zinc Bright Passivation Fe/Zn P1	36 mm	420 mm	55 mm	
9311036440	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 440, Plain	Steel 10.9	M36 x 440	Plain (no plating)	36 mm	440 mm	55 mm	
9311036450	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 450, Plain	Steel 10.9	M36 x 450	Plain (no plating)	36 mm	450 mm	55 mm	
93110364502	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 450, Hot-Dip Galva	Steel 10.9	M36 x 450	Hot Dip Galvanizing	36 mm	450 mm	55 mm	
9311036530	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 530, Plain	Steel 10.9	M36 x 530	Plain (no plating)	36 mm	530 mm	55 mm	
9311036560	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 560, Plain	Steel 10.9	M36 x 560	Plain (no plating)	36 mm	560 mm	55 mm	
9311036620	DIN 931 Hexagon Head Screw, Steel 10.9, M36 x 620, Plain	Steel 10.9	M36 x 620	Plain (no plating)	36 mm	620 mm	55 mm	
9311039120	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 120, Plain	Steel 10.9	M39 x 120	Plain (no plating)	39 mm	120 mm	60 mm	
9311039130	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 130, Plain	Steel 10.9	M39 x 130	Plain (no plating)	39 mm	130 mm	60 mm	
93110391402	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 140, Hot-Dip Galva	Steel 10.9	M39 x 140	Hot Dip Galvanizing	39 mm	140 mm	60 mm	
9311039150	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 150, Plain	Steel 10.9	M39 x 150	Plain (no plating)	39 mm	150 mm	60 mm	
93110391502	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 150, Hot-Dip Galva	Steel 10.9	M39 x 150	Hot Dip Galvanizing	39 mm	150 mm	60 mm	
9311039160	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 160, Plain	Steel 10.9	M39 x 160	Plain (no plating)	39 mm	160 mm	60 mm	
93110391601	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 160, Zinc Plated	Steel 10.9	M39 x 160	Zinc Bright Passivation Fe/Zn P1	39 mm	160 mm	60 mm	
9311039180	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 180, Plain	Steel 10.9	M39 x 180	Plain (no plating)	39 mm	180 mm	60 mm	
93110391801	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 180, Zinc Plated	Steel 10.9	M39 x 180	Zinc Bright Passivation Fe/Zn P1	39 mm	180 mm	60 mm	
9311039200	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 200, Plain	Steel 10.9	M39 x 200	Plain (no plating)	39 mm	200 mm	60 mm	
93110392001	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 200, Zinc Plated	Steel 10.9	M39 x 200	Zinc Bright Passivation Fe/Zn P1	39 mm	200 mm	60 mm	
93110392202	DIN 931 Hexagon Head Screw, Steel 10.9, M39 x 220, Hot-Dip Galva	Steel 10.9	M39 x 220	Hot Dip Galvanizing	39 mm	220 mm	60 mm	
9311042120	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 120, Plain	Steel 10.9	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
93110421302	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 130, Hot-Dip Galva	Steel 10.9	M42 x 130	Hot Dip Galvanizing	42 mm	130 mm	65 mm	
9311042150	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 150, Plain	Steel 10.9	M42 x 150	Plain (no plating)	42 mm	150 mm	65 mm	
9311042160	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 160, Plain	Steel 10.9	M42 x 160	Plain (no plating)	42 mm	160 mm	65 mm	
93110421602	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 160, Hot-Dip Galva	Steel 10.9	M42 x 160	Hot Dip Galvanizing	42 mm	160 mm	65 mm	
9311042160GEO	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 160, Zinc Plated	Steel 10.9	M42 x 160	GEOMET 500A	42 mm	160 mm	65 mm	
9311042160GEO50	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 160, Zinc Plated	Steel 10.9	M42 x 160	GEOMET 500A	42 mm	160 mm	65 mm	
9311042170	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 170, Plain	Steel 10.9	M42 x 170	Plain (no plating)	42 mm	170 mm	65 mm	
9311042180	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 180, Plain	Steel 10.9	M42 x 180	Plain (no plating)	42 mm	180 mm	65 mm	
93110421801	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 180, Zinc Plated	Steel 10.9	M42 x 180	Zinc Bright Passivation Fe/Zn P1	42 mm	180 mm	65 mm	
93110421802	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 180, Hot-Dip Galva							

Dip Galva

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311042190	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 190, Plain	Steel 10.9	M42 x 190	Plain (no plating)	42 mm	190 mm	65 mm	
9311042200	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 200, Plain	Steel 10.9	M42 x 200	Plain (no plating)	42 mm	200 mm	65 mm	
93110422002	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 200, Hot-Dip Galva	Steel 10.9	M42 x 200	Hot Dip Galvanizing	42 mm	200 mm	65 mm	
9311042220	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 220, Plain	Steel 10.9	M42 x 220	Plain (no plating)	42 mm	220 mm	65 mm	
9311042240	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 240, Plain	Steel 10.9	M42 x 240	Plain (no plating)	42 mm	240 mm	65 mm	
93110422402	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 240, Hot-Dip Galva	Steel 10.9	M42 x 240	Hot Dip Galvanizing	42 mm	240 mm	65 mm	
9311042240C3.2	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 240, EN 10204-3.2	Steel 10.9	M42 x 240	Plain (no plating)	42 mm	240 mm	65 mm	
9311042250	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 250, Plain	Steel 10.9	M42 x 250	Plain (no plating)	42 mm	250 mm	65 mm	
9311042260	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 260, Plain	Steel 10.9	M42 x 260	Plain (no plating)	42 mm	260 mm	65 mm	
93110422602	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 260, Hot-Dip Galva	Steel 10.9	M42 x 260	Hot Dip Galvanizing	42 mm	260 mm	65 mm	
9311042270	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 270, Plain	Steel 10.9	M42 x 270	Plain (no plating)	42 mm	270 mm	65 mm	
9311042280	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 280, Plain	Steel 10.9	M42 x 280	Plain (no plating)	42 mm	280 mm	65 mm	
9311042300	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 300, Plain	Steel 10.9	M42 x 300	Plain (no plating)	42 mm	300 mm	65 mm	
9311042340	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 340, Plain	Steel 10.9	M42 x 340	Plain (no plating)	42 mm	340 mm	65 mm	
93110423401	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 340, Zinc Plated	Steel 10.9	M42 x 340	Zinc Bright Passivation Fe/Zn P1	42 mm	340 mm	65 mm	
9311042360	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 360, Plain	Steel 10.9	M42 x 360	Plain (no plating)	42 mm	360 mm	65 mm	
9311042380	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 380, Plain	Steel 10.9	M42 x 380	Plain (no plating)	42 mm	380 mm	65 mm	
9311042460	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 460, Plain	Steel 10.9	M42 x 460	Plain (no plating)	42 mm	460 mm	65 mm	
9311042480	DIN 931 Hexagon Head Screw, Steel 10.9, M42 x 480, Plain	Steel 10.9	M42 x 480	Plain (no plating)	42 mm	480 mm	65 mm	
9311045160	DIN 931 Hexagon Head Screw, Steel 10.9, M45 x 160, Plain	Steel 10.9	M45 x 160	Plain (no plating)	45 mm	160 mm	70 mm	
9311045280	DIN 931 Hexagon Head Screw, Steel 10.9, M45 x 280, Plain	Steel 10.9	M45 x 280	Plain (no plating)	45 mm	280 mm	70 mm	
9311048090	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 90, Plain	Steel 10.9	M48 x 90	Plain (no plating)	48 mm	90 mm	75 mm	
9311048120	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 120, Plain	Steel 10.9	M48 x 120	Plain (no plating)	48 mm	120 mm	75 mm	
9311048140	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 140, Plain	Steel 10.9	M48 x 140	Plain (no plating)	48 mm	140 mm	75 mm	
93110481401	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 140, Zinc Plated	Steel 10.9	M48 x 140	Zinc Bright Passivation Fe/Zn P1	48 mm	140 mm	75 mm	
9311048150	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 150, Plain	Steel 10.9	M48 x 150	Plain (no plating)	48 mm	150 mm	75 mm	
9311048160	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 160, Plain	Steel 10.9	M48 x 160	Plain (no plating)	48 mm	160 mm	75 mm	
93110481601	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 160, Zinc Plated	Steel 10.9	M48 x 160	Zinc Bright Passivation Fe/Zn P1	48 mm	160 mm	75 mm	
93110481602	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 160, Hot-Dip Galva	Steel 10.9	M48 x 160	Hot Dip Galvanizing	48 mm	160 mm	75 mm	
9311048180	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 180, Plain	Steel 10.9	M48 x 180	Plain (no plating)	48 mm	180 mm	75 mm	
93110481802	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 180, Hot-Dip Galva	Steel 10.9	M48 x 180	Hot Dip Galvanizing	48 mm	180 mm	75 mm	
9311048200	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 200, Plain	Steel 10.9	M48 x 200	Plain (no plating)	48 mm	200 mm	75 mm	
93110482002	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 200, Hot-Dip Galva	Steel 10.9	M48 x 200	Hot Dip Galvanizing	48 mm	200 mm	75 mm	
9311048200HSEX1	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 200, Plain	Steel 10.9	M48 x 200	Plain (no plating)	48 mm	200 mm	75 mm	
9311048220	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 220, Plain	Steel 10.9	M48 x 220	Plain (no plating)	48 mm	220 mm	75 mm	
9311048240	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 240, Plain	Steel 10.9	M48 x 240	Plain (no plating)	48 mm	240 mm	75 mm	
9311048260	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 260, Plain	Steel 10.9	M48 x 260	Plain (no plating)	48 mm	260 mm	75 mm	
93110482601	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 260, Zinc Plated	Steel 10.9	M48 x 260	Zinc Bright Passivation Fe/Zn P1	48 mm	260 mm	75 mm	
9311048280	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 280, Plain	Steel 10.9	M48 x 280	Plain (no plating)	48 mm	280 mm	75 mm	
9311048300	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 300, Plain	Steel 10.9	M48 x 300	Plain (no plating)	48 mm	300 mm	75 mm	
93110483002	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 300, Hot-Dip Galva	Steel 10.9	M48 x 300	Hot Dip Galvanizing	48 mm	300 mm	75 mm	
9311048410	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 410, Plain	Steel 10.9	M48 x 410	Plain (no plating)	48 mm	410 mm	75 mm	
9311048490	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 490, Plain	Steel 10.9	M48 x 490	Plain (no plating)	48 mm	490 mm	75 mm	
9311048600	DIN 931 Hexagon Head Screw, Steel 10.9, M48 x 600, Plain	Steel 10.9	M48 x 600	Plain (no plating)	48 mm	600 mm	75 mm	
9311052170	DIN 931 Hexagon Head Screw, Steel 10.9, M52 x 170, Plain	Steel 10.9	M52 x 170	Plain (no plating)	52 mm	170 mm	80 mm	
9311052340	DIN 931 Hexagon Head Screw, Steel 10.9, M52 x 340, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311056320	DIN 931 Hexagon Head Screw, Steel 10.9, M56 x 320, Plain	Steel 10.9	M56 x 320	Plain (no plating)	56 mm	320 mm	85 mm	
9311064200	DIN 931 Hexagon Head Screw, Steel 10.9, M64 x 200, Plain	Steel 10.9	M64 x 200	Plain (no plating)	64 mm	200 mm	95 mm	
9311064280	DIN 931 Hexagon Head Screw, Steel 10.9, M64 x 280, EN 10204-3-1	Steel 10.9	M64 x 280	Plain (no plating)	64 mm	280 mm	95 mm	
9311064280HS	DIN 931 Hexagon Head Screw, Steel 10.9, M64 x 280, Plain	Steel 10.9	M64 x 280	Plain (no plating)	64 mm	280 mm	95 mm	
9311064300	DIN 931 Hexagon Head Screw, Steel 10.9, M64 x 300, EN 10204-3-1	Steel 10.9	M64 x 300	Plain (no plating)	64 mm	300 mm	95 mm	
9311064300HS	DIN 931 Hexagon Head Screw, Steel 10.9, M64 x 300, Plain	Steel 10.9	M64 x 300	Plain (no plating)	64 mm	300 mm	95 mm	
9311064320	DIN 931 Hexagon Head Screw, Steel 10.9, M64 x 320, Plain	Steel 10.9	M64 x 320	Plain (no plating)	64 mm	320 mm	95 mm	
9311064360	DIN 931 Hexagon Head Screw, Steel 10.9, M64 x 360, EN 10204-3-1	Steel 10.9	M64 x 360	Plain (no plating)	64 mm	360 mm	95 mm	
9311072560	DIN 931 Hexagon Head Screw, Steel 10.9, M72 x 6 x 560, Plain	Steel 10.9	M72 x 6 x 560	Plain (no plating)	72 mm	560 mm	105 mm	
9311080180	DIN 931 Hexagon Head Screw, Steel 10.9, M80 x 6 x 180, EN 10204-3-1	Steel 10.9	M80 x 6 x 180	Plain (no plating)	80 mm	180 mm	115 mm	
9311080300	DIN 931 Hexagon Head Screw, Steel 10.9, M80 x 6 x 300, EN 10204-3-1	Steel 10.9	M80 x 6 x 300	Plain (no plating)	80 mm	300 mm	115 mm	
9311080300HS	DIN 931 Hexagon Head Screw, Steel 10.9, M80 x 6 x 300, Plain	Steel 10.9	M80 x 6 x 300	Plain (no plating)	80 mm	300 mm	115 mm	
9311080440	DIN 931 Hexagon Head Screw, Steel 10.9, M80 x 6 x 440, EN 10204-3-1	Steel 10.9	M80 x 6 x 440	Plain (no plating)	80 mm	440 mm	115 mm	
9311206030	DIN 931 Hexagon Head Screw, Steel 12.9, M6 x 30, Plain	Steel 12.9	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
9311206040	DIN 931 Hexagon Head Screw, Steel 12.9, M6 x 40, Plain	Steel 12.9	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
9311206040GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M6 x 40, Zinc Flake Sil	Steel 12.9	M6 x 40	GEOMET 500B	6 mm	40 mm	10 mm	
9311206205	DIN 931 Hexagon Head Screw, Steel 12.9, M6 x 205, Plain	Steel 12.9	M6 x 205	Plain (no plating)	6 mm	205 mm	10 mm	
9311206235	DIN 931 Hexagon Head Screw, Steel 12.9, M6 x 235, Plain	Steel 12.9	M6 x 235	Plain (no plating)	6 mm	235 mm	10 mm	
9311208045	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 45, Plain	Steel 12.9	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
9311208045GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 45, Zinc Flake Sil	Steel 12.9	M8 x 45	GEOMET 500A	8 mm	45 mm	13 mm	
9311208050	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 50, Plain	Steel 12.9	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
9311208055	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 55, Plain	Steel 12.9	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
93112080601	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 60, Zinc Plated	Steel 12.9	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
9311208065	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 65, Plain	Steel 12.9	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
9311208070	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 70, Plain	Steel 12.9	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
93112080801	DIN 931 Hexagon Head Screw, Steel 12.9, M8 x 80, Zinc Plated	Steel 12.9	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9311210040	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 40, Plain	Steel 12.9	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
93112100401	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 40, Zinc Plated	Steel 12.9	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9311210045	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 45, Plain	Steel 12.9	M10 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
9311210050	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 50, Plain	Steel 12.9	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
93112100501	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 50, Zinc Plated	Steel 12.9	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9311210055	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 55, Plain	Steel 12.9	M10 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
9311210060	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 60, Plain	Steel 12.9	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
9311210065	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 65, Plain	Steel 12.9	M10 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
9311210070	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 70, Plain	Steel 12.9	M10 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
9311210075	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 75, Plain	Steel 12.9	M10 x 75	Plain (no plating)	10 mm	75 mm	17 mm	
9311210080	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 80, Plain	Steel 12.9	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
9311210085	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 85, Plain	Steel 12.9	M10 x 85	Plain (no plating)	10 mm	85 mm	17 mm	
9311210100	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 100, Plain	Steel 12.9	M10 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
9311210114	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 114, Plain	Steel 12.9	M10 x 114	Plain (no plating)	10 mm	114 mm	17 mm	
9311210116	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 116, Plain	Steel 12.9	M10 x 116	Plain (no plating)	10 mm	116 mm	17 mm	
9311210120	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 120, Plain	Steel 12.9	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
9311210140	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 140, Plain	Steel 12.9	M10 x 140	Plain (no plating)	10 mm	140 mm	17 mm	
9311210180	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 180, Plain	Steel 12.9	M10 x 180	Plain (no plating)	10 mm	180 mm	17 mm	
9311210190	DIN 931 Hexagon Head Screw, Steel 12.9, M10 x 190, Plain	Steel 12.9	M10 x 190	Plain (no plating)	10 mm	190 mm	17 mm	
9311212045	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 45, Plain	Steel 12.9	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311212045DELSI	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 45, Zinc Plated, Flake-Si	Steel 12.9	M12 x 45	DELTA KL100x2/SEALx2+GZ	12 mm	45 mm	19 mm	
9311212050	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 50, Plain	Steel 12.9	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
9311212055	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 55, Plain	Steel 12.9	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
9311212060	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 60, Plain	Steel 12.9	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
93112120601	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 60, Zinc Plated, Flake-Si	Steel 12.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9311212060DELB	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 60, Zinc Plated, Flake-Si	Steel 12.9	M12 x 60	DELTA KL100x2/SEAL	12 mm	60 mm	19 mm	
9311212060GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 60, Zinc Plated, Flake-Si	Steel 12.9	M12 x 60	GEOMET 500A	12 mm	60 mm	19 mm	
9311212065	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 65, Plain	Steel 12.9	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
9311212070	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 70, Plain	Steel 12.9	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
9311212070P1000	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 70, Plain	Steel 12.9	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
9311212080	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 80, Plain	Steel 12.9	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
93112120801	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 80, Zinc Plated, Flake-Si	Steel 12.9	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
9311212080GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 80, Zinc Plated, Flake-Si	Steel 12.9	M12 x 80	GEOMET 500A	12 mm	80 mm	19 mm	
9311212080GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 80, Zinc Plated, Flake-Si	Steel 12.9	M12 x 80	GEOMET 500B	12 mm	80 mm	19 mm	
9311212090	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 90, Plain	Steel 12.9	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
9311212090FSK	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 90, Zinc Plated, Flake-Si	Steel 12.9	M12 x 90	Phosphating	12 mm	90 mm	19 mm	
9311212090GEO32	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 90, Zinc Plated, Flake-Si	Steel 12.9	M12 x 90	GEOMET 321B	12 mm	90 mm	19 mm	
9311212090GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 90, Zinc Plated, Flake-Si	Steel 12.9	M12 x 90	GEOMET 500B	12 mm	90 mm	19 mm	
9311212090GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 90, Zinc Plated, Flake-Si	Steel 12.9	M12 x 90	GEOMET 500B	12 mm	90 mm	19 mm	
9311212100	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 100, Plain	Steel 12.9	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
9311212100GEO32	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 100, Zinc Plated, Flake-Si	Steel 12.9	M12 x 100	GEOMET 321B	12 mm	100 mm	19 mm	
9311212100GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 100, Zinc Plated, Flake-Si	Steel 12.9	M12 x 100	GEOMET 500B	12 mm	100 mm	19 mm	
9311212100GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 100, Zinc Plated, Flake-Si	Steel 12.9	M12 x 100	GEOMET 500A	12 mm	100 mm	19 mm	
9311212110	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 110, Plain	Steel 12.9	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
9311212110C	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 110, EN 10204 3 1	Steel 12.9	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
9311212110GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 110, Zinc Plated, Flake-Si	Steel 12.9	M12 x 110	GEOMET 500B	12 mm	110 mm	19 mm	
9311212110GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 110, Zinc Plated, Flake-Si	Steel 12.9	M12 x 110	GEOMET 500A	12 mm	110 mm	19 mm	
9311212110GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 110, EN 10204 3 1	Steel 12.9	M12 x 110	GEOMET 500A	12 mm	110 mm	19 mm	
9311212120	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 120, Plain	Steel 12.9	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
9311212130	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 130, Plain	Steel 12.9	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
9311212140	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 140, Plain	Steel 12.9	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
9311212140DEL	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 140, Zinc Plated, Flake-Si	Steel 12.9	M12 x 140	DELTA KL100x2/SEAL+GZ	12 mm	140 mm	19 mm	
9311212150	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 150, Plain	Steel 12.9	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
9311212160	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 160, Plain	Steel 12.9	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
9311212170	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 170, Plain	Steel 12.9	M12 x 170	Plain (no plating)	12 mm	170 mm	19 mm	
9311212180	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 180, Plain	Steel 12.9	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	
9311212190	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 190, Plain	Steel 12.9	M12 x 190	Plain (no plating)	12 mm	190 mm	19 mm	
9311212200	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 200, Plain	Steel 12.9	M12 x 200	Plain (no plating)	12 mm	200 mm	19 mm	
9311212280	DIN 931 Hexagon Head Screw, Steel 12.9, M12 x 280, Plain	Steel 12.9	M12 x 280	Plain (no plating)	12 mm	280 mm	19 mm	
9311214045C	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 45, EN 10204 3 1 C	Steel 12.9	M14 x 45	Plain (no plating)	14 mm	45 mm	22 mm	
9311214050	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 50, Plain	Steel 12.9	M14 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
93112140501	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 50, Zinc Plated, Flake-Si	Steel 12.9	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
9311214055	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 55, Plain	Steel 12.9	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
9311214060	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 60, Plain	Steel 12.9	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
93112140601	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 60, Zinc Plated, Flake-Si	Steel 12.9	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
9311214075	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 75, Plain	Steel 12.9	M14 x 75	Plain (no plating)	14 mm	75 mm	22 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311214080	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 80, Plain	Steel 12.9	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
9311214090	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 90, Plain	Steel 12.9	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
9311214100	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 100, Plain	Steel 12.9	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
9311214120	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 120, Plain	Steel 12.9	M14 x 120	Plain (no plating)	14 mm	120 mm	22 mm	
9311214240	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 240, Plain	Steel 12.9	M14 x 240	Plain (no plating)	14 mm	240 mm	22 mm	
9311214240GEO05A	DIN 931 Hexagon Head Screw, Steel 12.9, M14 x 240, Zinc Flake-S	Steel 12.9	M14 x 240	GEOMET 500A	14 mm	240 mm	22 mm	
9311216050GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 50, Zinc Flake-S	Steel 12.9	M16 x 50	GEOMET 500A	16 mm	50 mm	24 mm	
9311216050GEOC	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 50, EN 10204-3-1-C	Steel 12.9	M16 x 50	GEOMET 500A	16 mm	50 mm	24 mm	
9311216055	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 55, Plain	Steel 12.9	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
93112160551	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 55, Zinc Plated	Steel 12.9	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
9311216060	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 60, Plain	Steel 12.9	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
9311216060C	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 60, EN 10204-3-1-C	Steel 12.9	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
9311216060DELB	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 60, Zinc Flake-Pl	Steel 12.9	M16 x 60	DELTA KL100x2/SEAL	16 mm	60 mm	24 mm	
9311216060GEO50B	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 60, Zinc Flake-Si	Steel 12.9	M16 x 60	BLACKx2+GZ GEOMET 500B	16 mm	60 mm	24 mm	
9311216060GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 60, Zinc Flake-Si	Steel 12.9	M16 x 60	GEOMET 500B	16 mm	60 mm	24 mm	
9311216060GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 60, EN 10204-3-1-C	Steel 12.9	M16 x 60	GEOMET 500A	16 mm	60 mm	24 mm	
9311216060P1000	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 60, Zinc Flake-S	Steel 12.9	M16 x 60	ZINC FLAKES SILVER P1000	16 mm	60 mm	24 mm	
9311216065	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 65, Plain	Steel 12.9	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
9311216070	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 70, Plain	Steel 12.9	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
9311216070DELB	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 70, Zinc Flake-Pl	Steel 12.9	M16 x 70	DELTA KL100x2/SEAL	16 mm	70 mm	24 mm	
9311216070DELSI	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 70, Zinc Flake-Si	Steel 12.9	M16 x 70	DELTA KL100x2/SEALx2+GZ	16 mm	70 mm	24 mm	
9311216070GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 70, Zinc Flake-Si	Steel 12.9	M16 x 70	GEOMET 500B	16 mm	70 mm	24 mm	
9311216075	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 75, Plain	Steel 12.9	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
9311216080	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 80, Plain	Steel 12.9	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
93112160801	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 80, Zinc Plated	Steel 12.9	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
9311216080DELB	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 80, Zinc Flake-Pl	Steel 12.9	M16 x 80	DELTA KL100x2/SEAL	16 mm	80 mm	24 mm	
9311216080GEO50B	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 80, Zinc Flake-Si	Steel 12.9	M16 x 80	BLACKx2+GZ GEOMET 500B	16 mm	80 mm	24 mm	
9311216080GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 80, Zinc Flake-Si	Steel 12.9	M16 x 80	GEOMET 500A	16 mm	80 mm	24 mm	
9311216090	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 90, Plain	Steel 12.9	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
9311216100	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 100, Plain	Steel 12.9	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
9311216100FLZNN	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 100, Zinc Flake-S	Steel 12.9	M16 x 100	ZINC FLAKE SILVER NO CR6+ 480	16 mm	100 mm	24 mm	
9311216100GEO50B	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 100, Zinc Flake-S	Steel 12.9	M16 x 100	GEOMET 500B	16 mm	100 mm	24 mm	
9311216110	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 110, Plain	Steel 12.9	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
9311216110GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 110, Zinc Flake-S	Steel 12.9	M16 x 110	GEOMET 500A	16 mm	110 mm	24 mm	
9311216110GEO50B	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 110, Zinc Flake-S	Steel 12.9	M16 x 110	GEOMET 500B	16 mm	110 mm	24 mm	
9311216115	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 115, Plain	Steel 12.9	M16 x 115	Plain (no plating)	16 mm	115 mm	24 mm	
9311216120	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 120, Plain	Steel 12.9	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
9311216120DELB	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 120, Zinc Flake-Pl	Steel 12.9	M16 x 120	DELTA KL100x2/SEAL	16 mm	120 mm	24 mm	
9311216120GEO5B	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 120, Zinc Flake-S	Steel 12.9	M16 x 120	BLACKx2+GZ GEOMET 500B	16 mm	120 mm	24 mm	
9311216130	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 130, Plain	Steel 12.9	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
9311216130GEO50B	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 130, Zinc Flake-S	Steel 12.9	M16 x 130	GEOMET 500B	16 mm	130 mm	24 mm	
9311216140	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 140, Plain	Steel 12.9	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
93112161401	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 140, Zinc Plated	Steel 12.9	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
9311216140GEO5B	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 140, Zinc Flake-S	Steel 12.9	M16 x 140	GEOMET 500B	16 mm	140 mm	24 mm	
9311216140P1000	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 140, Plain	Steel 12.9	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
9311216150	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 150, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311216160	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 160, Plain	Steel 12.9	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
9311216180	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 180, Plain	Steel 12.9	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
9311216180DEL	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 180, Zinc Flake-S	Steel 12.9	M16 x 180	DELTA KL100x2/SEAL+GZ	16 mm	180 mm	24 mm	
9311216200	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 200, Plain	Steel 12.9	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
93112162001	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 200, Zinc Plated	Steel 12.9	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
9311216240	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 240, Plain	Steel 12.9	M16 x 240	Plain (no plating)	16 mm	240 mm	24 mm	
9311216250	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 250, Plain	Steel 12.9	M16 x 250	Plain (no plating)	16 mm	250 mm	24 mm	
9311216250GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 250, Zinc Flake-S	Steel 12.9	M16 x 250	GEOMET 500A	16 mm	250 mm	24 mm	
9311216250GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 250, Zinc Flake-S	Steel 12.9	M16 x 250	GEOMET 500B	16 mm	250 mm	24 mm	
9311216290TL40	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 290/40, Plain	Steel 12.9	M16 x 290/40	Plain (no plating)	16 mm	290 mm	24 mm	
9311216295	DIN 931 Hexagon Head Screw, Steel 12.9, M16 x 295, EN 10204 3.1	Steel 12.9	M16 x 295	Plain (no plating)	16 mm	295 mm	24 mm	
9311218065	DIN 931 Hexagon Head Screw, Steel 12.9, M18 x 65, Plain	Steel 12.9	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
9311218070	DIN 931 Hexagon Head Screw, Steel 12.9, M18 x 70, Plain	Steel 12.9	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
9311218075	DIN 931 Hexagon Head Screw, Steel 12.9, M18 x 75, Plain	Steel 12.9	M18 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
9311218090	DIN 931 Hexagon Head Screw, Steel 12.9, M18 x 90, Plain	Steel 12.9	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
9311220070	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 70, Plain	Steel 12.9	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
93112200701	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 70, Zinc Plated	Steel 12.9	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9311220070GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 70, Zinc Flake-Si	Steel 12.9	M20 x 70	GEOMET 500A	20 mm	70 mm	30 mm	
9311220080	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 80, Plain	Steel 12.9	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
9311220080DEL	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 80, Zinc Flake-Si	Steel 12.9	M20 x 80	DELTA KL100x2/SEAL+GZ	20 mm	80 mm	30 mm	
9311220080GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 80, Zinc Flake-Si	Steel 12.9	M20 x 80	GEOMET 500A	20 mm	80 mm	30 mm	
9311220090	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 90, Plain	Steel 12.9	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
93112200901	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 90, Zinc Plated	Steel 12.9	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
9311220100	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 100, Plain	Steel 12.9	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
93112201001	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 100, Zinc Plated	Steel 12.9	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
9311220110	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 110, Plain	Steel 12.9	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
93112201101	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 110, Zinc Plated	Steel 12.9	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	30 mm	
9311220120	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 120, Plain	Steel 12.9	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
93112201201	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 120, Zinc Plated	Steel 12.9	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
9311220130	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 130, Plain	Steel 12.9	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
93112201301	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 130, Zinc Plated	Steel 12.9	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
9311220130ZFS	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 130, Zinc Flake-S	Steel 12.9	M20 x 130	ZINC FLAKE SILVER NO CR6+ 480 H	20 mm	130 mm	30 mm	
9311220130ZNTW	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 130, Zinc Nickel	Steel 12.9	M20 x 130	ZnNi8/Cn/T4	20 mm	130 mm	30 mm	
9311220140	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 140, Plain	Steel 12.9	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
93112201401	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 140, Zinc Plated	Steel 12.9	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
9311220150	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 150, Plain	Steel 12.9	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
9311220160	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 160, Plain	Steel 12.9	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
93112201601	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 160, Zinc Plated	Steel 12.9	M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	30 mm	
9311220160GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 160, Zinc Flake-S	Steel 12.9	M20 x 160	GEOMET 500A	20 mm	160 mm	30 mm	
9311220160GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 160, Zinc Flake-S	Steel 12.9	M20 x 160	GEOMET 500B	20 mm	160 mm	30 mm	
93112201701	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 170, Zinc Plated	Steel 12.9	M20 x 170	Zinc Bright Passivation Fe/Zn P1	20 mm	170 mm	30 mm	
9311220180	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 180, Plain	Steel 12.9	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
9311220180P1000	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 180, Plain	Steel 12.9	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
9311220200	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 200, Plain	Steel 12.9	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
9311220200GEO50	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 200, Zinc Flake-S	Steel 12.9	M20 x 200	GEOMET 500B	20 mm	200 mm	30 mm	
9311220210C	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 210, EN							

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311220240	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 240, Plain	Steel 12.9	M20 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
9311220240ZNT	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 240, Zinc Nickel	Steel 12.9	M20 x 240	ZnNi8/Cn/T4	20 mm	240 mm	30 mm	
9311220250	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 250, Plain	Steel 12.9	M20 x 250	Plain (no plating)	20 mm	250 mm	30 mm	
9311220260	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 260, Plain	Steel 12.9	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
9311220300	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 300, Plain	Steel 12.9	M20 x 300	Plain (no plating)	20 mm	300 mm	30 mm	
9311220320	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 320, Plain	Steel 12.9	M20 x 320	Plain (no plating)	20 mm	320 mm	30 mm	
9311220320GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 320, Zinc Flake S	Steel 12.9	M20 x 320	GEOMET 500A	20 mm	320 mm	30 mm	
9311220340	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 340, Plain	Steel 12.9	M20 x 340	Plain (no plating)	20 mm	340 mm	30 mm	
9311220340GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 340, Zinc Flake S	Steel 12.9	M20 x 340	GEOMET 500A	20 mm	340 mm	30 mm	
9311220360TL60	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 360/60, Plain	Steel 12.9	M20 x 360/60	Plain (no plating)	20 mm	360 mm	30 mm	
9311220365GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M20 x 365, Zinc Flake S	Steel 12.9	M20 x 365	GEOMET 500A	20 mm	365 mm	30 mm	
9311222070	DIN 931 Hexagon Head Screw, Steel 12.9, M22 x 70, Plain	Steel 12.9	M22 x 70	Plain (no plating)	22 mm	70 mm	32 mm	
9311222090	DIN 931 Hexagon Head Screw, Steel 12.9, M22 x 90, Plain	Steel 12.9	M22 x 90	Plain (no plating)	22 mm	90 mm	32 mm	
9311222140	DIN 931 Hexagon Head Screw, Steel 12.9, M22 x 140, Plain	Steel 12.9	M22 x 140	Plain (no plating)	22 mm	140 mm	32 mm	
93112240651	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 65, Zinc Plated	Steel 12.9	M24 x 65	Zinc Bright Passivation Fe/Zn P1	24 mm	65 mm	36 mm	
9311224070	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 70, Plain	Steel 12.9	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
9311224080	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 80, Plain	Steel 12.9	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
93112240801	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 80, Zinc Plated	Steel 12.9	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
9311224080GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 80, Zinc Flake S	Steel 12.9	M24 x 80	GEOMET 321A	24 mm	80 mm	36 mm	
9311224085	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 85, Plain	Steel 12.9	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
9311224090	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 90, Plain	Steel 12.9	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
93112240901	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 90, Zinc Plated	Steel 12.9	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
9311224100	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 100, Plain	Steel 12.9	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
93112241001	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 100, Zinc Plated	Steel 12.9	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	36 mm	
9311224110	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 110, Plain	Steel 12.9	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
93112241101	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 110, Zinc Plated	Steel 12.9	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
9311224120	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 120, Plain	Steel 12.9	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
93112241201	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 120, Zinc Plated	Steel 12.9	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	36 mm	
9311224120DEL	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 120, Zinc Flake S	Steel 12.9	M24 x 120	DELTA KL100x2/SEAL+GZ	24 mm	120 mm	36 mm	
9311224125	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 125, Plain	Steel 12.9	M24 x 125	Plain (no plating)	24 mm	125 mm	36 mm	
9311224130	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 130, Plain	Steel 12.9	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
93112241301	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 130, Zinc Plated	Steel 12.9	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
93112241351	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 135, Zinc Plated	Steel 12.9	M24 x 135	Zinc Bright Passivation Fe/Zn P1	24 mm	135 mm	36 mm	
9311224140	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 140, Plain	Steel 12.9	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
93112241401	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 140, Zinc Plated	Steel 12.9	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
9311224150	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 150, Plain	Steel 12.9	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
93112241501	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 150, Zinc Plated	Steel 12.9	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
9311224150GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 150, Zinc Flake S	Steel 12.9	M24 x 150	GEOMET 500A	24 mm	150 mm	36 mm	
9311224160	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 160, Plain	Steel 12.9	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
9311224180	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 180, Plain	Steel 12.9	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
93112241801	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 180, Zinc Plated	Steel 12.9	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	36 mm	
9311224180GEO5B	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 180, Zinc Plated	Steel 12.9	M24 x 180	GEOMET 500B	24 mm	180 mm	36 mm	
9311224200	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 200, Plain	Steel 12.9	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
93112242001	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 200, Zinc Plated	Steel 12.9	M24 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm	36 mm	
9311224220	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 220, Plain	Steel 12.9	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
9311224240	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 240, EN							

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311224240GEO5B	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 240, Zinc Plated	Steel 12.9	M24 x 240	GEOMET 500B	24 mm	240 mm	36 mm	
9311224250	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 250, Plain	Steel 12.9	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
9311224260	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 260, Plain	Steel 12.9	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
9311224270	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 270, EN 10204 2.2	Steel 12.9	M24 x 270	Plain (no plating)	24 mm	270 mm	36 mm	
9311224280	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 280, Plain	Steel 12.9	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
9311224440	DIN 931 Hexagon Head Screw, Steel 12.9, M24 x 440, Plain	Steel 12.9	M24 x 440	Plain (no plating)	24 mm	440 mm	36 mm	
9311227065	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 65, Plain	Steel 12.9	M27 x 65	Plain (no plating)	27 mm	65 mm	41 mm	
9311227080	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 80, Plain	Steel 12.9	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
9311227085	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 85, Plain	Steel 12.9	M27 x 85	Plain (no plating)	27 mm	85 mm	41 mm	
9311227110	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 110, Plain	Steel 12.9	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
9311227120	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 120, Plain	Steel 12.9	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
9311227130	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 130, Plain	Steel 12.9	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
9311227150	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 150, Plain	Steel 12.9	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
9311227155	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 155, Plain	Steel 12.9	M27 x 155	Plain (no plating)	27 mm	155 mm	41 mm	
9311227195	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 195, Plain	Steel 12.9	M27 x 195	Plain (no plating)	27 mm	195 mm	41 mm	
9311227220C	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 220, EN 10204 2.2	Steel 12.9	M27 x 220	Plain (no plating)	27 mm	220 mm	41 mm	
9311227280	DIN 931 Hexagon Head Screw, Steel 12.9, M27 x 280, Plain	Steel 12.9	M27 x 280	Plain (no plating)	27 mm	280 mm	41 mm	
9311230100	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 100, Plain	Steel 12.9	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
9311230110	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 110, Plain	Steel 12.9	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
9311230120	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 120, Plain	Steel 12.9	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
93112301201	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 120, Zinc Plated	Steel 12.9	M30 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	46 mm	
9311230130	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 130, Plain	Steel 12.9	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
9311230140	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 140, Plain	Steel 12.9	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
93112301403	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 140, Zinc Plated	Steel 12.9	M30 x 140	Zinc Yellow Passivation Fe/Zn P2	30 mm	140 mm	46 mm	
9311230150	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 150, Plain	Steel 12.9	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
9311230150DELSI	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 150, Zinc Flake-S	Steel 12.9	M30 x 150	DELTA KL100x2/SEAL+GZ	30 mm	150 mm	46 mm	
9311230160	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 160, Plain	Steel 12.9	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
9311230160DELSI	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 160, Zinc Flake-S	Steel 12.9	M30 x 160	DELTA KL100x2/SEAL+GZ	30 mm	160 mm	46 mm	
9311230160GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 160, Zinc Flake-S	Steel 12.9	M30 x 160	GEOMET 500A	30 mm	160 mm	46 mm	
9311230165	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 165, Plain	Steel 12.9	M30 x 165	Plain (no plating)	30 mm	165 mm	46 mm	
9311230170	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 170, Plain	Steel 12.9	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
9311230180	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 180, Plain	Steel 12.9	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
9311230200	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 200, Plain	Steel 12.9	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
9311230200GEO5A	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 200, Zinc Flake-S	Steel 12.9	M30 x 200	GEOMET 500A	30 mm	200 mm	46 mm	
9311230215	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 215, Plain	Steel 12.9	M30 x 215	Plain (no plating)	30 mm	215 mm	46 mm	
9311230220	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 220, Plain	Steel 12.9	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
9311230240	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 240, Plain	Steel 12.9	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
9311230250	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 250, Plain	Steel 12.9	M30 x 250	Plain (no plating)	30 mm	250 mm	46 mm	
9311230250GEO	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 250, Zinc Flake-S	Steel 12.9	M30 x 250	GEOMET 500A	30 mm	250 mm	46 mm	
9311230260	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 260, Plain	Steel 12.9	M30 x 260	Plain (no plating)	30 mm	260 mm	46 mm	
93112302801	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 280, Zinc Plated	Steel 12.9	M30 x 280	Zinc Bright Passivation Fe/Zn P1	30 mm	280 mm	46 mm	
9311230320	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 320, Plain	Steel 12.9	M30 x 320	Plain (no plating)	30 mm	320 mm	46 mm	
9311230400	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 400, Plain	Steel 12.9	M30 x 400	Plain (no plating)	30 mm	400 mm	46 mm	
9311230420	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 420, Plain	Steel 12.9	M30 x 420	Plain (no plating)	30 mm	420 mm	46 mm	
9311230440	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 440, Plain	Steel 12.9	M30 x 440	Plain (no plating)	30 mm	440 mm	46 mm	
9311230460	DIN 931 Hexagon Head Screw, Steel 12.9, M30 x 460, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311233220	DIN 931 Hexagon Head Screw, Steel 12.9, M33 x 220, Plain	Steel 12.9	M33 x 220	Plain (no plating)	33 mm	220 mm	50 mm	
9311233220DLTA	DIN 931 Hexagon Head Screw, Steel 12.9, M33 x 220, Zinc Flake-Sil	Steel 12.9	M33 x 220	DELTA KL100x2/SEAL+GZ	33 mm	220 mm	50 mm	
93112360901	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 90, Zinc Plain	Steel 12.9	M36 x 90	Zinc Bright Passivation Fe/Zn P1	36 mm	90 mm	55 mm	
9311236100	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 100, Plain	Steel 12.9	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
9311236150	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 150, Plain	Steel 12.9	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
9311236160	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 160, Plain	Steel 12.9	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
9311236170	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 170, Plain	Steel 12.9	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
9311236170C	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 170, EN 10204 3.1	Steel 12.9	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
9311236200	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 200, Plain	Steel 12.9	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
9311236200C	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 200, EN 10204 3.1	Steel 12.9	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
9311236250	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 250, Plain	Steel 12.9	M36 x 250	Plain (no plating)	36 mm	250 mm	55 mm	
9311236280	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 280, Plain	Steel 12.9	M36 x 280	Plain (no plating)	36 mm	280 mm	55 mm	
9311236300	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 300, Plain	Steel 12.9	M36 x 300	Plain (no plating)	36 mm	300 mm	55 mm	
9311236320	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 320, Plain	Steel 12.9	M36 x 320	Plain (no plating)	36 mm	320 mm	55 mm	
9311236320REPAIR	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 320, Plain	Steel 12.9	M36 x 320	Plain (no plating)	36 mm	320 mm	55 mm	
9311236360	DIN 931 Hexagon Head Screw, Steel 12.9, M36 x 360, Plain	Steel 12.9	M36 x 360	Plain (no plating)	36 mm	360 mm	55 mm	
9311239180	DIN 931 Hexagon Head Screw, Steel 12.9, M39 x 180, Plain	Steel 12.9	M39 x 180	Plain (no plating)	39 mm	180 mm	60 mm	
9311239250	DIN 931 Hexagon Head Screw, Steel 12.9, M39 x 250, Plain	Steel 12.9	M39 x 250	Plain (no plating)	39 mm	250 mm	60 mm	
9311239535	DIN 931 Hexagon Head Screw, Steel 12.9, M39 x 535, Plain	Steel 12.9	M39 x 535	Plain (no plating)	39 mm	535 mm	60 mm	
9311242100	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 100, Plain	Steel 12.9	M42 x 100	Plain (no plating)	42 mm	100 mm	65 mm	
9311242120	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 120, Plain	Steel 12.9	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
9311242160	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 160, Plain	Steel 12.9	M42 x 160	Plain (no plating)	42 mm	160 mm	65 mm	
9311242180	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 180, Plain	Steel 12.9	M42 x 180	Plain (no plating)	42 mm	180 mm	65 mm	
9311242200	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 200, Plain	Steel 12.9	M42 x 200	Plain (no plating)	42 mm	200 mm	65 mm	
9311242220	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 220, Plain	Steel 12.9	M42 x 220	Plain (no plating)	42 mm	220 mm	65 mm	
9311242260	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 260, Plain	Steel 12.9	M42 x 260	Plain (no plating)	42 mm	260 mm	65 mm	
9311242340	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 340, Plain	Steel 12.9	M42 x 340	Plain (no plating)	42 mm	340 mm	65 mm	
9311242380	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 380, Plain	Steel 12.9	M42 x 380	Plain (no plating)	42 mm	380 mm	65 mm	
9311242400	DIN 931 Hexagon Head Screw, Steel 12.9, M42 x 400, Plain	Steel 12.9	M42 x 400	Plain (no plating)	42 mm	400 mm	65 mm	
9311446208035	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M8	Duplex stainless D6-70 (1.4462)	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
9311446208040	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M8	Duplex stainless D6-70 (1.4462)	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
9311446210050	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M10	Duplex stainless D6-70 (1.4462)	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
9311446210060	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M10	Duplex stainless D6-70 (1.4462)	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
9311446210120	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M10	Duplex stainless D6-70 (1.4462)	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
9311446212070	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M12	Duplex stainless D6-70 (1.4462)	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
9311446216200	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M16	Duplex stainless D6-70 (1.4462)	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
9311484520080	DIN 931 Hexagon Head Screw, Stainless EN 1.4845, M20 x 80	Stainless EN 1.4845	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
931410075DIP	DIN 931 Hexagon Head Screw, Steel 4.6, M10 x 75, Zinc Flake-Sil	Steel 4.6	M10 x 75	DELTA KL100x2/SEAL+GZ	10 mm	75 mm	17 mm	
931410083DIP	DIN 931 Hexagon Head Screw, Steel 4.8, M10 x 83, Zinc Flake-Sil	Steel 4.8	M10 x 83	DELTA KL100x2/SEAL+GZ	10 mm	83 mm	17 mm	
9314120552	DIN 931 Hexagon Head Screw, Steel 4.6, M12 x 55, Hot-Dip Galvani	Steel 4.6	M12 x 55	Hot Dip Galvanizing	12 mm	55 mm	19 mm	
931416045	DIN 931 Hexagon Head Screw, Steel 4.6, M16 x 45, Plain	Steel 4.6	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
931416060	DIN 931 Hexagon Head Screw, Steel 4.6, M16 x 60, Plain	Steel 4.6	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
9314200702	DIN 931 Hexagon Head Screw, Steel 4.6, M20 x 70, Hot-Dip Galvani	Steel 4.6	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
931420090	DIN 931 Hexagon Head Screw, Steel 4.6, M20 x 90, Plain	Steel 4.6	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
931420100	DIN 931 Hexagon Head Screw, Steel 4.6, M20 x 100, Plain	Steel 4.6	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
931424160	DIN 931 Hexagon Head Screw, Steel 4.8, M24 x 160, Plain	Steel 4.8	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931424180	DIN 931 Hexagon Head Screw, Steel 4.6, M24 x 180, Plain	Steel 4.6	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
93148050453	DIN 931 Hexagon Head Screw, Steel 4.8, M5 x 45, Zinc	Steel 4.8	M5 x 45	Zinc Yellow Passivation Fe/Zn P2	5 mm	45 mm	8 mm	
93148080401	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 4.8, M8 x 40, Zinc	Steel 4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9314810035	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 4.8, M10 x 35, Plain	Steel 4.8	M10 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
9314810170DELSI	DIN 931 Hexagon Head Screw, Steel 4.8, M10 x 170, Zinc	Steel 4.8	M10 x 170	DELTA KL100x2/SEAL+GZ	10 mm	170 mm	17 mm	
9314814045	Flake, Silver DIN 931 Hexagon Head Screw, Steel 4.8, M14 x 45, Plain	Steel 4.8	M14 x 45	Plain (no plating)	14 mm	45 mm	22 mm	
9314816060	DIN 931 Hexagon Head Screw, Steel 4.8, M16 x 60, Plain	Steel 4.8	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
93148160903	DIN 931 Hexagon Head Screw, Steel 4.8, M16 x 90, Zinc	Steel 4.8	M16 x 90	Zinc Yellow Passivation Fe/Zn P2	16 mm	90 mm	24 mm	
93148161103	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 4.8, M16 x 110, Zinc	Steel 4.8	M16 x 110	Zinc Yellow Passivation Fe/Zn P2	16 mm	110 mm	24 mm	
93148221303	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 4.8, M22 x 130, Zinc	Steel 4.8	M22 x 130	Zinc Yellow Passivation Fe/Zn P2	22 mm	130 mm	32 mm	
93148301003	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 4.8, M30 x 100, Zinc	Steel 4.8	M30 x 100	Zinc Yellow Passivation Fe/Zn P2	30 mm	100 mm	46 mm	
931506030	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 5.8, M6 x 30, Plain	Steel 5.8	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
931508025	DIN 931 Hexagon Head Screw, Steel 5.8, M8 x 25, Plain	Steel 5.8	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
931508040	DIN 931 Hexagon Head Screw, Steel 5.8, M8 x 40, Plain	Steel 5.8	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
931508055	DIN 931 Hexagon Head Screw, Steel 5.6, M8 x 55, Plain	Steel 5.6	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
931508060	DIN 931 Hexagon Head Screw, Steel 5.6, M8 x 60, Plain	Steel 5.6	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
9315080651	DIN 931 Hexagon Head Screw, Steel 5.8, M8 x 65, Zinc	Steel 5.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	13 mm	
931508090	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 5.8, M8 x 90, Plain	Steel 5.8	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
931510035	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 35, Plain	Steel 5.8	M10 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
931510080DP	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 80, Zinc	Steel 5.8	M10 x 80	DELTA KL100x2/SEAL+GZ	10 mm	80 mm	17 mm	
931510090	Flake, Silver DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 90, Plain	Steel 5.8	M10 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
931510100	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 100, Plain	Steel 5.8	M10 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
931510110DPTL50	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 110/50, Zinc Flake	Steel 5.8	M10 x 110/50	DELTA KL100x2/SEAL+GZ	10 mm	110 mm	17 mm	
931512065	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 65, Plain	Steel 5.8	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
931512090	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 90, Plain	Steel 5.8	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
931512130	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 130, Plain	Steel 5.8	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
931512140	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 140, Plain	Steel 5.8	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
931520160	DIN 931 Hexagon Head Screw, Steel 5.8, M20 x 160, Plain	Steel 5.8	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
931520170	DIN 931 Hexagon Head Screw, Steel 5.8, M20 x 170, Plain	Steel 5.8	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
931520180	DIN 931 Hexagon Head Screw, Steel 5.8, M20 x 180, Plain	Steel 5.8	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
931524065	DIN 931 Hexagon Head Screw, Steel 5.8, M24 x 65, Plain	Steel 5.8	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
931524180	DIN 931 Hexagon Head Screw, Steel 5.8, M24 x 180, Plain	Steel 5.8	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
9315271101	DIN 931 Hexagon Head Screw, Steel 5.6, M27 x 110, Zinc	Steel 5.6	M27 x 110	Zinc Bright Passivation Fe/Zn P1	27 mm	110 mm	41 mm	
931530090	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 90, Plain	Steel 5.8	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
931530170	DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 170, Plain	Steel 5.8	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
931530180	DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 180, Plain	Steel 5.8	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
931530200	DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 200, Plain	Steel 5.8	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
931530220	DIN 931 Hexagon Head Screw, Steel 5.6, M30 x 220, Plain	Steel 5.6	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
931530230	DIN 931 Hexagon Head Screw, Steel 5.6, M30 x 230, Plain	Steel 5.6	M30 x 230	Plain (no plating)	30 mm	230 mm	46 mm	
9315361351	DIN 931 Hexagon Head Screw, Steel 5.6, M36 x 135, Zinc	Steel 5.6	M36 x 135	Zinc Bright Passivation Fe/Zn P1	36 mm	135 mm	55 mm	
93156040161	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 5.6, M4 x 16, Zinc	Steel 5.6	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	7 mm	
9315608040	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 5.6, M8 x 40, Plain	Steel 5.6	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
93156080401	DIN 931 Hexagon Head Screw, Steel 5.6, M8 x 40, Zinc	Steel 5.6	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9315608050	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 5.6, M8 x 50, Plain	Steel 5.6	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
93156100351	DIN 931 Hexagon Head Screw, Steel 5.6, M10 x 35, Zinc	Steel 5.6	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	17 mm	
93156101101	Plated, Yellow DIN 931 Hexagon Head Screw, Steel 5.6, M10 x 110, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9315612050	DIN 931 Hexagon Head Screw, Steel 5.6, M12 x 50, Plain	Steel 5.6	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
93156120501	DIN 931 Hexagon Head Screw, Steel 5.6, M12 x 50, Zinc Plated	Steel 5.6	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
93156120902	DIN 931 Hexagon Head Screw, Steel 5.6, M12 x 90, Hot-Dip Galvanizing	Steel 5.6	M12 x 90	Hot Dip Galvanizing	12 mm	90 mm	19 mm	
93156141501	DIN 931 Hexagon Head Screw, Steel 5.6, M14 x 150, Zinc Plated	Steel 5.6	M14 x 150	Zinc Bright Passivation Fe/Zn P1	14 mm	150 mm	22 mm	
9315616060	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 60, Plain	Steel 5.6	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
9315616065	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 65, Plain	Steel 5.6	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
93156160651	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 65, Zinc Plated	Steel 5.6	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
93156160652	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 65, Hot-Dip Galvanizing	Steel 5.6	M16 x 65	Hot Dip Galvanizing	16 mm	65 mm	24 mm	
9315616070	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 70, Plain	Steel 5.6	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
9315616075	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 75, Plain	Steel 5.6	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
9315616080	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 80, Plain	Steel 5.6	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
93156160801	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 80, Zinc Plated	Steel 5.6	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
93156160852	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 85, Hot-Dip Galvanizing	Steel 5.6	M16 x 85	Hot Dip Galvanizing	16 mm	85 mm	24 mm	
93156160901	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 90, Zinc Plated	Steel 5.6	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
9315616110	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 110, Plain	Steel 5.6	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
93156161101	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 110, Zinc Plated	Steel 5.6	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
9315616120	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 120, Plain	Steel 5.6	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
93156162001C	DIN 931 Hexagon Head Screw, Steel 5.6, M16 x 200, EN 10204-2 1 C	Steel 5.6	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
93156200651	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 65, Zinc Plated	Steel 5.6	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
9315620070	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 70, Plain	Steel 5.6	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
93156200701	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 70, Zinc Plated	Steel 5.6	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9315620080	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 80, Plain	Steel 5.6	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
93156200801	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 80, Zinc Plated	Steel 5.6	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
9315620090	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 90, Plain	Steel 5.6	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
93156200901	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 90, Zinc Plated	Steel 5.6	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
9315620100	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 100, Plain	Steel 5.6	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
93156201001	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 100, Zinc Plated	Steel 5.6	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
9315620110	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 110, Plain	Steel 5.6	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
93156201101	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 110, Zinc Plated	Steel 5.6	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	30 mm	
9315620120	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 120, Plain	Steel 5.6	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
93156201201	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 120, Zinc Plated	Steel 5.6	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
9315620150	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 150, Plain	Steel 5.6	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
93156201701	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 170, Zinc Plated	Steel 5.6	M20 x 170	Zinc Bright Passivation Fe/Zn P1	20 mm	170 mm	30 mm	
93156201801	DIN 931 Hexagon Head Screw, Steel 5.6, M20 x 180, Zinc Plated	Steel 5.6	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	30 mm	
9315624080	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 80, Plain	Steel 5.6	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
9315624085	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 85, Plain	Steel 5.6	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
93156240851	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 85, Zinc Plated	Steel 5.6	M24 x 85	Zinc Bright Passivation Fe/Zn P1	24 mm	85 mm	36 mm	
9315624090	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 90, Plain	Steel 5.6	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
93156240901	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 90, Zinc Plated	Steel 5.6	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
9315624095	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 95, Plain	Steel 5.6	M24 x 95	Plain (no plating)	24 mm	95 mm	36 mm	
9315624100	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 100, Plain	Steel 5.6	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
93156241001	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 100, Zinc Plated	Steel 5.6	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	36 mm	
93156241002	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 100, Hot-Dip Galvanizing	Steel 5.6	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm	36 mm	
9315624110	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 110, Plain	Steel 5.6	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
93156241101	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 110, Zinc Plated	Steel 5.6	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
9315624120	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 120, Plain	Steel 5.6	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93156241201	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 120, Zinc Plated	Steel 5.6	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	36 mm	
93156241301	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 130, Zinc Plated	Steel 5.6	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
9315624150	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 150, Plain	Steel 5.6	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
9315624160	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 160, Plain	Steel 5.6	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
9315624200	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 200, Plain	Steel 5.6	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
93156242101	DIN 931 Hexagon Head Screw, Steel 5.6, M24 x 210, Zinc Plated	Steel 5.6	M24 x 210	Zinc Bright Passivation Fe/Zn P1	24 mm	210 mm	36 mm	
9315627100	DIN 931 Hexagon Head Screw, Steel 5.6, M27 x 100, Plain	Steel 5.6	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
9315627110	DIN 931 Hexagon Head Screw, Steel 5.6, M27 x 110, Plain	Steel 5.6	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
93156271101	DIN 931 Hexagon Head Screw, Steel 5.6, M27 x 110, Zinc Plated	Steel 5.6	M27 x 110	Zinc Bright Passivation Fe/Zn P1	27 mm	110 mm	41 mm	
9315627200	DIN 931 Hexagon Head Screw, Steel 5.6, M27 x 200, Plain	Steel 5.6	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
9315627220	DIN 931 Hexagon Head Screw, Steel 5.6, M27 x 220, Plain	Steel 5.6	M27 x 220	Plain (no plating)	27 mm	220 mm	41 mm	
93156301101	DIN 931 Hexagon Head Screw, Steel 5.6, M30 x 110, Zinc Plated	Steel 5.6	M30 x 110	Zinc Bright Passivation Fe/Zn P1	30 mm	110 mm	46 mm	
9315630120	DIN 931 Hexagon Head Screw, Steel 5.6, M30 x 120, Plain	Steel 5.6	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
9315630140	DIN 931 Hexagon Head Screw, Steel 5.6, M30 x 140, Plain	Steel 5.6	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
9315630240	DIN 931 Hexagon Head Screw, Steel 5.6, M30 x 240, Plain	Steel 5.6	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
9315633130	DIN 931 Hexagon Head Screw, Steel 5.6, M33 x 130, Plain	Steel 5.6	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
9315633140	DIN 931 Hexagon Head Screw, Steel 5.6, M33 x 140, Plain	Steel 5.6	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
93156331401	DIN 931 Hexagon Head Screw, Steel 5.6, M33 x 140, Zinc Plated	Steel 5.6	M33 x 140	Zinc Bright Passivation Fe/Zn P1	33 mm	140 mm	50 mm	
9315636140	DIN 931 Hexagon Head Screw, Steel 5.6, M36 x 140, Plain	Steel 5.6	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
9315636180	DIN 931 Hexagon Head Screw, Steel 5.6, M36 x 180, Plain	Steel 5.6	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
9315636200	DIN 931 Hexagon Head Screw, Steel 5.6, M36 x 200, Plain	Steel 5.6	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
93156362201	DIN 931 Hexagon Head Screw, Steel 5.6, M36 x 220, Zinc Plated	Steel 5.6	M36 x 220	Zinc Bright Passivation Fe/Zn P1	36 mm	220 mm	55 mm	
9315636260	DIN 931 Hexagon Head Screw, Steel 5.6, M36 x 260, Plain	Steel 5.6	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
9315805070	DIN 931 Hexagon Head Screw, Steel 5.8, M5 x 70, Plain	Steel 5.8	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
9315806070	DIN 931 Hexagon Head Screw, Steel 5.8, M6 x 70, Plain	Steel 5.8	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
93158080401	DIN 931 Hexagon Head Screw, Steel 5.8, M8 x 40, Zinc Plated	Steel 5.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9315808065	DIN 931 Hexagon Head Screw, Steel 5.8, M8 x 65, Plain	Steel 5.8	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
9315808100	DIN 931 Hexagon Head Screw, Steel 5.8, M8 x 100, Plain	Steel 5.8	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
9315810050	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 50, Plain	Steel 5.8	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
93158100501	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 50, Zinc Plated	Steel 5.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9315810060	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 60, Plain	Steel 5.8	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
93158100601	DIN 931 Hexagon Head Screw, Steel 5.8, M10 x 60, Zinc Plated	Steel 5.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	17 mm	
93158120351	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 35, Zinc Plated	Steel 5.8	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	19 mm	
9315812050	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 50, Plain	Steel 5.8	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
9315812055	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 55, Plain	Steel 5.8	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
9315812060	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 60, Plain	Steel 5.8	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
93158120601	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 60, Zinc Plated	Steel 5.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9315812070	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 70, Plain	Steel 5.8	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
93158120701	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 70, Zinc Plated	Steel 5.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
93158121001	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 100, Zinc Plated	Steel 5.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	19 mm	
9315812160	DIN 931 Hexagon Head Screw, Steel 5.8, M12 x 160, Plain	Steel 5.8	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
9315816060	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 60, Plain	Steel 5.8	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
93158160601	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 60, Zinc Plated	Steel 5.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
9315816075	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 75, Plain	Steel 5.8	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
9315816080	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 80, Plain	Steel 5.8	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
9315816090	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 90, Plain	Steel 5.8	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
93158160901	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 90, Zinc Plated	Steel 5.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
9315816100	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 100, Plain	Steel 5.8	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
93158161001	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 100, Zinc Plated	Steel 5.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
9315816110	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 110, Plain	Steel 5.8	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
93158162001C	DIN 931 Hexagon Head Screw, Steel 5.8, M16 x 200, EN 10204-3.1 C	Steel 5.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
9315820070	DIN 931 Hexagon Head Screw, Steel 5.8, M20 x 70, Plain	Steel 5.8	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
93158201001	DIN 931 Hexagon Head Screw, Steel 5.8, M20 x 100, Zinc Plated	Steel 5.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
9315820120	DIN 931 Hexagon Head Screw, Steel 5.8, M20 x 120, Plain	Steel 5.8	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
9315830100	DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 100, Plain	Steel 5.8	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
9315830140	DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 140, Plain	Steel 5.8	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
9315830180	DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 180, Plain	Steel 5.8	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
9315830200	DIN 931 Hexagon Head Screw, Steel 5.8, M30 x 200, Plain	Steel 5.8	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
93158391501	DIN 931 Hexagon Head Screw, Steel 5.8, M39 x 150, Zinc Plated	Steel 5.8	M39 x 150	Zinc Bright Passivation Fe/Zn P1	39 mm	150 mm	60 mm	
93158391701	DIN 931 Hexagon Head Screw, Steel 5.8, M39 x 170, Zinc Plated	Steel 5.8	M39 x 170	Zinc Bright Passivation Fe/Zn P1	39 mm	170 mm	60 mm	
9316050553TL22	DIN 931 Hexagon Head Screw, Steel 6.8, M5 x 55/22, Zinc Plated	Steel 6.8	M5 x 55/22	Zinc Yellow Passivation Fe/Zn P2	5 mm	55 mm	8 mm	
931803020	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 20, Plain	Steel 8.8	M3 x 20	Plain (no plating)	3 mm	20 mm	5.5 mm	
931803030	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 30, Plain	Steel 8.8	M3 x 30	Plain (no plating)	3 mm	30 mm	5.5 mm	
9318030301	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 30, Zinc Plated	Steel 8.8	M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm	5.5 mm	
9318030351	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 35, Zinc Plated	Steel 8.8	M3 x 35	Zinc Bright Passivation Fe/Zn P1	3 mm	35 mm	5.5 mm	
931803040	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 40, Plain	Steel 8.8	M3 x 40	Plain (no plating)	3 mm	40 mm	5.5 mm	
9318030401	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 40, Zinc Plated	Steel 8.8	M3 x 40	Zinc Bright Passivation Fe/Zn P1	3 mm	40 mm	5.5 mm	
9318030401SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 40, Zinc Plated	Steel 8.8	M3 x 40	Zinc Bright Passivation Fe/Zn P1	3 mm	40 mm	5.5 mm	
93180304033-SCB	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 40, Zinc Plated, Yellow	Steel 8.8	M3 x 40	Zinc Yellow Passivation Fe/Zn P2	3 mm	40 mm	5.5 mm	
9318030403SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 40, SST 72 by Zinc P	Steel 8.8	M3 x 40	Zinc Yellow Passivation Fe/Zn P2	3 mm	40 mm	5.5 mm	
9318030401	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 40, Plain	Steel 8.8	M3 x 40	Plain (no plating)	3 mm	40 mm	5.5 mm	
931803045	DIN 931 Hexagon Head Screw, Steel 8.8, M3 x 45, Plain	Steel 8.8	M3 x 45	Plain (no plating)	3 mm	45 mm	5.5 mm	
931804016ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 16, Zinc-Nickel Sil	Steel 8.8	M4 x 16	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	16 mm	7 mm	
931804025	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 25, Plain	Steel 8.8	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
9318040251	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 25, Zinc Plated	Steel 8.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	7 mm	
931804025ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 25, Zinc-Nickel Sil	Steel 8.8	M4 x 25	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	25 mm	7 mm	
931804030	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 30, Plain	Steel 8.8	M4 x 30	Plain (no plating)	4 mm	30 mm	7 mm	
9318040301	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 30, Zinc Plated	Steel 8.8	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	7 mm	
9318040303	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 30, Zinc Plated, Yellow	Steel 8.8	M4 x 30	Zinc Yellow Passivation Fe/Zn P2	4 mm	30 mm	7 mm	
931804035	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 35, Plain	Steel 8.8	M4 x 35	Plain (no plating)	4 mm	35 mm	7 mm	
9318040351	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 35, Zinc Plated	Steel 8.8	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm	7 mm	
9318040353	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 35, Zinc Plated, Yellow	Steel 8.8	M4 x 35	Zinc Yellow Passivation Fe/Zn P2	4 mm	35 mm	7 mm	
931804035ZB	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 35, Zinc Plated, Black	Steel 8.8	M4 x 35	Zinc Black Passivation Fe/Zn P4	4 mm	35 mm	7 mm	
931804040	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 40, Plain	Steel 8.8	M4 x 40	Plain (no plating)	4 mm	40 mm	7 mm	
9318040401	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 40, Zinc Plated	Steel 8.8	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	7 mm	
9318040401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 40, SST 96 by Zinc P	Steel 8.8	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	7 mm	
931804040ZNBf105	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 40, Zinc-Nickel Sil	Steel 8.8	M4 x 40	Zn-Ni BLACK + FINIGARD 105	4 mm	40 mm	7 mm	
931804040ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 40, Zinc-Nickel Sil	Steel 8.8	M4 x 40	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	40 mm	7 mm	
931804040ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 40, Zinc-Nickel Sil	Steel 8.8	M4 x 40	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	40 mm	7 mm	
931804045	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 45, Plain	Steel 8.8	M4 x 45	Plain (no plating)	4 mm	45 mm	7 mm	
9318040451	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 45, Zinc Plated	Steel 8.8	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm	7 mm	
931804045ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 45, Zinc-Nickel Sil	Steel 8.8	M4 x 45	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	45 mm	7 mm	

Nickel, Sil

Steel 8.8

M4 x 45

Zn-Ni SILVER 5 MICRON +

FINIGARD

4 mm

45 mm

7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931804050	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 50, Plain	Steel 8.8	M4 x 50	Plain (no plating)	4 mm	50 mm	7 mm	
9318040501	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 50, Zinc	Steel 8.8	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm	7 mm	
9318040501SST072	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 50, Zinc	Steel 8.8	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm	7 mm	
9318040501	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 50, Plain	Steel 8.8	M4 x 50	Plain (no plating)	4 mm	50 mm	7 mm	
931804050ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 50, Zinc-Nickel Sil	Steel 8.8	M4 x 50	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	50 mm	7 mm	
931804055	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 55, Plain	Steel 8.8	M4 x 55	Plain (no plating)	4 mm	55 mm	7 mm	
9318040551	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 55, Zinc	Steel 8.8	M4 x 55	Zinc Bright Passivation Fe/Zn P1	4 mm	55 mm	7 mm	
931804055ZNF105	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 55, Zinc-Nickel Sil	Steel 8.8	M4 x 55	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	55 mm	7 mm	
931804055ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 55, Zinc-Nickel Sil	Steel 8.8	M4 x 55	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	55 mm	7 mm	
931804060	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 60, Plain	Steel 8.8	M4 x 60	Plain (no plating)	4 mm	60 mm	7 mm	
9318040601	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 60, Zinc	Steel 8.8	M4 x 60	Zinc Bright Passivation Fe/Zn P1	4 mm	60 mm	7 mm	
9318040601	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 60, Plain	Steel 8.8	M4 x 60	Plain (no plating)	4 mm	60 mm	7 mm	
9318040651	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 65, Zinc	Steel 8.8	M4 x 65	Zinc Bright Passivation Fe/Zn P1	4 mm	65 mm	7 mm	
931804070	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 70, Plain	Steel 8.8	M4 x 70	Plain (no plating)	4 mm	70 mm	7 mm	
9318040701	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 70, Zinc	Steel 8.8	M4 x 70	Zinc Bright Passivation Fe/Zn P1	4 mm	70 mm	7 mm	
931804070ZNF105	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 70, Zinc-Nickel Sil	Steel 8.8	M4 x 70	Zn-Ni SILVER 5 MICRON + FINIGARD	4 mm	70 mm	7 mm	
931804075	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 75, Plain	Steel 8.8	M4 x 75	Plain (no plating)	4 mm	75 mm	7 mm	
9318040801	DIN 931 Hexagon Head Screw, Steel 8.8, M4 x 80, Zinc	Steel 8.8	M4 x 80	Zinc Bright Passivation Fe/Zn P1	4 mm	80 mm	7 mm	
931805020	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 20, Plain	Steel 8.8	M5 x 20	Plain (no plating)	5 mm	20 mm	8 mm	
931805025	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 25, Plain	Steel 8.8	M5 x 25	Plain (no plating)	5 mm	25 mm	8 mm	
9318050251	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 25, Zinc	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	8 mm	
9318050251SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 25, SST 96	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	8 mm	
931805025GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 25, Zinc-Nickel Sil	Steel 8.8	M5 x 25	GEOMET 500A	5 mm	25 mm	8 mm	
931805025ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 25, Zinc-Nickel Sil	Steel 8.8	M5 x 25	Zn-Ni SILVER 5 MICRON + FINIGARD	5 mm	25 mm	8 mm	
931805030	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 30, Plain	Steel 8.8	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
9318050301	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 30, Zinc	Steel 8.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	8 mm	
9318050303	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 30, Zinc	Steel 8.8	M5 x 30	Zinc Yellow Passivation Fe/Zn P2	5 mm	30 mm	8 mm	
9318050301	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 30, Plain	Steel 8.8	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
931805030ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 30, Zinc-Nickel Sil	Steel 8.8	M5 x 30	Zn-Ni BLACK + FINIGARD 105	5 mm	30 mm	8 mm	
931805030ZNF105	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 30, Zinc-Nickel Sil	Steel 8.8	M5 x 30	Zn-Ni SILVER 5 MICRON + FINIGARD	5 mm	30 mm	8 mm	
931805035	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 35, Plain	Steel 8.8	M5 x 35	Plain (no plating)	5 mm	35 mm	8 mm	
9318050351	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 35, Zinc	Steel 8.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	8 mm	
9318050353SST200	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 35, SST 200	Steel 8.8	M5 x 35	Zinc Yellow Passivation Fe/Zn P2	5 mm	35 mm	8 mm	
931805035ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 35, Zinc-Nickel Sil	Steel 8.8	M5 x 35	Zn-Ni BLACK + FINIGARD 105	5 mm	35 mm	8 mm	
931805035ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 35, Zinc-Nickel Sil	Steel 8.8	M5 x 35	Zn-Ni SILVER 5 MICRON + FINIGARD	5 mm	35 mm	8 mm	
931805040	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Plain	Steel 8.8	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
9318050401	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Zinc	Steel 8.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	8 mm	
9318050401-	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Zinc	Steel 8.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	8 mm	
CS47602	Plated, (931) DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Zinc	Steel 8.8	M5 x 40	Zinc Yellow Passivation Fe/Zn P2	5 mm	40 mm	8 mm	
9318050407	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Black Oxide	Steel 8.8	M5 x 40	Oxide (black or brown)	5 mm	40 mm	8 mm	
931805040GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Zinc-Nickel Sil	Steel 8.8	M5 x 40	GEOMET 500B	5 mm	40 mm	8 mm	
931805040ZNF105	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Zinc-Nickel Sil	Steel 8.8	M5 x 40	Zn-Ni SILVER 5 MICRON + FINIGARD	5 mm	40 mm	8 mm	
931805040ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 40, Zinc-Nickel Sil	Steel 8.8	M5 x 40	Zn-Ni SILVER 5 MICRON + FINIGARD	5 mm	40 mm	8 mm	
931805045	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 45, Plain	Steel 8.8	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
9318050451	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 45, Zinc	Steel 8.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	8 mm	
9318050451-	Plated							

Plated (931

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318050451SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 45, SST	Steel 8.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	8 mm	
9318050453	200 b Zinc Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 45, Zinc	Steel 8.8	M5 x 45	Zinc Yellow Passivation Fe/Zn P2	5 mm	45 mm	8 mm	
931805045ZNF105	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 45, Zinc-	Steel 8.8	M5 x 45	Zn-Ni SILVER 5 MICRON +	5 mm	45 mm	8 mm	
931805050	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 50, Plain	Steel 8.8	M5 x 50	FINIGARD Plain (no plating)	5 mm	50 mm	8 mm	
9318050501	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 50, Zinc	Steel 8.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	8 mm	
9318050503	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 50, Zinc	Steel 8.8	M5 x 50	Zinc Yellow Passivation Fe/Zn P2	5 mm	50 mm	8 mm	
931805050SK	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 50, Zinc	Steel 8.8	M5 x 50	Zinc Black Passivation Fe/Zn P4	5 mm	50 mm	8 mm	
931805050ZNF105	Plated, Plain, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 50, Zinc-	Steel 8.8	M5 x 50	Zn-Ni SILVER 5 MICRON +	5 mm	50 mm	8 mm	
931805055	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 55, Plain	Steel 8.8	M5 x 55	FINIGARD Plain (no plating)	5 mm	55 mm	8 mm	
9318050551	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 55, Zinc	Steel 8.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	8 mm	
9318050553SST200	Plated, Steel 8.8, M5 x 55, SST	Steel 8.8	M5 x 55	Zinc Yellow Passivation Fe/Zn P2	5 mm	55 mm	8 mm	
931805055ZNF105	200 b Zinc Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 55, Zinc-	Steel 8.8	M5 x 55	Zn-Ni SILVER 5 MICRON +	5 mm	55 mm	8 mm	
931805060	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 60, Plain	Steel 8.8	M5 x 60	FINIGARD Plain (no plating)	5 mm	60 mm	8 mm	
9318050601	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 60, Zinc	Steel 8.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	8 mm	
931805065	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 65, Plain	Steel 8.8	M5 x 65	Plain (no plating)	5 mm	65 mm	8 mm	
9318050651	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 65, Zinc	Steel 8.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm	8 mm	
9318050651- CS47602	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 65, Zinc	Steel 8.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm	8 mm	
931805065ZNF105	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 65, Zinc-	Steel 8.8	M5 x 65	Zinc-Nickel Fe/Zn-Ni	5 mm	65 mm	8 mm	
931805065ZNF105I	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 65, Zinc-	Steel 8.8	M5 x 65	Zn-Ni SILVER 5 MICRON +	5 mm	65 mm	8 mm	
931805065ZNSP	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 65, Zinc-	Steel 8.8	M5 x 65	FINIGARD ZINC/CH4	5 mm	65 mm	8 mm	
931805070	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 70, Plain	Steel 8.8	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
9318050701	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 70, Zinc	Steel 8.8	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm	8 mm	
9318050701SST200	Plated, Steel 8.8, M5 x 70, SST	Steel 8.8	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm	8 mm	
931805070ZNNIB	200 b Zinc Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 70, Zinc-	Steel 8.8	M5 x 70	Zinc-Nickel Fe/Zn-Ni BLACK	5 mm	70 mm	8 mm	
931805075	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 75, Plain	Steel 8.8	M5 x 75	Plain (no plating)	5 mm	75 mm	8 mm	
9318050751	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 75, Zinc	Steel 8.8	M5 x 75	Zinc Bright Passivation Fe/Zn P1	5 mm	75 mm	8 mm	
931805080	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 80, Plain	Steel 8.8	M5 x 80	Plain (no plating)	5 mm	80 mm	8 mm	
9318050801	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 80, Zinc	Steel 8.8	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm	8 mm	
9318050801SST096	Plated, Steel 8.8, M5 x 80, SST 96	Steel 8.8	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm	8 mm	
931805080ZNF105	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 80, Zinc-	Steel 8.8	M5 x 80	Zn-Ni SILVER 5 MICRON +	5 mm	80 mm	8 mm	
931805085	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 85, Plain	Steel 8.8	M5 x 85	FINIGARD Plain (no plating)	5 mm	85 mm	8 mm	
9318050851	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 85, Zinc	Steel 8.8	M5 x 85	Zinc Bright Passivation Fe/Zn P1	5 mm	85 mm	8 mm	
931805090	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 90, Plain	Steel 8.8	M5 x 90	Plain (no plating)	5 mm	90 mm	8 mm	
9318050901	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 90, Zinc	Steel 8.8	M5 x 90	Zinc Bright Passivation Fe/Zn P1	5 mm	90 mm	8 mm	
931805090ZNF105	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 90, Zinc-	Steel 8.8	M5 x 90	Zn-Ni SILVER 5 MICRON +	5 mm	90 mm	8 mm	
9318050951	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 95, Zinc	Steel 8.8	M5 x 95	Zinc Bright Passivation Fe/Zn P1	5 mm	95 mm	8 mm	
931805100	Plated, Steel 8.8, M5 x 100, Plain	Steel 8.8	M5 x 100	Plain (no plating)	5 mm	100 mm	8 mm	
9318051001	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 100, Zinc	Steel 8.8	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm	8 mm	
9318051001S685	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 100, Zinc	Steel 8.8	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm	8 mm	
931805100ZNF105	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 100, Zinc-	Steel 8.8	M5 x 100	Zn-Ni SILVER 5 MICRON +	5 mm	100 mm	8 mm	
931805110	Nickel Sil, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 110, Plain	Steel 8.8	M5 x 110	FINIGARD Plain (no plating)	5 mm	110 mm	8 mm	
9318051101	DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 110, Zinc	Steel 8.8	M5 x 110	Zinc Bright Passivation Fe/Zn P1	5 mm	110 mm	8 mm	
9318051201	Plated, Yellow, DIN 931 Hexagon Head Screw, Steel 8.8, M5 x 120, Zinc	Steel 8.8	M5 x 120	Zinc Bright Passivation Fe/Zn P1	5 mm	120 mm	8 mm	
931806025	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 25, Plain	Steel 8.8	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
9318060251	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 25, Zinc	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	10 mm	
931806025GEO5A	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 25, Zinc							

Flake, Silv

Steel 8.8

M6 x 25

GEOMET 500A

6 mm

25 mm

10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931806030	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Plain	Steel 8.8	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
9318060301	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
9318060301DR1204	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
9318060301FL	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Patch, Zinc Plat	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
9318060301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, SST 96	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
9318060301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, SST 96	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
9318060301SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, SST	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
9318060302	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Hot-Dip	Steel 8.8	M6 x 30	Hot Dip Galvanizing	6 mm	30 mm	10 mm	
9318060303	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	Zinc Yellow Passivation Fe/Zn P2	6 mm	30 mm	10 mm	
931806030CV7269	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Galvanis	Steel 8.8	M6 x 30	Coventec (ZIB 3+)	6 mm	30 mm	10 mm	
931806030FLZNNC	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	ZINC FLAKE SILVER NO CR6+ 480	6 mm	30 mm	10 mm	
931806030GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	GEOMET 321A	6 mm	30 mm	10 mm	
931806030GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	GEOMET 500A	6 mm	30 mm	10 mm	
931806030I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Plain	Steel 8.8	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
931806030SK	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	Zinc Black Passivation Fe/Zn P4	6 mm	30 mm	10 mm	
931806030ZB	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc	Steel 8.8	M6 x 30	Zinc Black Passivation Fe/Zn P4	6 mm	30 mm	10 mm	
931806030ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc-	Steel 8.8	M6 x 30	Zinc-Nickel Fe/Zn-Ni BLACK	6 mm	30 mm	10 mm	
931806030ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, SST	Steel 8.8	M6 x 30	Zn-Ni BLACK + FINIGARD 105	6 mm	30 mm	10 mm	
931806030ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, SST	Steel 8.8	M6 x 30	Zn-Ni BLACK + FINIGARD 105	6 mm	30 mm	10 mm	
931806030ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 30, Zinc-	Steel 8.8	M6 x 30	Zn-Ni SILVER 5 MICRON +	6 mm	30 mm	10 mm	
931806035	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Plain	Steel 8.8	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
9318060351	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Zinc	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	10 mm	
9318060351SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, SST 96	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	10 mm	
9318060351SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, SST	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	10 mm	
9318060352	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Hot-Dip	Steel 8.8	M6 x 35	Hot Dip Galvanizing	6 mm	35 mm	10 mm	
9318060353	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Zinc	Steel 8.8	M6 x 35	Zinc Yellow Passivation Fe/Zn P2	6 mm	35 mm	10 mm	
931806035GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Zinc	Steel 8.8	M6 x 35	GEOMET 500A	6 mm	35 mm	10 mm	
931806035GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Zinc	Steel 8.8	M6 x 35	GEOMET 500A	6 mm	35 mm	10 mm	
931806035ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Zinc-	Steel 8.8	M6 x 35	Zn-Ni BLACK + FINIGARD 105	6 mm	35 mm	10 mm	
931806035ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, SST	Steel 8.8	M6 x 35	Zn-Ni BLACK + FINIGARD 105	6 mm	35 mm	10 mm	
931806035ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Zinc-	Steel 8.8	M6 x 35	Zn-Ni SILVER 5 MICRON +	6 mm	35 mm	10 mm	
931806035ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 35, Zinc-	Steel 8.8	M6 x 35	Zn-Ni SILVER 5 MICRON +	6 mm	35 mm	10 mm	
9318060373	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 37, Zinc	Steel 8.8	M6 x 37	Zinc Yellow Passivation Fe/Zn P2	6 mm	37 mm	10 mm	
931806040	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Plain	Steel 8.8	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
9318060401	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Zinc	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	10 mm	
9318060401-	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Zinc	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	10 mm	
9318060401SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, SST 72	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	10 mm	
9318060401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, SST 96	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	10 mm	
9318060401SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, SST	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	10 mm	
9318060402	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Hot-Dip	Steel 8.8	M6 x 40	Hot Dip Galvanizing	6 mm	40 mm	10 mm	
9318060403	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Zinc	Steel 8.8	M6 x 40	Zinc Yellow Passivation Fe/Zn P2	6 mm	40 mm	10 mm	
931806040FLZNNC	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Zinc	Steel 8.8	M6 x 40	ZINC FLAKE SILVER NO CR6+ 480	6 mm	40 mm	10 mm	
931806040GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Zinc	Steel 8.8	M6 x 40	GEOMET 500A	6 mm	40 mm	10 mm	
931806040I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Plain	Steel 8.8	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
931806040ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Zinc-	Steel 8.8	M6 x 40	Zn-Ni SILVER 5 MICRON +	6 mm	40 mm	10 mm	
931806040ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 40, Zinc-	Steel 8.8	M6 x 40	FINIGARD				

Nickel, Sil

Steel 8.8

M6 x 40

ZnNi8/Cn/T4

6 mm

40 mm

10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931806045	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Plain	Steel 8.8	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
9318060451	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	10 mm	
9318060451-Plated	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	10 mm	
9318060451SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, SST 96	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	10 mm	
9318060452	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Hot-Dip	Steel 8.8	M6 x 45	Hot Dip Galvanizing	6 mm	45 mm	10 mm	
9318060453	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	Zinc Yellow Passivation Fe/Zn P2	6 mm	45 mm	10 mm	
931806045SK	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	Zinc Black Passivation Fe/Zn P4	6 mm	45 mm	10 mm	
931806045ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	Zn-Ni BLACK + FINIGARD 105	6 mm	45 mm	10 mm	
931806045ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	45 mm	10 mm	
931806045ZNP4	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	Zinc-Nickel Fe/Zn-Ni BLACK	6 mm	45 mm	10 mm	
931806045ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 45, Zinc	Steel 8.8	M6 x 45	ZnNi5/Cn/T4	6 mm	45 mm	10 mm	
9318060481	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 48, Zinc	Steel 8.8	M6 x 48	Zinc Bright Passivation Fe/Zn P1	6 mm	48 mm	10 mm	
931806050	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Plain	Steel 8.8	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
9318060501	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	10 mm	
9318060501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, SST 96	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	10 mm	
9318060501SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, SST	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	10 mm	
9318060502	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Hot-Dip	Steel 8.8	M6 x 50	Hot Dip Galvanizing	6 mm	50 mm	10 mm	
9318060503	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	Zinc Yellow Passivation Fe/Zn P2	6 mm	50 mm	10 mm	
931806050FLZNNC	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	ZINC FLAKE SILVER NO CR6+ 480	6 mm	50 mm	10 mm	
931806050GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	GEOBLACK Not Specified	6 mm	50 mm	10 mm	
931806050SK	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	Zinc Black Passivation Fe/Zn P4	6 mm	50 mm	10 mm	
931806050SKFL	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Patch,	Steel 8.8	M6 x 50	Zinc Black Passivation Fe/Zn P4	6 mm	50 mm	10 mm	
931806050ZB	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	Zinc-Nickel Fe/Zn-Ni BLACK	6 mm	50 mm	10 mm	
931806050ZN3-	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	ZnNi5/Cn/T4	6 mm	50 mm	10 mm	
931806050ZNBSSST	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, SST	Steel 8.8	M6 x 50	Zn-Ni BLACK + FINIGARD 105	6 mm	50 mm	10 mm	
931806050ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	50 mm	10 mm	
931806050ZNF105-	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	50 mm	10 mm	
931806050ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	50 mm	10 mm	
931806050ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc	Steel 8.8	M6 x 50	ZnNi5/Cn/T4	6 mm	50 mm	10 mm	
931806055	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Plain	Steel 8.8	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
9318060551	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Zinc	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	10 mm	
9318060551-Plated	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Zinc	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	10 mm	
9318060551SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Zinc	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	10 mm	
9318060552	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Hot-Dip	Steel 8.8	M6 x 55	Hot Dip Galvanizing	6 mm	55 mm	10 mm	
9318060553	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Zinc	Steel 8.8	M6 x 55	Zinc Yellow Passivation Fe/Zn P2	6 mm	55 mm	10 mm	
931806055ZNBSSST	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, SST	Steel 8.8	M6 x 55	Zn-Ni BLACK + FINIGARD 105	6 mm	55 mm	10 mm	
931806055ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Zinc	Steel 8.8	M6 x 55	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	55 mm	10 mm	
931806055ZNNI8FN	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 55, Zinc	Steel 8.8	M6 x 55	Zinc-Nickel Fe/Zn-Ni BLACK + SEA	6 mm	55 mm	10 mm	
931806060	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Plain	Steel 8.8	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
9318060601	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	10 mm	
9318060601-Plated	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	10 mm	
9318060601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, SST 96	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	10 mm	
9318060601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60/40, SST	Steel 8.8	M6 x 60/40	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	10 mm	
9318060602	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Hot-Dip	Steel 8.8	M6 x 60	Hot Dip Galvanizing	6 mm	60 mm	10 mm	
9318060603	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc							

Plated, Yel

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931806060FLZN	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc	Steel 8.8	M6 x 60	ZINC FLAKE SILVER NO CR6+ 480	6 mm	60 mm	10 mm	
931806060FLZNFT	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc	Steel 8.8	M6 x 60	ZINC FLAKE SILVER NO CR6+ 480	6 mm	60 mm	10 mm	
931806060TL40	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60/40, Plain	Steel 8.8	M6 x 60/40	Plain (no plating)	6 mm	60 mm	10 mm	
931806060ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc	Steel 8.8	M6 x 60	ZINC FLAKE SILVER NO CR6+ 480	6 mm	60 mm	10 mm	
931806060ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc-	Steel 8.8	M6 x 60	Zn-Ni SILVER 5 MICRON +	6 mm	60 mm	10 mm	
931806060ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc-	Steel 8.8	M6 x 60	FINIGARD	6 mm	60 mm	10 mm	
931806060ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc-	Steel 8.8	M6 x 60	ZnNi8/Cn/T4	6 mm	60 mm	10 mm	
931806065	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 65, Plain	Steel 8.8	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
9318060651	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 65, Zinc	Steel 8.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	10 mm	
9318060651SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 65, SST 96	Steel 8.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	10 mm	
9318060653	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 65, Zinc	Steel 8.8	M6 x 65	Zinc Yellow Passivation Fe/Zn P2	6 mm	65 mm	10 mm	
931806065SK	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 65, Zinc	Steel 8.8	M6 x 65	Zinc Black Passivation Fe/Zn P4	6 mm	65 mm	10 mm	
931806065ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 65, Zinc-	Steel 8.8	M6 x 65	Zn-Ni SILVER 5 MICRON +	6 mm	65 mm	10 mm	
931806065ZNP4	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 65, Zinc-	Steel 8.8	M6 x 65	FINIGARD	6 mm	65 mm	10 mm	
931806070	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Plain	Steel 8.8	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
9318060701	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
9318060701SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, SST 72	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
9318060701SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
9318060701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, SST 96	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
9318060701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, SST	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
9318060702	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Hot-Dip	Steel 8.8	M6 x 70	Hot Dip Galvanizing	6 mm	70 mm	10 mm	
9318060703	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	Zinc Yellow Passivation Fe/Zn P2	6 mm	70 mm	10 mm	
93180607033-	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	Zinc Yellow Passivation Fe/Zn P2	6 mm	70 mm	10 mm	
9318060703SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, SST	Steel 8.8	M6 x 70	Zinc Yellow Passivation Fe/Zn P2	6 mm	70 mm	10 mm	
931806070DELSV	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	DELTA KL100x2/SEAL	6 mm	70 mm	10 mm	
931806070FLZN	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	BLACKx2+GZ	6 mm	70 mm	10 mm	
931806070GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	GEOMET 500A	6 mm	70 mm	10 mm	
931806070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc	Steel 8.8	M6 x 70	GEOMET 500B	6 mm	70 mm	10 mm	
931806070NBSST	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, SST	Steel 8.8	M6 x 70	Zn-Ni BLACK + FINIGARD 105	6 mm	70 mm	10 mm	
931806070ZNBSSST	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, SST	Steel 8.8	M6 x 70	Zn-Ni BLACK + FINIGARD 105	6 mm	70 mm	10 mm	
931806070ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc-	Steel 8.8	M6 x 70	Zn-Ni SILVER 5 MICRON +	6 mm	70 mm	10 mm	
931806070ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc-	Steel 8.8	M6 x 70	FINIGARD	6 mm	70 mm	10 mm	
931806070ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc-	Steel 8.8	M6 x 70	Zn-Ni SILVER 5 MICRON +	6 mm	70 mm	10 mm	
931806070ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc-	Steel 8.8	M6 x 70	FINIGARD	6 mm	70 mm	10 mm	
931806075	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Plain	Steel 8.8	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
9318060751	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Zinc	Steel 8.8	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm	10 mm	
9318060752	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Hot-Dip	Steel 8.8	M6 x 75	Hot Dip Galvanizing	6 mm	75 mm	10 mm	
9318060753	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Zinc	Steel 8.8	M6 x 75	Zinc Yellow Passivation Fe/Zn P2	6 mm	75 mm	10 mm	
931806075DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Zinc	Steel 8.8	M6 x 75	DELTA KL100x2/SEAL	6 mm	75 mm	10 mm	
931806075I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Plain	Steel 8.8	M6 x 75	BLACKx2+GZ	6 mm	75 mm	10 mm	
931806075ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Zinc-	Steel 8.8	M6 x 75	Zn-Ni SILVER 5 MICRON +	6 mm	75 mm	10 mm	
931806075ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 75, Zinc-	Steel 8.8	M6 x 75	Zn-Ni SILVER 5 MICRON +	6 mm	75 mm	10 mm	
931806080	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Plain	Steel 8.8	M6 x 80	PLAIN (no plating)	6 mm	80 mm	10 mm	
9318060801	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Zinc	Steel 8.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	10 mm	
9318060801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, SST 96	Steel 8.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	10 mm	
9318060801SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, SST							

200 h, Zinc

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318060802	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Hot-Dip Galvanizing	Steel 8.8	M6 x 80	Hot Dip Galvanizing	6 mm	80 mm	10 mm	
9318060803	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Zinc Plated, Yellow	Steel 8.8	M6 x 80	Zinc Yellow Passivation Fe/Zn P2	6 mm	80 mm	10 mm	
931806080GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Zinc Plated, Yellow	Steel 8.8	M6 x 80	GEOMET 500A	6 mm	80 mm	10 mm	
931806080I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Plain	Steel 8.8	M6 x 80	Plain (no plating)	6 mm	80 mm	10 mm	
931806080ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Zinc-Nickel, Plain	Steel 8.8	M6 x 80	Zinc-Nickel Fe/Zn-Ni BLACK	6 mm	80 mm	10 mm	
931806080ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Zinc-Nickel, Silver	Steel 8.8	M6 x 80	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	80 mm	10 mm	
931806080ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Zinc-Nickel, Silver	Steel 8.8	M6 x 80	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	80 mm	10 mm	
931806080ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 80, Zinc-Nickel, Silver	Steel 8.8	M6 x 80	ZnNi5/Cn/T4	6 mm	80 mm	10 mm	
931806085	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 85, Plain	Steel 8.8	M6 x 85	Plain (no plating)	6 mm	85 mm	10 mm	
9318060851	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 85, Zinc Plated	Steel 8.8	M6 x 85	Zinc Bright Passivation Fe/Zn P1	6 mm	85 mm	10 mm	
9318060851SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 85, SST 96 h, Zinc P	Steel 8.8	M6 x 85	Zinc Bright Passivation Fe/Zn P1	6 mm	85 mm	10 mm	
9318060853	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 85, Zinc Plated, Yellow	Steel 8.8	M6 x 85	Zinc Yellow Passivation Fe/Zn P2	6 mm	85 mm	10 mm	
931806090	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 90, Plain	Steel 8.8	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
9318060901	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 90, Zinc Plated	Steel 8.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	10 mm	
9318060901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 90, SST 96 h, Zinc P	Steel 8.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	10 mm	
931806090GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 90, Zinc Plated, Yellow	Steel 8.8	M6 x 90	GEOMET 500A	6 mm	90 mm	10 mm	
931806090GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 90, Zinc Plated, Yellow	Steel 8.8	M6 x 90	GEOMET 500B	6 mm	90 mm	10 mm	
931806090ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 90, Zinc-Nickel, Silver	Steel 8.8	M6 x 90	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	90 mm	10 mm	
931806090ZNTF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 90, Zinc-Nickel, Silver	Steel 8.8	M6 x 90	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	90 mm	10 mm	
9318060951	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 95, Zinc Plated	Steel 8.8	M6 x 95	Zinc Bright Passivation Fe/Zn P1	6 mm	95 mm	10 mm	
9318060951SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 95, SST 72 h, Zinc P	Steel 8.8	M6 x 95	Zinc Bright Passivation Fe/Zn P1	6 mm	95 mm	10 mm	
931806100	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Plain	Steel 8.8	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
9318061001	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc Plated	Steel 8.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	10 mm	
9318061001SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc Plated	Steel 8.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	10 mm	
9318061001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, SST 96 h, Zinc	Steel 8.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	10 mm	
9318061002	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Hot-Dip Galvanizing	Steel 8.8	M6 x 100	Hot Dip Galvanizing	6 mm	100 mm	10 mm	
9318061003	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc Plated	Steel 8.8	M6 x 100	Zinc Yellow Passivation Fe/Zn P2	6 mm	100 mm	10 mm	
931806100GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc Plated, Yellow	Steel 8.8	M6 x 100	GEOMET 500A	6 mm	100 mm	10 mm	
931806100I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Plain	Steel 8.8	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
931806100ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc Plated, Silver	Steel 8.8	M6 x 100	ZINC FLAKE SILVER NO CR6+ 480 h	6 mm	100 mm	10 mm	
931806100ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc-Nickel, Silver	Steel 8.8	M6 x 100	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	100 mm	10 mm	
931806100ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc-Nickel, Silver	Steel 8.8	M6 x 100	ZnNi5/Cn/T4	6 mm	100 mm	10 mm	
9318061051	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 105, Zinc Plated	Steel 8.8	M6 x 105	Zinc Bright Passivation Fe/Zn P1	6 mm	105 mm	10 mm	
931806110	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Plain	Steel 8.8	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
9318061101	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc Plated	Steel 8.8	M6 x 110	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm	10 mm	
9318061101I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc Plated	Steel 8.8	M6 x 110	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm	10 mm	
9318061101SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, SST 72 h, Zinc	Steel 8.8	M6 x 110	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm	10 mm	
9318061103	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc Plated, Yellow	Steel 8.8	M6 x 110	Zinc Yellow Passivation Fe/Zn P2	6 mm	110 mm	10 mm	
931806110GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc Plated, Yellow	Steel 8.8	M6 x 110	GEOMET 500A	6 mm	110 mm	10 mm	
931806110GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc Plated, Yellow	Steel 8.8	M6 x 110	GEOMET 500B	6 mm	110 mm	10 mm	
931806110ZNT	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc-Nickel, Silver	Steel 8.8	M6 x 110	ZnNi5/Cn/T4	6 mm	110 mm	10 mm	
931806110ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc-Nickel, Silver	Steel 8.8	M6 x 110	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	110 mm	10 mm	
931806110ZNTF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 110, Zinc-Nickel, Silver	Steel 8.8	M6 x 110	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm	110 mm	10 mm	
931806115	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 115, Plain	Steel 8.8	M6 x 115	Plain (no plating)	6 mm	115 mm	10 mm	
9318061151	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 115, Zinc Plated	Steel 8.8	M6 x 115	Zinc Bright Passivation Fe/Zn P1	6 mm	115 mm	10 mm	
931806120	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 120, Plain	Steel 8.8	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318061201	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 120, Zinc Plated	Steel 8.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm	10 mm	
9318061201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 120, SST 96	Steel 8.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm	10 mm	
931806120ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 120, Zinc-Ni SILVER 5 MICRON +	Steel 8.8	M6 x 120	Zn-Ni SILVER 5 MICRON +	6 mm	120 mm	10 mm	
931806120ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 120, Zinc-Ni SILVER 5 MICRON +	Steel 8.8	M6 x 120	Zn-Ni SILVER 5 MICRON +	6 mm	120 mm	10 mm	
931806130	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 130, Plain	Steel 8.8	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
9318061301	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 130, Zinc Plated	Steel 8.8	M6 x 130	Zinc Bright Passivation Fe/Zn P1	6 mm	130 mm	10 mm	
931806140	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 140, Plain	Steel 8.8	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
9318061401	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 140, Zinc Plated	Steel 8.8	M6 x 140	Zinc Bright Passivation Fe/Zn P1	6 mm	140 mm	10 mm	
9318061403	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 140, Zinc Plated	Steel 8.8	M6 x 140	Zinc Yellow Passivation Fe/Zn P2	6 mm	140 mm	10 mm	
931806145	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 145, Plain	Steel 8.8	M6 x 145	Plain (no plating)	6 mm	145 mm	10 mm	
931806150	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 150, Plain	Steel 8.8	M6 x 150	Plain (no plating)	6 mm	150 mm	10 mm	
9318061501	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 150, Zinc Plated	Steel 8.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm	10 mm	
9318061601	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 160, Zinc Plated	Steel 8.8	M6 x 160	Zinc Bright Passivation Fe/Zn P1	6 mm	160 mm	10 mm	
931806170	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 170, Plain	Steel 8.8	M6 x 170	Plain (no plating)	6 mm	170 mm	10 mm	
9318061801	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 180, Zinc Plated	Steel 8.8	M6 x 180	Zinc Bright Passivation Fe/Zn P1	6 mm	180 mm	10 mm	
9318061801SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 180, SST 200	Steel 8.8	M6 x 180	Zinc Bright Passivation Fe/Zn P1	6 mm	180 mm	10 mm	
9318061951	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 195, Zinc Plated	Steel 8.8	M6 x 195	Zinc Bright Passivation Fe/Zn P1	6 mm	195 mm	10 mm	
9318062001	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 200, Zinc Plated	Steel 8.8	M6 x 200	Zinc Bright Passivation Fe/Zn P1	6 mm	200 mm	10 mm	
9318062201	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 220, Zinc Plated	Steel 8.8	M6 x 220	Zinc Bright Passivation Fe/Zn P1	6 mm	220 mm	10 mm	
9318062251	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 225, Zinc Plated	Steel 8.8	M6 x 225	Zinc Bright Passivation Fe/Zn P1	6 mm	225 mm	10 mm	
931806230	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 230, Plain	Steel 8.8	M6 x 230	Plain (no plating)	6 mm	230 mm	10 mm	
9318062301	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 230, Zinc Plated	Steel 8.8	M6 x 230	Zinc Bright Passivation Fe/Zn P1	6 mm	230 mm	10 mm	
9318062401	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 240, Zinc Plated	Steel 8.8	M6 x 240	Zinc Bright Passivation Fe/Zn P1	6 mm	240 mm	10 mm	
9318062501	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 250, Zinc Plated	Steel 8.8	M6 x 250	Zinc Bright Passivation Fe/Zn P1	6 mm	250 mm	10 mm	
9318062551	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 255, Zinc Plated	Steel 8.8	M6 x 255	Zinc Bright Passivation Fe/Zn P1	6 mm	255 mm	10 mm	
9318062651	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 265, Zinc Plated	Steel 8.8	M6 x 265	Zinc Bright Passivation Fe/Zn P1	6 mm	265 mm	10 mm	
9318062901	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 290, Zinc Plated	Steel 8.8	M6 x 290	Zinc Bright Passivation Fe/Zn P1	6 mm	290 mm	10 mm	
9318063201	DIN 931 Hexagon Head Screw, Steel 8.8, M6 x 320, Zinc Plated	Steel 8.8	M6 x 320	Zinc Bright Passivation Fe/Zn P1	6 mm	320 mm	10 mm	
931807025	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 25, Plain	Steel 8.8	M7 x 25	Plain (no plating)	7 mm	25 mm	11 mm	
931807030	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 30, Plain	Steel 8.8	M7 x 30	Plain (no plating)	7 mm	30 mm	11 mm	
9318070301	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 30, Zinc Plated	Steel 8.8	M7 x 30	Zinc Bright Passivation Fe/Zn P1	7 mm	30 mm	11 mm	
931807035	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 35, Plain	Steel 8.8	M7 x 35	Plain (no plating)	7 mm	35 mm	11 mm	
9318070351	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 35, Zinc Plated	Steel 8.8	M7 x 35	Zinc Bright Passivation Fe/Zn P1	7 mm	35 mm	11 mm	
931807040	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 40, Plain	Steel 8.8	M7 x 40	Plain (no plating)	7 mm	40 mm	11 mm	
9318070401	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 40, Zinc Plated	Steel 8.8	M7 x 40	Zinc Bright Passivation Fe/Zn P1	7 mm	40 mm	11 mm	
931807045	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 45, Plain	Steel 8.8	M7 x 45	Plain (no plating)	7 mm	45 mm	11 mm	
9318070451	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 45, Zinc Plated	Steel 8.8	M7 x 45	Zinc Bright Passivation Fe/Zn P1	7 mm	45 mm	11 mm	
931807050	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 50, Plain	Steel 8.8	M7 x 50	Plain (no plating)	7 mm	50 mm	11 mm	
9318070501	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 50, Zinc Plated	Steel 8.8	M7 x 50	Zinc Bright Passivation Fe/Zn P1	7 mm	50 mm	11 mm	
9318070551	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 55, Zinc Plated	Steel 8.8	M7 x 55	Zinc Bright Passivation Fe/Zn P1	7 mm	55 mm	11 mm	
931807060	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 60, Plain	Steel 8.8	M7 x 60	Plain (no plating)	7 mm	60 mm	11 mm	
9318070601	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 60, Zinc Plated	Steel 8.8	M7 x 60	Zinc Bright Passivation Fe/Zn P1	7 mm	60 mm	11 mm	
9318070601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 60, SST 96	Steel 8.8	M7 x 60	Zinc Bright Passivation Fe/Zn P1	7 mm	60 mm	11 mm	
931807070	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 70, Plain	Steel 8.8	M7 x 70	Plain (no plating)	7 mm	70 mm	11 mm	
931807080	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 80, Plain	Steel 8.8	M7 x 80	Plain (no plating)	7 mm	80 mm	11 mm	
9318070801	DIN 931 Hexagon Head Screw, Steel 8.8, M7 x 80, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318080252	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 25, Hot-Dip Galvanis	Steel 8.8	M8 x 25	Hot Dip Galvanizing	8 mm	25 mm	13 mm	
931808030	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 30, Plain	Steel 8.8	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
9318080301	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 30, Zinc	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	13 mm	
931808030GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 30, Zinc Flake Silv	Steel 8.8	M8 x 30	GEOMET 500A	8 mm	30 mm	13 mm	
931808035	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Plain	Steel 8.8	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
9318080351	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
9318080351-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc Plated	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
CS47602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc Plated (931	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
9318080351S4605	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
9318080351SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, SST 96	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
9318080351SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, SST 200 b-Zinc	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
9318080352	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Hot-Dip Galvanis	Steel 8.8	M8 x 35	Hot Dip Galvanizing	8 mm	35 mm	13 mm	
9318080353	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc	Steel 8.8	M8 x 35	Zinc Yellow Passivation Fe/Zn P2	8 mm	35 mm	13 mm	
931808035FLZN	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc Plated, Yel	Steel 8.8	M8 x 35	ZINC FLAKE SILVER NO CR6+	8 mm	35 mm	13 mm	
931808035GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc Flake Silv	Steel 8.8	M8 x 35	Lubric GEOMET 500B	8 mm	35 mm	13 mm	
931808035GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc Flake Silv	Steel 8.8	M8 x 35	GEOMET 500A	8 mm	35 mm	13 mm	
931808035I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Plain	Steel 8.8	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
931808035SK	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc	Steel 8.8	M8 x 35	Zinc Black Passivation Fe/Zn P4	8 mm	35 mm	13 mm	
931808035ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc-Nickel, Pla	Steel 8.8	M8 x 35	Zn-Ni BLACK + FINIGARD 105	8 mm	35 mm	13 mm	
931808035ZNBSST	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, SST 200 b-Zinc	Steel 8.8	M8 x 35	Zn-Ni BLACK + FINIGARD 105	8 mm	35 mm	13 mm	
931808035ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc-Nickel Silv	Steel 8.8	M8 x 35	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	35 mm	13 mm	
931808035ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 35, Zinc-Nickel Silv	Steel 8.8	M8 x 35	Zn-Ni CH74	8 mm	35 mm	13 mm	
9318080371	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 37, Zinc	Steel 8.8	M8 x 37	Zinc Bright Passivation Fe/Zn P1	8 mm	37 mm	13 mm	
931808040	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Plain	Steel 8.8	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
9318080401	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9318080401-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc Plated	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
CS47602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, EN 10204 3.1 Cer	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9318080401C	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, EN 10204 3.1 Cer	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9318080401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, SST 200 b-Zinc	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9318080401SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, SST 200 b-Zinc	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	13 mm	
9318080402	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Hot-Dip Galvanis	Steel 8.8	M8 x 40	Hot Dip Galvanizing	8 mm	40 mm	13 mm	
9318080403	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc	Steel 8.8	M8 x 40	Zinc Yellow Passivation Fe/Zn P2	8 mm	40 mm	13 mm	
931808040C	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, EN 10204 3.1 Cer	Steel 8.8	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
931808040FLZN	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc Flake Silv	Steel 8.8	M8 x 40	ZINC FLAKE SILVER NO CR6+	8 mm	40 mm	13 mm	
931808040GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc Flake Silv	Steel 8.8	M8 x 40	GEOMET 500A	8 mm	40 mm	13 mm	
931808040GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc Flake Silv	Steel 8.8	M8 x 40	GEOMET 500B	8 mm	40 mm	13 mm	
931808040GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc Flake Silv	Steel 8.8	M8 x 40	GEOMET 500A	8 mm	40 mm	13 mm	
931808040I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Plain	Steel 8.8	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
931808040ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc-Nickel, Pla	Steel 8.8	M8 x 40	Zn-Ni BLACK + FINIGARD 105	8 mm	40 mm	13 mm	
931808040ZNBSST	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, SST 200 b-Zinc	Steel 8.8	M8 x 40	Zn-Ni BLACK + FINIGARD 105	8 mm	40 mm	13 mm	
931808040ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc-Nickel Silv	Steel 8.8	M8 x 40	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	40 mm	13 mm	
931808040ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc-Nickel Silv	Steel 8.8	M8 x 40	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	40 mm	13 mm	
931808040ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 40, Zinc-Nickel Silv	Steel 8.8	M8 x 40	Zn-Ni CH74	8 mm	40 mm	13 mm	
931808045	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Plain	Steel 8.8	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
9318080451	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	13 mm	
9318080451-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc Plated	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	13 mm	
CS47602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, SST 96	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	13 mm	
9318080451SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, SST 200 b-Zinc	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	13 mm	
9318080451SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, SST							

200 h, Zinc

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318080452	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Hot-Dip Galvanis	Steel 8.8	M8 x 45	Hot Dip Galvanizing	8 mm	45 mm	13 mm	
9318080453	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc Plated, Yel	Steel 8.8	M8 x 45	Zinc Yellow Passivation Fe/Zn P2	8 mm	45 mm	13 mm	
9318080453SST120	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, SST 200 b-Zinc	Steel 8.8	M8 x 45	Zinc Yellow Passivation Fe/Zn P2	8 mm	45 mm	13 mm	
9318080453SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, SST 200 b-Zinc	Steel 8.8	M8 x 45	Zinc Yellow Passivation Fe/Zn P2	8 mm	45 mm	13 mm	
931808045GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc Flake, Silv	Steel 8.8	M8 x 45	GEOMET 500B	8 mm	45 mm	13 mm	
931808045GEO321	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc Flake, Silv	Steel 8.8	M8 x 45	GEOMET 321B	8 mm	45 mm	13 mm	
931808045I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Plain	Steel 8.8	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
931808045ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc-Nickel, Pla	Steel 8.8	M8 x 45	Zn-Ni BLACK + FINIGARD 105	8 mm	45 mm	13 mm	
931808045ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc-Nickel, Pla	Steel 8.8	M8 x 45	Zn-Ni BLACK + FINIGARD 105	8 mm	45 mm	13 mm	
931808045ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc-Nickel, Silv	Steel 8.8	M8 x 45	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	45 mm	13 mm	
931808045ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc-Nickel, Silv	Steel 8.8	M8 x 45	ZnNi8/Cn/T4	8 mm	45 mm	13 mm	
931808045ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 45, Zinc-Nickel, Silv	Steel 8.8	M8 x 45	ZnNi8/Cn/T4	8 mm	45 mm	13 mm	
931808050	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Plain	Steel 8.8	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
9318080501	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Plated	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
9318080501-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Plated	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
9318080501SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, SST 72 200 b-Zinc	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
9318080501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, SST 96 200 b-Zinc	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
9318080501SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, SST 200 b-Zinc	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
9318080502	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Hot-Dip Galvanis	Steel 8.8	M8 x 50	Hot Dip Galvanizing	8 mm	50 mm	13 mm	
9318080503	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Plated, Yel	Steel 8.8	M8 x 50	Zinc Yellow Passivation Fe/Zn P2	8 mm	50 mm	13 mm	
9318080503SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, SST 200 b-Zinc	Steel 8.8	M8 x 50	Zinc Yellow Passivation Fe/Zn P2	8 mm	50 mm	13 mm	
931808050DRI	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Plain	Steel 8.8	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
931808050GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Flake, Pla	Steel 8.8	M8 x 50	GEOBLACK Not Specified	8 mm	50 mm	13 mm	
931808050GEO321	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Flake, Silv	Steel 8.8	M8 x 50	GEOMET 321B	8 mm	50 mm	13 mm	
931808050GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Flake, Silv	Steel 8.8	M8 x 50	GEOMET 500A	8 mm	50 mm	13 mm	
931808050GEO321B	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Flake, Silv	Steel 8.8	M8 x 50	GEOMET 321B	8 mm	50 mm	13 mm	
931808050ZNBSSST	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, SST 200 b-Zinc	Steel 8.8	M8 x 50	Zn-Ni BLACK + FINIGARD 105	8 mm	50 mm	13 mm	
931808050ZNBW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc-Nickel, Pla	Steel 8.8	M8 x 50	Zinc-Nickel Fe/Zn-Ni BLACK + LUB	8 mm	50 mm	13 mm	
931808050ZNBWI	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc-Nickel, Pla	Steel 8.8	M8 x 50	Zn-Ni BLACK + FINIGARD 105	8 mm	50 mm	13 mm	
931808050ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc-Nickel, Silv	Steel 8.8	M8 x 50	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	50 mm	13 mm	
931808050ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc-Nickel, Silv	Steel 8.8	M8 x 50	ZnNi8/Cn/T4	8 mm	50 mm	13 mm	
931808050ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc-Nickel, Silv	Steel 8.8	M8 x 50	ZnNi8/Cn/T4	8 mm	50 mm	13 mm	
931808055	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Plain	Steel 8.8	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
9318080551	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc Plated	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	13 mm	
9318080551-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc Plated	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	13 mm	
9318080551S	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc Plated	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	13 mm	
9318080551SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, SST 96 200 b-Zinc	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	13 mm	
9318080551SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, SST 200 b-Zinc	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	13 mm	
9318080552	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Hot-Dip Galvanis	Steel 8.8	M8 x 55	Hot Dip Galvanizing	8 mm	55 mm	13 mm	
9318080553	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc Plated, Yel	Steel 8.8	M8 x 55	Zinc Yellow Passivation Fe/Zn P2	8 mm	55 mm	13 mm	
9318080553SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, SST 200 b-Zinc	Steel 8.8	M8 x 55	Zinc Yellow Passivation Fe/Zn P2	8 mm	55 mm	13 mm	
9318080553SST300	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, SST 300 b-Zinc	Steel 8.8	M8 x 55	Zinc Yellow Passivation Fe/Zn P2	8 mm	55 mm	13 mm	
931808055GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc Flake, Pla	Steel 8.8	M8 x 55	GEOBLACK Not Specified	8 mm	55 mm	13 mm	
931808055GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc Flake, Silv	Steel 8.8	M8 x 55	GEOMET 500A	8 mm	55 mm	13 mm	
931808055I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Plain	Steel 8.8	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
931808055ZB	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc							

Plated, Bla

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931808055ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc-Nickel-Pla	Steel 8.8	M8 x 55	Zn-Ni BLACK + FINIGARD 105	8 mm	55 mm	13 mm	
931808055ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, SST	Steel 8.8	M8 x 55	Zn-Ni BLACK + FINIGARD 105	8 mm	55 mm	13 mm	
931808055ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 55, Zinc-Nickel-Sil	Steel 8.8	M8 x 55	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	55 mm	13 mm	
931808060	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Plain	Steel 8.8	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
9318080601	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc Plated	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
9318080601-6547602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc Plated (931)	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
9318080601C	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, EN 10204 3.1 Cer	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
9318080601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, SST 96	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
9318080601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, SST	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
9318080602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Hot-Dip Galvanis	Steel 8.8	M8 x 60	Hot Dip Galvanizing	8 mm	60 mm	13 mm	
9318080603	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc Plated, Yel	Steel 8.8	M8 x 60	Zinc Yellow Passivation Fe/Zn P2	8 mm	60 mm	13 mm	
93180806033-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc Plated, Yel	Steel 8.8	M8 x 60	Zinc Yellow Passivation Fe/Zn P2	8 mm	60 mm	13 mm	
931808060GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc Flake-Plac	Steel 8.8	M8 x 60	GEOBLACK Not Specified	8 mm	60 mm	13 mm	
931808060GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc Flake-Silv	Steel 8.8	M8 x 60	GEOMET 500A	8 mm	60 mm	13 mm	
931808060I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Plain	Steel 8.8	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
931808060ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc-Nickel-Pla	Steel 8.8	M8 x 60	Zn-Ni BLACK + FINIGARD 105	8 mm	60 mm	13 mm	
931808060ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, SST	Steel 8.8	M8 x 60	Zn-Ni BLACK + FINIGARD 105	8 mm	60 mm	13 mm	
931808060ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc-Nickel-Sil	Steel 8.8	M8 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	60 mm	13 mm	
931808060ZNF105-631808060ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc-Nickel-Sil	Steel 8.8	M8 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	60 mm	13 mm	
931808060ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc-Nickel-Sil	Steel 8.8	M8 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	60 mm	13 mm	
931808060ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc-Nickel-Sil	Steel 8.8	M8 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	60 mm	13 mm	
931808065	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Plain	Steel 8.8	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
9318080651	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Plated	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	13 mm	
9318080651-6547602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Plated (931)	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	13 mm	
9318080651GHP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Plated	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	13 mm	
9318080651SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, SST 96	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	13 mm	
9318080652	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Hot-Dip Galvanis	Steel 8.8	M8 x 65	Hot Dip Galvanizing	8 mm	65 mm	13 mm	
93180806526H	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Hot-Dip Galvanis	Steel 8.8	M8 x 65	Hot Dip Galvanizing	8 mm	65 mm	13 mm	
93180806533-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Plated, Yel	Steel 8.8	M8 x 65	Zinc Yellow Passivation Fe/Zn P2	8 mm	65 mm	13 mm	
9318080653SST120	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, SST	Steel 8.8	M8 x 65	Zinc Yellow Passivation Fe/Zn P2	8 mm	65 mm	13 mm	
9318080653SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, SST	Steel 8.8	M8 x 65	Zinc Yellow Passivation Fe/Zn P2	8 mm	65 mm	13 mm	
931808065DELSV	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Flake-Plac	Steel 8.8	M8 x 65	DELTA KL100x2/SEAL	8 mm	65 mm	13 mm	
931808065GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Flake-Silv	Steel 8.8	M8 x 65	GEOMET 500A	8 mm	65 mm	13 mm	
931808065GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Flake-Silv	Steel 8.8	M8 x 65	GEOMET 500B	8 mm	65 mm	13 mm	
931808065GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Flake-Silv	Steel 8.8	M8 x 65	GEOMET 500A	8 mm	65 mm	13 mm	
931808065I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Plain	Steel 8.8	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
931808065ZB	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc Plated, Bla	Steel 8.8	M8 x 65	Zinc Black Passivation Fe/Zn P4	8 mm	65 mm	13 mm	
931808065ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc-Nickel-Sil	Steel 8.8	M8 x 65	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	65 mm	13 mm	
931808065ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc-Nickel-Sil	Steel 8.8	M8 x 65	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	65 mm	13 mm	
931808065ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 65, Zinc-Nickel-Sil	Steel 8.8	M8 x 65	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	65 mm	13 mm	
931808070	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Plain	Steel 8.8	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
9318080701	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Plated	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
9318080701E	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Plated	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
9318080701I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Plated	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
9318080701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, SST 96							

h, Zinc P

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318080701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, SST	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
9318080701SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, SST	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
9318080702	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Hot-Dip	Steel 8.8	M8 x 70	Hot Dip Galvanizing	8 mm	70 mm	13 mm	
9318080702C	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, EN	Steel 8.8	M8 x 70	Hot Dip Galvanizing	8 mm	70 mm	13 mm	
9318080702HG	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Oversize Hot-Dip	Steel 8.8	M8 x 70	Hot Dip Galvanizing	8 mm	70 mm	13 mm	
9318080703	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Plated, Yel	Steel 8.8	M8 x 70	Zinc Yellow Passivation Fe/Zn P2	8 mm	70 mm	13 mm	
9318080703SST300	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, SST	Steel 8.8	M8 x 70	Zinc Yellow Passivation Fe/Zn P2	8 mm	70 mm	13 mm	
931808070GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Flake Silv	Steel 8.8	M8 x 70	GEOMET 500A	8 mm	70 mm	13 mm	
931808070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Flake Silv	Steel 8.8	M8 x 70	GEOMET 500A	8 mm	70 mm	13 mm	
931808070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Flake Silv	Steel 8.8	M8 x 70	GEOMET 500B	8 mm	70 mm	13 mm	
931808070GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Flake Silv	Steel 8.8	M8 x 70	GEOMET 500A	8 mm	70 mm	13 mm	
931808070I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Plain	Steel 8.8	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
931808070ZNBW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Pla	Steel 8.8	M8 x 70	Zinc-Nickel Fe/Zn-Ni BLACK + LUB	8 mm	70 mm	13 mm	
931808070ZNBWI	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Pla	Steel 8.8	M8 x 70	Zn-Ni BLACK + FINIGARD 105	8 mm	70 mm	13 mm	
931808070ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Sil	Steel 8.8	M8 x 70	Zn-Ni SILVER 8 MICRON +	8 mm	70 mm	13 mm	
931808070ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Sil	Steel 8.8	M8 x 70	Zn-Ni SILVER 8 MICRON +	8 mm	70 mm	13 mm	
931808070ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Sil	Steel 8.8	M8 x 70	FINIGARD 105	8 mm	70 mm	13 mm	
931808070ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Sil	Steel 8.8	M8 x 70	Zn-Ni SILVER 8 MICRON +	8 mm	70 mm	13 mm	
931808070ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Sil	Steel 8.8	M8 x 70	Zn-Ni SILVER 8 MICRON +	8 mm	70 mm	13 mm	
931808070ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc-Nickel Sil	Steel 8.8	M8 x 70	FINIGARD 105	8 mm	70 mm	13 mm	
931808075	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Plain	Steel 8.8	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
9318080751	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc	Steel 8.8	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	13 mm	
9318080751- CS47602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc	Steel 8.8	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	13 mm	
9318080751SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, SST 96	Steel 8.8	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	13 mm	
9318080752	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Hot-Dip Galvanis	Steel 8.8	M8 x 75	Hot Dip Galvanizing	8 mm	75 mm	13 mm	
9318080753	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc Plated, Yel	Steel 8.8	M8 x 75	Zinc Yellow Passivation Fe/Zn P2	8 mm	75 mm	13 mm	
9318080753SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, SST	Steel 8.8	M8 x 75	Zinc Yellow Passivation Fe/Zn P2	8 mm	75 mm	13 mm	
9318080754	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Nickel	Steel 8.8	M8 x 75	Nickel Plating	8 mm	75 mm	13 mm	
931808075GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc	Steel 8.8	M8 x 75	GEOMET 500B	8 mm	75 mm	13 mm	
931808075ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc-Nickel Pla	Steel 8.8	M8 x 75	Zn-Ni BLACK + FINIGARD 105	8 mm	75 mm	13 mm	
931808075ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc-Nickel Sil	Steel 8.8	M8 x 75	Zn-Ni SILVER 8 MICRON +	8 mm	75 mm	13 mm	
931808075ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc-Nickel Sil	Steel 8.8	M8 x 75	Zn-Ni SILVER 8 MICRON +	8 mm	75 mm	13 mm	
931808075ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 75, Zinc-Nickel Sil	Steel 8.8	M8 x 75	FINIGARD 105	8 mm	75 mm	13 mm	
931808080	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Plain	Steel 8.8	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
9318080801	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9318080801- CS47602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9318080801I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9318080801SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, SST 72	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9318080801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, SST 96	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9318080801SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, SST	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
9318080802	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Hot-Dip Galvanis	Steel 8.8	M8 x 80	Hot Dip Galvanizing	8 mm	80 mm	13 mm	
93180808026H	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Hot-Dip Galvanis	Steel 8.8	M8 x 80	Hot Dip Galvanizing	8 mm	80 mm	13 mm	
9318080803	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc Plated, Yel	Steel 8.8	M8 x 80	Zinc Yellow Passivation Fe/Zn P2	8 mm	80 mm	13 mm	
9318080803I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc	Steel 8.8	M8 x 80	Zinc Yellow Passivation Fe/Zn P2	8 mm	80 mm	13 mm	
9318080803SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, SST	Steel 8.8	M8 x 80	Zinc Yellow Passivation Fe/Zn P2	8 mm	80 mm	13 mm	
931808080BKL100	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc							

Flake, Blac

Steel 8.8

M8 x 80

DELTA KL100x2/SEAL

BLACKx2+GZ

8 mm

80 mm

13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931808080DEL	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc Plated, Silver	Steel 8.8	M8 x 80	DELTA KL100x2/SEAL+GZ	8 mm	80 mm	13 mm	
931808080DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc Plated, Silver	Steel 8.8	M8 x 80	DELTA KL100x2/VH301+GZ	8 mm	80 mm	13 mm	
931808080GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc Plated, Silver	Steel 8.8	M8 x 80	GEOMET 500B	8 mm	80 mm	13 mm	
931808080GEO500A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc Plated, Silver	Steel 8.8	M8 x 80	GEOMET 500A	8 mm	80 mm	13 mm	
931808080ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc-Nickel, Silver	Steel 8.8	M8 x 80	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	80 mm	13 mm	
931808080ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 80, Zinc-Nickel, Silver	Steel 8.8	M8 x 80	ZnNi8/Cn/T4	8 mm	80 mm	13 mm	
931808085	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 85, Plain	Steel 8.8	M8 x 85	Plain (no plating)	8 mm	85 mm	13 mm	
9318080851	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 85, Zinc Plated	Steel 8.8	M8 x 85	Zinc Bright Passivation Fe/Zn P1	8 mm	85 mm	13 mm	
9318080851-6547602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 85, Zinc Plated	Steel 8.8	M8 x 85	Zinc Bright Passivation Fe/Zn P1	8 mm	85 mm	13 mm	
9318080853	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 85, Zinc Plated, Yellow	Steel 8.8	M8 x 85	Zinc Yellow Passivation Fe/Zn P2	8 mm	85 mm	13 mm	
931808085ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 85, Zinc-Nickel, Silver	Steel 8.8	M8 x 85	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	85 mm	13 mm	
931808085ZNTF105F	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 85, Patch, Zinc-Nickel	Steel 8.8	M8 x 85	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	85 mm	13 mm	
931808090	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Plain	Steel 8.8	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
9318080901	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc Plated	Steel 8.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	13 mm	
9318080901-6547602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc Plated	Steel 8.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	13 mm	
9318080901E	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Drilloc	Steel 8.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	13 mm	
9318080901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, SST 96 h Zinc	Steel 8.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	13 mm	
9318080902	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Hot-Dip Galvanis	Steel 8.8	M8 x 90	Hot Dip Galvanizing	8 mm	90 mm	13 mm	
9318080903	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc Plated, Yellow	Steel 8.8	M8 x 90	Zinc Yellow Passivation Fe/Zn P2	8 mm	90 mm	13 mm	
9318080903SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, SST 200 h Zinc	Steel 8.8	M8 x 90	Zinc Yellow Passivation Fe/Zn P2	8 mm	90 mm	13 mm	
931808090GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc Plated, Silver	Steel 8.8	M8 x 90	GEOMET 500B	8 mm	90 mm	13 mm	
931808090GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc Plated, Silver	Steel 8.8	M8 x 90	GEOBLACK 500M	8 mm	90 mm	13 mm	
931808090GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc Plated, Silver	Steel 8.8	M8 x 90	GEOMET 500A	8 mm	90 mm	13 mm	
931808090I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Plain	Steel 8.8	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
931808090ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc-Nickel, Black	Steel 8.8	M8 x 90	Zn-Ni BLACK + FINIGARD 105	8 mm	90 mm	13 mm	
931808090ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 90, Zinc-Nickel, Silver	Steel 8.8	M8 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	90 mm	13 mm	
931808095	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 95, Plain	Steel 8.8	M8 x 95	Plain (no plating)	8 mm	95 mm	13 mm	
9318080951	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 95, Zinc Plated	Steel 8.8	M8 x 95	Zinc Bright Passivation Fe/Zn P1	8 mm	95 mm	13 mm	
931808100	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Plain	Steel 8.8	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
9318081001	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	13 mm	
9318081001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, SST 96 h Zinc	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	13 mm	
9318081001SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, SST 200 h Zinc	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	13 mm	
9318081002	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Hot-Dip Galvanis	Steel 8.8	M8 x 100	Hot Dip Galvanizing	8 mm	100 mm	13 mm	
9318081003	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated, Yellow	Steel 8.8	M8 x 100	Zinc Yellow Passivation Fe/Zn P2	8 mm	100 mm	13 mm	
931808100320	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated, Yellow	Steel 8.8	M8 x 100	Zinc Yellow Passivation Fe/Zn P2	8 mm	100 mm	13 mm	
931808100GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated, Silver	Steel 8.8	M8 x 100	GEOMET 500B	8 mm	100 mm	13 mm	
931808100SK	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated, Black	Steel 8.8	M8 x 100	Zinc Black Passivation Fe/Zn P4	8 mm	100 mm	13 mm	
931808100ZB	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated, Black	Steel 8.8	M8 x 100	Zinc Black Passivation Fe/Zn P4	8 mm	100 mm	13 mm	
931808100ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc-Nickel, Silver	Steel 8.8	M8 x 100	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	100 mm	13 mm	
931808100ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc-Nickel, Silver	Steel 8.8	M8 x 100	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	100 mm	13 mm	
931808100ZNNIB	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc-Nickel, Silver	Steel 8.8	M8 x 100	Zn-Ni BLACK + FINIGARD 105	8 mm	100 mm	13 mm	
931808100ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc-Nickel, Silver	Steel 8.8	M8 x 100	ZnNi8/Cn/T4	8 mm	100 mm	13 mm	
931808100ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc-Nickel, Silver	Steel 8.8	M8 x 100	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	100 mm	13 mm	
931808105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 105, Plain	Steel 8.8	M8 x 105	Plain (no plating)	8 mm	105 mm	13 mm	
9318081051	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 105, Zinc Plated	Steel 8.8	M8 x 105	Zinc Bright Passivation Fe/Zn P1	8 mm	105 mm	13 mm	
9318081051SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 105, SST							

96 h, Zinc

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318081053	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 105, Zinc Plated, Ye	Steel 8.8	M8 x 105	Zinc Yellow Passivation Fe/Zn P2	8 mm	105 mm	13 mm	
931808110	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Plain	Steel 8.8	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
9318081101	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Plated, Ye	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	13 mm	
9318081101- CS47602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Plated, Ye	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	13 mm	
9318081101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, SST 96 h, Zinc	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	13 mm	
9318081101SST120	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Plated, Ye	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	13 mm	
9318081101SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, SST 200 h, Zinc	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	13 mm	
9318081102	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Hot-Dip Galvani	Steel 8.8	M8 x 110	Hot Dip Galvanizing	8 mm	110 mm	13 mm	
9318081103	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Plated, Ye	Steel 8.8	M8 x 110	Zinc Yellow Passivation Fe/Zn P2	8 mm	110 mm	13 mm	
93180811033-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Plated, Ye	Steel 8.8	M8 x 110	Zinc Yellow Passivation Fe/Zn P2	8 mm	110 mm	13 mm	
9318081103SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, SST 200 h, Zinc	Steel 8.8	M8 x 110	Zinc Yellow Passivation Fe/Zn P2	8 mm	110 mm	13 mm	
931808110GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Flake, Sil	Steel 8.8	M8 x 110	GEOMET 500B	8 mm	110 mm	13 mm	
931808110GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Flake, Sil	Steel 8.8	M8 x 110	GEOMET 500A	8 mm	110 mm	13 mm	
931808110ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 110	FINIGARD	8 mm	110 mm	13 mm	
931808110ZNF105-	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 110	FINIGARD	8 mm	110 mm	13 mm	
931808110ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 110	FINIGARD	8 mm	110 mm	13 mm	
931808110ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 110	FINIGARD	8 mm	110 mm	13 mm	
931808110ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 110	FINIGARD	8 mm	110 mm	13 mm	
931808115	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 115, Plain	Steel 8.8	M8 x 115	Plain (no plating)	8 mm	115 mm	13 mm	
9318081151	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 115, Zinc Plated, Ye	Steel 8.8	M8 x 115	Zinc Bright Passivation Fe/Zn P1	8 mm	115 mm	13 mm	
931808120	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Plain	Steel 8.8	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
9318081201	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc Plated, Ye	Steel 8.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	13 mm	
9318081201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, SST 96 h, Zinc	Steel 8.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	13 mm	
9318081201SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, SST 200 h, Zinc	Steel 8.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	13 mm	
9318081202	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Hot-Dip Galvani	Steel 8.8	M8 x 120	Hot Dip Galvanizing	8 mm	120 mm	13 mm	
9318081203	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc Plated, Ye	Steel 8.8	M8 x 120	Zinc Yellow Passivation Fe/Zn P2	8 mm	120 mm	13 mm	
931808120GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc Flake, Sil	Steel 8.8	M8 x 120	GEOMET 500B	8 mm	120 mm	13 mm	
931808120GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc Flake, Sil	Steel 8.8	M8 x 120	GEOBLACK 500M	8 mm	120 mm	13 mm	
931808120GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc Flake, Sil	Steel 8.8	M8 x 120	GEOMET 500A	8 mm	120 mm	13 mm	
931808120ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 120	FINIGARD	8 mm	120 mm	13 mm	
931808120ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 120	FINIGARD	8 mm	120 mm	13 mm	
931808120ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 120, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 120	FINIGARD	8 mm	120 mm	13 mm	
931808125	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 125, Plain	Steel 8.8	M8 x 125	Plain (no plating)	8 mm	125 mm	13 mm	
9318081251	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 125, Zinc Plated, Ye	Steel 8.8	M8 x 125	Zinc Bright Passivation Fe/Zn P1	8 mm	125 mm	13 mm	
931808125CV7262	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 125, Coventec	Steel 8.8	M8 x 125	Coventec (ZIB 3+)	8 mm	125 mm	13 mm	
931808130	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Plain	Steel 8.8	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
9318081301	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Zinc Plated, Ye	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	13 mm	
9318081301I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Zinc Plated, Ye	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	13 mm	
9318081301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, SST 96 h, Zinc	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	13 mm	
9318081301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, SST 96 h, Zinc	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	13 mm	
9318081301SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, SST 200 h, Zinc	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	13 mm	
9318081302	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Hot-Dip Galvani	Steel 8.8	M8 x 130	Hot Dip Galvanizing	8 mm	130 mm	13 mm	
931808130GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Zinc Flake, Sil	Steel 8.8	M8 x 130	GEOMET 500A	8 mm	130 mm	13 mm	
931808130GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Zinc Flake, Sil	Steel 8.8	M8 x 130	GEOMET 500A	8 mm	130 mm	13 mm	
931808130ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 130	FINIGARD	8 mm	130 mm	13 mm	
931808130ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 130, Zinc-Ni SILVER 8 MICRON +	Steel 8.8	M8 x 130	FINIGARD	8 mm	130 mm	13 mm	

Nickel, Si

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931808135	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 135, Plain	Steel 8.8	M8 x 135	Plain (no plating)	8 mm	135 mm	13 mm	
9318081351	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 135, Zinc Plated	Steel 8.8	M8 x 135	Zinc Bright Passivation Fe/Zn P1	8 mm	135 mm	13 mm	
931808140	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, Plain	Steel 8.8	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
9318081401	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, Zinc Plated	Steel 8.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm	13 mm	
9318081401SST120	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, SST 120 h Zinc Plated	Steel 8.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm	13 mm	
9318081402	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, Hot-Dip Galvanizing	Steel 8.8	M8 x 140	Hot Dip Galvanizing	8 mm	140 mm	13 mm	
9318081403	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, Zinc Plated	Steel 8.8	M8 x 140	Zinc Yellow Passivation Fe/Zn P2	8 mm	140 mm	13 mm	
931808140C4E	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, Profin C4E	Steel 8.8	M8 x 140	PROFIN C4E	8 mm	140 mm	13 mm	
931808140GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, Zinc Plated	Steel 8.8	M8 x 140	GEOMET 500B	8 mm	140 mm	13 mm	
931808140ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 140, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 140	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	140 mm	13 mm	
931808150	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Plain	Steel 8.8	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
9318081501	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Zinc Plated	Steel 8.8	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm	13 mm	
9318081502	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Hot-Dip Galvanizing	Steel 8.8	M8 x 150	Hot Dip Galvanizing	8 mm	150 mm	13 mm	
931808150GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Zinc Plated	Steel 8.8	M8 x 150	GEOMET 500B	8 mm	150 mm	13 mm	
931808150ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Zinc Flake SILVER NO CR6+ 480 h	Steel 8.8	M8 x 150	ZINC FLAKE SILVER NO CR6+ 480 h	8 mm	150 mm	13 mm	
931808150ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 150	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	150 mm	13 mm	
931808150ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 150	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	150 mm	13 mm	
931808150ZNPS	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 150, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 150	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	150 mm	13 mm	
931808156	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 156, Plain	Steel 8.8	M8 x 156	Plain (no plating)	8 mm	156 mm	13 mm	
931808160	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 160, Plain	Steel 8.8	M8 x 160	Plain (no plating)	8 mm	160 mm	13 mm	
9318081601	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 160, Zinc Plated	Steel 8.8	M8 x 160	Zinc Bright Passivation Fe/Zn P1	8 mm	160 mm	13 mm	
9318081602	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 160, Hot-Dip Galvanizing	Steel 8.8	M8 x 160	Hot Dip Galvanizing	8 mm	160 mm	13 mm	
931808160GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 160, Zinc Plated	Steel 8.8	M8 x 160	GEOMET 500A	8 mm	160 mm	13 mm	
931808160GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 160, Zinc Plated	Steel 8.8	M8 x 160	GEOMET 500B	8 mm	160 mm	13 mm	
931808160ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 160, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 160	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	160 mm	13 mm	
931808170	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 170, Plain	Steel 8.8	M8 x 170	Plain (no plating)	8 mm	170 mm	13 mm	
9318081701	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 170, Zinc Plated	Steel 8.8	M8 x 170	Zinc Bright Passivation Fe/Zn P1	8 mm	170 mm	13 mm	
931808170DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 170, Zinc Plated	Steel 8.8	M8 x 170	DELTA KL100x2/SEAL+GZ	8 mm	170 mm	13 mm	
931808180	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 180, Plain	Steel 8.8	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	
9318081801	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 180, Zinc Plated	Steel 8.8	M8 x 180	Zinc Bright Passivation Fe/Zn P1	8 mm	180 mm	13 mm	
931808190	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 190, Plain	Steel 8.8	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	
9318081901	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 190, Zinc Plated	Steel 8.8	M8 x 190	Zinc Bright Passivation Fe/Zn P1	8 mm	190 mm	13 mm	
9318081901-VMI	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 190, Zinc Plated	Steel 8.8	M8 x 190	Zinc Bright Passivation Fe/Zn P1	8 mm	190 mm	13 mm	
931808190ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 190, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 190	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	190 mm	13 mm	
931808200	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 200, Plain	Steel 8.8	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
9318082001	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 200, Zinc Plated	Steel 8.8	M8 x 200	Zinc Bright Passivation Fe/Zn P1	8 mm	200 mm	13 mm	
931808200I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 200, Plain	Steel 8.8	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
931808200ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 200, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 200	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	200 mm	13 mm	
931808210	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 210, Plain	Steel 8.8	M8 x 210	Plain (no plating)	8 mm	210 mm	13 mm	
9318082101	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 210, Zinc Plated	Steel 8.8	M8 x 210	Zinc Bright Passivation Fe/Zn P1	8 mm	210 mm	13 mm	
931808210ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 210, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M8 x 210	Zn-Ni SILVER 8 MICRON + FINIGARD	8 mm	210 mm	13 mm	
931808220	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 220, Plain	Steel 8.8	M8 x 220	Plain (no plating)	8 mm	220 mm	13 mm	
9318082201	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 220, Zinc Plated	Steel 8.8	M8 x 220	Zinc Bright Passivation Fe/Zn P1	8 mm	220 mm	13 mm	
9318082301	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 230, Zinc Plated	Steel 8.8	M8 x 230	Zinc Bright Passivation Fe/Zn P1	8 mm	230 mm	13 mm	
9318082401	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 240, Zinc Plated	Steel 8.8	M8 x 240	Zinc Bright Passivation Fe/Zn P1	8 mm	240 mm	13 mm	
931808250	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 250, Plain	Steel 8.8	M8 x 250	Plain (no plating)	8 mm	250 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318082501	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 250, Zinc Plated	Steel 8.8	M8 x 250	Zinc Bright Passivation Fe/Zn P1	8 mm	250 mm	13 mm	
9318082501I	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 250, Zinc Plated	Steel 8.8	M8 x 250	Zinc Bright Passivation Fe/Zn P1	8 mm	250 mm	13 mm	
931808250GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 250, Zinc Plated	Steel 8.8	M8 x 250	GEOMET 500A	8 mm	250 mm	13 mm	
931808260	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 260, Plain	Steel 8.8	M8 x 260	Plain (no plating)	8 mm	260 mm	13 mm	
931808280	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 280, Plain	Steel 8.8	M8 x 280	Plain (no plating)	8 mm	280 mm	13 mm	
931808300	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 300, Plain	Steel 8.8	M8 x 300	Plain (no plating)	8 mm	300 mm	13 mm	
9318083001	DIN 931 Hexagon Head Screw, Steel 8.8, M8 x 300, Zinc Plated	Steel 8.8	M8 x 300	Zinc Bright Passivation Fe/Zn P1	8 mm	300 mm	13 mm	
931810030	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 30, Plain	Steel 8.8	M10 x 30	Plain (no plating)	10 mm	30 mm	17 mm	
9318100301	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 30, Zinc Plated	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	17 mm	
9318100302	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 30, Hot-Dip Galvani	Steel 8.8	M10 x 30	Hot Dip Galvanizing	10 mm	30 mm	17 mm	
931810030DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 30, Zinc Plated	Steel 8.8	M10 x 30	DELTA KL100x2/SEAL	10 mm	30 mm	17 mm	
931810035	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 35, Plain	Steel 8.8	M10 x 35	PLAIN (no plating)	10 mm	35 mm	17 mm	
9318100351	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	17 mm	
9318100351DRI204	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	17 mm	
9318100352	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 35, Hot-Dip Galvani	Steel 8.8	M10 x 35	Hot Dip Galvanizing	10 mm	35 mm	17 mm	
9318100353	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	Zinc Yellow Passivation Fe/Zn P2	10 mm	35 mm	17 mm	
931810035GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	GEOMET 500B	10 mm	35 mm	17 mm	
93181003819	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 38, Zinc Plated	Steel 8.8	M10 x 38	Zinc Bright Passivation Fe/Zn P1	10 mm	38 mm	17 mm	
931810040	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Plain	Steel 8.8	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
9318100401	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Plated	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9318100401C	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, EN 10204-3-1-Ce	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9318100401E	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Patch, 10204-3-1-Ce	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9318100401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, SST 96 h, Zinc	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9318100401SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, SST 200 h, Zinc	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9318100402	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Hot-Dip Galvani	Steel 8.8	M10 x 40	Hot Dip Galvanizing	10 mm	40 mm	17 mm	
9318100403	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Plated	Steel 8.8	M10 x 40	Zinc Yellow Passivation Fe/Zn P2	10 mm	40 mm	17 mm	
931810040DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Plated	Steel 8.8	M10 x 40	DELTA KL100x2/SEAL	10 mm	40 mm	17 mm	
931810040GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Plated	Steel 8.8	M10 x 40	GEOMET 500B	10 mm	40 mm	17 mm	
931810040ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc-Ni	Steel 8.8	M10 x 40	Zn-Ni BLACK + FINIGARD 105	10 mm	40 mm	17 mm	
931810045	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Plain	Steel 8.8	M10 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
9318100451	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
9318100451- CS47602	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
9318100451DRI180	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Driloc, Plastic	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
9318100451DRI204	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
9318100451SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, SST 96 h, Zinc	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
9318100452	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Hot-Dip Galvani	Steel 8.8	M10 x 45	Hot Dip Galvanizing	10 mm	45 mm	17 mm	
9318100453	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Yellow Passivation Fe/Zn P2	10 mm	45 mm	17 mm	
931810045G5A	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	GEOMET 500A	10 mm	45 mm	17 mm	
931810045GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	GEOMET 500B	10 mm	45 mm	17 mm	
931810045ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc-Ni	Steel 8.8	M10 x 45	Zn-Ni BLACK + FINIGARD 105	10 mm	45 mm	17 mm	
931810050	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Plain	Steel 8.8	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
9318100501	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc Plated	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9318100501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, SST 96 h, Zinc	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9318100501SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, SST 200 h, Zinc	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9318100502	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Hot-Dip Galvani	Steel 8.8	M10 x 50	Hot Dip Galvanizing	10 mm	50 mm	17 mm	
9318100503	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc Plated							

Plated, Ye

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931810050GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc Plated	Steel 8.8	M10 x 50	GEOMET 500B	10 mm	50 mm	17 mm	
931810050ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, SST	Steel 8.8	M10 x 50	Zn-Ni BLACK + FINIGARD 105	10 mm	50 mm	17 mm	
931810050ZNBTC	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, EN	Steel 8.8	M10 x 50	Zinc-Nickel Fe/Zn-Ni BLACK + SEA	10 mm	50 mm	17 mm	
931810050ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc-Nickel, Si	Steel 8.8	M10 x 50	Zn-Ni SILVER 8 MICRON + FINIGARD	10 mm	50 mm	17 mm	
931810050ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc-Nickel, Si	Steel 8.8	M10 x 50	Zn-Ni SILVER 8 MICRON + FINIGARD	10 mm	50 mm	17 mm	
931810050ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc-Nickel, Si	Steel 8.8	M10 x 50	ZnNi8/Cn/T4	10 mm	50 mm	17 mm	
931810055	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Plain	Steel 8.8	M10 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
9318100551	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Zinc Plated	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	17 mm	
9318100551A3L	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Zinc Plated	Steel 8.8	M10 x 55	Zinc Yellow Passivation Fe/Zn P2	10 mm	55 mm	17 mm	
9318100551C	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, EN	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	17 mm	
9318100551PC30	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Precote Zinc P	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	17 mm	
9318100551SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, SST	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	17 mm	
9318100552	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Hot-Dip Galvanizing	Steel 8.8	M10 x 55	Hot Dip Galvanizing	10 mm	55 mm	17 mm	
9318100553	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Zinc Plated	Steel 8.8	M10 x 55	Zinc Yellow Passivation Fe/Zn P2	10 mm	55 mm	17 mm	
931810055GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Zinc Plated	Steel 8.8	M10 x 55	GEOMET 500B	10 mm	55 mm	17 mm	
931810055ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, Zinc-Nickel, P	Steel 8.8	M10 x 55	Zn-Ni BLACK + FINIGARD 105	10 mm	55 mm	17 mm	
931810055ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, SST	Steel 8.8	M10 x 55	Zn-Ni BLACK + FINIGARD 105	10 mm	55 mm	17 mm	
931810055ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 55, SST	Steel 8.8	M10 x 55	Zn-Ni BLACK + FINIGARD 105	10 mm	55 mm	17 mm	
931810060	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Plain	Steel 8.8	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
9318100601	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	17 mm	
9318100601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, SST	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	17 mm	
9318100602	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Hot-Dip Galvanizing	Steel 8.8	M10 x 60	Hot Dip Galvanizing	10 mm	60 mm	17 mm	
9318100603	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	Zinc Yellow Passivation Fe/Zn P2	10 mm	60 mm	17 mm	
931810060DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	DELTA KL100x2/SEAL+GZ	10 mm	60 mm	17 mm	
931810060GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	GEOMET 500A	10 mm	60 mm	17 mm	
931810060GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	GEOMET 500B	10 mm	60 mm	17 mm	
931810060GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	GEOBLACK Not Specified	10 mm	60 mm	17 mm	
931810060ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc-Nickel, P	Steel 8.8	M10 x 60	Zn-Ni BLACK + FINIGARD 105	10 mm	60 mm	17 mm	
931810060ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, SST	Steel 8.8	M10 x 60	Zn-Ni BLACK + FINIGARD 105	10 mm	60 mm	17 mm	
931810060ZNI	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc-Nickel, Si	Steel 8.8	M10 x 60	ZnNi8/Cn/T4	10 mm	60 mm	17 mm	
931810060ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc-Nickel, Si	Steel 8.8	M10 x 60	ZnNi8/Cn/T4	10 mm	60 mm	17 mm	
931810065	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, Plain	Steel 8.8	M10 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
9318100651	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, Zinc Plated	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	17 mm	
9318100651SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, SST	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	17 mm	
9318100651SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, SST	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	17 mm	
9318100652	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, Hot-Dip Galvanizing	Steel 8.8	M10 x 65	Hot Dip Galvanizing	10 mm	65 mm	17 mm	
931810065DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, Zinc Plated	Steel 8.8	M10 x 65	DELTA KL100x2/SEAL	10 mm	65 mm	17 mm	
931810065DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, With Certificate	Steel 8.8	M10 x 65	BLACK+2+GZ	10 mm	65 mm	17 mm	
931810065GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, Zinc Plated	Steel 8.8	M10 x 65	GEOMET 500A	10 mm	65 mm	17 mm	
931810065ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 65, SST	Steel 8.8	M10 x 65	Zn-Ni BLACK + FINIGARD 105	10 mm	65 mm	17 mm	
931810070	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, Plain	Steel 8.8	M10 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
9318100701	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, Zinc Plated	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
9318100701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, SST	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
9318100701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, SST	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
9318100702	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, Hot-Dip Galvanizing	Steel 8.8	M10 x 70	Hot Dip Galvanizing	10 mm	70 mm	17 mm	
9318100702OS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, Plain							

Oversize, Hot-D

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318100703	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, Zinc Plated, Ye	Steel 8.8	M10 x 70	Zinc Yellow Passivation Fe/Zn P2	10 mm	70 mm	17 mm	
931810070GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, Zinc Flake, Sil	Steel 8.8	M10 x 70	GEOMET 500A	10 mm	70 mm	17 mm	
931810070ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 70, Zinc-Nickel, Si	Steel 8.8	M10 x 70	ZnNi8/Cn/T4	10 mm	70 mm	17 mm	
931810075	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 75, Plain	Steel 8.8	M10 x 75	Plain (no plating)	10 mm	75 mm	17 mm	
9318100751	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 75, Zinc Plated, Ye	Steel 8.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	17 mm	
9318100751SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 75, SST 96 h Zinc	Steel 8.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	17 mm	
9318100752	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 75, Hot-Dip Galvani	Steel 8.8	M10 x 75	Hot Dip Galvanizing	10 mm	75 mm	17 mm	
9318100753	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 75, Zinc Plated, Ye	Steel 8.8	M10 x 75	Zinc Yellow Passivation Fe/Zn P2	10 mm	75 mm	17 mm	
931810080	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Plain	Steel 8.8	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
9318100801	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Plated, Ye	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	17 mm	
9318100801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, SST 96 h Zinc	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	17 mm	
9318100802	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Hot-Dip Galvani	Steel 8.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm	17 mm	
9318100802HG	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Oversize, Hot-D	Steel 8.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm	17 mm	
9318100803	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Plated, Ye	Steel 8.8	M10 x 80	Zinc Yellow Passivation Fe/Zn P2	10 mm	80 mm	17 mm	
931810080DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Flake, Sil	Steel 8.8	M10 x 80	DELTA KL100x2/VH301+GZ	10 mm	80 mm	17 mm	
931810080DELSIDR	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Flake, Sil	Steel 8.8	M10 x 80	DELTA KL100x2/SEAL+GZ	10 mm	80 mm	17 mm	
931810080DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Plated, Ye	Steel 8.8	M10 x 80	DELTA KL100x2/SEAL+GZ	10 mm	80 mm	17 mm	
931810080GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Flake, Sil	Steel 8.8	M10 x 80	GEOMET 500A	10 mm	80 mm	17 mm	
931810080SK	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Plated, Bl	Steel 8.8	M10 x 80	Zinc Black Passivation Fe/Zn P4	10 mm	80 mm	17 mm	
931810080ZNBTC	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, EN 10204 3.1 Ce	Steel 8.8	M10 x 80	Zinc-Nickel Fe/Zn-Ni BLACK + SEA	10 mm	80 mm	17 mm	
931810080ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc-Nickel, Si	Steel 8.8	M10 x 80	Zn-Ni SILVER 8 MICRON +	10 mm	80 mm	17 mm	
931810080ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc-Nickel, Si	Steel 8.8	M10 x 80	FINIGARD T4	10 mm	80 mm	17 mm	
931810083	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 83, Plain	Steel 8.8	M10 x 83	Plain (no plating)	10 mm	83 mm	17 mm	
931810083DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 83, Zinc Plated, Ye	Steel 8.8	M10 x 83	DELTA KL100x2/SEAL+GZ	10 mm	83 mm	17 mm	
931810085	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, Plain	Steel 8.8	M10 x 85	Plain (no plating)	10 mm	85 mm	17 mm	
9318100851	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, Zinc Plated, Ye	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	17 mm	
9318100851SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, SST 96 h Zinc	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	17 mm	
9318100852	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, Hot-Dip Galvani	Steel 8.8	M10 x 85	Hot Dip Galvanizing	10 mm	85 mm	17 mm	
9318100853	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, Zinc Plated, Ye	Steel 8.8	M10 x 85	Zinc Yellow Passivation Fe/Zn P2	10 mm	85 mm	17 mm	
931810085D	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, Zinc Plated, Ye	Steel 8.8	M10 x 85	DELTA KL100x2/SEAL+GZ	10 mm	85 mm	17 mm	
931810085DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, Zinc Plated, Ye	Steel 8.8	M10 x 85	DELTA KL100x2/SEAL+GZ	10 mm	85 mm	17 mm	
931810085ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 85, Zinc Flake, Sil	Steel 8.8	M10 x 85	ZINC FLAKE SILVER NO CR6+ 480	10 mm	85 mm	17 mm	
931810090	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, Plain	Steel 8.8	M10 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
9318100901	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, Zinc Plated, Ye	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	17 mm	
9318100901FL	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, Patch, Zinc Plated, Ye	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	17 mm	
9318100901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, SST 96 h Zinc	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	17 mm	
9318100902	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, Hot-Dip Galvani	Steel 8.8	M10 x 90	Hot Dip Galvanizing	10 mm	90 mm	17 mm	
9318100903	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, Zinc Plated, Ye	Steel 8.8	M10 x 90	Zinc Yellow Passivation Fe/Zn P2	10 mm	90 mm	17 mm	
931810090ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, SST 96 h Zinc	Steel 8.8	M10 x 90	Zn-Ni BLACK + FINIGARD 105	10 mm	90 mm	17 mm	
931810090ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 90, Zinc-Nickel, Si	Steel 8.8	M10 x 90	ZnNi8/Cn/T4	10 mm	90 mm	17 mm	
931810095	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 95, Plain	Steel 8.8	M10 x 95	Plain (no plating)	10 mm	95 mm	17 mm	
9318100951	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 95, Zinc Plated, Ye	Steel 8.8	M10 x 95	Zinc Bright Passivation Fe/Zn P1	10 mm	95 mm	17 mm	
9318100953	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 95, Zinc Plated, Ye	Steel 8.8	M10 x 95	Zinc Yellow Passivation Fe/Zn P2	10 mm	95 mm	17 mm	
931810095DELTA	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 95, Zinc Flake, Bla	Steel 8.8	M10 x 95	DELTA TONE/SEAL BLACKx2+GZ	10 mm	95 mm	17 mm	
931810095DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 95, Zinc Plated, Ye	Steel 8.8	M10 x 95	DELTA KL100x2/SEAL+GZ	10 mm	95 mm	17 mm	
931810095GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 95, Zinc Plated, Ye	Steel 8.8	M10 x 95	DELTA KL100x2/SEAL+GZ	10 mm	95 mm	17 mm	

Flake, Sil

Steel 8.8

M10 x 95

GEOMET 500A

10 mm

95 mm

17 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931810100	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Plain	Steel 8.8	M10 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
9318101001	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
9318101001I	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
9318101001SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, SST	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
9318101001SST200	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, SST	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
9318101002	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Hot-Dip Galvanizing	Steel 8.8	M10 x 100	Hot Dip Galvanizing	10 mm	100 mm	17 mm	
9318101003	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	Zinc Yellow Passivation Fe/Zn P2	10 mm	100 mm	17 mm	
931810100FLZNNC	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	ZINC FLAKE SILVER NO CR6+	10 mm	100 mm	17 mm	
931810100GEO	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	GEOMET 500A	10 mm	100 mm	17 mm	
931810100GEO500	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	GEOMET 500B	10 mm	100 mm	17 mm	
931810100SK	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	Zinc Black Passivation Fe/Zn P4	10 mm	100 mm	17 mm	
931810100ZNBSS	Plated, B, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, SST	Steel 8.8	M10 x 100	Zn-Ni BLACK + FINIGARD 105	10 mm	100 mm	17 mm	
931810100ZNTW	Plated, B, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc	Steel 8.8	M10 x 100	ZnNi8/Cn/T4	10 mm	100 mm	17 mm	
931810105	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 105, Plain	Steel 8.8	M10 x 105	Plain (no plating)	10 mm	105 mm	17 mm	
9318101051	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 105, Zinc	Steel 8.8	M10 x 105	Zinc Bright Passivation Fe/Zn P1	10 mm	105 mm	17 mm	
931810105DP	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 105, Zinc	Steel 8.8	M10 x 105	DELTA KL100x2/SEAL+GZ	10 mm	105 mm	17 mm	
931810110	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Plain	Steel 8.8	M10 x 110	Plain (no plating)	10 mm	110 mm	17 mm	
9318101101	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	17 mm	
9318101101I	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	17 mm	
9318101101SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, SST	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	17 mm	
9318101102	Plated, 96 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Hot-Dip Galvanizing	Steel 8.8	M10 x 110	Hot Dip Galvanizing	10 mm	110 mm	17 mm	
9318101103	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	Zinc Yellow Passivation Fe/Zn P2	10 mm	110 mm	17 mm	
931810110DELTA	Plated, B, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	DELTATONE/SEAL BLACKx2+GZ	10 mm	110 mm	17 mm	
931810110GEO500	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	GEOMET 500B	10 mm	110 mm	17 mm	
931810110ZNF105	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	10 mm	110 mm	17 mm	
931810110ZNF105-	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	10 mm	110 mm	17 mm	
931810110ZNTW	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc	Steel 8.8	M10 x 110	ZnNi8/Cn/T4	10 mm	110 mm	17 mm	
931810115	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 115, Plain	Steel 8.8	M10 x 115	Plain (no plating)	10 mm	115 mm	17 mm	
9318101151	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 115, Zinc	Steel 8.8	M10 x 115	Zinc Bright Passivation Fe/Zn P1	10 mm	115 mm	17 mm	
9318101153	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 115, Zinc	Steel 8.8	M10 x 115	Zinc Yellow Passivation Fe/Zn P2	10 mm	115 mm	17 mm	
931810115DELSI	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 115, Zinc	Steel 8.8	M10 x 115	DELTA KL100x2/SEAL+GZ	10 mm	115 mm	17 mm	
931810120	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Plain	Steel 8.8	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
9318101201	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	17 mm	
9318101201SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, SST	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	17 mm	
9318101201SST120	Plated, 96 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, SST	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	17 mm	
9318101202	Plated, 120 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Hot-Dip Galvanizing	Steel 8.8	M10 x 120	Hot Dip Galvanizing	10 mm	120 mm	17 mm	
93181012026H	Plated, 96 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Hot-Dip Galvanizing	Steel 8.8	M10 x 120	Hot Dip Galvanizing	10 mm	120 mm	17 mm	
9318101203	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc	Steel 8.8	M10 x 120	Zinc Yellow Passivation Fe/Zn P2	10 mm	120 mm	17 mm	
9318101203-C	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, With Certification	Steel 8.8	M10 x 120	Zinc Yellow Passivation Fe/Zn P2	10 mm	120 mm	17 mm	
931810120DELB	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc	Steel 8.8	M10 x 120	DELTA KL100x2/SEAL	10 mm	120 mm	17 mm	
931810120DP	Flake, B, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc	Steel 8.8	M10 x 120	DELTA KL100x2/SEAL+GZ	10 mm	120 mm	17 mm	
931810120I	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Plain	Steel 8.8	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
931810120SK	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc	Steel 8.8	M10 x 120	Zinc Black Passivation Fe/Zn P4	10 mm	120 mm	17 mm	
931810120ZNB10	Plated, B, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc	Steel 8.8	M10 x 120	ZnNi10/Fn FIN 105	10 mm	120 mm	17 mm	
931810120ZNT8	Plated, B, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc	Steel 8.8	M10 x 120	ZnNi8/Cn/T4	10 mm	120 mm	17 mm	
931810120ZNTW	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc							

Nickel, S

Steel 8.8

M10 x 120

ZnNi8/Cn/T4

10 mm

120 mm

17 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931810125	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 125, Plain	Steel 8.8	M10 x 125	Plain (no plating)	10 mm	125 mm	17 mm	
9318101251	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 125, Zinc	Steel 8.8	M10 x 125	Zinc Bright Passivation Fe/Zn P1	10 mm	125 mm	17 mm	
9318101253	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 125, Zinc	Steel 8.8	M10 x 125	Zinc Yellow Passivation Fe/Zn P2	10 mm	125 mm	17 mm	
931810125P1000	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 125, Plain	Steel 8.8	M10 x 125	Plain (no plating)	10 mm	125 mm	17 mm	
931810130	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 130, Plain	Steel 8.8	M10 x 130	Plain (no plating)	10 mm	130 mm	17 mm	
9318101301	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 130, Zinc	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	17 mm	
9318101301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 130, SST	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	17 mm	
9318101302	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 130, Hot-Dip Galvanizing	Steel 8.8	M10 x 130	Hot Dip Galvanizing	10 mm	130 mm	17 mm	
9318101302HG	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 130, Hot-Dip Galvanizing	Steel 8.8	M10 x 130	Hot Dip Galvanizing	10 mm	130 mm	17 mm	
931810130DEL	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 130, Zinc	Steel 8.8	M10 x 130	DELTA KL100x2/SEAL+GZ	10 mm	130 mm	17 mm	
931810130ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 130, Zinc-Ni BLACK + FINIGARD 105	Steel 8.8	M10 x 130	Zn-Ni BLACK + FINIGARD 105	10 mm	130 mm	17 mm	
931810132DPTL50	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 132/50, Zinc	Steel 8.8	M10 x 132/50	DELTA KL100x2/SEAL+GZ	10 mm	132 mm	17 mm	
9318101351	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 135, Zinc	Steel 8.8	M10 x 135	Zinc Bright Passivation Fe/Zn P1	10 mm	135 mm	17 mm	
931810140	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, Plain	Steel 8.8	M10 x 140	Plain (no plating)	10 mm	140 mm	17 mm	
9318101401	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, Zinc	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	17 mm	
9318101401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, SST	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	17 mm	
9318101401SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, SST	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	17 mm	
9318101402	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, Hot-Dip Galvanizing	Steel 8.8	M10 x 140	Hot Dip Galvanizing	10 mm	140 mm	17 mm	
9318101403	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, Zinc	Steel 8.8	M10 x 140	Zinc Yellow Passivation Fe/Zn P2	10 mm	140 mm	17 mm	
931810140DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, Zinc	Steel 8.8	M10 x 140	DELTA KL100x2/SEAL+GZ	10 mm	140 mm	17 mm	
931810140DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, Zinc	Steel 8.8	M10 x 140	DELTA KL100x2/SEAL+GZ	10 mm	140 mm	17 mm	
931810140ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 140, Zinc-Ni8/Cn/T4	Steel 8.8	M10 x 140	ZnNi8/Cn/T4	10 mm	140 mm	17 mm	
931810145	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 145, Plain	Steel 8.8	M10 x 145	Plain (no plating)	10 mm	145 mm	17 mm	
931810145DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 145, Zinc	Steel 8.8	M10 x 145	DELTA KL100x2/SEAL+GZ	10 mm	145 mm	17 mm	
931810150	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 150, Plain	Steel 8.8	M10 x 150	Plain (no plating)	10 mm	150 mm	17 mm	
9318101501	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 150, Zinc	Steel 8.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm	17 mm	
9318101501I	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 150, Zinc	Steel 8.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm	17 mm	
9318101502	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 150, Hot-Dip Galvanizing	Steel 8.8	M10 x 150	Hot Dip Galvanizing	10 mm	150 mm	17 mm	
931810150DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 150, Zinc	Steel 8.8	M10 x 150	DELTA KL100x2/SEAL+GZ	10 mm	150 mm	17 mm	
931810150DPDRI	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 150, Zinc	Steel 8.8	M10 x 150	DELTA KL100x2/SEAL+GZ	10 mm	150 mm	17 mm	
931810150ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 150, Zinc-Ni8/Cn/T4	Steel 8.8	M10 x 150	ZnNi8/Cn/T4	10 mm	150 mm	17 mm	
931810160	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 160, Plain	Steel 8.8	M10 x 160	Plain (no plating)	10 mm	160 mm	17 mm	
9318101601	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 160, Zinc	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	17 mm	
9318101601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 160, SST	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	17 mm	
9318101602	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 160, Hot-Dip Galvanizing	Steel 8.8	M10 x 160	Hot Dip Galvanizing	10 mm	160 mm	17 mm	
9318101603	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 160, Zinc	Steel 8.8	M10 x 160	Zinc Yellow Passivation Fe/Zn P2	10 mm	160 mm	17 mm	
931810160DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 160, Zinc	Steel 8.8	M10 x 160	DELTA KL100x2/SEAL+GZ	10 mm	160 mm	17 mm	
931810160ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 160, Zinc-Ni8/Cn/T4	Steel 8.8	M10 x 160	ZnNi8/Cn/T4	10 mm	160 mm	17 mm	
931810170	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 170, Plain	Steel 8.8	M10 x 170	Plain (no plating)	10 mm	170 mm	17 mm	
9318101701	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 170, Zinc	Steel 8.8	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm	17 mm	
9318101702	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 170, Hot-Dip Galvanizing	Steel 8.8	M10 x 170	Hot Dip Galvanizing	10 mm	170 mm	17 mm	
9318101703	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 170, Zinc	Steel 8.8	M10 x 170	Zinc Yellow Passivation Fe/Zn P2	10 mm	170 mm	17 mm	
931810170DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 170, Zinc	Steel 8.8	M10 x 170	DELTA KL100x2/SEAL+GZ	10 mm	170 mm	17 mm	
931810170GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 170, Zinc	Steel 8.8	M10 x 170	GEOMET 500A	10 mm	170 mm	17 mm	
931810175	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 175, Plain	Steel 8.8	M10 x 175	Plain (no plating)	10 mm	175 mm	17 mm	
9318101751	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 175, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931810180	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 180, Plain	Steel 8.8	M10 x 180	Plain (no plating)	10 mm	180 mm	17 mm	
9318101801	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 180, Zinc	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm	17 mm	
9318101801I	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 180, Zinc	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm	17 mm	
9318101801SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 180, SST	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm	17 mm	
9318101802	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 180, Hot- 86 h Zinc	Steel 8.8	M10 x 180	Hot Dip Galvanizing	10 mm	180 mm	17 mm	
931810180DP	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 180, Zinc	Steel 8.8	M10 x 180	DELTA KL100x2/SEAL+GZ	10 mm	180 mm	17 mm	
931810180GEO5A	Flake-Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 180, Zinc	Steel 8.8	M10 x 180	GEOMET 500A	10 mm	180 mm	17 mm	
931810190	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 190, Plain	Steel 8.8	M10 x 190	Plain (no plating)	10 mm	190 mm	17 mm	
9318101901	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 190, Zinc	Steel 8.8	M10 x 190	Zinc Bright Passivation Fe/Zn P1	10 mm	190 mm	17 mm	
9318101902	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 190, Hot- 86 h Zinc	Steel 8.8	M10 x 190	Hot Dip Galvanizing	10 mm	190 mm	17 mm	
931810200	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 200, Plain	Steel 8.8	M10 x 200	Plain (no plating)	10 mm	200 mm	17 mm	
9318102001	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 200, Zinc	Steel 8.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm	17 mm	
9318102001SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 200, SST	Steel 8.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm	17 mm	
9318102002	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 200, Hot- 86 h Zinc	Steel 8.8	M10 x 200	Hot Dip Galvanizing	10 mm	200 mm	17 mm	
9318102002C	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 200, EN	Steel 8.8	M10 x 200	Hot Dip Galvanizing	10 mm	200 mm	17 mm	
931810200DEL	Flake-Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 200, Zinc	Steel 8.8	M10 x 200	DELTA KL100x2/SEAL+GZ	10 mm	200 mm	17 mm	
931810210	Flake-Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 210, Plain	Steel 8.8	M10 x 210	Plain (no plating)	10 mm	210 mm	17 mm	
9318102101	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 210, Zinc	Steel 8.8	M10 x 210	Zinc Bright Passivation Fe/Zn P1	10 mm	210 mm	17 mm	
9318102101SST072	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 210, SST	Steel 8.8	M10 x 210	Zinc Bright Passivation Fe/Zn P1	10 mm	210 mm	17 mm	
9318102103	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 210, Zinc	Steel 8.8	M10 x 210	Zinc Yellow Passivation Fe/Zn P2	10 mm	210 mm	17 mm	
931810210DP	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 210, Zinc	Steel 8.8	M10 x 210	DELTA KL100x2/SEAL+GZ	10 mm	210 mm	17 mm	
931810210I	Flake-Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 210, Plain	Steel 8.8	M10 x 210	Plain (no plating)	10 mm	210 mm	17 mm	
931810220	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 220, Plain	Steel 8.8	M10 x 220	Plain (no plating)	10 mm	220 mm	17 mm	
9318102201	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 220, Zinc	Steel 8.8	M10 x 220	Zinc Bright Passivation Fe/Zn P1	10 mm	220 mm	17 mm	
9318102202	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 220, Hot- 86 h Zinc	Steel 8.8	M10 x 220	Hot Dip Galvanizing	10 mm	220 mm	17 mm	
9318102301	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 230, Zinc	Steel 8.8	M10 x 230	Zinc Bright Passivation Fe/Zn P1	10 mm	230 mm	17 mm	
9318102302	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 230, Hot- 86 h Zinc	Steel 8.8	M10 x 230	Hot Dip Galvanizing	10 mm	230 mm	17 mm	
931810240	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 240, Plain	Steel 8.8	M10 x 240	Plain (no plating)	10 mm	240 mm	17 mm	
9318102401	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 240, Zinc	Steel 8.8	M10 x 240	Zinc Bright Passivation Fe/Zn P1	10 mm	240 mm	17 mm	
9318102501	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 250, Zinc	Steel 8.8	M10 x 250	Zinc Bright Passivation Fe/Zn P1	10 mm	250 mm	17 mm	
931810260	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 260, Plain	Steel 8.8	M10 x 260	Plain (no plating)	10 mm	260 mm	17 mm	
9318102601	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 260, Zinc	Steel 8.8	M10 x 260	Zinc Bright Passivation Fe/Zn P1	10 mm	260 mm	17 mm	
9318102602	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 260, Hot- 86 h Zinc	Steel 8.8	M10 x 260	Hot Dip Galvanizing	10 mm	260 mm	17 mm	
9318102701	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 270, Zinc	Steel 8.8	M10 x 270	Zinc Bright Passivation Fe/Zn P1	10 mm	270 mm	17 mm	
931810270DP	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 270, Zinc	Steel 8.8	M10 x 270	DELTA KL100x2/SEAL+GZ	10 mm	270 mm	17 mm	
9318102801	Flake-Si, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 280, Zinc	Steel 8.8	M10 x 280	Zinc Bright Passivation Fe/Zn P1	10 mm	280 mm	17 mm	
9318103001	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 300, Zinc	Steel 8.8	M10 x 300	Zinc Bright Passivation Fe/Zn P1	10 mm	300 mm	17 mm	
931810360	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 360, Plain	Steel 8.8	M10 x 360	Plain (no plating)	10 mm	360 mm	17 mm	
9318103901	DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 390, Zinc	Steel 8.8	M10 x 390	Zinc Bright Passivation Fe/Zn P1	10 mm	390 mm	17 mm	
9318104101	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 410, Zinc	Steel 8.8	M10 x 410	Zinc Bright Passivation Fe/Zn P1	10 mm	410 mm	17 mm	
9318104501	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 450, Zinc	Steel 8.8	M10 x 450	Zinc Bright Passivation Fe/Zn P1	10 mm	450 mm	17 mm	
9318105001	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M10 x 500, Zinc	Steel 8.8	M10 x 500	Zinc Bright Passivation Fe/Zn P1	10 mm	500 mm	17 mm	
9318120351	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 35, Zinc	Steel 8.8	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	19 mm	
9318120352	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 35, Hot- 86 h Zinc	Steel 8.8	M12 x 35	Hot Dip Galvanizing	12 mm	35 mm	19 mm	
9318120353	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 35, Zinc	Steel 8.8	M12 x 35	Zinc Yellow Passivation Fe/Zn P2	12 mm	35 mm	19 mm	
931812040	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, Plain	Steel 8.8	M12 x 40	Plain (no plating)	12 mm	40 mm	19 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318120401	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Plated	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
9318120401SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, SST	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
9318120402	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, Hot-Dip Galvani	Steel 8.8	M12 x 40	Hot Dip Galvanizing	12 mm	40 mm	19 mm	
9318120403	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Plated, Ye	Steel 8.8	M12 x 40	Zinc Yellow Passivation Fe/Zn P2	12 mm	40 mm	19 mm	
931812040DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Flake, Sil	Steel 8.8	M12 x 40	DELTA KL100x2/SEAL+GZ	12 mm	40 mm	19 mm	
931812040GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Flake, Sil	Steel 8.8	M12 x 40	GEOMET 321A	12 mm	40 mm	19 mm	
931812040GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Flake, Sil	Steel 8.8	M12 x 40	GEOMET 500B	12 mm	40 mm	19 mm	
931812045	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, Plain	Steel 8.8	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
9318120451	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, Zinc Plated	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	19 mm	
9318120451SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, SST	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	19 mm	
9318120452	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, Hot-Dip Galvani	Steel 8.8	M12 x 45	Hot Dip Galvanizing	12 mm	45 mm	19 mm	
9318120453	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, Zinc Plated, Ye	Steel 8.8	M12 x 45	Zinc Yellow Passivation Fe/Zn P2	12 mm	45 mm	19 mm	
931812045C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, EN 10204 3 1 Ce	Steel 8.8	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
931812045GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, Zinc Flake, Sil	Steel 8.8	M12 x 45	GEOMET 500A	12 mm	45 mm	19 mm	
931812045GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, Zinc Flake, Sil	Steel 8.8	M12 x 45	GEOMET 500B	12 mm	45 mm	19 mm	
931812045ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 45, SST	Steel 8.8	M12 x 45	Zn-Ni BLACK + FINIGARD 105	12 mm	45 mm	19 mm	
931812050	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Plain	Steel 8.8	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
9318120501	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
9318120501-	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated, (93	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
9318120501E	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Driloc, Plastic	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
9318120501S50	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
9318120501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, SST	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
9318120501SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, SST	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
9318120502	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Hot-Dip Galvani	Steel 8.8	M12 x 50	Hot Dip Galvanizing	12 mm	50 mm	19 mm	
9318120502C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, EN 10204 3 1 Ce	Steel 8.8	M12 x 50	Hot Dip Galvanizing	12 mm	50 mm	19 mm	
9318120503	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated, Ye	Steel 8.8	M12 x 50	Zinc Yellow Passivation Fe/Zn P2	12 mm	50 mm	19 mm	
931812050CV7269	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Covertex Black	Steel 8.8	M12 x 50	Covertex (ZIB 3+)	12 mm	50 mm	19 mm	
931812050GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Flake, Sil	Steel 8.8	M12 x 50	GEOMET 500A	12 mm	50 mm	19 mm	
931812050GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Flake, Sil	Steel 8.8	M12 x 50	GEOMET 500B	12 mm	50 mm	19 mm	
931812050I	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Plain	Steel 8.8	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931812050ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, SST	Steel 8.8	M12 x 50	Zn-Ni BLACK + FINIGARD 105	12 mm	50 mm	19 mm	
931812050ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc-Nickel, Si	Steel 8.8	M12 x 50	Zn-Ni SILVER 8 MICRON + FINIGARD	12 mm	50 mm	19 mm	
931812055	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Plain	Steel 8.8	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
9318120551	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
93181205516	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
9318120551I	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
9318120551S100	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
9318120551SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, SST	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
9318120551SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, SST	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
9318120552	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Hot-Dip Galvani	Steel 8.8	M12 x 55	Hot Dip Galvanizing	12 mm	55 mm	19 mm	
9318120553	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated, Ye	Steel 8.8	M12 x 55	Zinc Yellow Passivation Fe/Zn P2	12 mm	55 mm	19 mm	
931812055DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated, Ye	Steel 8.8	M12 x 55	DELTA KL100x2/SEAL	12 mm	55 mm	19 mm	
931812055GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Flake, Sil	Steel 8.8	M12 x 55	GEOMET 500A	12 mm	55 mm	19 mm	
931812055GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Flake, Sil	Steel 8.8	M12 x 55	GEOMET 500A	12 mm	55 mm	19 mm	
931812055I	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 55, Plain	Steel 8.8	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
931812060	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, Plain	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318120601	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, Zinc Plated	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9318120601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, SST	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9318120601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, SST	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9318120602	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, Hot-Dip Galvani	Steel 8.8	M12 x 60	Hot Dip Galvanizing	12 mm	60 mm	19 mm	
9318120602C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, EN	Steel 8.8	M12 x 60	Hot Dip Galvanizing	12 mm	60 mm	19 mm	
9318120603	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, Zinc Plated, Ye	Steel 8.8	M12 x 60	Zinc Yellow Passivation Fe/Zn P2	12 mm	60 mm	19 mm	
931812060C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, EN	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931812060GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, Zinc Plated, Ye	Steel 8.8	M12 x 60	GEOMET 500B	12 mm	60 mm	19 mm	
931812060ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, Zinc-Flake, Sil	Steel 8.8	M12 x 60	Zn-Ni BLACK + FINIGARD 105	12 mm	60 mm	19 mm	
931812060ZNBSS	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, SST	Steel 8.8	M12 x 60	Zn-Ni BLACK + FINIGARD 105	12 mm	60 mm	19 mm	
931812060ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 60, Zinc-Flake, Sil	Steel 8.8	M12 x 60	ZnNi8/Cn/T4	12 mm	60 mm	19 mm	
931812065	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Plain	Steel 8.8	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
9318120651	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc Plated	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	19 mm	
9318120651C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, EN	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	19 mm	
9318120651SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, SST	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	19 mm	
9318120652	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Hot-Dip Galvani	Steel 8.8	M12 x 65	Hot Dip Galvanizing	12 mm	65 mm	19 mm	
9318120652HG	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Oversize Hot-D	Steel 8.8	M12 x 65	Hot Dip Galvanizing	12 mm	65 mm	19 mm	
9318120653	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc Plated, Ye	Steel 8.8	M12 x 65	Zinc Yellow Passivation Fe/Zn P2	12 mm	65 mm	19 mm	
931812065FLZN	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc Plated, Ye	Steel 8.8	M12 x 65	ZINC FLAKE SILVER NO CR6+ 480	12 mm	65 mm	19 mm	
931812065GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc Plated, Ye	Steel 8.8	M12 x 65	GEOMET 500A	12 mm	65 mm	19 mm	
931812065ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc-Flake, Sil	Steel 8.8	M12 x 65	Zn-Ni SILVER 8 MICRON +	12 mm	65 mm	19 mm	
931812065ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc-Flake, Sil	Steel 8.8	M12 x 65	FINIGARD T4	12 mm	65 mm	19 mm	
931812070	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Plain	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
9318120701	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
93181207019	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
9318120701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, SST	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
9318120702	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Hot-Dip Galvani	Steel 8.8	M12 x 70	Hot Dip Galvanizing	12 mm	70 mm	19 mm	
9318120703	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated, Ye	Steel 8.8	M12 x 70	Zinc Yellow Passivation Fe/Zn P2	12 mm	70 mm	19 mm	
931812070C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, EN	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931812070GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated, Ye	Steel 8.8	M12 x 70	GEOMET 500A	12 mm	70 mm	19 mm	
931812070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated, Ye	Steel 8.8	M12 x 70	GEOMET 500B	12 mm	70 mm	19 mm	
931812070GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated, Ye	Steel 8.8	M12 x 70	GEOMET 500A	12 mm	70 mm	19 mm	
931812070ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc-Flake, Sil	Steel 8.8	M12 x 70	Zn-Ni SILVER 8 MICRON +	12 mm	70 mm	19 mm	
931812070ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc-Flake, Sil	Steel 8.8	M12 x 70	FINIGARD T4	12 mm	70 mm	19 mm	
931812075	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 75, Plain	Steel 8.8	M12 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
9318120751	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 75, Zinc Plated	Steel 8.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	19 mm	
9318120751SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 75, SST	Steel 8.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	19 mm	
9318120752	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 75, Hot-Dip Galvani	Steel 8.8	M12 x 75	Hot Dip Galvanizing	12 mm	75 mm	19 mm	
9318120753	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 75, Zinc Plated, Ye	Steel 8.8	M12 x 75	Zinc Yellow Passivation Fe/Zn P2	12 mm	75 mm	19 mm	
931812075DP	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 75, Zinc Plated, Ye	Steel 8.8	M12 x 75	DELTA KL100x2/SEAL+GZ	12 mm	75 mm	19 mm	
931812075ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 75, Zinc-Flake, Sil	Steel 8.8	M12 x 75	Zn-Ni SILVER 8 MICRON +	12 mm	75 mm	19 mm	
931812080	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Plain	Steel 8.8	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
9318120801	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
9318120801SST072	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, SST	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
9318120801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, SST	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
9318120802	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Hot-Dip Galvani	Steel 8.8	M12 x 80					

Dip Galvani

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318120803	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated, Y	Steel 8.8	M12 x 80	Zinc Yellow Passivation Fe/Zn P2	12 mm	80 mm	19 mm	
931812080DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated, Y	Steel 8.8	M12 x 80	DELTA KL100x2/VH301+GZ	12 mm	80 mm	19 mm	
931812080DP1000	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated, Y	Steel 8.8	M12 x 80	DELTA KL100x2/SEAL+GZ	12 mm	80 mm	19 mm	
931812080GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated, Y	Steel 8.8	M12 x 80	GEOMET 500A	12 mm	80 mm	19 mm	
931812080GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated, Y	Steel 8.8	M12 x 80	GEOMET 500B	12 mm	80 mm	19 mm	
931812080GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated, Y	Steel 8.8	M12 x 80	GEOMET 500A	12 mm	80 mm	19 mm	
931812080ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated, Y	Steel 8.8	M12 x 80	ZINC FLAKE SILVER NO CR6+ 480	12 mm	80 mm	19 mm	
931812080ZNBSST	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, SST 200 h Zinc	Steel 8.8	M12 x 80	Zn-Ni BLACK + FINIGARD 105	12 mm	80 mm	19 mm	
931812080ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc-Plated, Y	Steel 8.8	M12 x 80	Zn-Ni SILVER 8 MICRON + FINIGARD	12 mm	80 mm	19 mm	
931812080ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc-Plated, Y	Steel 8.8	M12 x 80	ZINC FLAKE SILVER 8 MICRON + FINIGARD	12 mm	80 mm	19 mm	
931812080ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc-Plated, Y	Steel 8.8	M12 x 80	ZINC FLAKE SILVER 8 MICRON + FINIGARD	12 mm	80 mm	19 mm	
931812085	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 85, Plain	Steel 8.8	M12 x 85	Plain (no plating)	12 mm	85 mm	19 mm	
9318120851	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 85, Zinc Plated, Y	Steel 8.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm	19 mm	
9318120851I	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 85, Zinc Plated, Y	Steel 8.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm	19 mm	
9318120853	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 85, Zinc Plated, Y	Steel 8.8	M12 x 85	Zinc Yellow Passivation Fe/Zn P2	12 mm	85 mm	19 mm	
931812090	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Plain	Steel 8.8	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
9318120901	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated, Y	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	19 mm	
9318120901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, SST 200 h Zinc	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	19 mm	
9318120901SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, SST 200 h Zinc	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	19 mm	
9318120902	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Hot-Dip Galvanizing	Steel 8.8	M12 x 90	Hot Dip Galvanizing	12 mm	90 mm	19 mm	
9318120903	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated, Y	Steel 8.8	M12 x 90	Zinc Yellow Passivation Fe/Zn P2	12 mm	90 mm	19 mm	
931812090C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, EN 10204 3 1 C	Steel 8.8	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
931812090DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated, Y	Steel 8.8	M12 x 90	DELTA KL100x2/SEAL	12 mm	90 mm	19 mm	
931812090DP	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated, Y	Steel 8.8	M12 x 90	DELTA KL100x2/SEAL+GZ	12 mm	90 mm	19 mm	
931812090GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated, Y	Steel 8.8	M12 x 90	GEOMET 500A	12 mm	90 mm	19 mm	
931812090GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated, Y	Steel 8.8	M12 x 90	GEOMET 500B	12 mm	90 mm	19 mm	
931812090GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated, Y	Steel 8.8	M12 x 90	GEOMET 500A	12 mm	90 mm	19 mm	
931812090ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc-Plated, Y	Steel 8.8	M12 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	12 mm	90 mm	19 mm	
931812090ZNF105-	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc-Plated, Y	Steel 8.8	M12 x 90	ZINC SILVER 8 MICRON + FINIGARD	12 mm	90 mm	19 mm	
931812090ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc-Plated, Y	Steel 8.8	M12 x 90	ZINC FLAKE SILVER 8 MICRON + FINIGARD	12 mm	90 mm	19 mm	
931812095	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 95, Plain	Steel 8.8	M12 x 95	Plain (no plating)	12 mm	95 mm	19 mm	
9318120951	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 95, Zinc Plated, Y	Steel 8.8	M12 x 95	Zinc Bright Passivation Fe/Zn P1	12 mm	95 mm	19 mm	
9318120953	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 95, Zinc Plated, Y	Steel 8.8	M12 x 95	Zinc Yellow Passivation Fe/Zn P2	12 mm	95 mm	19 mm	
931812100	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Plain	Steel 8.8	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
9318121001	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated, Y	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	19 mm	
9318121001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, SST 200 h Zinc	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	19 mm	
9318121002	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Hot-Dip Galvanizing	Steel 8.8	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm	19 mm	
9318121002C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, EN 10204 3 1 C	Steel 8.8	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm	19 mm	
9318121003	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated, Y	Steel 8.8	M12 x 100	Zinc Yellow Passivation Fe/Zn P2	12 mm	100 mm	19 mm	
931812100C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, EN 10204 3 1 C	Steel 8.8	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
931812100DEL	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated, Y	Steel 8.8	M12 x 100	DELTA KL100x2/SEALx2+GZ	12 mm	100 mm	19 mm	
931812100DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated, Y	Steel 8.8	M12 x 100	DELTA KL100x2/VH301+GZ	12 mm	100 mm	19 mm	
931812100GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated, Y	Steel 8.8	M12 x 100	GEOMET 321A	12 mm	100 mm	19 mm	
931812100GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated, Y	Steel 8.8	M12 x 100	GEOMET 500B	12 mm	100 mm	19 mm	
931812100GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated, Y	Steel 8.8	M12 x 100	GEOMET 500A	12 mm	100 mm	19 mm	
931812100ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc-Plated, Y	Steel 8.8	M12 x 100					

Nickel, S

Steel 8.8

M12 x 100

ZnNi8/Cn/T4

12 mm

100 mm

19 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931812105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 105, Plain	Steel 8.8	M12 x 105	Plain (no plating)	12 mm	105 mm	19 mm	
9318121051	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 105, Zinc	Steel 8.8	M12 x 105	Zinc Bright Passivation Fe/Zn P1	12 mm	105 mm	19 mm	
9318121051I	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 105, Zinc	Steel 8.8	M12 x 105	Zinc Bright Passivation Fe/Zn P1	12 mm	105 mm	19 mm	
931812110	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Plain	Steel 8.8	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
9318121101	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
9318121101-5169	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
9318121101C3.1	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, EN	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
9318121101I	10204.3.1.C, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
9318121101SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, SST	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
9318121102	86 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Hot-Dip Galvanizing	Steel 8.8	M12 x 110	Hot Dip Galvanizing	12 mm	110 mm	19 mm	
9318121103	DIR Galvan, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	Zinc Yellow Passivation Fe/Zn P2	12 mm	110 mm	19 mm	
931812110DP	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	DELTA KL100x2/SEAL+GZ	12 mm	110 mm	19 mm	
931812110GEO	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	GEOMET 500A	12 mm	110 mm	19 mm	
931812110GEO500	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	GEOMET 500B	12 mm	110 mm	19 mm	
931812110ZNTF105	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc-	Steel 8.8	M12 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	12 mm	110 mm	19 mm	
931812115	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 115, Plain	Steel 8.8	M12 x 115	Plain (no plating)	12 mm	115 mm	19 mm	
9318121151	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 115, Zinc	Steel 8.8	M12 x 115	Zinc Bright Passivation Fe/Zn P1	12 mm	115 mm	19 mm	
9318121153	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 115, Zinc	Steel 8.8	M12 x 115	Zinc Yellow Passivation Fe/Zn P2	12 mm	115 mm	19 mm	
931812120	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Plain	Steel 8.8	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
9318121201	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
9318121201-L	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
9318121201FL	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
9318121201SST096	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, SST	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
9318121201SST200	86 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, SST	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
9318121202	200 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Hot-Dip Galvanizing	Steel 8.8	M12 x 120	Hot Dip Galvanizing	12 mm	120 mm	19 mm	
9318121203	DIR Galvan, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	Zinc Yellow Passivation Fe/Zn P2	12 mm	120 mm	19 mm	
931812120C	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, EN	Steel 8.8	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
931812120DELSI	10204.3.1.C, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	DELTA KL100x2/VH301+GZ	12 mm	120 mm	19 mm	
931812120GEO	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	GEOMET 500A	12 mm	120 mm	19 mm	
931812120P1000	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	ZINC FLAKES SILVER P1000	12 mm	120 mm	19 mm	
931812120ZB	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	Zinc Black Passivation Fe/Zn P4	12 mm	120 mm	19 mm	
931812120ZNTF105	Plated, B, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc-	Steel 8.8	M12 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	12 mm	120 mm	19 mm	
931812120ZNTW	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc-	Steel 8.8	M12 x 120	ZINC CH74	12 mm	120 mm	19 mm	
9318121251	Nickel, S, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 125, Zinc	Steel 8.8	M12 x 125	Zinc Bright Passivation Fe/Zn P1	12 mm	125 mm	19 mm	
9318121253	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 125, Zinc	Steel 8.8	M12 x 125	Zinc Yellow Passivation Fe/Zn P2	12 mm	125 mm	19 mm	
9318121253TL12	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 125/12, Zinc	Steel 8.8	M12 x 125/12	Zinc Yellow Passivation Fe/Zn P2	12 mm	125 mm	19 mm	
931812130	Zinc Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, Plain	Steel 8.8	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
9318121301	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, Zinc	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	19 mm	
9318121301SST072	Plated, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, SST	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	19 mm	
9318121301SST096	72 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, SST	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	19 mm	
9318121301SST120	86 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, SST	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	19 mm	
9318121301SST200	120 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, SST	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	19 mm	
9318121302	200 h, Zinc, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, Hot-Dip Galvanizing	Steel 8.8	M12 x 130	Hot Dip Galvanizing	12 mm	130 mm	19 mm	
9318121303	DIR Galvan, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, Zinc	Steel 8.8	M12 x 130	Zinc Yellow Passivation Fe/Zn P2	12 mm	130 mm	19 mm	
931812130DP	Plated, Y, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, Zinc	Steel 8.8	M12 x 130	DELTA KL100x2/SEAL+GZ	12 mm	130 mm	19 mm	
931812130ZNTF105	Flake, Si, DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, Zinc-							

Nickel, S

Steel 8.8

M12 x 130

Zn-Ni SILVER 8 MICRON +

FINIGARD

12 mm

130 mm

19 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931812130ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 130, Zinc-Plated, Y	Steel 8.8	M12 x 130	Zn-Ni SILVER 8 MICRON + FINIGARD	12 mm	130 mm	19 mm	
931812135	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 135, Plain	Steel 8.8	M12 x 135	Plain (no plating)	12 mm	135 mm	19 mm	
9318121351	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 135, Zinc	Steel 8.8	M12 x 135	Zinc Bright Passivation Fe/Zn P1	12 mm	135 mm	19 mm	
9318121351I	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 135, Zinc	Steel 8.8	M12 x 135	Zinc Bright Passivation Fe/Zn P1	12 mm	135 mm	19 mm	
9318121353	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 135, Zinc	Steel 8.8	M12 x 135	Zinc Yellow Passivation Fe/Zn P2	12 mm	135 mm	19 mm	
931812140	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Plain	Steel 8.8	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
9318121401	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	19 mm	
9318121401I	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	19 mm	
9318121401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, SST	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	19 mm	
9318121401SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, SST	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	19 mm	
9318121402	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Hot-Dip Galvan	Steel 8.8	M12 x 140	Hot Dip Galvanizing	12 mm	140 mm	19 mm	
9318121403	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc	Steel 8.8	M12 x 140	Zinc Yellow Passivation Fe/Zn P2	12 mm	140 mm	19 mm	
931812140C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, EN	Steel 8.8	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
931812140DP	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc	Steel 8.8	M12 x 140	DELTA KL100x2/SEAL+GZ	12 mm	140 mm	19 mm	
931812140GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc	Steel 8.8	M12 x 140	GEOMET 500A	12 mm	140 mm	19 mm	
931812140ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc-Plated, Y	Steel 8.8	M12 x 140	Zn-Ni BLACK + FINIGARD 105	12 mm	140 mm	19 mm	
931812140ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc-Plated, Y	Steel 8.8	M12 x 140	ZnNi8/Cn/T4	12 mm	140 mm	19 mm	
931812140ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc-Plated, Y	Steel 8.8	M12 x 140	ZnNi8/Cn/T4	12 mm	140 mm	19 mm	
9318121451	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 145, Zinc	Steel 8.8	M12 x 145	Zinc Bright Passivation Fe/Zn P1	12 mm	145 mm	19 mm	
931812145DPTL50	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 145/50, Zinc Flake	Steel 8.8	M12 x 145/50	DELTA KL100x2/SEAL+GZ	12 mm	145 mm	19 mm	
931812150	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, Plain	Steel 8.8	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
9318121501	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, Zinc	Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	19 mm	
9318121501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, SST	Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	19 mm	
9318121502	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, Hot-Dip Galvan	Steel 8.8	M12 x 150	Hot Dip Galvanizing	12 mm	150 mm	19 mm	
9318121503	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, Zinc	Steel 8.8	M12 x 150	Zinc Yellow Passivation Fe/Zn P2	12 mm	150 mm	19 mm	
931812150C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, EN	Steel 8.8	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
931812150DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, Zinc	Steel 8.8	M12 x 150	DELTA KL100x2/VH301+GZ	12 mm	150 mm	19 mm	
931812150SK	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, Zinc	Steel 8.8	M12 x 150	Zinc Black Passivation Fe/Zn P4	12 mm	150 mm	19 mm	
931812150ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 150, Zinc-Plated, Y	Steel 8.8	M12 x 150	Zn-Ni SILVER 8 MICRON + FINIGARD	12 mm	150 mm	19 mm	
931812155	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 155, Plain	Steel 8.8	M12 x 155	Plain (no plating)	12 mm	155 mm	19 mm	
931812160	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, Plain	Steel 8.8	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
9318121601	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, Zinc	Steel 8.8	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	19 mm	
9318121602	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, Hot-Dip Galvan	Steel 8.8	M12 x 160	Hot Dip Galvanizing	12 mm	160 mm	19 mm	
9318121602C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, EN	Steel 8.8	M12 x 160	Hot Dip Galvanizing	12 mm	160 mm	19 mm	
931812160C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, EN	Steel 8.8	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
931812160DP	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, Zinc	Steel 8.8	M12 x 160	DELTA KL100x2/SEAL+GZ	12 mm	160 mm	19 mm	
931812160GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, Zinc	Steel 8.8	M12 x 160	GEOMET 500A	12 mm	160 mm	19 mm	
931812160ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, Zinc-Plated, Y	Steel 8.8	M12 x 160	Zn-Ni BLACK + FINIGARD 105	12 mm	160 mm	19 mm	
931812160ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 160, Zinc-Plated, Y	Steel 8.8	M12 x 160	ZnNi8/Cn/T4	12 mm	160 mm	19 mm	
931812170	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 170, Plain	Steel 8.8	M12 x 170	Plain (no plating)	12 mm	170 mm	19 mm	
9318121701	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 170, Zinc	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	19 mm	
9318121701C	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 170, EN	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	19 mm	
9318121702	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 170, EN	Steel 8.8	M12 x 170	Hot Dip Galvanizing	12 mm	170 mm	19 mm	
931812170GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 170, Zinc	Steel 8.8	M12 x 170	GEOMET 500B	12 mm	170 mm	19 mm	
931812170I	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 170, Plain	Steel 8.8	M12 x 170	Plain (no plating)	12 mm	170 mm	19 mm	
931812170ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 170, Zinc							

Flake, Si

Steel 8.8

M12 x 170

ZINC FLAKE SILVER NO CR6+ 480

H

12 mm

170 mm

19 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931812180	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 180, Plain	Steel 8.8	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	
9318121801	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 180, Zinc	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	19 mm	
9318121801-Plated	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 180, Zinc	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	19 mm	
9318121801C3.1	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 180, EN	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	19 mm	
9318121801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 180, SST	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	19 mm	
9318121802	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 180, Hot-Dip Zinc	Steel 8.8	M12 x 180	Hot Dip Galvanizing	12 mm	180 mm	19 mm	
9318121802NTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 180, Zinc-Nickel	Steel 8.8	M12 x 180	Zn-Ni SILVER 8 MICRON + FINISH	12 mm	180 mm	19 mm	
931812190	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, Plain	Steel 8.8	M12 x 190	Plain (no plating)	12 mm	190 mm	19 mm	
9318121901	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, Zinc	Steel 8.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm	19 mm	
9318121901-5169	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, Zinc	Steel 8.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm	19 mm	
9318121901-5999	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, Zinc	Steel 8.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm	19 mm	
9318121901C3.1	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, EN	Steel 8.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm	19 mm	
9318121902	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, Hot-Dip Galvanizing	Steel 8.8	M12 x 190	Hot Dip Galvanizing	12 mm	190 mm	19 mm	
931812190DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, Zinc	Steel 8.8	M12 x 190	DELTA KL100x2/SEAL+GZ	12 mm	190 mm	19 mm	
931812190ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 190, Zinc-Nickel	Steel 8.8	M12 x 190	ZnNi8/Cn/T4	12 mm	190 mm	19 mm	
931812200	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 200, Plain	Steel 8.8	M12 x 200	Plain (no plating)	12 mm	200 mm	19 mm	
9318122001	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 200, Zinc	Steel 8.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm	19 mm	
9318122001SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 200, SST	Steel 8.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm	19 mm	
9318122002	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 200, Hot-Dip Galvanizing	Steel 8.8	M12 x 200	Hot Dip Galvanizing	12 mm	200 mm	19 mm	
9318122002NTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 200, Zinc-Nickel	Steel 8.8	M12 x 200	ZnNi8/Cn/T4	12 mm	200 mm	19 mm	
9318122101	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 210, Zinc	Steel 8.8	M12 x 210	Zinc Bright Passivation Fe/Zn P1	12 mm	210 mm	19 mm	
9318122102	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 210, Hot-Dip Galvanizing	Steel 8.8	M12 x 210	Hot Dip Galvanizing	12 mm	210 mm	19 mm	
931812220	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Plain	Steel 8.8	M12 x 220	Plain (no plating)	12 mm	220 mm	19 mm	
9318122201	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc	Steel 8.8	M12 x 220	Zinc Bright Passivation Fe/Zn P1	12 mm	220 mm	19 mm	
9318122202	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Hot-Dip Galvanizing	Steel 8.8	M12 x 220	Hot Dip Galvanizing	12 mm	220 mm	19 mm	
931812220DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc	Steel 8.8	M12 x 220	DELTA KL100x2/SEAL+GZ	12 mm	220 mm	19 mm	
931812220GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc	Steel 8.8	M12 x 220	GEOMET 500A	12 mm	220 mm	19 mm	
931812220GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc	Steel 8.8	M12 x 220	GEOMET 500B	12 mm	220 mm	19 mm	
931812220ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc-Nickel	Steel 8.8	M12 x 220	Zn-Ni SILVER 8 MICRON + FINISH	12 mm	220 mm	19 mm	
931812220ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc-Nickel	Steel 8.8	M12 x 220	ZnNi8/Cn/T4	12 mm	220 mm	19 mm	
931812230	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, Plain	Steel 8.8	M12 x 230	Plain (no plating)	12 mm	230 mm	19 mm	
9318122301	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, Zinc	Steel 8.8	M12 x 230	Zinc Bright Passivation Fe/Zn P1	12 mm	230 mm	19 mm	
9318122301C3.1	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, EN	Steel 8.8	M12 x 230	Zinc Bright Passivation Fe/Zn P1	12 mm	230 mm	19 mm	
9318122302	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, Hot-Dip Galvanizing	Steel 8.8	M12 x 230	Hot Dip Galvanizing	12 mm	230 mm	19 mm	
931812230DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, Zinc	Steel 8.8	M12 x 230	DELTA KL100x2/SEAL+GZ	12 mm	230 mm	19 mm	
931812230GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, Zinc	Steel 8.8	M12 x 230	GEOMET 500B	12 mm	230 mm	19 mm	
931812230ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, Zinc-Nickel	Steel 8.8	M12 x 230	ZINC FLAKE SILVER NO CR6+ 480 H	12 mm	230 mm	19 mm	
931812230ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 230, Zinc-Nickel	Steel 8.8	M12 x 230	ZnNi8/Cn/T4	12 mm	230 mm	19 mm	
931812240	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 240, Plain	Steel 8.8	M12 x 240	Plain (no plating)	12 mm	240 mm	19 mm	
9318122401	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 240, Zinc	Steel 8.8	M12 x 240	Zinc Bright Passivation Fe/Zn P1	12 mm	240 mm	19 mm	
9318122401SST600	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 240, SST	Steel 8.8	M12 x 240	Zinc Bright Passivation Fe/Zn P1	12 mm	240 mm	19 mm	
9318122402	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 240, Hot-Dip Galvanizing	Steel 8.8	M12 x 240	Hot Dip Galvanizing	12 mm	240 mm	19 mm	
931812250	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 250, Plain	Steel 8.8	M12 x 250	Plain (no plating)	12 mm	250 mm	19 mm	
9318122501	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 250, Zinc	Steel 8.8	M12 x 250	Zinc Bright Passivation Fe/Zn P1	12 mm	250 mm	19 mm	
9318122501TL65	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 250/65, Zinc Plated	Steel 8.8	M12 x 250/65	Zinc Bright Passivation Fe/Zn P1	12 mm	250 mm	19 mm	
9318122502	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 250, Hot-Dip Galvanizing							

Dip Galvan

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318122502OVER	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 250, Oversize Hot-Dip Galvanizing	Steel 8.8	M12 x 250	Hot Dip Galvanizing	12 mm	250 mm	19 mm	
931812250DELTA	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 250, Zinc Plated	Steel 8.8	M12 x 250	DELTA KL100x2/SEAL+GZ	12 mm	250 mm	19 mm	
931812260	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 260, Plain	Steel 8.8	M12 x 260	Plain (no plating)	12 mm	260 mm	19 mm	
9318122601	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 260, Zinc Plated	Steel 8.8	M12 x 260	Zinc Bright Passivation Fe/Zn P1	12 mm	260 mm	19 mm	
9318122601C3.1	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 260, EN 10204 3.1 C	Steel 8.8	M12 x 260	Zinc Bright Passivation Fe/Zn P1	12 mm	260 mm	19 mm	
9318122602	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 260, Hot-Dip Galvanizing	Steel 8.8	M12 x 260	Hot Dip Galvanizing	12 mm	260 mm	19 mm	
9318122603	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 260, Zinc Plated, Y	Steel 8.8	M12 x 260	Zinc Yellow Passivation Fe/Zn P2	12 mm	260 mm	19 mm	
931812270	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 270, Plain	Steel 8.8	M12 x 270	Plain (no plating)	12 mm	270 mm	19 mm	
9318122701	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 270, Zinc Plated	Steel 8.8	M12 x 270	Zinc Bright Passivation Fe/Zn P1	12 mm	270 mm	19 mm	
931812280	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 280, Plain	Steel 8.8	M12 x 280	Plain (no plating)	12 mm	280 mm	19 mm	
9318122801	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 280, Zinc Plated	Steel 8.8	M12 x 280	Zinc Bright Passivation Fe/Zn P1	12 mm	280 mm	19 mm	
9318122802	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 280, Hot-Dip Galvanizing	Steel 8.8	M12 x 280	Hot Dip Galvanizing	12 mm	280 mm	19 mm	
9318122901	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 290, Zinc Plated	Steel 8.8	M12 x 290	Zinc Bright Passivation Fe/Zn P1	12 mm	290 mm	19 mm	
9318122902	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 290, Hot-Dip Galvanizing	Steel 8.8	M12 x 290	Hot Dip Galvanizing	12 mm	290 mm	19 mm	
931812300	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 300, Plain	Steel 8.8	M12 x 300	Plain (no plating)	12 mm	300 mm	19 mm	
9318123001	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 300, Zinc Plated	Steel 8.8	M12 x 300	Zinc Bright Passivation Fe/Zn P1	12 mm	300 mm	19 mm	
9318123002	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 300, Hot-Dip Galvanizing	Steel 8.8	M12 x 300	Hot Dip Galvanizing	12 mm	300 mm	19 mm	
9318123002KB	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 300, Hot-Dip Galvanizing	Steel 8.8	M12 x 300	Hot Dip Galvanizing	12 mm	300 mm	19 mm	
9318123101	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 310, Zinc Plated	Steel 8.8	M12 x 310	Zinc Bright Passivation Fe/Zn P1	12 mm	310 mm	19 mm	
9318123201	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 320, Zinc Plated	Steel 8.8	M12 x 320	Zinc Bright Passivation Fe/Zn P1	12 mm	320 mm	19 mm	
931812330	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 330, Plain	Steel 8.8	M12 x 330	Plain (no plating)	12 mm	330 mm	19 mm	
9318123301	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 330, Zinc Plated	Steel 8.8	M12 x 330	Zinc Bright Passivation Fe/Zn P1	12 mm	330 mm	19 mm	
931812340	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 340, Plain	Steel 8.8	M12 x 340	Plain (no plating)	12 mm	340 mm	19 mm	
9318123401	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 340, Zinc Plated	Steel 8.8	M12 x 340	Zinc Bright Passivation Fe/Zn P1	12 mm	340 mm	19 mm	
9318123402	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 340, Hot-Dip Galvanizing	Steel 8.8	M12 x 340	Hot Dip Galvanizing	12 mm	340 mm	19 mm	
931812340ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 340, Zinc Flake-Silver	Steel 8.8	M12 x 340	ZINC FLAKE SILVER NO CR6+ 480 H	12 mm	340 mm	19 mm	
931812340ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 340, Zinc-Nickel	Steel 8.8	M12 x 340	Zinc-Nickel Fe/Zn-Ni TRANSPARENT	12 mm	340 mm	19 mm	
9318123501	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 350, Zinc Plated	Steel 8.8	M12 x 350	Zinc Bright Passivation Fe/Zn P1	12 mm	350 mm	19 mm	
931812360	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 360, Plain	Steel 8.8	M12 x 360	Plain (no plating)	12 mm	360 mm	19 mm	
9318123602	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 360, Hot-Dip Galvanizing	Steel 8.8	M12 x 360	Hot Dip Galvanizing	12 mm	360 mm	19 mm	
931812380	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 380, Plain	Steel 8.8	M12 x 380	Plain (no plating)	12 mm	380 mm	19 mm	
9318123801	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 380, Zinc Plated	Steel 8.8	M12 x 380	Zinc Bright Passivation Fe/Zn P1	12 mm	380 mm	19 mm	
9318123802	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 380, Hot-Dip Galvanizing	Steel 8.8	M12 x 380	Hot Dip Galvanizing	12 mm	380 mm	19 mm	
931812400	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 400, Plain	Steel 8.8	M12 x 400	Plain (no plating)	12 mm	400 mm	19 mm	
9318124001	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 400, Zinc Plated	Steel 8.8	M12 x 400	Zinc Bright Passivation Fe/Zn P1	12 mm	400 mm	19 mm	
9318124002	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 400, Hot-Dip Galvanizing	Steel 8.8	M12 x 400	Hot Dip Galvanizing	12 mm	400 mm	19 mm	
9318124202	DIN 931 Hexagon Head Screw, Steel 8.8, M12 x 420, Hot-Dip Galvanizing	Steel 8.8	M12 x 420	Hot Dip Galvanizing	12 mm	420 mm	19 mm	
931814045	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 45, Plain	Steel 8.8	M14 x 45	Plain (no plating)	14 mm	45 mm	22 mm	
9318140451	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 45, Zinc Plated	Steel 8.8	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	22 mm	
9318140453	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 45, Zinc Plated, Ye	Steel 8.8	M14 x 45	Zinc Yellow Passivation Fe/Zn P2	14 mm	45 mm	22 mm	
9318140481TL12	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 48/12, Zinc Plated	Steel 8.8	M14 x 48/12	Zinc Bright Passivation Fe/Zn P1	14 mm	48 mm	22 mm	
931814050	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 50, Plain	Steel 8.8	M14 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
9318140501	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 50, Zinc Plated	Steel 8.8	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
9318140501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 50, SST 96 h Zinc	Steel 8.8	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
9318140501SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 50, SST 200 h Zinc	Steel 8.8	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
9318140502	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 50, Hot-							

Dip Galvani

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318140503	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 50, Zinc Plated, Ye	Steel 8.8	M14 x 50	Zinc Yellow Passivation Fe/Zn P2	14 mm	50 mm	22 mm	
931814050ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 50, Zinc-Ni BLACK + FINIGARD 105	Steel 8.8	M14 x 50	Zn-Ni BLACK + FINIGARD 105	14 mm	50 mm	22 mm	
931814055	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55, Plain	Steel 8.8	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
9318140551	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55, Zinc Plated, Ye	Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	22 mm	
9318140551SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55, SST 96 h, Zinc	Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	22 mm	
9318140551SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55, SST 200 h, Zinc	Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	22 mm	
9318140552	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55, Hot-Dip Galvani	Steel 8.8	M14 x 55	Hot Dip Galvanizing	14 mm	55 mm	22 mm	
931814055I	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55, Plain	Steel 8.8	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
931814055TL19	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55/19, Plain	Steel 8.8	M14 x 55/19	Plain (no plating)	14 mm	55 mm	22 mm	
931814055ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 55, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M14 x 55	Zn-Ni SILVER 8 MICRON + FINIGARD	14 mm	55 mm	22 mm	
931814056TL20	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 56/20, Plain	Steel 8.8	M14 x 56/20	Plain (no plating)	14 mm	56 mm	22 mm	
931814060	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, Plain	Steel 8.8	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
9318140601	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, Zinc Plated, Ye	Steel 8.8	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
9318140601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, SST 96 h, Zinc	Steel 8.8	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
9318140601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, SST 200 h, Zinc	Steel 8.8	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
9318140602	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, Hot-Dip Galvani	Steel 8.8	M14 x 60	Hot Dip Galvanizing	14 mm	60 mm	22 mm	
9318140603	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, Zinc Plated, Ye	Steel 8.8	M14 x 60	Zinc Yellow Passivation Fe/Zn P2	14 mm	60 mm	22 mm	
931814060I	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, Plain	Steel 8.8	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
931814060ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M14 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	14 mm	60 mm	22 mm	
931814060ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 60, Zinc-Ni CH74	Steel 8.8	M14 x 60	Zn-Ni CH74	14 mm	60 mm	22 mm	
931814065	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 65, Plain	Steel 8.8	M14 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
9318140651	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 65, Zinc Plated, Ye	Steel 8.8	M14 x 65	Zinc Bright Passivation Fe/Zn P1	14 mm	65 mm	22 mm	
9318140652	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 65, EN 10209-3-1 Co	Steel 8.8	M14 x 65	Hot Dip Galvanizing	14 mm	65 mm	22 mm	
931814070	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 70, Plain	Steel 8.8	M14 x 70	Plain (no plating)	14 mm	70 mm	22 mm	
9318140701	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 70, Zinc Plated, Ye	Steel 8.8	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	22 mm	
9318140701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 70, SST 96 h, Zinc	Steel 8.8	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	22 mm	
9318140702	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 70, Hot-Dip Galvani	Steel 8.8	M14 x 70	Hot Dip Galvanizing	14 mm	70 mm	22 mm	
931814075	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 75, Plain	Steel 8.8	M14 x 75	Plain (no plating)	14 mm	75 mm	22 mm	
9318140751	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 75, Zinc Plated, Ye	Steel 8.8	M14 x 75	Zinc Bright Passivation Fe/Zn P1	14 mm	75 mm	22 mm	
9318140751SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 75, SST 96 h, Zinc	Steel 8.8	M14 x 75	Zinc Bright Passivation Fe/Zn P1	14 mm	75 mm	22 mm	
9318140753	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 75, Zinc Plated, Ye	Steel 8.8	M14 x 75	Zinc Yellow Passivation Fe/Zn P2	14 mm	75 mm	22 mm	
931814075ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 75, Zinc-Ni SILVER 8 MICRON + FINIGARD	Steel 8.8	M14 x 75	Zn-Ni SILVER 8 MICRON + FINIGARD	14 mm	75 mm	22 mm	
931814080	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 80, Plain	Steel 8.8	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
9318140801	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 80, Zinc Plated, Ye	Steel 8.8	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	22 mm	
9318140801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 80, SST 96 h, Zinc	Steel 8.8	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	22 mm	
9318140802	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 80, Hot-Dip Galvani	Steel 8.8	M14 x 80	Hot Dip Galvanizing	14 mm	80 mm	22 mm	
931814080CV7269	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 80, Coventec Black	Steel 8.8	M14 x 80	Coventec (ZIB 3+)	14 mm	80 mm	22 mm	
931814080I	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 80, Plain	Steel 8.8	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
931814080ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 80, Zinc-Ni8/Cn/T4	Steel 8.8	M14 x 80	ZnNi8/Cn/T4	14 mm	80 mm	22 mm	
931814085	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 85, Plain	Steel 8.8	M14 x 85	Plain (no plating)	14 mm	85 mm	22 mm	
9318140851	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 85, Zinc Plated, Ye	Steel 8.8	M14 x 85	Zinc Bright Passivation Fe/Zn P1	14 mm	85 mm	22 mm	
931814090	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Plain	Steel 8.8	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
9318140901	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc Plated, Ye	Steel 8.8	M14 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	22 mm	
9318140901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, SST 96 h, Zinc	Steel 8.8	M14 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	22 mm	
9318140902	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Hot-Dip Galvani	Steel 8.8	M14 x 90	Hot Dip Galvanizing	14 mm	90 mm	22 mm	
9318140903	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc Plated, Ye							

Plated, Ye

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931814090I	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Plain	Steel 8.8	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
931814090TL14	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90/14, Plain	Steel 8.8	M14 x 90/14	Plain (no plating)	14 mm	90 mm	22 mm	
931814090ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc-Plated	Steel 8.8	M14 x 90	Zn-Ni BLACK + FINIGARD 105	14 mm	90 mm	22 mm	
931814090ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc-Plated	Steel 8.8	M14 x 90	Zn-Ni BLACK + FINIGARD 105	14 mm	90 mm	22 mm	
931814090ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc-Plated	Steel 8.8	M14 x 90	Zn-Ni BLACK + FINIGARD 105	14 mm	90 mm	22 mm	
931814090ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc-Plated	Steel 8.8	M14 x 90	Zn-Ni BLACK + FINIGARD 105	14 mm	90 mm	22 mm	
931814090ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc-Plated	Steel 8.8	M14 x 90	ZnNi8/Cn/T4	14 mm	90 mm	22 mm	
9318140951	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 95, Zinc Plated	Steel 8.8	M14 x 95	Zinc Bright Passivation Fe/Zn P1	14 mm	95 mm	22 mm	
931814100	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 100, Plain	Steel 8.8	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
9318141001	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 100, Zinc Plated	Steel 8.8	M14 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	22 mm	
9318141001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 100, SST 96 h Zinc	Steel 8.8	M14 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	22 mm	
9318141002	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 100, Hot-Dip Galvan	Steel 8.8	M14 x 100	Hot Dip Galvanizing	14 mm	100 mm	22 mm	
931814100C	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 100, EN 10204-3-1 C	Steel 8.8	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
931814100GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 100, Zinc Flake-Si	Steel 8.8	M14 x 100	GEOMET 500A	14 mm	100 mm	22 mm	
931814105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 105, Plain	Steel 8.8	M14 x 105	Plain (no plating)	14 mm	105 mm	22 mm	
931814110	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 110, Plain	Steel 8.8	M14 x 110	Plain (no plating)	14 mm	110 mm	22 mm	
9318141101	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 110, Zinc Plated	Steel 8.8	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	22 mm	
9318141101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 110, SST 96 h Zinc	Steel 8.8	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	22 mm	
9318141102	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 110, Hot-Dip Galvan	Steel 8.8	M14 x 110	Hot Dip Galvanizing	14 mm	110 mm	22 mm	
9318141103	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 110, Zinc Plated-Y	Steel 8.8	M14 x 110	Zinc Yellow Passivation Fe/Zn P2	14 mm	110 mm	22 mm	
931814110C	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 110, EN 10204-3-1 C	Steel 8.8	M14 x 110	Plain (no plating)	14 mm	110 mm	22 mm	
931814110ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 110, Zinc-Nickel-S	Steel 8.8	M14 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	14 mm	110 mm	22 mm	
931814120	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 120, Plain	Steel 8.8	M14 x 120	Plain (no plating)	14 mm	120 mm	22 mm	
9318141201	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 120, Zinc Plated	Steel 8.8	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	22 mm	
9318141201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 120, SST 96 h Zinc	Steel 8.8	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	22 mm	
9318141202	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 120, Hot-Dip Galvan	Steel 8.8	M14 x 120	Hot Dip Galvanizing	14 mm	120 mm	22 mm	
9318141203	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 120, Zinc Plated-Y	Steel 8.8	M14 x 120	Zinc Yellow Passivation Fe/Zn P2	14 mm	120 mm	22 mm	
931814120ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 120, Zinc-Nickel-S	Steel 8.8	M14 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	14 mm	120 mm	22 mm	
931814120ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 120, Zinc-Nickel-S	Steel 8.8	M14 x 120	ZnNi8/Cn/T4	14 mm	120 mm	22 mm	
931814130	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Plain	Steel 8.8	M14 x 130	Plain (no plating)	14 mm	130 mm	22 mm	
9318141301	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Zinc Plated	Steel 8.8	M14 x 130	Zinc Bright Passivation Fe/Zn P1	14 mm	130 mm	22 mm	
9318141302	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Hot-Dip Galvan	Steel 8.8	M14 x 130	Hot Dip Galvanizing	14 mm	130 mm	22 mm	
9318141303	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Zinc Plated-Y	Steel 8.8	M14 x 130	Zinc Yellow Passivation Fe/Zn P2	14 mm	130 mm	22 mm	
931814130GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Geoblack-Zinc	Steel 8.8	M14 x 130	GEOBLACK 500M	14 mm	130 mm	22 mm	
931814130GEOBL	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Geoblack-Zinc	Steel 8.8	M14 x 130	GEOBLACK 500M	14 mm	130 mm	22 mm	
931814130I	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Plain	Steel 8.8	M14 x 130	Plain (no plating)	14 mm	130 mm	22 mm	
931814130ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Zinc-Nickel-P	Steel 8.8	M14 x 130	Zn-Ni BLACK + FINIGARD 105	14 mm	130 mm	22 mm	
931814130ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Zinc-Nickel-P	Steel 8.8	M14 x 130	Zn-Ni BLACK + FINIGARD 105	14 mm	130 mm	22 mm	
931814130ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 130, Zinc-Nickel-S	Steel 8.8	M14 x 130	Zn-Ni SILVER 8 MICRON + FINIGARD	14 mm	130 mm	22 mm	
931814140	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 140, Plain	Steel 8.8	M14 x 140	Plain (no plating)	14 mm	140 mm	22 mm	
9318141401	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 140, Zinc Plated	Steel 8.8	M14 x 140	Zinc Bright Passivation Fe/Zn P1	14 mm	140 mm	22 mm	
9318141401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 140, SST 96 h Zinc	Steel 8.8	M14 x 140	Zinc Bright Passivation Fe/Zn P1	14 mm	140 mm	22 mm	
9318141402	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 140, Hot-Dip Galvan	Steel 8.8	M14 x 140	Hot Dip Galvanizing	14 mm	140 mm	22 mm	
931814140I	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 140, Plain	Steel 8.8	M14 x 140	Plain (no plating)	14 mm	140 mm	22 mm	
931814140ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 140, Zinc-Nickel-S	Steel 8.8	M14 x 140	ZnNi8/Cn/T4	14 mm	140 mm	22 mm	
931814150	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 150, Plain	Steel 8.8	M14 x 150	Plain (no plating)	14 mm	150 mm	22 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318141501	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 150, Zinc Plated	Steel 8.8	M14 x 150	Zinc Bright Passivation Fe/Zn P1	14 mm	150 mm	22 mm	
9318141503	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 150, Zinc Plated	Steel 8.8	M14 x 150	Zinc Yellow Passivation Fe/Zn P2	14 mm	150 mm	22 mm	
931814150ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 150, Zinc-Ni BLACK + FINIGARD 105	Steel 8.8	M14 x 150	Zn-Ni BLACK + FINIGARD 105	14 mm	150 mm	22 mm	
931814160	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 160, Plain	Steel 8.8	M14 x 160	Plain (no plating)	14 mm	160 mm	22 mm	
9318141601	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 160, Zinc Plated	Steel 8.8	M14 x 160	Zinc Bright Passivation Fe/Zn P1	14 mm	160 mm	22 mm	
9318141601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 160, SST	Steel 8.8	M14 x 160	Zinc Bright Passivation Fe/Zn P1	14 mm	160 mm	22 mm	
9318141601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 160, SST	Steel 8.8	M14 x 160	Zinc Bright Passivation Fe/Zn P1	14 mm	160 mm	22 mm	
9318141602	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 160, Hot-Dip Galvanizing	Steel 8.8	M14 x 160	Hot Dip Galvanizing	14 mm	160 mm	22 mm	
9318141601	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 160, Plain	Steel 8.8	M14 x 160	Plain (no plating)	14 mm	160 mm	22 mm	
931814160ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 160, Zinc-Ni BLACK + FINIGARD 105	Steel 8.8	M14 x 160	Zn-Ni BLACK + FINIGARD 105	14 mm	160 mm	22 mm	
931814170	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 170, Plain	Steel 8.8	M14 x 170	Plain (no plating)	14 mm	170 mm	22 mm	
9318141701	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 170, Zinc Plated	Steel 8.8	M14 x 170	Zinc Bright Passivation Fe/Zn P1	14 mm	170 mm	22 mm	
9318141703	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 170, Zinc Plated	Steel 8.8	M14 x 170	Zinc Yellow Passivation Fe/Zn P2	14 mm	170 mm	22 mm	
931814180	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 180, Plain	Steel 8.8	M14 x 180	Plain (no plating)	14 mm	180 mm	22 mm	
9318141801	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 180, Zinc Plated	Steel 8.8	M14 x 180	Zinc Bright Passivation Fe/Zn P1	14 mm	180 mm	22 mm	
9318141802	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 180, Hot-Dip Galvanizing	Steel 8.8	M14 x 180	Hot Dip Galvanizing	14 mm	180 mm	22 mm	
931814180ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 180, Zinc Flake Silver	Steel 8.8	M14 x 180	ZINC FLAKE SILVER NO CR6+ 480	14 mm	180 mm	22 mm	
931814190	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 190, Plain	Steel 8.8	M14 x 190	Plain (no plating)	14 mm	190 mm	22 mm	
9318141901	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 190, Zinc Plated	Steel 8.8	M14 x 190	Zinc Bright Passivation Fe/Zn P1	14 mm	190 mm	22 mm	
931814200	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 200, Plain	Steel 8.8	M14 x 200	Plain (no plating)	14 mm	200 mm	22 mm	
9318142001	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 200, Zinc Plated	Steel 8.8	M14 x 200	Zinc Bright Passivation Fe/Zn P1	14 mm	200 mm	22 mm	
9318142001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 200, SST	Steel 8.8	M14 x 200	Zinc Bright Passivation Fe/Zn P1	14 mm	200 mm	22 mm	
9318142003	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 200, Zinc Plated	Steel 8.8	M14 x 200	Zinc Yellow Passivation Fe/Zn P2	14 mm	200 mm	22 mm	
931814220	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 220, Plain	Steel 8.8	M14 x 220	Plain (no plating)	14 mm	220 mm	22 mm	
9318142201	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 220, Zinc Plated	Steel 8.8	M14 x 220	Zinc Bright Passivation Fe/Zn P1	14 mm	220 mm	22 mm	
931814240	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 240, Plain	Steel 8.8	M14 x 240	Plain (no plating)	14 mm	240 mm	22 mm	
9318142401	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 240, Zinc Plated	Steel 8.8	M14 x 240	Zinc Bright Passivation Fe/Zn P1	14 mm	240 mm	22 mm	
9318142401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 240, SST	Steel 8.8	M14 x 240	Zinc Bright Passivation Fe/Zn P1	14 mm	240 mm	22 mm	
931814250	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 250, Plain	Steel 8.8	M14 x 250	Plain (no plating)	14 mm	250 mm	22 mm	
931814260	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 260, Plain	Steel 8.8	M14 x 260	Plain (no plating)	14 mm	260 mm	22 mm	
9318142601	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 260, Zinc Plated	Steel 8.8	M14 x 260	Zinc Bright Passivation Fe/Zn P1	14 mm	260 mm	22 mm	
9318142602	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 260, Hot-Dip Galvanizing	Steel 8.8	M14 x 260	Hot Dip Galvanizing	14 mm	260 mm	22 mm	
931814270	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 270, Plain	Steel 8.8	M14 x 270	Plain (no plating)	14 mm	270 mm	22 mm	
931814280	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 280, Plain	Steel 8.8	M14 x 280	Plain (no plating)	14 mm	280 mm	22 mm	
931814300	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 300, Plain	Steel 8.8	M14 x 300	Plain (no plating)	14 mm	300 mm	22 mm	
931814320	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 320, Plain	Steel 8.8	M14 x 320	Plain (no plating)	14 mm	320 mm	22 mm	
9318143201	DIN 931 Hexagon Head Screw, Steel 8.8, M14 x 320, Zinc Plated	Steel 8.8	M14 x 320	Zinc Bright Passivation Fe/Zn P1	14 mm	320 mm	22 mm	
931816040	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 40, Plain	Steel 8.8	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
9318160401	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 40, Zinc Plated	Steel 8.8	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	24 mm	
931816045	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 45, Plain	Steel 8.8	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
9318160451	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 45, Zinc Plated	Steel 8.8	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	24 mm	
9318160452HGHG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 45, Hot-Dip Galvanizing	Steel 8.8	M16 x 45	Hot Dip Galvanizing	16 mm	45 mm	24 mm	
9318160453	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 45, Zinc Plated	Steel 8.8	M16 x 45	Zinc Yellow Passivation Fe/Zn P2	16 mm	45 mm	24 mm	
931816050	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, Plain	Steel 8.8	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
9318160501	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, Zinc Plated	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
9318160501C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, EN							

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318160501I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, Zinc Plated	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
9318160501SST120	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, SST	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
9318160502	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, Hot-Dip Galvanizing	Steel 8.8	M16 x 50	Hot Dip Galvanizing	16 mm	50 mm	24 mm	
9318160503	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, Zinc Plated, Yellow	Steel 8.8	M16 x 50	Zinc Yellow Passivation Fe/Zn P2	16 mm	50 mm	24 mm	
931816050C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, EN	Steel 8.8	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
931816050GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, Zinc Flake, Sil	Steel 8.8	M16 x 50	GEOMET 500A	16 mm	50 mm	24 mm	
931816050GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 50, EN	Steel 8.8	M16 x 50	GEOMET 500A	16 mm	50 mm	24 mm	
931816055	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Plain	Steel 8.8	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
9318160551	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc Plated	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
9318160551DRI	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Drilloc, Zinc Plated	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
9318160551FL	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Patch, Zinc Plated	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
9318160551SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, SST	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
9318160551SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, SST	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
9318160552	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Hot-Dip Galvanizing	Steel 8.8	M16 x 55	Hot Dip Galvanizing	16 mm	55 mm	24 mm	
9318160552C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, EN	Steel 8.8	M16 x 55	Hot Dip Galvanizing	16 mm	55 mm	24 mm	
9318160552E	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Hot-Dip Galvanizing	Steel 8.8	M16 x 55	Hot Dip Galvanizing	16 mm	55 mm	24 mm	
9318160553	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc Plated, Yellow	Steel 8.8	M16 x 55	Zinc Yellow Passivation Fe/Zn P2	16 mm	55 mm	24 mm	
931816055GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc Flake, Sil	Steel 8.8	M16 x 55	GEOMET 500A	16 mm	55 mm	24 mm	
931816055GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc Flake, Sil	Steel 8.8	M16 x 55	GEOMET 500B	16 mm	55 mm	24 mm	
931816055GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc Flake, Sil	Steel 8.8	M16 x 55	GEOMET 500A	16 mm	55 mm	24 mm	
931816055GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, With	Steel 8.8	M16 x 55	GEOMET 500A	16 mm	55 mm	24 mm	
931816055ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc-Nickel, P	Steel 8.8	M16 x 55	Zn-Ni BLACK + FINIGARD 105	16 mm	55 mm	24 mm	
931816055ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc-Nickel, Si	Steel 8.8	M16 x 55	Zinc-Nickel Fe/Zn-Ni	16 mm	55 mm	24 mm	
931816060	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Plain	Steel 8.8	M16 x 60	PLAIN (no plating)	16 mm	60 mm	24 mm	
9318160601	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
9318160601C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, EN	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
9318160601G627	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
9318160601K	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
9318160601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, SST	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
9318160601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, SST	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
9318160602	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Hot-Dip Galvanizing	Steel 8.8	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm	24 mm	
9318160602C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, EN	Steel 8.8	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm	24 mm	
9318160602HG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Hot-Dip Galvanizing	Steel 8.8	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm	24 mm	
9318160603	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Plated, Yellow	Steel 8.8	M16 x 60	Zinc Yellow Passivation Fe/Zn P2	16 mm	60 mm	24 mm	
931816060C-03	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, EN	Steel 8.8	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
931816060GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Flake, Sil	Steel 8.8	M16 x 60	GEOMET 500B	16 mm	60 mm	24 mm	
931816060GEO3AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, With	Steel 8.8	M16 x 60	GEOMET 321A	16 mm	60 mm	24 mm	
931816060GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Flake, Sil	Steel 8.8	M16 x 60	GEOMET 500A	16 mm	60 mm	24 mm	
931816060GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Flake, Sil	Steel 8.8	M16 x 60	GEOMET 500B	16 mm	60 mm	24 mm	
931816060GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Flake, Sil	Steel 8.8	M16 x 60	GEOMET 500A	16 mm	60 mm	24 mm	
931816060I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Plain	Steel 8.8	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
931816060P1000	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	ZINC FLAKES SILVER P1000	16 mm	60 mm	24 mm	
931816060ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc-Nickel, P	Steel 8.8	M16 x 60	Zn-Ni BLACK + FINIGARD 105	16 mm	60 mm	24 mm	
931816060ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc-Nickel, Si	Steel 8.8	M16 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	60 mm	24 mm	
931816060ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc-Nickel, Si	Steel 8.8	M16 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	60 mm	24 mm	
931816060ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc-Nickel, Si	Steel 8.8	M16 x 60	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	60 mm	24 mm	

Nickel, Si

Steel 8.8

M16 x 60

ZnNi8/Cn/T4

16 mm

60 mm

24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931816065	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Plain	Steel 8.8	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
9318160651	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
9318160651C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, EN	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
9318160651SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, SST	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
9318160651SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, SST	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
9318160651SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, SST	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
9318160652	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Hot-Dip Galvani	Steel 8.8	M16 x 65	Hot Dip Galvanizing	16 mm	65 mm	24 mm	
9318160652HG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Hot-Dip Galvani	Steel 8.8	M16 x 65	Hot Dip Galvanizing	16 mm	65 mm	24 mm	
9318160653	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc	Steel 8.8	M16 x 65	Zinc Yellow Passivation Fe/Zn P2	16 mm	65 mm	24 mm	
931816065DEL	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc	Steel 8.8	M16 x 65	DELTA KL100x2/SEALx2+GZ	16 mm	65 mm	24 mm	
931816065FLZNNC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc	Steel 8.8	M16 x 65	ZINC FLAKE SILVER NO CR6+ 480	16 mm	65 mm	24 mm	
931816065GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc	Steel 8.8	M16 x 65	GEOMET 500B	16 mm	65 mm	24 mm	
931816065GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc	Steel 8.8	M16 x 65	GEOMET 500A	16 mm	65 mm	24 mm	
931816065ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc-Ni	Steel 8.8	M16 x 65	Zn-Ni BLACK + FINIGARD 105	16 mm	65 mm	24 mm	
931816065ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc-Ni	Steel 8.8	M16 x 65	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	65 mm	24 mm	
931816065ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc-Ni	Steel 8.8	M16 x 65	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	65 mm	24 mm	
931816070	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Plain	Steel 8.8	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
9318160701	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
9318160701-VM1	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
93181607016	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
9318160701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, SST	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
9318160701SST120	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, SST	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
9318160701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, SST	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
9318160702	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Hot-Dip Galvani	Steel 8.8	M16 x 70	Hot Dip Galvanizing	16 mm	70 mm	24 mm	
9318160702HG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Hot-Dip Galvani	Steel 8.8	M16 x 70	Hot Dip Galvanizing	16 mm	70 mm	24 mm	
9318160702KB	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Hot-Dip Galvani	Steel 8.8	M16 x 70	Hot Dip Galvanizing	16 mm	70 mm	24 mm	
9318160703	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	Zinc Yellow Passivation Fe/Zn P2	16 mm	70 mm	24 mm	
931816070C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, With	Steel 8.8	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
931816070DEL	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	DELTA KL100x2/SEALx2+GZ	16 mm	70 mm	24 mm	
931816070GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	GEOMET 500A	16 mm	70 mm	24 mm	
931816070GEO3AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, EN	Steel 8.8	M16 x 70	GEOMET 321A	16 mm	70 mm	24 mm	
931816070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	GEOMET 500A	16 mm	70 mm	24 mm	
931816070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	GEOMET 500B	16 mm	70 mm	24 mm	
931816070GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, With	Steel 8.8	M16 x 70	GEOMET 500A	16 mm	70 mm	24 mm	
931816070PTFE	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Ptf	Steel 8.8	M16 x 70	PTFE COATED (XYLAN)	16 mm	70 mm	24 mm	
931816070ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc-Ni	Steel 8.8	M16 x 70	Zn-Ni BLACK + FINIGARD 105	16 mm	70 mm	24 mm	
931816070ZNBSSST	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, SST	Steel 8.8	M16 x 70	Zn-Ni BLACK + FINIGARD 105	16 mm	70 mm	24 mm	
931816070ZNBSSST	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, SST	Steel 8.8	M16 x 70	Zn-Ni BLACK + FINIGARD 105	16 mm	70 mm	24 mm	
931816070ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc-Ni	Steel 8.8	M16 x 70	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	70 mm	24 mm	
931816070ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc-Ni	Steel 8.8	M16 x 70	ZnNi8/Cn/T4	16 mm	70 mm	24 mm	
931816070ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc-Ni	Steel 8.8	M16 x 70	ZnNi8/Cn/T4	16 mm	70 mm	24 mm	
931816075	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Plain	Steel 8.8	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
9318160751	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Zinc	Steel 8.8	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	24 mm	
9318160751-	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Zinc	Steel 8.8	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	24 mm	
9318160751DR1	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Driloc, Plastic	Steel 8.8	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	24 mm	
9318160751SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, SST							

96 h, Zinc

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318160751SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, SST 200 b-Zinc	Steel 8.8	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	24 mm	
9318160752	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Hot-Dip Galvanizing	Steel 8.8	M16 x 75	Hot Dip Galvanizing	16 mm	75 mm	24 mm	
9318160752C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, EN 10204 3.1 Ce	Steel 8.8	M16 x 75	Hot Dip Galvanizing	16 mm	75 mm	24 mm	
9318160753	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Zinc Plated, Ye	Steel 8.8	M16 x 75	Zinc Yellow Passivation Fe/Zn P2	16 mm	75 mm	24 mm	
931816075GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Zinc Flake, Sil	Steel 8.8	M16 x 75	GEOMET 500B	16 mm	75 mm	24 mm	
931816075ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Zinc-Nickel, Bl	Steel 8.8	M16 x 75	Zn-Ni BLACK + FINIGARD 105	16 mm	75 mm	24 mm	
931816075ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 75, Zinc-Nickel, Si	Steel 8.8	M16 x 75	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	75 mm	24 mm	
931816080	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Plain	Steel 8.8	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
9318160801	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc Plated, Ye	Steel 8.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
9318160801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, SST 96 h-Zinc	Steel 8.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
9318160802	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Hot-Dip Galvanizing	Steel 8.8	M16 x 80	Hot Dip Galvanizing	16 mm	80 mm	24 mm	
9318160802C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, EN 10204 3.1 Ce	Steel 8.8	M16 x 80	Hot Dip Galvanizing	16 mm	80 mm	24 mm	
9318160802HG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Oversize, Hot-D	Steel 8.8	M16 x 80	Hot Dip Galvanizing	16 mm	80 mm	24 mm	
9318160803	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc Plated, Ye	Steel 8.8	M16 x 80	Zinc Yellow Passivation Fe/Zn P2	16 mm	80 mm	24 mm	
931816080C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, EN 10204 3.1 Ce	Steel 8.8	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
931816080GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc Flake, Sil	Steel 8.8	M16 x 80	GEOMET 500A	16 mm	80 mm	24 mm	
931816080GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc Flake, Sil	Steel 8.8	M16 x 80	GEOMET 500B	16 mm	80 mm	24 mm	
931816080GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc Flake, Sil	Steel 8.8	M16 x 80	GEOMET 500A	16 mm	80 mm	24 mm	
931816080I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Plain	Steel 8.8	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
931816080ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc-Nickel, Bl	Steel 8.8	M16 x 80	Zn-Ni BLACK + FINIGARD 105	16 mm	80 mm	24 mm	
931816080ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc-Nickel, Si	Steel 8.8	M16 x 80	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	80 mm	24 mm	
931816080ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc-Nickel, Si	Steel 8.8	M16 x 80	FINIGARD	16 mm	80 mm	24 mm	
931816085	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85, Plain	Steel 8.8	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
9318160851	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85, Zinc Plated, Ye	Steel 8.8	M16 x 85	Zinc Bright Passivation Fe/Zn P1	16 mm	85 mm	24 mm	
9318160851SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85, SST 96 h-Zinc	Steel 8.8	M16 x 85	Zinc Bright Passivation Fe/Zn P1	16 mm	85 mm	24 mm	
9318160852	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85, Hot-Dip Galvanizing	Steel 8.8	M16 x 85	Hot Dip Galvanizing	16 mm	85 mm	24 mm	
9318160852C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85, EN 10204 3.1 Ce	Steel 8.8	M16 x 85	Hot Dip Galvanizing	16 mm	85 mm	24 mm	
9318160853	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85, Zinc Plated, Ye	Steel 8.8	M16 x 85	Zinc Yellow Passivation Fe/Zn P2	16 mm	85 mm	24 mm	
931816085GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85, Zinc Plated, Ye	Steel 8.8	M16 x 85	GEOMET 500A	16 mm	85 mm	24 mm	
931816085TL45GE	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 85/45, EN 10204 3.1	Steel 8.8	M16 x 85/45	GEOMET 500A	16 mm	85 mm	24 mm	
931816090	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Plain	Steel 8.8	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
9318160901	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc Plated, Ye	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
9318160901C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, EN 10204 3.1 Ce	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
9318160901DRI	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Drilloc, Plastic	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
9318160901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, SST 96 h-Zinc	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
9318160902	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Hot-Dip Galvanizing	Steel 8.8	M16 x 90	Hot Dip Galvanizing	16 mm	90 mm	24 mm	
9318160902C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, EN 10204 3.1 Ce	Steel 8.8	M16 x 90	Hot Dip Galvanizing	16 mm	90 mm	24 mm	
9318160902HG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Oversize, Hot-D	Steel 8.8	M16 x 90	Hot Dip Galvanizing	16 mm	90 mm	24 mm	
9318160902I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Hot-Dip Galvanizing	Steel 8.8	M16 x 90	Hot Dip Galvanizing	16 mm	90 mm	24 mm	
9318160903	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc Plated, Ye	Steel 8.8	M16 x 90	Zinc Yellow Passivation Fe/Zn P2	16 mm	90 mm	24 mm	
9318160903SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, SST 200 b-Zinc	Steel 8.8	M16 x 90	Zinc Yellow Passivation Fe/Zn P2	16 mm	90 mm	24 mm	
931816090DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc Plated, Ye	Steel 8.8	M16 x 90	DELTA KL100x2/SEAL	16 mm	90 mm	24 mm	
931816090DELC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, EN 10204 3.1 Ce	Steel 8.8	M16 x 90	BLACK 4107	16 mm	90 mm	24 mm	
931816090GEO3AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, With Striftest	Steel 8.8	M16 x 90	GEOMET 321A	16 mm	90 mm	24 mm	
931816090GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc Flake, Sil	Steel 8.8	M16 x 90	GEOMET 500B	16 mm	90 mm	24 mm	
931816090I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Plain	Steel 8.8	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931816090ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Pl	Steel 8.8	M16 x 90	ZnNi8/Fn/T0	16 mm	90 mm	24 mm	
931816090ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Pl	Steel 8.8	M16 x 90	Zn-Ni BLACK + FINIGARD 105	16 mm	90 mm	24 mm	
931816090ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Pl	Steel 8.8	M16 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	90 mm	24 mm	
931816090ZNF105-105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Pl	Steel 8.8	M16 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	90 mm	24 mm	
931816090ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Si	Steel 8.8	M16 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	90 mm	24 mm	
931816090ZNT	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Si	Steel 8.8	M16 x 90	ZnNi8/CH74	16 mm	90 mm	24 mm	
931816090ZNTFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Si	Steel 8.8	M16 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	90 mm	24 mm	
931816090ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc-Nickel-Si	Steel 8.8	M16 x 90	ZnNi8/CH74	16 mm	90 mm	24 mm	
931816095	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 95, Plain	Steel 8.8	M16 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
9318160951	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 95, Zinc-Plated	Steel 8.8	M16 x 95	Zinc Bright Passivation Fe/Zn P1	16 mm	95 mm	24 mm	
931816095ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 95, Zinc-Flake-Si	Steel 8.8	M16 x 95	ZINC FLAKE SILVER NO CR6+ 480 h	16 mm	95 mm	24 mm	
931816095ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 95, Zinc-Nickel-Pl	Steel 8.8	M16 x 95	Zn-Ni BLACK + FINIGARD 105	16 mm	95 mm	24 mm	
931816100	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Plain	Steel 8.8	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
9318161001	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Plated	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
9318161001C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, EN	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
9318161001SST096	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, SST	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
9318161001SST200	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, SST	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
9318161001SST400	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, SST	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
9318161002	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Hot-Dip Galvan	Steel 8.8	M16 x 100	Hot Dip Galvanizing	16 mm	100 mm	24 mm	
9318161002C	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, EN	Steel 8.8	M16 x 100	Hot Dip Galvanizing	16 mm	100 mm	24 mm	
9318161003	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Plated	Steel 8.8	M16 x 100	Zinc Yellow Passivation Fe/Zn P2	16 mm	100 mm	24 mm	
931816100GEO	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Plated	Steel 8.8	M16 x 100	GEOMET 500A	16 mm	100 mm	24 mm	
931816100GEO500	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Plated	Steel 8.8	M16 x 100	GEOMET 500B	16 mm	100 mm	24 mm	
931816100GEO5A	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Flake-Si	Steel 8.8	M16 x 100	GEOMET 500A	16 mm	100 mm	24 mm	
931816100I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Plain	Steel 8.8	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
931816100ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Nickel-Pl	Steel 8.8	M16 x 100	Zn-Ni BLACK + FINIGARD 105	16 mm	100 mm	24 mm	
931816100ZNBSST	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, SST	Steel 8.8	M16 x 100	Zn-Ni BLACK + FINIGARD 105	16 mm	100 mm	24 mm	
931816100ZNF105	700 DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Nickel-Si	Steel 8.8	M16 x 100	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	100 mm	24 mm	
931816100ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 100, Zinc-Nickel-Si	Steel 8.8	M16 x 100	ZnNi8/CH74	16 mm	100 mm	24 mm	
9318161051	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 105, Zinc-Plated	Steel 8.8	M16 x 105	Zinc Bright Passivation Fe/Zn P1	16 mm	105 mm	24 mm	
93181610951	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 1 x 95, Zinc-Plated	Steel 8.8	M16 x 1 x 95	Zinc Bright Passivation Fe/Zn P1	16 mm	95 mm	24 mm	
931816110	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Plain	Steel 8.8	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
9318161101	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Plated	Steel 8.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
9318161101C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, EN	Steel 8.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
9318161101C22	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, EN	Steel 8.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
9318161101SST096	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, SST	Steel 8.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
9318161102	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Hot-Dip Galvan	Steel 8.8	M16 x 110	Hot Dip Galvanizing	16 mm	110 mm	24 mm	
9318161102HG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Hot-Dip Galvan	Steel 8.8	M16 x 110	Hot Dip Galvanizing	16 mm	110 mm	24 mm	
9318161103	Over-size Hot-Dip Galvan DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Plated	Steel 8.8	M16 x 110	Zinc Yellow Passivation Fe/Zn P2	16 mm	110 mm	24 mm	
931816110GEO500	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Plated	Steel 8.8	M16 x 110	GEOMET 500B	16 mm	110 mm	24 mm	
931816110GEO5A	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Flake-Si	Steel 8.8	M16 x 110	GEOMET 500A	16 mm	110 mm	24 mm	
931816110PH	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Flake-Si	Steel 8.8	M16 x 110	Phosphating	16 mm	110 mm	24 mm	
931816110ZNBFI05	1020431C DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Nickel-Pl	Steel 8.8	M16 x 110	Zn-Ni BLACK + FINIGARD 105	16 mm	110 mm	24 mm	
931816110ZNBSST	700 DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, SST	Steel 8.8	M16 x 110	Zn-Ni BLACK + FINIGARD 105	16 mm	110 mm	24 mm	
931816110ZNBFI05	700 DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, SST	Steel 8.8	M16 x 110	Zn-Ni BLACK + FINIGARD 105	16 mm	110 mm	24 mm	
931816110ZNF105	700 DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Nickel-Si	Steel 8.8	M16 x 110	Zn-Ni BLACK + FINIGARD 105	16 mm	110 mm	24 mm	

Nickel, S

Steel 8.8

M16 x 110

Zn-Ni SILVER 8 MICRON +

FINIGARD

16 mm

110 mm

24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931816110ZNT	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Plated	Steel 8.8	M16 x 110	ZnNi8/Cn/T4	16 mm	110 mm	24 mm	
931816110ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Plated	Steel 8.8	M16 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	110 mm	24 mm	
931816110ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Plated	Steel 8.8	M16 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	110 mm	24 mm	
931816110ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc-Plated	Steel 8.8	M16 x 110	ZnNi8/Cn/T4	16 mm	110 mm	24 mm	
931816120	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Plain	Steel 8.8	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
9318161201	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc Plated	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
9318161201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, SST	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
9318161201SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, SST	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
9318161202	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Hot-Dip Galvanizing	Steel 8.8	M16 x 120	Hot Dip Galvanizing	16 mm	120 mm	24 mm	
9318161202C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, EN 10204-3-1-C	Steel 8.8	M16 x 120	Hot Dip Galvanizing	16 mm	120 mm	24 mm	
9318161202HG	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Oversize Hot-Dip Galvanizing	Steel 8.8	M16 x 120	Hot Dip Galvanizing	16 mm	120 mm	24 mm	
9318161203	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc Plated	Steel 8.8	M16 x 120	Zinc Yellow Passivation Fe/Zn P2	16 mm	120 mm	24 mm	
931816120402	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Hot-Dip Galvanizing	Steel 8.8	M16 x 120	Hot Dip Galvanizing	16 mm	120 mm	24 mm	
931816120C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, EN 10204-3-1-C	Steel 8.8	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
931816120GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc Flake-Si	Steel 8.8	M16 x 120	GEOMET 500A	16 mm	120 mm	24 mm	
931816120GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc Flake-Si	Steel 8.8	M16 x 120	GEOMET 500B	16 mm	120 mm	24 mm	
931816120GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc Flake-Si	Steel 8.8	M16 x 120	GEOMET 500A	16 mm	120 mm	24 mm	
931816120I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Plain	Steel 8.8	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
931816120ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc Flake-Si	Steel 8.8	M16 x 120	ZINC FLAKE SILVER NO CR6+ 480 H	16 mm	120 mm	24 mm	
931816120ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc-Nickel-P	Steel 8.8	M16 x 120	Zn-Ni BLACK + FINIGARD 105	16 mm	120 mm	24 mm	
931816120ZNBSST	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, SST	Steel 8.8	M16 x 120	Zn-Ni BLACK + FINIGARD 105	16 mm	120 mm	24 mm	
931816120ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc-Nickel-P	Steel 8.8	M16 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	120 mm	24 mm	
931816120ZNF105-	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc-Nickel-P	Steel 8.8	M16 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	120 mm	24 mm	
931816120ZNNIB	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc-Nickel-P	Steel 8.8	M16 x 120	Zn-Ni BLACK + FINIGARD 105	16 mm	120 mm	24 mm	
931816120ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc-Nickel-S	Steel 8.8	M16 x 120	ZnNi8/Cn/T4	16 mm	120 mm	24 mm	
931816120ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc-Nickel-S	Steel 8.8	M16 x 120	ZnNi8/Cn/T4	16 mm	120 mm	24 mm	
931816125	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 125, Plain	Steel 8.8	M16 x 125	Plain (no plating)	16 mm	125 mm	24 mm	
9318161251	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 125, Zinc Plated	Steel 8.8	M16 x 125	Zinc Bright Passivation Fe/Zn P1	16 mm	125 mm	24 mm	
9318161252	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 125, Hot-Dip Galvanizing	Steel 8.8	M16 x 125	Hot Dip Galvanizing	16 mm	125 mm	24 mm	
931816130	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Plain	Steel 8.8	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
9318161301	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc Plated	Steel 8.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
9318161301C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, EN 10204-3-1-C	Steel 8.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
9318161301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, SST	Steel 8.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
9318161301SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, SST	Steel 8.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
9318161302	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Hot-Dip Galvanizing	Steel 8.8	M16 x 130	Hot Dip Galvanizing	16 mm	130 mm	24 mm	
9318161302I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Hot-Dip Galvanizing	Steel 8.8	M16 x 130	Hot Dip Galvanizing	16 mm	130 mm	24 mm	
9318161303	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc Plated	Steel 8.8	M16 x 130	Zinc Yellow Passivation Fe/Zn P2	16 mm	130 mm	24 mm	
931816130C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, EN 10204-3-1-C	Steel 8.8	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
931816130GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc Flake-Si	Steel 8.8	M16 x 130	GEOMET 500A	16 mm	130 mm	24 mm	
931816130GEO3AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, With Certificate	Steel 8.8	M16 x 130	GEOMET 321A	16 mm	130 mm	24 mm	
931816130GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc Flake-Si	Steel 8.8	M16 x 130	GEOMET 500B	16 mm	130 mm	24 mm	
931816130GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc Flake-Si	Steel 8.8	M16 x 130	GEOMET 500A	16 mm	130 mm	24 mm	
931816130ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc-Nickel-P	Steel 8.8	M16 x 130	Zn-Ni BLACK + FINIGARD 105	16 mm	130 mm	24 mm	
931816130ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc-Nickel-S	Steel 8.8	M16 x 130	Zinc-Nickel Fe/Zn-Ni	16 mm	130 mm	24 mm	
931816130ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc-Nickel-S	Steel 8.8	M16 x 130	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	130 mm	24 mm	
931816130ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 130, Zinc-Nickel-S	Steel 8.8	M16 x 130	TRANSPARENT FINIGARD				

Nickel, S

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931816140	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Plain	Steel 8.8	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
9318161401	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
9318161401C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, EN	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
9318161401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, SST	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
9318161401SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, SST	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
9318161402	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Hot-Dip Galvanizing	Steel 8.8	M16 x 140	Hot Dip Galvanizing	16 mm	140 mm	24 mm	
9318161403	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc	Steel 8.8	M16 x 140	Zinc Yellow Passivation Fe/Zn P2	16 mm	140 mm	24 mm	
931816140CV7269	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Coated Y	Steel 8.8	M16 x 140	Coventec (ZIB 3+)	16 mm	140 mm	24 mm	
931816140GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Geoblack	Steel 8.8	M16 x 140	GEOBLACK 500M	16 mm	140 mm	24 mm	
931816140GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc	Steel 8.8	M16 x 140	GEOMET 500A	16 mm	140 mm	24 mm	
931816140GEOBL	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Geoblack	Steel 8.8	M16 x 140	GEOBLACK 500M	16 mm	140 mm	24 mm	
931816140I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Plain	Steel 8.8	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
931816140ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc-Ni	Steel 8.8	M16 x 140	Zn-Ni BLACK + FINIGARD 105	16 mm	140 mm	24 mm	
931816140ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc-Ni	Steel 8.8	M16 x 140	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	140 mm	24 mm	
931816140ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc-Ni	Steel 8.8	M16 x 140	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	140 mm	24 mm	
931816140ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc-Ni	Steel 8.8	M16 x 140	Zn-Ni CHPT4	16 mm	140 mm	24 mm	
931816145	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 145, Plain	Steel 8.8	M16 x 145	Plain (no plating)	16 mm	145 mm	24 mm	
931816150	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Plain	Steel 8.8	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
9318161501	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc	Steel 8.8	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
9318161501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, SST	Steel 8.8	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
9318161501SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, EN	Steel 8.8	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
9318161502	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Hot-Dip Galvanizing	Steel 8.8	M16 x 150	Hot Dip Galvanizing	16 mm	150 mm	24 mm	
9318161503	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc	Steel 8.8	M16 x 150	Zinc Yellow Passivation Fe/Zn P2	16 mm	150 mm	24 mm	
931816150C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, EN	Steel 8.8	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
931816150GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc	Steel 8.8	M16 x 150	GEOMET 500A	16 mm	150 mm	24 mm	
931816150GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc	Steel 8.8	M16 x 150	GEOMET 500A	16 mm	150 mm	24 mm	
931816150ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc-Ni	Steel 8.8	M16 x 150	Zn-Ni BLACK + FINIGARD 105	16 mm	150 mm	24 mm	
931816150ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc-Ni	Steel 8.8	M16 x 150	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	150 mm	24 mm	
931816150ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc-Ni	Steel 8.8	M16 x 150	Zn-Ni CHPT4	16 mm	150 mm	24 mm	
931816160	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Plain	Steel 8.8	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
9318161601	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
9318161601-5169	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
9318161601C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, EN	Steel 8.8	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
9318161601L5999	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
9318161601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, SST	Steel 8.8	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
9318161602	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Hot-Dip Galvanizing	Steel 8.8	M16 x 160	Hot Dip Galvanizing	16 mm	160 mm	24 mm	
9318161603	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	Zinc Yellow Passivation Fe/Zn P2	16 mm	160 mm	24 mm	
931816160GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	GEOMET 500A	16 mm	160 mm	24 mm	
931816160GEO321	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	GEOMET 321A	16 mm	160 mm	24 mm	
931816160GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	GEOMET 500B	16 mm	160 mm	24 mm	
931816160GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	GEOMET 500A	16 mm	160 mm	24 mm	
931816160GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc	Steel 8.8	M16 x 160	GEOMET 500B	16 mm	160 mm	24 mm	
931816160ZBNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc-Ni	Steel 8.8	M16 x 160	Zn-Ni BLACK + FINIGARD 105	16 mm	160 mm	24 mm	
931816160ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc-Ni	Steel 8.8	M16 x 160	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	160 mm	24 mm	
931816160ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 160, Zinc-Ni	Steel 8.8	M16 x 160	Zn-Ni CHPT4	16 mm	160 mm	24 mm	
931816170	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Plain	Steel 8.8	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318161701	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc Plated	Steel 8.8	M16 x 170	Zinc Bright Passivation Fe/Zn P1	16 mm	170 mm	24 mm	
9318161701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, SST	Steel 8.8	M16 x 170	Zinc Bright Passivation Fe/Zn P1	16 mm	170 mm	24 mm	
9318161702	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Hot-Dip Galvanizing	Steel 8.8	M16 x 170	Hot Dip Galvanizing	16 mm	170 mm	24 mm	
9318161703	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc Plated Y	Steel 8.8	M16 x 170	Zinc Yellow Passivation Fe/Zn P2	16 mm	170 mm	24 mm	
9318161703SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, SST	Steel 8.8	M16 x 170	Zinc Yellow Passivation Fe/Zn P2	16 mm	170 mm	24 mm	
931816170FLZNNC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc Plated	Steel 8.8	M16 x 170	ZINC FLAKE SILVER NO CR6+ 480	16 mm	170 mm	24 mm	
931816170GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc Plated	Steel 8.8	M16 x 170	GEOMET 500A	16 mm	170 mm	24 mm	
931816170GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc Plated	Steel 8.8	M16 x 170	GEOMET 500B	16 mm	170 mm	24 mm	
931816170GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc Plated	Steel 8.8	M16 x 170	GEOMET 500B	16 mm	170 mm	24 mm	
931816170I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Plain	Steel 8.8	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	
931816170ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc-Nickel P	Steel 8.8	M16 x 170	Zn-Ni BLACK + FINIGARD 105	16 mm	170 mm	24 mm	
931816170ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc-Nickel S	Steel 8.8	M16 x 170	Zinc-Nickel Fe/Zn-Ni	16 mm	170 mm	24 mm	
931816170ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc-Nickel S	Steel 8.8	M16 x 170	TRANSPARENT ZN-NI SILVER 8 MICRON + FINIGARD	16 mm	170 mm	24 mm	
931816170ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 170, Zinc-Nickel S	Steel 8.8	M16 x 170	FINIGARD	16 mm	170 mm	24 mm	
9318161751	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 175, Zinc Plated	Steel 8.8	M16 x 175	Zinc Bright Passivation Fe/Zn P1	16 mm	175 mm	24 mm	
931816180	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, Plain	Steel 8.8	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
9318161801	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, Zinc Plated	Steel 8.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	24 mm	
9318161801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, SST	Steel 8.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	24 mm	
9318161801SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, SST	Steel 8.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	24 mm	
9318161802	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, Hot-Dip Galvanizing	Steel 8.8	M16 x 180	Hot Dip Galvanizing	16 mm	180 mm	24 mm	
9318161803	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, Zinc Plated Y	Steel 8.8	M16 x 180	Zinc Yellow Passivation Fe/Zn P2	16 mm	180 mm	24 mm	
931816180GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, Zinc Plated	Steel 8.8	M16 x 180	GEOMET 500B	16 mm	180 mm	24 mm	
931816180GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, EN	Steel 8.8	M16 x 180	GEOMET 500A	16 mm	180 mm	24 mm	
931816180I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, Plain	Steel 8.8	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
931816180ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 180, Zinc-Nickel S	Steel 8.8	M16 x 180	ZnNi8/Cn/T4	16 mm	180 mm	24 mm	
9318161851	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 185, Zinc Plated	Steel 8.8	M16 x 185	Zinc Bright Passivation Fe/Zn P1	16 mm	185 mm	24 mm	
931816190	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 190, Plain	Steel 8.8	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
9318161901	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 190, Zinc Plated	Steel 8.8	M16 x 190	Zinc Bright Passivation Fe/Zn P1	16 mm	190 mm	24 mm	
9318161902	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 190, Hot-Dip Galvanizing	Steel 8.8	M16 x 190	Hot Dip Galvanizing	16 mm	190 mm	24 mm	
931816190I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 190, Plain	Steel 8.8	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
931816190ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 190, Zinc-Nickel S	Steel 8.8	M16 x 190	ZnNi8/Cn/T4	16 mm	190 mm	24 mm	
931816200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, Plain	Steel 8.8	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
9318162001	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, Zinc Plated	Steel 8.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
9318162001C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, EN	Steel 8.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
9318162001SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, SST	Steel 8.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
9318162001TL120	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200/120, Zinc Plated	Steel 8.8	M16 x 200/120	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	24 mm	
9318162002	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, Hot-Dip Galvanizing	Steel 8.8	M16 x 200	Hot Dip Galvanizing	16 mm	200 mm	24 mm	
9318162003	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, Zinc Plated Y	Steel 8.8	M16 x 200	Zinc Yellow Passivation Fe/Zn P2	16 mm	200 mm	24 mm	
931816200GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, Zinc Plated	Steel 8.8	M16 x 200	GEOMET 500A	16 mm	200 mm	24 mm	
931816200TL70	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200/70, Plain	Steel 8.8	M16 x 200/70	Plain (no plating)	16 mm	200 mm	24 mm	
931816200ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, Zinc-Nickel P	Steel 8.8	M16 x 200	Zn-Ni BLACK + FINIGARD 105	16 mm	200 mm	24 mm	
931816200ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 200, Zinc-Nickel S	Steel 8.8	M16 x 200	Zn-Ni SILVER 8 MICRON + FINIGARD	16 mm	200 mm	24 mm	
931816205TL57	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 205, Plain	Steel 8.8	M16 x 205	Plain (no plating)	16 mm	205 mm	24 mm	
931816210	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 210, Plain	Steel 8.8	M16 x 210	Plain (no plating)	16 mm	210 mm	24 mm	
9318162101	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 210, Zinc Plated	Steel 8.8	M16 x 210	Zinc Bright Passivation Fe/Zn P1	16 mm	210 mm	24 mm	
9318162102	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 210, Hot-							

Dip Galvan

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931816210GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 210, EN 10204-3-1-C	Steel 8.8	M16 x 210	GEOMET 500B	16 mm	210 mm	24 mm	
931816210GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 210, Zinc Plated	Steel 8.8	M16 x 210	GEOMET 500A	16 mm	210 mm	24 mm	
931816210ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 210, Zinc-Flake, Si	Steel 8.8	M16 x 210	Zn-Ni SILVER 8 MICRON + FINISH	16 mm	210 mm	24 mm	
931816210ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 210, Zinc-Flake, S	Steel 8.8	M16 x 210	ZnNi8/Cr/T4	16 mm	210 mm	24 mm	
931816220	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, Plain	Steel 8.8	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
9318162201	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, Zinc Plated	Steel 8.8	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm	24 mm	
9318162201SST100	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, SST 100 % Zn	Steel 8.8	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm	24 mm	
9318162202	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, Hot-Dip Galvan	Steel 8.8	M16 x 220	Hot Dip Galvanizing	16 mm	220 mm	24 mm	
931816220GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, Zinc Plated	Steel 8.8	M16 x 220	GEOMET 500A	16 mm	220 mm	24 mm	
931816220GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, Zinc Plated	Steel 8.8	M16 x 220	GEOMET 500B	16 mm	220 mm	24 mm	
931816220I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, Plain	Steel 8.8	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
931816220ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 220, Zinc-Flake, S	Steel 8.8	M16 x 220	ZnNi8/Cn/T4	16 mm	220 mm	24 mm	
931816230	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, Plain	Steel 8.8	M16 x 230	Plain (no plating)	16 mm	230 mm	24 mm	
9318162301	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, Zinc Plated	Steel 8.8	M16 x 230	Zinc Bright Passivation Fe/Zn P1	16 mm	230 mm	24 mm	
9318162302	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, Hot-Dip Galvan	Steel 8.8	M16 x 230	Hot Dip Galvanizing	16 mm	230 mm	24 mm	
9318162302C	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, EN 10204-3-1-C	Steel 8.8	M16 x 230	Hot Dip Galvanizing	16 mm	230 mm	24 mm	
931816230I	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, Plain	Steel 8.8	M16 x 230	Plain (no plating)	16 mm	230 mm	24 mm	
931816230ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, Zinc-Flake, Si	Steel 8.8	M16 x 230	ZINC FLAKES SILVER Salt Spray Te	16 mm	230 mm	24 mm	
931816230ZNFL	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, Zinc-Flake, Si	Steel 8.8	M16 x 230	ZINC FLAKE SILVER NO CR6+ 480	16 mm	230 mm	24 mm	
931816230ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 230, Zinc-Flake, S	Steel 8.8	M16 x 230	ZnNi8/Cn/T4	16 mm	230 mm	24 mm	
931816240	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 240, Plain	Steel 8.8	M16 x 240	Plain (no plating)	16 mm	240 mm	24 mm	
9318162401	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 240, Zinc Plated	Steel 8.8	M16 x 240	Zinc Bright Passivation Fe/Zn P1	16 mm	240 mm	24 mm	
9318162401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 240, SST 96 % Zn	Steel 8.8	M16 x 240	Zinc Bright Passivation Fe/Zn P1	16 mm	240 mm	24 mm	
9318162402	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 240, Hot-Dip Galvan	Steel 8.8	M16 x 240	Hot Dip Galvanizing	16 mm	240 mm	24 mm	
931816240GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 240, Zinc Plated	Steel 8.8	M16 x 240	GEOMET 500A	16 mm	240 mm	24 mm	
931816240GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 240, Zinc Plated	Steel 8.8	M16 x 240	GEOMET 500B	16 mm	240 mm	24 mm	
931816250	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 250, Plain	Steel 8.8	M16 x 250	Plain (no plating)	16 mm	250 mm	24 mm	
9318162501	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 250, Zinc Plated	Steel 8.8	M16 x 250	Zinc Bright Passivation Fe/Zn P1	16 mm	250 mm	24 mm	
9318162502	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 250, Hot-Dip Galvan	Steel 8.8	M16 x 250	Hot Dip Galvanizing	16 mm	250 mm	24 mm	
931816250GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 250, Zinc Plated	Steel 8.8	M16 x 250	GEOMET 500B	16 mm	250 mm	24 mm	
931816250ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 250, Zinc-Flake, S	Steel 8.8	M16 x 250	ZnNi8/Cn/T4	16 mm	250 mm	24 mm	
931816260	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 260, Plain	Steel 8.8	M16 x 260	Plain (no plating)	16 mm	260 mm	24 mm	
9318162601	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 260, Zinc Plated	Steel 8.8	M16 x 260	Zinc Bright Passivation Fe/Zn P1	16 mm	260 mm	24 mm	
9318162602	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 260, Hot-Dip Galvan	Steel 8.8	M16 x 260	Hot Dip Galvanizing	16 mm	260 mm	24 mm	
9318162603	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 260, Zinc Plated	Steel 8.8	M16 x 260	Zinc Yellow Passivation Fe/Zn P2	16 mm	260 mm	24 mm	
931816260GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 260, Zinc Plated	Steel 8.8	M16 x 260	GEOMET 500A	16 mm	260 mm	24 mm	
931816260GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 260, Zinc Plated	Steel 8.8	M16 x 260	GEOMET 500B	16 mm	260 mm	24 mm	
931816260ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 260, Zinc-Flake, Si	Steel 8.8	M16 x 260	ZnNi8/Cn/T4	16 mm	260 mm	24 mm	
931816270	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 270, Plain	Steel 8.8	M16 x 270	Plain (no plating)	16 mm	270 mm	24 mm	
9318162701	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 270, Zinc Plated	Steel 8.8	M16 x 270	Zinc Bright Passivation Fe/Zn P1	16 mm	270 mm	24 mm	
931816280	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 280, Plain	Steel 8.8	M16 x 280	Plain (no plating)	16 mm	280 mm	24 mm	
9318162801	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 280, Zinc Plated	Steel 8.8	M16 x 280	Zinc Bright Passivation Fe/Zn P1	16 mm	280 mm	24 mm	
9318162802	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 280, Hot-Dip Galvan	Steel 8.8	M16 x 280	Hot Dip Galvanizing	16 mm	280 mm	24 mm	
9318162803	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 280, Zinc Plated	Steel 8.8	M16 x 280	Zinc Yellow Passivation Fe/Zn P2	16 mm	280 mm	24 mm	
931816280GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 280, Zinc Plated	Steel 8.8	M16 x 280	GEOMET 500A	16 mm	280 mm	24 mm	
931816280GEO500	Flake, Si							

A

DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 280, Zinc

Flake, Si

Steel 8.8

M16 x 280

GEOMET 500A

16 mm

280 mm

24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931816280GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 280, Zinc Plated	Steel 8.8	M16 x 280	GEOMET 500B	16 mm	280 mm	24 mm	
931816290	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 290, Plain	Steel 8.8	M16 x 290	Plain (no plating)	16 mm	290 mm	24 mm	
931816300	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300, Plain	Steel 8.8	M16 x 300	Plain (no plating)	16 mm	300 mm	24 mm	
9318163001	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300, Zinc Plated	Steel 8.8	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm	24 mm	
9318163002	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300, Hot-Dip Galvanizing	Steel 8.8	M16 x 300	Hot Dip Galvanizing	16 mm	300 mm	24 mm	
9318163002TL100	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300/100, Hot-Dip Galvanizing	Steel 8.8	M16 x 300/100	Hot Dip Galvanizing	16 mm	300 mm	24 mm	
9318163002TL125	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300/125, Hot-Dip Galvanizing	Steel 8.8	M16 x 300/125	Hot Dip Galvanizing	16 mm	300 mm	24 mm	
931816300GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300, Zinc Plated	Steel 8.8	M16 x 300	GEOMET 500A	16 mm	300 mm	24 mm	
931816300GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300, Zinc Plated	Steel 8.8	M16 x 300	GEOMET 500B	16 mm	300 mm	24 mm	
931816300ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 300, Zinc-Nickel	Steel 8.8	M16 x 300	ZnNi8/Cn/T4	16 mm	300 mm	24 mm	
931816310	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 310, Plain	Steel 8.8	M16 x 310	Plain (no plating)	16 mm	310 mm	24 mm	
9318163101	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 310, Zinc Plated	Steel 8.8	M16 x 310	Zinc Bright Passivation Fe/Zn P1	16 mm	310 mm	24 mm	
9318163101TL250	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 310/250, Zinc Plated	Steel 8.8	M16 x 310/250	Zinc Bright Passivation Fe/Zn P1	16 mm	310 mm	24 mm	
931816320	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 320, Plain	Steel 8.8	M16 x 320	Plain (no plating)	16 mm	320 mm	24 mm	
9318163201	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 320, Zinc Plated	Steel 8.8	M16 x 320	Zinc Bright Passivation Fe/Zn P1	16 mm	320 mm	24 mm	
9318163202	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 320, Hot-Dip Galvanizing	Steel 8.8	M16 x 320	Hot Dip Galvanizing	16 mm	320 mm	24 mm	
9318163301	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 330, Zinc Plated	Steel 8.8	M16 x 330	Zinc Bright Passivation Fe/Zn P1	16 mm	330 mm	24 mm	
931816340	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 340, Plain	Steel 8.8	M16 x 340	Plain (no plating)	16 mm	340 mm	24 mm	
9318163401	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 340, Zinc Plated	Steel 8.8	M16 x 340	Zinc Bright Passivation Fe/Zn P1	16 mm	340 mm	24 mm	
9318163402	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 340, Hot-Dip Galvanizing	Steel 8.8	M16 x 340	Hot Dip Galvanizing	16 mm	340 mm	24 mm	
931816340GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 340, Zinc Plated	Steel 8.8	M16 x 340	GEOMET 500A	16 mm	340 mm	24 mm	
931816350	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 350, Plain	Steel 8.8	M16 x 350	Plain (no plating)	16 mm	350 mm	24 mm	
9318163501	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 350, Zinc Plated	Steel 8.8	M16 x 350	Zinc Bright Passivation Fe/Zn P1	16 mm	350 mm	24 mm	
931816360	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 360, Plain	Steel 8.8	M16 x 360	Plain (no plating)	16 mm	360 mm	24 mm	
9318163601	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 360, Zinc Plated	Steel 8.8	M16 x 360	Zinc Bright Passivation Fe/Zn P1	16 mm	360 mm	24 mm	
9318163602	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 360, Hot-Dip Galvanizing	Steel 8.8	M16 x 360	Hot Dip Galvanizing	16 mm	360 mm	24 mm	
931816380	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 380, Plain	Steel 8.8	M16 x 380	Plain (no plating)	16 mm	380 mm	24 mm	
9318163801	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 380, Zinc Plated	Steel 8.8	M16 x 380	Zinc Bright Passivation Fe/Zn P1	16 mm	380 mm	24 mm	
9318163802	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 380, Hot-Dip Galvanizing	Steel 8.8	M16 x 380	Hot Dip Galvanizing	16 mm	380 mm	24 mm	
9318163803	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 380, Zinc Plated	Steel 8.8	M16 x 380	Zinc Yellow Passivation Fe/Zn P2	16 mm	380 mm	24 mm	
931816400	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 400, Plain	Steel 8.8	M16 x 400	Plain (no plating)	16 mm	400 mm	24 mm	
9318164001	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 400, Zinc Plated	Steel 8.8	M16 x 400	Zinc Bright Passivation Fe/Zn P1	16 mm	400 mm	24 mm	
9318164002	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 400, Hot-Dip Galvanizing	Steel 8.8	M16 x 400	Hot Dip Galvanizing	16 mm	400 mm	24 mm	
931816420	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 420, Plain	Steel 8.8	M16 x 420	Plain (no plating)	16 mm	420 mm	24 mm	
9318164201	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 420, Zinc Plated	Steel 8.8	M16 x 420	Zinc Bright Passivation Fe/Zn P1	16 mm	420 mm	24 mm	
9318164202	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 420, Hot-Dip Galvanizing	Steel 8.8	M16 x 420	Hot Dip Galvanizing	16 mm	420 mm	24 mm	
931816430	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 430, Plain	Steel 8.8	M16 x 430	Plain (no plating)	16 mm	430 mm	24 mm	
9318164301	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 430, Zinc Plated	Steel 8.8	M16 x 430	Zinc Bright Passivation Fe/Zn P1	16 mm	430 mm	24 mm	
931816440	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 440, Plain	Steel 8.8	M16 x 440	Plain (no plating)	16 mm	440 mm	24 mm	
9318164401	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 440, Zinc Plated	Steel 8.8	M16 x 440	Zinc Bright Passivation Fe/Zn P1	16 mm	440 mm	24 mm	
9318164602	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 460, Hot-Dip Galvanizing	Steel 8.8	M16 x 460	Hot Dip Galvanizing	16 mm	460 mm	24 mm	
931816480	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 480, Plain	Steel 8.8	M16 x 480	Plain (no plating)	16 mm	480 mm	24 mm	
931816500	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 500, Plain	Steel 8.8	M16 x 500	Plain (no plating)	16 mm	500 mm	24 mm	
9318165001	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 500, Zinc Plated	Steel 8.8	M16 x 500	Zinc Bright Passivation Fe/Zn P1	16 mm	500 mm	24 mm	
9318165002	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 500, Hot-Dip Galvanizing	Steel 8.8	M16 x 500	Hot Dip Galvanizing	16 mm	500 mm	24 mm	
9318165201	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 520, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318165401	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 540, Zinc Plated	Steel 8.8	M16 x 540	Zinc Bright Passivation Fe/Zn P1	16 mm	540 mm	24 mm	
9318165402	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 540, Hot-Dip Galvanizing	Steel 8.8	M16 x 540	Hot Dip Galvanizing	16 mm	540 mm	24 mm	
9318165802	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 580, Hot-Dip Galvanizing	Steel 8.8	M16 x 580	Hot Dip Galvanizing	16 mm	580 mm	24 mm	
9318166002	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 600, Hot-Dip Galvanizing	Steel 8.8	M16 x 600	Hot Dip Galvanizing	16 mm	600 mm	24 mm	
9318166202	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 620, Hot-Dip Galvanizing	Steel 8.8	M16 x 620	Hot Dip Galvanizing	16 mm	620 mm	24 mm	
9318166402	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 640, Hot-Dip Galvanizing	Steel 8.8	M16 x 640	Hot Dip Galvanizing	16 mm	640 mm	24 mm	
9318166802	DIN 931 Hexagon Head Screw, Steel 8.8, M16 x 680, Hot-Dip Galvanizing	Steel 8.8	M16 x 680	Hot Dip Galvanizing	16 mm	680 mm	24 mm	
9318180501	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 50, Zinc Plated	Steel 8.8	M18 x 50	Zinc Bright Passivation Fe/Zn P1	18 mm	50 mm	27 mm	
931818055	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 55, Plain	Steel 8.8	M18 x 55	Plain (no plating)	18 mm	55 mm	27 mm	
93181805519	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 55, Zinc Plated	Steel 8.8	M18 x 55	Zinc Bright Passivation Fe/Zn P1	18 mm	55 mm	27 mm	
9318180551SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 55, SST 200 h-Zinc	Steel 8.8	M18 x 55	Zinc Bright Passivation Fe/Zn P1	18 mm	55 mm	27 mm	
931818060	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 60, Plain	Steel 8.8	M18 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
9318180601	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 60, Zinc Plated	Steel 8.8	M18 x 60	Zinc Bright Passivation Fe/Zn P1	18 mm	60 mm	27 mm	
9318180601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 60, SST 96 h-Zinc	Steel 8.8	M18 x 60	Zinc Bright Passivation Fe/Zn P1	18 mm	60 mm	27 mm	
9318180602	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 60, Hot-Dip Galvanizing	Steel 8.8	M18 x 60	Hot Dip Galvanizing	18 mm	60 mm	27 mm	
931818060GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 60, Zinc Plated	Steel 8.8	M18 x 60	GEOMET 500B	18 mm	60 mm	27 mm	
931818060GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 60, Zinc Plated	Steel 8.8	M18 x 60	GEOMET 500A	18 mm	60 mm	27 mm	
931818065	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 65, Plain	Steel 8.8	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
9318180651	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 65, Zinc Plated	Steel 8.8	M18 x 65	Zinc Bright Passivation Fe/Zn P1	18 mm	65 mm	27 mm	
9318180651SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 65, SST 96 h-Zinc	Steel 8.8	M18 x 65	Zinc Bright Passivation Fe/Zn P1	18 mm	65 mm	27 mm	
9318180652	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 65, Hot-Dip Galvanizing	Steel 8.8	M18 x 65	Hot Dip Galvanizing	18 mm	65 mm	27 mm	
9318180653	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 65, Zinc Plated	Steel 8.8	M18 x 65	Zinc Yellow Passivation Fe/Zn P2	18 mm	65 mm	27 mm	
931818065C	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 65, EN 10204-3-1-Ce	Steel 8.8	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
931818065GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 65, Zinc Plated	Steel 8.8	M18 x 65	GEOMET 500B	18 mm	65 mm	27 mm	
931818070	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 70, Plain	Steel 8.8	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
9318180701	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 70, Zinc Plated	Steel 8.8	M18 x 70	Zinc Bright Passivation Fe/Zn P1	18 mm	70 mm	27 mm	
9318180701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 70, SST 96 h-Zinc	Steel 8.8	M18 x 70	Zinc Bright Passivation Fe/Zn P1	18 mm	70 mm	27 mm	
9318180702	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 70, Hot-Dip Galvanizing	Steel 8.8	M18 x 70	Hot Dip Galvanizing	18 mm	70 mm	27 mm	
931818070GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 70, EN 10204-3-1-Ce	Steel 8.8	M18 x 70	GEOMET 500A	18 mm	70 mm	27 mm	
931818075	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 75, Plain	Steel 8.8	M18 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
9318180751	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 75, Zinc Plated	Steel 8.8	M18 x 75	Zinc Bright Passivation Fe/Zn P1	18 mm	75 mm	27 mm	
9318180751SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 75, SST 200 h-Zinc	Steel 8.8	M18 x 75	Zinc Bright Passivation Fe/Zn P1	18 mm	75 mm	27 mm	
9318180752	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 75, Hot-Dip Galvanizing	Steel 8.8	M18 x 75	Hot Dip Galvanizing	18 mm	75 mm	27 mm	
931818080	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 80, Plain	Steel 8.8	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
9318180801	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 80, Zinc Plated	Steel 8.8	M18 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	27 mm	
9318180801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 80, SST 96 h-Zinc	Steel 8.8	M18 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	27 mm	
9318180801SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 80, SST 200 h-Zinc	Steel 8.8	M18 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	27 mm	
9318180802	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 80, Hot-Dip Galvanizing	Steel 8.8	M18 x 80	Hot Dip Galvanizing	18 mm	80 mm	27 mm	
931818080C	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 80, EN 10204-3-1-Ce	Steel 8.8	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
931818085	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 85, Plain	Steel 8.8	M18 x 85	Plain (no plating)	18 mm	85 mm	27 mm	
9318180851	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 85, Zinc Plated	Steel 8.8	M18 x 85	Zinc Bright Passivation Fe/Zn P1	18 mm	85 mm	27 mm	
9318180851SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 85, SST 96 h-Zinc	Steel 8.8	M18 x 85	Zinc Bright Passivation Fe/Zn P1	18 mm	85 mm	27 mm	
9318180852	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 85, Hot-Dip Galvanizing	Steel 8.8	M18 x 85	Hot Dip Galvanizing	18 mm	85 mm	27 mm	
931818085GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 85, Zinc Plated	Steel 8.8	M18 x 85	GEOMET 500A	18 mm	85 mm	27 mm	
931818090	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 90, Plain	Steel 8.8	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
9318180901	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 90, Zinc Plated							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318180901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 90, SST	Steel 8.8	M18 x 90	Zinc Bright Passivation Fe/Zn P1	18 mm	90 mm	27 mm	
9318180902	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 90, Hot-	Steel 8.8	M18 x 90	Hot Dip Galvanizing	18 mm	90 mm	27 mm	
931818100	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 100, Plain	Steel 8.8	M18 x 100	Plain (no plating)	18 mm	100 mm	27 mm	
9318181001	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 100, Zinc	Steel 8.8	M18 x 100	Zinc Bright Passivation Fe/Zn P1	18 mm	100 mm	27 mm	
9318181001SST096	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 100, SST	Steel 8.8	M18 x 100	Zinc Bright Passivation Fe/Zn P1	18 mm	100 mm	27 mm	
9318181001SST200	Plated, 200 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 100, SST	Steel 8.8	M18 x 100	Zinc Bright Passivation Fe/Zn P1	18 mm	100 mm	27 mm	
9318181002	Plated, 200 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 100, Hot-	Steel 8.8	M18 x 100	Hot Dip Galvanizing	18 mm	100 mm	27 mm	
931818110	Plated, 200 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 110, Plain	Steel 8.8	M18 x 110	Plain (no plating)	18 mm	110 mm	27 mm	
9318181101	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 110, Zinc	Steel 8.8	M18 x 110	Zinc Bright Passivation Fe/Zn P1	18 mm	110 mm	27 mm	
9318181102	Plated, 200 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 110, Hot-	Steel 8.8	M18 x 110	Hot Dip Galvanizing	18 mm	110 mm	27 mm	
9318181103	Plated, 200 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 110, Zinc	Steel 8.8	M18 x 110	Zinc Yellow Passivation Fe/Zn P2	18 mm	110 mm	27 mm	
931818110GEO5AC	Plated, Y DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 110, EN	Steel 8.8	M18 x 110	GEOMET 500A	18 mm	110 mm	27 mm	
931818115	Plated, Y DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 115, Plain	Steel 8.8	M18 x 115	Plain (no plating)	18 mm	115 mm	27 mm	
931818120	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 120, Plain	Steel 8.8	M18 x 120	Plain (no plating)	18 mm	120 mm	27 mm	
9318181201	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 120, Zinc	Steel 8.8	M18 x 120	Zinc Bright Passivation Fe/Zn P1	18 mm	120 mm	27 mm	
9318181201SST096	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 120, SST	Steel 8.8	M18 x 120	Zinc Bright Passivation Fe/Zn P1	18 mm	120 mm	27 mm	
9318181202	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 120, Hot-	Steel 8.8	M18 x 120	Hot Dip Galvanizing	18 mm	120 mm	27 mm	
931818130	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 130, Plain	Steel 8.8	M18 x 130	Plain (no plating)	18 mm	130 mm	27 mm	
9318181301	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 130, Zinc	Steel 8.8	M18 x 130	Zinc Bright Passivation Fe/Zn P1	18 mm	130 mm	27 mm	
9318181302	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 130, Hot-	Steel 8.8	M18 x 130	Hot Dip Galvanizing	18 mm	130 mm	27 mm	
9318181303	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 130, Zinc	Steel 8.8	M18 x 130	Zinc Yellow Passivation Fe/Zn P2	18 mm	130 mm	27 mm	
931818130GEO5A	Plated, Y DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 130, Zinc	Steel 8.8	M18 x 130	GEOMET 500A	18 mm	130 mm	27 mm	
931818140	Plated, Y DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 140, Plain	Steel 8.8	M18 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
9318181401	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 140, Zinc	Steel 8.8	M18 x 140	Zinc Bright Passivation Fe/Zn P1	18 mm	140 mm	27 mm	
9318181401SST096	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 140, SST	Steel 8.8	M18 x 140	Zinc Bright Passivation Fe/Zn P1	18 mm	140 mm	27 mm	
9318181401SST100	Plated, 100 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 140, SST	Steel 8.8	M18 x 140	Zinc Bright Passivation Fe/Zn P1	18 mm	140 mm	27 mm	
9318181402	Plated, 100 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 140, Hot-	Steel 8.8	M18 x 140	Hot Dip Galvanizing	18 mm	140 mm	27 mm	
931818150	Plated, 100 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 150, Plain	Steel 8.8	M18 x 150	Plain (no plating)	18 mm	150 mm	27 mm	
9318181501	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 150, Zinc	Steel 8.8	M18 x 150	Zinc Bright Passivation Fe/Zn P1	18 mm	150 mm	27 mm	
9318181502	Plated, 100 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 150, Hot-	Steel 8.8	M18 x 150	Hot Dip Galvanizing	18 mm	150 mm	27 mm	
931818160	Plated, 100 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 160, Plain	Steel 8.8	M18 x 160	Plain (no plating)	18 mm	160 mm	27 mm	
9318181601	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 160, Zinc	Steel 8.8	M18 x 160	Zinc Bright Passivation Fe/Zn P1	18 mm	160 mm	27 mm	
9318181601SST096	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 160, SST	Steel 8.8	M18 x 160	Zinc Bright Passivation Fe/Zn P1	18 mm	160 mm	27 mm	
9318181602	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 160, Hot-	Steel 8.8	M18 x 160	Hot Dip Galvanizing	18 mm	160 mm	27 mm	
931818170	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 170, Plain	Steel 8.8	M18 x 170	Plain (no plating)	18 mm	170 mm	27 mm	
9318181701	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 170, Zinc	Steel 8.8	M18 x 170	Zinc Bright Passivation Fe/Zn P1	18 mm	170 mm	27 mm	
931818180	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 180, Plain	Steel 8.8	M18 x 180	Plain (no plating)	18 mm	180 mm	27 mm	
9318181801	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 180, Zinc	Steel 8.8	M18 x 180	Zinc Bright Passivation Fe/Zn P1	18 mm	180 mm	27 mm	
9318181801A4K	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 180, Zinc	Steel 8.8	M18 x 180	Zinc Bright Passivation Fe/Zn P1	18 mm	180 mm	27 mm	
931818190	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 190, Plain	Steel 8.8	M18 x 190	Plain (no plating)	18 mm	190 mm	27 mm	
9318181901	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 190, Zinc	Steel 8.8	M18 x 190	Zinc Bright Passivation Fe/Zn P1	18 mm	190 mm	27 mm	
9318181902	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 190, Hot-	Steel 8.8	M18 x 190	Hot Dip Galvanizing	18 mm	190 mm	27 mm	
931818200	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 200, Plain	Steel 8.8	M18 x 200	Plain (no plating)	18 mm	200 mm	27 mm	
9318182001	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 200, Zinc	Steel 8.8	M18 x 200	Zinc Bright Passivation Fe/Zn P1	18 mm	200 mm	27 mm	
9318182002	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 200, Hot-	Steel 8.8	M18 x 200	Hot Dip Galvanizing	18 mm	200 mm	27 mm	
931818210	Plated, 96 h-zinc DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 210, Plain	Steel 8.8	M18 x 210	Plain (no plating)	18 mm	210 mm	27 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318182103SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 210, SST 200 Bright	Steel 8.8	M18 x 210	Zinc Yellow Passivation Fe/Zn P2	18 mm	210 mm	27 mm	
931818220	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 220, Plain	Steel 8.8	M18 x 220	Plain (no plating)	18 mm	220 mm	27 mm	
9318182201	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 220, Zinc	Steel 8.8	M18 x 220	Zinc Bright Passivation Fe/Zn P1	18 mm	220 mm	27 mm	
9318182301	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 230, Zinc	Steel 8.8	M18 x 230	Zinc Bright Passivation Fe/Zn P1	18 mm	230 mm	27 mm	
931818240	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 240, Plain	Steel 8.8	M18 x 240	Plain (no plating)	18 mm	240 mm	27 mm	
9318182502	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 250, Hot-Dip Galvan	Steel 8.8	M18 x 250	Hot Dip Galvanizing	18 mm	250 mm	27 mm	
9318182601	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 260, Zinc	Steel 8.8	M18 x 260	Zinc Bright Passivation Fe/Zn P1	18 mm	260 mm	27 mm	
9318182602	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 260, Hot-Dip Galvan	Steel 8.8	M18 x 260	Hot Dip Galvanizing	18 mm	260 mm	27 mm	
9318182602OVER	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 260, Hot-Dip Galvan	Steel 8.8	M18 x 260	Hot Dip Galvanizing	18 mm	260 mm	27 mm	
931818280	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 280, Plain	Steel 8.8	M18 x 280	Plain (no plating)	18 mm	280 mm	27 mm	
9318182801	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 280, Zinc	Steel 8.8	M18 x 280	Zinc Bright Passivation Fe/Zn P1	18 mm	280 mm	27 mm	
9318183001	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 300, Zinc	Steel 8.8	M18 x 300	Zinc Bright Passivation Fe/Zn P1	18 mm	300 mm	27 mm	
9318183201	DIN 931 Hexagon Head Screw, Steel 8.8, M18 x 320, Zinc	Steel 8.8	M18 x 320	Zinc Bright Passivation Fe/Zn P1	18 mm	320 mm	27 mm	
9318200501	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 50, Zinc	Steel 8.8	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	30 mm	
9318200502	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 50, Hot-Dip Galvan	Steel 8.8	M20 x 50	Hot Dip Galvanizing	20 mm	50 mm	30 mm	
9318200503	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 50, Zinc	Steel 8.8	M20 x 50	Zinc Yellow Passivation Fe/Zn P2	20 mm	50 mm	30 mm	
931820055	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 55, Plain	Steel 8.8	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
9318200551	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 55, Zinc	Steel 8.8	M20 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	30 mm	
9318200552	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 55, Hot-Dip Galvan	Steel 8.8	M20 x 55	Hot Dip Galvanizing	20 mm	55 mm	30 mm	
931820055TL25	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 55/25, Plain	Steel 8.8	M20 x 55/25	Plain (no plating)	20 mm	55 mm	30 mm	
931820060	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 60, Plain	Steel 8.8	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
9318200601	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 60, Zinc	Steel 8.8	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
9318200602	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 60, Hot-Dip Galvan	Steel 8.8	M20 x 60	Hot Dip Galvanizing	20 mm	60 mm	30 mm	
931820060GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 60, Zinc	Steel 8.8	M20 x 60	GEOMET 500A	20 mm	60 mm	30 mm	
931820060P1000	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 60, Zinc	Steel 8.8	M20 x 60	ZINC FLAKES SILVER P1000	20 mm	60 mm	30 mm	
931820065	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, Plain	Steel 8.8	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
9318200651	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, Zinc	Steel 8.8	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
9318200651C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, EN	Steel 8.8	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
9318200651SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, SST	Steel 8.8	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
9318200652	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, Hot-Dip Galvan	Steel 8.8	M20 x 65	Hot Dip Galvanizing	20 mm	65 mm	30 mm	
9318200652C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, EN	Steel 8.8	M20 x 65	Hot Dip Galvanizing	20 mm	65 mm	30 mm	
9318200653	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, Zinc	Steel 8.8	M20 x 65	Zinc Yellow Passivation Fe/Zn P2	20 mm	65 mm	30 mm	
931820065P1000	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, Zinc	Steel 8.8	M20 x 65	ZINC FLAKES SILVER P1000	20 mm	65 mm	30 mm	
931820065ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, Zinc-Nickel	Steel 8.8	M20 x 65	Zn-Ni SILVER 8 MICRON + FINICARD	20 mm	65 mm	30 mm	
931820065ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 65, Zinc-Nickel	Steel 8.8	M20 x 65	Zn-Ni SILVER 8 MICRON + FINICARD	20 mm	65 mm	30 mm	
931820070	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Plain	Steel 8.8	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
9318200701	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9318200701C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, EN	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9318200701G627	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Gleitmo 627 Lub	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9318200701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, SST	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9318200701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, SST	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9318200702	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Hot-Dip Galvan	Steel 8.8	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
93182007026H	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Hot-Dip Galvan	Steel 8.8	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
9318200702C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, EN	Steel 8.8	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
9318200702HG	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Hot-Dip Galvan	Steel 8.8	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
9318200703	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc							

Plated, Ye

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931820070GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc Flake-Sil	Steel 8.8	M20 x 70	GEOMET 500A	20 mm	70 mm	30 mm	
931820070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc Flake-Sil	Steel 8.8	M20 x 70	GEOMET 500B	20 mm	70 mm	30 mm	
931820070I	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Plain	Steel 8.8	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
931820070ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc-Ni	Steel 8.8	M20 x 70	Zn-Ni BLACK + FINIGARD 105	20 mm	70 mm	30 mm	
931820070ZNTFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc-Ni	Steel 8.8	M20 x 70	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	70 mm	30 mm	
931820070ZNTFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc-Ni	Steel 8.8	M20 x 70	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	70 mm	30 mm	
931820070ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc-Ni	Steel 8.8	M20 x 70	FINIGARD	20 mm	70 mm	30 mm	
931820075	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 75, Plain	Steel 8.8	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
9318200751	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 75, Zinc	Steel 8.8	M20 x 75	Zinc Bright Passivation Fe/Zn P1	20 mm	75 mm	30 mm	
9318200751SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 75, SST	Steel 8.8	M20 x 75	Zinc Bright Passivation Fe/Zn P1	20 mm	75 mm	30 mm	
9318200752	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 75, Hot-Dip	Steel 8.8	M20 x 75	Hot Dip Galvanizing	20 mm	75 mm	30 mm	
9318200753	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 75, Zinc	Steel 8.8	M20 x 75	Zinc Yellow Passivation Fe/Zn P2	20 mm	75 mm	30 mm	
931820075C	Plated, Ye	Steel 8.8	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
931820075GEO500	10204.3.1 Ce	Steel 8.8	M20 x 75	GEOMET 500B	20 mm	75 mm	30 mm	
931820075GEO5AC	Flake-Sil	Steel 8.8	M20 x 75	GEOMET 500A	20 mm	75 mm	30 mm	
931820075ZNBFI05	10204.3.1 Ce	Steel 8.8	M20 x 75	Zn-Ni BLACK + FINIGARD 105	20 mm	75 mm	30 mm	
931820080	Nickel-Si	Steel 8.8	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
931820080-03	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, EN	Steel 8.8	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
9318200801	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, Zinc	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
9318200801-C03	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, EN	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
9318200801C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, EN	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
9318200801C22	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, EN	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
9318200801SST096	10204.3.1 Ce	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
9318200802	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, Hot-Dip	Steel 8.8	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm	30 mm	
9318200802C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, EN	Steel 8.8	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm	30 mm	
9318200802HG	10204.3.1 Ce	Steel 8.8	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm	30 mm	
9318200803	Over-size, Hot-D	Steel 8.8	M20 x 80	Zinc Yellow Passivation Fe/Zn P2	20 mm	80 mm	30 mm	
9318200808	Plated, Ye	Steel 8.8	M20 x 80	Oxide (black or brown)	20 mm	80 mm	30 mm	
931820080C	Oxide	Steel 8.8	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
931820080GEO	10204.3.1 Ce	Steel 8.8	M20 x 80	GEOMET 500A	20 mm	80 mm	30 mm	
931820080GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, Zinc	Steel 8.8	M20 x 80	GEOMET 500A	20 mm	80 mm	30 mm	
931820080GEO500	Flake-Sil	Steel 8.8	M20 x 80	GEOMET 500B	20 mm	80 mm	30 mm	
931820080TL26	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80/26,	Steel 8.8	M20 x 80/26	Plain (no plating)	20 mm	80 mm	30 mm	
931820080ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, Zinc	Steel 8.8	M20 x 80	ZINC FLAKE SILVER NO CR6+ 480	20 mm	80 mm	30 mm	
931820080ZNB	Flake-Sil	Steel 8.8	M20 x 80	Zn-Ni BLACK + FINIGARD 105	20 mm	80 mm	30 mm	
931820080ZNF105	Nickel-Si	Steel 8.8	M20 x 80	Zn-Ni SILVER 8 MICRON +	20 mm	80 mm	30 mm	
931820080ZNSP	Nickel-Si	Steel 8.8	M20 x 80	FINIGARD	20 mm	80 mm	30 mm	
931820080ZNTFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, Zinc-Ni	Steel 8.8	M20 x 80	Zn-Ni SILVER 8 MICRON +	20 mm	80 mm	30 mm	
931820080ZNTFI05	Nickel-Si	Steel 8.8	M20 x 80	Zn-Ni SILVER 8 MICRON +	20 mm	80 mm	30 mm	
931820080ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 80, Zinc-Ni	Steel 8.8	M20 x 80	FINIGARD	20 mm	80 mm	30 mm	
931820085	Nickel-Si	Steel 8.8	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
9318200851	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 85, Zinc	Steel 8.8	M20 x 85	Zinc Bright Passivation Fe/Zn P1	20 mm	85 mm	30 mm	
9318200852	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 85, Hot-Dip	Steel 8.8	M20 x 85	Hot Dip Galvanizing	20 mm	85 mm	30 mm	
9318200853	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 85, Zinc	Steel 8.8	M20 x 85	Zinc Yellow Passivation Fe/Zn P2	20 mm	85 mm	30 mm	
931820085ZNF105	Plated, Ye	Steel 8.8	M20 x 85	Zn-Ni SILVER 8 MICRON +	20 mm	85 mm	30 mm	
931820085ZNT	Nickel-Si	Steel 8.8	M20 x 85	FINIGARD				

Nickel, Si

Steel 8.8

M20 x 85

ZnNi8/Cn/T4

20 mm

85 mm

30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931820090	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Plain	Steel 8.8	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
9318200901	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
9318200901DRI	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Driloc, Plated	Steel 8.8	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
9318200901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, SST	Steel 8.8	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
9318200902	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Hot-Dip Zinc	Steel 8.8	M20 x 90	Hot Dip Galvanizing	20 mm	90 mm	30 mm	
9318200902HG	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Hot-Dip Galvani	Steel 8.8	M20 x 90	Hot Dip Galvanizing	20 mm	90 mm	30 mm	
9318200903	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	Zinc Yellow Passivation Fe/Zn P2	20 mm	90 mm	30 mm	
931820090C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, EN	Steel 8.8	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
931820090GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	GEOMET 500B	20 mm	90 mm	30 mm	
931820090GEO3AC	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, With	Steel 8.8	M20 x 90	GEOMET 321A	20 mm	90 mm	30 mm	
931820090GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	GEOMET 500A	20 mm	90 mm	30 mm	
931820090GEO500A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	GEOMET 500B	20 mm	90 mm	30 mm	
931820090GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	GEOMET 500A	20 mm	90 mm	30 mm	
931820090I	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Plain	Steel 8.8	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
931820090ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	Zn-Ni BLACK + FINIGARD 105	20 mm	90 mm	30 mm	
931820090ZNBFI05	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	Zn-Ni BLACK + FINIGARD 105	20 mm	90 mm	30 mm	
931820090ZNT	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	ZnNi8/Cn/T4	20 mm	90 mm	30 mm	
931820090ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	90 mm	30 mm	
931820090ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	90 mm	30 mm	
931820090ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc	Steel 8.8	M20 x 90	ZnNi8/Cn/T4	20 mm	90 mm	30 mm	
931820095	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 95, Plain	Steel 8.8	M20 x 95	Plain (no plating)	20 mm	95 mm	30 mm	
9318200951	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 95, Zinc	Steel 8.8	M20 x 95	Zinc Bright Passivation Fe/Zn P1	20 mm	95 mm	30 mm	
9318200952	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 95, Hot-Dip Galvani	Steel 8.8	M20 x 95	Hot Dip Galvanizing	20 mm	95 mm	30 mm	
9318200953	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 95, Zinc	Steel 8.8	M20 x 95	Zinc Yellow Passivation Fe/Zn P2	20 mm	95 mm	30 mm	
931820095GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 95, Zinc	Steel 8.8	M20 x 95	GEOMET 500A	20 mm	95 mm	30 mm	
931820100	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Plain	Steel 8.8	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
9318201001	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
9318201001C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, EN	Steel 8.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
9318201001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, SST	Steel 8.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
9318201002	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Hot-Dip Galvani	Steel 8.8	M20 x 100	Hot Dip Galvanizing	20 mm	100 mm	30 mm	
9318201002C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, EN	Steel 8.8	M20 x 100	Hot Dip Galvanizing	20 mm	100 mm	30 mm	
9318201003	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	Zinc Yellow Passivation Fe/Zn P2	20 mm	100 mm	30 mm	
931820100C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, EN	Steel 8.8	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
931820100GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	GEOMET 500B	20 mm	100 mm	30 mm	
931820100GEO321	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	GEOMET 321A	20 mm	100 mm	30 mm	
931820100GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	GEOMET 500B	20 mm	100 mm	30 mm	
931820100GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	GEOMET 500A	20 mm	100 mm	30 mm	
931820100GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, EN	Steel 8.8	M20 x 100	GEOMET 500A	20 mm	100 mm	30 mm	
931820100GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	GEOMET 500B	20 mm	100 mm	30 mm	
931820100I	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Plain	Steel 8.8	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
931820100ZF	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	ZINC FLAKE SILVER NO CR6+ 480 H	20 mm	100 mm	30 mm	
931820100ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	Zn-Ni BLACK + FINIGARD 105	20 mm	100 mm	30 mm	
931820100ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	100 mm	30 mm	
931820100ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc	Steel 8.8	M20 x 100	ZnNi8/Cn/T4	20 mm	100 mm	30 mm	
9318201052	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 105, Hot-Dip Galvan	Steel 8.8	M20 x 105	Hot Dip Galvanizing	20 mm	105 mm	30 mm	
931820110	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Plain	Steel 8.8	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318201101	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc Plated	Steel 8.8	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	30 mm	
9318201101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, SST 96 h-zinc	Steel 8.8	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	30 mm	
9318201102	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Hot-Dip Galvanizing	Steel 8.8	M20 x 110	Hot Dip Galvanizing	20 mm	110 mm	30 mm	
9318201102C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, EN 10204 3.1 C	Steel 8.8	M20 x 110	Hot Dip Galvanizing	20 mm	110 mm	30 mm	
9318201102I	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Hot-Dip Galvanizing	Steel 8.8	M20 x 110	Hot Dip Galvanizing	20 mm	110 mm	30 mm	
9318201103	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc Plated, Y	Steel 8.8	M20 x 110	Zinc Yellow Passivation Fe/Zn P2	20 mm	110 mm	30 mm	
931820110GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc Flake-Si	Steel 8.8	M20 x 110	GEOMET 500B	20 mm	110 mm	30 mm	
931820110GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc Flake-Si	Steel 8.8	M20 x 110	GEOMET 500B	20 mm	110 mm	30 mm	
931820110GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc Flake-Si	Steel 8.8	M20 x 110	GEOMET 500B	20 mm	110 mm	30 mm	
931820110GEOVL	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc Flake-Si	Steel 8.8	M20 x 110	GEOMET 500A	20 mm	110 mm	30 mm	
931820110I	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Plain	Steel 8.8	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
931820110ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc-Nickel-S	Steel 8.8	M20 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	110 mm	30 mm	
931820110ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc-Nickel-S	Steel 8.8	M20 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	110 mm	30 mm	
931820110ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc-Nickel-S	Steel 8.8	M20 x 110	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	110 mm	30 mm	
931820120	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Plain	Steel 8.8	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
9318201201	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Plated	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
9318201201C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, EN 10204 3.1 C	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
9318201201I	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Plated	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
9318201201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, SST 96 h-zinc	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
9318201201SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, SST 200 h-zinc	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
9318201202	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Hot-Dip Galvanizing	Steel 8.8	M20 x 120	Hot Dip Galvanizing	20 mm	120 mm	30 mm	
9318201202C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, EN 10204 3.1 C	Steel 8.8	M20 x 120	Hot Dip Galvanizing	20 mm	120 mm	30 mm	
9318201202HG	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Hot-Dip Galvanizing	Steel 8.8	M20 x 120	Hot Dip Galvanizing	20 mm	120 mm	30 mm	
9318201203	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Plated, Y	Steel 8.8	M20 x 120	Zinc Yellow Passivation Fe/Zn P2	20 mm	120 mm	30 mm	
931820120C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, EN 10204 3.1 C	Steel 8.8	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
931820120DEL	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Flake-Si	Steel 8.8	M20 x 120	DELTA KL100x2/SEALx2+GZ	20 mm	120 mm	30 mm	
931820120GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Flake-Si	Steel 8.8	M20 x 120	GEOMET 500B	20 mm	120 mm	30 mm	
931820120GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Flake-Si	Steel 8.8	M20 x 120	GEOMET 500A	20 mm	120 mm	30 mm	
931820120GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Flake-Si	Steel 8.8	M20 x 120	GEOMET 500A	20 mm	120 mm	30 mm	
931820120GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Flake-Si	Steel 8.8	M20 x 120	GEOMET 500B	20 mm	120 mm	30 mm	
931820120ZNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc-Nickel-P	Steel 8.8	M20 x 120	Zn-Ni BLACK + FINIGARD 105	20 mm	120 mm	30 mm	
931820120ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc-Nickel-S	Steel 8.8	M20 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	120 mm	30 mm	
931820120ZNSP	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc-Nickel-S	Steel 8.8	M20 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	120 mm	30 mm	
931820120ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc-Nickel-S	Steel 8.8	M20 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	120 mm	30 mm	
931820120ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc-Nickel-S	Steel 8.8	M20 x 120	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	120 mm	30 mm	
9318201251	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 125, Zinc Plated	Steel 8.8	M20 x 125	Zinc Bright Passivation Fe/Zn P1	20 mm	125 mm	30 mm	
931820130	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Plain	Steel 8.8	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
9318201301	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc Plated	Steel 8.8	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
9318201301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, SST 96 h-zinc	Steel 8.8	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
9318201301SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, SST 200 h-zinc	Steel 8.8	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
9318201302	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Hot-Dip Galvanizing	Steel 8.8	M20 x 130	Hot Dip Galvanizing	20 mm	130 mm	30 mm	
9318201303	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc Plated	Steel 8.8	M20 x 130	Zinc Yellow Passivation Fe/Zn P2	20 mm	130 mm	30 mm	
931820130GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc Flake-Si	Steel 8.8	M20 x 130	GEOMET 321A	20 mm	130 mm	30 mm	
931820130GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc Flake-Si	Steel 8.8	M20 x 130	GEOMET 500B	20 mm	130 mm	30 mm	
931820130GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc Flake-Si	Steel 8.8	M20 x 130	GEOMET 500A	20 mm	130 mm	30 mm	
931820130GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc							

Flake, Si

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931820130ZBNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc-Nickel P	Steel 8.8	M20 x 130	Zn-Ni BLACK + FINIGARD 105	20 mm	130 mm	30 mm	
931820130ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc-Nickel S	Steel 8.8	M20 x 130	ZnNi8/Cn/T4	20 mm	130 mm	30 mm	
931820140	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Plain	Steel 8.8	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
9318201401	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc Plated	Steel 8.8	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
9318201401C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, EN 10204-3.1 C	Steel 8.8	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
9318201401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, SST 86 h Zinc	Steel 8.8	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
9318201402	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Hot-Dip Galvan	Steel 8.8	M20 x 140	Hot Dip Galvanizing	20 mm	140 mm	30 mm	
9318201403	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc Plated Y	Steel 8.8	M20 x 140	Zinc Yellow Passivation Fe/Zn P2	20 mm	140 mm	30 mm	
9318201408	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Plain	Steel 8.8	M20 x 140	Oxide (black or brown)	20 mm	140 mm	30 mm	
931820140C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, EN 10204-3.1 C	Steel 8.8	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
931820140GEO3AC	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, With Scratches	Steel 8.8	M20 x 140	GEOMET 321A	20 mm	140 mm	30 mm	
931820140GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc Flake Si	Steel 8.8	M20 x 140	GEOMET 500B	20 mm	140 mm	30 mm	
931820140GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc Flake Si	Steel 8.8	M20 x 140	GEOMET 500A	20 mm	140 mm	30 mm	
931820140ZNNI8AN	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc-Nickel S	Steel 8.8	M20 x 140	Zn-Ni SILVER, 8 MICRON	20 mm	140 mm	30 mm	
931820140ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc-Nickel S	Steel 8.8	M20 x 140	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	140 mm	30 mm	
931820140ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc-Nickel S	Steel 8.8	M20 x 140	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	140 mm	30 mm	
931820140ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 140, Zinc-Nickel S	Steel 8.8	M20 x 140	ZnNi8/Cn/T4	20 mm	140 mm	30 mm	
9318201451	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 145, Zinc Plated	Steel 8.8	M20 x 145	Zinc Bright Passivation Fe/Zn P1	20 mm	145 mm	30 mm	
931820150	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Plain	Steel 8.8	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
9318201501	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Zinc Plated	Steel 8.8	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	30 mm	
9318201501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, SST 86 h Zinc	Steel 8.8	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	30 mm	
9318201502	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Hot-Dip Galvan	Steel 8.8	M20 x 150	Hot Dip Galvanizing	20 mm	150 mm	30 mm	
9318201503	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Zinc Plated Y	Steel 8.8	M20 x 150	Zinc Yellow Passivation Fe/Zn P2	20 mm	150 mm	30 mm	
931820150GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Zinc Flake Si	Steel 8.8	M20 x 150	GEOMET 500B	20 mm	150 mm	30 mm	
931820150GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Zinc Flake Si	Steel 8.8	M20 x 150	GEOMET 500A	20 mm	150 mm	30 mm	
931820150ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Zinc-Nickel S	Steel 8.8	M20 x 150	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	150 mm	30 mm	
931820150ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 150, Zinc-Nickel S	Steel 8.8	M20 x 150	ZnNi8/Cn/T4	20 mm	150 mm	30 mm	
931820160	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Plain	Steel 8.8	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
9318201601	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Zinc Plated	Steel 8.8	M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	30 mm	
9318201601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, SST 86 h Zinc	Steel 8.8	M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	30 mm	
9318201602	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Hot-Dip Galvan	Steel 8.8	M20 x 160	Hot Dip Galvanizing	20 mm	160 mm	30 mm	
9318201602HG	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Oversize Hot	Steel 8.8	M20 x 160	Hot Dip Galvanizing	20 mm	160 mm	30 mm	
9318201603	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Zinc Plated Y	Steel 8.8	M20 x 160	Zinc Yellow Passivation Fe/Zn P2	20 mm	160 mm	30 mm	
931820160C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, EN 10204-3.1 C	Steel 8.8	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
931820160GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Zinc Flake Si	Steel 8.8	M20 x 160	GEOMET 500B	20 mm	160 mm	30 mm	
931820160GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Zinc Flake Si	Steel 8.8	M20 x 160	GEOMET 500A	20 mm	160 mm	30 mm	
931820160GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Zinc Plated Y	Steel 8.8	M20 x 160	GEOMET 500B	20 mm	160 mm	30 mm	
931820160ZBNBF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Zinc-Nickel P	Steel 8.8	M20 x 160	Zn-Ni BLACK + FINIGARD 105	20 mm	160 mm	30 mm	
931820160ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 160, Zinc-Nickel S	Steel 8.8	M20 x 160	ZnNi8/Cn/T4	20 mm	160 mm	30 mm	
931820170	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 170, Plain	Steel 8.8	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
9318201701	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 170, Zinc Plated	Steel 8.8	M20 x 170	Zinc Bright Passivation Fe/Zn P1	20 mm	170 mm	30 mm	
9318201702	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 170, Hot-Dip Galvan	Steel 8.8	M20 x 170	Hot Dip Galvanizing	20 mm	170 mm	30 mm	
9318201703	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 170, Zinc Plated Y	Steel 8.8	M20 x 170	Zinc Yellow Passivation Fe/Zn P2	20 mm	170 mm	30 mm	
931820170ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 170, Zinc-Nickel S	Steel 8.8	M20 x 170	ZnNi8/Cn/T4	20 mm	170 mm	30 mm	
9318201752TL75	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 175/75, Hot Dip Gal	Steel 8.8	M20 x 175/75	Hot Dip Galvanizing	20 mm	175 mm	30 mm	
931820180	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Plain	Steel 8.8	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318201801	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Zinc Plated	Steel 8.8	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	30 mm	
9318201801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, SST 96 h Zinc	Steel 8.8	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	30 mm	
9318201802	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Hot-Dip Galvan	Steel 8.8	M20 x 180	Hot Dip Galvanizing	20 mm	180 mm	30 mm	
9318201802C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, EN 10204 3.1 C	Steel 8.8	M20 x 180	Hot Dip Galvanizing	20 mm	180 mm	30 mm	
9318201803	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Zinc Plated Y	Steel 8.8	M20 x 180	Zinc Yellow Passivation Fe/Zn P2	20 mm	180 mm	30 mm	
931820180DEL	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Zinc Plated Y	Steel 8.8	M20 x 180	DELTA KL100x2/SEALx2+GZ	20 mm	180 mm	30 mm	
931820180GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Zinc Plated Y	Steel 8.8	M20 x 180	GEOMET 500B	20 mm	180 mm	30 mm	
931820180GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Zinc Plated Y	Steel 8.8	M20 x 180	GEOMET 500B	20 mm	180 mm	30 mm	
931820180PH	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Zinc Plated Y	Steel 8.8	M20 x 180	Phosphating	20 mm	180 mm	30 mm	
931820180ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 180, Zinc-Nickel S	Steel 8.8	M20 x 180	ZnNi8/Cn/T4	20 mm	180 mm	30 mm	
931820190	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 190, Plain	Steel 8.8	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
9318201901	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 190, Zinc Plated	Steel 8.8	M20 x 190	Zinc Bright Passivation Fe/Zn P1	20 mm	190 mm	30 mm	
9318201902	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 190, Hot-Dip Galvan	Steel 8.8	M20 x 190	Hot Dip Galvanizing	20 mm	190 mm	30 mm	
9318201903	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 190, Zinc Plated Y	Steel 8.8	M20 x 190	Zinc Yellow Passivation Fe/Zn P2	20 mm	190 mm	30 mm	
931820200	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Plain	Steel 8.8	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
9318202001	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Zinc Plated Y	Steel 8.8	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	30 mm	
9318202001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, SST 96 h Zinc	Steel 8.8	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	30 mm	
9318202001SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, SST 200 h Zinc	Steel 8.8	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	30 mm	
9318202002	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Hot-Dip Galvan	Steel 8.8	M20 x 200	Hot Dip Galvanizing	20 mm	200 mm	30 mm	
9318202003	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Zinc Plated Y	Steel 8.8	M20 x 200	Zinc Yellow Passivation Fe/Zn P2	20 mm	200 mm	30 mm	
931820200C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, EN 10204 3.1 C	Steel 8.8	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
931820200GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Zinc Plated Y	Steel 8.8	M20 x 200	GEOMET 500B	20 mm	200 mm	30 mm	
931820200GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Zinc Plated Y	Steel 8.8	M20 x 200	GEOMET 500A	20 mm	200 mm	30 mm	
931820200GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Zinc Plated Y	Steel 8.8	M20 x 200	GEOMET 500B	20 mm	200 mm	30 mm	
931820200ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 200, Zinc-Nickel S	Steel 8.8	M20 x 200	ZnNi8/Cn/T4	20 mm	200 mm	30 mm	
931820210	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 210, Plain	Steel 8.8	M20 x 210	Plain (no plating)	20 mm	210 mm	30 mm	
9318202101	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 210, Zinc Plated	Steel 8.8	M20 x 210	Zinc Bright Passivation Fe/Zn P1	20 mm	210 mm	30 mm	
9318202102	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 210, Hot-Dip Galvan	Steel 8.8	M20 x 210	Hot Dip Galvanizing	20 mm	210 mm	30 mm	
931820220	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Plain	Steel 8.8	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
9318202201	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Zinc Plated	Steel 8.8	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm	30 mm	
9318202201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, SST 96 h Zinc	Steel 8.8	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm	30 mm	
9318202202	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Hot-Dip Galvan	Steel 8.8	M20 x 220	Hot Dip Galvanizing	20 mm	220 mm	30 mm	
9318202203	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Zinc Plated Y	Steel 8.8	M20 x 220	Zinc Yellow Passivation Fe/Zn P2	20 mm	220 mm	30 mm	
9318202203SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, SST 200 h Zinc	Steel 8.8	M20 x 220	Zinc Yellow Passivation Fe/Zn P2	20 mm	220 mm	30 mm	
931820220DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Zinc Plated Y	Steel 8.8	M20 x 220	DELTA KL100x2/SEAL	20 mm	220 mm	30 mm	
931820220GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Zinc Plated Y	Steel 8.8	M20 x 220	GEOMET 500A	20 mm	220 mm	30 mm	
931820220GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Zinc Plated Y	Steel 8.8	M20 x 220	GEOMET 500B	20 mm	220 mm	30 mm	
931820220GEOC	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, EN 10204 3.1 C	Steel 8.8	M20 x 220	GEOMET 500A	20 mm	220 mm	30 mm	
931820220ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Zinc-Nickel S	Steel 8.8	M20 x 220	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	220 mm	30 mm	
931820220ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 220, Zinc-Nickel S	Steel 8.8	M20 x 220	ZnNi8/Cn/T4	20 mm	220 mm	30 mm	
931820230	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 230, Plain	Steel 8.8	M20 x 230	Plain (no plating)	20 mm	230 mm	30 mm	
9318202301	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 230, Zinc Plated	Steel 8.8	M20 x 230	Zinc Bright Passivation Fe/Zn P1	20 mm	230 mm	30 mm	
9318202302	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 230, Hot-Dip Galvan	Steel 8.8	M20 x 230	Hot Dip Galvanizing	20 mm	230 mm	30 mm	
9318202303	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 230, Zinc Plated Y	Steel 8.8	M20 x 230	Zinc Yellow Passivation Fe/Zn P2	20 mm	230 mm	30 mm	
931820230GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 230, Zinc Plated Y	Steel 8.8	M20 x 230	GEOMET 500A	20 mm	230 mm	30 mm	
931820230GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 230, Zinc Plated Y							

Flake, Si

Steel 8.8

M20 x 230

GEOMET 500B

20 mm

230 mm

30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931820235	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 235, Plain	Steel 8.8	M20 x 235	Plain (no plating)	20 mm	235 mm	30 mm	
931820240	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, Plain	Steel 8.8	M20 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
9318202401	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, Zinc	Steel 8.8	M20 x 240	Zinc Bright Passivation Fe/Zn P1	20 mm	240 mm	30 mm	
9318202402	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, Hot-Dip Galvan	Steel 8.8	M20 x 240	Hot Dip Galvanizing	20 mm	240 mm	30 mm	
931820240C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, EN 10204-3-1-C	Steel 8.8	M20 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
931820240GEO3AC	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, EN 10204-3-1-C	Steel 8.8	M20 x 240	GEOMET 321A	20 mm	240 mm	30 mm	
931820240GEO3BV	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, EN 10204-3-1-C	Steel 8.8	M20 x 240	GEOMET 321B	20 mm	240 mm	30 mm	
931820240GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, EN 10204-3-1-C	Steel 8.8	M20 x 240	GEOMET 500A	20 mm	240 mm	30 mm	
931820240ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 240, Zinc-Nickel S	Steel 8.8	M20 x 240	ZnNi8/Cn/T4	20 mm	240 mm	30 mm	
931820250	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 250, Plain	Steel 8.8	M20 x 250	Plain (no plating)	20 mm	250 mm	30 mm	
9318202501	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 250, Zinc Plated	Steel 8.8	M20 x 250	Zinc Bright Passivation Fe/Zn P1	20 mm	250 mm	30 mm	
931820250GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 250, EN 10204-3-1-C	Steel 8.8	M20 x 250	GEOMET 500A	20 mm	250 mm	30 mm	
931820260	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 260, Plain	Steel 8.8	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
9318202601	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 260, Zinc Plated	Steel 8.8	M20 x 260	Zinc Bright Passivation Fe/Zn P1	20 mm	260 mm	30 mm	
9318202602	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 260, Hot-Dip Galvan	Steel 8.8	M20 x 260	Hot Dip Galvanizing	20 mm	260 mm	30 mm	
931820260GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 260, EN 10204-3-1-C	Steel 8.8	M20 x 260	GEOMET 500B	20 mm	260 mm	30 mm	
931820270	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 270, Plain	Steel 8.8	M20 x 270	Plain (no plating)	20 mm	270 mm	30 mm	
9318202701	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 270, Zinc Plated	Steel 8.8	M20 x 270	Zinc Bright Passivation Fe/Zn P1	20 mm	270 mm	30 mm	
9318202702	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 270, Hot-Dip Galvan	Steel 8.8	M20 x 270	Hot Dip Galvanizing	20 mm	270 mm	30 mm	
931820280	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 280, Plain	Steel 8.8	M20 x 280	Plain (no plating)	20 mm	280 mm	30 mm	
9318202801	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 280, Zinc Plated	Steel 8.8	M20 x 280	Zinc Bright Passivation Fe/Zn P1	20 mm	280 mm	30 mm	
9318202801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 280, SST 96 h-Zin	Steel 8.8	M20 x 280	Zinc Bright Passivation Fe/Zn P1	20 mm	280 mm	30 mm	
9318202802	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 280, Hot-Dip Galvan	Steel 8.8	M20 x 280	Hot Dip Galvanizing	20 mm	280 mm	30 mm	
9318202802C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 280, EN 10204-3-1-C	Steel 8.8	M20 x 280	Hot Dip Galvanizing	20 mm	280 mm	30 mm	
931820280ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 280, Zinc-Nickel S	Steel 8.8	M20 x 280	Zn-Ni SILVER 8 MICRON + FINIGARD	20 mm	280 mm	30 mm	
931820290	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 290, Plain	Steel 8.8	M20 x 290	Plain (no plating)	20 mm	290 mm	30 mm	
9318202901	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 290, Zinc Plated	Steel 8.8	M20 x 290	Zinc Bright Passivation Fe/Zn P1	20 mm	290 mm	30 mm	
9318202901GL90	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 290/90, Zinc Plated	Steel 8.8	M20 x 290/90	Zinc Bright Passivation Fe/Zn P1	20 mm	290 mm	30 mm	
931820300	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 300, Plain	Steel 8.8	M20 x 300	Plain (no plating)	20 mm	300 mm	30 mm	
9318203001	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 300, Zinc Plated	Steel 8.8	M20 x 300	Zinc Bright Passivation Fe/Zn P1	20 mm	300 mm	30 mm	
9318203001C	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 300, EN 10204-3-1-C	Steel 8.8	M20 x 300	Zinc Bright Passivation Fe/Zn P1	20 mm	300 mm	30 mm	
9318203001SST100	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 300, SST 100 h-Zin	Steel 8.8	M20 x 300	Zinc Bright Passivation Fe/Zn P1	20 mm	300 mm	30 mm	
9318203002	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 300, Hot-Dip Galvan	Steel 8.8	M20 x 300	Hot Dip Galvanizing	20 mm	300 mm	30 mm	
9318203003	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 300, Zinc Plated Y	Steel 8.8	M20 x 300	Zinc Yellow Passivation Fe/Zn P2	20 mm	300 mm	30 mm	
931820300GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 300, Zinc Flake-Si	Steel 8.8	M20 x 300	GEOMET 500A	20 mm	300 mm	30 mm	
931820310	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 310, Plain	Steel 8.8	M20 x 310	Plain (no plating)	20 mm	310 mm	30 mm	
9318203101	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 310, Zinc Plated	Steel 8.8	M20 x 310	Zinc Bright Passivation Fe/Zn P1	20 mm	310 mm	30 mm	
931820320	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 320, Plain	Steel 8.8	M20 x 320	Plain (no plating)	20 mm	320 mm	30 mm	
9318203201	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 320, Zinc Plated	Steel 8.8	M20 x 320	Zinc Bright Passivation Fe/Zn P1	20 mm	320 mm	30 mm	
9318203202	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 320, Hot-Dip Galvan	Steel 8.8	M20 x 320	Hot Dip Galvanizing	20 mm	320 mm	30 mm	
931820330	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 330, Plain	Steel 8.8	M20 x 330	Plain (no plating)	20 mm	330 mm	30 mm	
9318203301	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 330, Zinc Plated	Steel 8.8	M20 x 330	Zinc Bright Passivation Fe/Zn P1	20 mm	330 mm	30 mm	
931820340	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 340, Plain	Steel 8.8	M20 x 340	Plain (no plating)	20 mm	340 mm	30 mm	
9318203401	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 340, Zinc Plated	Steel 8.8	M20 x 340	Zinc Bright Passivation Fe/Zn P1	20 mm	340 mm	30 mm	
9318203402	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 340, Hot-Dip Galvan	Steel 8.8	M20 x 340	Hot Dip Galvanizing	20 mm	340 mm	30 mm	
931820350	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 350, Plain	Steel 8.8	M20 x 350	Plain (no plating)	20 mm	350 mm	30 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318203501	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 350, Zinc Plated	Steel 8.8	M20 x 350	Zinc Bright Passivation Fe/Zn P1	20 mm	350 mm	30 mm	
9318203502	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 350, Hot-Dip Galvanizing	Steel 8.8	M20 x 350	Hot Dip Galvanizing	20 mm	350 mm	30 mm	
931820360	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 360, Plain	Steel 8.8	M20 x 360	Plain (no plating)	20 mm	360 mm	30 mm	
9318203601	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 360, Zinc Plated	Steel 8.8	M20 x 360	Zinc Bright Passivation Fe/Zn P1	20 mm	360 mm	30 mm	
9318203602	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 360, Hot-Dip Galvanizing	Steel 8.8	M20 x 360	Hot Dip Galvanizing	20 mm	360 mm	30 mm	
931820360ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 360, Zinc-Nickel 8	Steel 8.8	M20 x 360	Zn-Ni SILVER 8 MICRON + FINICARD	20 mm	360 mm	30 mm	
931820370	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 370, Plain	Steel 8.8	M20 x 370	Plain (no plating)	20 mm	370 mm	30 mm	
931820380	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 380, Plain	Steel 8.8	M20 x 380	Plain (no plating)	20 mm	380 mm	30 mm	
9318203801	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 380, Zinc Plated	Steel 8.8	M20 x 380	Zinc Bright Passivation Fe/Zn P1	20 mm	380 mm	30 mm	
9318203802	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 380, Hot-Dip Galvanizing	Steel 8.8	M20 x 380	Hot Dip Galvanizing	20 mm	380 mm	30 mm	
931820380ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 380, Zinc-Nickel 8	Steel 8.8	M20 x 380	Zinc-Nickel Fe/Zn-Ni BLACK + FIN	20 mm	380 mm	30 mm	
9318203901	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 390, Zinc Plated	Steel 8.8	M20 x 390	Zinc Bright Passivation Fe/Zn P1	20 mm	390 mm	30 mm	
931820400	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 400, Plain	Steel 8.8	M20 x 400	Plain (no plating)	20 mm	400 mm	30 mm	
9318204001	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 400, Zinc Plated	Steel 8.8	M20 x 400	Zinc Bright Passivation Fe/Zn P1	20 mm	400 mm	30 mm	
9318204001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 400, SST 86	Steel 8.8	M20 x 400	Zinc Bright Passivation Fe/Zn P1	20 mm	400 mm	30 mm	
9318204002	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 400, Hot-Dip Galvanizing	Steel 8.8	M20 x 400	Hot Dip Galvanizing	20 mm	400 mm	30 mm	
931820420	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 420, Plain	Steel 8.8	M20 x 420	Plain (no plating)	20 mm	420 mm	30 mm	
9318204201	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 420, Zinc Plated	Steel 8.8	M20 x 420	Zinc Bright Passivation Fe/Zn P1	20 mm	420 mm	30 mm	
9318204202	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 420, Hot-Dip Galvanizing	Steel 8.8	M20 x 420	Hot Dip Galvanizing	20 mm	420 mm	30 mm	
931820430	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 430, EN 10204 3 1 C	Steel 8.8	M20 x 430	Plain (no plating)	20 mm	430 mm	30 mm	
9318204301	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 430, Zinc Plated	Steel 8.8	M20 x 430	Zinc Bright Passivation Fe/Zn P1	20 mm	430 mm	30 mm	
931820440	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 440, Plain	Steel 8.8	M20 x 440	Plain (no plating)	20 mm	440 mm	30 mm	
9318204401	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 440, Zinc Plated	Steel 8.8	M20 x 440	Zinc Bright Passivation Fe/Zn P1	20 mm	440 mm	30 mm	
9318204502	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 450, EN 10204 3 1 C	Steel 8.8	M20 x 450	Hot Dip Galvanizing	20 mm	450 mm	30 mm	
9318204601	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 460, Zinc Plated	Steel 8.8	M20 x 460	Zinc Bright Passivation Fe/Zn P1	20 mm	460 mm	30 mm	
9318204602	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 460, Hot-Dip Galvanizing	Steel 8.8	M20 x 460	Hot Dip Galvanizing	20 mm	460 mm	30 mm	
931820480	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 480, Plain	Steel 8.8	M20 x 480	Plain (no plating)	20 mm	480 mm	30 mm	
9318204801	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 480, Zinc Plated	Steel 8.8	M20 x 480	Zinc Bright Passivation Fe/Zn P1	20 mm	480 mm	30 mm	
9318204802	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 480, Hot-Dip Galvanizing	Steel 8.8	M20 x 480	Hot Dip Galvanizing	20 mm	480 mm	30 mm	
9318205001	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 500, Zinc Plated	Steel 8.8	M20 x 500	Zinc Bright Passivation Fe/Zn P1	20 mm	500 mm	30 mm	
931820510	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 510, Plain	Steel 8.8	M20 x 510	Plain (no plating)	20 mm	510 mm	30 mm	
9318205201	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 520, Zinc Plated	Steel 8.8	M20 x 520	Zinc Bright Passivation Fe/Zn P1	20 mm	520 mm	30 mm	
9318205401	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 540, Zinc Plated	Steel 8.8	M20 x 540	Zinc Bright Passivation Fe/Zn P1	20 mm	540 mm	30 mm	
9318206001	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 600, Zinc Plated	Steel 8.8	M20 x 600	Zinc Bright Passivation Fe/Zn P1	20 mm	600 mm	30 mm	
9318206002	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 600, Hot-Dip Galvanizing	Steel 8.8	M20 x 600	Hot Dip Galvanizing	20 mm	600 mm	30 mm	
9318206802	DIN 931 Hexagon Head Screw, Steel 8.8, M20 x 680, Hot-Dip Galvanizing	Steel 8.8	M20 x 680	Hot Dip Galvanizing	20 mm	680 mm	30 mm	
931822060	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 60, Plain	Steel 8.8	M22 x 60	Plain (no plating)	22 mm	60 mm	32 mm	
931822070	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 70, Plain	Steel 8.8	M22 x 70	Plain (no plating)	22 mm	70 mm	32 mm	
9318220701	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 70, Zinc Plated	Steel 8.8	M22 x 70	Zinc Bright Passivation Fe/Zn P1	22 mm	70 mm	32 mm	
9318220701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 70, SST 86	Steel 8.8	M22 x 70	Zinc Bright Passivation Fe/Zn P1	22 mm	70 mm	32 mm	
9318220702	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 70, Hot-Dip Galvanizing	Steel 8.8	M22 x 70	Hot Dip Galvanizing	22 mm	70 mm	32 mm	
9318220703	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 70, Zinc Plated	Steel 8.8	M22 x 70	Zinc Yellow Passivation Fe/Zn P2	22 mm	70 mm	32 mm	
931822075	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 75, Plain	Steel 8.8	M22 x 75	Plain (no plating)	22 mm	75 mm	32 mm	
9318220751	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 75, Zinc Plated	Steel 8.8	M22 x 75	Zinc Bright Passivation Fe/Zn P1	22 mm	75 mm	32 mm	
9318220752	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 75, Hot-Dip Galvanizing	Steel 8.8	M22 x 75	Hot Dip Galvanizing	22 mm	75 mm	32 mm	
931822080	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 80, EN							

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318220801	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 80, Zinc Plated	Steel 8.8	M22 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	32 mm	
9318220801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 80, SST	Steel 8.8	M22 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	32 mm	
9318220802	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 80, Hot-Dip Galvanizing	Steel 8.8	M22 x 80	Hot Dip Galvanizing	22 mm	80 mm	32 mm	
9318220803	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 80, Zinc Plated Yellow	Steel 8.8	M22 x 80	Zinc Yellow Passivation Fe/Zn P2	22 mm	80 mm	32 mm	
931822090	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 90, Plain	Steel 8.8	M22 x 90	Plain (no plating)	22 mm	90 mm	32 mm	
9318220901	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 90, Zinc Plated	Steel 8.8	M22 x 90	Zinc Bright Passivation Fe/Zn P1	22 mm	90 mm	32 mm	
9318220901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 90, SST	Steel 8.8	M22 x 90	Zinc Bright Passivation Fe/Zn P1	22 mm	90 mm	32 mm	
9318220901SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 90, SST	Steel 8.8	M22 x 90	Zinc Bright Passivation Fe/Zn P1	22 mm	90 mm	32 mm	
9318220902	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 90, Hot-Dip Galvanizing	Steel 8.8	M22 x 90	Hot Dip Galvanizing	22 mm	90 mm	32 mm	
9318220903SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 90, EN	Steel 8.8	M22 x 90	Zinc Yellow Passivation Fe/Zn P2	22 mm	90 mm	32 mm	
931822100	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 100, EN	Steel 8.8	M22 x 100	Plain (no plating)	22 mm	100 mm	32 mm	
9318221001	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 100, Zinc Plated	Steel 8.8	M22 x 100	Zinc Bright Passivation Fe/Zn P1	22 mm	100 mm	32 mm	
9318221001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 100, SST	Steel 8.8	M22 x 100	Zinc Bright Passivation Fe/Zn P1	22 mm	100 mm	32 mm	
9318221002	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 100, Hot-Dip Galvanizing	Steel 8.8	M22 x 100	Hot Dip Galvanizing	22 mm	100 mm	32 mm	
9318221002C	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 100, EN	Steel 8.8	M22 x 100	Hot Dip Galvanizing	22 mm	100 mm	32 mm	
9318221003	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 100, Zinc Plated Yellow	Steel 8.8	M22 x 100	Zinc Yellow Passivation Fe/Zn P2	22 mm	100 mm	32 mm	
931822110	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 110, EN	Steel 8.8	M22 x 110	Plain (no plating)	22 mm	110 mm	32 mm	
9318221101	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 110, Zinc Plated	Steel 8.8	M22 x 110	Zinc Bright Passivation Fe/Zn P1	22 mm	110 mm	32 mm	
9318221101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 110, SST	Steel 8.8	M22 x 110	Zinc Bright Passivation Fe/Zn P1	22 mm	110 mm	32 mm	
9318221102	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 110, Hot-Dip Galvanizing	Steel 8.8	M22 x 110	Hot Dip Galvanizing	22 mm	110 mm	32 mm	
931822120	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 120, Plain	Steel 8.8	M22 x 120	Plain (no plating)	22 mm	120 mm	32 mm	
9318221201	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 120, Zinc Plated	Steel 8.8	M22 x 120	Zinc Bright Passivation Fe/Zn P1	22 mm	120 mm	32 mm	
9318221201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 120, SST	Steel 8.8	M22 x 120	Zinc Bright Passivation Fe/Zn P1	22 mm	120 mm	32 mm	
9318221201SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 120, SST	Steel 8.8	M22 x 120	Zinc Bright Passivation Fe/Zn P1	22 mm	120 mm	32 mm	
9318221202	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 120, Hot-Dip Galvanizing	Steel 8.8	M22 x 120	Hot Dip Galvanizing	22 mm	120 mm	32 mm	
931822130	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 130, EN	Steel 8.8	M22 x 130	Plain (no plating)	22 mm	130 mm	32 mm	
9318221301	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 130, Zinc Plated	Steel 8.8	M22 x 130	Zinc Bright Passivation Fe/Zn P1	22 mm	130 mm	32 mm	
9318221302	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 130, Hot-Dip Galvanizing	Steel 8.8	M22 x 130	Hot Dip Galvanizing	22 mm	130 mm	32 mm	
931822130DELSI	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 130, Zinc Plated	Steel 8.8	M22 x 130	DELTA KL100x2/SEAL+GZ	22 mm	130 mm	32 mm	
931822140	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 140, Plain	Steel 8.8	M22 x 140	Plain (no plating)	22 mm	140 mm	32 mm	
9318221401	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 140, Zinc Plated	Steel 8.8	M22 x 140	Zinc Bright Passivation Fe/Zn P1	22 mm	140 mm	32 mm	
9318221402	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 140, Hot-Dip Galvanizing	Steel 8.8	M22 x 140	Hot Dip Galvanizing	22 mm	140 mm	32 mm	
931822150	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 150, Plain	Steel 8.8	M22 x 150	Plain (no plating)	22 mm	150 mm	32 mm	
9318221501	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 150, Zinc Plated	Steel 8.8	M22 x 150	Zinc Bright Passivation Fe/Zn P1	22 mm	150 mm	32 mm	
9318221502	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 150, Hot-Dip Galvanizing	Steel 8.8	M22 x 150	Hot Dip Galvanizing	22 mm	150 mm	32 mm	
931822160	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 160, EN	Steel 8.8	M22 x 160	Plain (no plating)	22 mm	160 mm	32 mm	
9318221601	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 160, Zinc Plated	Steel 8.8	M22 x 160	Zinc Bright Passivation Fe/Zn P1	22 mm	160 mm	32 mm	
9318221601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 160, SST	Steel 8.8	M22 x 160	Zinc Bright Passivation Fe/Zn P1	22 mm	160 mm	32 mm	
9318221602	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 160, Hot-Dip Galvanizing	Steel 8.8	M22 x 160	Hot Dip Galvanizing	22 mm	160 mm	32 mm	
931822170	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 170, Plain	Steel 8.8	M22 x 170	Plain (no plating)	22 mm	170 mm	32 mm	
9318221701	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 170, Zinc Plated	Steel 8.8	M22 x 170	Zinc Bright Passivation Fe/Zn P1	22 mm	170 mm	32 mm	
931822180	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 180, Plain	Steel 8.8	M22 x 180	Plain (no plating)	22 mm	180 mm	32 mm	
9318221801	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 180, Zinc Plated	Steel 8.8	M22 x 180	Zinc Bright Passivation Fe/Zn P1	22 mm	180 mm	32 mm	
9318221801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 180, SST	Steel 8.8	M22 x 180	Zinc Bright Passivation Fe/Zn P1	22 mm	180 mm	32 mm	
9318221802	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 180, Hot-Dip Galvanizing	Steel 8.8	M22 x 180	Hot Dip Galvanizing	22 mm	180 mm	32 mm	
931822200	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 200, Plain	Steel 8.8	M22 x 200	Plain (no plating)	22 mm	200 mm	32 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318222001	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 200, Zinc Plated	Steel 8.8	M22 x 200	Zinc Bright Passivation Fe/Zn P1	22 mm	200 mm	32 mm	
9318222002	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 200, Hot-Dip Galvanizing	Steel 8.8	M22 x 200	Hot Dip Galvanizing	22 mm	200 mm	32 mm	
931822210	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 210, EN 10204-3-1-C	Steel 8.8	M22 x 210	Plain (no plating)	22 mm	210 mm	32 mm	
9318222151	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 215, Zinc Plated	Steel 8.8	M22 x 215	Zinc Bright Passivation Fe/Zn P1	22 mm	215 mm	32 mm	
931822220	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 220, EN 10204-3-1-C	Steel 8.8	M22 x 220	Plain (no plating)	22 mm	220 mm	32 mm	
931822240	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 240, EN 10204-3-1-C	Steel 8.8	M22 x 240	Plain (no plating)	22 mm	240 mm	32 mm	
9318222401	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 240, Zinc Plated	Steel 8.8	M22 x 240	Zinc Bright Passivation Fe/Zn P1	22 mm	240 mm	32 mm	
931822250	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 250, EN 10204-3-1-C	Steel 8.8	M22 x 250	Plain (no plating)	22 mm	250 mm	32 mm	
9318222601	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 260, Zinc Plated	Steel 8.8	M22 x 260	Zinc Bright Passivation Fe/Zn P1	22 mm	260 mm	32 mm	
931822270	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 270, Plain	Steel 8.8	M22 x 270	Plain (no plating)	22 mm	270 mm	32 mm	
931822280	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 280, Plain	Steel 8.8	M22 x 280	Plain (no plating)	22 mm	280 mm	32 mm	
9318222801	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 280, Zinc Plated	Steel 8.8	M22 x 280	Zinc Bright Passivation Fe/Zn P1	22 mm	280 mm	32 mm	
931822300	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 300, Plain	Steel 8.8	M22 x 300	Plain (no plating)	22 mm	300 mm	32 mm	
9318223001	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 300, Zinc Plated	Steel 8.8	M22 x 300	Zinc Bright Passivation Fe/Zn P1	22 mm	300 mm	32 mm	
931822360	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 360, Plain	Steel 8.8	M22 x 360	Plain (no plating)	22 mm	360 mm	32 mm	
931822380	DIN 931 Hexagon Head Screw, Steel 8.8, M22 x 380, Plain	Steel 8.8	M22 x 380	Plain (no plating)	22 mm	380 mm	32 mm	
931824060	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 60, Plain	Steel 8.8	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
9318240601	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 60, Zinc Plated	Steel 8.8	M24 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	36 mm	
9318240602HG	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 60, Hot-Dip Galvanizing	Steel 8.8	M24 x 60	Hot Dip Galvanizing	24 mm	60 mm	36 mm	
931824065	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 65, Plain	Steel 8.8	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
9318240651	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 65, Zinc Plated	Steel 8.8	M24 x 65	Zinc Bright Passivation Fe/Zn P1	24 mm	65 mm	36 mm	
9318240653TL45	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 65/45, Zinc Plated	Steel 8.8	M24 x 65/45	Zinc Yellow Passivation Fe/Zn P2	24 mm	65 mm	36 mm	
931824070	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, Plain	Steel 8.8	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
9318240701	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, Zinc Plated	Steel 8.8	M24 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	36 mm	
9318240701SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, SST 96 h-Zinc	Steel 8.8	M24 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	36 mm	
9318240701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, SST 200 h-Zinc	Steel 8.8	M24 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	36 mm	
9318240702	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, Hot-Dip Galvanizing	Steel 8.8	M24 x 70	Hot Dip Galvanizing	24 mm	70 mm	36 mm	
93182407023,1	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, Hot-Dip Galvanizing	Steel 8.8	M24 x 70	Hot Dip Galvanizing	24 mm	70 mm	36 mm	
931824070GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, Zinc Plated, Ye	Steel 8.8	M24 x 70	GEOMET 500B	24 mm	70 mm	36 mm	
931824070GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 70, EN 10204-3-1-Ce	Steel 8.8	M24 x 70	GEOMET 500A	24 mm	70 mm	36 mm	
931824075	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 75, Plain	Steel 8.8	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
9318240751	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 75, Zinc Plated	Steel 8.8	M24 x 75	Zinc Bright Passivation Fe/Zn P1	24 mm	75 mm	36 mm	
9318240752	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 75, Hot-Dip Galvanizing	Steel 8.8	M24 x 75	Hot Dip Galvanizing	24 mm	75 mm	36 mm	
931824080	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, EN 10204-3-1-Ce	Steel 8.8	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
9318240801	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, Zinc Plated	Steel 8.8	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
9318240801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, SST 96 h-Zinc	Steel 8.8	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
9318240802	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, Hot-Dip Galvanizing	Steel 8.8	M24 x 80	Hot Dip Galvanizing	24 mm	80 mm	36 mm	
9318240802C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, EN 10204-3-1-Ce	Steel 8.8	M24 x 80	Hot Dip Galvanizing	24 mm	80 mm	36 mm	
9318240803	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, Zinc Plated, Ye	Steel 8.8	M24 x 80	Zinc Yellow Passivation Fe/Zn P2	24 mm	80 mm	36 mm	
931824080GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, Zinc Plated, Sil	Steel 8.8	M24 x 80	GEOMET 500B	24 mm	80 mm	36 mm	
931824080ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 80, Zinc Plated, Ni	Steel 8.8	M24 x 80	ZnNi8/Cn/T4	24 mm	80 mm	36 mm	
931824085	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 85, Plain	Steel 8.8	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
9318240851	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 85, Zinc Plated	Steel 8.8	M24 x 85	Zinc Bright Passivation Fe/Zn P1	24 mm	85 mm	36 mm	
9318240852	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 85, Hot-Dip Galvanizing	Steel 8.8	M24 x 85	Hot Dip Galvanizing	24 mm	85 mm	36 mm	
9318240853	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 85, Zinc Plated, Ye	Steel 8.8	M24 x 85	Zinc Yellow Passivation Fe/Zn P2	24 mm	85 mm	36 mm	
931824090	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, Plain	Steel 8.8	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318240901	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, Zinc Plated	Steel 8.8	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
9318240901C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, EN 10204-3-1-Ce	Steel 8.8	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
9318240901G627	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, 96 h Zinc	Steel 8.8	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
9318240901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, SST	Steel 8.8	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
9318240902	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, Hot-Dip Galvan	Steel 8.8	M24 x 90	Hot Dip Galvanizing	24 mm	90 mm	36 mm	
9318240902C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, EN 10204-3-1-Ce	Steel 8.8	M24 x 90	Hot Dip Galvanizing	24 mm	90 mm	36 mm	
9318240902HG	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, Oversize Hot-D	Steel 8.8	M24 x 90	Hot Dip Galvanizing	24 mm	90 mm	36 mm	
9318240903	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, Zinc Plated, Ye	Steel 8.8	M24 x 90	Zinc Yellow Passivation Fe/Zn P2	24 mm	90 mm	36 mm	
931824090GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, Zinc Plated, Ye	Steel 8.8	M24 x 90	GEOMET 500B	24 mm	90 mm	36 mm	
931824090ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 90, Zinc-Ni8/Cn/T4	Steel 8.8	M24 x 90	ZnNi8/Cn/T4	24 mm	90 mm	36 mm	
931824095	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 95, Plain	Steel 8.8	M24 x 95	Plain (no plating)	24 mm	95 mm	36 mm	
9318240951	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 95, Zinc Plated	Steel 8.8	M24 x 95	Zinc Bright Passivation Fe/Zn P1	24 mm	95 mm	36 mm	
9318240951SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 95, EN 10204-3-1-Ce	Steel 8.8	M24 x 95	Zinc Bright Passivation Fe/Zn P1	24 mm	95 mm	36 mm	
9318240952	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 95, Plain	Steel 8.8	M24 x 95	Plain (no plating)	24 mm	95 mm	36 mm	
9318240953	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 95, Zinc Plated, Ye	Steel 8.8	M24 x 95	Zinc Yellow Passivation Fe/Zn P2	24 mm	95 mm	36 mm	
931824095C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 95, EN 10204-3-1-Ce	Steel 8.8	M24 x 95	Plain (no plating)	24 mm	95 mm	36 mm	
931824100	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Plain	Steel 8.8	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
9318241001	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc Plated	Steel 8.8	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	36 mm	
9318241001I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc Plated	Steel 8.8	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	36 mm	
9318241001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, SST	Steel 8.8	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	36 mm	
9318241002	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Hot-Dip Galvan	Steel 8.8	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm	36 mm	
9318241002C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, EN 10204-3-1-Ce	Steel 8.8	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm	36 mm	
9318241002C2.2	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, EN 10204-3-2-C	Steel 8.8	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm	36 mm	
9318241002HG	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Oversize Hot	Steel 8.8	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm	36 mm	
9318241003	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc Plated, Y	Steel 8.8	M24 x 100	Zinc Yellow Passivation Fe/Zn P2	24 mm	100 mm	36 mm	
931824100GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc Plated, Y	Steel 8.8	M24 x 100	GEOMET 500B	24 mm	100 mm	36 mm	
931824100ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc-Ni8/S	Steel 8.8	M24 x 100	Zn-Ni SILVER 8 MICRON + FINISH	24 mm	100 mm	36 mm	
931824100ZNF105-	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc-Ni8/S	Steel 8.8	M24 x 100	Zn-Ni SILVER 8 MICRON + FINISH	24 mm	100 mm	36 mm	
931824100ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc-Ni8/S	Steel 8.8	M24 x 100	ZnNi8/Cn/T4	24 mm	100 mm	36 mm	
931824110	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Plain	Steel 8.8	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
9318241101	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Zinc Plated	Steel 8.8	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
9318241101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, SST	Steel 8.8	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
9318241102	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Hot-Dip Galvan	Steel 8.8	M24 x 110	Hot Dip Galvanizing	24 mm	110 mm	36 mm	
9318241102C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, EN 10204-3-1-C	Steel 8.8	M24 x 110	Hot Dip Galvanizing	24 mm	110 mm	36 mm	
9318241102HG	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Oversize Hot	Steel 8.8	M24 x 110	Hot Dip Galvanizing	24 mm	110 mm	36 mm	
9318241103	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Zinc Plated, Y	Steel 8.8	M24 x 110	Zinc Yellow Passivation Fe/Zn P2	24 mm	110 mm	36 mm	
931824110GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Zinc Plated, Y	Steel 8.8	M24 x 110	GEOMET 500B	24 mm	110 mm	36 mm	
931824110GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Zinc Plated, Y	Steel 8.8	M24 x 110	GEOMET 500B	24 mm	110 mm	36 mm	
931824110GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Zinc Plated, Y	Steel 8.8	M24 x 110	GEOMET 500A	24 mm	110 mm	36 mm	
931824110ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 110, Zinc-Ni8/S	Steel 8.8	M24 x 110	ZnNi8/Cn/T4	24 mm	110 mm	36 mm	
931824120	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Plain	Steel 8.8	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
9318241201	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Zinc Plated	Steel 8.8	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	36 mm	
9318241201-L	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Zinc Plated (o	Steel 8.8	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	36 mm	
9318241201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, SST	Steel 8.8	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	36 mm	
9318241202	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Hot-Dip Galvan	Steel 8.8	M24 x 120	Hot Dip Galvanizing	24 mm	120 mm	36 mm	
93182412026GHDG	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Hot-Dip Galvan	Steel 8.8	M24 x 120	Hot Dip Galvanizing	24 mm	120 mm	36 mm	

Dip Galvan

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318241202C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, EN 10204-3.1 C	Steel 8.8	M24 x 120	Hot Dip Galvanizing	24 mm	120 mm	36 mm	
9318241202I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Hot-Dip Galvan	Steel 8.8	M24 x 120	Hot Dip Galvanizing	24 mm	120 mm	36 mm	
9318241203	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Zinc Plated	Steel 8.8	M24 x 120	Zinc Yellow Passivation Fe/Zn P2	24 mm	120 mm	36 mm	
931824120GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Zinc Flake-Si	Steel 8.8	M24 x 120	GEOMET 500A	24 mm	120 mm	36 mm	
931824120PTFE	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Ptfе Coated (x	Steel 8.8	M24 x 120	PTFE COATED (XYLAN)	24 mm	120 mm	36 mm	
931824120ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 120, Zinc-Nickel-S	Steel 8.8	M24 x 120	ZnNi8/Cn/T4	24 mm	120 mm	36 mm	
931824130	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Plain	Steel 8.8	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
9318241301	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc Plated	Steel 8.8	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
9318241301C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, EN 10204-3.1 C	Steel 8.8	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
9318241301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, SST 66 h Zinc	Steel 8.8	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
9318241302	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Hot-Dip Galvan	Steel 8.8	M24 x 130	Hot Dip Galvanizing	24 mm	130 mm	36 mm	
9318241302HG	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Hot-Dip Galvan	Steel 8.8	M24 x 130	Hot Dip Galvanizing	24 mm	130 mm	36 mm	
931824130GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc Flake-Si	Steel 8.8	M24 x 130	GEOMET 500A	24 mm	130 mm	36 mm	
931824130I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Plain	Steel 8.8	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
931824130ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc-Nickel-S	Steel 8.8	M24 x 130	Zn-Ni SILVER 8 MICRON + FINCARD	24 mm	130 mm	36 mm	
931824130ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc-Nickel-S	Steel 8.8	M24 x 130	Zn-Ni SILVER 8 MICRON + FINCARD	24 mm	130 mm	36 mm	
931824130ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc-Nickel-S	Steel 8.8	M24 x 130	Zn-Ni SILVER 8 MICRON + FINCARD	24 mm	130 mm	36 mm	
931824130ZNTF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc-Nickel-S	Steel 8.8	M24 x 130	Zn-Ni SILVER 8 MICRON + FINCARD	24 mm	130 mm	36 mm	
931824130ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc-Nickel-S	Steel 8.8	M24 x 130	ZnNi8/Cn/T4	24 mm	130 mm	36 mm	
931824140	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Plain	Steel 8.8	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
9318241401	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Zinc Plated	Steel 8.8	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
9318241401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, SST 66 h Zinc	Steel 8.8	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
9318241401SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, SST 200 h Zinc	Steel 8.8	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
9318241402	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Hot-Dip Galvan	Steel 8.8	M24 x 140	Hot Dip Galvanizing	24 mm	140 mm	36 mm	
9318241402HG	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Hot-Dip Galvan	Steel 8.8	M24 x 140	Hot Dip Galvanizing	24 mm	140 mm	36 mm	
9318241403	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Zinc Plated	Steel 8.8	M24 x 140	Zinc Yellow Passivation Fe/Zn P2	24 mm	140 mm	36 mm	
931824140C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, EN 10204-3.1 C	Steel 8.8	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
931824140GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Zinc Flake-Si	Steel 8.8	M24 x 140	GEOMET 500B	24 mm	140 mm	36 mm	
931824140GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Zinc Flake-Si	Steel 8.8	M24 x 140	GEOMET 500A	24 mm	140 mm	36 mm	
931824140I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 140, Plain	Steel 8.8	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
931824150	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 150, Plain	Steel 8.8	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
9318241501	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 150, Zinc Plated	Steel 8.8	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
9318241501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 150, SST 66 h Zinc	Steel 8.8	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
9318241502	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 150, Hot-Dip Galvan	Steel 8.8	M24 x 150	Hot Dip Galvanizing	24 mm	150 mm	36 mm	
931824150GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 150, Zinc Flake-Si	Steel 8.8	M24 x 150	GEOMET 500A	24 mm	150 mm	36 mm	
931824150GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 150, Zinc Flake-Si	Steel 8.8	M24 x 150	GEOMET 500A	24 mm	150 mm	36 mm	
931824150I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 150, Plain	Steel 8.8	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
931824155	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 155, Plain	Steel 8.8	M24 x 155	Plain (no plating)	24 mm	155 mm	36 mm	
931824160	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, Plain	Steel 8.8	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
9318241601	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, Zinc Plated	Steel 8.8	M24 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	36 mm	
9318241601C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, EN 10204-3.1 C	Steel 8.8	M24 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	36 mm	
9318241601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, SST 66 h Zinc	Steel 8.8	M24 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	36 mm	
9318241601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, SST 200 h Zinc	Steel 8.8	M24 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	36 mm	
9318241602	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, Hot-Dip Galvan	Steel 8.8	M24 x 160	Hot Dip Galvanizing	24 mm	160 mm	36 mm	
931824160CGEO	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, EN 10204-3.1 C	Steel 8.8	M24 x 160	GEOMET 500A	24 mm	160 mm	36 mm	
931824160GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, Zinc							

Flake, Si

Steel 8.8

M24 x 160

GEOMET 500A

24 mm

160 mm

36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931824160GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, Zinc Plated	Steel 8.8	M24 x 160	GEOMET 500B	24 mm	160 mm	36 mm	
931824160I	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, Plain	Steel 8.8	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
931824160ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 160, Zinc-Nickel	Steel 8.8	M24 x 160	ZnNi8/Cn/T4	24 mm	160 mm	36 mm	
931824170	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, Plain	Steel 8.8	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
9318241701	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, Zinc Plated	Steel 8.8	M24 x 170	Zinc Bright Passivation Fe/Zn P1	24 mm	170 mm	36 mm	
9318241701SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, SST 200 h Zinc	Steel 8.8	M24 x 170	Zinc Bright Passivation Fe/Zn P1	24 mm	170 mm	36 mm	
9318241702	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, Hot-Dip Galvan	Steel 8.8	M24 x 170	Hot Dip Galvanizing	24 mm	170 mm	36 mm	
9318241703	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, Zinc Plated	Steel 8.8	M24 x 170	Zinc Yellow Passivation Fe/Zn P2	24 mm	170 mm	36 mm	
931824170C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, EN	Steel 8.8	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
931824170GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, EN	Steel 8.8	M24 x 170	GEOMET 500A	24 mm	170 mm	36 mm	
931824170GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 170, Zinc Plated	Steel 8.8	M24 x 170	GEOMET 500B	24 mm	170 mm	36 mm	
931824180	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Plain	Steel 8.8	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
9318241801	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Zinc Plated	Steel 8.8	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	36 mm	
9318241801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, SST 96 h Zinc	Steel 8.8	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	36 mm	
9318241802	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Hot-Dip Galvan	Steel 8.8	M24 x 180	Hot Dip Galvanizing	24 mm	180 mm	36 mm	
9318241803	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Zinc Plated	Steel 8.8	M24 x 180	Zinc Yellow Passivation Fe/Zn P2	24 mm	180 mm	36 mm	
931824180C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, EN	Steel 8.8	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
931824180GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Zinc Plated	Steel 8.8	M24 x 180	GEOMET 500A	24 mm	180 mm	36 mm	
931824180GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, EN	Steel 8.8	M24 x 180	GEOMET 500A	24 mm	180 mm	36 mm	
931824180ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Zinc-Nickel	Steel 8.8	M24 x 180	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	180 mm	36 mm	
931824180ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Zinc-Nickel	Steel 8.8	M24 x 180	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	180 mm	36 mm	
931824180ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 180, Zinc-Nickel	Steel 8.8	M24 x 180	ZnNi8/Cn/T4	24 mm	180 mm	36 mm	
931824190	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 190, Plain	Steel 8.8	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
9318241901	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 190, Zinc Plated	Steel 8.8	M24 x 190	Zinc Bright Passivation Fe/Zn P1	24 mm	190 mm	36 mm	
9318241902	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 190, Hot-Dip Galvan	Steel 8.8	M24 x 190	Hot Dip Galvanizing	24 mm	190 mm	36 mm	
931824195TL35	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 195/35, Plain	Steel 8.8	M24 x 195/35	Plain (no plating)	24 mm	195 mm	36 mm	
931824200	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, Plain	Steel 8.8	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
9318242001	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, Zinc Plated	Steel 8.8	M24 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm	36 mm	
9318242001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, SST 96 h Zinc	Steel 8.8	M24 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm	36 mm	
9318242002	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, Hot-Dip Galvan	Steel 8.8	M24 x 200	Hot Dip Galvanizing	24 mm	200 mm	36 mm	
931824200CERT	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, EN	Steel 8.8	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
931824200ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, Zinc-Nickel	Steel 8.8	M24 x 200	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	200 mm	36 mm	
931824200ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, Zinc-Nickel	Steel 8.8	M24 x 200	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	200 mm	36 mm	
931824200ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 200, Zinc-Nickel	Steel 8.8	M24 x 200	ZnNi8/Cn/T4	24 mm	200 mm	36 mm	
931824210	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 210, Plain	Steel 8.8	M24 x 210	Plain (no plating)	24 mm	210 mm	36 mm	
9318242101	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 210, Zinc Plated	Steel 8.8	M24 x 210	Zinc Bright Passivation Fe/Zn P1	24 mm	210 mm	36 mm	
9318242101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 210, SST 96 h Zinc	Steel 8.8	M24 x 210	Zinc Bright Passivation Fe/Zn P1	24 mm	210 mm	36 mm	
931824220	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Plain	Steel 8.8	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
9318242201	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Zinc Plated	Steel 8.8	M24 x 220	Zinc Bright Passivation Fe/Zn P1	24 mm	220 mm	36 mm	
9318242201C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, EN	Steel 8.8	M24 x 220	Zinc Bright Passivation Fe/Zn P1	24 mm	220 mm	36 mm	
9318242202	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Hot-Dip Galvan	Steel 8.8	M24 x 220	Hot Dip Galvanizing	24 mm	220 mm	36 mm	
931824220DELB	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Zinc Plated	Steel 8.8	M24 x 220	DELTA KL100x2/SEAL	24 mm	220 mm	36 mm	
931824220GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Zinc Plated	Steel 8.8	M24 x 220	GEOMET 500A	24 mm	220 mm	36 mm	
931824220ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Zinc-Nickel	Steel 8.8	M24 x 220	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	220 mm	36 mm	
931824220ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Zinc-Nickel	Steel 8.8	M24 x 220	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	220 mm	36 mm	
931824220ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 220, Zinc-Nickel	Steel 8.8	M24 x 220	FINIGARD	24 mm	220 mm	36 mm	

Nickel, S

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931824230	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 230, Plain	Steel 8.8	M24 x 230	Plain (no plating)	24 mm	230 mm	36 mm	
9318242301	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 230, Zinc Plated	Steel 8.8	M24 x 230	Zinc Bright Passivation Fe/Zn P1	24 mm	230 mm	36 mm	
9318242302	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 230, Hot-Dip Galvan	Steel 8.8	M24 x 230	Hot Dip Galvanizing	24 mm	230 mm	36 mm	
931824230GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 230, Zinc Flake-Si	Steel 8.8	M24 x 230	GEOMET 500B	24 mm	230 mm	36 mm	
931824230GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 230, Zinc Flake-Si	Steel 8.8	M24 x 230	GEOMET 500B	24 mm	230 mm	36 mm	
931824240	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Plain	Steel 8.8	M24 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
9318242401	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Zinc Plated	Steel 8.8	M24 x 240	Zinc Bright Passivation Fe/Zn P1	24 mm	240 mm	36 mm	
9318242402	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Hot-Dip Galvan	Steel 8.8	M24 x 240	Hot Dip Galvanizing	24 mm	240 mm	36 mm	
931824240GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Zinc Plated	Steel 8.8	M24 x 240	GEOMET 321A	24 mm	240 mm	36 mm	
931824240ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Zinc-Ni 8 MICRON + FINIGARD	Steel 8.8	M24 x 240	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	240 mm	36 mm	
931824240ZNF105-	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Zinc-Ni 8 MICRON + FINIGARD	Steel 8.8	M24 x 240	Zn-Ni SILVER 8 MICRON + FINIGARD	24 mm	240 mm	36 mm	
931824240ZNT	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Zinc-Ni 8 MICRON + FINIGARD	Steel 8.8	M24 x 240	ZnNi8/Cn/T4	24 mm	240 mm	36 mm	
931824240ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 240, Zinc-Ni 8 MICRON + FINIGARD	Steel 8.8	M24 x 240	ZnNi8/Cn/T4	24 mm	240 mm	36 mm	
931824250	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 250, Plain	Steel 8.8	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
9318242501	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 250, Zinc Plated	Steel 8.8	M24 x 250	Zinc Bright Passivation Fe/Zn P1	24 mm	250 mm	36 mm	
9318242502	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 250, Hot-Dip Galvan	Steel 8.8	M24 x 250	Hot Dip Galvanizing	24 mm	250 mm	36 mm	
9318242502C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 250, EN 10204 3.1 C	Steel 8.8	M24 x 250	Hot Dip Galvanizing	24 mm	250 mm	36 mm	
931824260	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 260, Plain	Steel 8.8	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
9318242601	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 260, Zinc Plated	Steel 8.8	M24 x 260	Zinc Bright Passivation Fe/Zn P1	24 mm	260 mm	36 mm	
9318242602	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 260, Hot-Dip Galvan	Steel 8.8	M24 x 260	Hot Dip Galvanizing	24 mm	260 mm	36 mm	
9318242603	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 260, Zinc Plated	Steel 8.8	M24 x 260	Zinc Yellow Passivation Fe/Zn P2	24 mm	260 mm	36 mm	
931824260GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 260, Zinc Plated	Steel 8.8	M24 x 260	GEOMET 500B	24 mm	260 mm	36 mm	
931824260P1000	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 260, Plain	Steel 8.8	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
9318242652	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 265, Hot-Dip Galvan	Steel 8.8	M24 x 265	Hot Dip Galvanizing	24 mm	265 mm	36 mm	
931824270	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 270, Plain	Steel 8.8	M24 x 270	Plain (no plating)	24 mm	270 mm	36 mm	
9318242701	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 270, Zinc Plated	Steel 8.8	M24 x 270	Zinc Bright Passivation Fe/Zn P1	24 mm	270 mm	36 mm	
9318242702	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 270, Hot-Dip Galvan	Steel 8.8	M24 x 270	Hot Dip Galvanizing	24 mm	270 mm	36 mm	
931824270C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 270, EN 10204 3.1 C	Steel 8.8	M24 x 270	Plain (no plating)	24 mm	270 mm	36 mm	
931824270ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 270, Zinc-Ni 10 MICRON + FINIGARD	Steel 8.8	M24 x 270	Zn-Ni BLACK + FINIGARD 105	24 mm	270 mm	36 mm	
931824270ZNB105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 270, Zinc-Ni 10 MICRON + FINIGARD	Steel 8.8	M24 x 270	Zn-Ni BLACK + FINIGARD 105	24 mm	270 mm	36 mm	
931824280	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 280, Plain	Steel 8.8	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
9318242801	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 280, Zinc Plated	Steel 8.8	M24 x 280	Zinc Bright Passivation Fe/Zn P1	24 mm	280 mm	36 mm	
9318242801SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 280, SST 200 b Zn	Steel 8.8	M24 x 280	Zinc Bright Passivation Fe/Zn P1	24 mm	280 mm	36 mm	
9318242802	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 280, Hot-Dip Galvan	Steel 8.8	M24 x 280	Hot Dip Galvanizing	24 mm	280 mm	36 mm	
9318242803	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 280, Zinc Plated	Steel 8.8	M24 x 280	Zinc Yellow Passivation Fe/Zn P2	24 mm	280 mm	36 mm	
9318242851C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 285, EN 10204 3.1 C	Steel 8.8	M24 x 285	Zinc Bright Passivation Fe/Zn P1	24 mm	285 mm	36 mm	
931824300	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 300, Plain	Steel 8.8	M24 x 300	Plain (no plating)	24 mm	300 mm	36 mm	
9318243001	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 300, Zinc Plated	Steel 8.8	M24 x 300	Zinc Bright Passivation Fe/Zn P1	24 mm	300 mm	36 mm	
9318243002	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 300, Hot-Dip Galvan	Steel 8.8	M24 x 300	Hot Dip Galvanizing	24 mm	300 mm	36 mm	
9318243101C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 310, EN 10204 3.1 C	Steel 8.8	M24 x 310	Zinc Bright Passivation Fe/Zn P1	24 mm	310 mm	36 mm	
9318243102	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 310, Hot-Dip Galvan	Steel 8.8	M24 x 310	Hot Dip Galvanizing	24 mm	310 mm	36 mm	
931824310GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 310, Zinc Plated	Steel 8.8	M24 x 310	GEOMET 500B	24 mm	310 mm	36 mm	
931824320	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 320, Plain	Steel 8.8	M24 x 320	Plain (no plating)	24 mm	320 mm	36 mm	
9318243201	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 320, Zinc Plated	Steel 8.8	M24 x 320	Zinc Bright Passivation Fe/Zn P1	24 mm	320 mm	36 mm	
9318243202	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 320, Hot-Dip Galvan	Steel 8.8	M24 x 320	Hot Dip Galvanizing	24 mm	320 mm	36 mm	
931824320GEO500	Dip Galvan							

Flake, Si

Steel 8.8

M24 x 320

GEOMET 500B

24 mm

320 mm

36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931824320ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 320, Zinc-Plated	Steel 8.8	M24 x 320	Zn-Ni SILVER 8 MICRON + FINICARD	24 mm	320 mm	36 mm	
9318243251	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 325, Zinc-Plated	Steel 8.8	M24 x 325	Zinc Bright Passivation Fe/Zn P1	24 mm	325 mm	36 mm	
931824330	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 330, Plain	Steel 8.8	M24 x 330	Plain (no plating)	24 mm	330 mm	36 mm	
9318243301	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 330, Zinc-Plated	Steel 8.8	M24 x 330	Zinc Bright Passivation Fe/Zn P1	24 mm	330 mm	36 mm	
931824340	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 340, Plain	Steel 8.8	M24 x 340	Plain (no plating)	24 mm	340 mm	36 mm	
9318243401	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 340, Zinc-Plated	Steel 8.8	M24 x 340	Zinc Bright Passivation Fe/Zn P1	24 mm	340 mm	36 mm	
9318243402	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 340, Hot-Dip Galvan	Steel 8.8	M24 x 340	Hot Dip Galvanizing	24 mm	340 mm	36 mm	
931824340ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 340, Zinc-Plated	Steel 8.8	M24 x 340	Zn-Ni SILVER 8 MICRON + FINICARD	24 mm	340 mm	36 mm	
931824350	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 350, Plain	Steel 8.8	M24 x 350	Plain (no plating)	24 mm	350 mm	36 mm	
9318243501	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 350, Zinc-Plated	Steel 8.8	M24 x 350	Zinc Bright Passivation Fe/Zn P1	24 mm	350 mm	36 mm	
931824350ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 350, Zinc-Plated	Steel 8.8	M24 x 350	ZnNi8/Cn/T4	24 mm	350 mm	36 mm	
931824360	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 360, Plain	Steel 8.8	M24 x 360	Plain (no plating)	24 mm	360 mm	36 mm	
9318243601	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 360, Zinc-Plated	Steel 8.8	M24 x 360	Zinc Bright Passivation Fe/Zn P1	24 mm	360 mm	36 mm	
9318243602	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 360, Hot-Dip Galvan	Steel 8.8	M24 x 360	Hot Dip Galvanizing	24 mm	360 mm	36 mm	
931824360GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 360, Zinc-Plated	Steel 8.8	M24 x 360	GEOMET 500B	24 mm	360 mm	36 mm	
931824360ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 360, Zinc-Plated	Steel 8.8	M24 x 360	Zn-Ni SILVER 8 MICRON + FINICARD	24 mm	360 mm	36 mm	
931824380	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 380, Plain	Steel 8.8	M24 x 380	Plain (no plating)	24 mm	380 mm	36 mm	
9318243801	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 380, Zinc-Plated	Steel 8.8	M24 x 380	Zinc Bright Passivation Fe/Zn P1	24 mm	380 mm	36 mm	
9318243802	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 380, Hot-Dip Galvan	Steel 8.8	M24 x 380	Hot Dip Galvanizing	24 mm	380 mm	36 mm	
931824380ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 380, Zinc-Plated	Steel 8.8	M24 x 380	Zn-Ni SILVER 8 MICRON + FINICARD	24 mm	380 mm	36 mm	
931824390	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 390, Plain	Steel 8.8	M24 x 390	Plain (no plating)	24 mm	390 mm	36 mm	
931824400	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 400, Plain	Steel 8.8	M24 x 400	Plain (no plating)	24 mm	400 mm	36 mm	
9318244001	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 400, Zinc-Plated	Steel 8.8	M24 x 400	Zinc Bright Passivation Fe/Zn P1	24 mm	400 mm	36 mm	
9318244002	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 400, Hot-Dip Galvan	Steel 8.8	M24 x 400	Hot Dip Galvanizing	24 mm	400 mm	36 mm	
931824410	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 410, Plain	Steel 8.8	M24 x 410	Plain (no plating)	24 mm	410 mm	36 mm	
9318244101	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 410, Zinc-Plated	Steel 8.8	M24 x 410	Zinc Bright Passivation Fe/Zn P1	24 mm	410 mm	36 mm	
931824420	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 420, Plain	Steel 8.8	M24 x 420	Plain (no plating)	24 mm	420 mm	36 mm	
9318244201	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 420, Zinc-Plated	Steel 8.8	M24 x 420	Zinc Bright Passivation Fe/Zn P1	24 mm	420 mm	36 mm	
9318244201TL130	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 420/130, Zinc-Plated	Steel 8.8	M24 x 420/130	Zinc Bright Passivation Fe/Zn P1	24 mm	420 mm	36 mm	
9318244202	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 420, Hot-Dip Galvan	Steel 8.8	M24 x 420	Hot Dip Galvanizing	24 mm	420 mm	36 mm	
931824430	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 430, Plain	Steel 8.8	M24 x 430	Plain (no plating)	24 mm	430 mm	36 mm	
9318244301	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 430, Zinc-Plated	Steel 8.8	M24 x 430	Zinc Bright Passivation Fe/Zn P1	24 mm	430 mm	36 mm	
931824440	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 440, Plain	Steel 8.8	M24 x 440	Plain (no plating)	24 mm	440 mm	36 mm	
9318244401	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 440, Zinc-Plated	Steel 8.8	M24 x 440	Zinc Bright Passivation Fe/Zn P1	24 mm	440 mm	36 mm	
9318244402	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 440, EN 10204-3-1-C	Steel 8.8	M24 x 440	Hot Dip Galvanizing	24 mm	440 mm	36 mm	
931824440ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 440, Zinc-Plated	Steel 8.8	M24 x 440	Zn-Ni SILVER 8 MICRON + FINICARD	24 mm	440 mm	36 mm	
9318244502	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 450, Hot-Dip Galvan	Steel 8.8	M24 x 450	Hot Dip Galvanizing	24 mm	450 mm	36 mm	
9318244502C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 450, EN 10204-3-1-C	Steel 8.8	M24 x 450	Hot Dip Galvanizing	24 mm	450 mm	36 mm	
9318244503TL110C	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 450/110, EN 10204-3	Steel 8.8	M24 x 450/110	Zinc Yellow Passivation Fe/Zn P2	24 mm	450 mm	36 mm	
931824460	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 460, Plain	Steel 8.8	M24 x 460	Plain (no plating)	24 mm	460 mm	36 mm	
9318244601	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 460, Zinc-Plated	Steel 8.8	M24 x 460	Zinc Bright Passivation Fe/Zn P1	24 mm	460 mm	36 mm	
9318244602	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 460, Hot-Dip Galvan	Steel 8.8	M24 x 460	Hot Dip Galvanizing	24 mm	460 mm	36 mm	
931824480	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 480, Plain	Steel 8.8	M24 x 480	Plain (no plating)	24 mm	480 mm	36 mm	
931824500	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 500, Plain	Steel 8.8	M24 x 500	Plain (no plating)	24 mm	500 mm	36 mm	
9318245001	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 500, Zinc-Plated	Steel 8.8	M24 x 500	Zinc Bright Passivation Fe/Zn P1	24 mm	500 mm	36 mm	
9318245002	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 500, Hot-							

Dip Galvan

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931824500ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 500, Zinc-Nickel S	Steel 8.8	M24 x 500	Zn-Ni SILVER 8 MICRON + FINICARD	24 mm	500 mm	36 mm	
931824510	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 510, Plain	Steel 8.8	M24 x 510	Plain (no plating)	24 mm	510 mm	36 mm	
9318245201	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 520, Zinc Plated	Steel 8.8	M24 x 520	Zinc Bright Passivation Fe/Zn P1	24 mm	520 mm	36 mm	
9318245202	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 520, Hot-Dip Galvan	Steel 8.8	M24 x 520	Hot Dip Galvanizing	24 mm	520 mm	36 mm	
931824540	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 540, Plain	Steel 8.8	M24 x 540	Plain (no plating)	24 mm	540 mm	36 mm	
9318245401	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 540, Zinc Plated	Steel 8.8	M24 x 540	Zinc Bright Passivation Fe/Zn P1	24 mm	540 mm	36 mm	
9318245402	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 540, Hot-Dip Galvan	Steel 8.8	M24 x 540	Hot Dip Galvanizing	24 mm	540 mm	36 mm	
931824560	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 560, Plain	Steel 8.8	M24 x 560	Plain (no plating)	24 mm	560 mm	36 mm	
9318246202	DIN 931 Hexagon Head Screw, Steel 8.8, M24 x 620, Hot-Dip Galvan	Steel 8.8	M24 x 620	Hot Dip Galvanizing	24 mm	620 mm	36 mm	
931827070	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 70, Plain	Steel 8.8	M27 x 70	Plain (no plating)	27 mm	70 mm	41 mm	
9318270701	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 70, Zinc Plated	Steel 8.8	M27 x 70	Zinc Bright Passivation Fe/Zn P1	27 mm	70 mm	41 mm	
931827075	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 75, Plain	Steel 8.8	M27 x 75	Plain (no plating)	27 mm	75 mm	41 mm	
931827080	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 80, Plain	Steel 8.8	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
9318270801	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 80, Zinc Plated	Steel 8.8	M27 x 80	Zinc Bright Passivation Fe/Zn P1	27 mm	80 mm	41 mm	
9318270802	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 80, Hot-Dip Galvan	Steel 8.8	M27 x 80	Hot Dip Galvanizing	27 mm	80 mm	41 mm	
9318270802HG	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 80, Hot-Dip Galvan	Steel 8.8	M27 x 80	Hot Dip Galvanizing	27 mm	80 mm	41 mm	
9318270803	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 80, EN 10204 3.1.1 Ge	Steel 8.8	M27 x 80	Zinc Yellow Passivation Fe/Zn P2	27 mm	80 mm	41 mm	
931827080GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 80, Zinc Flake Sil	Steel 8.8	M27 x 80	GEOMET 500A	27 mm	80 mm	41 mm	
931827085	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 85, Plain	Steel 8.8	M27 x 85	Plain (no plating)	27 mm	85 mm	41 mm	
931827090	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 90, Plain	Steel 8.8	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
9318270901	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 90, Zinc Plated	Steel 8.8	M27 x 90	Zinc Bright Passivation Fe/Zn P1	27 mm	90 mm	41 mm	
9318270901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 90, SST 86 h zinc	Steel 8.8	M27 x 90	Zinc Bright Passivation Fe/Zn P1	27 mm	90 mm	41 mm	
9318270902	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 90, Hot-Dip Galvan	Steel 8.8	M27 x 90	Hot Dip Galvanizing	27 mm	90 mm	41 mm	
9318270951	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 95, Zinc Plated	Steel 8.8	M27 x 95	Zinc Bright Passivation Fe/Zn P1	27 mm	95 mm	41 mm	
9318270952	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 95, Hot-Dip Galvani	Steel 8.8	M27 x 95	Hot Dip Galvanizing	27 mm	95 mm	41 mm	
931827100	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 100, Plain	Steel 8.8	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
9318271001	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 100, Zinc Plated	Steel 8.8	M27 x 100	Zinc Bright Passivation Fe/Zn P1	27 mm	100 mm	41 mm	
9318271001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 100, SST 86 h zinc	Steel 8.8	M27 x 100	Zinc Bright Passivation Fe/Zn P1	27 mm	100 mm	41 mm	
9318271002	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 100, Hot-Dip Galvani	Steel 8.8	M27 x 100	Hot Dip Galvanizing	27 mm	100 mm	41 mm	
9318271002C3.2	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 100, EN 10204 3.2 C	Steel 8.8	M27 x 100	Hot Dip Galvanizing	27 mm	100 mm	41 mm	
9318271007	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 100, Black Oxide	Steel 8.8	M27 x 100	Oxide (black or brown)	27 mm	100 mm	41 mm	
931827100ZNTW	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 100, Zinc-Nickel S	Steel 8.8	M27 x 100	ZnNi8/Cn/T4	27 mm	100 mm	41 mm	
931827110	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 110, Plain	Steel 8.8	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
9318271101	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 110, Zinc Plated	Steel 8.8	M27 x 110	Zinc Bright Passivation Fe/Zn P1	27 mm	110 mm	41 mm	
9318271101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 110, SST 86 h zinc	Steel 8.8	M27 x 110	Zinc Bright Passivation Fe/Zn P1	27 mm	110 mm	41 mm	
9318271102	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 110, Hot-Dip Galvani	Steel 8.8	M27 x 110	Hot Dip Galvanizing	27 mm	110 mm	41 mm	
9318271103	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 110, Zinc Plated Y	Steel 8.8	M27 x 110	Zinc Yellow Passivation Fe/Zn P2	27 mm	110 mm	41 mm	
931827120	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 120, Plain	Steel 8.8	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
9318271201	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 120, Zinc Plated	Steel 8.8	M27 x 120	Zinc Bright Passivation Fe/Zn P1	27 mm	120 mm	41 mm	
9318271201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 120, SST 86 h zinc	Steel 8.8	M27 x 120	Zinc Bright Passivation Fe/Zn P1	27 mm	120 mm	41 mm	
9318271201SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 120, SST 200 h zinc	Steel 8.8	M27 x 120	Zinc Bright Passivation Fe/Zn P1	27 mm	120 mm	41 mm	
9318271202	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 120, Hot-Dip Galvani	Steel 8.8	M27 x 120	Hot Dip Galvanizing	27 mm	120 mm	41 mm	
9318271203	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 120, Zinc Plated Y	Steel 8.8	M27 x 120	Zinc Yellow Passivation Fe/Zn P2	27 mm	120 mm	41 mm	
931827130	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 130, Plain	Steel 8.8	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
9318271301	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 130, Zinc Plated	Steel 8.8	M27 x 130	Zinc Bright Passivation Fe/Zn P1	27 mm	130 mm	41 mm	
9318271301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 130, SST							

96 h, Zinc

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318271302	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 130, EN 10204-3-1-C	Steel 8.8	M27 x 130	Hot Dip Galvanizing	27 mm	130 mm	41 mm	
931827135GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 135, Zinc Plated	Steel 8.8	M27 x 135	GEOMET 500A	27 mm	135 mm	41 mm	
931827140	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 140, Plain	Steel 8.8	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
9318271401	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 140, Zinc Plated	Steel 8.8	M27 x 140	Zinc Bright Passivation Fe/Zn P1	27 mm	140 mm	41 mm	
9318271401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 140, SST 96 h Zinc	Steel 8.8	M27 x 140	Zinc Bright Passivation Fe/Zn P1	27 mm	140 mm	41 mm	
9318271402	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 140, Hot-Dip Galvan	Steel 8.8	M27 x 140	Hot Dip Galvanizing	27 mm	140 mm	41 mm	
9318271402C	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 140, EN 10204-3-1-C	Steel 8.8	M27 x 140	Hot Dip Galvanizing	27 mm	140 mm	41 mm	
931827150	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 150, Plain	Steel 8.8	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
9318271501	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 150, Zinc Plated	Steel 8.8	M27 x 150	Zinc Bright Passivation Fe/Zn P1	27 mm	150 mm	41 mm	
9318271501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 150, SST 96 h Zinc	Steel 8.8	M27 x 150	Zinc Bright Passivation Fe/Zn P1	27 mm	150 mm	41 mm	
9318271501SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 150, SST 200 h Zinc	Steel 8.8	M27 x 150	Zinc Bright Passivation Fe/Zn P1	27 mm	150 mm	41 mm	
9318271502	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 150, Hot-Dip Galvan	Steel 8.8	M27 x 150	Hot Dip Galvanizing	27 mm	150 mm	41 mm	
9318271503	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 150, Zinc Plated	Steel 8.8	M27 x 150	Zinc Yellow Passivation Fe/Zn P2	27 mm	150 mm	41 mm	
931827150GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 150, Zinc Plated	Steel 8.8	M27 x 150	GEOMET 500A	27 mm	150 mm	41 mm	
931827160	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 160, Plain	Steel 8.8	M27 x 160	Plain (no plating)	27 mm	160 mm	41 mm	
9318271601	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 160, Zinc Plated	Steel 8.8	M27 x 160	Zinc Bright Passivation Fe/Zn P1	27 mm	160 mm	41 mm	
9318271601SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 160, SST 96 h Zinc	Steel 8.8	M27 x 160	Zinc Bright Passivation Fe/Zn P1	27 mm	160 mm	41 mm	
9318271601SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 160, SST 400 h Zinc	Steel 8.8	M27 x 160	Zinc Bright Passivation Fe/Zn P1	27 mm	160 mm	41 mm	
9318271602	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 160, Hot-Dip Galvan	Steel 8.8	M27 x 160	Hot Dip Galvanizing	27 mm	160 mm	41 mm	
9318271602C	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 160, EN 10204-3-1-C	Steel 8.8	M27 x 160	Hot Dip Galvanizing	27 mm	160 mm	41 mm	
931827160GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 160, Zinc Plated	Steel 8.8	M27 x 160	GEOMET 500A	27 mm	160 mm	41 mm	
931827170	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 170, Plain	Steel 8.8	M27 x 170	Plain (no plating)	27 mm	170 mm	41 mm	
9318271702	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 170, Hot-Dip Galvan	Steel 8.8	M27 x 170	Hot Dip Galvanizing	27 mm	170 mm	41 mm	
931827180	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 180, Plain	Steel 8.8	M27 x 180	Plain (no plating)	27 mm	180 mm	41 mm	
9318271801	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 180, Zinc Plated	Steel 8.8	M27 x 180	Zinc Bright Passivation Fe/Zn P1	27 mm	180 mm	41 mm	
9318271802	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 180, Hot-Dip Galvan	Steel 8.8	M27 x 180	Hot Dip Galvanizing	27 mm	180 mm	41 mm	
9318271803	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 180, Zinc Plated	Steel 8.8	M27 x 180	Zinc Yellow Passivation Fe/Zn P2	27 mm	180 mm	41 mm	
931827180GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 180, Zinc Plated	Steel 8.8	M27 x 180	GEOMET 500B	27 mm	180 mm	41 mm	
931827190	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 190, Plain	Steel 8.8	M27 x 190	Plain (no plating)	27 mm	190 mm	41 mm	
9318271901	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 190, Zinc Plated	Steel 8.8	M27 x 190	Zinc Bright Passivation Fe/Zn P1	27 mm	190 mm	41 mm	
9318271902	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 190, Hot-Dip Galvan	Steel 8.8	M27 x 190	Hot Dip Galvanizing	27 mm	190 mm	41 mm	
931827200	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 200, Plain	Steel 8.8	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
9318272001	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 200, Zinc Plated	Steel 8.8	M27 x 200	Zinc Bright Passivation Fe/Zn P1	27 mm	200 mm	41 mm	
9318272002	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 200, Hot-Dip Galvan	Steel 8.8	M27 x 200	Hot Dip Galvanizing	27 mm	200 mm	41 mm	
9318272101	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 210, Zinc Plated	Steel 8.8	M27 x 210	Zinc Bright Passivation Fe/Zn P1	27 mm	210 mm	41 mm	
9318272102C	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 210, EN 10204-3-1-C	Steel 8.8	M27 x 210	Hot Dip Galvanizing	27 mm	210 mm	41 mm	
931827220	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 220, Plain	Steel 8.8	M27 x 220	Plain (no plating)	27 mm	220 mm	41 mm	
9318272201	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 220, Zinc Plated	Steel 8.8	M27 x 220	Zinc Bright Passivation Fe/Zn P1	27 mm	220 mm	41 mm	
9318272202	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 220, Hot-Dip Galvan	Steel 8.8	M27 x 220	Hot Dip Galvanizing	27 mm	220 mm	41 mm	
9318272202C	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 220, EN 10204-3-1-C	Steel 8.8	M27 x 220	Hot Dip Galvanizing	27 mm	220 mm	41 mm	
931827230	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 230, Plain	Steel 8.8	M27 x 230	Plain (no plating)	27 mm	230 mm	41 mm	
931827240	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 240, Plain	Steel 8.8	M27 x 240	Plain (no plating)	27 mm	240 mm	41 mm	
9318272401	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 240, Zinc Plated	Steel 8.8	M27 x 240	Zinc Bright Passivation Fe/Zn P1	27 mm	240 mm	41 mm	
9318272401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 240, SST 96 h Zinc	Steel 8.8	M27 x 240	Zinc Bright Passivation Fe/Zn P1	27 mm	240 mm	41 mm	
9318272402	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 240, Hot-Dip Galvan	Steel 8.8	M27 x 240	Hot Dip Galvanizing	27 mm	240 mm	41 mm	
931827250	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 250, Plain	Steel 8.8	M27 x 250	Plain (no plating)	27 mm	250 mm	41 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318272501	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 250, Zinc Plated	Steel 8.8	M27 x 250	Zinc Bright Passivation Fe/Zn P1	27 mm	250 mm	41 mm	
9318272502	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 250, Hot-Dip Galvanizing	Steel 8.8	M27 x 250	Hot Dip Galvanizing	27 mm	250 mm	41 mm	
9318272502C	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 250, EN 10204 3.1 Ce	Steel 8.8	M27 x 250	Hot Dip Galvanizing	27 mm	250 mm	41 mm	
931827260	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 260, Plain	Steel 8.8	M27 x 260	Plain (no plating)	27 mm	260 mm	41 mm	
9318272601	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 260, Zinc Plated	Steel 8.8	M27 x 260	Zinc Bright Passivation Fe/Zn P1	27 mm	260 mm	41 mm	
9318272602	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 260, Hot-Dip Galvanizing	Steel 8.8	M27 x 260	Hot Dip Galvanizing	27 mm	260 mm	41 mm	
931827270	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 270, Plain	Steel 8.8	M27 x 270	Plain (no plating)	27 mm	270 mm	41 mm	
9318272701	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 270, Zinc Plated	Steel 8.8	M27 x 270	Zinc Bright Passivation Fe/Zn P1	27 mm	270 mm	41 mm	
9318272702	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 270, Hot-Dip Galvanizing	Steel 8.8	M27 x 270	Hot Dip Galvanizing	27 mm	270 mm	41 mm	
931827280	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 280, Plain	Steel 8.8	M27 x 280	Plain (no plating)	27 mm	280 mm	41 mm	
9318272801	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 280, Zinc Plated	Steel 8.8	M27 x 280	Zinc Bright Passivation Fe/Zn P1	27 mm	280 mm	41 mm	
9318272802	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 280, Hot-Dip Galvanizing	Steel 8.8	M27 x 280	Hot Dip Galvanizing	27 mm	280 mm	41 mm	
931827290	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 290, Plain	Steel 8.8	M27 x 290	Plain (no plating)	27 mm	290 mm	41 mm	
931827300	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 300, Plain	Steel 8.8	M27 x 300	Plain (no plating)	27 mm	300 mm	41 mm	
9318273002	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 300, Hot-Dip Galvanizing	Steel 8.8	M27 x 300	Hot Dip Galvanizing	27 mm	300 mm	41 mm	
9318273102	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 310, Hot-Dip Galvanizing	Steel 8.8	M27 x 310	Hot Dip Galvanizing	27 mm	310 mm	41 mm	
931827320	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 320, Plain	Steel 8.8	M27 x 320	Plain (no plating)	27 mm	320 mm	41 mm	
9318273201	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 320, Zinc Plated	Steel 8.8	M27 x 320	Zinc Bright Passivation Fe/Zn P1	27 mm	320 mm	41 mm	
9318273202	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 320, Hot-Dip Galvanizing	Steel 8.8	M27 x 320	Hot Dip Galvanizing	27 mm	320 mm	41 mm	
931827340	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 340, Plain	Steel 8.8	M27 x 340	Plain (no plating)	27 mm	340 mm	41 mm	
9318273402	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 340, Hot-Dip Galvanizing	Steel 8.8	M27 x 340	Hot Dip Galvanizing	27 mm	340 mm	41 mm	
931827350	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 350, Plain	Steel 8.8	M27 x 350	Plain (no plating)	27 mm	350 mm	41 mm	
9318273502	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 350, EN 10204 3.1 Ce	Steel 8.8	M27 x 350	Hot Dip Galvanizing	27 mm	350 mm	41 mm	
931827360	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 360, Plain	Steel 8.8	M27 x 360	Plain (no plating)	27 mm	360 mm	41 mm	
9318273602	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 360, Hot-Dip Galvanizing	Steel 8.8	M27 x 360	Hot Dip Galvanizing	27 mm	360 mm	41 mm	
931827370	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 370, Plain	Steel 8.8	M27 x 370	Plain (no plating)	27 mm	370 mm	41 mm	
9318273801	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 380, Zinc Plated	Steel 8.8	M27 x 380	Zinc Bright Passivation Fe/Zn P1	27 mm	380 mm	41 mm	
9318273802	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 380, Hot-Dip Galvanizing	Steel 8.8	M27 x 380	Hot Dip Galvanizing	27 mm	380 mm	41 mm	
9318273802C	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 380, EN 10204 3.1 Ce	Steel 8.8	M27 x 380	Hot Dip Galvanizing	27 mm	380 mm	41 mm	
931827390GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 390, Zinc Plated	Steel 8.8	M27 x 390	GEOMET 500B	27 mm	390 mm	41 mm	
931827400	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 400, Plain	Steel 8.8	M27 x 400	Plain (no plating)	27 mm	400 mm	41 mm	
931827420	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 420, Plain	Steel 8.8	M27 x 420	Plain (no plating)	27 mm	420 mm	41 mm	
9318274202	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 420, Hot-Dip Galvanizing	Steel 8.8	M27 x 420	Hot Dip Galvanizing	27 mm	420 mm	41 mm	
9318274402	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 440, Hot-Dip Galvanizing	Steel 8.8	M27 x 440	Hot Dip Galvanizing	27 mm	440 mm	41 mm	
931827450	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 450, Plain	Steel 8.8	M27 x 450	Plain (no plating)	27 mm	450 mm	41 mm	
931827500	DIN 931 Hexagon Head Screw, Steel 8.8, M27 x 500, Plain	Steel 8.8	M27 x 500	Plain (no plating)	27 mm	500 mm	41 mm	
9318300701	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 70, Zinc Plated	Steel 8.8	M30 x 70	Zinc Bright Passivation Fe/Zn P1	30 mm	70 mm	46 mm	
9318300702	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 70, Hot-Dip Galvanizing	Steel 8.8	M30 x 70	Hot Dip Galvanizing	30 mm	70 mm	46 mm	
9318300751	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 75, Zinc Plated	Steel 8.8	M30 x 75	Zinc Bright Passivation Fe/Zn P1	30 mm	75 mm	46 mm	
9318300752HG	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 75, Hot-Dip Galvanizing	Steel 8.8	M30 x 75	Hot Dip Galvanizing	30 mm	75 mm	46 mm	
931830080	Over-size Hot-Dip Galvanizing DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, Plain	Steel 8.8	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
9318300801	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, Zinc Plated	Steel 8.8	M30 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	46 mm	
9318300801SST400 WC	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, EN 10204 3.1 Ce	Steel 8.8	M30 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	46 mm	
9318300802	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, Hot-Dip Galvanizing	Steel 8.8	M30 x 80	Hot Dip Galvanizing	30 mm	80 mm	46 mm	
931830080C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, EN 10204 3.1 Ce	Steel 8.8	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
931830080P1000	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, Zinc Plated							

Flake, Sil

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931830080ZNB	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, Zinc-Nickel-Pl	Steel 8.8	M30 x 80	Zn-Ni BLACK + FINIGARD 105	30 mm	80 mm	46 mm	
931830080ZNB1	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 80, Zinc-Nickel-Pl	Steel 8.8	M30 x 80	Zn-Ni BLACK + FINIGARD 105	30 mm	80 mm	46 mm	
931830090	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, Plain	Steel 8.8	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
9318300901	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, Zinc Plated	Steel 8.8	M30 x 90	Zinc Bright Passivation Fe/Zn P1	30 mm	90 mm	46 mm	
9318300901SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, SST 96 h Zinc	Steel 8.8	M30 x 90	Zinc Bright Passivation Fe/Zn P1	30 mm	90 mm	46 mm	
9318300902	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, Hot-Dip Galvan	Steel 8.8	M30 x 90	Hot Dip Galvanizing	30 mm	90 mm	46 mm	
9318300902HG	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, Oversize Hot-D	Steel 8.8	M30 x 90	Hot Dip Galvanizing	30 mm	90 mm	46 mm	
9318300903	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, Zinc Plated Y	Steel 8.8	M30 x 90	Zinc Yellow Passivation Fe/Zn P2	30 mm	90 mm	46 mm	
931830090GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, EN Flake-Si	Steel 8.8	M30 x 90	GEOMET 500A	30 mm	90 mm	46 mm	
931830090ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 90, Zinc-Nickel-Si	Steel 8.8	M30 x 90	Zn-Ni SILVER 8 MICRON + FINIGARD	30 mm	90 mm	46 mm	
931830095	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 95, Plain	Steel 8.8	M30 x 95	Plain (no plating)	30 mm	95 mm	46 mm	
931830100	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, Plain	Steel 8.8	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
9318301001	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, Zinc Plated	Steel 8.8	M30 x 100	Zinc Bright Passivation Fe/Zn P1	30 mm	100 mm	46 mm	
9318301001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, SST 96 h Zinc	Steel 8.8	M30 x 100	Zinc Bright Passivation Fe/Zn P1	30 mm	100 mm	46 mm	
9318301002	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, Hot-Dip Galvan	Steel 8.8	M30 x 100	Hot Dip Galvanizing	30 mm	100 mm	46 mm	
93183010026H	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, Hot-Dip Galvan	Steel 8.8	M30 x 100	Hot Dip Galvanizing	30 mm	100 mm	46 mm	
9318301002C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, EN Flake-Si	Steel 8.8	M30 x 100	Hot Dip Galvanizing	30 mm	100 mm	46 mm	
9318301002HG	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, Oversize Hot-D	Steel 8.8	M30 x 100	Hot Dip Galvanizing	30 mm	100 mm	46 mm	
9318301003	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, Zinc Plated Y	Steel 8.8	M30 x 100	Zinc Yellow Passivation Fe/Zn P2	30 mm	100 mm	46 mm	
931830100ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 100, Zinc Flake-Si	Steel 8.8	M30 x 100	ZINC FLAKE SILVER NO CR6+ 600	30 mm	100 mm	46 mm	
931830110	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 110, Plain	Steel 8.8	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
9318301101	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 110, Zinc Plated	Steel 8.8	M30 x 110	Zinc Bright Passivation Fe/Zn P1	30 mm	110 mm	46 mm	
9318301101DRI	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 110, Zinc Plated	Steel 8.8	M30 x 110	Zinc Bright Passivation Fe/Zn P1	30 mm	110 mm	46 mm	
9318301101SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 110, SST 96 h Zinc	Steel 8.8	M30 x 110	Zinc Bright Passivation Fe/Zn P1	30 mm	110 mm	46 mm	
9318301102	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 110, Hot-Dip Galvan	Steel 8.8	M30 x 110	Hot Dip Galvanizing	30 mm	110 mm	46 mm	
931830110GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 110, Zinc Flake-Si	Steel 8.8	M30 x 110	GEOMET 500A	30 mm	110 mm	46 mm	
931830110GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 110, Zinc Flake-Si	Steel 8.8	M30 x 110	GEOMET 500B	30 mm	110 mm	46 mm	
9318301152	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 115, Hot-Dip Galvan	Steel 8.8	M30 x 115	Hot Dip Galvanizing	30 mm	115 mm	46 mm	
931830120	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 120, Plain	Steel 8.8	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
9318301201	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 120, Zinc Plated	Steel 8.8	M30 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	46 mm	
9318301201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 120, SST 96 h Zinc	Steel 8.8	M30 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	46 mm	
9318301202	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 120, Hot-Dip Galvan	Steel 8.8	M30 x 120	Hot Dip Galvanizing	30 mm	120 mm	46 mm	
9318301202C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 120, EN Flake-Si	Steel 8.8	M30 x 120	Hot Dip Galvanizing	30 mm	120 mm	46 mm	
9318301203	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 120, Zinc Plated Y	Steel 8.8	M30 x 120	Zinc Yellow Passivation Fe/Zn P2	30 mm	120 mm	46 mm	
931830120GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 120, Zinc Flake-Si	Steel 8.8	M30 x 120	GEOMET 500B	30 mm	120 mm	46 mm	
93183012513,2	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 125, EN Flake-Si	Steel 8.8	M30 x 125	Zinc Bright Passivation Fe/Zn P1	30 mm	125 mm	46 mm	
9318301252	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 125, Hot-Dip Galvan	Steel 8.8	M30 x 125	Hot Dip Galvanizing	30 mm	125 mm	46 mm	
931830130	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 130, Plain	Steel 8.8	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
9318301301	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 130, Zinc Plated	Steel 8.8	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm	46 mm	
9318301301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 130, SST 96 h Zinc	Steel 8.8	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm	46 mm	
9318301301SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 130, SST 400 h Zinc	Steel 8.8	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm	46 mm	
9318301302	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 130, Hot-Dip Galvan	Steel 8.8	M30 x 130	Hot Dip Galvanizing	30 mm	130 mm	46 mm	
931830130C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 130, EN Flake-Si	Steel 8.8	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
931830130GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 130, EN Flake-Si	Steel 8.8	M30 x 130	GEOMET 500B	30 mm	130 mm	46 mm	
931830140	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, Plain	Steel 8.8	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
9318301401	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, Zinc Plated							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318301401C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, EN 10204 3.1 C	Steel 8.8	M30 x 140	Zinc Bright Passivation Fe/Zn P1	30 mm	140 mm	46 mm	
9318301401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, SST 10204 3.1 C	Steel 8.8	M30 x 140	Zinc Bright Passivation Fe/Zn P1	30 mm	140 mm	46 mm	
9318301402	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, Hot-Dip Galvan	Steel 8.8	M30 x 140	Hot Dip Galvanizing	30 mm	140 mm	46 mm	
9318301402C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, EN 10204 3.1 C	Steel 8.8	M30 x 140	Hot Dip Galvanizing	30 mm	140 mm	46 mm	
9318301403	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, Zinc Plated, Y	Steel 8.8	M30 x 140	Zinc Yellow Passivation Fe/Zn P2	30 mm	140 mm	46 mm	
931830140GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 140, Zinc Flake-Si	Steel 8.8	M30 x 140	GEOMET 500A	30 mm	140 mm	46 mm	
931830150	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 150, Plain	Steel 8.8	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
9318301501	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 150, Zinc Plated	Steel 8.8	M30 x 150	Zinc Bright Passivation Fe/Zn P1	30 mm	150 mm	46 mm	
93183015013,2	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 150, EN 10204 3.1 C	Steel 8.8	M30 x 150	Zinc Bright Passivation Fe/Zn P1	30 mm	150 mm	46 mm	
9318301501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 150, SST 10204 3.1 C	Steel 8.8	M30 x 150	Zinc Bright Passivation Fe/Zn P1	30 mm	150 mm	46 mm	
9318301502	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 150, Hot-Dip Galvan	Steel 8.8	M30 x 150	Hot Dip Galvanizing	30 mm	150 mm	46 mm	
9318301502C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 150, EN 10204 3.1 C	Steel 8.8	M30 x 150	Hot Dip Galvanizing	30 mm	150 mm	46 mm	
931830160	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 160, Plain	Steel 8.8	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
9318301601	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 160, Zinc Plated	Steel 8.8	M30 x 160	Zinc Bright Passivation Fe/Zn P1	30 mm	160 mm	46 mm	
9318301602	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 160, Hot-Dip Galvan	Steel 8.8	M30 x 160	Hot Dip Galvanizing	30 mm	160 mm	46 mm	
9318301602C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 160, EN 10204 3.1 C	Steel 8.8	M30 x 160	Hot Dip Galvanizing	30 mm	160 mm	46 mm	
9318301602HG	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 160, Oversize Hot-Dip Galvan	Steel 8.8	M30 x 160	Hot Dip Galvanizing	30 mm	160 mm	46 mm	
9318301603	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 160, Zinc Plated, Y	Steel 8.8	M30 x 160	Zinc Yellow Passivation Fe/Zn P2	30 mm	160 mm	46 mm	
931830160GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 160, Zinc Flake-Si	Steel 8.8	M30 x 160	GEOMET 500A	30 mm	160 mm	46 mm	
9318301652	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 165, Hot-Dip Galvan	Steel 8.8	M30 x 165	Hot Dip Galvanizing	30 mm	165 mm	46 mm	
931830165GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 165, Zinc Flake-Si	Steel 8.8	M30 x 165	GEOMET 500B	30 mm	165 mm	46 mm	
931830170	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 170, Plain	Steel 8.8	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
9318301701	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 170, Zinc Plated	Steel 8.8	M30 x 170	Zinc Bright Passivation Fe/Zn P1	30 mm	170 mm	46 mm	
9318301702	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 170, Hot-Dip Galvan	Steel 8.8	M30 x 170	Hot Dip Galvanizing	30 mm	170 mm	46 mm	
9318301703	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 170, Zinc Plated, Y	Steel 8.8	M30 x 170	Zinc Yellow Passivation Fe/Zn P2	30 mm	170 mm	46 mm	
931830180	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 180, Plain	Steel 8.8	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
9318301801	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 180, Zinc Plated	Steel 8.8	M30 x 180	Zinc Bright Passivation Fe/Zn P1	30 mm	180 mm	46 mm	
9318301801C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 180, EN 10204 3.1 C	Steel 8.8	M30 x 180	Zinc Bright Passivation Fe/Zn P1	30 mm	180 mm	46 mm	
9318301801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 180, SST 10204 3.1 C	Steel 8.8	M30 x 180	Zinc Bright Passivation Fe/Zn P1	30 mm	180 mm	46 mm	
9318301802	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 180, Hot-Dip Galvan	Steel 8.8	M30 x 180	Hot Dip Galvanizing	30 mm	180 mm	46 mm	
9318301802C3,2	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 180, EN 10204 3.2 C	Steel 8.8	M30 x 180	Hot Dip Galvanizing	30 mm	180 mm	46 mm	
931830180GEO5A	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 180, Zinc Flake-Si	Steel 8.8	M30 x 180	GEOMET 500A	30 mm	180 mm	46 mm	
931830190	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 190, Plain	Steel 8.8	M30 x 190	Plain (no plating)	30 mm	190 mm	46 mm	
9318301901	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 190, Zinc Plated	Steel 8.8	M30 x 190	Zinc Bright Passivation Fe/Zn P1	30 mm	190 mm	46 mm	
9318301902	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 190, Hot-Dip Galvan	Steel 8.8	M30 x 190	Hot Dip Galvanizing	30 mm	190 mm	46 mm	
931830190GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 190, Zinc Flake-Si	Steel 8.8	M30 x 190	GEOMET 500B	30 mm	190 mm	46 mm	
931830190ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 190, Zinc-Ni SILVER 8 MICRON + FINICARD	Steel 8.8	M30 x 190	Zn-Ni SILVER 8 MICRON + FINICARD	30 mm	190 mm	46 mm	
931830200	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 200, Plain	Steel 8.8	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
9318302001	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 200, Zinc Plated	Steel 8.8	M30 x 200	Zinc Bright Passivation Fe/Zn P1	30 mm	200 mm	46 mm	
9318302001C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 200, EN 10204 3.1 C	Steel 8.8	M30 x 200	Zinc Bright Passivation Fe/Zn P1	30 mm	200 mm	46 mm	
9318302002	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 200, Hot-Dip Galvan	Steel 8.8	M30 x 200	Hot Dip Galvanizing	30 mm	200 mm	46 mm	
9318302003	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 200, Zinc Plated, Y	Steel 8.8	M30 x 200	Zinc Yellow Passivation Fe/Zn P2	30 mm	200 mm	46 mm	
931830210	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 210, Plain	Steel 8.8	M30 x 210	Plain (no plating)	30 mm	210 mm	46 mm	
9318302101	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 210, Zinc Plated	Steel 8.8	M30 x 210	Zinc Bright Passivation Fe/Zn P1	30 mm	210 mm	46 mm	
9318302102	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 210, Hot-Dip Galvan	Steel 8.8	M30 x 210	Hot Dip Galvanizing	30 mm	210 mm	46 mm	
931830210ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 210, Zinc-Ni SILVER 8 MICRON + FINICARD							

Nickel, S

Steel 8.8

M30 x 210

Zn-Ni SILVER 8 MICRON +

FINIGARD

30 mm

210 mm

46 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931830210ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 210, Zinc-Nickel S	Steel 8.8	M30 x 210	Zn-Ni SILVER 8 MICRON + FINIGARD	30 mm	210 mm	46 mm	
931830220	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 220, Plain	Steel 8.8	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
9318302201	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 220, Zinc	Steel 8.8	M30 x 220	Zinc Bright Passivation Fe/Zn P1	30 mm	220 mm	46 mm	
9318302202	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 220, Hot-Dip Galvan	Steel 8.8	M30 x 220	Hot Dip Galvanizing	30 mm	220 mm	46 mm	
9318302202C3.2	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 220, EN 10204-3-2 C	Steel 8.8	M30 x 220	Hot Dip Galvanizing	30 mm	220 mm	46 mm	
9318302203	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 220, Zinc Plated Y	Steel 8.8	M30 x 220	Zinc Yellow Passivation Fe/Zn P2	30 mm	220 mm	46 mm	
9318302301	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 230, Zinc Plated	Steel 8.8	M30 x 230	Zinc Bright Passivation Fe/Zn P1	30 mm	230 mm	46 mm	
931830240	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, Plain	Steel 8.8	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
9318302401	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, Zinc	Steel 8.8	M30 x 240	Zinc Bright Passivation Fe/Zn P1	30 mm	240 mm	46 mm	
9318302401C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, EN 10204-3-1 C	Steel 8.8	M30 x 240	Zinc Bright Passivation Fe/Zn P1	30 mm	240 mm	46 mm	
9318302402	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, Hot-Dip Galvan	Steel 8.8	M30 x 240	Hot Dip Galvanizing	30 mm	240 mm	46 mm	
9318302403	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, Zinc Plated Y	Steel 8.8	M30 x 240	Zinc Yellow Passivation Fe/Zn P2	30 mm	240 mm	46 mm	
931830240C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, EN 10204-3-1 C	Steel 8.8	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
931830240GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, Zinc Flake-Si	Steel 8.8	M30 x 240	GEOMET 500A	30 mm	240 mm	46 mm	
931830240ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 240, Zinc-Nickel S	Steel 8.8	M30 x 240	Zn-Ni SILVER 8 MICRON + FINIGARD	30 mm	240 mm	46 mm	
931830250	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 250, Plain	Steel 8.8	M30 x 250	Plain (no plating)	30 mm	250 mm	46 mm	
9318302501	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 250, Zinc Plated	Steel 8.8	M30 x 250	Zinc Bright Passivation Fe/Zn P1	30 mm	250 mm	46 mm	
9318302501C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 250, EN 10204-3-1 C	Steel 8.8	M30 x 250	Zinc Bright Passivation Fe/Zn P1	30 mm	250 mm	46 mm	
9318302502	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 250, Hot-Dip Galvan	Steel 8.8	M30 x 250	Hot Dip Galvanizing	30 mm	250 mm	46 mm	
931830250GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 250, Zinc Flake-Si	Steel 8.8	M30 x 250	GEOMET 500A	30 mm	250 mm	46 mm	
931830260	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 260, Plain	Steel 8.8	M30 x 260	Plain (no plating)	30 mm	260 mm	46 mm	
9318302601	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 260, Zinc	Steel 8.8	M30 x 260	Zinc Bright Passivation Fe/Zn P1	30 mm	260 mm	46 mm	
9318302602	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 260, Hot-Dip Galvan	Steel 8.8	M30 x 260	Hot Dip Galvanizing	30 mm	260 mm	46 mm	
9318302603	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 260, Zinc Plated Y	Steel 8.8	M30 x 260	Zinc Yellow Passivation Fe/Zn P2	30 mm	260 mm	46 mm	
931830260ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 260, Zinc-Nickel S	Steel 8.8	M30 x 260	Zn-Ni SILVER 8 MICRON + FINIGARD	30 mm	260 mm	46 mm	
931830270	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 270, Plain	Steel 8.8	M30 x 270	Plain (no plating)	30 mm	270 mm	46 mm	
9318302702	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 270, Hot-Dip Galvan	Steel 8.8	M30 x 270	Hot Dip Galvanizing	30 mm	270 mm	46 mm	
931830280	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 280, Plain	Steel 8.8	M30 x 280	Plain (no plating)	30 mm	280 mm	46 mm	
9318302801	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 280, Zinc	Steel 8.8	M30 x 280	Zinc Bright Passivation Fe/Zn P1	30 mm	280 mm	46 mm	
9318302802	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 280, Hot-Dip Galvan	Steel 8.8	M30 x 280	Hot Dip Galvanizing	30 mm	280 mm	46 mm	
9318302802C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 280, EN 10204-3-1 C	Steel 8.8	M30 x 280	Hot Dip Galvanizing	30 mm	280 mm	46 mm	
931830280ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 280, Zinc-Nickel S	Steel 8.8	M30 x 280	Zn-Ni SILVER 8 MICRON + FINIGARD	30 mm	280 mm	46 mm	
9318302901	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 290, Zinc Plated	Steel 8.8	M30 x 290	Zinc Bright Passivation Fe/Zn P1	30 mm	290 mm	46 mm	
931830300	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 300, Plain	Steel 8.8	M30 x 300	Plain (no plating)	30 mm	300 mm	46 mm	
9318303001	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 300, Zinc	Steel 8.8	M30 x 300	Zinc Bright Passivation Fe/Zn P1	30 mm	300 mm	46 mm	
9318303002	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 300, Hot-Dip Galvan	Steel 8.8	M30 x 300	Hot Dip Galvanizing	30 mm	300 mm	46 mm	
9318303002C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 300, EN 10204-3-1 C	Steel 8.8	M30 x 300	Hot Dip Galvanizing	30 mm	300 mm	46 mm	
931830300TP	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 300, Protection Pl	Steel 8.8	M30 x 300	Plain (no plating)	30 mm	300 mm	46 mm	
931830320	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 320, Plain	Steel 8.8	M30 x 320	Plain (no plating)	30 mm	320 mm	46 mm	
9318303201	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 320, Zinc	Steel 8.8	M30 x 320	Zinc Bright Passivation Fe/Zn P1	30 mm	320 mm	46 mm	
9318303202	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 320, Hot-Dip Galvan	Steel 8.8	M30 x 320	Hot Dip Galvanizing	30 mm	320 mm	46 mm	
931830325	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 325, Plain	Steel 8.8	M30 x 325	Plain (no plating)	30 mm	325 mm	46 mm	
931830330	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 330, Plain	Steel 8.8	M30 x 330	Plain (no plating)	30 mm	330 mm	46 mm	
9318303301	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 330, Zinc	Steel 8.8	M30 x 330	Zinc Bright Passivation Fe/Zn P1	30 mm	330 mm	46 mm	
9318303302C	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 330, EN 10204-3-1 C	Steel 8.8	M30 x 330	Hot Dip Galvanizing	30 mm	330 mm	46 mm	
931830340	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 340, Plain	Steel 8.8	M30 x 340	Plain (no plating)	30 mm	340 mm	46 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318303401	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 340, Zinc Plated	Steel 8.8	M30 x 340	Zinc Bright Passivation Fe/Zn P1	30 mm	340 mm	46 mm	
9318303402	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 340, Hot-Dip Galvan	Steel 8.8	M30 x 340	Hot Dip Galvanizing	30 mm	340 mm	46 mm	
931830340ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 340, Zinc-Nickel	Steel 8.8	M30 x 340	Zinc-Nickel Fe/Zn-Ni	30 mm	340 mm	46 mm	
931830340ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 340, Zinc-Nickel-S	Steel 8.8	M30 x 340	TRANSPARENT ZIN-NI SILVER 8 MICRON + FINICARD	30 mm	340 mm	46 mm	
9318303501	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 350, Zinc Plated	Steel 8.8	M30 x 350	Zinc Bright Passivation Fe/Zn P1	30 mm	350 mm	46 mm	
9318303502	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 350, Hot-Dip Galvan	Steel 8.8	M30 x 350	Hot Dip Galvanizing	30 mm	350 mm	46 mm	
931830360	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 360, Plain	Steel 8.8	M30 x 360	Plain (no plating)	30 mm	360 mm	46 mm	
9318303601	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 360, Zinc Plated	Steel 8.8	M30 x 360	Zinc Bright Passivation Fe/Zn P1	30 mm	360 mm	46 mm	
9318303602	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 360, Hot-Dip Galvan	Steel 8.8	M30 x 360	Hot Dip Galvanizing	30 mm	360 mm	46 mm	
931830360ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 360, Zinc-Nickel-S	Steel 8.8	M30 x 360	Zn-Ni SILVER 8 MICRON + FINICARD	30 mm	360 mm	46 mm	
931830370	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 370, Plain	Steel 8.8	M30 x 370	Plain (no plating)	30 mm	370 mm	46 mm	
931830380	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 380, Plain	Steel 8.8	M30 x 380	Plain (no plating)	30 mm	380 mm	46 mm	
9318303801	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 380, Zinc Plated	Steel 8.8	M30 x 380	Zinc Bright Passivation Fe/Zn P1	30 mm	380 mm	46 mm	
931830400	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 400, Plain	Steel 8.8	M30 x 400	Plain (no plating)	30 mm	400 mm	46 mm	
9318304001	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 400, Zinc Plated	Steel 8.8	M30 x 400	Zinc Bright Passivation Fe/Zn P1	30 mm	400 mm	46 mm	
9318304002	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 400, Hot-Dip Galvan	Steel 8.8	M30 x 400	Hot Dip Galvanizing	30 mm	400 mm	46 mm	
931830400ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 400, Zinc-Nickel-S	Steel 8.8	M30 x 400	Zn-Ni SILVER 8 MICRON + FINICARD	30 mm	400 mm	46 mm	
931830400ZNF105I	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 400, Zinc-Nickel-S	Steel 8.8	M30 x 400	ZIN-NI SILVER 8 MICRON + FINICARD	30 mm	400 mm	46 mm	
9318304152	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 415, Hot-Dip Galvan	Steel 8.8	M30 x 415	Hot Dip Galvanizing	30 mm	415 mm	46 mm	
931830420	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 420, Plain	Steel 8.8	M30 x 420	Plain (no plating)	30 mm	420 mm	46 mm	
9318304201	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 420, Zinc Plated	Steel 8.8	M30 x 420	Zinc Bright Passivation Fe/Zn P1	30 mm	420 mm	46 mm	
9318304202	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 420, Hot-Dip Galvan	Steel 8.8	M30 x 420	Hot Dip Galvanizing	30 mm	420 mm	46 mm	
931830420ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 420, Zinc-Nickel-S	Steel 8.8	M30 x 420	Zn-Ni SILVER 8 MICRON + FINICARD	30 mm	420 mm	46 mm	
9318304301	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 430, Zinc Plated	Steel 8.8	M30 x 430	Zinc Bright Passivation Fe/Zn P1	30 mm	430 mm	46 mm	
9318304302	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 430, Hot-Dip Galvan	Steel 8.8	M30 x 430	Hot Dip Galvanizing	30 mm	430 mm	46 mm	
931830430GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 430, Zinc Flake-Si	Steel 8.8	M30 x 430	GEOMET 500B	30 mm	430 mm	46 mm	
931830440	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 440, Plain	Steel 8.8	M30 x 440	Plain (no plating)	30 mm	440 mm	46 mm	
9318304401	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 440, Zinc Plated	Steel 8.8	M30 x 440	Zinc Bright Passivation Fe/Zn P1	30 mm	440 mm	46 mm	
931830440ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 440, Zinc-Nickel-S	Steel 8.8	M30 x 440	Zinc-Nickel Fe/Zn-Ni	30 mm	440 mm	46 mm	
931830450	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 450, Plain	Steel 8.8	M30 x 450	TRANSPARENT Plain (no plating)	30 mm	450 mm	46 mm	
9318304501	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 450, Zinc Plated	Steel 8.8	M30 x 450	Zinc Bright Passivation Fe/Zn P1	30 mm	450 mm	46 mm	
9318304502	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 450, EN 10204-3-1 C	Steel 8.8	M30 x 450	Hot Dip Galvanizing	30 mm	450 mm	46 mm	
931830450GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 450, Zinc Flake-Si	Steel 8.8	M30 x 450	GEOMET 500B	30 mm	450 mm	46 mm	
9318304552	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 455, EN 10204-3-1 C	Steel 8.8	M30 x 455	Hot Dip Galvanizing	30 mm	455 mm	46 mm	
931830460	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 460, Plain	Steel 8.8	M30 x 460	Plain (no plating)	30 mm	460 mm	46 mm	
9318304601	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 460, Zinc Plated	Steel 8.8	M30 x 460	Zinc Bright Passivation Fe/Zn P1	30 mm	460 mm	46 mm	
9318304701	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 470, Zinc Plated	Steel 8.8	M30 x 470	Zinc Bright Passivation Fe/Zn P1	30 mm	470 mm	46 mm	
931830480	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 480, Plain	Steel 8.8	M30 x 480	Plain (no plating)	30 mm	480 mm	46 mm	
9318304801	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 480, Zinc Plated	Steel 8.8	M30 x 480	Zinc Bright Passivation Fe/Zn P1	30 mm	480 mm	46 mm	
931830480GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 480, Zinc Flake-Si	Steel 8.8	M30 x 480	GEOMET 500A	30 mm	480 mm	46 mm	
931830480ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 480, Zinc-Nickel-S	Steel 8.8	M30 x 480	Zinc-Nickel Fe/Zn-Ni	30 mm	480 mm	46 mm	
931830500	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 500, Plain	Steel 8.8	M30 x 500	TRANSPARENT Plain (no plating)	30 mm	500 mm	46 mm	
9318305002	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 500, Hot-Dip Galvan	Steel 8.8	M30 x 500	Hot Dip Galvanizing	30 mm	500 mm	46 mm	
931830520	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 520, Plain	Steel 8.8	M30 x 520	Plain (no plating)	30 mm	520 mm	46 mm	
9318305201	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 520, Zinc Plated	Steel 8.8	M30 x 520	Zinc Bright Passivation Fe/Zn P1	30 mm	520 mm	46 mm	
931830520GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 520, Zinc							

Flake, Si

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931830520ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 520, Zinc-Nickel S	Steel 8.8	M30 x 520	Zinc-Nickel Fe/Zn-Ni	30 mm	520 mm	46 mm	
9318305501	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 550, Zinc Plated	Steel 8.8	M30 x 550	TRANSPARENT, Zinc Bright Passivation Fe/Zn P1	30 mm	55 mm	46 mm	
931830560	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 560, Plain	Steel 8.8	M30 x 560	Plain (no plating)	30 mm	560 mm	46 mm	
931830600	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 600, Plain	Steel 8.8	M30 x 600	Plain (no plating)	30 mm	600 mm	46 mm	
931830600GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 600, Zinc Flake-Si	Steel 8.8	M30 x 600	GEOMET 500B	30 mm	600 mm	46 mm	
9318306501	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 650, Zinc Plated	Steel 8.8	M30 x 650	Zinc Bright Passivation Fe/Zn P1	30 mm	650 mm	46 mm	
9318307001	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 700, Zinc Plated	Steel 8.8	M30 x 700	Zinc Bright Passivation Fe/Zn P1	30 mm	700 mm	46 mm	
9318307601	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 760, Zinc Plated	Steel 8.8	M30 x 760	Zinc Bright Passivation Fe/Zn P1	30 mm	760 mm	46 mm	
9318307801	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 780, Zinc Plated	Steel 8.8	M30 x 780	Zinc Bright Passivation Fe/Zn P1	30 mm	780 mm	46 mm	
9318307901	DIN 931 Hexagon Head Screw, Steel 8.8, M30 x 790, Zinc Plated	Steel 8.8	M30 x 790	Zinc Bright Passivation Fe/Zn P1	30 mm	790 mm	46 mm	
931833080	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 80, Plain	Steel 8.8	M33 x 80	Plain (no plating)	33 mm	80 mm	50 mm	
931833090	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 90, Plain	Steel 8.8	M33 x 90	Plain (no plating)	33 mm	90 mm	50 mm	
931833100	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 100, Plain	Steel 8.8	M33 x 100	Plain (no plating)	33 mm	100 mm	50 mm	
9318331001	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 100, Zinc Plated	Steel 8.8	M33 x 100	Zinc Bright Passivation Fe/Zn P1	33 mm	100 mm	50 mm	
9318331001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 100, SST 96 h zinc	Steel 8.8	M33 x 100	Zinc Bright Passivation Fe/Zn P1	33 mm	100 mm	50 mm	
9318331002	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 100, Hot-Dip Galvan	Steel 8.8	M33 x 100	Hot Dip Galvanizing	33 mm	100 mm	50 mm	
9318331003	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 100, Zinc Plated-Y	Steel 8.8	M33 x 100	Zinc Yellow Passivation Fe/Zn P2	33 mm	100 mm	50 mm	
931833110	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 110, Plain	Steel 8.8	M33 x 110	Plain (no plating)	33 mm	110 mm	50 mm	
9318331101	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 110, Zinc Plated	Steel 8.8	M33 x 110	Zinc Bright Passivation Fe/Zn P1	33 mm	110 mm	50 mm	
9318331102	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 110, Hot-Dip Galvan	Steel 8.8	M33 x 110	Hot Dip Galvanizing	33 mm	110 mm	50 mm	
931833120	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 120, Plain	Steel 8.8	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
9318331201	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 120, Zinc Plated	Steel 8.8	M33 x 120	Zinc Bright Passivation Fe/Zn P1	33 mm	120 mm	50 mm	
9318331201SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 120, SST 200 h zinc	Steel 8.8	M33 x 120	Zinc Bright Passivation Fe/Zn P1	33 mm	120 mm	50 mm	
9318331202	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 120, Hot-Dip Galvan	Steel 8.8	M33 x 120	Hot Dip Galvanizing	33 mm	120 mm	50 mm	
931833130	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 130, Plain	Steel 8.8	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
9318331301	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 130, Zinc Plated	Steel 8.8	M33 x 130	Zinc Bright Passivation Fe/Zn P1	33 mm	130 mm	50 mm	
9318331301SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 130, SST 96 h zinc	Steel 8.8	M33 x 130	Zinc Bright Passivation Fe/Zn P1	33 mm	130 mm	50 mm	
9318331302	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 130, Hot-Dip Galvan	Steel 8.8	M33 x 130	Hot Dip Galvanizing	33 mm	130 mm	50 mm	
931833140	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 140, Plain	Steel 8.8	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
9318331401	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 140, Zinc Plated	Steel 8.8	M33 x 140	Zinc Bright Passivation Fe/Zn P1	33 mm	140 mm	50 mm	
9318331401C	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 140, EN 10204 3.1 C	Steel 8.8	M33 x 140	Zinc Bright Passivation Fe/Zn P1	33 mm	140 mm	50 mm	
9318331401SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 140, SST 96 h zinc	Steel 8.8	M33 x 140	Zinc Bright Passivation Fe/Zn P1	33 mm	140 mm	50 mm	
9318331401SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 140, SST 200 h zinc	Steel 8.8	M33 x 140	Zinc Bright Passivation Fe/Zn P1	33 mm	140 mm	50 mm	
9318331402	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 140, Hot-Dip Galvan	Steel 8.8	M33 x 140	Hot Dip Galvanizing	33 mm	140 mm	50 mm	
931833150	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 150, Plain	Steel 8.8	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm	
9318331501	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 150, Zinc Plated	Steel 8.8	M33 x 150	Zinc Bright Passivation Fe/Zn P1	33 mm	150 mm	50 mm	
9318331501SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 150, SST 96 h zinc	Steel 8.8	M33 x 150	Zinc Bright Passivation Fe/Zn P1	33 mm	150 mm	50 mm	
9318331502	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 150, Hot-Dip Galvan	Steel 8.8	M33 x 150	Hot Dip Galvanizing	33 mm	150 mm	50 mm	
9318331502C	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 150, EN 10204 3.1 C	Steel 8.8	M33 x 150	Hot Dip Galvanizing	33 mm	150 mm	50 mm	
931833160	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 160, Plain	Steel 8.8	M33 x 160	Plain (no plating)	33 mm	160 mm	50 mm	
9318331601	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 160, Zinc Plated	Steel 8.8	M33 x 160	Zinc Bright Passivation Fe/Zn P1	33 mm	160 mm	50 mm	
9318331602	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 160, Hot-Dip Galvan	Steel 8.8	M33 x 160	Hot Dip Galvanizing	33 mm	160 mm	50 mm	
9318331603	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 160, Zinc Plated-Y	Steel 8.8	M33 x 160	Zinc Yellow Passivation Fe/Zn P2	33 mm	160 mm	50 mm	
931833170	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 170, Plain	Steel 8.8	M33 x 170	Plain (no plating)	33 mm	170 mm	50 mm	
9318331701	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 170, Zinc Plated	Steel 8.8	M33 x 170	Zinc Bright Passivation Fe/Zn P1	33 mm	170 mm	50 mm	
9318331702	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 170, Hot-							

Dip Galvan

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931833180	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 180, Plain	Steel 8.8	M33 x 180	Plain (no plating)	33 mm	180 mm	50 mm	
9318331801	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 180, Zinc	Steel 8.8	M33 x 180	Zinc Bright Passivation Fe/Zn P1	33 mm	180 mm	50 mm	
9318331801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 180, SST	Steel 8.8	M33 x 180	Zinc Bright Passivation Fe/Zn P1	33 mm	180 mm	50 mm	
9318331802	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 180, Hot-Dip Galvanizing	Steel 8.8	M33 x 180	Hot Dip Galvanizing	33 mm	180 mm	50 mm	
9318331803	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 180, Zinc Plated, Y	Steel 8.8	M33 x 180	Zinc Yellow Passivation Fe/Zn P2	33 mm	180 mm	50 mm	
931833180ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 180, Zinc Flake Silver	Steel 8.8	M33 x 180	ZINC FLAKE SILVER NO CR6+ 600 H	33 mm	180 mm	50 mm	
9318331901	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 190, Zinc Plated	Steel 8.8	M33 x 190	Zinc Bright Passivation Fe/Zn P1	33 mm	190 mm	50 mm	
9318331902	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 190, Hot-Dip Galvanizing	Steel 8.8	M33 x 190	Hot Dip Galvanizing	33 mm	190 mm	50 mm	
931833200	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 200, Plain	Steel 8.8	M33 x 200	Plain (no plating)	33 mm	200 mm	50 mm	
9318332001	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 200, Zinc Plated	Steel 8.8	M33 x 200	Zinc Bright Passivation Fe/Zn P1	33 mm	200 mm	50 mm	
9318332001SST100	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 200, SST	Steel 8.8	M33 x 200	Zinc Bright Passivation Fe/Zn P1	33 mm	200 mm	50 mm	
9318332002	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 200, Hot-Dip Galvanizing	Steel 8.8	M33 x 200	Hot Dip Galvanizing	33 mm	200 mm	50 mm	
9318332102C	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 210, EN 10204-3-1 C	Steel 8.8	M33 x 210	Hot Dip Galvanizing	33 mm	210 mm	50 mm	
931833220	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 220, Plain	Steel 8.8	M33 x 220	Plain (no plating)	33 mm	220 mm	50 mm	
9318332201	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 220, Zinc	Steel 8.8	M33 x 220	Zinc Bright Passivation Fe/Zn P1	33 mm	220 mm	50 mm	
9318332202	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 220, Hot-Dip Galvanizing	Steel 8.8	M33 x 220	Hot Dip Galvanizing	33 mm	220 mm	50 mm	
931833240	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 240, Plain	Steel 8.8	M33 x 240	Plain (no plating)	33 mm	240 mm	50 mm	
9318332401	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 240, Zinc	Steel 8.8	M33 x 240	Zinc Bright Passivation Fe/Zn P1	33 mm	240 mm	50 mm	
9318332402	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 240, Hot-Dip Galvanizing	Steel 8.8	M33 x 240	Hot Dip Galvanizing	33 mm	240 mm	50 mm	
9318332402C	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 240, EN 10204-3-1 C	Steel 8.8	M33 x 240	Hot Dip Galvanizing	33 mm	240 mm	50 mm	
9318332502	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 250, Hot-Dip Galvanizing	Steel 8.8	M33 x 250	Hot Dip Galvanizing	33 mm	250 mm	50 mm	
9318332502C	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 250, EN 10204-3-1 C	Steel 8.8	M33 x 250	Hot Dip Galvanizing	33 mm	250 mm	50 mm	
9318332601	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 260, Zinc	Steel 8.8	M33 x 260	Zinc Bright Passivation Fe/Zn P1	33 mm	260 mm	50 mm	
9318332602	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 260, Hot-Dip Galvanizing	Steel 8.8	M33 x 260	Hot Dip Galvanizing	33 mm	260 mm	50 mm	
931833270	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 270, Plain	Steel 8.8	M33 x 270	Plain (no plating)	33 mm	270 mm	50 mm	
931833280	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 280, Plain	Steel 8.8	M33 x 280	Plain (no plating)	33 mm	280 mm	50 mm	
9318332801	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 280, Zinc	Steel 8.8	M33 x 280	Zinc Bright Passivation Fe/Zn P1	33 mm	280 mm	50 mm	
9318332902C	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 290, EN 10204-3-1 C	Steel 8.8	M33 x 290	Hot Dip Galvanizing	33 mm	290 mm	50 mm	
931833300	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 300, Plain	Steel 8.8	M33 x 300	Plain (no plating)	33 mm	300 mm	50 mm	
9318333001	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 300, Zinc	Steel 8.8	M33 x 300	Zinc Bright Passivation Fe/Zn P1	33 mm	300 mm	50 mm	
9318333002	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 300, Hot-Dip Galvanizing	Steel 8.8	M33 x 300	Hot Dip Galvanizing	33 mm	300 mm	50 mm	
9318333202	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 320, Hot-Dip Galvanizing	Steel 8.8	M33 x 320	Hot Dip Galvanizing	33 mm	320 mm	50 mm	
9318333302	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 330, Hot-Dip Galvanizing	Steel 8.8	M33 x 330	Hot Dip Galvanizing	33 mm	330 mm	50 mm	
931833340	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 340, Plain	Steel 8.8	M33 x 340	Plain (no plating)	33 mm	340 mm	50 mm	
9318333402	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 340, Hot-Dip Galvanizing	Steel 8.8	M33 x 340	Hot Dip Galvanizing	33 mm	340 mm	50 mm	
9318333501	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 350, Zinc	Steel 8.8	M33 x 350	Zinc Bright Passivation Fe/Zn P1	33 mm	350 mm	50 mm	
9318333502	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 350, Hot-Dip Galvanizing	Steel 8.8	M33 x 350	Hot Dip Galvanizing	33 mm	350 mm	50 mm	
9318333602	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 360, Hot-Dip Galvanizing	Steel 8.8	M33 x 360	Hot Dip Galvanizing	33 mm	360 mm	50 mm	
9318333802C	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 380, EN 10204-3-1 C	Steel 8.8	M33 x 380	Hot Dip Galvanizing	33 mm	380 mm	50 mm	
931833440	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 440, Plain	Steel 8.8	M33 x 440	Plain (no plating)	33 mm	440 mm	50 mm	
9318334401	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 440, Zinc	Steel 8.8	M33 x 440	Zinc Bright Passivation Fe/Zn P1	33 mm	440 mm	50 mm	
9318334552	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 455, EN 10204-3-1 C	Steel 8.8	M33 x 455	Hot Dip Galvanizing	33 mm	455 mm	50 mm	
931833480GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 480, Zinc Flake Silver	Steel 8.8	M33 x 480	GEOMET 500B	33 mm	480 mm	50 mm	
931833650	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 650, Plain	Steel 8.8	M33 x 650	Plain (no plating)	33 mm	650 mm	50 mm	
931833740	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 740, Plain	Steel 8.8	M33 x 740	Plain (no plating)	33 mm	740 mm	50 mm	
9318337401	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 740, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931833800	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 800, Plain	Steel 8.8	M33 x 800	Plain (no plating)	33 mm	800 mm	50 mm	
9318338001	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 800, Zinc Plated	Steel 8.8	M33 x 800	Zinc Bright Passivation Fe/Zn P1	33 mm	800 mm	50 mm	
931833880	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 880, Plain	Steel 8.8	M33 x 880	Plain (no plating)	33 mm	880 mm	50 mm	
9318338801	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 880, Zinc Plated	Steel 8.8	M33 x 880	Zinc Bright Passivation Fe/Zn P1	33 mm	880 mm	50 mm	
931833900	DIN 931 Hexagon Head Screw, Steel 8.8, M33 x 900, Plain	Steel 8.8	M33 x 900	Plain (no plating)	33 mm	900 mm	50 mm	
9318360801	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 80, Zinc Plated	Steel 8.8	M36 x 80	Zinc Bright Passivation Fe/Zn P1	36 mm	80 mm	55 mm	
931836090	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 90, Plain	Steel 8.8	M36 x 90	Plain (no plating)	36 mm	90 mm	55 mm	
9318360901	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 90, Zinc Plated	Steel 8.8	M36 x 90	Zinc Bright Passivation Fe/Zn P1	36 mm	90 mm	55 mm	
9318360951	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 95, Zinc Plated	Steel 8.8	M36 x 95	Zinc Bright Passivation Fe/Zn P1	36 mm	95 mm	55 mm	
931836100	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 100, Plain	Steel 8.8	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
9318361001	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 100, Zinc Plated	Steel 8.8	M36 x 100	Zinc Bright Passivation Fe/Zn P1	36 mm	100 mm	55 mm	
9318361002	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 100, Hot-Dip Galvanizing	Steel 8.8	M36 x 100	Hot Dip Galvanizing	36 mm	100 mm	55 mm	
931836110	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 110, Plain	Steel 8.8	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
9318361101	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 110, Zinc Plated	Steel 8.8	M36 x 110	Zinc Bright Passivation Fe/Zn P1	36 mm	110 mm	55 mm	
9318361101SST400	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 110, SST 400 b-Zin	Steel 8.8	M36 x 110	Zinc Bright Passivation Fe/Zn P1	36 mm	110 mm	55 mm	
9318361102	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 110, Hot-Dip Galvanizing	Steel 8.8	M36 x 110	Hot Dip Galvanizing	36 mm	110 mm	55 mm	
9318361103	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 110, Zinc Plated-Y	Steel 8.8	M36 x 110	Zinc Yellow Passivation Fe/Zn P2	36 mm	110 mm	55 mm	
931836120	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 120, Plain	Steel 8.8	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
9318361201	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 120, Zinc Plated	Steel 8.8	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
93183612013.1B	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 120, EN 10204 3.1 C	Steel 8.8	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
9318361201C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 120, EN 10204 3.1 C	Steel 8.8	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
9318361201SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 120, SST 96 b-Zin	Steel 8.8	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
9318361202	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 120, Hot-Dip Galvanizing	Steel 8.8	M36 x 120	Hot Dip Galvanizing	36 mm	120 mm	55 mm	
931836120ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 120, Zinc Flake-Si	Steel 8.8	M36 x 120	ZINC FLAKE SILVER NO CR6+ 600	36 mm	120 mm	55 mm	
931836130	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 130, Plain	Steel 8.8	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
9318361301	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 130, Zinc Plated	Steel 8.8	M36 x 130	Zinc Bright Passivation Fe/Zn P1	36 mm	130 mm	55 mm	
9318361301C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 130, EN 10204 3.1 C	Steel 8.8	M36 x 130	Zinc Bright Passivation Fe/Zn P1	36 mm	130 mm	55 mm	
9318361302	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 130, Hot-Dip Galvanizing	Steel 8.8	M36 x 130	Hot Dip Galvanizing	36 mm	130 mm	55 mm	
9318361303	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 130, Zinc Plated-Y	Steel 8.8	M36 x 130	Zinc Yellow Passivation Fe/Zn P2	36 mm	130 mm	55 mm	
931836140	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 140, Plain	Steel 8.8	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
9318361401	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 140, Zinc Plated	Steel 8.8	M36 x 140	Zinc Bright Passivation Fe/Zn P1	36 mm	140 mm	55 mm	
9318361402	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 140, Hot-Dip Galvanizing	Steel 8.8	M36 x 140	Hot Dip Galvanizing	36 mm	140 mm	55 mm	
93183614026H	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 140, Hot-Dip Galvanizing	Steel 8.8	M36 x 140	Hot Dip Galvanizing	36 mm	140 mm	55 mm	
9318361402C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 140, EN 10204 3.1 C	Steel 8.8	M36 x 140	Hot Dip Galvanizing	36 mm	140 mm	55 mm	
9318361403	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 140, Zinc Plated	Steel 8.8	M36 x 140	Zinc Yellow Passivation Fe/Zn P2	36 mm	140 mm	55 mm	
931836140ZNNI8AN	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 140, Zinc-Nickel-S	Steel 8.8	M36 x 140	Zn-Ni SILVER, 8 MICRON	36 mm	140 mm	55 mm	
931836150	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 150, Plain	Steel 8.8	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
9318361501	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 150, Zinc Plated	Steel 8.8	M36 x 150	Zinc Bright Passivation Fe/Zn P1	36 mm	150 mm	55 mm	
9318361501SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 150, SST 200 b-Zin	Steel 8.8	M36 x 150	Zinc Bright Passivation Fe/Zn P1	36 mm	150 mm	55 mm	
9318361502	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 150, Hot-Dip Galvanizing	Steel 8.8	M36 x 150	Hot Dip Galvanizing	36 mm	150 mm	55 mm	
9318361502C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 150, EN 10204 3.1 C	Steel 8.8	M36 x 150	Hot Dip Galvanizing	36 mm	150 mm	55 mm	
931836150ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 150, Zinc-Nickel-S	Steel 8.8	M36 x 150	Zn-Ni SILVER 8 MICRON +	36 mm	150 mm	55 mm	
931836160	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 160, Plain	Steel 8.8	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
9318361601	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 160, Zinc Plated	Steel 8.8	M36 x 160	Zinc Bright Passivation Fe/Zn P1	36 mm	160 mm	55 mm	
9318361601C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 160, EN 10204 3.1 C	Steel 8.8	M36 x 160	Zinc Bright Passivation Fe/Zn P1	36 mm	160 mm	55 mm	
9318361601SST200	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 160, SST							

200 h, Zin

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318361602	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 160, Hot-Dip Galvan	Steel 8.8	M36 x 160	Hot Dip Galvanizing	36 mm	160 mm	55 mm	
931836160GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 160, EN 10204-3 1 C	Steel 8.8	M36 x 160	GEOMET 500B	36 mm	160 mm	55 mm	
931836162GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 162, Zinc Plated	Steel 8.8	M36 x 162	GEOMET 500B	36 mm	162 mm	55 mm	
9318361652	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 165, Hot-Dip Galvan	Steel 8.8	M36 x 165	Hot Dip Galvanizing	36 mm	165 mm	55 mm	
931836170	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 170, Plain	Steel 8.8	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
9318361701	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 170, Zinc Plated	Steel 8.8	M36 x 170	Zinc Bright Passivation Fe/Zn P1	36 mm	170 mm	55 mm	
9318361702	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 170, Hot-Dip Galvan	Steel 8.8	M36 x 170	Hot Dip Galvanizing	36 mm	170 mm	55 mm	
931836180	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 180, Plain	Steel 8.8	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
9318361801	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 180, Zinc Plated	Steel 8.8	M36 x 180	Zinc Bright Passivation Fe/Zn P1	36 mm	180 mm	55 mm	
9318361802	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 180, Hot-Dip Galvan	Steel 8.8	M36 x 180	Hot Dip Galvanizing	36 mm	180 mm	55 mm	
9318361802C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 180, EN 10204-3 1 C	Steel 8.8	M36 x 180	Hot Dip Galvanizing	36 mm	180 mm	55 mm	
9318361803	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 180, Zinc Plated Y	Steel 8.8	M36 x 180	Zinc Yellow Passivation Fe/Zn P2	36 mm	180 mm	55 mm	
931836190	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 190, Plain	Steel 8.8	M36 x 190	Plain (no plating)	36 mm	190 mm	55 mm	
9318361901	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 190, Zinc Plated	Steel 8.8	M36 x 190	Zinc Bright Passivation Fe/Zn P1	36 mm	190 mm	55 mm	
9318361902	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 190, Hot-Dip Galvan	Steel 8.8	M36 x 190	Hot Dip Galvanizing	36 mm	190 mm	55 mm	
931836200	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 200, Plain	Steel 8.8	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
9318362001	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 200, Zinc Plated	Steel 8.8	M36 x 200	Zinc Bright Passivation Fe/Zn P1	36 mm	200 mm	55 mm	
9318362002	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 200, Hot-Dip Galvan	Steel 8.8	M36 x 200	Hot Dip Galvanizing	36 mm	200 mm	55 mm	
9318362002C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 200, EN 10204-3 1 C	Steel 8.8	M36 x 200	Hot Dip Galvanizing	36 mm	200 mm	55 mm	
931836210	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 210, Plain	Steel 8.8	M36 x 210	Plain (no plating)	36 mm	210 mm	55 mm	
9318362102	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 210, Hot-Dip Galvan	Steel 8.8	M36 x 210	Hot Dip Galvanizing	36 mm	210 mm	55 mm	
9318362102C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 210, EN 10204-3 1 C	Steel 8.8	M36 x 210	Hot Dip Galvanizing	36 mm	210 mm	55 mm	
931836215	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 215, Plain	Steel 8.8	M36 x 215	Plain (no plating)	36 mm	215 mm	55 mm	
931836220	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 220, Plain	Steel 8.8	M36 x 220	Plain (no plating)	36 mm	220 mm	55 mm	
9318362201	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 220, Zinc Plated	Steel 8.8	M36 x 220	Zinc Bright Passivation Fe/Zn P1	36 mm	220 mm	55 mm	
9318362202	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 220, Hot-Dip Galvan	Steel 8.8	M36 x 220	Hot Dip Galvanizing	36 mm	220 mm	55 mm	
931836220ZFS	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 220, Zinc Flake-Si	Steel 8.8	M36 x 220	ZINC FLAKE SILVER NO CR6+ 600	36 mm	220 mm	55 mm	
931836220ZNF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 220, Zinc-Ni-S	Steel 8.8	M36 x 220	Zn-Ni SILVER 8 MICRON +	36 mm	220 mm	55 mm	
931836230	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 230, Plain Nickel-S	Steel 8.8	M36 x 230	PLAIN GARD	36 mm	230 mm	55 mm	
9318362302	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 230, Hot-Dip Galvan	Steel 8.8	M36 x 230	Hot Dip Galvanizing	36 mm	230 mm	55 mm	
931836240	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 240, Plain	Steel 8.8	M36 x 240	Plain (no plating)	36 mm	240 mm	55 mm	
9318362401	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 240, Zinc Plated	Steel 8.8	M36 x 240	Zinc Bright Passivation Fe/Zn P1	36 mm	240 mm	55 mm	
9318362401C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 240, EN 10204-3 1 C	Steel 8.8	M36 x 240	Zinc Bright Passivation Fe/Zn P1	36 mm	240 mm	55 mm	
9318362402	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 240, Hot-Dip Galvan	Steel 8.8	M36 x 240	Hot Dip Galvanizing	36 mm	240 mm	55 mm	
931836240GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 240, Zinc Plated	Steel 8.8	M36 x 240	GEOMET 500B	36 mm	240 mm	55 mm	
931836240GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 240, Zinc Flake-Si	Steel 8.8	M36 x 240	GEOMET 500B	36 mm	240 mm	55 mm	
931836250	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 250, Plain	Steel 8.8	M36 x 250	Plain (no plating)	36 mm	250 mm	55 mm	
9318362501	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 250, Zinc Plated	Steel 8.8	M36 x 250	Zinc Bright Passivation Fe/Zn P1	36 mm	250 mm	55 mm	
931836250TP	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 250, Protection Pl	Steel 8.8	M36 x 250	Plain (no plating)	36 mm	250 mm	55 mm	
931836260	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 260, Plain	Steel 8.8	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
9318362601	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 260, Zinc Plated	Steel 8.8	M36 x 260	Zinc Bright Passivation Fe/Zn P1	36 mm	260 mm	55 mm	
9318362602	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 260, Hot-Dip Galvan	Steel 8.8	M36 x 260	Hot Dip Galvanizing	36 mm	260 mm	55 mm	
931836260TP	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 260, Protection Pl	Steel 8.8	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
931836270	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 270, Plain	Steel 8.8	M36 x 270	Plain (no plating)	36 mm	270 mm	55 mm	
9318362701	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 270, EN 10204-3 1 C	Steel 8.8	M36 x 270	Zinc Bright Passivation Fe/Zn P1	36 mm	270 mm	55 mm	
931836275	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 275, Plain	Steel 8.8	M36 x 275	Plain (no plating)	36 mm	275 mm	55 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931836280	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 280, Plain	Steel 8.8	M36 x 280	Plain (no plating)	36 mm	280 mm	55 mm	
9318362801	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 280, Zinc	Steel 8.8	M36 x 280	Zinc Bright Passivation Fe/Zn P1	36 mm	280 mm	55 mm	
9318362802	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 280, Hot-Dip Galvanizing	Steel 8.8	M36 x 280	Hot Dip Galvanizing	36 mm	280 mm	55 mm	
931836290	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 290, Plain	Steel 8.8	M36 x 290	Plain (no plating)	36 mm	290 mm	55 mm	
931836300	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 300, Plain	Steel 8.8	M36 x 300	Plain (no plating)	36 mm	300 mm	55 mm	
9318363001	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 300, Zinc	Steel 8.8	M36 x 300	Zinc Bright Passivation Fe/Zn P1	36 mm	300 mm	55 mm	
9318363002	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 300, Hot-Dip Galvanizing	Steel 8.8	M36 x 300	Hot Dip Galvanizing	36 mm	300 mm	55 mm	
9318363002C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 300, EN	Steel 8.8	M36 x 300	Hot Dip Galvanizing	36 mm	300 mm	55 mm	
931836300TP	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 300, 10204.3.1 C	Steel 8.8	M36 x 300	Plain (no plating)	36 mm	300 mm	55 mm	
931836310	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 310, Plain	Steel 8.8	M36 x 310	Plain (no plating)	36 mm	310 mm	55 mm	
931836320	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 320, Plain	Steel 8.8	M36 x 320	Plain (no plating)	36 mm	320 mm	55 mm	
9318363201	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 320, Zinc	Steel 8.8	M36 x 320	Zinc Bright Passivation Fe/Zn P1	36 mm	320 mm	55 mm	
9318363202	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 320, Hot-Dip Galvanizing	Steel 8.8	M36 x 320	Hot Dip Galvanizing	36 mm	320 mm	55 mm	
931836330	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 330, Plain	Steel 8.8	M36 x 330	Plain (no plating)	36 mm	330 mm	55 mm	
931836340	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 340, Plain	Steel 8.8	M36 x 340	Plain (no plating)	36 mm	340 mm	55 mm	
9318363401	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 340, Zinc	Steel 8.8	M36 x 340	Zinc Bright Passivation Fe/Zn P1	36 mm	340 mm	55 mm	
9318363402	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 340, Hot-Dip Galvanizing	Steel 8.8	M36 x 340	Hot Dip Galvanizing	36 mm	340 mm	55 mm	
931836340GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 340, Zinc	Steel 8.8	M36 x 340	GEOMET 500B	36 mm	340 mm	55 mm	
931836350	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 350, Plain	Steel 8.8	M36 x 350	Plain (no plating)	36 mm	350 mm	55 mm	
931836360	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 360, Plain	Steel 8.8	M36 x 360	Plain (no plating)	36 mm	360 mm	55 mm	
9318363601	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 360, Zinc	Steel 8.8	M36 x 360	Zinc Bright Passivation Fe/Zn P1	36 mm	360 mm	55 mm	
9318363602	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 360, Hot-Dip Galvanizing	Steel 8.8	M36 x 360	Hot Dip Galvanizing	36 mm	360 mm	55 mm	
931836360GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 360, Zinc	Steel 8.8	M36 x 360	GEOMET 500A	36 mm	360 mm	55 mm	
931836365	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 365, Plain	Steel 8.8	M36 x 365	Plain (no plating)	36 mm	365 mm	55 mm	
931836370	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 370, Plain	Steel 8.8	M36 x 370	Plain (no plating)	36 mm	370 mm	55 mm	
931836380	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 380, Plain	Steel 8.8	M36 x 380	Plain (no plating)	36 mm	380 mm	55 mm	
9318363802	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 380, Hot-Dip Galvanizing	Steel 8.8	M36 x 380	Hot Dip Galvanizing	36 mm	380 mm	55 mm	
931836380GEO500	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 380, Zinc	Steel 8.8	M36 x 380	GEOMET 500B	36 mm	380 mm	55 mm	
931836400	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 400, Plain	Steel 8.8	M36 x 400	Plain (no plating)	36 mm	400 mm	55 mm	
9318364001	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 400, Zinc	Steel 8.8	M36 x 400	Zinc Bright Passivation Fe/Zn P1	36 mm	400 mm	55 mm	
9318364002	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 400, EN	Steel 8.8	M36 x 400	Hot Dip Galvanizing	36 mm	400 mm	55 mm	
931836400GEO	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 400, Zinc	Steel 8.8	M36 x 400	GEOMET 500A	36 mm	400 mm	55 mm	
931836400ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 400, Zinc-Nickel	Steel 8.8	M36 x 400	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	400 mm	55 mm	
9318364102	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 410, Hot-Dip Galvanizing	Steel 8.8	M36 x 410	Hot Dip Galvanizing	36 mm	410 mm	55 mm	
931836420	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 420, Plain	Steel 8.8	M36 x 420	Plain (no plating)	36 mm	420 mm	55 mm	
9318364201	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 420, Zinc	Steel 8.8	M36 x 420	Zinc Bright Passivation Fe/Zn P1	36 mm	420 mm	55 mm	
9318364202C	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 420, EN	Steel 8.8	M36 x 420	Hot Dip Galvanizing	36 mm	420 mm	55 mm	
931836430	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 430, Plain	Steel 8.8	M36 x 430	Plain (no plating)	36 mm	430 mm	55 mm	
931836440	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 440, Plain	Steel 8.8	M36 x 440	Plain (no plating)	36 mm	440 mm	55 mm	
931836440ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 440, Zinc-Nickel	Steel 8.8	M36 x 440	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	440 mm	55 mm	
931836440ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 440, Zinc-Nickel	Steel 8.8	M36 x 440	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	440 mm	55 mm	
931836460	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 460, Plain	Steel 8.8	M36 x 460	Plain (no plating)	36 mm	460 mm	55 mm	
9318364601	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 460, Zinc	Steel 8.8	M36 x 460	Zinc Bright Passivation Fe/Zn P1	36 mm	460 mm	55 mm	
931836460ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 460, Zinc-Nickel	Steel 8.8	M36 x 460	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	460 mm	55 mm	
931836460ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 460, Zinc-Nickel	Steel 8.8	M36 x 460	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	460 mm	55 mm	
9318364702	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 470, Hot-Dip Galvanizing	Steel 8.8	M36 x 470	Hot Dip Galvanizing	36 mm	470 mm	55 mm	

Dip Galvan

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931836500	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 500, Plain	Steel 8.8	M36 x 500	Plain (no plating)	36 mm	500 mm	55 mm	
931836500ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 500, Zinc-Plated	Steel 8.8	M36 x 500	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	500 mm	55 mm	
931836500ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 500, Zinc-Plated	Steel 8.8	M36 x 500	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	500 mm	55 mm	
9318365102	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 510, Hot-Dip Galvanizing	Steel 8.8	M36 x 510	Hot Dip Galvanizing	36 mm	510 mm	55 mm	
931836540	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 540, Plain	Steel 8.8	M36 x 540	Plain (no plating)	36 mm	540 mm	55 mm	
9318365401	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 540, Zinc Plated	Steel 8.8	M36 x 540	Zinc Bright Passivation Fe/Zn P1	36 mm	540 mm	55 mm	
9318365601	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 560, Zinc Plated	Steel 8.8	M36 x 560	Zinc Bright Passivation Fe/Zn P1	36 mm	560 mm	55 mm	
931836560ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 560, Zinc-Plated	Steel 8.8	M36 x 560	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	560 mm	55 mm	
931836580	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 580, Plain	Steel 8.8	M36 x 580	Plain (no plating)	36 mm	580 mm	55 mm	
931836600	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 600, Plain	Steel 8.8	M36 x 600	Plain (no plating)	36 mm	600 mm	55 mm	
931836600GEO5B	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 600, Zinc Flake, Si	Steel 8.8	M36 x 600	GEOMET 500B	36 mm	600 mm	55 mm	
931836600ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 600, Zinc-Plated	Steel 8.8	M36 x 600	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	600 mm	55 mm	
931836600ZNTF105	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 600, Zinc-Plated	Steel 8.8	M36 x 600	Zn-Ni SILVER 8 MICRON + FINIGARD	36 mm	600 mm	55 mm	
9318366501	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 650, Zinc Plated	Steel 8.8	M36 x 650	Zinc Bright Passivation Fe/Zn P1	36 mm	650 mm	55 mm	
931836830	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 830, Plain	Steel 8.8	M36 x 830	Plain (no plating)	36 mm	830 mm	55 mm	
931836940	DIN 931 Hexagon Head Screw, Steel 8.8, M36 x 940, Plain	Steel 8.8	M36 x 940	Plain (no plating)	36 mm	940 mm	55 mm	
9318390902	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 90, Hot-Dip Galvanizing	Steel 8.8	M39 x 90	Hot Dip Galvanizing	39 mm	90 mm	60 mm	
931839100	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 100, Plain	Steel 8.8	M39 x 100	Plain (no plating)	39 mm	100 mm	60 mm	
9318391001	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 100, Zinc Plated	Steel 8.8	M39 x 100	Zinc Bright Passivation Fe/Zn P1	39 mm	100 mm	60 mm	
9318391002	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 100, Hot-Dip Galvanizing	Steel 8.8	M39 x 100	Hot Dip Galvanizing	39 mm	100 mm	60 mm	
931839110	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 110, Plain	Steel 8.8	M39 x 110	Plain (no plating)	39 mm	110 mm	60 mm	
9318391102	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 110, Hot-Dip Galvanizing	Steel 8.8	M39 x 110	Hot Dip Galvanizing	39 mm	110 mm	60 mm	
931839120	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 120, Plain	Steel 8.8	M39 x 120	Plain (no plating)	39 mm	120 mm	60 mm	
9318391201	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 120, Zinc Plated	Steel 8.8	M39 x 120	Zinc Bright Passivation Fe/Zn P1	39 mm	120 mm	60 mm	
9318391202	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 120, Hot-Dip Galvanizing	Steel 8.8	M39 x 120	Hot Dip Galvanizing	39 mm	120 mm	60 mm	
9318391252	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 125, Hot-Dip Galvanizing	Steel 8.8	M39 x 125	Hot Dip Galvanizing	39 mm	125 mm	60 mm	
931839130	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 130, Plain	Steel 8.8	M39 x 130	Plain (no plating)	39 mm	130 mm	60 mm	
9318391301	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 130, Zinc Plated	Steel 8.8	M39 x 130	Zinc Bright Passivation Fe/Zn P1	39 mm	130 mm	60 mm	
9318391302	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 130, Hot-Dip Galvanizing	Steel 8.8	M39 x 130	Hot Dip Galvanizing	39 mm	130 mm	60 mm	
931839140	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 140, Plain	Steel 8.8	M39 x 140	Plain (no plating)	39 mm	140 mm	60 mm	
9318391401	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 140, Zinc Plated	Steel 8.8	M39 x 140	Zinc Bright Passivation Fe/Zn P1	39 mm	140 mm	60 mm	
9318391401SST100	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 140, SST 100 h, Zinc	Steel 8.8	M39 x 140	Zinc Bright Passivation Fe/Zn P1	39 mm	140 mm	60 mm	
9318391402	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 140, Hot-Dip Galvanizing	Steel 8.8	M39 x 140	Hot Dip Galvanizing	39 mm	140 mm	60 mm	
9318391501	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 150, Zinc Plated	Steel 8.8	M39 x 150	Zinc Bright Passivation Fe/Zn P1	39 mm	150 mm	60 mm	
9318391502	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 150, Hot-Dip Galvanizing	Steel 8.8	M39 x 150	Hot Dip Galvanizing	39 mm	150 mm	60 mm	
931839160	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 160, Plain	Steel 8.8	M39 x 160	Plain (no plating)	39 mm	160 mm	60 mm	
9318391601	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 160, Zinc Plated	Steel 8.8	M39 x 160	Zinc Bright Passivation Fe/Zn P1	39 mm	160 mm	60 mm	
9318391602	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 160, EN 10204-3.1 C	Steel 8.8	M39 x 160	Hot Dip Galvanizing	39 mm	160 mm	60 mm	
931839170	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 170, Plain	Steel 8.8	M39 x 170	Plain (no plating)	39 mm	170 mm	60 mm	
9318391702	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 170, Hot-Dip Galvanizing	Steel 8.8	M39 x 170	Hot Dip Galvanizing	39 mm	170 mm	60 mm	
931839180	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 180, Plain	Steel 8.8	M39 x 180	Plain (no plating)	39 mm	180 mm	60 mm	
9318391801	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 180, Zinc Plated	Steel 8.8	M39 x 180	Zinc Bright Passivation Fe/Zn P1	39 mm	180 mm	60 mm	
9318391801SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 180, SST 96 h, Zinc	Steel 8.8	M39 x 180	Zinc Bright Passivation Fe/Zn P1	39 mm	180 mm	60 mm	
9318391802	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 180, Hot-Dip Galvanizing	Steel 8.8	M39 x 180	Hot Dip Galvanizing	39 mm	180 mm	60 mm	
9318391852	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 185, Hot-Dip Galvanizing	Steel 8.8	M39 x 185	Hot Dip Galvanizing	39 mm	185 mm	60 mm	
9318391901	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 190, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931839200	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 200, Plain	Steel 8.8	M39 x 200	Plain (no plating)	39 mm	200 mm	60 mm	
9318392001	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 200, Zinc	Steel 8.8	M39 x 200	Zinc Bright Passivation Fe/Zn P1	39 mm	200 mm	60 mm	
9318392001SST096	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 200, SST	Steel 8.8	M39 x 200	Zinc Bright Passivation Fe/Zn P1	39 mm	200 mm	60 mm	
9318392002	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 200, Hot-Dip Galvanizing	Steel 8.8	M39 x 200	Hot Dip Galvanizing	39 mm	200 mm	60 mm	
9318392102	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 210, EN 10204 3.1 C	Steel 8.8	M39 x 210	Hot Dip Galvanizing	39 mm	210 mm	60 mm	
931839220	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 220, Plain	Steel 8.8	M39 x 220	Plain (no plating)	39 mm	220 mm	60 mm	
9318392201	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 220, Zinc	Steel 8.8	M39 x 220	Zinc Bright Passivation Fe/Zn P1	39 mm	220 mm	60 mm	
931839230	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 230, Plain	Steel 8.8	M39 x 230	Plain (no plating)	39 mm	230 mm	60 mm	
931839240	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 240, Plain	Steel 8.8	M39 x 240	Plain (no plating)	39 mm	240 mm	60 mm	
9318392401	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 240, Zinc	Steel 8.8	M39 x 240	Zinc Bright Passivation Fe/Zn P1	39 mm	240 mm	60 mm	
9318392402	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 240, Hot-Dip Galvanizing	Steel 8.8	M39 x 240	Hot Dip Galvanizing	39 mm	240 mm	60 mm	
931839250	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 250, Plain	Steel 8.8	M39 x 250	Plain (no plating)	39 mm	250 mm	60 mm	
9318392501	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 250, Zinc	Steel 8.8	M39 x 250	Zinc Bright Passivation Fe/Zn P1	39 mm	250 mm	60 mm	
931839260	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 260, Plain	Steel 8.8	M39 x 260	Plain (no plating)	39 mm	260 mm	60 mm	
9318392601	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 260, Zinc	Steel 8.8	M39 x 260	Zinc Bright Passivation Fe/Zn P1	39 mm	260 mm	60 mm	
9318392602	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 260, Hot-Dip Galvanizing	Steel 8.8	M39 x 260	Hot Dip Galvanizing	39 mm	260 mm	60 mm	
931839260GEO5AC	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 260, EN 10204 3.1 C	Steel 8.8	M39 x 260	GEOMET 500A	39 mm	260 mm	60 mm	
9318392701	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 270, Zinc	Steel 8.8	M39 x 270	Zinc Bright Passivation Fe/Zn P1	39 mm	270 mm	60 mm	
931839280	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 280, Plain	Steel 8.8	M39 x 280	Plain (no plating)	39 mm	280 mm	60 mm	
9318392801	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 280, Zinc	Steel 8.8	M39 x 280	Zinc Bright Passivation Fe/Zn P1	39 mm	280 mm	60 mm	
9318392802	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 280, Hot-Dip Galvanizing	Steel 8.8	M39 x 280	Hot Dip Galvanizing	39 mm	280 mm	60 mm	
931839300	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 300, Plain	Steel 8.8	M39 x 300	Plain (no plating)	39 mm	300 mm	60 mm	
9318393001	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 300, Zinc	Steel 8.8	M39 x 300	Zinc Bright Passivation Fe/Zn P1	39 mm	300 mm	60 mm	
931839340	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 340, Plain	Steel 8.8	M39 x 340	Plain (no plating)	39 mm	340 mm	60 mm	
9318393401	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 340, Zinc	Steel 8.8	M39 x 340	Zinc Bright Passivation Fe/Zn P1	39 mm	340 mm	60 mm	
931839350	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 350, Plain	Steel 8.8	M39 x 350	Plain (no plating)	39 mm	350 mm	60 mm	
9318393502	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 350, Hot-Dip Galvanizing	Steel 8.8	M39 x 350	Hot Dip Galvanizing	39 mm	350 mm	60 mm	
931839350TP	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 350, Protection Pl	Steel 8.8	M39 x 350	Plain (no plating)	39 mm	350 mm	60 mm	
9318393601	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 360, Zinc	Steel 8.8	M39 x 360	Zinc Bright Passivation Fe/Zn P1	39 mm	360 mm	60 mm	
9318394002	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 400, Hot-Dip Galvanizing	Steel 8.8	M39 x 400	Hot Dip Galvanizing	39 mm	400 mm	60 mm	
9318394252	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 425, Hot-Dip Galvanizing	Steel 8.8	M39 x 425	Hot Dip Galvanizing	39 mm	425 mm	60 mm	
9318395202	DIN 931 Hexagon Head Screw, Steel 8.8, M39 x 520, Hot-Dip Galvanizing	Steel 8.8	M39 x 520	Hot Dip Galvanizing	39 mm	520 mm	60 mm	
931842095	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 95, Plain	Steel 8.8	M42 x 95	Plain (no plating)	42 mm	95 mm	65 mm	
9318421101	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 110, Zinc	Steel 8.8	M42 x 110	Zinc Bright Passivation Fe/Zn P1	42 mm	110 mm	65 mm	
9318421102	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 110, Hot-Dip Galvanizing	Steel 8.8	M42 x 110	Hot Dip Galvanizing	42 mm	110 mm	65 mm	
931842120	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 120, Plain	Steel 8.8	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
9318421201	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 120, Zinc	Steel 8.8	M42 x 120	Zinc Bright Passivation Fe/Zn P1	42 mm	120 mm	65 mm	
9318421202	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 120, Hot-Dip Galvanizing	Steel 8.8	M42 x 120	Hot Dip Galvanizing	42 mm	120 mm	65 mm	
931842130	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 130, Plain	Steel 8.8	M42 x 130	Plain (no plating)	42 mm	130 mm	65 mm	
93184213002	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 130, Hot-Dip Galvanizing	Steel 8.8	M42 x 130	Hot Dip Galvanizing	42 mm	130 mm	65 mm	
9318421301	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 130, Zinc	Steel 8.8	M42 x 130	Zinc Bright Passivation Fe/Zn P1	42 mm	130 mm	65 mm	
9318421302	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 130, Hot-Dip Galvanizing	Steel 8.8	M42 x 130	Hot Dip Galvanizing	42 mm	130 mm	65 mm	
931842140	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 140, Plain	Steel 8.8	M42 x 140	Plain (no plating)	42 mm	140 mm	65 mm	
9318421401	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 140, Zinc	Steel 8.8	M42 x 140	Zinc Bright Passivation Fe/Zn P1	42 mm	140 mm	65 mm	
9318421402	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 140, Hot-Dip Galvanizing	Steel 8.8	M42 x 140	Hot Dip Galvanizing	42 mm	140 mm	65 mm	
931842150	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 150, Plain	Steel 8.8	M42 x 150	Plain (no plating)	42 mm	150 mm	65 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318421501	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 150, Zinc Plated	Steel 8.8	M42 x 150	Zinc Bright Passivation Fe/Zn P1	42 mm	150 mm	65 mm	
931842160	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 160, Plain	Steel 8.8	M42 x 160	Plain (no plating)	42 mm	160 mm	65 mm	
9318421601	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 160, Zinc Plated	Steel 8.8	M42 x 160	Zinc Bright Passivation Fe/Zn P1	42 mm	160 mm	65 mm	
9318421602	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 160, Hot-Dip Galvanizing	Steel 8.8	M42 x 160	Hot Dip Galvanizing	42 mm	160 mm	65 mm	
9318421602C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 160, EN 10204-3 1 C	Steel 8.8	M42 x 160	Hot Dip Galvanizing	42 mm	160 mm	65 mm	
931842170	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 170, Plain	Steel 8.8	M42 x 170	Plain (no plating)	42 mm	170 mm	65 mm	
9318421701	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 170, Zinc Plated	Steel 8.8	M42 x 170	Zinc Bright Passivation Fe/Zn P1	42 mm	170 mm	65 mm	
9318421702	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 170, Hot-Dip Galvanizing	Steel 8.8	M42 x 170	Hot Dip Galvanizing	42 mm	170 mm	65 mm	
931842180	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 180, Plain	Steel 8.8	M42 x 180	Plain (no plating)	42 mm	180 mm	65 mm	
9318421801	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 180, Zinc Plated	Steel 8.8	M42 x 180	Zinc Bright Passivation Fe/Zn P1	42 mm	180 mm	65 mm	
9318421801C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 180, EN 10204-3 1 C	Steel 8.8	M42 x 180	Zinc Bright Passivation Fe/Zn P1	42 mm	180 mm	65 mm	
9318421802	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 180, Hot-Dip Galvanizing	Steel 8.8	M42 x 180	Hot Dip Galvanizing	42 mm	180 mm	65 mm	
9318421802C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 180, EN 10204-3 1 C	Steel 8.8	M42 x 180	Hot Dip Galvanizing	42 mm	180 mm	65 mm	
931842190	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 190, Plain	Steel 8.8	M42 x 190	Plain (no plating)	42 mm	190 mm	65 mm	
9318421903	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 190, Zinc Plated	Steel 8.8	M42 x 190	Zinc Yellow Passivation Fe/Zn P2	42 mm	190 mm	65 mm	
931842200	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 200, Plain	Steel 8.8	M42 x 200	Plain (no plating)	42 mm	200 mm	65 mm	
9318422001	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 200, Zinc Plated	Steel 8.8	M42 x 200	Zinc Bright Passivation Fe/Zn P1	42 mm	200 mm	65 mm	
9318422002	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 200, Hot-Dip Galvanizing	Steel 8.8	M42 x 200	Hot Dip Galvanizing	42 mm	200 mm	65 mm	
9318422002C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 200, EN 10204-3 1 C	Steel 8.8	M42 x 200	Hot Dip Galvanizing	42 mm	200 mm	65 mm	
931842200G	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 200, Plain	Steel 8.8	M42 x 200	Plain (no plating)	42 mm	200 mm	65 mm	
931842210	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 210, Plain	Steel 8.8	M42 x 210	Plain (no plating)	42 mm	210 mm	65 mm	
931842220	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 220, Plain	Steel 8.8	M42 x 220	Plain (no plating)	42 mm	220 mm	65 mm	
9318422201	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 220, Zinc Plated	Steel 8.8	M42 x 220	Zinc Bright Passivation Fe/Zn P1	42 mm	220 mm	65 mm	
9318422201C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 220, EN 10204-3 1 C	Steel 8.8	M42 x 220	Zinc Bright Passivation Fe/Zn P1	42 mm	220 mm	65 mm	
9318422202	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 220, Hot-Dip Galvanizing	Steel 8.8	M42 x 220	Hot Dip Galvanizing	42 mm	220 mm	65 mm	
9318422251	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 225, Zinc Plated	Steel 8.8	M42 x 225	Zinc Bright Passivation Fe/Zn P1	42 mm	225 mm	65 mm	
931842230	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 230, Plain	Steel 8.8	M42 x 230	Plain (no plating)	42 mm	230 mm	65 mm	
9318422301	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 230, Zinc Plated	Steel 8.8	M42 x 230	Zinc Bright Passivation Fe/Zn P1	42 mm	230 mm	65 mm	
9318422302	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 230, Hot-Dip Galvanizing	Steel 8.8	M42 x 230	Hot Dip Galvanizing	42 mm	230 mm	65 mm	
931842240	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 240, Plain	Steel 8.8	M42 x 240	Plain (no plating)	42 mm	240 mm	65 mm	
9318422401	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 240, Zinc Plated	Steel 8.8	M42 x 240	Zinc Bright Passivation Fe/Zn P1	42 mm	240 mm	65 mm	
9318422402	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 240, Hot-Dip Galvanizing	Steel 8.8	M42 x 240	Hot Dip Galvanizing	42 mm	240 mm	65 mm	
931842250	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 250, Plain	Steel 8.8	M42 x 250	Plain (no plating)	42 mm	250 mm	65 mm	
9318422502	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 250, Hot-Dip Galvanizing	Steel 8.8	M42 x 250	Hot Dip Galvanizing	42 mm	250 mm	65 mm	
9318422502C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 250, EN 10204-3 1 C	Steel 8.8	M42 x 250	Hot Dip Galvanizing	42 mm	250 mm	65 mm	
931842260	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 260, Plain	Steel 8.8	M42 x 260	Plain (no plating)	42 mm	260 mm	65 mm	
9318422601	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 260, Zinc Plated	Steel 8.8	M42 x 260	Zinc Bright Passivation Fe/Zn P1	42 mm	260 mm	65 mm	
9318422601C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 260, EN 10204-3 1 C	Steel 8.8	M42 x 260	Zinc Bright Passivation Fe/Zn P1	42 mm	260 mm	65 mm	
9318422602	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 260, Hot-Dip Galvanizing	Steel 8.8	M42 x 260	Hot Dip Galvanizing	42 mm	260 mm	65 mm	
931842280	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 280, Plain	Steel 8.8	M42 x 280	Plain (no plating)	42 mm	280 mm	65 mm	
9318422801	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 280, Zinc Plated	Steel 8.8	M42 x 280	Zinc Bright Passivation Fe/Zn P1	42 mm	280 mm	65 mm	
9318422801C	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 280, EN 10204-3 1 C	Steel 8.8	M42 x 280	Zinc Bright Passivation Fe/Zn P1	42 mm	280 mm	65 mm	
9318422802	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 280, Hot-Dip Galvanizing	Steel 8.8	M42 x 280	Hot Dip Galvanizing	42 mm	280 mm	65 mm	
931842300	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 300, Plain	Steel 8.8	M42 x 300	Plain (no plating)	42 mm	300 mm	65 mm	
9318423001	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 300, Zinc Plated	Steel 8.8	M42 x 300	Zinc Bright Passivation Fe/Zn P1	42 mm	300 mm	65 mm	
931842301351	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 3 x 135,							

Zinc Plate

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931842320	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 320, Plain	Steel 8.8	M42 x 320	Plain (no plating)	42 mm	320 mm	65 mm	
9318423201	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 320, Zinc Plated	Steel 8.8	M42 x 320	Zinc Bright Passivation Fe/Zn P1	42 mm	320 mm	65 mm	
9318423202	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 320, Hot-Dip Galvan	Steel 8.8	M42 x 320	Hot Dip Galvanizing	42 mm	320 mm	65 mm	
931842320TP	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 320, Protection Pl	Steel 8.8	M42 x 320	Plain (no plating)	42 mm	320 mm	65 mm	
931842330	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 330, Plain	Steel 8.8	M42 x 330	Plain (no plating)	42 mm	330 mm	65 mm	
931842330TP	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 330, Protection Pl	Steel 8.8	M42 x 330	Plain (no plating)	42 mm	330 mm	65 mm	
931842340	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 340, Plain	Steel 8.8	M42 x 340	Plain (no plating)	42 mm	340 mm	65 mm	
9318423401	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 340, Zinc Plated	Steel 8.8	M42 x 340	Zinc Bright Passivation Fe/Zn P1	42 mm	340 mm	65 mm	
9318423501	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 350, Zinc Plated	Steel 8.8	M42 x 350	Zinc Bright Passivation Fe/Zn P1	42 mm	350 mm	65 mm	
9318423502	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 350, Hot-Dip Galvan	Steel 8.8	M42 x 350	Hot Dip Galvanizing	42 mm	350 mm	65 mm	
931842360	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 360, Plain	Steel 8.8	M42 x 360	Plain (no plating)	42 mm	360 mm	65 mm	
931842370	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 370, Plain	Steel 8.8	M42 x 370	Plain (no plating)	42 mm	370 mm	65 mm	
931842370TP	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 370, Protection Pl	Steel 8.8	M42 x 370	Plain (no plating)	42 mm	370 mm	65 mm	
9318423802	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 380, Hot-Dip Galvan	Steel 8.8	M42 x 380	Hot Dip Galvanizing	42 mm	380 mm	65 mm	
931842400	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 400, Plain	Steel 8.8	M42 x 400	Plain (no plating)	42 mm	400 mm	65 mm	
931842420	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 420, Plain	Steel 8.8	M42 x 420	Plain (no plating)	42 mm	420 mm	65 mm	
931842440	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 440, Plain	Steel 8.8	M42 x 440	Plain (no plating)	42 mm	440 mm	65 mm	
931842450	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 450, Plain	Steel 8.8	M42 x 450	Plain (no plating)	42 mm	450 mm	65 mm	
931842480	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 480, Plain	Steel 8.8	M42 x 480	Plain (no plating)	42 mm	480 mm	65 mm	
9318424802	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 480, Hot-Dip Galvan	Steel 8.8	M42 x 480	Hot Dip Galvanizing	42 mm	480 mm	65 mm	
931842500	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 500, Plain	Steel 8.8	M42 x 500	Plain (no plating)	42 mm	500 mm	65 mm	
931842680	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 680, Plain	Steel 8.8	M42 x 680	Plain (no plating)	42 mm	680 mm	65 mm	
9318427401	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 740, Zinc Plated	Steel 8.8	M42 x 740	Zinc Bright Passivation Fe/Zn P1	42 mm	740 mm	65 mm	
9318427901	DIN 931 Hexagon Head Screw, Steel 8.8, M42 x 790, Zinc Plated	Steel 8.8	M42 x 790	Zinc Bright Passivation Fe/Zn P1	42 mm	790 mm	65 mm	
9318451002	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 100, Hot-Dip Galvan	Steel 8.8	M45 x 100	Hot Dip Galvanizing	45 mm	100 mm	70 mm	
9318451102	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 110, Hot-Dip Galvan	Steel 8.8	M45 x 110	Hot Dip Galvanizing	45 mm	110 mm	70 mm	
9318451201	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 120, Zinc Plated	Steel 8.8	M45 x 120	Zinc Bright Passivation Fe/Zn P1	45 mm	120 mm	70 mm	
9318451301	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 130, Zinc Plated	Steel 8.8	M45 x 130	Zinc Bright Passivation Fe/Zn P1	45 mm	130 mm	70 mm	
9318451302	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 130, Hot-Dip Galvan	Steel 8.8	M45 x 130	Hot Dip Galvanizing	45 mm	130 mm	70 mm	
9318451401	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 140, Zinc Plated	Steel 8.8	M45 x 140	Zinc Bright Passivation Fe/Zn P1	45 mm	140 mm	70 mm	
9318451502	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 150, Hot-Dip Galvan	Steel 8.8	M45 x 150	Hot Dip Galvanizing	45 mm	150 mm	70 mm	
931845160	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 160, Plain	Steel 8.8	M45 x 160	Plain (no plating)	45 mm	160 mm	70 mm	
9318451601	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 160, Zinc Plated	Steel 8.8	M45 x 160	Zinc Bright Passivation Fe/Zn P1	45 mm	160 mm	70 mm	
9318451602	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 160, Hot-Dip Galvan	Steel 8.8	M45 x 160	Hot Dip Galvanizing	45 mm	160 mm	70 mm	
9318451701TL100	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 170/100, Zinc Plated	Steel 8.8	M45 x 170/100	Zinc Bright Passivation Fe/Zn P1	45 mm	170 mm	70 mm	
9318451702	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 170, Hot-Dip Galvan	Steel 8.8	M45 x 170	Hot Dip Galvanizing	45 mm	170 mm	70 mm	
931845180	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 180, Plain	Steel 8.8	M45 x 180	Plain (no plating)	45 mm	180 mm	70 mm	
9318451801	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 180, Zinc Plated	Steel 8.8	M45 x 180	Zinc Bright Passivation Fe/Zn P1	45 mm	180 mm	70 mm	
9318451802	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 180, Hot-Dip Galvan	Steel 8.8	M45 x 180	Hot Dip Galvanizing	45 mm	180 mm	70 mm	
9318451902	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 190, Hot-Dip Galvan	Steel 8.8	M45 x 190	Hot Dip Galvanizing	45 mm	190 mm	70 mm	
931845200	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 200, Plain	Steel 8.8	M45 x 200	Plain (no plating)	45 mm	200 mm	70 mm	
9318452001	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 200, Zinc Plated	Steel 8.8	M45 x 200	Zinc Bright Passivation Fe/Zn P1	45 mm	200 mm	70 mm	
9318452002	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 200, Hot-Dip Galvan	Steel 8.8	M45 x 200	Hot Dip Galvanizing	45 mm	200 mm	70 mm	
9318452102	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 210, Hot-Dip Galvan	Steel 8.8	M45 x 210	Hot Dip Galvanizing	45 mm	210 mm	70 mm	
931845220	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 220, Plain	Steel 8.8	M45 x 220	Plain (no plating)	45 mm	220 mm	70 mm	
9318452201	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 220, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318452202	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 220, Hot-Dip Galvan	Steel 8.8	M45 x 220	Hot Dip Galvanizing	45 mm	220 mm	70 mm	
9318452252	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 225, Hot-Dip Galvan	Steel 8.8	M45 x 225	Hot Dip Galvanizing	45 mm	225 mm	70 mm	
9318452301	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 230, Zinc Plated	Steel 8.8	M45 x 230	Zinc Bright Passivation Fe/Zn P1	45 mm	230 mm	70 mm	
9318452303	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 230, Zinc Plated Y	Steel 8.8	M45 x 230	Zinc Yellow Passivation Fe/Zn P2	45 mm	230 mm	70 mm	
931845240	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 240, Plain	Steel 8.8	M45 x 240	Plain (no plating)	45 mm	240 mm	70 mm	
9318452401	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 240, Zinc Plated	Steel 8.8	M45 x 240	Zinc Bright Passivation Fe/Zn P1	45 mm	240 mm	70 mm	
9318452402	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 240, Hot-Dip Galvan	Steel 8.8	M45 x 240	Hot Dip Galvanizing	45 mm	240 mm	70 mm	
931845250	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 250, Plain	Steel 8.8	M45 x 250	Plain (no plating)	45 mm	250 mm	70 mm	
9318452501	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 250, Zinc Plated	Steel 8.8	M45 x 250	Zinc Bright Passivation Fe/Zn P1	45 mm	250 mm	70 mm	
9318452502	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 250, Hot-Dip Galvan	Steel 8.8	M45 x 250	Hot Dip Galvanizing	45 mm	250 mm	70 mm	
931845260	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 260, Plain	Steel 8.8	M45 x 260	Plain (no plating)	45 mm	260 mm	70 mm	
9318452601	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 260, Zinc Plated	Steel 8.8	M45 x 260	Zinc Bright Passivation Fe/Zn P1	45 mm	260 mm	70 mm	
9318452701	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 270, Zinc Plated	Steel 8.8	M45 x 270	Zinc Bright Passivation Fe/Zn P1	45 mm	270 mm	70 mm	
9318453002	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 300, Hot-Dip Galvan	Steel 8.8	M45 x 300	Hot Dip Galvanizing	45 mm	300 mm	70 mm	
9318453302	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 330, Hot-Dip Galvan	Steel 8.8	M45 x 330	Hot Dip Galvanizing	45 mm	330 mm	70 mm	
9318453452	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 345, Hot-Dip Galvan	Steel 8.8	M45 x 345	Hot Dip Galvanizing	45 mm	345 mm	70 mm	
9318453802	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 380, Hot-Dip Galvan	Steel 8.8	M45 x 380	Hot Dip Galvanizing	45 mm	380 mm	70 mm	
9318454102	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 410, Hot-Dip Galvan	Steel 8.8	M45 x 410	Hot Dip Galvanizing	45 mm	410 mm	70 mm	
9318455002	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 500, Hot-Dip Galvan	Steel 8.8	M45 x 500	Hot Dip Galvanizing	45 mm	500 mm	70 mm	
9318455202	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 520, Hot-Dip Galvan	Steel 8.8	M45 x 520	Hot Dip Galvanizing	45 mm	520 mm	70 mm	
9318455302	DIN 931 Hexagon Head Screw, Steel 8.8, M45 x 530, Hot-Dip Galvan	Steel 8.8	M45 x 530	Hot Dip Galvanizing	45 mm	530 mm	70 mm	
9318481052C	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 105, EN 10204-3-1-C	Steel 8.8	M48 x 105	Hot Dip Galvanizing	48 mm	105 mm	75 mm	
931848130	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 130, Plain	Steel 8.8	M48 x 130	Plain (no plating)	48 mm	130 mm	75 mm	
931848140	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 140, Plain	Steel 8.8	M48 x 140	Plain (no plating)	48 mm	140 mm	75 mm	
9318481401	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 140, Zinc Plated	Steel 8.8	M48 x 140	Zinc Bright Passivation Fe/Zn P1	48 mm	140 mm	75 mm	
9318481402	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 140, Hot-Dip Galvan	Steel 8.8	M48 x 140	Hot Dip Galvanizing	48 mm	140 mm	75 mm	
931848150	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 150, Plain	Steel 8.8	M48 x 150	Plain (no plating)	48 mm	150 mm	75 mm	
9318481501	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 150, Zinc Plated	Steel 8.8	M48 x 150	Zinc Bright Passivation Fe/Zn P1	48 mm	150 mm	75 mm	
9318481502	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 150, Hot-Dip Galvan	Steel 8.8	M48 x 150	Hot Dip Galvanizing	48 mm	150 mm	75 mm	
931848160	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 160, Plain	Steel 8.8	M48 x 160	Plain (no plating)	48 mm	160 mm	75 mm	
9318481601	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 160, Zinc Plated	Steel 8.8	M48 x 160	Zinc Bright Passivation Fe/Zn P1	48 mm	160 mm	75 mm	
9318481602	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 160, Hot-Dip Galvan	Steel 8.8	M48 x 160	Hot Dip Galvanizing	48 mm	160 mm	75 mm	
931848170	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 170, Plain	Steel 8.8	M48 x 170	Plain (no plating)	48 mm	170 mm	75 mm	
9318481701	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 170, Zinc Plated	Steel 8.8	M48 x 170	Zinc Bright Passivation Fe/Zn P1	48 mm	170 mm	75 mm	
931848180	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 180, Plain	Steel 8.8	M48 x 180	Plain (no plating)	48 mm	180 mm	75 mm	
9318481801	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 180, Zinc Plated	Steel 8.8	M48 x 180	Zinc Bright Passivation Fe/Zn P1	48 mm	180 mm	75 mm	
9318481802	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 180, Hot-Dip Galvan	Steel 8.8	M48 x 180	Hot Dip Galvanizing	48 mm	180 mm	75 mm	
9318481807	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 180, Black Oxide	Steel 8.8	M48 x 180	Oxide (black or brown)	48 mm	180 mm	75 mm	
931848200	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 200, Plain	Steel 8.8	M48 x 200	Plain (no plating)	48 mm	200 mm	75 mm	
9318482001	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 200, Zinc Plated	Steel 8.8	M48 x 200	Zinc Bright Passivation Fe/Zn P1	48 mm	200 mm	75 mm	
9318482002	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 200, Hot-Dip Galvan	Steel 8.8	M48 x 200	Hot Dip Galvanizing	48 mm	200 mm	75 mm	
931848220	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 220, Plain	Steel 8.8	M48 x 220	Plain (no plating)	48 mm	220 mm	75 mm	
9318482201	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 220, Zinc Plated	Steel 8.8	M48 x 220	Zinc Bright Passivation Fe/Zn P1	48 mm	220 mm	75 mm	
9318482202	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 220, Hot-Dip Galvan	Steel 8.8	M48 x 220	Hot Dip Galvanizing	48 mm	220 mm	75 mm	
931848230	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 230, Plain	Steel 8.8	M48 x 230	Plain (no plating)	48 mm	230 mm	75 mm	
931848240	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 240, Plain	Steel 8.8	M48 x 240	Plain (no plating)	48 mm	240 mm	75 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318482401	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 240, Zinc Plated	Steel 8.8	M48 x 240	Zinc Bright Passivation Fe/Zn P1	48 mm	240 mm	75 mm	
9318482402	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 240, Hot-Dip Galvan	Steel 8.8	M48 x 240	Hot Dip Galvanizing	48 mm	240 mm	75 mm	
9318482407	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 240, Black Oxide	Steel 8.8	M48 x 240	Oxide (black or brown)	48 mm	240 mm	75 mm	
931848250	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 250, Plain	Steel 8.8	M48 x 250	Plain (no plating)	48 mm	250 mm	75 mm	
9318482501	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 250, Zinc Plated	Steel 8.8	M48 x 250	Zinc Bright Passivation Fe/Zn P1	48 mm	250 mm	75 mm	
9318482502	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 250, Hot-Dip Galvan	Steel 8.8	M48 x 250	Hot Dip Galvanizing	48 mm	250 mm	75 mm	
9318482502C	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 250, EN 10204-3-1-C	Steel 8.8	M48 x 250	Hot Dip Galvanizing	48 mm	250 mm	75 mm	
931848260	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 260, Plain	Steel 8.8	M48 x 260	Plain (no plating)	48 mm	260 mm	75 mm	
9318482601	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 260, Zinc Plated	Steel 8.8	M48 x 260	Zinc Bright Passivation Fe/Zn P1	48 mm	260 mm	75 mm	
9318482602	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 260, Hot-Dip Galvan	Steel 8.8	M48 x 260	Hot Dip Galvanizing	48 mm	260 mm	75 mm	
9318482603	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 260, Zinc Plated-Y	Steel 8.8	M48 x 260	Zinc Yellow Passivation Fe/Zn P2	48 mm	260 mm	75 mm	
9318482702	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 270, Hot-Dip Galvan	Steel 8.8	M48 x 270	Hot Dip Galvanizing	48 mm	270 mm	75 mm	
931848280	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 280, Plain	Steel 8.8	M48 x 280	Plain (no plating)	48 mm	280 mm	75 mm	
9318482801	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 280, Zinc Plated	Steel 8.8	M48 x 280	Zinc Bright Passivation Fe/Zn P1	48 mm	280 mm	75 mm	
9318482802	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 280, Hot-Dip Galvan	Steel 8.8	M48 x 280	Hot Dip Galvanizing	48 mm	280 mm	75 mm	
9318482902	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 290, EN 10204-3-1-C	Steel 8.8	M48 x 290	Hot Dip Galvanizing	48 mm	290 mm	75 mm	
931848300	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 300, Plain	Steel 8.8	M48 x 300	Plain (no plating)	48 mm	300 mm	75 mm	
9318483001	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 300, Zinc Plated	Steel 8.8	M48 x 300	Zinc Bright Passivation Fe/Zn P1	48 mm	300 mm	75 mm	
9318483002	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 300, Hot-Dip Galvan	Steel 8.8	M48 x 300	Hot Dip Galvanizing	48 mm	300 mm	75 mm	
931848320	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 320, Plain	Steel 8.8	M48 x 320	Plain (no plating)	48 mm	320 mm	75 mm	
9318483201	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 320, Zinc Plated	Steel 8.8	M48 x 320	Zinc Bright Passivation Fe/Zn P1	48 mm	320 mm	75 mm	
9318483202C	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 320, EN 10204-3-1-C	Steel 8.8	M48 x 320	Hot Dip Galvanizing	48 mm	320 mm	75 mm	
931848340	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 340, Plain	Steel 8.8	M48 x 340	Plain (no plating)	48 mm	340 mm	75 mm	
9318483401	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 340, Zinc Plated	Steel 8.8	M48 x 340	Zinc Bright Passivation Fe/Zn P1	48 mm	340 mm	75 mm	
931848350	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 350, Plain	Steel 8.8	M48 x 350	Plain (no plating)	48 mm	350 mm	75 mm	
9318483502	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 350, Hot-Dip Galvan	Steel 8.8	M48 x 350	Hot Dip Galvanizing	48 mm	350 mm	75 mm	
931848360	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 360, Plain	Steel 8.8	M48 x 360	Plain (no plating)	48 mm	360 mm	75 mm	
9318483601	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 360, Zinc Plated	Steel 8.8	M48 x 360	Zinc Bright Passivation Fe/Zn P1	48 mm	360 mm	75 mm	
9318483602	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 360, Hot-Dip Galvan	Steel 8.8	M48 x 360	Hot Dip Galvanizing	48 mm	360 mm	75 mm	
931848380	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 380, Plain	Steel 8.8	M48 x 380	Plain (no plating)	48 mm	380 mm	75 mm	
9318483802	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 380, Hot-Dip Galvan	Steel 8.8	M48 x 380	Hot Dip Galvanizing	48 mm	380 mm	75 mm	
9318483902	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 390, Hot-Dip Galvan	Steel 8.8	M48 x 390	Hot Dip Galvanizing	48 mm	390 mm	75 mm	
931848400	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 400, Plain	Steel 8.8	M48 x 400	Plain (no plating)	48 mm	400 mm	75 mm	
9318484102	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 410, Hot-Dip Galvan	Steel 8.8	M48 x 410	Hot Dip Galvanizing	48 mm	410 mm	75 mm	
931848450	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 450, Plain	Steel 8.8	M48 x 450	Plain (no plating)	48 mm	450 mm	75 mm	
9318484602	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 460, Hot-Dip Galvan	Steel 8.8	M48 x 460	Hot Dip Galvanizing	48 mm	460 mm	75 mm	
931848480	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 480, Plain	Steel 8.8	M48 x 480	Plain (no plating)	48 mm	480 mm	75 mm	
931848530TP	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 530, Protection-Pl	Steel 8.8	M48 x 530	Plain (no plating)	48 mm	530 mm	75 mm	
931848550TP	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 550, Protection-Pl	Steel 8.8	M48 x 550	Plain (no plating)	48 mm	550 mm	75 mm	
931848580	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 580, Plain	Steel 8.8	M48 x 580	Plain (no plating)	48 mm	580 mm	75 mm	
931848800	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 800, Plain	Steel 8.8	M48 x 800	Plain (no plating)	48 mm	800 mm	75 mm	
931848900	DIN 931 Hexagon Head Screw, Steel 8.8, M48 x 900, Plain	Steel 8.8	M48 x 900	Plain (no plating)	48 mm	900 mm	75 mm	
9318521502	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 150, Hot-Dip Galvan	Steel 8.8	M52 x 150	Hot Dip Galvanizing	52 mm	150 mm	80 mm	
9318521702	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 170, Hot-Dip Galvan	Steel 8.8	M52 x 170	Hot Dip Galvanizing	52 mm	170 mm	80 mm	
931852180	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 180, Plain	Steel 8.8	M52 x 180	Plain (no plating)	52 mm	180 mm	80 mm	
9318521801	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 180, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318521802	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 180, Hot-Dip Galvan	Steel 8.8	M52 x 180	Hot Dip Galvanizing	52 mm	180 mm	80 mm	
9318521902	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 190, Hot-Dip Galvan	Steel 8.8	M52 x 190	Hot Dip Galvanizing	52 mm	190 mm	80 mm	
9318522002	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 200, Hot-Dip Galvan	Steel 8.8	M52 x 200	Hot Dip Galvanizing	52 mm	200 mm	80 mm	
931852220	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 220, Plain	Steel 8.8	M52 x 220	Plain (no plating)	52 mm	220 mm	80 mm	
9318522202	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 220, Hot-Dip Galvan	Steel 8.8	M52 x 220	Hot Dip Galvanizing	52 mm	220 mm	80 mm	
9318522203	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 220, Zinc Plated, Y	Steel 8.8	M52 x 220	Zinc Yellow Passivation Fe/Zn P2	52 mm	220 mm	80 mm	
9318522302	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 230, Hot-Dip Galvan	Steel 8.8	M52 x 230	Hot Dip Galvanizing	52 mm	230 mm	80 mm	
931852240	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 240, Plain	Steel 8.8	M52 x 240	Plain (no plating)	52 mm	240 mm	80 mm	
9318522402	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 240, Hot-Dip Galvan	Steel 8.8	M52 x 240	Hot Dip Galvanizing	52 mm	240 mm	80 mm	
931852260	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 260, Plain	Steel 8.8	M52 x 260	Plain (no plating)	52 mm	260 mm	80 mm	
9318522601	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 260, Zinc Plated	Steel 8.8	M52 x 260	Zinc Bright Passivation Fe/Zn P1	52 mm	260 mm	80 mm	
9318522602	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 260, Hot-Dip Galvan	Steel 8.8	M52 x 260	Hot Dip Galvanizing	52 mm	260 mm	80 mm	
9318522802	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 280, Hot-Dip Galvan	Steel 8.8	M52 x 280	Hot Dip Galvanizing	52 mm	280 mm	80 mm	
9318523002	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 300, Hot-Dip Galvan	Steel 8.8	M52 x 300	Hot Dip Galvanizing	52 mm	300 mm	80 mm	
931852320	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 320, Plain	Steel 8.8	M52 x 320	Plain (no plating)	52 mm	320 mm	80 mm	
931852400	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 400, Plain	Steel 8.8	M52 x 400	Plain (no plating)	52 mm	400 mm	80 mm	
9318524401	DIN 931 Hexagon Head Screw, Steel 8.8, M52 x 440, Zinc Plated	Steel 8.8	M52 x 440	Zinc Bright Passivation Fe/Zn P1	52 mm	440 mm	80 mm	
931856100	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 100, Plain	Steel 8.8	M56 x 100	Plain (no plating)	56 mm	100 mm	85 mm	
9318561001	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 100, Zinc Plated	Steel 8.8	M56 x 100	Zinc Bright Passivation Fe/Zn P1	56 mm	100 mm	85 mm	
931856130	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 130, Plain	Steel 8.8	M56 x 130	Plain (no plating)	56 mm	130 mm	85 mm	
931856140	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 140, Plain	Steel 8.8	M56 x 140	Plain (no plating)	56 mm	140 mm	85 mm	
931856150	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 150, Plain	Steel 8.8	M56 x 150	Plain (no plating)	56 mm	150 mm	85 mm	
931856155	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 155, Plain	Steel 8.8	M56 x 155	Plain (no plating)	56 mm	155 mm	85 mm	
931856160	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 160, Plain	Steel 8.8	M56 x 160	Plain (no plating)	56 mm	160 mm	85 mm	
931856180	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 180, Plain	Steel 8.8	M56 x 180	Plain (no plating)	56 mm	180 mm	85 mm	
9318561802	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 180, Hot-Dip Galvan	Steel 8.8	M56 x 180	Hot Dip Galvanizing	56 mm	180 mm	85 mm	
931856200	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 200, Plain	Steel 8.8	M56 x 200	Plain (no plating)	56 mm	200 mm	85 mm	
9318562001371	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 200, Zinc Plated	Steel 8.8	M56 x 200	Zinc Bright Passivation Fe/Zn P1	56 mm	200 mm	85 mm	
9318562002	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 200, Hot-Dip Galvan	Steel 8.8	M56 x 200	Hot Dip Galvanizing	56 mm	200 mm	85 mm	
9318562003	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 200, Zinc Plated, Y	Steel 8.8	M56 x 200	Zinc Yellow Passivation Fe/Zn P2	56 mm	200 mm	85 mm	
931856210	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 210, Plain	Steel 8.8	M56 x 210	Plain (no plating)	56 mm	210 mm	85 mm	
9318562101	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 210, Zinc Plated	Steel 8.8	M56 x 210	Zinc Bright Passivation Fe/Zn P1	56 mm	210 mm	85 mm	
931856220	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 220, Plain	Steel 8.8	M56 x 220	Plain (no plating)	56 mm	220 mm	85 mm	
9318562201	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 220, Zinc Plated	Steel 8.8	M56 x 220	Zinc Bright Passivation Fe/Zn P1	56 mm	220 mm	85 mm	
9318562302C	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 230, EN 10204-3-1-C	Steel 8.8	M56 x 230	Hot Dip Galvanizing	56 mm	230 mm	85 mm	
9318562402	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 240, Hot-Dip Galvan	Steel 8.8	M56 x 240	Hot Dip Galvanizing	56 mm	240 mm	85 mm	
9318562502	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 250, Hot-Dip Galvan	Steel 8.8	M56 x 250	Hot Dip Galvanizing	56 mm	250 mm	85 mm	
9318562601	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 260, Zinc Plated	Steel 8.8	M56 x 260	Zinc Bright Passivation Fe/Zn P1	56 mm	260 mm	85 mm	
931856280	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 280, Plain	Steel 8.8	M56 x 280	Plain (no plating)	56 mm	280 mm	85 mm	
9318562802	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 280, Hot-Dip Galvan	Steel 8.8	M56 x 280	Hot Dip Galvanizing	56 mm	280 mm	85 mm	
931856300	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 300, Plain	Steel 8.8	M56 x 300	Plain (no plating)	56 mm	300 mm	85 mm	
931856340	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 340, Plain	Steel 8.8	M56 x 340	Plain (no plating)	56 mm	340 mm	85 mm	
9318563701	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 370, Zinc Plated	Steel 8.8	M56 x 370	Zinc Bright Passivation Fe/Zn P1	56 mm	370 mm	85 mm	
9318564001	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 400, Zinc Plated	Steel 8.8	M56 x 400	Zinc Bright Passivation Fe/Zn P1	56 mm	400 mm	85 mm	
9318564202	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 420, Hot-Dip Galvan	Steel 8.8	M56 x 420	Hot Dip Galvanizing	56 mm	420 mm	85 mm	
931856440	DIN 931 Hexagon Head Screw, Steel 8.8, M56 x 440, Plain	Steel 8.8	M56 x 440	Plain (no plating)	56 mm	440 mm	85 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9318602002	DIN 931 Hexagon Head Screw, Steel 8.8, M60 x 200, Hot-Dip Galvanizing	Steel 8.8	M60 x 200	Hot Dip Galvanizing	60 mm	200 mm	90 mm	
9318602402	DIN 931 Hexagon Head Screw, Steel 8.8, M60 x 240, Hot-Dip Galvanizing	Steel 8.8	M60 x 240	Hot Dip Galvanizing	60 mm	240 mm	90 mm	
931860260	DIN 931 Hexagon Head Screw, Steel 8.8, M60 x 260, Plain	Steel 8.8	M60 x 260	Plain (no plating)	60 mm	260 mm	90 mm	
931864150	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 150, Plain	Steel 8.8	M64 x 150	Plain (no plating)	64 mm	150 mm	95 mm	
931864160	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 160, Plain	Steel 8.8	M64 x 160	Plain (no plating)	64 mm	160 mm	95 mm	
9318642001	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 200, Zinc Plated	Steel 8.8	M64 x 200	Zinc Bright Passivation Fe/Zn P1	64 mm	200 mm	95 mm	
931864240	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 240, Plain	Steel 8.8	M64 x 240	Plain (no plating)	64 mm	240 mm	95 mm	
9318642502	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 250, Hot-Dip Galvanizing	Steel 8.8	M64 x 250	Hot Dip Galvanizing	64 mm	250 mm	95 mm	
931864260	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 260, Plain	Steel 8.8	M64 x 260	Plain (no plating)	64 mm	260 mm	95 mm	
931864280	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 280, Plain	Steel 8.8	M64 x 280	Plain (no plating)	64 mm	280 mm	95 mm	
9318642802	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 280, Hot-Dip Galvanizing	Steel 8.8	M64 x 280	Hot Dip Galvanizing	64 mm	280 mm	95 mm	
931864300	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 300, Plain	Steel 8.8	M64 x 300	Plain (no plating)	64 mm	300 mm	95 mm	
931864380	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 380, Plain	Steel 8.8	M64 x 380	Plain (no plating)	64 mm	380 mm	95 mm	
9318643801	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 380, EN 10204-3-1-C	Steel 8.8	M64 x 380	Zinc Bright Passivation Fe/Zn P1	64 mm	380 mm	95 mm	
931864450	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 450, Plain	Steel 8.8	M64 x 450	Plain (no plating)	64 mm	450 mm	95 mm	
9318645001	DIN 931 Hexagon Head Screw, Steel 8.8, M64 x 500, Zinc Plated	Steel 8.8	M64 x 500	Zinc Bright Passivation Fe/Zn P1	64 mm	500 mm	95 mm	
931872373	DIN 931 Hexagon Head Screw, Steel 8.8, M72 x 373, Plain	Steel 8.8	M72 x 373	Plain (no plating)	72 mm	373 mm	105 mm	
931872480	DIN 931 Hexagon Head Screw, Steel 8.8, M72 x 6 x 480, Plain	Steel 8.8	M72 x 6 x 480	Plain (no plating)	72 mm	480 mm	105 mm	
9318725001	DIN 931 Hexagon Head Screw, Steel 8.8, M72 x 6 x 500, Zinc Plate	Steel 8.8	M72 x 6 x 500	Zinc Bright Passivation Fe/Zn P1	72 mm	500 mm	105 mm	
9318762302	DIN 931 Hexagon Head Screw, Steel 8.8, M76 x 6 x 230, Hot-Dip Galvanizing	Steel 8.8	M76 x 6 x 230	Hot Dip Galvanizing	76 mm	230 mm	110 mm	
931880150	DIN 931 Hexagon Head Screw, Steel 8.8, M80 x 150, Plain	Steel 8.8	M80 x 150	Plain (no plating)	80 mm	150 mm	115 mm	
931880280	DIN 931 Hexagon Head Screw, Steel 8.8, M80 x 6 x 280, Plain	Steel 8.8	M80 x 6 x 280	Plain (no plating)	80 mm	280 mm	115 mm	
931880300	DIN 931 Hexagon Head Screw, Steel 8.8, M80 x 6 x 300, Plain	Steel 8.8	M80 x 6 x 300	Plain (no plating)	80 mm	300 mm	115 mm	
9318803201	DIN 931 Hexagon Head Screw, Steel 8.8, M80 x 6 x 320, Zinc Plate	Steel 8.8	M80 x 6 x 320	Zinc Bright Passivation Fe/Zn P1	80 mm	320 mm	115 mm	
931880360	DIN 931 Hexagon Head Screw, Steel 8.8, M80 x 6 x 360, Plain	Steel 8.8	M80 x 6 x 360	Plain (no plating)	80 mm	360 mm	115 mm	
9318805602	DIN 931 Hexagon Head Screw, Steel 8.8, M80 x 560, Hot-Dip Galvanizing	Steel 8.8	M80 x 560	Hot Dip Galvanizing	80 mm	560 mm	115 mm	
931A20504070	DIN 931 Hexagon Head Screw, Stainless A2-70, M5 x 40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
931A20507570	DIN 931 Hexagon Head Screw, Stainless A2-70, M5 x 75	Stainless A2-70	M5 x 75	Plain (no plating)	5 mm	75 mm	8 mm	
931A20606570	DIN 931 Hexagon Head Screw, Stainless A2-70, M6 x 65	Stainless A2-70	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
931A20609570	DIN 931 Hexagon Head Screw, Stainless A2-70, M6 x 95	Stainless A2-70	M6 x 95	Plain (no plating)	6 mm	95 mm	10 mm	
931A20610070	DIN 931 Hexagon Head Screw, Stainless A2-70, M6 x 100	Stainless A2-70	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
931A20617570	DIN 931 Hexagon Head Screw, Stainless A2-70, M6 x 175	Stainless A2-70	M6 x 175	Plain (no plating)	6 mm	175 mm	10 mm	
931A20618070	DIN 931 Hexagon Head Screw, Stainless A2-70, M6 x 180	Stainless A2-70	M6 x 180	Plain (no plating)	6 mm	180 mm	10 mm	
931A20811070	DIN 931 Hexagon Head Screw, Stainless A2-70, M8 x 110	Stainless A2-70	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
931A21003570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 35	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
931A21003580	DIN 931 Hexagon Head Screw, Stainless A2-80, M10 x 35	Stainless A2-80	M10 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
931A21004070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 40	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
931A21004080	DIN 931 Hexagon Head Screw, Stainless A2-80, M10 x 40	Stainless A2-80	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
931A21004570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 45	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
931A21004570DRI1	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 45, B7	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
931A21005070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 50	Stainless A2-70	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
931A21005570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 55	Stainless A2-70	M10 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
931A210060	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 60	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
931A21006070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 60	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
931A21006570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 65	Stainless A2-70	M10 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
931A21007070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 70	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm	17 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A21007570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 75	Stainless A2-70	M10 x 75	Plain (no plating)	10 mm	75 mm	17 mm	
931A21008070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 80	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
931A21008570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 85	Stainless A2-70	M10 x 85	Plain (no plating)	10 mm	85 mm	17 mm	
931A21009070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 90	Stainless A2-70	M10 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
931A21009570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 95	Stainless A2-70	M10 x 95	Plain (no plating)	10 mm	95 mm	17 mm	
931A21010070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 100	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
931A21011070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 110	Stainless A2-70	M10 x 110	Plain (no plating)	10 mm	110 mm	17 mm	
931A21011570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 115	Stainless A2-70	M10 x 115	Plain (no plating)	10 mm	115 mm	17 mm	
931A21012070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 120	Stainless A2-70	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
931A21012070TL50	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 120/50	Stainless A2-70	M10 x 120/50	Plain (no plating)	10 mm	120 mm	17 mm	
931A21013070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 130	Stainless A2-70	M10 x 130	Plain (no plating)	10 mm	130 mm	17 mm	
931A21013570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 135	Stainless A2-70	M10 x 135	Plain (no plating)	10 mm	135 mm	17 mm	
931A21014070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 140	Stainless A2-70	M10 x 140	Plain (no plating)	10 mm	140 mm	17 mm	
931A21015070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 150	Stainless A2-70	M10 x 150	Plain (no plating)	10 mm	150 mm	17 mm	
931A21016070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 160	Stainless A2-70	M10 x 160	Plain (no plating)	10 mm	160 mm	17 mm	
931A21016070W627	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 160	Stainless A2-70	M10 x 160	Plain (no plating)	10 mm	160 mm	17 mm	
931A21017070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 170	Stainless A2-70	M10 x 170	Plain (no plating)	10 mm	170 mm	17 mm	
931A21018070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 180	Stainless A2-70	M10 x 180	Plain (no plating)	10 mm	180 mm	17 mm	
931A21019070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 190	Stainless A2-70	M10 x 190	Plain (no plating)	10 mm	190 mm	17 mm	
931A210200	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 200	Stainless A2-70	M10 x 200	Plain (no plating)	10 mm	200 mm	17 mm	
931A21020070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 200	Stainless A2-70	M10 x 200	Plain (no plating)	10 mm	200 mm	17 mm	
931A21021070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 210	Stainless A2-70	M10 x 210	Plain (no plating)	10 mm	210 mm	17 mm	
931A21022070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 220	Stainless A2-70	M10 x 220	Plain (no plating)	10 mm	220 mm	17 mm	
931A21022570	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 225	Stainless A2-70	M10 x 225	Plain (no plating)	10 mm	225 mm	17 mm	
931A21023070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 230	Stainless A2-70	M10 x 230	Plain (no plating)	10 mm	230 mm	17 mm	
931A21024070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 240	Stainless A2-70	M10 x 240	Plain (no plating)	10 mm	240 mm	17 mm	
931A21026070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 260	Stainless A2-70	M10 x 260	Plain (no plating)	10 mm	260 mm	17 mm	
931A21027070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 270	Stainless A2-70	M10 x 270	Plain (no plating)	10 mm	270 mm	17 mm	
931A21030070	DIN 931 Hexagon Head Screw, Stainless A2-70, M10 x 300	Stainless A2-70	M10 x 300	Plain (no plating)	10 mm	300 mm	17 mm	
931A21204070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 40	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
931A21204570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 45	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
931A21205070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 50	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A21205070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 50	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A21205570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 55	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
931A21206070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 60	Stainless A2-70	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931A21206570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 65	Stainless A2-70	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
931A21206570C	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 65	Stainless A2-70	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
931A21207070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 70	Stainless A2-70	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931A21207570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 75	Stainless A2-70	M12 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
931A21208070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 80	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
931A21208070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 80	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
931A21208570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 85	Stainless A2-70	M12 x 85	Plain (no plating)	12 mm	85 mm	19 mm	
931A21209070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 90	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
931A21209570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 95	Stainless A2-70	M12 x 95	Plain (no plating)	12 mm	95 mm	19 mm	
931A21210070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 100	Stainless A2-70	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
931A21210070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x							

100, EN 10204

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A21211070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 110	Stainless A2-70	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
931A21211570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 115	Stainless A2-70	M12 x 115	Plain (no plating)	12 mm	115 mm	19 mm	
931A21212070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 120	Stainless A2-70	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
931A21213070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 130	Stainless A2-70	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
931A21214070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 140	Stainless A2-70	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
931A21215070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 150	Stainless A2-70	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
931A21216070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 160	Stainless A2-70	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
931A21217070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 170	Stainless A2-70	M12 x 170	Plain (no plating)	12 mm	170 mm	19 mm	
931A21218070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 180	Stainless A2-70	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	
931A21219070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 190	Stainless A2-70	M12 x 190	Plain (no plating)	12 mm	190 mm	19 mm	
931A21219570	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 195	Stainless A2-70	M12 x 195	Plain (no plating)	12 mm	195 mm	19 mm	
931A21220070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 200	Stainless A2-70	M12 x 200	Plain (no plating)	12 mm	200 mm	19 mm	
931A21221070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 210	Stainless A2-70	M12 x 210	Plain (no plating)	12 mm	210 mm	19 mm	
931A21222070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 220	Stainless A2-70	M12 x 220	Plain (no plating)	12 mm	220 mm	19 mm	
931A21223070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 230	Stainless A2-70	M12 x 230	Plain (no plating)	12 mm	230 mm	19 mm	
931A21224070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 240	Stainless A2-70	M12 x 240	Plain (no plating)	12 mm	240 mm	19 mm	
931A21225070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 250	Stainless A2-70	M12 x 250	Plain (no plating)	12 mm	250 mm	19 mm	
931A21226070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 260	Stainless A2-70	M12 x 260	Plain (no plating)	12 mm	260 mm	19 mm	
931A21228070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 280	Stainless A2-70	M12 x 280	Plain (no plating)	12 mm	280 mm	19 mm	
931A21228070TL55	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 280/55	Stainless A2-70	M12 x 280/55	Plain (no plating)	12 mm	280 mm	19 mm	
931A21230070	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 300	Stainless A2-70	M12 x 300	Plain (no plating)	12 mm	300 mm	19 mm	
931A21230070TL10	DIN 931 Hexagon Head Screw, Stainless A2-70, M12 x 300/100	Stainless A2-70	M12 x 300/100	Plain (no plating)	12 mm	300 mm	19 mm	
931A21404570	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 45	Stainless A2-70	M14 x 45	Plain (no plating)	14 mm	45 mm	22 mm	
931A21405070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 50	Stainless A2-70	M14 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
931A21405570	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 55	Stainless A2-70	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
931A21406070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 60	Stainless A2-70	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
931A21406570	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 65	Stainless A2-70	M14 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
931A21406570C	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 65, EN 10204	Stainless A2-70	M14 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
931A21407070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 70	Stainless A2-70	M14 x 70	Plain (no plating)	14 mm	70 mm	22 mm	
931A21407570	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 75	Stainless A2-70	M14 x 75	Plain (no plating)	14 mm	75 mm	22 mm	
931A21408070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 80	Stainless A2-70	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
931A21409070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 90	Stainless A2-70	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
931A21410070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 100	Stainless A2-70	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
931A21411070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 110	Stainless A2-70	M14 x 110	Plain (no plating)	14 mm	110 mm	22 mm	
931A21412070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 120	Stainless A2-70	M14 x 120	Plain (no plating)	14 mm	120 mm	22 mm	
931A21413070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 130	Stainless A2-70	M14 x 130	Plain (no plating)	14 mm	130 mm	22 mm	
931A21414070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 140	Stainless A2-70	M14 x 140	Plain (no plating)	14 mm	140 mm	22 mm	
931A21415070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 150	Stainless A2-70	M14 x 150	Plain (no plating)	14 mm	150 mm	22 mm	
931A21416070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 160	Stainless A2-70	M14 x 160	Plain (no plating)	14 mm	160 mm	22 mm	
931A21417070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 170	Stainless A2-70	M14 x 170	Plain (no plating)	14 mm	170 mm	22 mm	
931A21418070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 180	Stainless A2-70	M14 x 180	Plain (no plating)	14 mm	180 mm	22 mm	
931A21419070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 190	Stainless A2-70	M14 x 190	Plain (no plating)	14 mm	190 mm	22 mm	
931A21420070	DIN 931 Hexagon Head Screw, Stainless A2-70, M14 x 200	Stainless A2-70	M14 x 200	Plain (no plating)	14 mm	200 mm	22 mm	
931A21608070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M16 x 80, EN 10204	Stainless A2-70	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
931A21612070	DIN 931 Hexagon Head Screw, Stainless A2-70, M16 x 120	Stainless A2-70	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
931A21612070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M16 x							

120, EN 10204

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A21634070	DIN 931 Hexagon Head Screw, Stainless A2-70, M16 x 340	Stainless A2-70	M16 x 340	Plain (no plating)	16 mm	340 mm	24 mm	
931A22005570C	DIN 931 Hexagon Head Screw, Stainless A2-70, M20 x 55, EN 10204	Stainless A2-70	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
931A22010070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M20 x 100, EN 10204	Stainless A2-70	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
931A22015070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M20 x 150, EN 10204	Stainless A2-70	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
931A22206070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 60	Stainless A2-70	M22 x 60	Plain (no plating)	22 mm	60 mm	32 mm	
931A22207070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 70	Stainless A2-70	M22 x 70	Plain (no plating)	22 mm	70 mm	32 mm	
931A22207570	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 75	Stainless A2-70	M22 x 75	Plain (no plating)	22 mm	75 mm	32 mm	
931A22208070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 80	Stainless A2-70	M22 x 80	Plain (no plating)	22 mm	80 mm	32 mm	
931A22209070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 90	Stainless A2-70	M22 x 90	Plain (no plating)	22 mm	90 mm	32 mm	
931A22210070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 100	Stainless A2-70	M22 x 100	Plain (no plating)	22 mm	100 mm	32 mm	
931A22211070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 110	Stainless A2-70	M22 x 110	Plain (no plating)	22 mm	110 mm	32 mm	
931A222120	DIN 931 Hexagon Head Screw, Stainless A2-50, M22 x 120	Stainless A2-50	M22 x 120	Plain (no plating)	22 mm	120 mm	32 mm	
931A22212070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 120	Stainless A2-70	M22 x 120	Plain (no plating)	22 mm	120 mm	32 mm	
931A22213070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 130	Stainless A2-70	M22 x 130	Plain (no plating)	22 mm	130 mm	32 mm	
931A22213570	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 135	Stainless A2-70	M22 x 135	Plain (no plating)	22 mm	135 mm	32 mm	
931A222140	DIN 931 Hexagon Head Screw, Stainless A2-50, M22 x 140	Stainless A2-50	M22 x 140	Plain (no plating)	22 mm	140 mm	32 mm	
931A22214070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 140	Stainless A2-70	M22 x 140	Plain (no plating)	22 mm	140 mm	32 mm	
931A22215070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 150	Stainless A2-70	M22 x 150	Plain (no plating)	22 mm	150 mm	32 mm	
931A222160	DIN 931 Hexagon Head Screw, Stainless A2-50, M22 x 160	Stainless A2-50	M22 x 160	Plain (no plating)	22 mm	160 mm	32 mm	
931A22216070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 160	Stainless A2-70	M22 x 160	Plain (no plating)	22 mm	160 mm	32 mm	
931A22220070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 200	Stainless A2-70	M22 x 200	Plain (no plating)	22 mm	200 mm	32 mm	
931A22223070	DIN 931 Hexagon Head Screw, Stainless A2-70, M22 x 230	Stainless A2-70	M22 x 230	Plain (no plating)	22 mm	230 mm	32 mm	
931A22409070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M24 x 90, EN 10204	Stainless A2-70	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
931A224180	DIN 931 Hexagon Head Screw, Stainless A2-50, M24 x 180	Stainless A2-50	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
931A22714070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M27 x 140, EN 10204	Stainless A2-70	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
931A22720070	DIN 931 Hexagon Head Screw, Stainless A2-70, M27 x 200	Stainless A2-70	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
931A23010070C	DIN 931 Hexagon Head Screw, Stainless A2-70, M30 x 100, EN 10204	Stainless A2-70	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
931A236280	DIN 931 Hexagon Head Screw, Stainless A2-50, M36 x 280	Stainless A2-50	M36 x 280	Plain (no plating)	36 mm	280 mm	55 mm	
931A406070	DIN 931 Hexagon Head Screw, Stainless A4-70, M6 x 70	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
931A40607570	DIN 931 Hexagon Head Screw, Stainless A4-70, M6 x 75	Stainless A4-70	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
931A406090	DIN 931 Hexagon Head Screw, Stainless A4-70, M6 x 90	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
931A406110	DIN 931 Hexagon Head Screw, Stainless A4-70, M6 x 110	Stainless A4-70	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
931A40612080	DIN 931 Hexagon Head Screw, Stainless A4-80, M6 x 120	Stainless A4-80	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
931A406140	DIN 931 Hexagon Head Screw, Stainless A4-70, M6 x 140	Stainless A4-70	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
931A40803580C22	DIN 931 Hexagon Head Screw, Stainless A4-80, M8 x 35, EN 10204	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
931A40807080	DIN 931 Hexagon Head Screw, Stainless A4-80, M8 x 70	Stainless A4-80	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
931A40808580	DIN 931 Hexagon Head Screw, Stainless A4-80, M8 x 85	Stainless A4-80	M8 x 85	Plain (no plating)	8 mm	85 mm	13 mm	
931A408120	DIN 931 Hexagon Head Screw, Stainless A4-70, M8 x 120	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
931A40813080	DIN 931 Hexagon Head Screw, Stainless A4-80, M8 x 130	Stainless A4-80	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
931A40819080	DIN 931 Hexagon Head Screw, Stainless A4-80, M8 x 190	Stainless A4-80	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	
931A41003570	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 35	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
931A41003580	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 35	Stainless A4-80	M10 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
931A4100400	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 40	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
931A41004070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 40	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
931A41004080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 40	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
931A41004080C22	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 40,							

EN 10204

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A41004570	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 45	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
931A41004580	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 45	Stainless A4-80	M10 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
931A4100500	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 50	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
931A41005070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 50	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
931A41005080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 50	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
931A41005080W	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 50	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
931A41005570	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 55	Stainless A4-70	M10 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
931A41005580	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 55	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
931A41006070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 60	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
931A41006080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 60	Stainless A4-80	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
931A41006080C	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 60, EN 10204	Stainless A4-80	M10 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
931A41006570	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 65	Stainless A4-70	M10 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
931A41006580	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 65	Stainless A4-80	M10 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
931A41006580W	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 65	Stainless A4-80	M10 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
931A4100700	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 70	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
931A41007070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 70	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
931A41007080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 70	Stainless A4-80	M10 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
931A41007570	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 75	Stainless A4-70	M10 x 75	Plain (no plating)	10 mm	75 mm	17 mm	
931A41007580	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 75	Stainless A4-80	M10 x 75	Plain (no plating)	10 mm	75 mm	17 mm	
931A41008070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 80	Stainless A4-70	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
931A41008080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 80	Stainless A4-80	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
931A41008570	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 85	Stainless A4-70	M10 x 85	Plain (no plating)	10 mm	85 mm	17 mm	
931A41009070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 90	Stainless A4-70	M10 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
931A41009080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 90	Stainless A4-80	M10 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
931A41009570	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 95	Stainless A4-70	M10 x 95	Plain (no plating)	10 mm	95 mm	17 mm	
931A41009580	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 95	Stainless A4-80	M10 x 95	Plain (no plating)	10 mm	95 mm	17 mm	
931A41010070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 100	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
931A41010080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 100	Stainless A4-80	M10 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
931A41010580	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 105	Stainless A4-80	M10 x 105	Plain (no plating)	10 mm	105 mm	17 mm	
931A41011070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 110	Stainless A4-70	M10 x 110	Plain (no plating)	10 mm	110 mm	17 mm	
931A41011080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 110	Stainless A4-80	M10 x 110	Plain (no plating)	10 mm	110 mm	17 mm	
931A41012070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 120	Stainless A4-70	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
931A41012080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 120	Stainless A4-80	M10 x 120	Plain (no plating)	10 mm	120 mm	17 mm	
931A41013070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 130	Stainless A4-70	M10 x 130	Plain (no plating)	10 mm	130 mm	17 mm	
931A41013080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 130	Stainless A4-80	M10 x 130	Plain (no plating)	10 mm	130 mm	17 mm	
931A41014070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 140	Stainless A4-70	M10 x 140	Plain (no plating)	10 mm	140 mm	17 mm	
931A41014080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 140	Stainless A4-80	M10 x 140	Plain (no plating)	10 mm	140 mm	17 mm	
931A41015070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 150	Stainless A4-70	M10 x 150	Plain (no plating)	10 mm	150 mm	17 mm	
931A41015080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 150	Stainless A4-80	M10 x 150	Plain (no plating)	10 mm	150 mm	17 mm	
931A41016070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 160	Stainless A4-70	M10 x 160	Plain (no plating)	10 mm	160 mm	17 mm	
931A41016080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 160	Stainless A4-80	M10 x 160	Plain (no plating)	10 mm	160 mm	17 mm	
931A41017070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 170	Stainless A4-70	M10 x 170	Plain (no plating)	10 mm	170 mm	17 mm	
931A41017080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 170	Stainless A4-80	M10 x 170	Plain (no plating)	10 mm	170 mm	17 mm	
931A41018070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 180	Stainless A4-70	M10 x 180	Plain (no plating)	10 mm	180 mm	17 mm	
931A41018080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 180	Stainless A4-80	M10 x 180	Plain (no plating)	10 mm	180 mm	17 mm	
931A41019070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 190	Stainless A4-70	M10 x 190	Plain (no plating)	10 mm	190 mm	17 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A41019080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 190	Stainless A4-80	M10 x 190	Plain (no plating)	10 mm	190 mm	17 mm	
931A41020070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 200	Stainless A4-70	M10 x 200	Plain (no plating)	10 mm	200 mm	17 mm	
931A41020080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 200	Stainless A4-80	M10 x 200	Plain (no plating)	10 mm	200 mm	17 mm	
931A41020080C	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 200	Stainless A4-80	M10 x 200	Plain (no plating)	10 mm	200 mm	17 mm	
931A41021070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 210	Stainless A4-70	M10 x 210	Plain (no plating)	10 mm	210 mm	17 mm	
931A41021080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 210	Stainless A4-80	M10 x 210	Plain (no plating)	10 mm	210 mm	17 mm	
931A41022070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 220	Stainless A4-70	M10 x 220	Plain (no plating)	10 mm	220 mm	17 mm	
931A41022080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 220	Stainless A4-80	M10 x 220	Plain (no plating)	10 mm	220 mm	17 mm	
931A41023070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 230	Stainless A4-70	M10 x 230	Plain (no plating)	10 mm	230 mm	17 mm	
931A41024070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 240	Stainless A4-70	M10 x 240	Plain (no plating)	10 mm	240 mm	17 mm	
931A41024080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 240	Stainless A4-80	M10 x 240	Plain (no plating)	10 mm	240 mm	17 mm	
931A41025070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 250	Stainless A4-70	M10 x 250	Plain (no plating)	10 mm	250 mm	17 mm	
931A41025080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 250	Stainless A4-80	M10 x 250	Plain (no plating)	10 mm	250 mm	17 mm	
931A41026070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 260	Stainless A4-70	M10 x 260	Plain (no plating)	10 mm	260 mm	17 mm	
931A41026080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 260	Stainless A4-80	M10 x 260	Plain (no plating)	10 mm	260 mm	17 mm	
931A41028070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 280	Stainless A4-70	M10 x 280	Plain (no plating)	10 mm	280 mm	17 mm	
931A41031080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 310	Stainless A4-80	M10 x 310	Plain (no plating)	10 mm	310 mm	17 mm	
931A41032070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 320	Stainless A4-70	M10 x 320	Plain (no plating)	10 mm	320 mm	17 mm	
931A41032080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 320	Stainless A4-80	M10 x 320	Plain (no plating)	10 mm	320 mm	17 mm	
931A41036080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 360	Stainless A4-80	M10 x 360	Plain (no plating)	10 mm	360 mm	17 mm	
931A41048070	DIN 931 Hexagon Head Screw, Stainless A4-70, M10 x 480	Stainless A4-70	M10 x 480	Plain (no plating)	10 mm	480 mm	17 mm	
931A41048080	DIN 931 Hexagon Head Screw, Stainless A4-80, M10 x 480	Stainless A4-80	M10 x 480	Plain (no plating)	10 mm	480 mm	17 mm	
931A41204070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 40	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
931A41204080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 40	Stainless A4-80	M12 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
931A4120450	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 45	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
931A41204570	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 45	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
931A41204570C	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 45	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
931A41204580	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 45	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
931A4120500	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A41205070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A41205070C	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A41205080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A41205080C2.2	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A41205080W	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931A412055	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 55	Stainless A4	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
931A41205570	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 55	Stainless A4-70	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
931A41205580	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 55	Stainless A4-80	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
931A41205580C2.2	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 55	Stainless A4-80	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
931A41205580W627	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 55	Stainless A4-80	M12 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
931A412060	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 60	Stainless A4	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931A41206070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 60	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931A41206070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 60	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931A41206080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 60	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931A41206080C	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 60	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931A412065	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 65	Stainless A4	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
931A41206570	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 65	Stainless A4-70	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A41206580	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 65	Stainless A4-80	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
931A41206580C2.2	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 65, EN 10204	Stainless A4-80	M12 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
931A412070	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 70	Stainless A4	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931A41207070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 70	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931A41207080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 70	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931A41207080C	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 70, EN 10204	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931A412075	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 75	Stainless A4	M12 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
931A41207570	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 75	Stainless A4-70	M12 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
931A41207580	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 75	Stainless A4-80	M12 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
931A412080	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 80	Stainless A4	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
931A41208070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 80	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
931A41208070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 80, EN 10204	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
931A41208080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 80	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
931A41208080W	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 80	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
931A41208570	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 85	Stainless A4-70	M12 x 85	Plain (no plating)	12 mm	85 mm	19 mm	
931A41208580	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 85	Stainless A4-80	M12 x 85	Plain (no plating)	12 mm	85 mm	19 mm	
931A41209070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 90	Stainless A4-70	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
931A41209080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 90	Stainless A4-80	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
931A41209580	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 95	Stainless A4-80	M12 x 95	Plain (no plating)	12 mm	95 mm	19 mm	
931A412100	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 100	Stainless A4	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
931A41210070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 100	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
931A41210070W	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 100	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
931A41210080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 100	Stainless A4-80	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
931A412110	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 110	Stainless A4	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
931A41211070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 110	Stainless A4-70	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
931A41211070W605	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 110, Clewing	Stainless A4-70	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
931A41211080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 110	Stainless A4-80	M12 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
931A41212070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 120	Stainless A4-70	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
931A41212080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 120	Stainless A4-80	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
931A41212080C	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 120, EN 10204	Stainless A4-80	M12 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
931A41213070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 130	Stainless A4-70	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
931A41213080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 130	Stainless A4-80	M12 x 130	Plain (no plating)	12 mm	130 mm	19 mm	
931A41214070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 140	Stainless A4-70	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
931A41214080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 140	Stainless A4-80	M12 x 140	Plain (no plating)	12 mm	140 mm	19 mm	
931A412150	DIN 931 Hexagon Head Screw, Stainless A4, M12 x 150	Stainless A4	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
931A41215070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 150	Stainless A4-70	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
931A41215070W	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 150	Stainless A4-70	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
931A41215080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 150	Stainless A4-80	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
931A41215080W	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 150	Stainless A4-80	M12 x 150	Plain (no plating)	12 mm	150 mm	19 mm	
931A41216070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 160	Stainless A4-70	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
931A41216080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 160	Stainless A4-80	M12 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
931A41217070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 170	Stainless A4-70	M12 x 170	Plain (no plating)	12 mm	170 mm	19 mm	
931A41217080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 170	Stainless A4-80	M12 x 170	Plain (no plating)	12 mm	170 mm	19 mm	
931A41218070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 180	Stainless A4-70	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	
931A41218080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 180	Stainless A4-80	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	
931A41218080C	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 180, EN 10204	Stainless A4-80	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	

180, EN 10204

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A41219070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 190	Stainless A4-70	M12 x 190	Plain (no plating)	12 mm	190 mm	19 mm	
931A41220070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 200	Stainless A4-70	M12 x 200	Plain (no plating)	12 mm	200 mm	19 mm	
931A41220080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 200	Stainless A4-80	M12 x 200	Plain (no plating)	12 mm	200 mm	19 mm	
931A41221070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 210	Stainless A4-70	M12 x 210	Plain (no plating)	12 mm	210 mm	19 mm	
931A41221080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 210	Stainless A4-80	M12 x 210	Plain (no plating)	12 mm	210 mm	19 mm	
931A41222070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 220	Stainless A4-70	M12 x 220	Plain (no plating)	12 mm	220 mm	19 mm	
931A41222080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 220	Stainless A4-80	M12 x 220	Plain (no plating)	12 mm	220 mm	19 mm	
931A41223070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 230	Stainless A4-70	M12 x 230	Plain (no plating)	12 mm	230 mm	19 mm	
931A41224070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 240	Stainless A4-70	M12 x 240	Plain (no plating)	12 mm	240 mm	19 mm	
931A41224080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 240	Stainless A4-80	M12 x 240	Plain (no plating)	12 mm	240 mm	19 mm	
931A41225070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 250	Stainless A4-70	M12 x 250	Plain (no plating)	12 mm	250 mm	19 mm	
931A41226070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 260	Stainless A4-70	M12 x 260	Plain (no plating)	12 mm	260 mm	19 mm	
931A41227070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 270	Stainless A4-70	M12 x 270	Plain (no plating)	12 mm	270 mm	19 mm	
931A41228070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 280	Stainless A4-70	M12 x 280	Plain (no plating)	12 mm	280 mm	19 mm	
931A41230070	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 300	Stainless A4-70	M12 x 300	Plain (no plating)	12 mm	300 mm	19 mm	
931A41232080	DIN 931 Hexagon Head Screw, Stainless A4-80, M12 x 320	Stainless A4-80	M12 x 320	Plain (no plating)	12 mm	320 mm	19 mm	
931A412400	DIN 931 Hexagon Head Screw, Stainless A4-70, M12 x 400	Stainless A4-70	M12 x 400	Plain (no plating)	12 mm	400 mm	19 mm	
931A41404570	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 45	Stainless A4-70	M14 x 45	Plain (no plating)	14 mm	45 mm	22 mm	
931A4140500	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 50	Stainless A4-70	M14 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
931A41405070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 50	Stainless A4-70	M14 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
931A41405080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 50	Stainless A4-80	M14 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
931A41405570	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 55	Stainless A4-70	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
931A41405580	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 55	Stainless A4-80	M14 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
931A4140600	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 60	Stainless A4-70	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
931A41406070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 60	Stainless A4-70	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
931A41406080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 60	Stainless A4-80	M14 x 60	Plain (no plating)	14 mm	60 mm	22 mm	
931A41406570	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 65	Stainless A4-70	M14 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
931A41406580	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 65	Stainless A4-80	M14 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
931A4140700	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 70	Stainless A4-70	M14 x 70	Plain (no plating)	14 mm	70 mm	22 mm	
931A41407070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 70	Stainless A4-70	M14 x 70	Plain (no plating)	14 mm	70 mm	22 mm	
931A41407080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 70	Stainless A4-80	M14 x 70	Plain (no plating)	14 mm	70 mm	22 mm	
931A41407570	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 75	Stainless A4-70	M14 x 75	Plain (no plating)	14 mm	75 mm	22 mm	
931A41407580	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 75	Stainless A4-80	M14 x 75	Plain (no plating)	14 mm	75 mm	22 mm	
931A4140800	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 80	Stainless A4-70	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
931A41408070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 80	Stainless A4-70	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
931A41408080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 80	Stainless A4-80	M14 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
931A41408580	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 85	Stainless A4-80	M14 x 85	Plain (no plating)	14 mm	85 mm	22 mm	
931A4140900	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 90	Stainless A4-70	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
931A41409070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 90	Stainless A4-70	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
931A41409080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 90	Stainless A4-80	M14 x 90	Plain (no plating)	14 mm	90 mm	22 mm	
931A41409570	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 95	Stainless A4-70	M14 x 95	Plain (no plating)	14 mm	95 mm	22 mm	
931A4141000	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 100	Stainless A4-70	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
931A41410070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 100	Stainless A4-70	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
931A41410080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 100	Stainless A4-80	M14 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
931A4141100	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 110	Stainless A4-70	M14 x 110	Plain (no plating)	14 mm	110 mm	22 mm	
931A41411070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 110	Stainless A4-70	M14 x 110	Plain (no plating)	14 mm	110 mm	22 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A41411080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 110	Stainless A4-80	M14 x 110	Plain (no plating)	14 mm	110 mm	22 mm	
931A41412070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 120	Stainless A4-70	M14 x 120	Plain (no plating)	14 mm	120 mm	22 mm	
931A41412080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 120	Stainless A4-80	M14 x 120	Plain (no plating)	14 mm	120 mm	22 mm	
931A41412080LT80	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 120	Stainless A4-80	M14 x 120	Plain (no plating)	14 mm	120 mm	22 mm	
931A41413070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 130	Stainless A4-70	M14 x 130	Plain (no plating)	14 mm	130 mm	22 mm	
931A41413080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 130	Stainless A4-80	M14 x 130	Plain (no plating)	14 mm	130 mm	22 mm	
931A41414070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 140	Stainless A4-70	M14 x 140	Plain (no plating)	14 mm	140 mm	22 mm	
931A41414080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 140	Stainless A4-80	M14 x 140	Plain (no plating)	14 mm	140 mm	22 mm	
931A41415070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 150	Stainless A4-70	M14 x 150	Plain (no plating)	14 mm	150 mm	22 mm	
931A41415080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 150	Stainless A4-80	M14 x 150	Plain (no plating)	14 mm	150 mm	22 mm	
931A41416070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 160	Stainless A4-70	M14 x 160	Plain (no plating)	14 mm	160 mm	22 mm	
931A41418070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 180	Stainless A4-70	M14 x 180	Plain (no plating)	14 mm	180 mm	22 mm	
931A41418080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 180	Stainless A4-80	M14 x 180	Plain (no plating)	14 mm	180 mm	22 mm	
931A41420070	DIN 931 Hexagon Head Screw, Stainless A4-70, M14 x 200	Stainless A4-70	M14 x 200	Plain (no plating)	14 mm	200 mm	22 mm	
931A41426080	DIN 931 Hexagon Head Screw, Stainless A4-80, M14 x 260	Stainless A4-80	M14 x 260	Plain (no plating)	14 mm	260 mm	22 mm	
931A416045	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 45	Stainless A4-70	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
931A416055	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 55	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
931A41605570	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 55	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
931A41605570C	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 55, EN 10204	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
931A41605570C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 55, EN 10204	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
931A416060	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 60	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
931A41606070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 60, EN 10204	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
931A416065	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 65	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
931A41606550	DIN 931 Hexagon Head Screw, Stainless A4-50, M16 x 65	Stainless A4-50	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
931A41606570C	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 65, EN 10204	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
931A416070	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 70	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
931A41607070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 70, EN 10204	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
931A41607080C	DIN 931 Hexagon Head Screw, Stainless A4-80, M16 x 70, EN 10204	Stainless A4-80	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
931A41609070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 90, EN 10204	Stainless A4-70	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
931A41609080	DIN 931 Hexagon Head Screw, Stainless A4-80, M16 x 90	Stainless A4-80	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
931A41610070	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 100	Stainless A4-70	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
931A41610080	DIN 931 Hexagon Head Screw, Stainless A4-80, M16 x 100	Stainless A4-80	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
931A41611070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 110, EN 10204	Stainless A4-70	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
931A41613070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 130, EN 10204	Stainless A4-70	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
931A41622070	DIN 931 Hexagon Head Screw, Stainless A4-70, M16 x 220	Stainless A4-70	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
931A420065	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 65	Stainless A4-70	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
931A420070	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 70	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
931A42007070	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 70	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
931A42007550	DIN 931 Hexagon Head Screw, Stainless A4-50, M20 x 75	Stainless A4-50	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
931A420080	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 80	Stainless A4-70	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
931A42008050	DIN 931 Hexagon Head Screw, Stainless A4-50, M20 x 80	Stainless A4-50	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
931A42008070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 80, EN 10204	Stainless A4-70	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
931A420090	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 90	Stainless A4-70	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
931A42009070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 90, EN 10204	Stainless A4-70	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
931A42010050	DIN 931 Hexagon Head Screw, Stainless A4-50, M20 x 100	Stainless A4-50	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
931A42010070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M20 x 100	Stainless A4-70	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	

100, EN 10204

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A42012050	DIN 931 Hexagon Head Screw, Stainless A4-50, M20 x 120	Stainless A4-50	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
931A42048080	DIN 931 Hexagon Head Screw, Stainless A4-80, M20 x 480	Stainless A4-80	M20 x 480	Plain (no plating)	20 mm	480 mm	30 mm	
931A422070	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 70	Stainless A4-50	M22 x 70	Plain (no plating)	22 mm	70 mm	32 mm	
931A422075	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 75	Stainless A4-50	M22 x 75	Plain (no plating)	22 mm	75 mm	32 mm	
931A422080	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 80	Stainless A4-50	M22 x 80	Plain (no plating)	22 mm	80 mm	32 mm	
931A422090	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 90	Stainless A4-50	M22 x 90	Plain (no plating)	22 mm	90 mm	32 mm	
931A422100	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 100	Stainless A4-50	M22 x 100	Plain (no plating)	22 mm	100 mm	32 mm	
931A422110	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 110	Stainless A4-50	M22 x 110	Plain (no plating)	22 mm	110 mm	32 mm	
931A422120	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 120	Stainless A4-50	M22 x 120	Plain (no plating)	22 mm	120 mm	32 mm	
931A422125	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 125	Stainless A4-50	M22 x 125	Plain (no plating)	22 mm	125 mm	32 mm	
931A422130	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 130	Stainless A4-50	M22 x 130	Plain (no plating)	22 mm	130 mm	32 mm	
931A42213070	DIN 931 Hexagon Head Screw, Stainless A4-70, M22 x 130	Stainless A4-70	M22 x 130	Plain (no plating)	22 mm	130 mm	32 mm	
931A42213080	DIN 931 Hexagon Head Screw, Stainless A4-80, M22 x 130	Stainless A4-80	M22 x 130	Plain (no plating)	22 mm	130 mm	32 mm	
931A422140	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 140	Stainless A4-50	M22 x 140	Plain (no plating)	22 mm	140 mm	32 mm	
931A422150	DIN 931 Hexagon Head Screw, Stainless A4-50, M22 x 150	Stainless A4-50	M22 x 150	Plain (no plating)	22 mm	150 mm	32 mm	
931A424065	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 65	Stainless A4-50	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
931A42409050	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 90	Stainless A4-50	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
931A42411070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 110	Stainless A4-70	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
931A42413070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 130	Stainless A4-70	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
931A424140	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 140	Stainless A4-50	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
931A42414050	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 140	Stainless A4-50	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
931A424150	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 150	Stainless A4-50	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
931A42415050	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 150	Stainless A4-50	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
931A42416070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 160	Stainless A4-70	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
931A42417070C22	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 170	Stainless A4-70	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
931A42418070	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 180	Stainless A4-70	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
931A42419070	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 190	Stainless A4-70	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
931A424190C	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 190	Stainless A4-50	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
931A42422070	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 220	Stainless A4-70	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
931A42424070	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 240	Stainless A4-70	M24 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
931A424260	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 260	Stainless A4-50	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
931A424280	DIN 931 Hexagon Head Screw, Stainless A4-50, M24 x 280	Stainless A4-50	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
931A42428070C	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 280	Stainless A4-70	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
931A42436070	DIN 931 Hexagon Head Screw, Stainless A4-70, M24 x 360	Stainless A4-70	M24 x 360	Plain (no plating)	24 mm	360 mm	36 mm	
931A42712050C22	DIN 931 Hexagon Head Screw, Stainless A4-50, M27 x 120	Stainless A4-50	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
931A42717550	DIN 931 Hexagon Head Screw, Stainless A4-50, M27 x 175	Stainless A4-50	M27 x 175	Plain (no plating)	27 mm	175 mm	41 mm	
931A42719050	DIN 931 Hexagon Head Screw, Stainless A4-50, M27 x 190	Stainless A4-50	M27 x 190	Plain (no plating)	27 mm	190 mm	41 mm	
931A42720050C22	DIN 931 Hexagon Head Screw, Stainless A4-50, M27 x 200	Stainless A4-50	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
931A42720070	DIN 931 Hexagon Head Screw, Stainless A4-70, M27 x 200	Stainless A4-70	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
931A42726070C	DIN 931 Hexagon Head Screw, Stainless A4-70, M27 x 260	Stainless A4-70	M27 x 260	Plain (no plating)	27 mm	260 mm	41 mm	
931A43020050C22	DIN 931 Hexagon Head Screw, Stainless A4-50, M30 x 200	Stainless A4-50	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
931A430340	DIN 931 Hexagon Head Screw, Stainless A4-50, M30 x 340	Stainless A4-50	M30 x 340	Plain (no plating)	30 mm	340 mm	46 mm	
931A43318080	DIN 931 Hexagon Head Screw, Stainless A4-80, M33 x 180	Stainless A4-80	M33 x 180	Plain (no plating)	33 mm	180 mm	50 mm	
931A43319050	DIN 931 Hexagon Head Screw, Stainless A4-50, M33 x 190	Stainless A4-50	M33 x 190	Plain (no plating)	33 mm	190 mm	50 mm	
931A433240	DIN 931 Hexagon Head Screw, Stainless A4-50, M33 x 240	Stainless A4-50	M33 x 240	Plain (no plating)	33 mm	240 mm	50 mm	
931A43330080	DIN 931 Hexagon Head Screw, Stainless A4-80, M33 x 300	Stainless A4-80	M33 x 300	Plain (no plating)	33 mm	300 mm	50 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
931A436200	DIN 931 Hexagon Head Screw, Stainless A4-50, M36 x 200	Stainless A4-50	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
931A436260	DIN 931 Hexagon Head Screw, Stainless A4-50, M36 x 260	Stainless A4-50	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
931A44816070	DIN 931 Hexagon Head Screw, Stainless A4-70, M48 x 160	Stainless A4-70	M48 x 160	Plain (no plating)	48 mm	160 mm	75 mm	
931A516070	DIN 931 Hexagon Head Screw, Stainless A5-70 (1.4571), M16 x 70	Stainless A5-70 (1.4571)	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
931A520090	DIN 931 Hexagon Head Screw, Stainless A5-70 (1.4571), M20 x 90	Stainless A5-70 (1.4571)	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
931B04030	DIN 931 Hexagon Head Screw, Brass, M4 x 30, Plain	Brass	M4 x 30	Plain (no plating)	4 mm	30 mm	7 mm	
931B04045	DIN 931 Hexagon Head Screw, Brass, M4 x 45, Plain	Brass	M4 x 45	Plain (no plating)	4 mm	45 mm	7 mm	
931B05055	DIN 931 Hexagon Head Screw, Brass, M5 x 55, Plain	Brass	M5 x 55	Plain (no plating)	5 mm	55 mm	8 mm	
931B06035	DIN 931 Hexagon Head Screw, Brass, M6 x 35, Plain	Brass	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
931B06040	DIN 931 Hexagon Head Screw, Brass, M6 x 40, Plain	Brass	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
931B06055	DIN 931 Hexagon Head Screw, Brass, M6 x 55, Plain	Brass	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
931B06070	DIN 931 Hexagon Head Screw, Brass, M6 x 70, Plain	Brass	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
931B08040	DIN 931 Hexagon Head Screw, Brass, M8 x 40, Plain	Brass	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
931B08050	DIN 931 Hexagon Head Screw, Brass, M8 x 50, Plain	Brass	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
931B10050	DIN 931 Hexagon Head Screw, Brass, M10 x 50, Plain	Brass	M10 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
931B10055	DIN 931 Hexagon Head Screw, Brass, M10 x 55, Plain	Brass	M10 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
931B12060	DIN 931 Hexagon Head Screw, Brass, M12 x 60, Plain	Brass	M12 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
931C08060	DIN 931 Hexagon Head Screw, Copper, M8 x 60, Plain	Copper	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
931C08075	DIN 931 Hexagon Head Screw, Copper, M8 x 75, Plain	Copper	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
931C12180	DIN 931 Hexagon Head Screw, Copper, M12 x 180, Plain	Copper	M12 x 180	Plain (no plating)	12 mm	180 mm	19 mm	
931D60804014462	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M8	Duplex stainless D6-70 (1.4462)	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
931D60807580	DIN 931 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M8	Duplex stainless D6-80 (1.4462)	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
931D61204014462	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M12	Duplex stainless D6-70 (1.4462)	M12 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
931D61205014462	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M12	Duplex stainless D6-70 (1.4462)	M12 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
931D61207080	DIN 931 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M12	Duplex stainless D6-80 (1.4462)	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931D61209014462	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M12	Duplex stainless D6-70 (1.4462)	M12 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
931D61607014462	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M16	Duplex stainless D6-70 (1.4462)	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
931D61608014462	DIN 931 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M16	Duplex stainless D6-70 (1.4462)	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
931D82009080C	DIN 931 Hexagon Head Screw, Stainless D8-80, M20 x 90, Plain	Stainless D8-80	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
931P05050	DIN 931 Hexagon Head Screw, Polyamide, M5 x 50, Plain	Polyamide	M5 x 50	Plain (no plating)	5 mm	50 mm	8 mm	
931P06060	DIN 931 Hexagon Head Screw, Polyamide, M6 x 60, Plain	Polyamide	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
931P08060	DIN 931 Hexagon Head Screw, Polyamide, M8 x 60, Plain	Polyamide	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
931P08090	DIN 931 Hexagon Head Screw, Polyamide, M8 x 90, Plain	Polyamide	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
931P08100	DIN 931 Hexagon Head Screw, Polyamide, M8 x 100, Plain	Polyamide	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
931P10080	DIN 931 Hexagon Head Screw, Polyamide, M10 x 80, Plain	Polyamide	M10 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
931P12070	DIN 931 Hexagon Head Screw, Polyamide, M12 x 70, Plain	Polyamide	M12 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
931P12100	DIN 931 Hexagon Head Screw, Polyamide, M12 x 100, Plain	Polyamide	M12 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
931P16090	DIN 931 Hexagon Head Screw, Polyamide, M16 x 90, Plain	Polyamide	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
931P16110	DIN 931 Hexagon Head Screw, Polyamide, M16 x 110, Plain	Polyamide	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
931SZA205040	DIN 931 Hexagon Head Screw, Stainless A2-70, M5 x 40, Slotted	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	

