



DIN 938 — Double End Stud

Catalogue data sheet · 30 sizes · category Bolts and Screws / Double End Stud · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9385830100	DIN 938 Double End Stud, Steel 5.8, M30 x 100, Plain	Steel 5.8	M30 x 100	Plain (no plating)	30 mm	100 mm		
938808040	DIN 938 Double End Stud, Steel 8.8, M8 x 40, Plain	Steel 8.8	M8 x 40	Plain (no plating)	8 mm	40 mm		
938810040	DIN 938 Double End Stud, Steel 8.8, M10 x 40, Plain	Steel 8.8	M10 x 40	Plain (no plating)	10 mm	40 mm		
938812050	DIN 938 Double End Stud, Steel 8.8, M12 x 50, Plain	Steel 8.8	M12 x 50	Plain (no plating)	12 mm	50 mm		
938812070	DIN 938 Double End Stud, Steel 8.8, M12 x 70, Plain	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm		
938816040	DIN 938 Double End Stud, Steel 8.8, M16 x 40, Plain	Steel 8.8	M16 x 40	Plain (no plating)	16 mm	40 mm		
938816045	DIN 938 Double End Stud, Steel 8.8, M16 x 45, Plain	Steel 8.8	M16 x 45	Plain (no plating)	16 mm	45 mm		
9388300802	DIN 938 Double End Stud, Steel 8.8, M30 x 80, Hot-Dip Galvanised	Steel 8.8	M30 x 80	Hot Dip Galvanizing	30 mm	80 mm		
938A40803088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M8 x 30	Plain (no plating)	8 mm	30 mm		
938A408040	DIN 938 Double End Stud, Stainless A4, M8 x 40	Stainless A4	M8 x 40	Plain (no plating)	8 mm	40 mm		
938A408050	DIN 938 Double End Stud, Stainless A4, M8 x 50	Stainless A4	M8 x 50	Plain (no plating)	8 mm	50 mm		
938A40805088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M8 x 50	Plain (no plating)	8 mm	50 mm		
938A41003088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M10 x 30	Plain (no plating)	10 mm	30 mm		
938A41004088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M10 x 40	Plain (no plating)	10 mm	40 mm		
938A410070	DIN 938 Double End Stud, Stainless A4, M10 x 70	Stainless A4	M10 x 70	Plain (no plating)	10 mm	70 mm		
938A41203088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M12 x 30	Plain (no plating)	12 mm	30 mm		
938A41204088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M12 x 40	Plain (no plating)	12 mm	40 mm		
938A41206088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M12 x 60	Plain (no plating)	12 mm	60 mm		
938A41206580	DIN 938 Double End Stud, Stainless A4-80, M12 x 65	Stainless A4-80	M12 x 65	Plain (no plating)	12 mm	65 mm		
938A416040	DIN 938 Double End Stud, Stainless A4, M16 x 40	Stainless A4	M16 x 40	Plain (no plating)	16 mm	40 mm		
938A41604088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M16 x 40	Plain (no plating)	16 mm	40 mm		
938A41604588	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M16 x 45	Plain (no plating)	16 mm	45 mm		
938A41605588	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M16 x 55	Plain (no plating)	16 mm	55 mm		
938A416060	DIN 938 Double End Stud, Stainless A4, M16 x 60	Stainless A4	M16 x 60	Plain (no plating)	16 mm	60 mm		
938A416070	DIN 938 Double End Stud, Stainless A4-70, M16 x 70	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm		
938A41610080	DIN 938 Double End Stud, Stainless A4-80, M16 x 100	Stainless A4-80	M16 x 100	Plain (no plating)	16 mm	100 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
938A420055	DIN 938 Double End Stud, Stainless A4, M20 x 55	Stainless A4	M20 x 55	Plain (no plating)	20 mm	55 mm		
938A42006088	DIN 938 Double End Stud, Stainless BUMAX 88 (A4 high-strength)	Stainless BUMAX 88 (A4 high-strength)	M20 x 60	Plain (no plating)	20 mm	60 mm		
938A424055	DIN 938 Double End Stud, Stainless A4, M24 x 55	Stainless A4	M24 x 55	Plain (no plating)	24 mm	55 mm		
938A42409070	DIN 938 Double End Stud, Stainless A4-70, M24 x 90	Stainless A4-70	M24 x 90	Plain (no plating)	24 mm	90 mm		

