


DIN 960 — Hexagon Head Screw



Catalogue data sheet · 339 sizes · category Bolts and Screws / Hexagon Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8765122015080	DIN 960 Hexagon Head Screw, Steel 12.9, M20 x 1.5 x 80, Plain	Steel 12.9	M20 x 1.5 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
96010081050	DIN 960 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 50, Plain	Steel 10.9	M8 x 1.0 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
96010081055	DIN 960 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 55, Plain	Steel 10.9	M8 x 1.0 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
96010101050	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.0 x 50, Plain	Steel 10.9	M10 x 1.0 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
96010101055	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.0 x 55, Plain	Steel 10.9	M10 x 1.0 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
96010101060	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.0 x 60, Plain	Steel 10.9	M10 x 1.0 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
9601010125040	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 40, Plain	Steel 10.9	M10 x 1.25 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
9601010125045	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 45, Plain	Steel 10.9	M10 x 1.25 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
9601010125050	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 50, Plain	Steel 10.9	M10 x 1.25 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
9601010125055	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 55, Plain	Steel 10.9	M10 x 1.25 x 55	Plain (no plating)	10 mm	55 mm	17 mm	
96010101250601	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 60, Zinc Pl	Steel 10.9	M10 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	17 mm	
9601010125070	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 70, Plain	Steel 10.9	M10 x 1.25 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
96010101250701	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 70, Zinc Pl	Steel 10.9	M10 x 1.25 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
9601010125090	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 90, Plain	Steel 10.9	M10 x 1.25 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
9601010125100	DIN 960 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 100, Plain	Steel 10.9	M10 x 1.25 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
9601012125045	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 45, Plain	Steel 10.9	M12 x 1.25 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
9601012125050	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 50, Plain	Steel 10.9	M12 x 1.25 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
96010121250601	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 60, Zinc Pl	Steel 10.9	M12 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9601012125070	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 70, Plain	Steel 10.9	M12 x 1.25 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
9601012125090	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 90, Plain	Steel 10.9	M12 x 1.25 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
9601012125100	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 100, Plain	Steel 10.9	M12 x 1.25 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
9601012125160	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 160, Plain	Steel 10.9	M12 x 1.25 x 160	Plain (no plating)	12 mm	160 mm	19 mm	
96010121251601	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 160, Zinc Pl	Steel 10.9	M12 x 1.25 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	19 mm	
960101215045	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 45, Plain	Steel 10.9	M12 x 1.5 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
9601012150451	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 45, Zinc Pl	Steel 10.9	M12 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	19 mm	
960101215050	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 50, Plain	Steel 10.9	M12 x 1.5 x 50	Plain (no plating)	12 mm	50 mm	19 mm	

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9601012150501	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 50, Zinc Pla	Steel 10.9	M12 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
960101215060	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 60, Plain	Steel 10.9	M12 x 1.5 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
9601012150601	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 60, Zinc Pla	Steel 10.9	M12 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9601012150701	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 70, Zinc Pla	Steel 10.9	M12 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
960101215075	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 75, Plain	Steel 10.9	M12 x 1.5 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
960101215080	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 80, Plain	Steel 10.9	M12 x 1.5 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
9601012150801	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 80, Zinc Pla	Steel 10.9	M12 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
9601012150901	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 90, Zinc Pla	Steel 10.9	M12 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	19 mm	
960101215100	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 100, Zinc Pla	Steel 10.9	M12 x 1.5 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
9601012151001	DIN 960 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 100, Zinc Pla	Steel 10.9	M12 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	19 mm	
96010125070	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 70, Plain	Steel 8.8	M10 x 1.25 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
960101415050	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 50, Plain	Steel 10.9	M14 x 1.5 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
9601014150501	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 50, Zinc Pla	Steel 10.9	M14 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
9601014150601	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 60, Zinc Pla	Steel 10.9	M14 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
960101415065	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 65, Zinc Pla	Steel 10.9	M14 x 1.5 x 65	Plain (no plating)	14 mm	65 mm	22 mm	
9601014150651	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 65, Plain	Steel 10.9	M14 x 1.5 x 65	Zinc Bright Passivation Fe/Zn P1	14 mm	65 mm	22 mm	
9601014150701	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 70, Zinc Pla	Steel 10.9	M14 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	22 mm	
9601014150751	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 75, Zinc Pla	Steel 10.9	M14 x 1.5 x 75	Zinc Bright Passivation Fe/Zn P1	14 mm	75 mm	22 mm	
9601014150801	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 80, Zinc Pla	Steel 10.9	M14 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	22 mm	
960101415085	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 85, Zinc Pla	Steel 10.9	M14 x 1.5 x 85	Plain (no plating)	14 mm	85 mm	22 mm	
9601014150851	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 85, Plain	Steel 10.9	M14 x 1.5 x 85	Zinc Bright Passivation Fe/Zn P1	14 mm	85 mm	22 mm	
9601014150901	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 90, Zinc Pla	Steel 10.9	M14 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	22 mm	
9601014151001	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 100, Zinc Pla	Steel 10.9	M14 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	22 mm	
960101415110	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 110, Zinc Pla	Steel 10.9	M14 x 1.5 x 110	Plain (no plating)	14 mm	110 mm	22 mm	
960101415140	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 140, Plain	Steel 10.9	M14 x 1.5 x 140	Plain (no plating)	14 mm	140 mm	22 mm	
960101415160	DIN 960 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 160, Plain	Steel 10.9	M14 x 1.5 x 160	Plain (no plating)	14 mm	160 mm	22 mm	
9601016150110	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 110, Plain	Steel 10.9	M16 x 1.5 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
9601016150150	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 150, Plain	Steel 10.9	M16 x 1.5 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
960101615050	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 50, Plain	Steel 10.9	M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
960101615055	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 55, Plain	Steel 10.9	M16 x 1.5 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
9601016150551	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 55, Zinc Pla	Steel 10.9	M16 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
960101615060	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 60, Plain	Steel 10.9	M16 x 1.5 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
9601016150601	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 60, Zinc Pla	Steel 10.9	M16 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
960101615065	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 65, Zinc Pla	Steel 10.9	M16 x 1.5 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
9601016150651	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 65, Plain	Steel 10.9	M16 x 1.5 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
960101615070	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 70, Zinc Pla	Steel 10.9	M16 x 1.5 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
9601016150701	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 70, Zinc Pla	Steel 10.9	M16 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
960101615075	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 75, Zinc Pla	Steel 10.9	M16 x 1.5 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
960101615080	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 80, Plain	Steel 10.9	M16 x 1.5 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
9601016150801	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 80, Zinc Pla	Steel 10.9	M16 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
960101615085	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 85, Zinc Pla	Steel 10.9	M16 x 1.5 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
9601016150851	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 85, Plain	Steel 10.9	M16 x 1.5 x 85	Zinc Bright Passivation Fe/Zn P1	16 mm	85 mm	24 mm	
960101615090	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 90, Zinc Pla	Steel 10.9	M16 x 1.5 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
9601016150901	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 90, Zinc Pla	Steel 10.9	M16 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
960101615095	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 95, Zinc Pla	Steel 10.9	M16 x 1.5 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
9601016150951	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 95, Plain							

Zinc Pla

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
960101615100	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 100, Plain	Steel 10.9	M16 x 1.5 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
9601016151001	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 100, Zinc Pl	Steel 10.9	M16 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
960101615110	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 110, Plain	Steel 10.9	M16 x 1.5 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
9601016151101	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 110, Zinc Pl	Steel 10.9	M16 x 1.5 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
960101615120	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 120, Plain	Steel 10.9	M16 x 1.5 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
9601016151201	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 120, Zinc Pl	Steel 10.9	M16 x 1.5 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
960101615130	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 130, Plain	Steel 10.9	M16 x 1.5 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
960101615140	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 140, Plain	Steel 10.9	M16 x 1.5 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
9601016151401	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 140, Zinc Pl	Steel 10.9	M16 x 1.5 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
960101615150	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 150, Plain	Steel 10.9	M16 x 1.5 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
9601016151501	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 150, Zinc Pl	Steel 10.9	M16 x 1.5 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
960101615160	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 160, Plain	Steel 10.9	M16 x 1.5 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
9601016151601	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 160, Zinc Pl	Steel 10.9	M16 x 1.5 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
9601016151801	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 180, Zinc Pl	Steel 10.9	M16 x 1.5 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	24 mm	
9601016152501	DIN 960 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 250, Zinc Pl	Steel 10.9	M16 x 1.5 x 250	Zinc Bright Passivation Fe/Zn P1	16 mm	250 mm	24 mm	
9601018150055TL3	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 55/34, Plain	Steel 10.9	M18 x 1.5 x 55/34	Plain (no plating)	18 mm	55 mm	27 mm	
9601018150065TL4	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 65/42, Plain	Steel 10.9	M18 x 1.5 x 65/42	Plain (no plating)	18 mm	65 mm	27 mm	
9601018150070	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 70, Plain	Steel 10.9	M18 x 1.5 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
960101815060	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 60, Plain	Steel 10.9	M18 x 1.5 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
9601018150601	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 60, Zinc Pl	Steel 10.9	M18 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	18 mm	60 mm	27 mm	
960101815070	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 70, Plain	Steel 10.9	M18 x 1.5 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
9601018150701	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 70, Zinc Pl	Steel 10.9	M18 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	18 mm	70 mm	27 mm	
960101815075	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 75, Plain	Steel 10.9	M18 x 1.5 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
960101815080	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 80, Plain	Steel 10.9	M18 x 1.5 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
9601018150801	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 80, Zinc Pl	Steel 10.9	M18 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	27 mm	
9601018150901	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 90, Zinc Pl	Steel 10.9	M18 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	18 mm	90 mm	27 mm	
9601018151001	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 100, Zinc Pl	Steel 10.9	M18 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	18 mm	100 mm	27 mm	
960101815110	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 110, Plain	Steel 10.9	M18 x 1.5 x 110	Plain (no plating)	18 mm	110 mm	27 mm	
960101815120	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 120, Plain	Steel 10.9	M18 x 1.5 x 120	Plain (no plating)	18 mm	120 mm	27 mm	
9601018151201	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 120, Zinc Pl	Steel 10.9	M18 x 1.5 x 120	Zinc Bright Passivation Fe/Zn P1	18 mm	120 mm	27 mm	
960101815140	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 140, Plain	Steel 10.9	M18 x 1.5 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
960101815150	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 150, Plain	Steel 10.9	M18 x 1.5 x 150	Plain (no plating)	18 mm	150 mm	27 mm	
960101815180	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 180, Plain	Steel 10.9	M18 x 1.5 x 180	Plain (no plating)	18 mm	180 mm	27 mm	
960101815190	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 190, Plain	Steel 10.9	M18 x 1.5 x 190	Plain (no plating)	18 mm	190 mm	27 mm	
960101815200	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 200, Plain	Steel 10.9	M18 x 1.5 x 200	Plain (no plating)	18 mm	200 mm	27 mm	
960101815230	DIN 960 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 230, Plain	Steel 10.9	M18 x 1.5 x 230	Plain (no plating)	18 mm	230 mm	27 mm	
9601020150601	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 60, Zinc Pl	Steel 10.9	M20 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
960102015065	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 65, Plain	Steel 10.9	M20 x 1.5 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
960102015070	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 70, Plain	Steel 10.9	M20 x 1.5 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
9601020150701	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 70, Zinc Pl	Steel 10.9	M20 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
960102015080	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 80, Plain	Steel 10.9	M20 x 1.5 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
9601020150801	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 80, Zinc Pl	Steel 10.9	M20 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
960102015090	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 90, Plain	Steel 10.9	M20 x 1.5 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
9601020150901	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 90, Zinc Pl	Steel 10.9	M20 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
960102015100	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 100, Zinc Pl	Steel 10.9	M20 x 1.5 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
9601020151001	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 100, Plain							

100, Zinc Pl

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
960102015110	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 110, Plain	Steel 10.9	M20 x 1.5 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
960102015120	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 120, Plain	Steel 10.9	M20 x 1.5 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
960102015130	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 130, Plain	Steel 10.9	M20 x 1.5 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
9601020151301	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 130, Zinc Pl	Steel 10.9	M20 x 1.5 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
960102015140	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 140, Plain	Steel 10.9	M20 x 1.5 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
9601020151401	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 140, Zinc Pl	Steel 10.9	M20 x 1.5 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
960102015150	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 150, Plain	Steel 10.9	M20 x 1.5 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
960102015160	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 160, Plain	Steel 10.9	M20 x 1.5 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
960102015180	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 180, Plain	Steel 10.9	M20 x 1.5 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
9601020151801	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 180, Zinc Pl	Steel 10.9	M20 x 1.5 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	30 mm	
960102015220	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 220, Plain	Steel 10.9	M20 x 1.5 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
960102015240	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 240, Plain	Steel 10.9	M20 x 1.5 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
9601020152401	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 240, Zinc Pl	Steel 10.9	M20 x 1.5 x 240	Zinc Bright Passivation Fe/Zn P1	20 mm	240 mm	30 mm	
960102015255	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 255, Plain	Steel 10.9	M20 x 1.5 x 255	Plain (no plating)	20 mm	255 mm	30 mm	
960102020100	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 2.0 x 100, Plain	Steel 10.9	M20 x 2.0 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
9601020201001	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 2.0 x 100, Zinc Pl	Steel 10.9	M20 x 2.0 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
960102020120	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 2.0 x 120, Plain	Steel 10.9	M20 x 2.0 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
960102020150	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 2.0 x 150, Plain	Steel 10.9	M20 x 2.0 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
96010202160	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 2.0 x 160, Plain	Steel 10.9	M20 x 2.0 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
96010202500	DIN 960 Hexagon Head Screw, Steel 10.9, M20 x 2.0 x 500, Plain	Steel 10.9	M20 x 2.0 x 500	Plain (no plating)	20 mm	500 mm	30 mm	
960102215070	DIN 960 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 70, Plain	Steel 10.9	M22 x 1.5 x 70	Plain (no plating)	22 mm	70 mm	32 mm	
9601022150801	DIN 960 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 80, Zinc Pl	Steel 10.9	M22 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	32 mm	
960102215100	DIN 960 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 100, Plain	Steel 10.9	M22 x 1.5 x 100	Plain (no plating)	22 mm	100 mm	32 mm	
960102215130	DIN 960 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 130, Plain	Steel 10.9	M22 x 1.5 x 130	Plain (no plating)	22 mm	130 mm	32 mm	
960102215140	DIN 960 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 140, Plain	Steel 10.9	M22 x 1.5 x 140	Plain (no plating)	22 mm	140 mm	32 mm	
960102215210	DIN 960 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 210, Plain	Steel 10.9	M22 x 1.5 x 210	Plain (no plating)	22 mm	210 mm	32 mm	
960102215220	DIN 960 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 220, Plain	Steel 10.9	M22 x 1.5 x 220	Plain (no plating)	22 mm	220 mm	32 mm	
9601024151101	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 1.5 x 110, Zinc Pl	Steel 10.9	M24 x 1.5 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
960102415310	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 1.5 x 310, Plain	Steel 10.9	M24 x 1.5 x 310	Plain (no plating)	24 mm	310 mm	36 mm	
960102415330	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 1.5 x 330, Plain	Steel 10.9	M24 x 1.5 x 330	Plain (no plating)	24 mm	330 mm	36 mm	
960102415400	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 1.5 x 400, Plain	Steel 10.9	M24 x 1.5 x 400	Plain (no plating)	24 mm	400 mm	36 mm	
9601024200220	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 220, Plain	Steel 10.9	M24 x 2.0 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
960102420100	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 100, Plain	Steel 10.9	M24 x 2.0 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
960102420110	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 110, Plain	Steel 10.9	M24 x 2.0 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
960102420120	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 120, Plain	Steel 10.9	M24 x 2.0 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
9601024201201	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 120, Zinc Pl	Steel 10.9	M24 x 2.0 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	36 mm	
9601024201401	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 140, Zinc Pl	Steel 10.9	M24 x 2.0 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
960102420150	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 150, Plain	Steel 10.9	M24 x 2.0 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
9601024201501	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 150, Zinc Pl	Steel 10.9	M24 x 2.0 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
960102420200	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 200, Plain	Steel 10.9	M24 x 2.0 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
9601024202001	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 200, Zinc Pl	Steel 10.9	M24 x 2.0 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm	36 mm	
960102420210	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 210, Plain	Steel 10.9	M24 x 2.0 x 210	Plain (no plating)	24 mm	210 mm	36 mm	
960102420220	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 220, Plain	Steel 10.9	M24 x 2.0 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
960102420240	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 240, Plain	Steel 10.9	M24 x 2.0 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
960102420250	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 250, Plain	Steel 10.9	M24 x 2.0 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
9601024220110	DIN 960 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 250, Plain	Steel 10.9	M24 x 2.0 x 250	Plain (no plating)	24 mm	250 mm	36 mm	

110, Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
960102720260	DIN 960 Hexagon Head Screw, Steel 10.9, M27 x 2.0 x 260, Plain	Steel 10.9	M27 x 2.0 x 260	Plain (no plating)	27 mm	260 mm	41 mm	
960103020170	DIN 960 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 170, Plain	Steel 10.9	M30 x 2.0 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
9601030202601	DIN 960 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 260, Zinc Bright Passivation Fe/Zn P1	Steel 10.9	M30 x 2.0 x 260	Zinc Bright Passivation Fe/Zn P1	30 mm	260 mm	46 mm	
960103020300	DIN 960 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 300, Plain	Steel 10.9	M30 x 2.0 x 300	Plain (no plating)	30 mm	300 mm	46 mm	
96010302135	DIN 960 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 135, Plain	Steel 10.9	M30 x 2.0 x 135	Plain (no plating)	30 mm	135 mm	46 mm	
960103021801	DIN 960 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 180, Zinc Bright Passivation Fe/Zn P1	Steel 10.9	M30 x 2.0 x 180	Zinc Bright Passivation Fe/Zn P1	30 mm	180 mm	46 mm	
960103630140	DIN 960 Hexagon Head Screw, Steel 10.9, M36 x 3.0 x 140, Plain	Steel 10.9	M36 x 3.0 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
960103630160	DIN 960 Hexagon Head Screw, Steel 10.9, M36 x 3.0 x 160, Plain	Steel 10.9	M36 x 3.0 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
9601039304001	DIN 960 Hexagon Head Screw, Steel 10.9, M39 x 3.0 x 400, Zinc Bright Passivation Fe/Zn P1	Steel 10.9	M39 x 3.0 x 400	Zinc Bright Passivation Fe/Zn P1	39 mm	400 mm	60 mm	
960104230140	DIN 960 Hexagon Head Screw, Steel 10.9, M42 x 3.0 x 140, Plain	Steel 10.9	M42 x 3.0 x 140	Plain (no plating)	42 mm	140 mm	65 mm	
960104230150	DIN 960 Hexagon Head Screw, Steel 10.9, M42 x 3.0 x 150, Plain	Steel 10.9	M42 x 3.0 x 150	Plain (no plating)	42 mm	150 mm	65 mm	
960104230190	DIN 960 Hexagon Head Screw, Steel 10.9, M42 x 3.0 x 190, Plain	Steel 10.9	M42 x 3.0 x 190	Plain (no plating)	42 mm	190 mm	65 mm	
96010453300	DIN 960 Hexagon Head Screw, Steel 10.9, M45 x 3.0 x 300, Plain	Steel 10.9	M45 x 3.0 x 300	Plain (no plating)	45 mm	300 mm	70 mm	
960105230270	DIN 960 Hexagon Head Screw, Steel 10.9, M52 x 3.0 x 270, Plain	Steel 10.9	M52 x 3.0 x 270	Plain (no plating)	52 mm	270 mm	80 mm	
960121415040	DIN 960 Hexagon Head Screw, Steel 12.9, M14 x 1.5 x 40, Plain	Steel 12.9	M14 x 1.5 x 40	Plain (no plating)	14 mm	40 mm	22 mm	
960121415055	DIN 960 Hexagon Head Screw, Steel 12.9, M14 x 1.5 x 55, Plain	Steel 12.9	M14 x 1.5 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
960121415100	DIN 960 Hexagon Head Screw, Steel 12.9, M14 x 1.5 x 100, Plain	Steel 12.9	M14 x 1.5 x 100	Plain (no plating)	14 mm	100 mm	22 mm	
960121615050	DIN 960 Hexagon Head Screw, Steel 12.9, M16 x 1.5 x 50, Plain	Steel 12.9	M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
960121615055	DIN 960 Hexagon Head Screw, Steel 12.9, M16 x 1.5 x 55, Plain	Steel 12.9	M16 x 1.5 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
960121615060	DIN 960 Hexagon Head Screw, Steel 12.9, M16 x 1.5 x 60, Plain	Steel 12.9	M16 x 1.5 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
960121615095	DIN 960 Hexagon Head Screw, Steel 12.9, M16 x 1.5 x 95, Plain	Steel 12.9	M16 x 1.5 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
960121615100	DIN 960 Hexagon Head Screw, Steel 12.9, M16 x 1.5 x 100, Plain	Steel 12.9	M16 x 1.5 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
960122420105	DIN 960 Hexagon Head Screw, Steel 12.9, M24 x 2.0 x 105, Zinc Bright Passivation Fe/Zn P1	Steel 12.9	M24 x 2.0 x 105	Plain (no plating)	24 mm	105 mm	36 mm	
96012302100	DIN 960 Hexagon Head Screw, Steel 12.9, M30 x 2.0 x 100, Plain	Steel 12.9	M30 x 2.0 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
96012363200	DIN 960 Hexagon Head Screw, Steel 12.9, M36 x 3.0 x 200, Plain	Steel 12.9	M36 x 3.0 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
960808100701	DIN 960 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 70, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M8 x 1.0 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
960808100801	DIN 960 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 80, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M8 x 1.0 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	13 mm	
96081010050	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 50, Plain	Steel 8.8	M10 x 1.0 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
960810101201	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 120, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.0 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	17 mm	
9608101040	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 40, Plain	Steel 8.8	M10 x 1.0 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
96081010401	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 40, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.0 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9608101065	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 65, Plain	Steel 8.8	M10 x 1.0 x 65	Plain (no plating)	10 mm	65 mm	17 mm	
96081010651	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 65, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.0 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	17 mm	
9608101080	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 80, Plain	Steel 8.8	M10 x 1.0 x 80	Plain (no plating)	10 mm	80 mm	17 mm	
960810125040	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 40, Plain	Steel 8.8	M10 x 1.25 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
9608101250401	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 40, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
960810125045	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 45, Plain	Steel 8.8	M10 x 1.25 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
9608101250451	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 45, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.25 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
960810125050	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 50, Plain	Steel 8.8	M10 x 1.25 x 50	Plain (no plating)	10 mm	50 mm	17 mm	
9608101250501	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 50, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.25 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9608101250551	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 55, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.25 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	17 mm	
960810125060	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 60, Plain	Steel 8.8	M10 x 1.25 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
9608101250601	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 60, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	17 mm	
960810125070	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 70, Plain	Steel 8.8	M10 x 1.25 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
9608101250701	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 70, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.25 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
960810125080	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 80, Zinc Bright Passivation Fe/Zn P1	Steel 8.8	M10 x 1.25 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9608101250801	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 80, Zinc Pl	Steel 8.8	M10 x 1.25 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	17 mm	
960810125090	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 90, Plain	Steel 8.8	M10 x 1.25 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
9608101250901	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 90, Zinc Pl	Steel 8.8	M10 x 1.25 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	17 mm	
9608101251001	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 100, Zinc Pl	Steel 8.8	M10 x 1.25 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
9608101251301	DIN 960 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 130, Zinc Pl	Steel 8.8	M10 x 1.25 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	17 mm	
96081210050	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.0 x 50, Plain	Steel 8.8	M12 x 1.0 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
960812125040	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 40, Plain	Steel 8.8	M12 x 1.25 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
9608121250501	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 50, Zinc Pl	Steel 8.8	M12 x 1.25 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
9608121250551	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 55, Zinc Pl	Steel 8.8	M12 x 1.25 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
960812125060	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 60, Plain	Steel 8.8	M12 x 1.25 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
9608121250601	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 60, Zinc Pl	Steel 8.8	M12 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9608121250601SST	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 60, Zinc Pl	Steel 8.8	M12 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
960812125065	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 65, Plain	Steel 8.8	M12 x 1.25 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
960812125070	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 70, Plain	Steel 8.8	M12 x 1.25 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
9608121250701	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 70, Zinc Pl	Steel 8.8	M12 x 1.25 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
960812125080	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 80, Zinc Pl	Steel 8.8	M12 x 1.25 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
9608121250801	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 80, Zinc Pl	Steel 8.8	M12 x 1.25 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
960812125090	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 90, Plain	Steel 8.8	M12 x 1.25 x 90	Plain (no plating)	12 mm	90 mm	19 mm	
9608121250901	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 90, Zinc Pl	Steel 8.8	M12 x 1.25 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	19 mm	
9608121251101	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 110, Zinc Pl	Steel 8.8	M12 x 1.25 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
9608121251301	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 130, Zinc Pl	Steel 8.8	M12 x 1.25 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	19 mm	
9608121251701	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 170, Zinc Pl	Steel 8.8	M12 x 1.25 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	19 mm	
960812150050	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 50, Plain	Steel 8.8	M12 x 1.5 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
9608121500551	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 55, Zinc Pl	Steel 8.8	M12 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
960812150065	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 65, Zinc Pl	Steel 8.8	M12 x 1.5 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
960812150110	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 110, Plain	Steel 8.8	M12 x 1.5 x 110	Plain (no plating)	12 mm	110 mm	19 mm	
96081215045	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 45, Plain	Steel 8.8	M12 x 1.5 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
960812150501	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 50, Zinc Pl	Steel 8.8	M12 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
960812150551	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 55, Zinc Pl	Steel 8.8	M12 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	19 mm	
96081215060	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 60, Zinc Pl	Steel 8.8	M12 x 1.5 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
960812150601	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 60, Zinc Pl	Steel 8.8	M12 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
96081215070	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 70, Zinc Pl	Steel 8.8	M12 x 1.5 x 70	Plain (no plating)	12 mm	70 mm	19 mm	
960812150701	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 70, Zinc Pl	Steel 8.8	M12 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
960812150801	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 80, Zinc Pl	Steel 8.8	M12 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
960812150901	DIN 960 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 90, Zinc Pl	Steel 8.8	M12 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	19 mm	
96081415055	DIN 960 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 55, Zinc Pl	Steel 8.8	M14 x 1.5 x 55	Plain (no plating)	14 mm	55 mm	22 mm	
960814150601	DIN 960 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 60, Zinc Pl	Steel 8.8	M14 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
96081415075	DIN 960 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 75, Zinc Pl	Steel 8.8	M14 x 1.5 x 75	Plain (no plating)	14 mm	75 mm	22 mm	
960814151001	DIN 960 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 100, Plain	Steel 8.8	M14 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	22 mm	
9608161500601	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 60, Zinc Pl	Steel 8.8	M16 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
960816150501	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 50, Zinc Pl	Steel 8.8	M16 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
96081615055	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 55, Zinc Pl	Steel 8.8	M16 x 1.5 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
960816150551	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 55, Zinc Pl	Steel 8.8	M16 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
96081615060	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 60, Zinc Pl	Steel 8.8	M16 x 1.5 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
960816150601	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 60, Zinc Pl	Steel 8.8	M16 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
96081615070	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 70, Zinc Pl							

Plain

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
960816150701	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 70, Zinc Plating	Steel 8.8	M16 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
960816150751	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 75, Zinc Plating	Steel 8.8	M16 x 1.5 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	24 mm	
960816150801	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 80, Zinc Plating	Steel 8.8	M16 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
960816150901	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 90, Zinc Plating	Steel 8.8	M16 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
960816151001	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 100, Zinc Plating	Steel 8.8	M16 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
960816151101	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 110, Zinc Plating	Steel 8.8	M16 x 1.5 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
96081615120	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 120, Plain	Steel 8.8	M16 x 1.5 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
960816151201	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 120, Zinc Plating	Steel 8.8	M16 x 1.5 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
96081615130	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 130, Plain	Steel 8.8	M16 x 1.5 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
960816151301	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 130, Zinc Plating	Steel 8.8	M16 x 1.5 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
96081615140	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 140, Zinc Plating	Steel 8.8	M16 x 1.5 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
960816151401	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 140, Zinc Plating	Steel 8.8	M16 x 1.5 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
960816151501	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 150, Zinc Plating	Steel 8.8	M16 x 1.5 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
960816151501SST096	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 150, SST 86 h	Steel 8.8	M16 x 1.5 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
96081615160	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 160, Plain	Steel 8.8	M16 x 1.5 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
960816151601	DIN 960 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 160, Zinc Plating	Steel 8.8	M16 x 1.5 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	24 mm	
960818150601	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 60, Zinc Plating	Steel 8.8	M18 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	18 mm	60 mm	27 mm	
96081815070	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 70, Zinc Plating	Steel 8.8	M18 x 1.5 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
960818150701	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 70, Zinc Plating	Steel 8.8	M18 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	18 mm	70 mm	27 mm	
960818150801	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 80, Zinc Plating	Steel 8.8	M18 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	27 mm	
960818151001	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 100, Zinc Plating	Steel 8.8	M18 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	18 mm	100 mm	27 mm	
960818151201	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 120, Zinc Plating	Steel 8.8	M18 x 1.5 x 120	Zinc Bright Passivation Fe/Zn P1	18 mm	120 mm	27 mm	
960818151451	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 145, Zinc Plating	Steel 8.8	M18 x 1.5 x 145	Zinc Bright Passivation Fe/Zn P1	18 mm	145 mm	27 mm	
960818151501	DIN 960 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 150, Zinc Plating	Steel 8.8	M18 x 1.5 x 150	Zinc Bright Passivation Fe/Zn P1	18 mm	150 mm	27 mm	
9608201501301SST096	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 130, SST 400	Steel 8.8	M20 x 1.5 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
9608201501601	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 160, Zinc Plating	Steel 8.8	M20 x 1.5 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	30 mm	
960820150200	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 200, Zinc Plating	Steel 8.8	M20 x 1.5 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
960820150601	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 60, Zinc Plating	Steel 8.8	M20 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
96082015065	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 65, Zinc Plating	Steel 8.8	M20 x 1.5 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
960820150651	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 65, Zinc Plating	Steel 8.8	M20 x 1.5 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
96082015070	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 70, Zinc Plating	Steel 8.8	M20 x 1.5 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
96082015080	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 80, Plain	Steel 8.8	M20 x 1.5 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
960820150801	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 80, Zinc Plating	Steel 8.8	M20 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
960820150901	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 90, Zinc Plating	Steel 8.8	M20 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
96082015100	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 100, Plain	Steel 8.8	M20 x 1.5 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
96082015110	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 110, Plain	Steel 8.8	M20 x 1.5 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
96082015120	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 120, Plain	Steel 8.8	M20 x 1.5 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
960820151201	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 120, Zinc Plating	Steel 8.8	M20 x 1.5 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
960820151301	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 130, Zinc Plating	Steel 8.8	M20 x 1.5 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
96082015140	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 140, Zinc Plating	Steel 8.8	M20 x 1.5 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
96082015150	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 150, Plain	Steel 8.8	M20 x 1.5 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
960820151601	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 160, Zinc Plating	Steel 8.8	M20 x 1.5 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	30 mm	
96082015170	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 170, Zinc Plating	Steel 8.8	M20 x 1.5 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
96082015180	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 180, Plain	Steel 8.8	M20 x 1.5 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
960820151801	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 180, Zinc Plating	Steel 8.8	M20 x 1.5 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	30 mm	
96082015190	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 190, Zinc Plating							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
960820152001	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 200, Zinc Plating	Steel 8.8	M20 x 1.5 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	30 mm	
96082020070	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 70, Plain	Steel 8.8	M20 x 2.0 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
960820200801	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 80, Zinc Plating	Steel 8.8	M20 x 2.0 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
960820200901	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 90, Zinc Plating	Steel 8.8	M20 x 2.0 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
960820201001	DIN 960 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 100, Zinc Plating	Steel 8.8	M20 x 2.0 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
96082215085	DIN 960 Hexagon Head Screw, Steel 8.8, M22 x 1.5 x 85, Plain	Steel 8.8	M22 x 1.5 x 85	Plain (no plating)	22 mm	85 mm	32 mm	
960822151801	DIN 960 Hexagon Head Screw, Steel 8.8, M22 x 1.5 x 180, Zinc Plating	Steel 8.8	M22 x 1.5 x 180	Zinc Bright Passivation Fe/Zn P1	22 mm	180 mm	32 mm	
96082415120	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 1.5 x 120, Plain	Steel 8.8	M24 x 1.5 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
960824200130	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 130, Zinc Plating	Steel 8.8	M24 x 2.0 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
960824200170	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 170, Plain	Steel 8.8	M24 x 2.0 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
9608242001701	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 170, Zinc Plating	Steel 8.8	M24 x 2.0 x 170	Zinc Bright Passivation Fe/Zn P1	24 mm	170 mm	36 mm	
960824200200	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 200, Zinc Plating	Steel 8.8	M24 x 2.0 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
960824200701	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 70, Plain	Steel 8.8	M24 x 2.0 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	36 mm	
960824201101	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 110, Zinc Plating	Steel 8.8	M24 x 2.0 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
96082420150	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 150, Zinc Plating	Steel 8.8	M24 x 2.0 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
960824201701	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 170, Plain	Steel 8.8	M24 x 2.0 x 170	Zinc Bright Passivation Fe/Zn P1	24 mm	170 mm	36 mm	
96082420190	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 190, Zinc Plating	Steel 8.8	M24 x 2.0 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
96082420200	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 200, Plain	Steel 8.8	M24 x 2.0 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
96082420250	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 250, Plain	Steel 8.8	M24 x 2.0 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
9608242150	DIN 960 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 150, Plain	Steel 8.8	M24 x 2.0 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
96083002085	DIN 960 Hexagon Head Screw, Steel 8.8, M30 x 2.0 x 85, Plain	Steel 8.8	M30 x 2.0 x 85	Plain (no plating)	30 mm	85 mm	46 mm	
960830201201	DIN 960 Hexagon Head Screw, Steel 8.8, M30 x 2.0 x 120, Zinc Plating	Steel 8.8	M30 x 2.0 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	46 mm	
9608302080	DIN 960 Hexagon Head Screw, Steel 8.8, M30 x 2.0 x 80, Zinc Plating	Steel 8.8	M30 x 2.0 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
96083023401	DIN 960 Hexagon Head Screw, Steel 8.8, M30 x 2.0 x 340, Plain	Steel 8.8	M30 x 2.0 x 340	Zinc Bright Passivation Fe/Zn P1	30 mm	340 mm	46 mm	
96083630180	DIN 960 Hexagon Head Screw, Steel 8.8, M36 x 3.0 x 180, Zinc Plating	Steel 8.8	M36 x 3.0 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
9608363090	DIN 960 Hexagon Head Screw, Steel 8.8, M36 x 3.0 x 90, Plain	Steel 8.8	M36 x 3.0 x 90	Plain (no plating)	36 mm	90 mm	55 mm	
9608363220	DIN 960 Hexagon Head Screw, Steel 8.8, M36 x 3.0 x 220, Plain	Steel 8.8	M36 x 3.0 x 220	Plain (no plating)	36 mm	220 mm	55 mm	
9608363460	DIN 960 Hexagon Head Screw, Steel 8.8, M36 x 3.0 x 460, Plain	Steel 8.8	M36 x 3.0 x 460	Plain (no plating)	36 mm	460 mm	55 mm	
96084231351	DIN 960 Hexagon Head Screw, Steel 8.8, M42 x 3.0 x 135, Plain	Steel 8.8	M42 x 3.0 x 135	Zinc Bright Passivation Fe/Zn P1	42 mm	135 mm	65 mm	
9608423300	DIN 960 Hexagon Head Screw, Steel 8.8, M42 x 3.0 x 300, Zinc Plating	Steel 8.8	M42 x 3.0 x 300	Plain (no plating)	42 mm	300 mm	65 mm	
9608423340	DIN 960 Hexagon Head Screw, Steel 8.8, M42 x 3.0 x 340, Plain	Steel 8.8	M42 x 3.0 x 340	Plain (no plating)	42 mm	340 mm	65 mm	
960845220	DIN 960 Hexagon Head Screw, Steel 8.8, M45 x 3.0 x 220, Plain	Steel 8.8	M45 x 3.0 x 220	Plain (no plating)	45 mm	220 mm	70 mm	
9608452202	DIN 960 Hexagon Head Screw, Steel 8.8, M45 x 3.0 x 220, Hot Dip Galvanizing	Steel 8.8	M45 x 3.0 x 220	Hot Dip Galvanizing	45 mm	220 mm	70 mm	
96085640150	DIN 960 Hexagon Head Screw, Steel 8.8, M56 x 4.0 x 150, Plain	Steel 8.8	M56 x 4.0 x 150	Plain (no plating)	56 mm	150 mm	85 mm	
96085640260	DIN 960 Hexagon Head Screw, Steel 8.8, M56 x 4.0 x 260, Plain	Steel 8.8	M56 x 4.0 x 260	Plain (no plating)	56 mm	260 mm	85 mm	
960A41212510580	DIN 960 Hexagon Head Screw, Stainless A4-80, M12 x 105/55	Stainless A4-80	M12 x 1.25 x 105/55	Plain (no plating)	12 mm	105 mm	19 mm	
960A41615090	DIN 960 Hexagon Head Screw, Stainless A4-70, M16 x 1.5 x 90	Stainless A4-70	M16 x 1.5 x 90	Plain (no plating)	16 mm	90 mm	24 mm	

