


DIN 961 — Hexagon Head Screw



Catalogue data sheet · 312 sizes · category Bolts and Screws / Hexagon Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9611008100301	DIN 961 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 30, Zinc Plating	Steel 10.9	M8 x 1.0 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	13 mm	
96110081020	DIN 961 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 20, Plain	Steel 10.9	M8 x 1.0 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
961100810201	DIN 961 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 20, Zinc Plating	Steel 10.9	M8 x 1.0 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	13 mm	
96110081025	DIN 961 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 25, Plain	Steel 10.9	M8 x 1.0 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
961100810251	DIN 961 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 25, Zinc Plating	Steel 10.9	M8 x 1.0 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	13 mm	
96110081030	DIN 961 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 30, Plain	Steel 10.9	M8 x 1.0 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
961100810301	DIN 961 Hexagon Head Screw, Steel 10.9, M8 x 1.0 x 30, Zinc Plating	Steel 10.9	M8 x 1.0 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	13 mm	
96110101030	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.0 x 30, Plain	Steel 10.9	M10 x 1.0 x 30	Plain (no plating)	10 mm	30 mm	17 mm	
96110101040	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.0 x 40, Plain	Steel 10.9	M10 x 1.0 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
961101010651	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.0 x 65, Plain	Steel 10.9	M10 x 1.0 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	17 mm	
9611010125025	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 25, Zinc Plating	Steel 10.9	M10 x 1.25 x 25	Plain (no plating)	10 mm	25 mm	17 mm	
9611010125030	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 30, Plain	Steel 10.9	M10 x 1.25 x 30	Plain (no plating)	10 mm	30 mm	17 mm	
9611010125035	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 35, Plain	Steel 10.9	M10 x 1.25 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
96110101250351	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 35, Zinc Plating	Steel 10.9	M10 x 1.25 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	17 mm	
9611010125040	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 40, Plain	Steel 10.9	M10 x 1.25 x 40	Plain (no plating)	10 mm	40 mm	17 mm	
96110101250401	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 40, Zinc Plating	Steel 10.9	M10 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
96110101250451	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 45, Zinc Plating	Steel 10.9	M10 x 1.25 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	17 mm	
9611010125070	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 70, Plain	Steel 10.9	M10 x 1.25 x 70	Plain (no plating)	10 mm	70 mm	17 mm	
96110101250701	DIN 961 Hexagon Head Screw, Steel 10.9, M10 x 1.25 x 70, Zinc Plating	Steel 10.9	M10 x 1.25 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
9611012125020	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 20, Plain	Steel 10.9	M12 x 1.25 x 20	Plain (no plating)	12 mm	20 mm	19 mm	
96110121250201	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 20, Zinc Plating	Steel 10.9	M12 x 1.25 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	19 mm	
9611012125025	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 25, Plain	Steel 10.9	M12 x 1.25 x 25	Plain (no plating)	12 mm	25 mm	19 mm	
96110121250251	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 25, Zinc Plating	Steel 10.9	M12 x 1.25 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	19 mm	
9611012125035	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 35, Plain	Steel 10.9	M12 x 1.25 x 35	Plain (no plating)	12 mm	35 mm	19 mm	
96110121250351	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 35, Zinc Plating	Steel 10.9	M12 x 1.25 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	19 mm	
9611012125040	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 40, Plain	Steel 10.9	M12 x 1.25 x 40	Plain (no plating)	12 mm	40 mm	19 mm	

40, Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
96110121250401	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 40, Zinc Pl	Steel 10.9	M12 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
96110121250401SS	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 40, Zinc Pl	Steel 10.9	M12 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
96110121250451	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 45, Zinc Pl	Steel 10.9	M12 x 1.25 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	19 mm	
9611012125050	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 50, Plain	Steel 10.9	M12 x 1.25 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
9611012125055	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 55, Plain	Steel 10.9	M12 x 1.25 x 55	Plain (no plating)	12 mm	55 mm	19 mm	
9611012125060	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 60, Plain	Steel 10.9	M12 x 1.25 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
96110121250601	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 60, Zinc Pl	Steel 10.9	M12 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9611012125120	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.25 x 120, Plain	Steel 10.9	M12 x 1.25 x 120	Plain (no plating)	12 mm	120 mm	19 mm	
9611012150201	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 20, Zinc Pl	Steel 10.9	M12 x 1.5 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	19 mm	
961101215025	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 25, Plain	Steel 10.9	M12 x 1.5 x 25	Plain (no plating)	12 mm	25 mm	19 mm	
961101215030	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 30, Plain	Steel 10.9	M12 x 1.5 x 30	Plain (no plating)	12 mm	30 mm	19 mm	
9611012150301	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 30, Zinc Pl	Steel 10.9	M12 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	19 mm	
9611012150351	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 35, Zinc Pl	Steel 10.9	M12 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	19 mm	
961101215040	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 40, Plain	Steel 10.9	M12 x 1.5 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
9611012150401	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 40, Zinc Pl	Steel 10.9	M12 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
961101215045	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 45, Plain	Steel 10.9	M12 x 1.5 x 45	Plain (no plating)	12 mm	45 mm	19 mm	
9611012150451	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 45, Zinc Pl	Steel 10.9	M12 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	19 mm	
961101215050	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 50, Plain	Steel 10.9	M12 x 1.5 x 50	Plain (no plating)	12 mm	50 mm	19 mm	
961101215060	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 60, Plain	Steel 10.9	M12 x 1.5 x 60	Plain (no plating)	12 mm	60 mm	19 mm	
9611012150601	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 60, Zinc Pl	Steel 10.9	M12 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
9611012150701	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 70, Zinc Pl	Steel 10.9	M12 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	19 mm	
961101215075	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 75, Plain	Steel 10.9	M12 x 1.5 x 75	Plain (no plating)	12 mm	75 mm	19 mm	
961101215080	DIN 961 Hexagon Head Screw, Steel 10.9, M12 x 1.5 x 80, Plain	Steel 10.9	M12 x 1.5 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
961101415025	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 25, Plain	Steel 10.9	M14 x 1.5 x 25	Plain (no plating)	14 mm	25 mm	22 mm	
961101415030	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 30, Plain	Steel 10.9	M14 x 1.5 x 30	Plain (no plating)	14 mm	30 mm	22 mm	
9611014150301	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 30, Zinc Pl	Steel 10.9	M14 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	22 mm	
9611014150351	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 35, Zinc Pl	Steel 10.9	M14 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	22 mm	
961101415040	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 40, Plain	Steel 10.9	M14 x 1.5 x 40	Plain (no plating)	14 mm	40 mm	22 mm	
9611014150401	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 40, Zinc Pl	Steel 10.9	M14 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	22 mm	
9611014150451	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 45, Zinc Pl	Steel 10.9	M14 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	22 mm	
961101415050	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 50, Plain	Steel 10.9	M14 x 1.5 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
9611014150501	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 50, Zinc Pl	Steel 10.9	M14 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9611016150451	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 45, Zinc Pla	Steel 10.9	M16 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	24 mm	
961101615050	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 50, Plain	Steel 10.9	M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
9611016150501	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 50, Zinc Pla	Steel 10.9	M16 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
9611016150551	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 55, Zinc Pla	Steel 10.9	M16 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
9611016150551SST 996	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 55, SST 96 h	Steel 10.9	M16 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
961101615060	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 60, Plain	Steel 10.9	M16 x 1.5 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
9611016150601	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 60, Zinc Pla	Steel 10.9	M16 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
961101615065	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 65, Plain	Steel 10.9	M16 x 1.5 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
9611016150651	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 65, Zinc Pla	Steel 10.9	M16 x 1.5 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
961101615070	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 70, Plain	Steel 10.9	M16 x 1.5 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
9611016150701	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 70, Zinc Pla	Steel 10.9	M16 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
9611016150801	DIN 961 Hexagon Head Screw, Steel 10.9, M16 x 1.5 x 80, Zinc Pla	Steel 10.9	M16 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
9611018150351	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 35, Zinc Pla	Steel 10.9	M18 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	18 mm	35 mm	27 mm	
9611018150401	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 40, Zinc Pla	Steel 10.9	M18 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	18 mm	40 mm	27 mm	
9611018150451	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 45, Zinc Pla	Steel 10.9	M18 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	18 mm	45 mm	27 mm	
961101815050	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 50, Zinc Pla	Steel 10.9	M18 x 1.5 x 50	Plain (no plating)	18 mm	50 mm	27 mm	
961101815060	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 60, Plain	Steel 10.9	M18 x 1.5 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
9611018150601	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 60, Zinc Pla	Steel 10.9	M18 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	18 mm	60 mm	27 mm	
961101815065	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 65, Plain	Steel 10.9	M18 x 1.5 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
961101815140	DIN 961 Hexagon Head Screw, Steel 10.9, M18 x 1.5 x 140, Plain	Steel 10.9	M18 x 1.5 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
961102015040	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 40, Plain	Steel 10.9	M20 x 1.5 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
961102015045	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 45, Plain	Steel 10.9	M20 x 1.5 x 45	Plain (no plating)	20 mm	45 mm	30 mm	
9611020150451	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 45, Zinc Pla	Steel 10.9	M20 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	30 mm	
961102015050	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 50, Zinc Pla	Steel 10.9	M20 x 1.5 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
961102015055	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 55, Plain	Steel 10.9	M20 x 1.5 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
961102015060	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 60, Plain	Steel 10.9	M20 x 1.5 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
9611020150601	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 60, Zinc Pla	Steel 10.9	M20 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
9611020150651	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 65, Zinc Pla	Steel 10.9	M20 x 1.5 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
961102015070	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 70, Zinc Pla	Steel 10.9	M20 x 1.5 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
961102015080	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 80, Plain	Steel 10.9	M20 x 1.5 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
961102015100	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 100, Plain	Steel 10.9	M20 x 1.5 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
961102015120	DIN 961 Hexagon Head Screw, Steel 10.9, M20 x 1.5 x 120, Plain	Steel 10.9	M20 x 1.5 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
9611022150451	DIN 961 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 45, Zinc Pla	Steel 10.9	M22 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	22 mm	45 mm	32 mm	
9611022150501	DIN 961 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 50, Zinc Pla	Steel 10.9	M22 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	22 mm	50 mm	32 mm	
961102215060	DIN 961 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 60, Zinc Pla	Steel 10.9	M22 x 1.5 x 60	Plain (no plating)	22 mm	60 mm	32 mm	
961102215065	DIN 961 Hexagon Head Screw, Steel 10.9, M22 x 1.5 x 65, Plain	Steel 10.9	M22 x 1.5 x 65	Plain (no plating)	22 mm	65 mm	32 mm	
961102415050	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 1.5 x 50, Plain	Steel 10.9	M24 x 1.5 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
961102415100	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 1.5 x 100, Plain	Steel 10.9	M24 x 1.5 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
9611024151101	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 1.5 x 110, Zinc Pla	Steel 10.9	M24 x 1.5 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
96110242000751	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 75, Zinc Pla	Steel 10.9	M24 x 2.0 x 75	Zinc Bright Passivation Fe/Zn P1	24 mm	75 mm	36 mm	
9611024201301	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 130, Zinc Pla	Steel 10.9	M24 x 2.0 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
9611024201501	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 150, Zinc Pla	Steel 10.9	M24 x 2.0 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
96110242050	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 50, Plain	Steel 10.9	M24 x 2.0 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
961102420651	DIN 961 Hexagon Head Screw, Steel 10.9, M24 x 2.0 x 65, Zinc Pla	Steel 10.9	M24 x 2.0 x 65	Zinc Bright Passivation Fe/Zn P1	24 mm	65 mm	36 mm	
96110272060	DIN 961 Hexagon Head Screw, Steel 10.9, M27 x 2.0 x 60, Plain	Steel 10.9	M27 x 2.0 x 60	Plain (no plating)	27 mm	60 mm	41 mm	
96110272150	DIN 961 Hexagon Head Screw, Steel 10.9, M27 x 2.0 x							

150, Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9611030200120	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 120, Plain	Steel 10.9	M30 x 2.0 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
961103020060	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 60, Plain	Steel 10.9	M30 x 2.0 x 60	Plain (no plating)	30 mm	60 mm	46 mm	
961103020080	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 80, Plain	Steel 10.9	M30 x 2.0 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
961103020090	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 90, Plain	Steel 10.9	M30 x 2.0 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
961103020110	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 110, Plain	Steel 10.9	M30 x 2.0 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
961103020130	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 130, Plain	Steel 10.9	M30 x 2.0 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
961103020140	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 140, Plain	Steel 10.9	M30 x 2.0 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
961103020150	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 150, Plain	Steel 10.9	M30 x 2.0 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
96110302100	DIN 961 Hexagon Head Screw, Steel 10.9, M30 x 2.0 x 100, Plain	Steel 10.9	M30 x 2.0 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
961104230140	DIN 961 Hexagon Head Screw, Steel 10.9, M42 x 3.0 x 140, Plain	Steel 10.9	M42 x 3.0 x 140	Plain (no plating)	42 mm	140 mm	65 mm	
96112101030	DIN 961 Hexagon Head Screw, Steel 12.9, M10 x 1.0 x 30, Plain	Steel 12.9	M10 x 1.0 x 30	Plain (no plating)	10 mm	30 mm	17 mm	
96112302120	DIN 961 Hexagon Head Screw, Steel 12.9, M30 x 2.0 x 120, Plain	Steel 12.9	M30 x 2.0 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
961123620200	DIN 961 Hexagon Head Screw, Steel 12.9, M36 x 2.0 x 200, Plain	Steel 12.9	M36 x 2.0 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
961123630200	DIN 961 Hexagon Head Screw, Steel 12.9, M36 x 3.0 x 200, Plain	Steel 12.9	M36 x 3.0 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
9618081016	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 16, Plain	Steel 8.8	M8 x 1.0 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
96180810181	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 18, Zinc Plate	Steel 8.8	M8 x 1.0 x 18	Zinc Bright Passivation Fe/Zn P1	8 mm	18 mm	13 mm	
9618081020	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 20, Plain	Steel 8.8	M8 x 1.0 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
96180810201	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 20, Zinc Plate	Steel 8.8	M8 x 1.0 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	13 mm	
9618081025	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 25, Plain	Steel 8.8	M8 x 1.0 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
96180810351	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 35, Zinc Plate	Steel 8.8	M8 x 1.0 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
9618081045	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 45, Plain	Steel 8.8	M8 x 1.0 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
9618081050	DIN 961 Hexagon Head Screw, Steel 8.8, M8 x 1.0 x 50, Plain	Steel 8.8	M8 x 1.0 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
961810100161	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 16, Zinc Plate	Steel 8.8	M10 x 1.0 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	17 mm	
96181010060	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 60, Plain	Steel 8.8	M10 x 1.0 x 60	Plain (no plating)	10 mm	60 mm	17 mm	
96181010100	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 100, Plain	Steel 8.8	M10 x 1.0 x 100	Plain (no plating)	10 mm	100 mm	17 mm	
96181010201	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 20, Zinc Plate	Steel 8.8	M10 x 1.0 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	17 mm	
9618101025	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 25, Plain	Steel 8.8	M10 x 1.0 x 25	Plain (no plating)	10 mm	25 mm	17 mm	
9618101030	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 30, Plain	Steel 8.8	M10 x 1.0 x 30	Plain (no plating)	10 mm	30 mm	17 mm	
96181010301	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.0 x 30, Zinc Plate	Steel 8.8	M10 x 1.0 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	17 mm	
961810125016	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 16, Plain	Steel 8.8	M10 x 1.25 x 16	Plain (no plating)	10 mm	16 mm	17 mm	
9618101250161	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 16, Zinc Plate	Steel 8.8	M10 x 1.25 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	17 mm	
9618101250201	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 20, Zinc Plate	Steel 8.8	M10 x 1.25 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	17 mm	
961810125025	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 25, Plain	Steel 8.8	M10 x 1.25 x 25	Plain (no plating)	10 mm	25 mm	17 mm	
9618101250251	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 25, Zinc Plate	Steel 8.8	M10 x 1.25 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	17 mm	
961810125030	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 30, Plain	Steel 8.8	M10 x 1.25 x 30	Plain (no plating)	10 mm	30 mm	17 mm	
9618101250301	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 30, Zinc Plate	Steel 8.8	M10 x 1.25 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	17 mm	
961810125035	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 35, Plain	Steel 8.8	M10 x 1.25 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
9618101250351	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 35, Zinc Plate	Steel 8.8	M10 x 1.25 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	17 mm	
9618101250401	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 40, Zinc Plate	Steel 8.8	M10 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	17 mm	
9618101250501	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 50, Zinc Plate	Steel 8.8	M10 x 1.25 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
9618101250601	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 60, Zinc Plate	Steel 8.8	M10 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	17 mm	
9618101250701	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 70, Zinc Plate	Steel 8.8	M10 x 1.25 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
9618101250701SST 961	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 70, SST 961	Steel 8.8	M10 x 1.25 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	17 mm	
961810125090	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 90, Plain	Steel 8.8	M10 x 1.25 x 90	Plain (no plating)	10 mm	90 mm	17 mm	
9618101250901	DIN 961 Hexagon Head Screw, Steel 8.8, M10 x 1.25 x 90, Zinc Plate	Steel 8.8	M10 x 1.25 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	17 mm	
961812100121	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.0 x 12, Plain							

Zinc Plat

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
961812100201	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.0 x 20, Zinc Plating	Steel 8.8	M12 x 1.0 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	19 mm	
961812125013	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 13, Plain	Steel 8.8	M12 x 1.25 x 13	Plain (no plating)	12 mm	13 mm	19 mm	
961812125020	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 20, Plain	Steel 8.8	M12 x 1.25 x 20	Plain (no plating)	12 mm	20 mm	19 mm	
9618121250201	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 20, Zinc Plating	Steel 8.8	M12 x 1.25 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	19 mm	
961812125025	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 25, Plain	Steel 8.8	M12 x 1.25 x 25	Plain (no plating)	12 mm	25 mm	19 mm	
9618121250251	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 25, Zinc Plating	Steel 8.8	M12 x 1.25 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	19 mm	
961812125030	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 30, Plain	Steel 8.8	M12 x 1.25 x 30	Plain (no plating)	12 mm	30 mm	19 mm	
9618121250301	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 30, Zinc Plating	Steel 8.8	M12 x 1.25 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	19 mm	
961812125035	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 35, Plain	Steel 8.8	M12 x 1.25 x 35	Plain (no plating)	12 mm	35 mm	19 mm	
9618121250351	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 35, Zinc Plating	Steel 8.8	M12 x 1.25 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	19 mm	
9618121250401	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 40, Zinc Plating	Steel 8.8	M12 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
9618121250601	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 60, Zinc Plating	Steel 8.8	M12 x 1.25 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	19 mm	
961812125080	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.25 x 80, Zinc Plating	Steel 8.8	M12 x 1.25 x 80	Plain (no plating)	12 mm	80 mm	19 mm	
961812150020	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 20, Plain	Steel 8.8	M12 x 1.5 x 20	Plain (no plating)	12 mm	20 mm	19 mm	
9618121500201	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 20, Zinc Plating	Steel 8.8	M12 x 1.5 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	19 mm	
961812150035	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 35, Zinc Plating	Steel 8.8	M12 x 1.5 x 35	Plain (no plating)	12 mm	35 mm	19 mm	
961812150040	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 40, Plain	Steel 8.8	M12 x 1.5 x 40	Plain (no plating)	12 mm	40 mm	19 mm	
96181215020	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 20, Plain	Steel 8.8	M12 x 1.5 x 20	Plain (no plating)	12 mm	20 mm	19 mm	
961812150251	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 25, Plain	Steel 8.8	M12 x 1.5 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	19 mm	
96181215030	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 30, Zinc Plating	Steel 8.8	M12 x 1.5 x 30	Plain (no plating)	12 mm	30 mm	19 mm	
961812150301	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 30, Plain	Steel 8.8	M12 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	19 mm	
961812150351	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 35, Zinc Plating	Steel 8.8	M12 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	19 mm	
961812150401	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 40, Zinc Plating	Steel 8.8	M12 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	19 mm	
961812150451	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 45, Zinc Plating	Steel 8.8	M12 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	19 mm	
961812150501	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 50, Zinc Plating	Steel 8.8	M12 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	19 mm	
96181215065	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 65, Zinc Plating	Steel 8.8	M12 x 1.5 x 65	Plain (no plating)	12 mm	65 mm	19 mm	
961812150651	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 65, Plain	Steel 8.8	M12 x 1.5 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	19 mm	
96181215100	DIN 961 Hexagon Head Screw, Steel 8.8, M12 x 1.5 x 100, Zinc Plating	Steel 8.8	M12 x 1.5 x 100	Plain (no plating)	12 mm	100 mm	19 mm	
961814150020	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 20, Plain	Steel 8.8	M14 x 1.5 x 20	Plain (no plating)	14 mm	20 mm	22 mm	
961814150030	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 30, Plain	Steel 8.8	M14 x 1.5 x 30	Plain (no plating)	14 mm	30 mm	22 mm	
961814150251	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 25, Plain	Steel 8.8	M14 x 1.5 x 25	Zinc Bright Passivation Fe/Zn P1	14 mm	25 mm	22 mm	
961814150301	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 30, Zinc Plating	Steel 8.8	M14 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	22 mm	
96181415035	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 35, Zinc Plating	Steel 8.8	M14 x 1.5 x 35	Plain (no plating)	14 mm	35 mm	22 mm	
961814150351	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 35, Plain	Steel 8.8	M14 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	22 mm	
96181415040	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 40, Zinc Plating	Steel 8.8	M14 x 1.5 x 40	Plain (no plating)	14 mm	40 mm	22 mm	
961814150401	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 40, Plain	Steel 8.8	M14 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	22 mm	
961814150451	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 45, Zinc Plating	Steel 8.8	M14 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	22 mm	
96181415050	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 50, Zinc Plating	Steel 8.8	M14 x 1.5 x 50	Plain (no plating)	14 mm	50 mm	22 mm	
961814150501	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 50, Plain	Steel 8.8	M14 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	22 mm	
961814150601	DIN 961 Hexagon Head Screw, Steel 10.9, M14 x 1.5 x 60, Zinc Plating	Steel 10.9	M14 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	22 mm	
96181415080	DIN 961 Hexagon Head Screw, Steel 8.8, M14 x 1.5 x 80, Zinc Plating	Steel 8.8	M14 x 1.5 x 80	Plain (no plating)	14 mm	80 mm	22 mm	
961816150050	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 50, Plain	Steel 8.8	M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
96181615025	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 25, Plain	Steel 8.8	M16 x 1.5 x 25	Plain (no plating)	16 mm	25 mm	24 mm	
96181615030	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 30, Plain	Steel 8.8	M16 x 1.5 x 30	Plain (no plating)	16 mm	30 mm	24 mm	
961816150301	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 30, Plain	Steel 8.8	M16 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	24 mm	
96181615035	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 35, Zinc Plating							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
961816150351	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 35, Zinc Plating	Steel 8.8	M16 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	24 mm	
961816150353	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 35, Zinc Yellow Passivation	Steel 8.8	M16 x 1.5 x 35	Zinc Yellow Passivation Fe/Zn P2	16 mm	35 mm	24 mm	
96181615040	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 40, Plain	Steel 8.8	M16 x 1.5 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
961816150401	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 40, Zinc Plating	Steel 8.8	M16 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	24 mm	
96181615045	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 45, Plain	Steel 8.8	M16 x 1.5 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
961816150451	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 45, Zinc Plating	Steel 8.8	M16 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	24 mm	
961816150451SST0	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 45, Zinc Plating SST 86 h	Steel 8.8	M16 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	24 mm	
96181615050	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 50, Plain	Steel 8.8	M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
961816150501	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 50, Zinc Plating	Steel 8.8	M16 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
96181615055	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 55, Plain	Steel 8.8	M16 x 1.5 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
961816150551	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 55, Zinc Plating	Steel 8.8	M16 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
961816150551SST0	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 55, Zinc Plating SST 86 h	Steel 8.8	M16 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
961816150601	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 60, Zinc Plating	Steel 8.8	M16 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
961816150601SST0	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 60, Zinc Plating SST 86 h	Steel 8.8	M16 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
961816150701SST0	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 70, Zinc Plating SST 86 h	Steel 8.8	M16 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
961816150801	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 80, Zinc Plating	Steel 8.8	M16 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
96181615100	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 100, Plain	Steel 8.8	M16 x 1.5 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
961816151001	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 100, Zinc Plating	Steel 8.8	M16 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
961816151101	DIN 961 Hexagon Head Screw, Steel 8.8, M16 x 1.5 x 110, Zinc Plating	Steel 8.8	M16 x 1.5 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
961818150351	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 35, Zinc Plating	Steel 8.8	M18 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	18 mm	35 mm	27 mm	
96181815040	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 40, Plain	Steel 8.8	M18 x 1.5 x 40	Plain (no plating)	18 mm	40 mm	27 mm	
961818150401	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 40, Zinc Plating	Steel 8.8	M18 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	18 mm	40 mm	27 mm	
961818150451	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 45, Zinc Plating	Steel 8.8	M18 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	18 mm	45 mm	27 mm	
96181815050	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 50, Plain	Steel 8.8	M18 x 1.5 x 50	Plain (no plating)	18 mm	50 mm	27 mm	
961818150501	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 50, Zinc Plating	Steel 8.8	M18 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	18 mm	50 mm	27 mm	
96181815060	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 60, Plain	Steel 8.8	M18 x 1.5 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
961818150651	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 65, Zinc Plating	Steel 8.8	M18 x 1.5 x 65	Zinc Bright Passivation Fe/Zn P1	18 mm	65 mm	27 mm	
96181815070	DIN 961 Hexagon Head Screw, Steel 8.8, M18 x 1.5 x 70, Plain	Steel 8.8	M18 x 1.5 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
96182015030	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 30, Plain	Steel 8.8	M20 x 1.5 x 30	Plain (no plating)	20 mm	30 mm	30 mm	
96182015035	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 35, Plain	Steel 8.8	M20 x 1.5 x 35	Plain (no plating)	20 mm	35 mm	30 mm	
961820150351	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 35, Zinc Plating	Steel 8.8	M20 x 1.5 x 35	Zinc Bright Passivation Fe/Zn P1	20 mm	35 mm	30 mm	
96182015040	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 40, Plain	Steel 8.8	M20 x 1.5 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
961820150401	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 40, Zinc Plating	Steel 8.8	M20 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	30 mm	
96182015045	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 45, Plain	Steel 8.8	M20 x 1.5 x 45	Plain (no plating)	20 mm	45 mm	30 mm	
961820150451	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 45, Zinc Plating	Steel 8.8	M20 x 1.5 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	30 mm	
96182015050	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 50, Zinc Plating	Steel 8.8	M20 x 1.5 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
961820150501	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 50, Zinc Plating	Steel 8.8	M20 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	30 mm	
96182015055	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 55, Zinc Plating	Steel 8.8	M20 x 1.5 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
961820150551	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 55, Plain	Steel 8.8	M20 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	30 mm	
96182015060	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 60, Zinc Plating	Steel 8.8	M20 x 1.5 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
961820150601	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 60, Plain	Steel 8.8	M20 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
96182015065	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 65, Zinc Plating	Steel 8.8	M20 x 1.5 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
96182015080	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 80, Plain	Steel 8.8	M20 x 1.5 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
96182015085	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 85, Plain	Steel 8.8	M20 x 1.5 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
96182015090	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 90, Plain	Steel 8.8	M20 x 1.5 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
96182015100	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 100, Plain							

Plain

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
961820151001	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 100, Zinc Plating	Steel 8.8	M20 x 1.5 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
96182015120	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 120, Plain	Steel 8.8	M20 x 1.5 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
96182015140	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 140, Plain	Steel 8.8	M20 x 1.5 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
961820151401	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 140, Zinc Plating	Steel 8.8	M20 x 1.5 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	30 mm	
961820153501SW30	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 350, Zinc Plating	Steel 8.8	M20 x 1.5 x 350	Zinc Bright Passivation Fe/Zn P1	20 mm	350 mm	30 mm	
96182015801SST09	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 80, SST 06h	Steel 8.8	M20 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
961820200301	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 30, Zinc Plating	Steel 8.8	M20 x 2.0 x 30	Zinc Bright Passivation Fe/Zn P1	20 mm	30 mm	30 mm	
961820200551	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 55, Zinc Plating	Steel 8.8	M20 x 2.0 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	30 mm	
96182020060	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 60, Plain	Steel 8.8	M20 x 2.0 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
96182020065	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 65, Plain	Steel 8.8	M20 x 2.0 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
961820200651	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 65, Zinc Plating	Steel 8.8	M20 x 2.0 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
961820200701	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 70, Zinc Plating	Steel 8.8	M20 x 2.0 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
9618202060	DIN 961 Hexagon Head Screw, Steel 8.8, M20 x 2.0 x 60, Plain	Steel 8.8	M20 x 2.0 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
961822150401	DIN 961 Hexagon Head Screw, Steel 8.8, M22 x 1.5 x 40, Zinc Plating	Steel 8.8	M22 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	22 mm	40 mm	32 mm	
96182215050	DIN 961 Hexagon Head Screw, Steel 8.8, M22 x 1.5 x 50, Plain	Steel 8.8	M22 x 1.5 x 50	Plain (no plating)	22 mm	50 mm	32 mm	
96182215060	DIN 961 Hexagon Head Screw, Steel 8.8, M22 x 1.5 x 60, Plain	Steel 8.8	M22 x 1.5 x 60	Plain (no plating)	22 mm	60 mm	32 mm	
961822150601	DIN 961 Hexagon Head Screw, Steel 8.8, M22 x 1.5 x 60, Zinc Plating	Steel 8.8	M22 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	22 mm	60 mm	32 mm	
96182215070	DIN 961 Hexagon Head Screw, Steel 8.8, M22 x 1.5 x 70, Plain	Steel 8.8	M22 x 1.5 x 70	Plain (no plating)	22 mm	70 mm	32 mm	
96182415050	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 1.5 x 50, Plain	Steel 8.8	M24 x 1.5 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
96182415080	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 1.5 x 80, Plain	Steel 8.8	M24 x 1.5 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
96182415801	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 1.5 x 80, Zinc Plating	Steel 8.8	M24 x 1.5 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
96182420050	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 50, Zinc Plating	Steel 8.8	M24 x 2.0 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
961824200501	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 50, Zinc Plating	Steel 8.8	M24 x 2.0 x 50	Zinc Bright Passivation Fe/Zn P1	24 mm	50 mm	36 mm	
96182420060	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 60, Plain	Steel 8.8	M24 x 2.0 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
961824200601	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 60, Zinc Plating	Steel 8.8	M24 x 2.0 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	36 mm	
96182420065	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 65, Plain	Steel 8.8	M24 x 2.0 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
961824200651	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 65, Zinc Plating	Steel 8.8	M24 x 2.0 x 65	Zinc Bright Passivation Fe/Zn P1	24 mm	65 mm	36 mm	
961824200651SST4	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 65, SST 400h	Steel 8.8	M24 x 2.0 x 65	Zinc Bright Passivation Fe/Zn P1	24 mm	65 mm	36 mm	
961824200701	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 70, Zinc Plating	Steel 8.8	M24 x 2.0 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	36 mm	
96182420075	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 75, Plain	Steel 8.8	M24 x 2.0 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
96182420080	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 80, Plain	Steel 8.8	M24 x 2.0 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
9618242050	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 50, Plain	Steel 8.8	M24 x 2.0 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
9618242080	DIN 961 Hexagon Head Screw, Steel 8.8, M24 x 2.0 x 80, Plain	Steel 8.8	M24 x 2.0 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
96182720070	DIN 961 Hexagon Head Screw, Steel 8.8, M27 x 2.0 x 70, Plain	Steel 8.8	M27 x 2.0 x 70	Plain (no plating)	27 mm	70 mm	41 mm	
961830200801	DIN 961 Hexagon Head Screw, Steel 8.8, M30 x 2.0 x 80, Zinc Plating	Steel 8.8	M30 x 2.0 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	46 mm	
96183020801	DIN 961 Hexagon Head Screw, Steel 8.8, M30 x 2.0 x 80, Zinc Plating	Steel 8.8	M30 x 2.0 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	46 mm	
9618302120	DIN 961 Hexagon Head Screw, Steel 8.8, M30 x 2.0 x 120, Zinc Plating	Steel 8.8	M30 x 2.0 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
96183615100	DIN 961 Hexagon Head Screw, Steel 8.8, M36 x 1.5 x 100, Plain	Steel 8.8	M36 x 1.5 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
96183630070	DIN 961 Hexagon Head Screw, Steel 8.8, M36 x 3.0 x 70, Plain	Steel 8.8	M36 x 3.0 x 70	Plain (no plating)	36 mm	70 mm	55 mm	
96183630080	DIN 961 Hexagon Head Screw, Steel 8.8, M36 x 3.0 x 80, Plain	Steel 8.8	M36 x 3.0 x 80	Plain (no plating)	36 mm	80 mm	55 mm	
96184203080	DIN 961 Hexagon Head Screw, Steel 8.8, M42 x 3.0 x 80, Plain	Steel 8.8	M42 x 3.0 x 80	Plain (no plating)	42 mm	80 mm	65 mm	
961842301001	DIN 961 Hexagon Head Screw, Steel 8.8, M42 x 3.0 x 100, Zinc Plating	Steel 8.8	M42 x 3.0 x 100	Zinc Bright Passivation Fe/Zn P1	42 mm	100 mm	65 mm	
96184230140	DIN 961 Hexagon Head Screw, Steel 8.8, M42 x 3.0 x 140, Zinc Plating	Steel 8.8	M42 x 3.0 x 140	Plain (no plating)	42 mm	140 mm	65 mm	
96184830160	DIN 961 Hexagon Head Screw, Steel 8.8, M48 x 3.0 x 160, Plain	Steel 8.8	M48 x 3.0 x 160	Plain (no plating)	48 mm	160 mm	75 mm	
961A208101670	DIN 961 Hexagon Head Screw, Stainless A2-70, M8 x 1.0 x 16	Stainless A2-70	M8 x 1.0 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
961A21012525	DIN 961 Hexagon Head Screw, Stainless A2-70, M10 x							

1.25 x 25

Stainless A2-70

M10 x 1.25 x 25

Plain (no plating)

10 mm

25 mm

17 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
961A21012535	DIN 961 Hexagon Head Screw, Stainless A2-70, M10 x 1.25 x 35	Stainless A2-70	M10 x 1.25 x 35	Plain (no plating)	10 mm	35 mm	17 mm	
961A21212520	DIN 961 Hexagon Head Screw, Stainless A2-70, M12 x 1.25 x 20	Stainless A2-70	M12 x 1.25 x 20	Plain (no plating)	12 mm	20 mm	19 mm	
961A21615060	DIN 961 Hexagon Head Screw, Stainless A2-70, M16 x 1.5 x 60	Stainless A2-70	M16 x 1.5 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
961A2201505570	DIN 961 Hexagon Head Screw, Stainless A2-70, M20 x 1.5 x 55	Stainless A2-70	M20 x 1.5 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
961A408100020	DIN 961 Hexagon Head Screw, Stainless A4-70, M8 x 1.0 x 20	Stainless A4-70	M8 x 1.0 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
961A41011680	DIN 961 Hexagon Head Screw, Stainless A4-80, M10 x 1.0 x 16	Stainless A4-80	M10 x 1.0 x 16	Plain (no plating)	10 mm	16 mm	17 mm	
961A41012503080	DIN 961 Hexagon Head Screw, Stainless A4-80, M10 x 1.25 x 30	Stainless A4-80	M10 x 1.25 x 30	Plain (no plating)	10 mm	30 mm	17 mm	
961A41012504580	DIN 961 Hexagon Head Screw, Stainless A4-80, M10 x 1.25 x 45	Stainless A4-80	M10 x 1.25 x 45	Plain (no plating)	10 mm	45 mm	17 mm	
961A41211280	DIN 961 Hexagon Head Screw, Stainless A4-80, M12 x 1.0 x 12	Stainless A4-80	M12 x 1.0 x 12	Plain (no plating)	12 mm	12 mm	19 mm	
961A41212580	DIN 961 Hexagon Head Screw, Stainless A4-80, M12 x 1.0 x 25	Stainless A4-80	M12 x 1.0 x 25	Plain (no plating)	12 mm	25 mm	19 mm	

