


DIN 964 — Raised Countersunk Head Screw with Slot



Catalogue data sheet · 276 sizes · category Bolts and Screws / Raised Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
964020061	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M2 x 6	Zinc Bright Passivation Fe/Zn P1	2 mm	6 mm		3.8 mm
964030061	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm		5.6 mm
964030081	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		5.6 mm
964030101	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.6 mm
964030121	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		5.6 mm
964030251	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm		5.6 mm
964040081	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		7.5 mm
964040101	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm		7.5 mm
964040121	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		7.5 mm
964040141	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm		7.5 mm
964040161	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		7.5 mm
964040201	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm		7.5 mm
964040251	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm		7.5 mm
964040351	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm		7.5 mm
964040501	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm		7.5 mm
964050101	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		9.2 mm
964050121	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		9.2 mm
964050161	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		9.2 mm
964050201	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		9.2 mm
964050251	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		9.2 mm
964050301	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		9.2 mm
964050601	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm		9.2 mm
964050651	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 8.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm		9.2 mm
964060081	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm		11 mm
964060121	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		11 mm
964060201	DIN 964 Raised Countersunk Head Screw with Slot, Steel							

4.8, M6 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
964060301	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		11 mm
964060351	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		11 mm
964060401	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		11 mm
964060451	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm		11 mm
964060501	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm		11 mm
964060701	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm		11 mm
964080121	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm		14.5 mm
964080161	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		14.5 mm
964080201	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		14.5 mm
964080601	DIN 964 Raised Countersunk Head Screw with Slot, Steel	Steel 4.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		14.5 mm
964A202003	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 3	Plain (no plating)	2 mm	3 mm		3.8 mm
964A202004	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm		3.8 mm
964A202005	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 5	Plain (no plating)	2 mm	5 mm		3.8 mm
964A202006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm		3.8 mm
964A202008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 8	Plain (no plating)	2 mm	8 mm		3.8 mm
964A202010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 10	Plain (no plating)	2 mm	10 mm		3.8 mm
964A202012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 12	Plain (no plating)	2 mm	12 mm		3.8 mm
964A202014	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 14	Plain (no plating)	2 mm	14 mm		3.8 mm
964A202016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 16	Plain (no plating)	2 mm	16 mm		3.8 mm
964A202018	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 18	Plain (no plating)	2 mm	18 mm		3.8 mm
964A202020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2 x 20	Plain (no plating)	2 mm	20 mm		3.8 mm
964A2025004	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm		4.7 mm
964A2025005	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm		4.7 mm
964A2025006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm		4.7 mm
964A2025008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm		4.7 mm
964A2025010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm		4.7 mm
964A2025012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm		4.7 mm
964A2025014	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm		4.7 mm
964A2025016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm		4.7 mm
964A2025018	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 18	Plain (no plating)	2.5 mm	18 mm		4.7 mm
964A2025020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm		4.7 mm
964A2025025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm		4.7 mm
964A2025030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 30	Plain (no plating)	2.5 mm	30 mm		4.7 mm
964A202508	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm		4.7 mm
964A203005	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 5	Plain (no plating)	3 mm	5 mm		5.6 mm
964A203006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm		5.6 mm
964A203008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
964A203010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm		5.6 mm
964A203012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm		5.6 mm
964A203016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm		5.6 mm
964A203020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm		5.6 mm
964A203025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm		5.6 mm
964A203028	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 28	Plain (no plating)	3 mm	28 mm		5.6 mm
964A203030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm		5.6 mm
964A203035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm		5.6 mm
964A203040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70						

Stainless A2-70

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
964A203045	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 45	Plain (no plating)	3 mm	45 mm		5.6 mm
964A203050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3 x 50	Plain (no plating)	3 mm	50 mm		5.6 mm
964A2035008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3.5 x 8	Plain (no plating)	3.5 mm	8 mm		6.5 mm
964A2035016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3.5 x 16	Plain (no plating)	3.5 mm	16 mm		6.5 mm
964A2035020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3.5 x 20	Plain (no plating)	3.5 mm	20 mm		6.5 mm
964A2035025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3.5 x 25	Plain (no plating)	3.5 mm	25 mm		6.5 mm
964A2035030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3.5 x 30	Plain (no plating)	3.5 mm	30 mm		6.5 mm
964A2035035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M3.5 x 35	Plain (no plating)	3.5 mm	35 mm		6.5 mm
964A204005	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 5	Plain (no plating)	4 mm	5 mm		7.5 mm
964A204006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 6	Plain (no plating)	4 mm	6 mm		7.5 mm
964A204008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 8	Plain (no plating)	4 mm	8 mm		7.5 mm
964A204010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 10	Plain (no plating)	4 mm	10 mm		7.5 mm
964A204012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
964A204014	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm		7.5 mm
964A204016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm		7.5 mm
964A204018	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 18	Plain (no plating)	4 mm	18 mm		7.5 mm
964A204020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm		7.5 mm
964A204025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm		7.5 mm
964A204030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm		7.5 mm
964A204035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm		7.5 mm
964A204040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 40	Plain (no plating)	4 mm	40 mm		7.5 mm
964A204045	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 45	Plain (no plating)	4 mm	45 mm		7.5 mm
964A204050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 50	Plain (no plating)	4 mm	50 mm		7.5 mm
964A204060	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 60	Plain (no plating)	4 mm	60 mm		7.5 mm
964A204070	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 70	Plain (no plating)	4 mm	70 mm		7.5 mm
964A204080	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M4 x 80	Plain (no plating)	4 mm	80 mm		7.5 mm
964A205006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 6	Plain (no plating)	5 mm	6 mm		9.2 mm
964A205008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm		9.2 mm
964A205010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 10	Plain (no plating)	5 mm	10 mm		9.2 mm
964A205012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm		9.2 mm
964A205014	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 14	Plain (no plating)	5 mm	14 mm		9.2 mm
964A205016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm		9.2 mm
964A205020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm		9.2 mm
964A205025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm		9.2 mm
964A205030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm		9.2 mm
964A205035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm		9.2 mm
964A205040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm		9.2 mm
964A205045	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm		9.2 mm
964A205050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm		9.2 mm
964A205055	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 55	Plain (no plating)	5 mm	55 mm		9.2 mm
964A205060	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm		9.2 mm
964A205065	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 65	Plain (no plating)	5 mm	65 mm		9.2 mm
964A205070	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 70	Plain (no plating)	5 mm	70 mm		9.2 mm
964A205075	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 75	Plain (no plating)	5 mm	75 mm		9.2 mm
964A205080	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M5 x 80	Plain (no plating)	5 mm	80 mm		9.2 mm
964A205090	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70						

Stainless A2-70

[illegible]

Stainless A2-70

Stainless A2-70

M10 x 50

Plain (no plating)

10 mm

50 mm

18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
964A210055	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M10 x 55	Plain (no plating)	10 mm	55 mm		18 mm
964A210060	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm		18 mm
964A210070	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm		18 mm
964A210080	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm		18 mm
964A210090	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A2-70	Stainless A2-70	M10 x 90	Plain (no plating)	10 mm	90 mm		18 mm
964A402008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm		3.8 mm
964A402012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2 x 12	Plain (no plating)	2 mm	12 mm		3.8 mm
964A402022	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2 x 22	Plain (no plating)	2 mm	22 mm		3.8 mm
964A4025004	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm		4.7 mm
964A4025005	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm		4.7 mm
964A4025006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm		4.7 mm
964A4025008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm		4.7 mm
964A4025010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm		4.7 mm
964A4025012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm		4.7 mm
964A4025014	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm		4.7 mm
964A4025016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm		4.7 mm
964A4025018	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 18	Plain (no plating)	2.5 mm	18 mm		4.7 mm
964A4025020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm		4.7 mm
964A403006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 6	Plain (no plating)	3 mm	6 mm		5.6 mm
964A403008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
964A403010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm		5.6 mm
964A403012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 12	Plain (no plating)	3 mm	12 mm		5.6 mm
964A403016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm		5.6 mm
964A403020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 20	Plain (no plating)	3 mm	20 mm		5.6 mm
964A403025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm		5.6 mm
964A403030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 30	Plain (no plating)	3 mm	30 mm		5.6 mm
964A403035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 35	Plain (no plating)	3 mm	35 mm		5.6 mm
964A403040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 40	Plain (no plating)	3 mm	40 mm		5.6 mm
964A403050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M3 x 50	Plain (no plating)	3 mm	50 mm		5.6 mm
964A404006	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 6	Plain (no plating)	4 mm	6 mm		7.5 mm
964A404008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 8	Plain (no plating)	4 mm	8 mm		7.5 mm
964A404010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 10	Plain (no plating)	4 mm	10 mm		7.5 mm
964A404012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
964A404016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm		7.5 mm
964A404020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm		7.5 mm
964A404025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm		7.5 mm
964A404030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm		7.5 mm
964A404035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm		7.5 mm
964A404040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm		7.5 mm
964A404045	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 45	Plain (no plating)	4 mm	45 mm		7.5 mm
964A404050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 50	Plain (no plating)	4 mm	50 mm		7.5 mm
964A404060	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 60	Plain (no plating)	4 mm	60 mm		7.5 mm
964A404070	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M4 x 70	Plain (no plating)	4 mm	70 mm		7.5 mm
964A405008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 8	Plain (no plating)	5 mm	8 mm		9.2 mm
964A405010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 10	Plain (no plating)	5 mm	10 mm		9.2 mm
964A405012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70						

Stainless A4-70

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
964A405014	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 14	Plain (no plating)	5 mm	14 mm		9.2 mm
964A405016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm		9.2 mm
964A405018	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 18	Plain (no plating)	5 mm	18 mm		9.2 mm
964A405020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm		9.2 mm
964A405025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm		9.2 mm
964A405030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm		9.2 mm
964A405035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm		9.2 mm
964A405040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 40	Plain (no plating)	5 mm	40 mm		9.2 mm
964A405045	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm		9.2 mm
964A405050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 50	Plain (no plating)	5 mm	50 mm		9.2 mm
964A405060	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm		9.2 mm
964A405070	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 70	Plain (no plating)	5 mm	70 mm		9.2 mm
964A405080	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 80	Plain (no plating)	5 mm	80 mm		9.2 mm
964A405090	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 90	Plain (no plating)	5 mm	90 mm		9.2 mm
964A405100	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M5 x 100	Plain (no plating)	5 mm	100 mm		9.2 mm
964A406008	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 8	Plain (no plating)	6 mm	8 mm		11 mm
964A406010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 10	Plain (no plating)	6 mm	10 mm		11 mm
964A406012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 12	Plain (no plating)	6 mm	12 mm		11 mm
964A406016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm		11 mm
964A406020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm		11 mm
964A406025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm		11 mm
964A406030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm		11 mm
964A406035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm		11 mm
964A406040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm		11 mm
964A406045	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm		11 mm
964A406050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm		11 mm
964A406055	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 55	Plain (no plating)	6 mm	55 mm		11 mm
964A406060	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm		11 mm
964A406065	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 65	Plain (no plating)	6 mm	65 mm		11 mm
964A406070	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm		11 mm
964A406075	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 75	Plain (no plating)	6 mm	75 mm		11 mm
964A406080	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm		11 mm
964A406090	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm		11 mm
964A406100	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M6 x 100	Plain (no plating)	6 mm	100 mm		11 mm
964A408010	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 10	Plain (no plating)	8 mm	10 mm		14.5 mm
964A408012	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 12	Plain (no plating)	8 mm	12 mm		14.5 mm
964A408016	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm		14.5 mm
964A408020	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm		14.5 mm
964A408025	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm		14.5 mm
964A408030	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm		14.5 mm
964A408035	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm		14.5 mm
964A408040	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm		14.5 mm
964A408045	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm		14.5 mm
964A408050	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm		14.5 mm
964A408055	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70	M8 x 55	Plain (no plating)	8 mm	55 mm		14.5 mm
964A408060	DIN 964 Raised Countersunk Head Screw with Slot, Stainless A4-70	Stainless A4-70						

Stainless A4-70

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
964A408065	DIN 964 Raised Countersunk Head Screw with Slot, 6, Plain	Stainless A4-70	M8 x 65	Plain (no plating)	8 mm	65 mm		14.5 mm
964A408070	DIN 964 Raised Countersunk Head Screw with Slot, 8, Plain	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm		14.5 mm
964A408075	DIN 964 Raised Countersunk Head Screw with Slot, 10, Plain	Stainless A4-70	M8 x 75	Plain (no plating)	8 mm	75 mm		14.5 mm
964A408080	DIN 964 Raised Countersunk Head Screw with Slot, 12, Plain	Stainless A4-70	M8 x 80	Plain (no plating)	8 mm	80 mm		14.5 mm
964A408090	DIN 964 Raised Countersunk Head Screw with Slot, 16, Plain	Stainless A4-70	M8 x 90	Plain (no plating)	8 mm	90 mm		14.5 mm
964A408100	DIN 964 Raised Countersunk Head Screw with Slot, 20, Plain	Stainless A4-70	M8 x 100	Plain (no plating)	8 mm	100 mm		14.5 mm
964A410020	DIN 964 Raised Countersunk Head Screw with Slot, 8, Plain	Stainless A4-70	M10 x 20	Plain (no plating)	10 mm	20 mm		18 mm
964A410030	DIN 964 Raised Countersunk Head Screw with Slot, 10, Plain	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm		18 mm
964A410040	DIN 964 Raised Countersunk Head Screw with Slot, 12, Plain	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm		18 mm
964A410045	DIN 964 Raised Countersunk Head Screw with Slot, 16, Plain	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm		18 mm
964A410050	DIN 964 Raised Countersunk Head Screw with Slot, 20, Plain	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm		18 mm
964A410060	DIN 964 Raised Countersunk Head Screw with Slot, 25, Plain	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm		18 mm
964A410070	DIN 964 Raised Countersunk Head Screw with Slot, 30, Plain	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm		18 mm
964B03008	DIN 964 Raised Countersunk Head Screw with Slot, M3 x 8, Plain	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
964B03016	DIN 964 Raised Countersunk Head Screw with Slot, M3 x 16, Plain	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm		5.6 mm
964B04012	DIN 964 Raised Countersunk Head Screw with Slot, M4 x 12, Plain	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
964B06030	DIN 964 Raised Countersunk Head Screw with Slot, M6 x 30, Plain	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm		11 mm
964P04025	DIN 964 Raised Countersunk Head Screw with Slot, M4 x 25, Plain	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm		7.5 mm
964P05016	DIN 964 Raised Countersunk Head Screw with Slot, M5 x 16, Plain	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm		9.2 mm
964P06050	DIN 964 Raised Countersunk Head Screw with Slot, M6 x 50, Plain	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm		11 mm

