
DIN 965-H — Flat Head Screw with Phillips

Catalogue data sheet · 345 sizes · category Bolts and Screws / Flat Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40648	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 1	Stainless A2-70	M5 x 10	Plain (no plating)	5 mm	10 mm		9.2 mm
9650160081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M1.6 x 8, Zi	Steel 4.8	M1.6 x 8	Zinc Bright Passivation Fe/Zn P1	1.6 mm	8 mm		3 mm
965020031	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2 x 3, Zinc	Steel 4.8	M2 x 3	Zinc Bright Passivation Fe/Zn P1	2 mm	3 mm		3.8 mm
965020041	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2 x 4, Zinc	Steel 4.8	M2 x 4	Zinc Bright Passivation Fe/Zn P1	2 mm	4 mm		3.8 mm
965020051	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2 x 5, Zinc	Steel 4.8	M2 x 5	Zinc Bright Passivation Fe/Zn P1	2 mm	5 mm		3.8 mm
965020061	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2 x 6, Zinc	Steel 4.8	M2 x 6	Zinc Bright Passivation Fe/Zn P1	2 mm	6 mm		3.8 mm
965020081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2 x 8, Zinc	Steel 4.8	M2 x 8	Zinc Bright Passivation Fe/Zn P1	2 mm	8 mm		3.8 mm
965020101	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2 x 10, Zin	Steel 4.8	M2 x 10	Zinc Bright Passivation Fe/Zn P1	2 mm	10 mm		3.8 mm
965020121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2 x 12, Zin	Steel 4.8	M2 x 12	Zinc Bright Passivation Fe/Zn P1	2 mm	12 mm		3.8 mm
9650250031	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 3, Zi	Steel 4.8	M2.5 x 3	Zinc Bright Passivation Fe/Zn P1	2.5 mm	3 mm		4.7 mm
9650250041	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 4, Zi	Steel 4.8	M2.5 x 4	Zinc Bright Passivation Fe/Zn P1	2.5 mm	4 mm		4.7 mm
9650250051	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 5, Zi	Steel 4.8	M2.5 x 5	Zinc Bright Passivation Fe/Zn P1	2.5 mm	5 mm		4.7 mm
9650250061	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 6, Zi	Steel 4.8	M2.5 x 6	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm		4.7 mm
9650250081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 8, Zi	Steel 4.8	M2.5 x 8	Zinc Bright Passivation Fe/Zn P1	2.5 mm	8 mm		4.7 mm
9650250101	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 10, Z	Steel 4.8	M2.5 x 10	Zinc Bright Passivation Fe/Zn P1	2.5 mm	10 mm		4.7 mm
9650250121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 12, Z	Steel 4.8	M2.5 x 12	Zinc Bright Passivation Fe/Zn P1	2.5 mm	12 mm		4.7 mm
9650250161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 16, Z	Steel 4.8	M2.5 x 16	Zinc Bright Passivation Fe/Zn P1	2.5 mm	16 mm		4.7 mm
9650250181	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M2.5 x 18, Z	Steel 4.8	M2.5 x 18	Zinc Bright Passivation Fe/Zn P1	2.5 mm	18 mm		4.7 mm
965030041	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 4, Zinc	Steel 4.8	M3 x 4	Zinc Bright Passivation Fe/Zn P1	3 mm	4 mm		5.6 mm
965030051	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 5, Zinc	Steel 4.8	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm		5.6 mm
965030061	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 6, Zinc	Steel 4.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm		5.6 mm
96503008	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 8, Plai	Steel 4.8	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
965030081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 8, Zinc	Steel 4.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		5.6 mm
965030101	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 10, Zin	Steel 4.8	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.6 mm
965030121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 12, Zin	Steel 4.8	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		5.6 mm
965030141	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x							

14, Zin

Steel 4.8	M3 x 14	Zinc Bright Passivation Fe/Zn P1	3 mm	14 mm	5.6 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965030161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 16, Zin	Steel 4.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm		5.6 mm
965030181	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 18, Zin	Steel 4.8	M3 x 18	Zinc Bright Passivation Fe/Zn P1	3 mm	18 mm		5.6 mm
965030201	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 20, Zin	Steel 4.8	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm		5.6 mm
965030221	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 22, Zin	Steel 4.8	M3 x 22	Zinc Bright Passivation Fe/Zn P1	3 mm	22 mm		5.6 mm
965030251	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 25, Zin	Steel 4.8	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm		5.6 mm
965030301	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 30, Ful	Steel 4.8	M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm		5.6 mm
965030351	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 35, Ful	Steel 4.8	M3 x 35	Zinc Bright Passivation Fe/Zn P1	3 mm	35 mm		5.6 mm
965030401	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 40, Ful	Steel 4.8	M3 x 40	Zinc Bright Passivation Fe/Zn P1	3 mm	40 mm		5.6 mm
965030501	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3 x 50, Ful	Steel 4.8	M3 x 50	Zinc Bright Passivation Fe/Zn P1	3 mm	50 mm		5.6 mm
9650350081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3.5 x 8, Zi	Steel 4.8	M3.5 x 8	Zinc Bright Passivation Fe/Zn P1	3.5 mm	8 mm		6.5 mm
9650350121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3.5 x 12, Z	Steel 4.8	M3.5 x 12	Zinc Bright Passivation Fe/Zn P1	3.5 mm	12 mm		6.5 mm
9650350161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3.5 x 16, Z	Steel 4.8	M3.5 x 16	Zinc Bright Passivation Fe/Zn P1	3.5 mm	16 mm		6.5 mm
9650350201	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M3.5 x 20, Z	Steel 4.8	M3.5 x 20	Zinc Bright Passivation Fe/Zn P1	3.5 mm	20 mm		6.5 mm
965040061	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 6, Zinc	Steel 4.8	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm		7.5 mm
96504008	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 8, Plai	Steel 4.8	M4 x 8	Plain (no plating)	4 mm	8 mm		7.5 mm
965040081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 8, Zinc	Steel 4.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		7.5 mm
965040101	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 10, Zin	Steel 4.8	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm		7.5 mm
96504012	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 12, Pla	Steel 4.8	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
965040121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 12, Pla	Steel 4.8	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		7.5 mm
965040141	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 14, Zin	Steel 4.8	M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm		7.5 mm
96504016	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 16, Zin	Steel 4.8	M4 x 16	Plain (no plating)	4 mm	16 mm		7.5 mm
965040161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 16, Pla	Steel 4.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		7.5 mm
965040161I	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 16, Zin	Steel 4.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		7.5 mm
965040181	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 18, Zin	Steel 4.8	M4 x 18	Zinc Bright Passivation Fe/Zn P1	4 mm	18 mm		7.5 mm
965040201	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 20, Zin	Steel 4.8	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm		7.5 mm
96504022	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 22, Zin	Steel 4.8	M4 x 22	Plain (no plating)	4 mm	22 mm		7.5 mm
965040221	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 22, Pla	Steel 4.8	M4 x 22	Zinc Bright Passivation Fe/Zn P1	4 mm	22 mm		7.5 mm
965040251	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 25, Zin	Steel 4.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm		7.5 mm
965040301	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 30, Ful	Steel 4.8	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm		7.5 mm
965040351	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 35, Ful	Steel 4.8	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm		7.5 mm
965040401	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 40, Ful	Steel 4.8	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm		7.5 mm
965040451	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 45, Ful	Steel 4.8	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm		7.5 mm
965040501	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 50, Ful	Steel 4.8	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm		7.5 mm
965040601	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 60, Ful	Steel 4.8	M4 x 60	Zinc Bright Passivation Fe/Zn P1	4 mm	60 mm		7.5 mm
96504061	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 6, Zinc	Steel 4.8	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm		7.5 mm
965040701	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 70, Ful	Steel 4.8	M4 x 70	Zinc Bright Passivation Fe/Zn P1	4 mm	70 mm		7.5 mm
965040751	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 75, Ful	Steel 4.8	M4 x 75	Zinc Bright Passivation Fe/Zn P1	4 mm	75 mm		7.5 mm
965040801	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 80, Zin	Steel 4.8	M4 x 80	Zinc Bright Passivation Fe/Zn P1	4 mm	80 mm		7.5 mm
965040901	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 90, Ful	Steel 4.8	M4 x 90	Zinc Bright Passivation Fe/Zn P1	4 mm	90 mm		7.5 mm
965041001	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M4 x 100, Ful	Steel 4.8	M4 x 100	Zinc Bright Passivation Fe/Zn P1	4 mm	100 mm		7.5 mm
965050061	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 6, Zinc	Steel 4.8	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm		9.2 mm
965050081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 8, Zinc	Steel 4.8	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm		9.2 mm
965050101	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 10, Zin	Steel 4.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		9.2 mm
965050121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 12, Zin	Steel 4.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		9.2 mm
965050121I	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 12, Zin	Steel 4.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		9.2 mm
965050141	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x							

14, Zin

Steel 4.8	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	9.2 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965050161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 16, Zinc	Steel 4.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		9.2 mm
965050181	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 18, Zinc	Steel 4.8	M5 x 18	Zinc Bright Passivation Fe/Zn P1	5 mm	18 mm		9.2 mm
96505020	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 20, Pla	Steel 4.8	M5 x 20	Plain (no plating)	5 mm	20 mm		9.2 mm
965050201	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 20, Zinc	Steel 4.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		9.2 mm
965050221	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 22, Zinc	Steel 4.8	M5 x 22	Zinc Bright Passivation Fe/Zn P1	5 mm	22 mm		9.2 mm
965050251	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 25, Zinc	Steel 4.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		9.2 mm
965050301	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 30, Zinc	Steel 4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		9.2 mm
965050351	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 35, Zinc	Steel 4.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		9.2 mm
965050401	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 40, Ful	Steel 4.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		9.2 mm
965050451	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 45, Ful	Steel 4.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm		9.2 mm
965050501	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 50, Ful	Steel 4.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		9.2 mm
965050551	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 55, Ful	Steel 4.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm		9.2 mm
965050601	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 60, Ful	Steel 4.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm		9.2 mm
965050651	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 65, Ful	Steel 4.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm		9.2 mm
965050701	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 70, Ful	Steel 4.8	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm		9.2 mm
965050801	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 80, Ful	Steel 4.8	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm		9.2 mm
965050901	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 90, Ful	Steel 4.8	M5 x 90	Zinc Bright Passivation Fe/Zn P1	5 mm	90 mm		9.2 mm
965051001	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M5 x 100, Fu	Steel 4.8	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm		9.2 mm
965060081	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 8, Zinc	Steel 4.8	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm		11 mm
965060101	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 10, Zinc	Steel 4.8	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm		11 mm
965060121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 12, Zinc	Steel 4.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		11 mm
965060141	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 14, Zinc	Steel 4.8	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm		11 mm
965060161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 16, Zinc	Steel 4.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		11 mm
965060181	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 18, Zinc	Steel 4.8	M6 x 18	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm		11 mm
965060201	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 20, Zinc	Steel 4.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		11 mm
965060251	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 25, Zinc	Steel 4.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm		11 mm
965060301	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 30, Zinc	Steel 4.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		11 mm
965060351	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 35, Zinc	Steel 4.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		11 mm
965060401	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 40, Ful	Steel 4.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		11 mm
965060451	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 45, Zinc	Steel 4.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm		11 mm
965060501	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 50, Ful	Steel 4.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm		11 mm
965060551	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 55, Ful	Steel 4.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm		11 mm
965060601	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 60, Ful	Steel 4.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm		11 mm
965060651	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 65, Ful	Steel 4.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm		11 mm
965060701	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 70, Ful	Steel 4.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm		11 mm
965060751	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 75, Ful	Steel 4.8	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm		11 mm
965060801	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M6 x 80, Ful	Steel 4.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm		11 mm
965080101	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 10, Zinc	Steel 4.8	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm		14.5 mm
965080121	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 12, Zinc	Steel 4.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm		14.5 mm
965080141	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 14, Zinc	Steel 4.8	M8 x 14	Zinc Bright Passivation Fe/Zn P1	8 mm	14 mm		14.5 mm
965080161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 16, Zinc	Steel 4.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		14.5 mm
965080201	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 20, Zinc	Steel 4.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		14.5 mm
965080251	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 25, Zinc	Steel 4.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		14.5 mm
965080301	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 30, Zinc	Steel 4.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		14.5 mm
965080401	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 40, Zinc	Steel 4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		14.5 mm
965080501	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x							

50, Ful

Steel 4.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	14.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965080553	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 55, Ful	Steel 4.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm		14.5 mm
965080701	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 70, Ful	Steel 4.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		14.5 mm
965080801	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 80, Ful	Steel 4.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm		14.5 mm
965080901	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M8 x 90, Ful	Steel 4.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm		14.5 mm
965100161	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 16, Zi	Steel 4.8	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm		18 mm
96510020	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 20, Pl	Steel 4.8	M10 x 20	Plain (no plating)	10 mm	20 mm		18 mm
965100201	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 20, Zi	Steel 4.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm		18 mm
965100251	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 25, Zi	Steel 4.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm		18 mm
96510030	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 30, Pl	Steel 4.8	M10 x 30	Plain (no plating)	10 mm	30 mm		18 mm
965100451	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 45, Zi	Steel 4.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm		18 mm
965100501	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 50, Zi	Steel 4.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm		18 mm
965100701	DIN 965-H Flat Head Screw with Phillips, Steel 4.8, M10 x 70, Ful	Steel 4.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm		18 mm
965A2016003	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 3	Plain (no plating)	1.6 mm	3 mm		3 mm
965A2016004	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm		3 mm
965A2016005	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm		3 mm
965A2016006	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm		3 mm
965A2016008	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm		3 mm
965A2016010	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 10	Plain (no plating)	1.6 mm	10 mm		3 mm
965A2016012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 12	Plain (no plating)	1.6 mm	12 mm		3 mm
965A2016016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 16	Plain (no plating)	1.6 mm	16 mm		3 mm
965A2016020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 20	Plain (no plating)	1.6 mm	20 mm		3 mm
965A2016025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 2.5	Plain (no plating)	1.6 mm	2.5 mm		3 mm
965A202004	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 4	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm		3.8 mm
965A202005	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 5	Stainless A2-70	M2 x 5	Plain (no plating)	2 mm	5 mm		3.8 mm
965A202006	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 6	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm		3.8 mm
965A202008	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 8	Stainless A2-70	M2 x 8	Plain (no plating)	2 mm	8 mm		3.8 mm
965A202010	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 10	Stainless A2-70	M2 x 10	Plain (no plating)	2 mm	10 mm		3.8 mm
965A202012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 12	Stainless A2-70	M2 x 12	Plain (no plating)	2 mm	12 mm		3.8 mm
965A202014	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 14	Stainless A2-70	M2 x 14	Plain (no plating)	2 mm	14 mm		3.8 mm
965A202016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 16	Stainless A2-70	M2 x 16	Plain (no plating)	2 mm	16 mm		3.8 mm
965A202018	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 18	Stainless A2-70	M2 x 18	Plain (no plating)	2 mm	18 mm		3.8 mm
965A202020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 20	Stainless A2-70	M2 x 20	Plain (no plating)	2 mm	20 mm		3.8 mm
965A202025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2 x 25	Stainless A2-70	M2 x 25	Plain (no plating)	2 mm	25 mm		3.8 mm
965A2025004	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 4	Stainless A2-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm		4.7 mm
965A2025005	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 5	Stainless A2-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm		4.7 mm
965A2025006	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 6	Stainless A2-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm		4.7 mm
965A2025008	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 8	Stainless A2-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm		4.7 mm
965A2025010	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 10	Stainless A2-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm		4.7 mm
965A2025012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 12	Stainless A2-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm		4.7 mm
965A2025014	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 14	Stainless A2-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm		4.7 mm
965A2025016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x 16	Stainless A2-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm		4.7 mm
965A2025018	DIN 965-H Flat Head Screw with Phillips, Stainless A2, M2.5 x 18	Stainless A2	M2.5 x 18	Plain (no plating)	2.5 mm	18 mm		4.7 mm
965A2025020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm		4.7 mm
965A2025025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm		4.7 mm
965A2025030	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 30	Plain (no plating)	2.5 mm	30 mm		4.7 mm
965A203004	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70,							

M3 x 4

Stainless A2-70	M3 x 4	Plain (no plating)	3 mm	4 mm	5.6 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A203005	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 5	Stainless A2-70	M3 x 5	Plain (no plating)	3 mm	5 mm		5.6 mm
965A203006	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 6	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm		5.6 mm
965A203008	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 8	Stainless A2-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
965A203010	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 10	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm		5.6 mm
965A203012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 12	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm		5.6 mm
965A203014	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 14	Stainless A2-70	M3 x 14	Plain (no plating)	3 mm	14 mm		5.6 mm
965A203016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 16	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm		5.6 mm
965A203018	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 18	Stainless A2-70	M3 x 18	Plain (no plating)	3 mm	18 mm		5.6 mm
965A203020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 20	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm		5.6 mm
965A203025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 25	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm		5.6 mm
965A203030	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 30	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm		5.6 mm
965A203035	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 35	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm		5.6 mm
965A203040	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M3 x 40	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm		5.6 mm
965A204005	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 5	Stainless A2-70	M4 x 5	Plain (no plating)	4 mm	5 mm		7.5 mm
965A204006	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 6	Stainless A2-70	M4 x 6	Plain (no plating)	4 mm	6 mm		7.5 mm
965A204008	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 8	Stainless A2-70	M4 x 8	Plain (no plating)	4 mm	8 mm		7.5 mm
965A204010	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 10	Stainless A2-70	M4 x 10	Plain (no plating)	4 mm	10 mm		7.5 mm
965A204012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 12	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
965A204014	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 14	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm		7.5 mm
965A204016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 16	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm		7.5 mm
965A204018	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 18	Stainless A2-70	M4 x 18	Plain (no plating)	4 mm	18 mm		7.5 mm
965A204020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 20	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm		7.5 mm
965A204025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 25	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm		7.5 mm
965A204030	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 30	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm		7.5 mm
965A204035	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 35	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm		7.5 mm
965A204040	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 40	Stainless A2-70	M4 x 40	Plain (no plating)	4 mm	40 mm		7.5 mm
965A204045	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 45	Stainless A2-70	M4 x 45	Plain (no plating)	4 mm	45 mm		7.5 mm
965A204050	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 50	Stainless A2-70	M4 x 50	Plain (no plating)	4 mm	50 mm		7.5 mm
965A204060	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M4 x 60	Stainless A2-70	M4 x 60	Plain (no plating)	4 mm	60 mm		7.5 mm
965A205006	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 6	Stainless A2-70	M5 x 6	Plain (no plating)	5 mm	6 mm		9.2 mm
965A205008	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 8	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm		9.2 mm
965A205010	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 10	Stainless A2-70	M5 x 10	Plain (no plating)	5 mm	10 mm		9.2 mm
965A205012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 12	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm		9.2 mm
965A205014	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 14	Stainless A2-70	M5 x 14	Plain (no plating)	5 mm	14 mm		9.2 mm
965A205016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 16	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm		9.2 mm
965A205018	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 18	Stainless A2-70	M5 x 18	Plain (no plating)	5 mm	18 mm		9.2 mm
965A205020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 20	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm		9.2 mm
965A205022	DIN 965-H Flat Head Screw with Phillips, Stainless A2, M5 x 22	Stainless A2	M5 x 22	Plain (no plating)	5 mm	22 mm		9.2 mm
965A205025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 25	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm		9.2 mm
965A205030	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 30	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm		9.2 mm
965A205035	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 35	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm		9.2 mm
965A205040	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm		9.2 mm
965A205045	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 45	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm		9.2 mm
965A205050	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 50	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm		9.2 mm
965A205060	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 60	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm		9.2 mm
965A205065	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 6							

M5 x 6

Stainless A2-70	M5 x 65	Plain (no plating)	5 mm	65 mm	9.2 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A205070	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M5 x 7	Stainless A2-70	M5 x 70	Plain (no plating)	5 mm	70 mm		9.2 mm
965A206008	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 8	Stainless A2-70	M6 x 8	Plain (no plating)	6 mm	8 mm		11 mm
965A206010	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 10	Plain (no plating)	6 mm	10 mm		11 mm
965A206012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 12	Plain (no plating)	6 mm	12 mm		11 mm
965A206014	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 14	Plain (no plating)	6 mm	14 mm		11 mm
965A206016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm		11 mm
965A206018	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 18	Plain (no plating)	6 mm	18 mm		11 mm
965A206020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 2	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm		11 mm
965A206025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 2	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm		11 mm
965A206030	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 3	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm		11 mm
965A206035	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 3	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm		11 mm
965A206040	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 4	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm		11 mm
965A206045	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 4	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm		11 mm
965A206050	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 5	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm		11 mm
965A206055	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 5	Stainless A2-70	M6 x 55	Plain (no plating)	6 mm	55 mm		11 mm
965A206060	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 6	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm		11 mm
965A206070	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 7	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm		11 mm
965A206075	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 7	Stainless A2-70	M6 x 75	Plain (no plating)	6 mm	75 mm		11 mm
965A206080	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 8	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm		11 mm
965A206090	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 9	Stainless A2-70	M6 x 90	Plain (no plating)	6 mm	90 mm		11 mm
965A206100	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 100	Plain (no plating)	6 mm	100 mm		11 mm
965A208012	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 1	Stainless A2-70	M8 x 12	Plain (no plating)	8 mm	12 mm		14.5 mm
965A208016	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 1	Stainless A2-70	M8 x 16	Plain (no plating)	8 mm	16 mm		14.5 mm
965A208020	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 2	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm		14.5 mm
965A208025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 2	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm		14.5 mm
965A208030	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 3	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm		14.5 mm
965A208035	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 3	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm		14.5 mm
965A208040	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 4	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm		14.5 mm
965A208045	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 4	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm		14.5 mm
965A208050	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 5	Stainless A2-70	M8 x 50	Plain (no plating)	8 mm	50 mm		14.5 mm
965A208060	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 6	Stainless A2-70	M8 x 60	Plain (no plating)	8 mm	60 mm		14.5 mm
965A208080	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M8 x 8	Stainless A2-70	M8 x 80	Plain (no plating)	8 mm	80 mm		14.5 mm
965A210025	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M10 x	Stainless A2-70	M10 x 25	Plain (no plating)	10 mm	25 mm		18 mm
965A210035	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M10 x	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm		18 mm
965A210040	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M10 x	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm		18 mm
965A210070	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M10 x	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm		18 mm
965A210080	DIN 965-H Flat Head Screw with Phillips, Stainless A2-70, M10 x	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm		18 mm
965A4016004	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm		3 mm
965A4016005	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm		3 mm
965A4016006	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm		3 mm
965A4016008	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm		3 mm
965A4016010	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 10	Plain (no plating)	1.6 mm	10 mm		3 mm
965A4016012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 12	Plain (no plating)	1.6 mm	12 mm		3 mm
965A4016014	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 14	Plain (no plating)	1.6 mm	14 mm		3 mm
965A4016016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 16	Plain (no plating)	1.6 mm	16 mm		3 mm
965A402003	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70,							

M2 x 3

Stainless A4-70	M2 x 3	Plain (no plating)	2 mm	3 mm	3.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A402004	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 4	Stainless A4-70	M2 x 4	Plain (no plating)	2 mm	4 mm		3.8 mm
965A402005	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 5	Stainless A4-70	M2 x 5	Plain (no plating)	2 mm	5 mm		3.8 mm
965A402006	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 6	Stainless A4-70	M2 x 6	Plain (no plating)	2 mm	6 mm		3.8 mm
965A402008	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 8	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm		3.8 mm
965A402010	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 10	Plain (no plating)	2 mm	10 mm		3.8 mm
965A402012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 12	Plain (no plating)	2 mm	12 mm		3.8 mm
965A402014	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 14	Plain (no plating)	2 mm	14 mm		3.8 mm
965A402016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 16	Plain (no plating)	2 mm	16 mm		3.8 mm
965A402018	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 18	Plain (no plating)	2 mm	18 mm		3.8 mm
965A402020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2 x 2	Stainless A4-70	M2 x 20	Plain (no plating)	2 mm	20 mm		3.8 mm
965A4025004	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm		4.7 mm
965A4025005	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm		4.7 mm
965A4025006	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm		4.7 mm
965A4025008	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm		4.7 mm
965A4025010	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm		4.7 mm
965A4025012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm		4.7 mm
965A4025014	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm		4.7 mm
965A4025016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm		4.7 mm
965A4025018	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 18	Plain (no plating)	2.5 mm	18 mm		4.7 mm
965A4025020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm		4.7 mm
965A4025025	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm		4.7 mm
965A403004	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 4	Stainless A4-70	M3 x 4	Plain (no plating)	3 mm	4 mm		5.6 mm
965A403005	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 5	Stainless A4-70	M3 x 5	Plain (no plating)	3 mm	5 mm		5.6 mm
965A403006	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 6	Stainless A4-70	M3 x 6	Plain (no plating)	3 mm	6 mm		5.6 mm
965A403008	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 8	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
965A403010	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm		5.6 mm
965A403012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 12	Plain (no plating)	3 mm	12 mm		5.6 mm
965A403014	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 14	Plain (no plating)	3 mm	14 mm		5.6 mm
965A403016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm		5.6 mm
965A403018	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 18	Plain (no plating)	3 mm	18 mm		5.6 mm
965A403020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 2	Stainless A4-70	M3 x 20	Plain (no plating)	3 mm	20 mm		5.6 mm
965A403025	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 2	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm		5.6 mm
965A403035	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M3 x 3	Stainless A4-70	M3 x 35	Plain (no plating)	3 mm	35 mm		5.6 mm
965A404005	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 5	Stainless A4-70	M4 x 5	Plain (no plating)	4 mm	5 mm		7.5 mm
965A404006	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 6	Stainless A4-70	M4 x 6	Plain (no plating)	4 mm	6 mm		7.5 mm
965A404008	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 8	Stainless A4-70	M4 x 8	Plain (no plating)	4 mm	8 mm		7.5 mm
965A404010	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 1	Stainless A4-70	M4 x 10	Plain (no plating)	4 mm	10 mm		7.5 mm
965A404012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 1	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
965A404014	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 1	Stainless A4-70	M4 x 14	Plain (no plating)	4 mm	14 mm		7.5 mm
965A404016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 1	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm		7.5 mm
965A404020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 2	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm		7.5 mm
965A404022	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 2	Stainless A4-70	M4 x 22	Plain (no plating)	4 mm	22 mm		7.5 mm
965A404025	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 2	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm		7.5 mm
965A404030	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 3	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm		7.5 mm
965A404035	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M4 x 3	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm		7.5 mm
965A404040	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70,							

M4 x 4

Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm	7.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A405008	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 8	Stainless A4-70	M5 x 8	Plain (no plating)	5 mm	8 mm		9.2 mm
965A405010	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 1	Stainless A4-70	M5 x 10	Plain (no plating)	5 mm	10 mm		9.2 mm
965A405012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 1	Stainless A4-70	M5 x 12	Plain (no plating)	5 mm	12 mm		9.2 mm
965A405014	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 1	Stainless A4-70	M5 x 14	Plain (no plating)	5 mm	14 mm		9.2 mm
965A405016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 1	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm		9.2 mm
965A405018	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 1	Stainless A4-70	M5 x 18	Plain (no plating)	5 mm	18 mm		9.2 mm
965A405020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 2	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm		9.2 mm
965A405025	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 2	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm		9.2 mm
965A405030	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 3	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm		9.2 mm
965A405035	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 3	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm		9.2 mm
965A405045	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 4	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm		9.2 mm
965A405050	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 5	Stainless A4-70	M5 x 50	Plain (no plating)	5 mm	50 mm		9.2 mm
965A405070	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M5 x 7	Stainless A4-70	M5 x 70	Plain (no plating)	5 mm	70 mm		9.2 mm
965A406010	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 1	Stainless A4-70	M6 x 10	Plain (no plating)	6 mm	10 mm		11 mm
965A406012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 1	Stainless A4-70	M6 x 12	Plain (no plating)	6 mm	12 mm		11 mm
965A406014	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 1	Stainless A4-70	M6 x 14	Plain (no plating)	6 mm	14 mm		11 mm
965A406016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 1	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm		11 mm
965A406020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 2	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm		11 mm
965A406025	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 2	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm		11 mm
965A406030	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 3	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm		11 mm
965A406040	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 4	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm		11 mm
965A406045	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 4	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm		11 mm
965A406060	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 6	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm		11 mm
965A406080	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M6 x 8	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm		11 mm
965A408012	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 1	Stainless A4-70	M8 x 12	Plain (no plating)	8 mm	12 mm		14.5 mm
965A408016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 1	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm		14.5 mm
965A408020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 2	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm		14.5 mm
965A408025	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 2	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm		14.5 mm
965A408030	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 3	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm		14.5 mm
965A408035	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 3	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm		14.5 mm
965A408040	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 4	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm		14.5 mm
965A408045	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 4	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm		14.5 mm
965A408050	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 5	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm		14.5 mm
965A408060	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 6	Stainless A4-70	M8 x 60	Plain (no plating)	8 mm	60 mm		14.5 mm
965A408070	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M8 x 7	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm		14.5 mm
965A410016	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 16	Plain (no plating)	10 mm	16 mm		18 mm
965A410020	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 20	Plain (no plating)	10 mm	20 mm		18 mm
965A410025	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 25	Plain (no plating)	10 mm	25 mm		18 mm
965A410030	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm		18 mm
965A410035	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm		18 mm
965A410040	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm		18 mm
965A410050	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm		18 mm
965A410060	DIN 965-H Flat Head Screw with Phillips, Stainless A4-70, M10 x	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm		18 mm