
DIN 965-Z — Flat Head Screw with Pozidriv

Catalogue data sheet · 261 sizes · category Bolts and Screws / Flat Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965020041Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2 x 4, Zinc	Steel 4.8	M2 x 4	Zinc Bright Passivation Fe/Zn P1	2 mm	4 mm		3.8 mm
965020051Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2 x 5, Zinc	Steel 4.8	M2 x 5	Zinc Bright Passivation Fe/Zn P1	2 mm	5 mm		3.8 mm
965020061Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2 x 6, Zinc	Steel 4.8	M2 x 6	Zinc Bright Passivation Fe/Zn P1	2 mm	6 mm		3.8 mm
965020081Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2 x 8, Zinc	Steel 4.8	M2 x 8	Zinc Bright Passivation Fe/Zn P1	2 mm	8 mm		3.8 mm
965020101Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2 x 10, Zinc	Steel 4.8	M2 x 10	Zinc Bright Passivation Fe/Zn P1	2 mm	10 mm		3.8 mm
965020161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2 x 16, Zinc	Steel 4.8	M2 x 16	Zinc Bright Passivation Fe/Zn P1	2 mm	16 mm		3.8 mm
9650250041Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 4, Zinc	Steel 4.8	M2.5 x 4	Zinc Bright Passivation Fe/Zn P1	2.5 mm	4 mm		4.7 mm
9650250051Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 5, Zinc	Steel 4.8	M2.5 x 5	Zinc Bright Passivation Fe/Zn P1	2.5 mm	5 mm		4.7 mm
9650250061Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 6, Zinc	Steel 4.8	M2.5 x 6	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm		4.7 mm
9650250081Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 8, Zinc	Steel 4.8	M2.5 x 8	Zinc Bright Passivation Fe/Zn P1	2.5 mm	8 mm		4.7 mm
9650250101Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 10, Zinc	Steel 4.8	M2.5 x 10	Zinc Bright Passivation Fe/Zn P1	2.5 mm	10 mm		4.7 mm
9650250121Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 12, Zinc	Steel 4.8	M2.5 x 12	Zinc Bright Passivation Fe/Zn P1	2.5 mm	12 mm		4.7 mm
9650250161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 16, Zinc	Steel 4.8	M2.5 x 16	Zinc Bright Passivation Fe/Zn P1	2.5 mm	16 mm		4.7 mm
9650250201Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M2.5 x 20, Zinc	Steel 4.8	M2.5 x 20	Zinc Bright Passivation Fe/Zn P1	2.5 mm	20 mm		4.7 mm
965030041Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 4, Zinc	Steel 4.8	M3 x 4	Zinc Bright Passivation Fe/Zn P1	3 mm	4 mm		5.6 mm
965030051Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 5, Zinc	Steel 4.8	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm		5.6 mm
965030061Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 6, Zinc	Steel 4.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm		5.6 mm
965030081Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 8, Zinc	Steel 4.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		5.6 mm
965030101Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 10, Zinc	Steel 4.8	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.6 mm
965030121Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 12, Zinc	Steel 4.8	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		5.6 mm
965030141Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 14, Zinc	Steel 4.8	M3 x 14	Zinc Bright Passivation Fe/Zn P1	3 mm	14 mm		5.6 mm
965030161SST096Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 16, SST	Steel 4.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm		5.6 mm
965030161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 16, Zinc	Steel 4.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm		5.6 mm
965030201Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 20, Zinc	Steel 4.8	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm		5.6 mm
965030221POZI	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 22, Zinc	Steel 4.8	M3 x 22	Zinc Bright Passivation Fe/Zn P1	3 mm	22 mm		5.6 mm
965030251Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x							

25, Zin

Steel 4.8	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	5.6 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965030301Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 30, Ful	Steel 4.8	M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm		5.6 mm
965030351Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3 x 35, Ful	Steel 4.8	M3 x 35	Zinc Bright Passivation Fe/Zn P1	3 mm	35 mm		5.6 mm
9650350061Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3.5 x 6, Zi	Steel 4.8	M3.5 x 6	Zinc Bright Passivation Fe/Zn P1	3.5 mm	6 mm		6.5 mm
9650350081Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3.5 x 8, Zi	Steel 4.8	M3.5 x 8	Zinc Bright Passivation Fe/Zn P1	3.5 mm	8 mm		6.5 mm
9650350101Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3.5 x 10, Z	Steel 4.8	M3.5 x 10	Zinc Bright Passivation Fe/Zn P1	3.5 mm	10 mm		6.5 mm
9650350121Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3.5 x 12, Z	Steel 4.8	M3.5 x 12	Zinc Bright Passivation Fe/Zn P1	3.5 mm	12 mm		6.5 mm
9650350161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3.5 x 16, Z	Steel 4.8	M3.5 x 16	Zinc Bright Passivation Fe/Zn P1	3.5 mm	16 mm		6.5 mm
9650350201Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3.5 x 20, Z	Steel 4.8	M3.5 x 20	Zinc Bright Passivation Fe/Zn P1	3.5 mm	20 mm		6.5 mm
9650350251Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M3.5 x 25, Z	Steel 4.8	M3.5 x 25	Zinc Bright Passivation Fe/Zn P1	3.5 mm	25 mm		6.5 mm
965040051Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 5, Zinc	Steel 4.8	M4 x 5	Zinc Bright Passivation Fe/Zn P1	4 mm	5 mm		7.5 mm
965040061Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 6, Zinc	Steel 4.8	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm		7.5 mm
965040081Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 8, Zinc	Steel 4.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		7.5 mm
965040101Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 10, Zin	Steel 4.8	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm		7.5 mm
965040121Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 12, Zin	Steel 4.8	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		7.5 mm
965040161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 16, Zin	Steel 4.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		7.5 mm
965040161ZI	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 16, Zin	Steel 4.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		7.5 mm
965040201Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 20, Zin	Steel 4.8	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm		7.5 mm
965040221Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 22, Zin	Steel 4.8	M4 x 22	Zinc Bright Passivation Fe/Zn P1	4 mm	22 mm		7.5 mm
965040251Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 25, Zin	Steel 4.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm		7.5 mm
965040281Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 28, Zin	Steel 4.8	M4 x 28	Zinc Bright Passivation Fe/Zn P1	4 mm	28 mm		7.5 mm
965040301Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 30, Ful	Steel 4.8	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm		7.5 mm
965040301ZI	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 30, Zin	Steel 4.8	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm		7.5 mm
965040351Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 35, Ful	Steel 4.8	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm		7.5 mm
965040401Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 40, Ful	Steel 4.8	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm		7.5 mm
965040401ZI	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 40, Ful	Steel 4.8	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm		7.5 mm
965040451Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 45, Ful	Steel 4.8	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm		7.5 mm
965040501Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 50, Ful	Steel 4.8	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm		7.5 mm
965040601Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 60, Zin	Steel 4.8	M4 x 60	Zinc Bright Passivation Fe/Zn P1	4 mm	60 mm		7.5 mm
965040751Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M4 x 75, Zin	Steel 4.8	M4 x 75	Zinc Bright Passivation Fe/Zn P1	4 mm	75 mm		7.5 mm
965050061Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 6, Zinc	Steel 4.8	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm		9.2 mm
965050081Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 8, Zinc	Steel 4.8	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm		9.2 mm
965050101Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 10, Zin	Steel 4.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		9.2 mm
965050121Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 12, Zin	Steel 4.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		9.2 mm
965050161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 16, Zin	Steel 4.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		9.2 mm
965050161ZI	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 16, Zin	Steel 4.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		9.2 mm
965050201Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 20, Zin	Steel 4.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		9.2 mm
965050221Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 22, Zin	Steel 4.8	M5 x 22	Zinc Bright Passivation Fe/Zn P1	5 mm	22 mm		9.2 mm
965050251Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 25, Zin	Steel 4.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		9.2 mm
965050301SST200Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 30, SST	Steel 4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		9.2 mm
965050301Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 30, Zin	Steel 4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		9.2 mm
965050351Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 35, Ful	Steel 4.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		9.2 mm
965050401Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 40, Ful	Steel 4.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		9.2 mm
965050451Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 45, Ful	Steel 4.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm		9.2 mm
965050501Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 50, Zin	Steel 4.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		9.2 mm
965050551Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 55, Ful	Steel 4.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm		9.2 mm
965050601Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x							

60, Ful

Steel 4.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	9.2 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965050651Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 65, Ful	Steel 4.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm		9.2 mm
965050701Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 70, Ful	Steel 4.8	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm		9.2 mm
965050851Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 85, Zin	Steel 4.8	M5 x 85	Zinc Bright Passivation Fe/Zn P1	5 mm	85 mm		9.2 mm
965050901Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M5 x 90, Ful	Steel 4.8	M5 x 90	Zinc Bright Passivation Fe/Zn P1	5 mm	90 mm		9.2 mm
965060081Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 8, Zinc	Steel 4.8	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm		11 mm
965060101Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 10, Zin	Steel 4.8	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm		11 mm
965060121Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 12, Zin	Steel 4.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		11 mm
965060161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 16, Zin	Steel 4.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		11 mm
965060161ZI	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 16, Zin	Steel 4.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		11 mm
965060201Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 20, Zin	Steel 4.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		11 mm
965060251Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 25, Zin	Steel 4.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm		11 mm
96506025Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 25, Pla	Steel 4.8	M6 x 25	Plain (no plating)	6 mm	25 mm		11 mm
965060301Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 30, Zin	Steel 4.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		11 mm
965060351Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 35, Zin	Steel 4.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		11 mm
965060401Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 40, Ful	Steel 4.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		11 mm
965060451Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 45, Ful	Steel 4.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm		11 mm
965060501Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 50, Ful	Steel 4.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm		11 mm
965060601Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 60, Ful	Steel 4.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm		11 mm
965060701Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 70, Ful	Steel 4.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm		11 mm
965060801Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M6 x 80, Ful	Steel 4.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm		11 mm
965080121Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 12, Zin	Steel 4.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm		14.5 mm
965080161Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 16, Zin	Steel 4.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		14.5 mm
965080201Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 20, Zin	Steel 4.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		14.5 mm
965080251Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 25, Zin	Steel 4.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		14.5 mm
965080301Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 30, Zin	Steel 4.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		14.5 mm
965080351Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 35, Zin	Steel 4.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		14.5 mm
965080401Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 40, Zin	Steel 4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		14.5 mm
965080451Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 45, Zin	Steel 4.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		14.5 mm
965080501Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 50, Ful	Steel 4.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		14.5 mm
965080601Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 60, Ful	Steel 4.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		14.5 mm
965080701Z	DIN 965-Z Flat Head Screw with Pozidriv, Steel 4.8, M8 x 70, Zin	Steel 4.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		14.5 mm
965A2016004Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm		3 mm
965A2016008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M1.6 x	Stainless A2-70	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm		3 mm
965A202004Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 4	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm		3.8 mm
965A202005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 5	Stainless A2-70	M2 x 5	Plain (no plating)	2 mm	5 mm		3.8 mm
965A202006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 6	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm		3.8 mm
965A202008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 8	Stainless A2-70	M2 x 8	Plain (no plating)	2 mm	8 mm		3.8 mm
965A202010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 1	Stainless A2-70	M2 x 10	Plain (no plating)	2 mm	10 mm		3.8 mm
965A202012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 1	Stainless A2-70	M2 x 12	Plain (no plating)	2 mm	12 mm		3.8 mm
965A202014Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 1	Stainless A2-70	M2 x 14	Plain (no plating)	2 mm	14 mm		3.8 mm
965A202016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2 x 1	Stainless A2-70	M2 x 16	Plain (no plating)	2 mm	16 mm		3.8 mm
965A2025004Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm		4.7 mm
965A2025005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm		4.7 mm
965A2025006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm		4.7 mm
965A2025008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm		4.7 mm
965A2025010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70,							

M2.5 x

Stainless A2-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	4.7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A2025012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm		4.7 mm
965A2025020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm		4.7 mm
965A203004Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 4	Stainless A2-70	M3 x 4	Plain (no plating)	3 mm	4 mm		5.6 mm
965A203005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 5	Stainless A2-70	M3 x 5	Plain (no plating)	3 mm	5 mm		5.6 mm
965A203006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 6	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm		5.6 mm
965A203008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 8	Stainless A2-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
965A203010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 1	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm		5.6 mm
965A203012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 1	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm		5.6 mm
965A203016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 1	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm		5.6 mm
965A203020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 2	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm		5.6 mm
965A203025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 2	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm		5.6 mm
965A203030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 3	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm		5.6 mm
965A203055Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3 x 5	Stainless A2-70	M3 x 55	Plain (no plating)	3 mm	55 mm		5.6 mm
965A2035012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M3.5 x	Stainless A2-70	M3.5 x 12	Plain (no plating)	3.5 mm	12 mm		6.5 mm
965A204005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 5	Stainless A2-70	M4 x 5	Plain (no plating)	4 mm	5 mm		7.5 mm
965A204006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 6	Stainless A2-70	M4 x 6	Plain (no plating)	4 mm	6 mm		7.5 mm
965A204008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 8	Stainless A2-70	M4 x 8	Plain (no plating)	4 mm	8 mm		7.5 mm
965A204010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 1	Stainless A2-70	M4 x 10	Plain (no plating)	4 mm	10 mm		7.5 mm
965A204012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 1	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
965A204014Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 1	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm		7.5 mm
965A204016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 1	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm		7.5 mm
965A204018Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 1	Stainless A2-70	M4 x 18	Plain (no plating)	4 mm	18 mm		7.5 mm
965A204020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 1	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm		7.5 mm
965A204025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 2	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm		7.5 mm
965A204030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 2	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm		7.5 mm
965A204035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 3	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm		7.5 mm
965A204040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 3	Stainless A2-70	M4 x 40	Plain (no plating)	4 mm	40 mm		7.5 mm
965A204050Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 4	Stainless A2-70	M4 x 50	Plain (no plating)	4 mm	50 mm		7.5 mm
965A204060Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 5	Stainless A2-70	M4 x 60	Plain (no plating)	4 mm	60 mm		7.5 mm
965A204095Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 6	Stainless A2-70	M4 x 95	Plain (no plating)	4 mm	95 mm		7.5 mm
965A205008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M4 x 9	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm		9.2 mm
965A205010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 8	Stainless A2-70	M5 x 10	Plain (no plating)	5 mm	10 mm		9.2 mm
965A205012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 1	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm		9.2 mm
965A205016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 1	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm		9.2 mm
965A205020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 1	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm		9.2 mm
965A205025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 2	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm		9.2 mm
965A205030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 2	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm		9.2 mm
965A205035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 3	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm		9.2 mm
965A205040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 3	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm		9.2 mm
965A205045Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 4	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm		9.2 mm
965A205050Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 4	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm		9.2 mm
965A205055Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 5	Stainless A2-70	M5 x 55	Plain (no plating)	5 mm	55 mm		9.2 mm
965A205060Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 5	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm		9.2 mm
965A205070Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 6	Stainless A2-70	M5 x 70	Plain (no plating)	5 mm	70 mm		9.2 mm
965A206008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M5 x 7	Stainless A2-70	M6 x 8	Plain (no plating)	6 mm	8 mm		11 mm
965A206010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 8							

M6 x 1

Stainless A2-70	M6 x 10	Plain (no plating)	6 mm	10 mm	11 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A206012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 12	Plain (no plating)	6 mm	12 mm		11 mm
965A206016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm		11 mm
965A206020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 2	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm		11 mm
965A206025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 2	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm		11 mm
965A206030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 3	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm		11 mm
965A206035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 3	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm		11 mm
965A206040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 4	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm		11 mm
965A206045Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 4	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm		11 mm
965A206050Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 5	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm		11 mm
965A206060Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 6	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm		11 mm
965A206070Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 7	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm		11 mm
965A206080Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 8	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm		11 mm
965A206100Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M6 x 1	Stainless A2-70	M6 x 100	Plain (no plating)	6 mm	100 mm		11 mm
965A208020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M8 x 2	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm		14.5 mm
965A208025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M8 x 2	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm		14.5 mm
965A208040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M8 x 4	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm		14.5 mm
965A208045Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A2-70, M8 x 4	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm		14.5 mm
965A4016006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M1.6 x	Stainless A4-70	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm		3 mm
965A402003Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 3	Stainless A4-70	M2 x 3	Plain (no plating)	2 mm	3 mm		3.8 mm
965A402004Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 4	Stainless A4-70	M2 x 4	Plain (no plating)	2 mm	4 mm		3.8 mm
965A402005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 5	Stainless A4-70	M2 x 5	Plain (no plating)	2 mm	5 mm		3.8 mm
965A402006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 6	Stainless A4-70	M2 x 6	Plain (no plating)	2 mm	6 mm		3.8 mm
965A402008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 8	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm		3.8 mm
965A402010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 10	Plain (no plating)	2 mm	10 mm		3.8 mm
965A402012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 12	Plain (no plating)	2 mm	12 mm		3.8 mm
965A402016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2 x 1	Stainless A4-70	M2 x 16	Plain (no plating)	2 mm	16 mm		3.8 mm
965A4025004Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm		4.7 mm
965A4025005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm		4.7 mm
965A4025006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm		4.7 mm
965A4025010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm		4.7 mm
965A4025012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm		4.7 mm
965A4025016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm		4.7 mm
965A403004Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 4	Stainless A4-70	M3 x 4	Plain (no plating)	3 mm	4 mm		5.6 mm
965A403005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 5	Stainless A4-70	M3 x 5	Plain (no plating)	3 mm	5 mm		5.6 mm
965A403006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 6	Stainless A4-70	M3 x 6	Plain (no plating)	3 mm	6 mm		5.6 mm
965A403008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 8	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.6 mm
965A403010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm		5.6 mm
965A403012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 12	Plain (no plating)	3 mm	12 mm		5.6 mm
965A403014Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 14	Plain (no plating)	3 mm	14 mm		5.6 mm
965A403016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm		5.6 mm
965A403018Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 18	Plain (no plating)	3 mm	18 mm		5.6 mm
965A403020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 1	Stainless A4-70	M3 x 20	Plain (no plating)	3 mm	20 mm		5.6 mm
965A403025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 2	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm		5.6 mm
965A403030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 2	Stainless A4-70	M3 x 30	Plain (no plating)	3 mm	30 mm		5.6 mm
965A403035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M3 x 3	Stainless A4-70	M3 x 35	Plain (no plating)	3 mm	35 mm		5.6 mm
965A404005Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70,							

M4 x 5

Stainless A4-70	M4 x 5	Plain (no plating)	4 mm	5 mm	7.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A404006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 6	Stainless A4-70	M4 x 6	Plain (no plating)	4 mm	6 mm		7.5 mm
965A404008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 8	Stainless A4-70	M4 x 8	Plain (no plating)	4 mm	8 mm		7.5 mm
965A404010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 10	Stainless A4-70	M4 x 10	Plain (no plating)	4 mm	10 mm		7.5 mm
965A404012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 12	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm		7.5 mm
965A404016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 16	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm		7.5 mm
965A404020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 20	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm		7.5 mm
965A404025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm		7.5 mm
965A404030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 30	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm		7.5 mm
965A404035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 35	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm		7.5 mm
965A404040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 40	Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm		7.5 mm
965A404045Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 45	Stainless A4-70	M4 x 45	Plain (no plating)	4 mm	45 mm		7.5 mm
965A404050Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 50	Stainless A4-70	M4 x 50	Plain (no plating)	4 mm	50 mm		7.5 mm
965A404070Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M4 x 70	Stainless A4-70	M4 x 70	Plain (no plating)	4 mm	70 mm		7.5 mm
965A405006Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 6	Stainless A4-70	M5 x 6	Plain (no plating)	5 mm	6 mm		9.2 mm
965A405008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 8	Stainless A4-70	M5 x 8	Plain (no plating)	5 mm	8 mm		9.2 mm
965A405010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 10	Stainless A4-70	M5 x 10	Plain (no plating)	5 mm	10 mm		9.2 mm
965A405012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 12	Stainless A4-70	M5 x 12	Plain (no plating)	5 mm	12 mm		9.2 mm
965A405014Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 14	Stainless A4-70	M5 x 14	Plain (no plating)	5 mm	14 mm		9.2 mm
965A405016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 16	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm		9.2 mm
965A405020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 20	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm		9.2 mm
965A405025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 25	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm		9.2 mm
965A405030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 30	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm		9.2 mm
965A405035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 35	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm		9.2 mm
965A405040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 40	Stainless A4-70	M5 x 40	Plain (no plating)	5 mm	40 mm		9.2 mm
965A405045Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 45	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm		9.2 mm
965A405050Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 50	Stainless A4-70	M5 x 50	Plain (no plating)	5 mm	50 mm		9.2 mm
965A405055Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 55	Stainless A4-70	M5 x 55	Plain (no plating)	5 mm	55 mm		9.2 mm
965A405060Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 60	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm		9.2 mm
965A405100Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M5 x 100	Stainless A4-70	M5 x 100	Plain (no plating)	5 mm	100 mm		9.2 mm
965A406008Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 8	Stainless A4-70	M6 x 8	Plain (no plating)	6 mm	8 mm		11 mm
965A406010Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 10	Stainless A4-70	M6 x 10	Plain (no plating)	6 mm	10 mm		11 mm
965A406012Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 12	Stainless A4-70	M6 x 12	Plain (no plating)	6 mm	12 mm		11 mm
965A406016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 16	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm		11 mm
965A406020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 20	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm		11 mm
965A406025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 25	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm		11 mm
965A406030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 30	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm		11 mm
965A406035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 35	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm		11 mm
965A406040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 40	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm		11 mm
965A406045Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 45	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm		11 mm
965A406050Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 50	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm		11 mm
965A406060Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 60	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm		11 mm
965A406070Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 70	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm		11 mm
965A406090Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 90	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm		11 mm
965A406100Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M6 x 100	Stainless A4-70	M6 x 100	Plain (no plating)	6 mm	100 mm		11 mm
965A408016Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M8 x 16	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm		14.5 mm
965A408020Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70,							

M8 x 2

Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm	14.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
965A408025Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M8 x 2	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm		14.5 mm
965A408030Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M8 x 3	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm		14.5 mm
965A408035Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M8 x 3	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm		14.5 mm
965A408040Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M8 x 4	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm		14.5 mm
965A408050Z	DIN 965-Z Flat Head Screw with Pozidriv, Stainless A4-70, M8 x 5	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm		14.5 mm