



DIN 976 — Threaded Rod



Catalogue data sheet · 2231 sizes · category Threaded Rods and Studs / Threaded Rods · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97610A050096	DIN 976-A Threaded Rod, Steel 10.9, M5 x 96, Plain	Steel 10.9	M5 x 96	Plain (no plating)	5 mm	96 mm		
97610A050110	DIN 976-A Threaded Rod, Steel 10.9, M5 x 110, Plain	Steel 10.9	M5 x 110	Plain (no plating)	5 mm	110 mm		
97610A050140	DIN 976-A Threaded Rod, Steel 10.9, M5 x 140, Plain	Steel 10.9	M5 x 140	Plain (no plating)	5 mm	140 mm		
97610A050144	DIN 976-A Threaded Rod, Steel 10.9, M5 x 144, Plain	Steel 10.9	M5 x 144	Plain (no plating)	5 mm	144 mm		
97610A050161	DIN 976-A Threaded Rod, Steel 10.9, M5 x 161, Plain	Steel 10.9	M5 x 161	Plain (no plating)	5 mm	161 mm		
97610A050193	DIN 976-A Threaded Rod, Steel 10.9, M5 x 193, Plain	Steel 10.9	M5 x 193	Plain (no plating)	5 mm	193 mm		
97610A051000	DIN 976-A Threaded Rod, Steel 10.9, M5 x 1000, Plain	Steel 10.9	M5 x 1000	Plain (no plating)	5 mm	1000 mm		
97610A060030	DIN 976-A Threaded Rod, Steel 10.9, M6 x 30, Plain	Steel 10.9	M6 x 30	Plain (no plating)	6 mm	30 mm		
97610A0600301	DIN 976-A Threaded Rod, Steel 10.9, M6 x 30, Zinc Plated	Steel 10.9	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		
97610A061000	DIN 976-A Threaded Rod, Steel 10.9, M6 x 1000, Plain	Steel 10.9	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
97610A080130	DIN 976-A Threaded Rod, Steel 10.9, M8 x 130, Plain	Steel 10.9	M8 x 130	Plain (no plating)	8 mm	130 mm		
97610A080240	DIN 976-A Threaded Rod, Steel 10.9, M8 x 240, Plain	Steel 10.9	M8 x 240	Plain (no plating)	8 mm	240 mm		
97610A080345	DIN 976-A Threaded Rod, Steel 10.9, M8 x 345, Plain	Steel 10.9	M8 x 345	Plain (no plating)	8 mm	345 mm		
97610A081000	DIN 976-A Threaded Rod, Steel 10.9, M8 x 1000, Plain	Steel 10.9	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
97610A0810001	DIN 976-A Threaded Rod, Steel 10.9, M8 x 1000, Zinc	Steel 10.9	M8 x 1000	Zinc Bright Passivation Fe/Zn P1	8 mm	1000 mm		
97610A1001001	DIN 976-A Threaded Rod, Steel 10.9, M10 x 100, Zinc	Steel 10.9	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm		
97610A100210	DIN 976-A Threaded Rod, Steel 10.9, M10 x 210, Plain	Steel 10.9	M10 x 210	Plain (no plating)	10 mm	210 mm		
97610A101000	DIN 976-A Threaded Rod, Steel 10.9, M10 x 1000, Plain	Steel 10.9	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
97610A1010001	DIN 976-A Threaded Rod, Steel 10.9, M10 x 1000, Zinc	Steel 10.9	M10 x 1000	Zinc Bright Passivation Fe/Zn P1	10 mm	1000 mm		
97610A103000	DIN 976-A Threaded Rod, Steel 10.9, M10 x 3000, Plain	Steel 10.9	M10 x 3000	Plain (no plating)	10 mm	3000 mm		
97610A121000	DIN 976-A Threaded Rod, Steel 10.9, M12 x 1000, Plain	Steel 10.9	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
97610A1210001	DIN 976-A Threaded Rod, Steel 10.9, M12 x 1000, Zinc	Steel 10.9	M12 x 1000	Zinc Bright Passivation Fe/Zn P1	12 mm	1000 mm		
97610A123000	DIN 976-A Threaded Rod, Steel 10.9, M12 x 3000, Plain	Steel 10.9	M12 x 3000	Plain (no plating)	12 mm	3000 mm		
97610A141000	DIN 976-A Threaded Rod, Steel 10.9, M14 x 1000, Plain	Steel 10.9	M14 x 1000	Plain (no plating)	14 mm	1000 mm		
97610A1410001	DIN 976-A Threaded Rod, Steel 10.9, M14 x 1000, Zinc	Steel 10.9	M14 x 1000	Zinc Bright Passivation Fe/Zn P1	14 mm	1000 mm		
97610A160125	DIN 976-A Threaded Rod, Steel 10.9, M16 x 125, Plain	Steel 10.9	M16 x 125	Plain (no plating)	16 mm	125 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97610A160330	DIN 976-A Threaded Rod, Steel 10.9, M16 x 330, Plain	Steel 10.9	M16 x 330	Plain (no plating)	16 mm	330 mm		
97610A1603301	DIN 976-A Threaded Rod, Steel 10.9, M16 x 330, Zinc Plated	Steel 10.9	M16 x 330	Zinc Bright Passivation Fe/Zn P1	16 mm	330 mm		
97610A161000	DIN 976-A Threaded Rod, Steel 10.9, M16 x 1000, Plain	Steel 10.9	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
97610A1610001	DIN 976-A Threaded Rod, Steel 10.9, M16 x 1000, Zinc Plated	Steel 10.9	M16 x 1000	Zinc Bright Passivation Fe/Zn P1	16 mm	1000 mm		
97610A1610002	DIN 976-A Threaded Rod, Steel 10.9, M16 x 1000, Hot-Dip Galvanizing	Steel 10.9	M16 x 1000	Hot Dip Galvanizing	16 mm	1000 mm		
97610A181000	DIN 976-A Threaded Rod, Steel 10.9, M18 x 1000, Plain	Steel 10.9	M18 x 1000	Plain (no plating)	18 mm	1000 mm		
97610A201000	DIN 976-A Threaded Rod, Steel 10.9, M20 x 1000, Plain	Steel 10.9	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
97610A2010001	DIN 976-A Threaded Rod, Steel 10.9, M20 x 1000, Zinc Plated	Steel 10.9	M20 x 1000	Zinc Bright Passivation Fe/Zn P1	20 mm	1000 mm		
97610A202000	DIN 976-A Threaded Rod, Steel 10.9, M20 x 2000, Plain	Steel 10.9	M20 x 2000	Plain (no plating)	20 mm	2000 mm		
97610A203000	DIN 976-A Threaded Rod, Steel 10.9, M20 x 3000, Plain	Steel 10.9	M20 x 3000	Plain (no plating)	20 mm	3000 mm		
97610A221000	DIN 976-A Threaded Rod, Steel 10.9, M22 x 1000, Plain	Steel 10.9	M22 x 1000	Plain (no plating)	22 mm	1000 mm		
97610A240125	DIN 976-A Threaded Rod, Steel 10.9, M24 x 125, Plain	Steel 10.9	M24 x 125	Plain (no plating)	24 mm	125 mm		
97610A2402202	DIN 976-A Threaded Rod, Steel 10.9, M24 x 220, Hot-Dip Galvanizing	Steel 10.9	M24 x 220	Hot Dip Galvanizing	24 mm	220 mm		
97610A2408502	DIN 976-A Threaded Rod, Steel 10.9, M24 x 850, Hot-Dip Galvanizing	Steel 10.9	M24 x 850	Hot Dip Galvanizing	24 mm	850 mm		
97610A241000	DIN 976-A Threaded Rod, Steel 10.9, M24 x 1000, Plain	Steel 10.9	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
97610A2410001	DIN 976-A Threaded Rod, Steel 10.9, M24 x 1000, Zinc Plated	Steel 10.9	M24 x 1000	Zinc Bright Passivation Fe/Zn P1	24 mm	1000 mm		
97610A2410002	DIN 976-A Threaded Rod, Steel 10.9, M24 x 1000, Hot-Dip Galvanizing	Steel 10.9	M24 x 1000	Hot Dip Galvanizing	24 mm	1000 mm		
97610A270240	DIN 976-A Threaded Rod, Steel 10.9, M27 x 240, Plain	Steel 10.9	M27 x 240	Plain (no plating)	27 mm	240 mm		
97610A270400	DIN 976-A Threaded Rod, Steel 10.9, M27 x 400, Plain	Steel 10.9	M27 x 400	Plain (no plating)	27 mm	400 mm		
97610A270500	DIN 976-A Threaded Rod, Steel 10.9, M27 x 500, Plain	Steel 10.9	M27 x 500	Plain (no plating)	27 mm	500 mm		
97610A271000	DIN 976-A Threaded Rod, Steel 10.9, M27 x 1000, Plain	Steel 10.9	M27 x 1000	Plain (no plating)	27 mm	1000 mm		
97610A2710001	DIN 976-A Threaded Rod, Steel 10.9, M27 x 1000, Zinc Plated	Steel 10.9	M27 x 1000	Zinc Bright Passivation Fe/Zn P1	27 mm	1000 mm		
97610A272000	DIN 976-A Threaded Rod, Steel 10.9, M27 x 2000, Plain	Steel 10.9	M27 x 2000	Plain (no plating)	27 mm	2000 mm		
97610A300150	DIN 976-A Threaded Rod, Steel 10.9, M30 x 150, Plain	Steel 10.9	M30 x 150	Plain (no plating)	30 mm	150 mm		
97610A300170	DIN 976-A Threaded Rod, Steel 10.9, M30 x 170, Plain	Steel 10.9	M30 x 170	Plain (no plating)	30 mm	170 mm		
97610A3006701	DIN 976-A Threaded Rod, Steel 10.9, M30 x 670, Zinc Plated	Steel 10.9	M30 x 670	Zinc Bright Passivation Fe/Zn P1	30 mm	670 mm		
97610A301000	DIN 976-A Threaded Rod, Steel 10.9, M30 x 1000, Plain	Steel 10.9	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
97610A3010001	DIN 976-A Threaded Rod, Steel 10.9, M30 x 1000, Zinc Plated	Steel 10.9	M30 x 1000	Zinc Bright Passivation Fe/Zn P1	30 mm	1000 mm		
97610A3010002	DIN 976-A Threaded Rod, Steel 10.9, M30 x 1000, Hot-Dip Galvanizing	Steel 10.9	M30 x 1000	Hot Dip Galvanizing	30 mm	1000 mm		
97610A303000	DIN 976-A Threaded Rod, Steel 10.9, M30 x 3000, Plain	Steel 10.9	M30 x 3000	Plain (no plating)	30 mm	3000 mm		
97610A331000	DIN 976-A Threaded Rod, Steel 10.9, M33 x 1000, Plain	Steel 10.9	M33 x 1000	Plain (no plating)	33 mm	1000 mm		
97610A360240	DIN 976-A Threaded Rod, Steel 10.9, M36 x 240, Plain	Steel 10.9	M36 x 240	Plain (no plating)	36 mm	240 mm		
97610A360360	DIN 976-A Threaded Rod, Steel 10.9, M36 x 360, Plain	Steel 10.9	M36 x 360	Plain (no plating)	36 mm	360 mm		
97610A361000	DIN 976-A Threaded Rod, Steel 10.9, M36 x 1000, Plain	Steel 10.9	M36 x 1000	Plain (no plating)	36 mm	1000 mm		
97610A3610001	DIN 976-A Threaded Rod, Steel 10.9, M36 x 1000, Zinc Plated	Steel 10.9	M36 x 1000	Zinc Bright Passivation Fe/Zn P1	36 mm	1000 mm		
97610A420750	DIN 976-A Threaded Rod, Steel 10.9, M42 x 750, Plain	Steel 10.9	M42 x 750	Plain (no plating)	42 mm	750 mm		
97610A420825	DIN 976-A Threaded Rod, Steel 10.9, M42 x 825, Plain	Steel 10.9	M42 x 825	Plain (no plating)	42 mm	825 mm		
97610A421000	DIN 976-A Threaded Rod, Steel 10.9, M42 x 1000, Plain	Steel 10.9	M42 x 1000	Plain (no plating)	42 mm	1000 mm		
97610A4808802	DIN 976-A Threaded Rod, Steel 10.9, M48 x 880, Hot-Dip Galvanizing	Steel 10.9	M48 x 880	Hot Dip Galvanizing	48 mm	880 mm		
97610A721600	DIN 976-A Threaded Rod, Steel 10.9, M72 x 1600, Plain	Steel 10.9	M72 x 1600	Plain (no plating)	72 mm	1600 mm		
97610B2203801	DIN 976-B Threaded Rod, Steel 10.9, M22 x 380, Chamfered Ends	Steel 10.9	M22 x 380	Zinc Bright Passivation Fe/Zn P1	22 mm	380 mm		
97610B240400	DIN 976-B Threaded Rod, Steel 10.9, M24 x 400, Chamfered Ends	Steel 10.9	M24 x 400	Plain (no plating)	24 mm	400 mm		
97612A051000	DIN 976-A Threaded Rod, Steel 12.9, M5 x 1000, Plain	Steel 12.9	M5 x 1000	Plain (no plating)	5 mm	1000 mm		
97612A061000	DIN 976-A Threaded Rod, Steel 12.9, M6 x 1000, Plain	Steel 12.9	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
97612A0800425	DIN 976-A Threaded Rod, Steel 12.9, M8 x 42.5, Plain	Steel 12.9	M8 x 42.5	Plain (no plating)	8 mm	42.5 mm		
97612A081000	DIN 976-A Threaded Rod, Steel 12.9, M8 x 1000, Plain	Steel 12.9	M8 x 1000	Plain (no plating)	8 mm	1000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97612A101000	DIN 976-A Threaded Rod, Steel 12.9, M10 x 1000, Plain	Steel 12.9	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
97612A121000	DIN 976-A Threaded Rod, Steel 12.9, M12 x 1000, Plain	Steel 12.9	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
97612A141000	DIN 976-A Threaded Rod, Steel 12.9, M14 x 1000, Plain	Steel 12.9	M14 x 1000	Plain (no plating)	14 mm	1000 mm		
97612A161000	DIN 976-A Threaded Rod, Steel 12.9, M16 x 1000, Plain	Steel 12.9	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
97612A181000	DIN 976-A Threaded Rod, Steel 12.9, M18 x 1000, Plain	Steel 12.9	M18 x 1000	Plain (no plating)	18 mm	1000 mm		
97612A201000	DIN 976-A Threaded Rod, Steel 12.9, M20 x 1000, Plain	Steel 12.9	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
97612A241000	DIN 976-A Threaded Rod, Steel 12.9, M24 x 1000, Plain	Steel 12.9	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
97612A301000	DIN 976-A Threaded Rod, Steel 12.9, M30 x 1000, Plain	Steel 12.9	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
97612B101000	DIN 976-B Threaded Rod, Steel 12.9, M10 x 1000, Plain	Steel 12.9	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
97646A1208501	DIN 976-A Threaded Rod, Steel 4.6, M12 x 850, Zinc Plated	Steel 4.6	M12 x 850	Zinc Bright Passivation Fe/Zn P1	12 mm	850 mm		
97648A0210001	DIN 976-A Threaded Rod, Steel 4.8, M2 x 1000, Zinc Plated	Steel 4.8	M2 x 1000	Zinc Bright Passivation Fe/Zn P1	2 mm	1000 mm		
97648A02500401	DIN 976-A Threaded Rod, Steel 4.8, M2.5 x 40, Zinc Plated	Steel 4.8	M2.5 x 40	Zinc Bright Passivation Fe/Zn P1	2.5 mm	40 mm		
97648A02510001	DIN 976-A Threaded Rod, Steel 4.8, M2.5 x 1000, Zinc Plated	Steel 4.8	M2.5 x 1000	Zinc Bright Passivation Fe/Zn P1	2.5 mm	1000 mm		
97648A0300351	DIN 976-A Threaded Rod, Steel 4.8, M3 x 35, Zinc Plated	Steel 4.8	M3 x 35	Zinc Bright Passivation Fe/Zn P1	3 mm	35 mm		
97648A0300401	DIN 976-A Threaded Rod, Steel 4.8, M3 x 40, Zinc Plated	Steel 4.8	M3 x 40	Zinc Bright Passivation Fe/Zn P1	3 mm	40 mm		
97648A0300601	DIN 976-A Threaded Rod, Steel 4.8, M3 x 60, Zinc Plated	Steel 4.8	M3 x 60	Zinc Bright Passivation Fe/Zn P1	3 mm	60 mm		
97648A0300801	DIN 976-A Threaded Rod, Steel 4.8, M3 x 80, Zinc Plated	Steel 4.8	M3 x 80	Zinc Bright Passivation Fe/Zn P1	3 mm	80 mm		
97648A0310001	DIN 976-A Threaded Rod, Steel 4.8, M3 x 1000, Zinc Plated	Steel 4.8	M3 x 1000	Zinc Bright Passivation Fe/Zn P1	3 mm	1000 mm		
97648A0400201	DIN 976-A Threaded Rod, Steel 4.8, M4 x 20, Zinc Plated	Steel 4.8	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm		
97648A0400301	DIN 976-A Threaded Rod, Steel 4.8, M4 x 30, Zinc Plated	Steel 4.8	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm		
97648A0400351	DIN 976-A Threaded Rod, Steel 4.8, M4 x 35, Zinc Plated	Steel 4.8	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm		
97648A0400401	DIN 976-A Threaded Rod, Steel 4.8, M4 x 40, Zinc Plated	Steel 4.8	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm		
97648A040050	DIN 976-A Threaded Rod, Steel 4.8, M4 x 50, Plain	Steel 4.8	M4 x 50	Plain (no plating)	4 mm	50 mm		
97648A0400501	DIN 976-A Threaded Rod, Steel 4.8, M4 x 50, Zinc Plated	Steel 4.8	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm		
97648A0400601	DIN 976-A Threaded Rod, Steel 4.8, M4 x 60, Zinc Plated	Steel 4.8	M4 x 60	Zinc Bright Passivation Fe/Zn P1	4 mm	60 mm		
97648A0400641	DIN 976-A Threaded Rod, Steel 4.8, M4 x 64, Zinc Plated	Steel 4.8	M4 x 64	Zinc Bright Passivation Fe/Zn P1	4 mm	64 mm		
97648A040080	DIN 976-A Threaded Rod, Steel 4.8, M4 x 80, Plain	Steel 4.8	M4 x 80	Plain (no plating)	4 mm	80 mm		
97648A040085	DIN 976-A Threaded Rod, Steel 4.8, M4 x 85, Plain	Steel 4.8	M4 x 85	Plain (no plating)	4 mm	85 mm		
97648A0401001	DIN 976-A Threaded Rod, Steel 4.8, M4 x 100, Zinc Plated	Steel 4.8	M4 x 100	Zinc Bright Passivation Fe/Zn P1	4 mm	100 mm		
97648A0401701	DIN 976-A Threaded Rod, Steel 4.8, M4 x 170, Zinc Plated	Steel 4.8	M4 x 170	Zinc Bright Passivation Fe/Zn P1	4 mm	170 mm		
97648A0403851	DIN 976-A Threaded Rod, Steel 4.8, M4 x 385, Zinc Plated	Steel 4.8	M4 x 385	Zinc Bright Passivation Fe/Zn P1	4 mm	385 mm		
97648A041000	DIN 976-A Threaded Rod, Steel 4.8, M4 x 1000, Plain	Steel 4.8	M4 x 1000	Plain (no plating)	4 mm	1000 mm		
97648A0410001	DIN 976-A Threaded Rod, Steel 4.8, M4 x 1000, Zinc Plated	Steel 4.8	M4 x 1000	Zinc Bright Passivation Fe/Zn P1	4 mm	1000 mm		
97648A0500201	DIN 976-A Threaded Rod, Steel 4.8, M5 x 20, Zinc Plated	Steel 4.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		
97648A0500251	DIN 976-A Threaded Rod, Steel 4.8, M5 x 25, Zinc Plated	Steel 4.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		
97648A0500301	DIN 976-A Threaded Rod, Steel 4.8, M5 x 30, Zinc Plated	Steel 4.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		
97648A0500351	DIN 976-A Threaded Rod, Steel 4.8, M5 x 35, Zinc Plated	Steel 4.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		
97648A0500401	DIN 976-A Threaded Rod, Steel 4.8, M5 x 40, Zinc Plated	Steel 4.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		
97648A050050	DIN 976-A Threaded Rod, Steel 4.8, M5 x 50, Plain	Steel 4.8	M5 x 50	Plain (no plating)	5 mm	50 mm		
97648A0500501	DIN 976-A Threaded Rod, Steel 4.8, M5 x 50, Zinc Plated	Steel 4.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		
97648A0500651	DIN 976-A Threaded Rod, Steel 4.8, M5 x 65, Zinc Plated	Steel 4.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm		
97648A0500781	DIN 976-A Threaded Rod, Steel 4.8, M5 x 78, Zinc Plated	Steel 4.8	M5 x 78	Zinc Bright Passivation Fe/Zn P1	5 mm	78 mm		
97648A050080	DIN 976-A Threaded Rod, Steel 4.8, M5 x 80, Plain	Steel 4.8	M5 x 80	Plain (no plating)	5 mm	80 mm		
97648A0500801	DIN 976-A Threaded Rod, Steel 4.8, M5 x 80, Zinc Plated	Steel 4.8	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm		
97648A0501001	DIN 976-A Threaded Rod, Steel 4.8, M5 x 100, Zinc Plated	Steel 4.8	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm		
97648A0501301	DIN 976-A Threaded Rod, Steel 4.8, M5 x 130, Zinc Plated	Steel 4.8	M5 x 130	Zinc Bright Passivation Fe/Zn P1	5 mm	130 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97648A0502001	DIN 976-A Threaded Rod, Steel 4.8, M5 x 200, Zinc Plated	Steel 4.8	M5 x 200	Zinc Bright Passivation Fe/Zn P1	5 mm	200 mm		
97648A051000	DIN 976-A Threaded Rod, Steel 4.8, M5 x 1000, Plain	Steel 4.8	M5 x 1000	Plain (no plating)	5 mm	1000 mm		
97648A0510001	DIN 976-A Threaded Rod, Steel 4.8, M5 x 1000, Zinc Plated	Steel 4.8	M5 x 1000	Zinc Bright Passivation Fe/Zn P1	5 mm	1000 mm		
97648A060016	DIN 976-A Threaded Rod, Steel 4.8, M6 x 16, Plain	Steel 4.8	M6 x 16	Plain (no plating)	6 mm	16 mm		
97648A0600161	DIN 976-A Threaded Rod, Steel 4.8, M6 x 16, Zinc Plated	Steel 4.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		
97648A0600161W	DIN 976-A Threaded Rod, Steel 4.8, M6 x 16, Waxed, Zinc Plated	Steel 4.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		
97648A0600201	DIN 976-A Threaded Rod, Steel 4.8, M6 x 20, Zinc Plated	Steel 4.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		
97648A0600221	DIN 976-A Threaded Rod, Steel 4.8, M6 x 22, Zinc Plated	Steel 4.8	M6 x 22	Zinc Bright Passivation Fe/Zn P1	6 mm	22 mm		
97648A0600251	DIN 976-A Threaded Rod, Steel 4.8, M6 x 25, Zinc Plated	Steel 4.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm		
97648A0600261	DIN 976-A Threaded Rod, Steel 4.8, M6 x 26, Zinc Plated	Steel 4.8	M6 x 26	Zinc Bright Passivation Fe/Zn P1	6 mm	26 mm		
97648A0600281	DIN 976-A Threaded Rod, Steel 4.8, M6 x 28, Zinc Plated	Steel 4.8	M6 x 28	Zinc Bright Passivation Fe/Zn P1	6 mm	28 mm		
97648A0600301	DIN 976-A Threaded Rod, Steel 4.8, M6 x 30, Zinc Plated	Steel 4.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		
97648A060032	DIN 976-A Threaded Rod, Steel 4.8, M6 x 32, Plain	Steel 4.8	M6 x 32	Plain (no plating)	6 mm	32 mm		
97648A0600321	DIN 976-A Threaded Rod, Steel 4.8, M6 x 32, Zinc Plated	Steel 4.8	M6 x 32	Zinc Bright Passivation Fe/Zn P1	6 mm	32 mm		
97648A0600401	DIN 976-A Threaded Rod, Steel 4.8, M6 x 40, Zinc Plated	Steel 4.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		
97648A0600441	DIN 976-A Threaded Rod, Steel 4.8, M6 x 44, Zinc Plated	Steel 4.8	M6 x 44	Zinc Bright Passivation Fe/Zn P1	6 mm	44 mm		
97648A0600501	DIN 976-A Threaded Rod, Steel 4.8, M6 x 50, Zinc Plated	Steel 4.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm		
97648A0600551	DIN 976-A Threaded Rod, Steel 4.8, M6 x 55, Zinc Plated	Steel 4.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm		
97648A0600601	DIN 976-A Threaded Rod, Steel 4.8, M6 x 60, Zinc Plated	Steel 4.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm		
97648A0600651	DIN 976-A Threaded Rod, Steel 4.8, M6 x 65, Zinc Plated	Steel 4.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm		
97648A0600651FL2	DIN 976-A Threaded Rod, Steel 4.8, M6 x 65, Friction, Locking B	Steel 4.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm		
97648A0600701	DIN 976-A Threaded Rod, Steel 4.8, M6 x 70, Zinc Plated	Steel 4.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm		
97648A0600751	DIN 976-A Threaded Rod, Steel 4.8, M6 x 75, Zinc Plated	Steel 4.8	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm		
97648A0600761	DIN 976-A Threaded Rod, Steel 4.8, M6 x 76, Zinc Plated	Steel 4.8	M6 x 76	Zinc Bright Passivation Fe/Zn P1	6 mm	76 mm		
97648A0600801	DIN 976-A Threaded Rod, Steel 4.8, M6 x 80, Zinc Plated	Steel 4.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm		
97648A0600901	DIN 976-A Threaded Rod, Steel 4.8, M6 x 90, Zinc Plated	Steel 4.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm		
97648A0600951	DIN 976-A Threaded Rod, Steel 4.8, M6 x 95, Zinc Plated	Steel 4.8	M6 x 95	Zinc Bright Passivation Fe/Zn P1	6 mm	95 mm		
97648A0601001	DIN 976-A Threaded Rod, Steel 4.8, M6 x 100, Zinc Plated	Steel 4.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm		
97648A0601051	DIN 976-A Threaded Rod, Steel 4.8, M6 x 105, Zinc Plated	Steel 4.8	M6 x 105	Zinc Bright Passivation Fe/Zn P1	6 mm	105 mm		
97648A0601101	DIN 976-A Threaded Rod, Steel 4.8, M6 x 110, Zinc Plated	Steel 4.8	M6 x 110	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm		
97648A0601201	DIN 976-A Threaded Rod, Steel 4.8, M6 x 120, Zinc Plated	Steel 4.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm		
97648A0601301	DIN 976-A Threaded Rod, Steel 4.8, M6 x 130, Zinc Plated	Steel 4.8	M6 x 130	Zinc Bright Passivation Fe/Zn P1	6 mm	130 mm		
97648A0601401	DIN 976-A Threaded Rod, Steel 4.8, M6 x 140, Zinc Plated	Steel 4.8	M6 x 140	Zinc Bright Passivation Fe/Zn P1	6 mm	140 mm		
97648A0601501	DIN 976-A Threaded Rod, Steel 4.8, M6 x 150, Zinc Plated	Steel 4.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm		
97648A0601801	DIN 976-A Threaded Rod, Steel 4.8, M6 x 180, Zinc Plated	Steel 4.8	M6 x 180	Zinc Bright Passivation Fe/Zn P1	6 mm	180 mm		
97648A0602001	DIN 976-A Threaded Rod, Steel 4.8, M6 x 200, Zinc Plated	Steel 4.8	M6 x 200	Zinc Bright Passivation Fe/Zn P1	6 mm	200 mm		
97648A0602101	DIN 976-A Threaded Rod, Steel 4.8, M6 x 210, Zinc Plated	Steel 4.8	M6 x 210	Zinc Bright Passivation Fe/Zn P1	6 mm	210 mm		
97648A0602401	DIN 976-A Threaded Rod, Steel 4.8, M6 x 240, Zinc Plated	Steel 4.8	M6 x 240	Zinc Bright Passivation Fe/Zn P1	6 mm	240 mm		
97648A0602501	DIN 976-A Threaded Rod, Steel 4.8, M6 x 250, Zinc Plated	Steel 4.8	M6 x 250	Zinc Bright Passivation Fe/Zn P1	6 mm	250 mm		
97648A0602601	DIN 976-A Threaded Rod, Steel 4.8, M6 x 260, Zinc Plated	Steel 4.8	M6 x 260	Zinc Bright Passivation Fe/Zn P1	6 mm	260 mm		
97648A0602901	DIN 976-A Threaded Rod, Steel 4.8, M6 x 290, Zinc Plated	Steel 4.8	M6 x 290	Zinc Bright Passivation Fe/Zn P1	6 mm	290 mm		
97648A0603351	DIN 976-A Threaded Rod, Steel 4.8, M6 x 335, Zinc Plated	Steel 4.8	M6 x 335	Zinc Bright Passivation Fe/Zn P1	6 mm	335 mm		
97648A0603451	DIN 976-A Threaded Rod, Steel 4.8, M6 x 345, Zinc Plated	Steel 4.8	M6 x 345	Zinc Bright Passivation Fe/Zn P1	6 mm	345 mm		
97648A0603501	DIN 976-A Threaded Rod, Steel 4.8, M6 x 350, Zinc Plated	Steel 4.8	M6 x 350	Zinc Bright Passivation Fe/Zn P1	6 mm	350 mm		
97648A0607081	DIN 976-A Threaded Rod, Steel 4.8, M6 x 708, Zinc Plated	Steel 4.8	M6 x 708	Zinc Bright Passivation Fe/Zn P1	6 mm	708 mm		
97648A0607701	DIN 976-A Threaded Rod, Steel 4.8, M6 x 770, Zinc Plated	Steel 4.8	M6 x 770	Zinc Bright Passivation Fe/Zn P1	6 mm	770 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97648A061000	DIN 976-A Threaded Rod, Steel 4.8, M6 x 1000, Plain	Steel 4.8	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
97648A0610001	DIN 976-A Threaded Rod, Steel 4.8, M6 x 1000, Zinc Plated	Steel 4.8	M6 x 1000	Zinc Bright Passivation Fe/Zn P1	6 mm	1000 mm		
97648A0620001	DIN 976-A Threaded Rod, Steel 4.8, M6 x 2000, Zinc Plated	Steel 4.8	M6 x 2000	Zinc Bright Passivation Fe/Zn P1	6 mm	2000 mm		
97648A063000	DIN 976-A Threaded Rod, Steel 4.8, M6 x 3000, Plain	Steel 4.8	M6 x 3000	Plain (no plating)	6 mm	3000 mm		
97648A0630001	DIN 976-A Threaded Rod, Steel 4.8, M6 x 3000, Zinc Plated	Steel 4.8	M6 x 3000	Zinc Bright Passivation Fe/Zn P1	6 mm	3000 mm		
97648A0710001	DIN 976-A Threaded Rod, Steel 4.8, M7 x 1000, Zinc Plated	Steel 4.8	M7 x 1000	Zinc Bright Passivation Fe/Zn P1	7 mm	1000 mm		
97648A0800151	DIN 976-A Threaded Rod, Steel 4.8, M8 x 15, Zinc Plated	Steel 4.8	M8 x 15	Zinc Bright Passivation Fe/Zn P1	8 mm	15 mm		
97648A080020	DIN 976-A Threaded Rod, Steel 4.8, M8 x 20, Plain	Steel 4.8	M8 x 20	Plain (no plating)	8 mm	20 mm		
97648A0800201	DIN 976-A Threaded Rod, Steel 4.8, M8 x 20, Zinc Plated	Steel 4.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		
97648A0800251	DIN 976-A Threaded Rod, Steel 4.8, M8 x 25, Zinc Plated	Steel 4.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		
97648A080026	DIN 976-A Threaded Rod, Steel 4.8, M8 x 26, Plain	Steel 4.8	M8 x 26	Plain (no plating)	8 mm	26 mm		
97648A0800261	DIN 976-A Threaded Rod, Steel 4.8, M8 x 26, Zinc Plated	Steel 4.8	M8 x 26	Zinc Bright Passivation Fe/Zn P1	8 mm	26 mm		
97648A080030	DIN 976-A Threaded Rod, Steel 4.8, M8 x 30, Plain	Steel 4.8	M8 x 30	Plain (no plating)	8 mm	30 mm		
97648A0800301	DIN 976-A Threaded Rod, Steel 4.8, M8 x 30, Zinc Plated	Steel 4.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		
97648A0800351	DIN 976-A Threaded Rod, Steel 4.8, M8 x 35, Zinc Plated	Steel 4.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		
97648A080040	DIN 976-A Threaded Rod, Steel 4.8, M8 x 40, Plain	Steel 4.8	M8 x 40	Plain (no plating)	8 mm	40 mm		
97648A0800401	DIN 976-A Threaded Rod, Steel 4.8, M8 x 40, Zinc Plated	Steel 4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		
97648A0800441	DIN 976-A Threaded Rod, Steel 4.8, M8 x 44, Zinc Plated	Steel 4.8	M8 x 44	Zinc Bright Passivation Fe/Zn P1	8 mm	44 mm		
97648A0800451	DIN 976-A Threaded Rod, Steel 4.8, M8 x 45, Zinc Plated	Steel 4.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		
97648A0800501	DIN 976-A Threaded Rod, Steel 4.8, M8 x 50, Zinc Plated	Steel 4.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		
97648A080055	DIN 976-A Threaded Rod, Steel 4.8, M8 x 55, Plain	Steel 4.8	M8 x 55	Plain (no plating)	8 mm	55 mm		
97648A0800551	DIN 976-A Threaded Rod, Steel 4.8, M8 x 55, Zinc Plated	Steel 4.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm		
97648A080060	DIN 976-A Threaded Rod, Steel 4.8, M8 x 60, Plain	Steel 4.8	M8 x 60	Plain (no plating)	8 mm	60 mm		
97648A0800601	DIN 976-A Threaded Rod, Steel 4.8, M8 x 60, Zinc Plated	Steel 4.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		
97648A0800631	DIN 976-A Threaded Rod, Steel 4.8, M8 x 63, Zinc Plated	Steel 4.8	M8 x 63	Zinc Bright Passivation Fe/Zn P1	8 mm	63 mm		
97648A0800651	DIN 976-A Threaded Rod, Steel 4.8, M8 x 65, Zinc Plated	Steel 4.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm		
97648A080070	DIN 976-A Threaded Rod, Steel 4.8, M8 x 70, Plain	Steel 4.8	M8 x 70	Plain (no plating)	8 mm	70 mm		
97648A0800701	DIN 976-A Threaded Rod, Steel 4.8, M8 x 70, Zinc Plated	Steel 4.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		
97648A0800751	DIN 976-A Threaded Rod, Steel 4.8, M8 x 75, Zinc Plated	Steel 4.8	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm		
97648A0800801	DIN 976-A Threaded Rod, Steel 4.8, M8 x 80, Zinc Plated	Steel 4.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm		
97648A0800851	DIN 976-A Threaded Rod, Steel 4.8, M8 x 85, Zinc Plated	Steel 4.8	M8 x 85	Zinc Bright Passivation Fe/Zn P1	8 mm	85 mm		
97648A0800861	DIN 976-A Threaded Rod, Steel 4.8, M8 x 86, Zinc Plated	Steel 4.8	M8 x 86	Zinc Bright Passivation Fe/Zn P1	8 mm	86 mm		
97648A0800901	DIN 976-A Threaded Rod, Steel 4.8, M8 x 90, Zinc Plated	Steel 4.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm		
97648A0800951	DIN 976-A Threaded Rod, Steel 4.8, M8 x 95, Zinc Plated	Steel 4.8	M8 x 95	Zinc Bright Passivation Fe/Zn P1	8 mm	95 mm		
97648A080100	DIN 976-A Threaded Rod, Steel 4.8, M8 x 100, Plain	Steel 4.8	M8 x 100	Plain (no plating)	8 mm	100 mm		
97648A0801001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 100, Zinc Plated	Steel 4.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm		
97648A0801051	DIN 976-A Threaded Rod, Steel 4.8, M8 x 105, Zinc Plated	Steel 4.8	M8 x 105	Zinc Bright Passivation Fe/Zn P1	8 mm	105 mm		
97648A0801101	DIN 976-A Threaded Rod, Steel 4.8, M8 x 110, Zinc Plated	Steel 4.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm		
97648A0801151	DIN 976-A Threaded Rod, Steel 4.8, M8 x 115, Zinc Plated	Steel 4.8	M8 x 115	Zinc Bright Passivation Fe/Zn P1	8 mm	115 mm		
97648A0801201	DIN 976-A Threaded Rod, Steel 4.8, M8 x 120, Zinc Plated	Steel 4.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm		
97648A0801251	DIN 976-A Threaded Rod, Steel 4.8, M8 x 125, Zinc Plated	Steel 4.8	M8 x 125	Zinc Bright Passivation Fe/Zn P1	8 mm	125 mm		
97648A0801301	DIN 976-A Threaded Rod, Steel 4.8, M8 x 130, Zinc Plated	Steel 4.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm		
97648A0801401	DIN 976-A Threaded Rod, Steel 4.8, M8 x 140, Zinc Plated	Steel 4.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm		
97648A0801501	DIN 976-A Threaded Rod, Steel 4.8, M8 x 150, Zinc Plated	Steel 4.8	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm		
97648A0801601	DIN 976-A Threaded Rod, Steel 4.8, M8 x 160, Zinc Plated	Steel 4.8	M8 x 160	Zinc Bright Passivation Fe/Zn P1	8 mm	160 mm		
97648A0801701	DIN 976-A Threaded Rod, Steel 4.8, M8 x 170, Zinc Plated	Steel 4.8	M8 x 170	Zinc Bright Passivation Fe/Zn P1	8 mm	170 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97648A0801751	DIN 976-A Threaded Rod, Steel 4.8, M8 x 175, Zinc Plated	Steel 4.8	M8 x 175	Zinc Bright Passivation Fe/Zn P1	8 mm	175 mm		
97648A0801901	DIN 976-A Threaded Rod, Steel 4.8, M8 x 190, Zinc Plated	Steel 4.8	M8 x 190	Zinc Bright Passivation Fe/Zn P1	8 mm	190 mm		
97648A0802001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 200, Zinc Plated	Steel 4.8	M8 x 200	Zinc Bright Passivation Fe/Zn P1	8 mm	200 mm		
97648A0802201	DIN 976-A Threaded Rod, Steel 4.8, M8 x 220, Zinc Plated	Steel 4.8	M8 x 220	Zinc Bright Passivation Fe/Zn P1	8 mm	220 mm		
97648A0803001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 300, Zinc Plated	Steel 4.8	M8 x 300	Zinc Bright Passivation Fe/Zn P1	8 mm	300 mm		
97648A0803301	DIN 976-A Threaded Rod, Steel 4.8, M8 x 330, Zinc Plated	Steel 4.8	M8 x 330	Zinc Bright Passivation Fe/Zn P1	8 mm	330 mm		
97648A0804261	DIN 976-A Threaded Rod, Steel 4.8, M8 x 426, Zinc Plated	Steel 4.8	M8 x 426	Zinc Bright Passivation Fe/Zn P1	8 mm	426 mm		
97648A0805001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 500, Zinc Plated	Steel 4.8	M8 x 500	Zinc Bright Passivation Fe/Zn P1	8 mm	500 mm		
97648A081000	DIN 976-A Threaded Rod, Steel 4.8, M8 x 1000, Plain	Steel 4.8	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
97648A0810001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 1000, Zinc	Steel 4.8	M8 x 1000	Zinc Bright Passivation Fe/Zn P1	8 mm	1000 mm		
97648A0810002	DIN 976-A Threaded Rod, Steel 4.8, M8 x 1000, Hot-Dip	Steel 4.8	M8 x 1000	Hot Dip Galvanizing	8 mm	1000 mm		
97648A0812001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 1200, Zinc	Steel 4.8	M8 x 1200	Zinc Bright Passivation Fe/Zn P1	8 mm	1200 mm		
97648A082000	DIN 976-A Threaded Rod, Steel 4.8, M8 x 2000, Plain	Steel 4.8	M8 x 2000	Plain (no plating)	8 mm	2000 mm		
97648A0820001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 2000, Zinc	Steel 4.8	M8 x 2000	Zinc Bright Passivation Fe/Zn P1	8 mm	2000 mm		
97648A0830001	DIN 976-A Threaded Rod, Steel 4.8, M8 x 3000, Zinc	Steel 4.8	M8 x 3000	Zinc Bright Passivation Fe/Zn P1	8 mm	3000 mm		
97648A100025	DIN 976-A Threaded Rod, Steel 4.8, M10 x 25, Plain	Steel 4.8	M10 x 25	Plain (no plating)	10 mm	25 mm		
97648A1000251	DIN 976-A Threaded Rod, Steel 4.8, M10 x 25, Zinc Plated	Steel 4.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm		
97648A100030	DIN 976-A Threaded Rod, Steel 4.8, M10 x 30, Plain	Steel 4.8	M10 x 30	Plain (no plating)	10 mm	30 mm		
97648A1000301	DIN 976-A Threaded Rod, Steel 4.8, M10 x 30, Zinc Plated	Steel 4.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm		
97648A1000401	DIN 976-A Threaded Rod, Steel 4.8, M10 x 40, Zinc Plated	Steel 4.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm		
97648A100045	DIN 976-A Threaded Rod, Steel 4.8, M10 x 45, Plain	Steel 4.8	M10 x 45	Plain (no plating)	10 mm	45 mm		
97648A1000451	DIN 976-A Threaded Rod, Steel 4.8, M10 x 45, Zinc Plated	Steel 4.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm		
97648A100050	DIN 976-A Threaded Rod, Steel 4.8, M10 x 50, Plain	Steel 4.8	M10 x 50	Plain (no plating)	10 mm	50 mm		
97648A1000501	DIN 976-A Threaded Rod, Steel 4.8, M10 x 50, Zinc Plated	Steel 4.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm		
97648A100060	DIN 976-A Threaded Rod, Steel 4.8, M10 x 60, Plain	Steel 4.8	M10 x 60	Plain (no plating)	10 mm	60 mm		
97648A1000601	DIN 976-A Threaded Rod, Steel 4.8, M10 x 60, Zinc Plated	Steel 4.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm		
97648A100070	DIN 976-A Threaded Rod, Steel 4.8, M10 x 70, Plain	Steel 4.8	M10 x 70	Plain (no plating)	10 mm	70 mm		
97648A1000701	DIN 976-A Threaded Rod, Steel 4.8, M10 x 70, Zinc Plated	Steel 4.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm		
97648A100075	DIN 976-A Threaded Rod, Steel 4.8, M10 x 75, Plain	Steel 4.8	M10 x 75	Plain (no plating)	10 mm	75 mm		
97648A1000751	DIN 976-A Threaded Rod, Steel 4.8, M10 x 75, Zinc Plated	Steel 4.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm		
97648A100100	DIN 976-A Threaded Rod, Steel 4.8, M10 x 100, Plain	Steel 4.8	M10 x 100	Plain (no plating)	10 mm	100 mm		
97648A1001001	DIN 976-A Threaded Rod, Steel 4.8, M10 x 100, Zinc	Steel 4.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm		
97648A1001201	DIN 976-A Threaded Rod, Steel 4.8, M10 x 120, Zinc	Steel 4.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm		
97648A1001501	DIN 976-A Threaded Rod, Steel 4.8, M10 x 150, Zinc	Steel 4.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm		
97648A1001651	DIN 976-A Threaded Rod, Steel 4.8, M10 x 165, Zinc	Steel 4.8	M10 x 165	Zinc Bright Passivation Fe/Zn P1	10 mm	165 mm		
97648A1001701	DIN 976-A Threaded Rod, Steel 4.8, M10 x 170, Zinc	Steel 4.8	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm		
97648A1001801	DIN 976-A Threaded Rod, Steel 4.8, M10 x 180, Zinc	Steel 4.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm		
97648A1001901	DIN 976-A Threaded Rod, Steel 4.8, M10 x 190, Zinc	Steel 4.8	M10 x 190	Zinc Bright Passivation Fe/Zn P1	10 mm	190 mm		
97648A1002001	DIN 976-A Threaded Rod, Steel 4.8, M10 x 200, Zinc	Steel 4.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm		
97648A1002101	DIN 976-A Threaded Rod, Steel 4.8, M10 x 210, Zinc	Steel 4.8	M10 x 210	Zinc Bright Passivation Fe/Zn P1	10 mm	210 mm		
97648A1002201	DIN 976-A Threaded Rod, Steel 4.8, M10 x 220, Zinc	Steel 4.8	M10 x 220	Zinc Bright Passivation Fe/Zn P1	10 mm	220 mm		
97648A1002901	DIN 976-A Threaded Rod, Steel 4.8, M10 x 290, Zinc	Steel 4.8	M10 x 290	Zinc Bright Passivation Fe/Zn P1	10 mm	290 mm		
97648A100320	DIN 976-A Threaded Rod, Steel 4.8, M10 x 320, Plain	Steel 4.8	M10 x 320	Plain (no plating)	10 mm	320 mm		
97648A1004551	DIN 976-A Threaded Rod, Steel 4.8, M10 x 455, Zinc	Steel 4.8	M10 x 455	Zinc Bright Passivation Fe/Zn P1	10 mm	455 mm		
97648A1005002	DIN 976-A Threaded Rod, Steel 4.8, M10 x 500, Hot-Dip	Steel 4.8	M10 x 500	Hot Dip Galvanizing	10 mm	500 mm		
97648A101000	DIN 976-A Threaded Rod, Steel 4.8, M10 x 1000, Plain	Steel 4.8	M10 x 1000	Plain (no plating)	10 mm	1000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97648A1010001	DIN 976-A Threaded Rod, Steel 4.8, M10 x 1000, Zinc Plated	Steel 4.8	M10 x 1000	Zinc Bright Passivation Fe/Zn P1	10 mm	1000 mm		
97648A1010002	DIN 976-A Threaded Rod, Steel 4.8, M10 x 1000, Hot-Dip Galvanised	Steel 4.8	M10 x 1000	Hot Dip Galvanizing	10 mm	1000 mm		
97648A1011000	DIN 976-A Threaded Rod, Steel 4.8, M10 x 1 x 1000, Plain	Steel 4.8	M10 x 1 x 1000	Plain (no plating)	10 mm	1000 mm		
97648A1020000	DIN 976-A Threaded Rod, Steel 4.8, M10 x 2000, Plain	Steel 4.8	M10 x 2000	Plain (no plating)	10 mm	2000 mm		
97648A1020001	DIN 976-A Threaded Rod, Steel 4.8, M10 x 2000, Zinc Plated	Steel 4.8	M10 x 2000	Zinc Bright Passivation Fe/Zn P1	10 mm	2000 mm		
97648A1030001	DIN 976-A Threaded Rod, Steel 4.8, M10 x 3000, Zinc Plated	Steel 4.8	M10 x 3000	Zinc Bright Passivation Fe/Zn P1	10 mm	3000 mm		
97648A1030001SST	DIN 976-A Threaded Rod, Steel 4.8, M10 x 3000, Zinc Plated	Steel 4.8	M10 x 3000	Zinc Bright Passivation Fe/Zn P1	10 mm	3000 mm		
97648A1200601	DIN 976-A Threaded Rod, Steel 4.8, M12 x 60, Zinc Plated	Steel 4.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm		
97648A1200701	DIN 976-A Threaded Rod, Steel 4.8, M12 x 70, Zinc Plated	Steel 4.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm		
97648A1200851	DIN 976-A Threaded Rod, Steel 4.8, M12 x 85, Zinc Plated	Steel 4.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm		
97648A1200901	DIN 976-A Threaded Rod, Steel 4.8, M12 x 90, Zinc Plated	Steel 4.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm		
97648A1200901SST	DIN 976-A Threaded Rod, Steel 8.8, M12 x 90, Zinc Plated	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm		
97648A1200951	DIN 976-A Threaded Rod, Steel 4.8, M12 x 95, Zinc Plated	Steel 4.8	M12 x 95	Zinc Bright Passivation Fe/Zn P1	12 mm	95 mm		
97648A1201001	DIN 976-A Threaded Rod, Steel 4.8, M12 x 100, Zinc Plated	Steel 4.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm		
97648A1201101	DIN 976-A Threaded Rod, Steel 4.8, M12 x 110, Zinc Plated	Steel 4.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm		
97648A1201201	DIN 976-A Threaded Rod, Steel 4.8, M12 x 120, Zinc Plated	Steel 4.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm		
97648A1201251	DIN 976-A Threaded Rod, Steel 4.8, M12 x 125, Zinc Plated	Steel 4.8	M12 x 125	Zinc Bright Passivation Fe/Zn P1	12 mm	125 mm		
97648A1201401	DIN 976-A Threaded Rod, Steel 4.8, M12 x 140, Zinc Plated	Steel 4.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm		
97648A1201501	DIN 976-A Threaded Rod, Steel 4.8, M12 x 150, Zinc Plated	Steel 4.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm		
97648A1201600	DIN 976-A Threaded Rod, Steel 4.8, M12 x 160, Plain	Steel 4.8	M12 x 160	Plain (no plating)	12 mm	160 mm		
97648A1201601	DIN 976-A Threaded Rod, Steel 4.8, M12 x 160, Zinc Plated	Steel 4.8	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm		
97648A1202001	DIN 976-A Threaded Rod, Steel 4.8, M12 x 200, Zinc Plated	Steel 4.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm		
97648A1202401	DIN 976-A Threaded Rod, Steel 4.8, M12 x 240, Zinc Plated	Steel 4.8	M12 x 240	Zinc Bright Passivation Fe/Zn P1	12 mm	240 mm		
97648A1202500	DIN 976-A Threaded Rod, Steel 4.8, M12 x 250, Plain	Steel 4.8	M12 x 250	Plain (no plating)	12 mm	250 mm		
97648A1202501	DIN 976-A Threaded Rod, Steel 4.8, M12 x 250, Zinc Plated	Steel 4.8	M12 x 250	Zinc Bright Passivation Fe/Zn P1	12 mm	250 mm		
97648A1202701	DIN 976-A Threaded Rod, Steel 4.8, M12 x 270, Zinc Plated	Steel 4.8	M12 x 270	Zinc Bright Passivation Fe/Zn P1	12 mm	270 mm		
97648A1202901	DIN 976-A Threaded Rod, Steel 4.8, M12 x 290, Zinc Plated	Steel 4.8	M12 x 290	Zinc Bright Passivation Fe/Zn P1	12 mm	290 mm		
97648A1203001	DIN 976-A Threaded Rod, Steel 4.8, M12 x 300, Zinc Plated	Steel 4.8	M12 x 300	Zinc Bright Passivation Fe/Zn P1	12 mm	300 mm		
97648A1203501	DIN 976-A Threaded Rod, Steel 4.8, M12 x 350, Zinc Plated	Steel 4.8	M12 x 350	Zinc Bright Passivation Fe/Zn P1	12 mm	350 mm		
97648A1204001	DIN 976-A Threaded Rod, Steel 4.8, M12 x 400, Zinc Plated	Steel 4.8	M12 x 400	Zinc Bright Passivation Fe/Zn P1	12 mm	400 mm		
97648A1205401	DIN 976-A Threaded Rod, Steel 4.8, M12 x 540, Zinc Plated	Steel 4.8	M12 x 540	Zinc Bright Passivation Fe/Zn P1	12 mm	540 mm		
97648A1205700	DIN 976-A Threaded Rod, Steel 4.8, M12 x 570, Plain	Steel 4.8	M12 x 570	Plain (no plating)	12 mm	570 mm		
97648A1205751	DIN 976-A Threaded Rod, Steel 4.8, M12 x 575, Zinc Plated	Steel 4.8	M12 x 575	Zinc Bright Passivation Fe/Zn P1	12 mm	575 mm		
97648A1206601	DIN 976-A Threaded Rod, Steel 4.8, M12 x 660, Zinc Plated	Steel 4.8	M12 x 660	Zinc Bright Passivation Fe/Zn P1	12 mm	660 mm		
97648A1210000	DIN 976-A Threaded Rod, Steel 4.8, M12 x 1000, Plain	Steel 4.8	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
97648A1210001	DIN 976-A Threaded Rod, Steel 4.8, M12 x 1000, Zinc Plated	Steel 4.8	M12 x 1000	Zinc Bright Passivation Fe/Zn P1	12 mm	1000 mm		
97648A1210002	DIN 976-A Threaded Rod, Steel 4.8, M12 x 1000, Hot-Dip Galvanised	Steel 4.8	M12 x 1000	Hot Dip Galvanizing	12 mm	1000 mm		
97648A1220001	DIN 976-A Threaded Rod, Steel 4.8, M12 x 2000, Zinc Plated	Steel 4.8	M12 x 2000	Zinc Bright Passivation Fe/Zn P1	12 mm	2000 mm		
97648A1230001	DIN 976-A Threaded Rod, Steel 4.8, M12 x 3000, Zinc Plated	Steel 4.8	M12 x 3000	Zinc Bright Passivation Fe/Zn P1	12 mm	3000 mm		
97648A1410000	DIN 976-A Threaded Rod, Steel 4.8, M14 x 1000, Plain	Steel 4.8	M14 x 1000	Plain (no plating)	14 mm	1000 mm		
97648A1410001	DIN 976-A Threaded Rod, Steel 4.8, M14 x 1000, Zinc Plated	Steel 4.8	M14 x 1000	Zinc Bright Passivation Fe/Zn P1	14 mm	1000 mm		
97648A1420000	DIN 976-A Threaded Rod, Steel 4.8, M14 x 2000, Plain	Steel 4.8	M14 x 2000	Plain (no plating)	14 mm	2000 mm		
97648A1420001	DIN 976-A Threaded Rod, Steel 4.8, M14 x 2000, Zinc Plated	Steel 4.8	M14 x 2000	Zinc Bright Passivation Fe/Zn P1	14 mm	2000 mm		
97648A1600600	DIN 976-A Threaded Rod, Steel 4.8, M16 x 60, Plain	Steel 4.8	M16 x 60	Plain (no plating)	16 mm	60 mm		
97648A1601002	DIN 976-A Threaded Rod, Steel 4.8, M16 x 100, Hot-Dip Galvanised	Steel 4.8	M16 x 100	Hot Dip Galvanizing	16 mm	100 mm		
97648A1601051	DIN 976-A Threaded Rod, Steel 4.8, M16 x 105, Zinc							

Plated

Steel 4.8

M16 x 105

Zinc Bright Passivation Fe/Zn P1

16 mm

105 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97648A1601251	DIN 976-A Threaded Rod, Steel 4.8, M16 x 125, Zinc Plated	Steel 4.8	M16 x 125	Zinc Bright Passivation Fe/Zn P1	16 mm	125 mm		
97648A1601401	DIN 976-A Threaded Rod, Steel 4.8, M16 x 140, Zinc Plated	Steel 4.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm		
97648A160150	DIN 976-A Threaded Rod, Steel 4.8, M16 x 150, Plain	Steel 4.8	M16 x 150	Plain (no plating)	16 mm	150 mm		
97648A1601751	DIN 976-A Threaded Rod, Steel 4.8, M16 x 175, Zinc Plated	Steel 4.8	M16 x 175	Zinc Bright Passivation Fe/Zn P1	16 mm	175 mm		
97648A160200	DIN 976-A Threaded Rod, Steel 4.8, M16 x 200, Plain	Steel 4.8	M16 x 200	Plain (no plating)	16 mm	200 mm		
97648A1602001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 200, Zinc Plated	Steel 4.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm		
97648A1602201	DIN 976-A Threaded Rod, Steel 4.8, M16 x 220, Zinc Plated	Steel 4.8	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm		
97648A1602251	DIN 976-A Threaded Rod, Steel 4.8, M16 x 225, Zinc Plated	Steel 4.8	M16 x 225	Zinc Bright Passivation Fe/Zn P1	16 mm	225 mm		
97648A1602301	DIN 976-A Threaded Rod, Steel 4.8, M16 x 230, Zinc Plated	Steel 4.8	M16 x 230	Zinc Bright Passivation Fe/Zn P1	16 mm	230 mm		
97648A1603001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 300, Zinc Plated	Steel 4.8	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm		
97648A1603301	DIN 976-A Threaded Rod, Steel 4.8, M16 x 330, Zinc Plated	Steel 4.8	M16 x 330	Zinc Bright Passivation Fe/Zn P1	16 mm	330 mm		
97648A1604001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 400, Zinc Plated	Steel 4.8	M16 x 400	Zinc Bright Passivation Fe/Zn P1	16 mm	400 mm		
97648A1604901	DIN 976-A Threaded Rod, Steel 4.8, M16 x 490, Zinc Plated	Steel 4.8	M16 x 490	Zinc Bright Passivation Fe/Zn P1	16 mm	490 mm		
97648A1606001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 600, Zinc Plated	Steel 4.8	M16 x 600	Zinc Bright Passivation Fe/Zn P1	16 mm	600 mm		
97648A161000	DIN 976-A Threaded Rod, Steel 4.8, M16 x 1000, Plain	Steel 4.8	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
97648A1610001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 1000, Zinc Plated	Steel 4.8	M16 x 1000	Zinc Bright Passivation Fe/Zn P1	16 mm	1000 mm		
97648A1610002	DIN 976-A Threaded Rod, Steel 4.8, M16 x 1000, Hot-Dip Galvanising	Steel 4.8	M16 x 1000	Hot Dip Galvanizing	16 mm	1000 mm		
97648A1620001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 2000, Zinc Plated	Steel 4.8	M16 x 2000	Zinc Bright Passivation Fe/Zn P1	16 mm	2000 mm		
97648A163000	DIN 976-A Threaded Rod, Steel 4.8, M16 x 3000, Plain	Steel 4.8	M16 x 3000	Plain (no plating)	16 mm	3000 mm		
97648A1630001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 3000, Zinc Plated	Steel 4.8	M16 x 3000	Zinc Bright Passivation Fe/Zn P1	16 mm	3000 mm		
97648A1801351	DIN 976-A Threaded Rod, Steel 4.8, M18 x 135, Zinc Plated	Steel 4.8	M18 x 135	Zinc Bright Passivation Fe/Zn P1	18 mm	135 mm		
97648A181000	DIN 976-A Threaded Rod, Steel 4.8, M18 x 1000, Plain	Steel 4.8	M18 x 1000	Plain (no plating)	18 mm	1000 mm		
97648A1810001	DIN 976-A Threaded Rod, Steel 4.8, M18 x 1000, Zinc Plated	Steel 4.8	M18 x 1000	Zinc Bright Passivation Fe/Zn P1	18 mm	1000 mm		
97648A2001402	DIN 976-A Threaded Rod, Steel 4.8, M20 x 140, Hot-Dip Galvanising	Steel 4.8	M20 x 140	Hot Dip Galvanizing	20 mm	140 mm		
97648A200155	DIN 976-A Threaded Rod, Steel 4.8, M20 x 155, Plain	Steel 4.8	M20 x 155	Plain (no plating)	20 mm	155 mm		
97648A201000	DIN 976-A Threaded Rod, Steel 4.8, M20 x 1000, Plain	Steel 4.8	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
97648A2010001	DIN 976-A Threaded Rod, Steel 4.8, M20 x 1000, Zinc Plated	Steel 4.8	M20 x 1000	Zinc Bright Passivation Fe/Zn P1	20 mm	1000 mm		
97648A2010002	DIN 976-A Threaded Rod, Steel 4.8, M20 x 1000, Hot-Dip Galvanising	Steel 4.8	M20 x 1000	Hot Dip Galvanizing	20 mm	1000 mm		
97648A201510001	DIN 976-A Threaded Rod, Steel 4.8, M20 x 1.5 x 1000, Zinc Plated	Steel 4.8	M20 x 1.5 x 1000	Zinc Bright Passivation Fe/Zn P1	20 mm	1000 mm		
97648A2020001	DIN 976-A Threaded Rod, Steel 4.8, M20 x 2000, Zinc Plated	Steel 4.8	M20 x 2000	Zinc Bright Passivation Fe/Zn P1	20 mm	2000 mm		
97648A203000	DIN 976-A Threaded Rod, Steel 4.8, M20 x 3000, Plain	Steel 4.8	M20 x 3000	Plain (no plating)	20 mm	3000 mm		
97648A2030001	DIN 976-A Threaded Rod, Steel 4.8, M20 x 3000, Zinc Plated	Steel 4.8	M20 x 3000	Zinc Bright Passivation Fe/Zn P1	20 mm	3000 mm		
97648A2201502	DIN 976-A Threaded Rod, Steel 4.8, M22 x 150, Hot-Dip Galvanising	Steel 4.8	M22 x 150	Hot Dip Galvanizing	22 mm	150 mm		
97648A2201601	DIN 976-A Threaded Rod, Steel 4.8, M22 x 160, Zinc Plated	Steel 4.8	M22 x 160	Zinc Bright Passivation Fe/Zn P1	22 mm	160 mm		
97648A221000	DIN 976-A Threaded Rod, Steel 4.8, M22 x 1000, Plain	Steel 4.8	M22 x 1000	Plain (no plating)	22 mm	1000 mm		
97648A2210001	DIN 976-A Threaded Rod, Steel 4.8, M22 x 1000, Zinc Plated	Steel 4.8	M22 x 1000	Zinc Bright Passivation Fe/Zn P1	22 mm	1000 mm		
97648A2402151	DIN 976-A Threaded Rod, Steel 4.8, M24 x 215, Zinc Plated	Steel 4.8	M24 x 215	Zinc Bright Passivation Fe/Zn P1	24 mm	215 mm		
97648A240225	DIN 976-A Threaded Rod, Steel 4.8, M24 x 225, Plain	Steel 4.8	M24 x 225	Plain (no plating)	24 mm	225 mm		
97648A241000	DIN 976-A Threaded Rod, Steel 4.8, M24 x 1000, Plain	Steel 4.8	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
97648A2410001	DIN 976-A Threaded Rod, Steel 4.8, M24 x 1000, Zinc Plated	Steel 4.8	M24 x 1000	Zinc Bright Passivation Fe/Zn P1	24 mm	1000 mm		
97648A2410002	DIN 976-A Threaded Rod, Steel 4.8, M24 x 1000, Hot-Dip Galvanising	Steel 4.8	M24 x 1000	Hot Dip Galvanizing	24 mm	1000 mm		
97648A242000	DIN 976-A Threaded Rod, Steel 4.8, M24 x 2000, Plain	Steel 4.8	M24 x 2000	Plain (no plating)	24 mm	2000 mm		
97648A2420001	DIN 976-A Threaded Rod, Steel 4.8, M24 x 2000, Zinc Plated	Steel 4.8	M24 x 2000	Zinc Bright Passivation Fe/Zn P1	24 mm	2000 mm		
97648A2430001	DIN 976-A Threaded Rod, Steel 4.8, M24 x 3000, Zinc Plated	Steel 4.8	M24 x 3000	Zinc Bright Passivation Fe/Zn P1	24 mm	3000 mm		
97648A2701951	DIN 976-A Threaded Rod, Steel 4.8, M27 x 195, Zinc Plated	Steel 4.8	M27 x 195	Zinc Bright Passivation Fe/Zn P1	27 mm	195 mm		
97648A2702301	DIN 976-A Threaded Rod, Steel 4.8, M27 x 230, Zinc Plated	Steel 4.8	M27 x 230	Zinc Bright Passivation Fe/Zn P1	27 mm	230 mm		

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97648A271000	DIN 976-A Threaded Rod, Steel 4.8, M27 x 1000, Plain	Steel 4.8	M27 x 1000	Plain (no plating)	27 mm	1000 mm		
97648A2710001	DIN 976-A Threaded Rod, Steel 4.8, M27 x 1000, Zinc Plated	Steel 4.8	M27 x 1000	Zinc Bright Passivation Fe/Zn P1	27 mm	1000 mm		
97648A301000	DIN 976-A Threaded Rod, Steel 4.8, M30 x 1000, Plain	Steel 4.8	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
97648A3010001	DIN 976-A Threaded Rod, Steel 4.8, M30 x 1000, Zinc Plated	Steel 4.8	M30 x 1000	Zinc Bright Passivation Fe/Zn P1	30 mm	1000 mm		
97648A3010002	DIN 976-A Threaded Rod, Steel 4.8, M30 x 1000, Hot-Dip Galvanising	Steel 4.8	M30 x 1000	Hot Dip Galvanizing	30 mm	1000 mm		
97648A3020001	DIN 976-A Threaded Rod, Steel 4.8, M30 x 2000, Zinc Plated	Steel 4.8	M30 x 2000	Zinc Bright Passivation Fe/Zn P1	30 mm	2000 mm		
97648A303000	DIN 976-A Threaded Rod, Steel 4.8, M30 x 3000, Plain	Steel 4.8	M30 x 3000	Plain (no plating)	30 mm	3000 mm		
97648A3030001	DIN 976-A Threaded Rod, Steel 4.8, M30 x 3000, Zinc Plated	Steel 4.8	M30 x 3000	Zinc Bright Passivation Fe/Zn P1	30 mm	3000 mm		
97648A3310001	DIN 976-A Threaded Rod, Steel 4.8, M33 x 1000, Zinc Plated	Steel 4.8	M33 x 1000	Zinc Bright Passivation Fe/Zn P1	33 mm	1000 mm		
97648A333000	DIN 976-A Threaded Rod, Steel 4.8, M33 x 3000, Plain	Steel 4.8	M33 x 3000	Plain (no plating)	33 mm	3000 mm		
97648A361000	DIN 976-A Threaded Rod, Steel 4.8, M36 x 1000, Plain	Steel 4.8	M36 x 1000	Plain (no plating)	36 mm	1000 mm		
97648A3610001	DIN 976-A Threaded Rod, Steel 4.8, M36 x 1000, Zinc Plated	Steel 4.8	M36 x 1000	Zinc Bright Passivation Fe/Zn P1	36 mm	1000 mm		
97648A363000	DIN 976-A Threaded Rod, Steel 4.8, M36 x 3000, Plain	Steel 4.8	M36 x 3000	Plain (no plating)	36 mm	3000 mm		
97648A3910001	DIN 976-A Threaded Rod, Steel 4.8, M39 x 1000, Zinc Plated	Steel 4.8	M39 x 1000	Zinc Bright Passivation Fe/Zn P1	39 mm	1000 mm		
97648A421000	DIN 976-A Threaded Rod, Steel 4.8, M42 x 1000, Plain	Steel 4.8	M42 x 1000	Plain (no plating)	42 mm	1000 mm		
97648A4210001	DIN 976-A Threaded Rod, Steel 4.8, M42 x 1000, Zinc Plated	Steel 4.8	M42 x 1000	Zinc Bright Passivation Fe/Zn P1	42 mm	1000 mm		
97648A451000	DIN 976-A Threaded Rod, Steel 4.8, M45 x 1000, Plain	Steel 4.8	M45 x 1000	Plain (no plating)	45 mm	1000 mm		
97648AL1610001	DIN 976-A Threaded Rod, Steel 4.8, M16 x 1000, Left-Hand Thread	Steel 4.8	M16 x 1000	Zinc Bright Passivation Fe/Zn P1	16 mm	1000 mm		
97648B0503771	DIN 976-B Threaded Rod, Steel 4.8, M5 x 377, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 377	Zinc Bright Passivation Fe/Zn P1	5 mm	377 mm		
97648B0504321	DIN 976-B Threaded Rod, Steel 4.8, M5 x 432, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 432	Zinc Bright Passivation Fe/Zn P1	5 mm	432 mm		
97648B0504881	DIN 976-B Threaded Rod, Steel 4.8, M5 x 488, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 488	Zinc Bright Passivation Fe/Zn P1	5 mm	488 mm		
97648B0505421	DIN 976-B Threaded Rod, Steel 4.8, M5 x 542, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 542	Zinc Bright Passivation Fe/Zn P1	5 mm	542 mm		
97648B0505431	DIN 976-B Threaded Rod, Steel 4.8, M5 x 543, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 543	Zinc Bright Passivation Fe/Zn P1	5 mm	543 mm		
97648B0505991	DIN 976-B Threaded Rod, Steel 4.8, M5 x 599, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 599	Zinc Bright Passivation Fe/Zn P1	5 mm	599 mm		
97648B0506541	DIN 976-B Threaded Rod, Steel 4.8, M5 x 654, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 654	Zinc Bright Passivation Fe/Zn P1	5 mm	654 mm		
97648B0507071	DIN 976-B Threaded Rod, Steel 4.8, M5 x 707, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 707	Zinc Bright Passivation Fe/Zn P1	5 mm	707 mm		
97648B0507641	DIN 976-B Threaded Rod, Steel 4.8, M5 x 764, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 764	Zinc Bright Passivation Fe/Zn P1	5 mm	764 mm		
97648B0508151	DIN 976-B Threaded Rod, Steel 4.8, M5 x 815, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 815	Zinc Bright Passivation Fe/Zn P1	5 mm	815 mm		
97648B0508181	DIN 976-B Threaded Rod, Steel 4.8, M5 x 818, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 818	Zinc Bright Passivation Fe/Zn P1	5 mm	818 mm		
97648B0508721	DIN 976-B Threaded Rod, Steel 4.8, M5 x 872, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 872	Zinc Bright Passivation Fe/Zn P1	5 mm	872 mm		
97648B0509281	DIN 976-B Threaded Rod, Steel 4.8, M5 x 928, Chamfered Ends, Zinc Plated	Steel 4.8	M5 x 928	Zinc Bright Passivation Fe/Zn P1	5 mm	928 mm		
97648B0600351	DIN 976-B Threaded Rod, Steel 4.8, M6 x 35, Chamfered Ends, Zinc Plated	Steel 4.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		
97648B0600401	DIN 976-B Threaded Rod, Steel 4.8, M6 x 40, Chamfered Ends, Zinc Plated	Steel 4.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		
97648B0600451	DIN 976-B Threaded Rod, Steel 4.8, M6 x 45, Chamfered Ends, Zinc Plated	Steel 4.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm		
97648B0800401	DIN 976-B Threaded Rod, Steel 4.8, M8 x 40, Chamfered Ends, Zinc Plated	Steel 4.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		
97648B0800701	DIN 976-B Threaded Rod, Steel 4.8, M8 x 70, Chamfered Ends, Zinc Plated	Steel 4.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		
97648B0801021	DIN 976-B Threaded Rod, Steel 4.8, M8 x 102, Chamfered Ends, Zinc Plated	Steel 4.8	M8 x 102	Zinc Bright Passivation Fe/Zn P1	8 mm	102 mm		
97648B0801801	DIN 976-B Threaded Rod, Steel 4.8, M8 x 180, Chamfered Ends, Zinc Plated	Steel 4.8	M8 x 180	Zinc Bright Passivation Fe/Zn P1	8 mm	180 mm		
97648B1000451	DIN 976-B Threaded Rod, Steel 4.8, M10 x 45, Chamfered Ends, Zinc Plated	Steel 4.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm		
97648B1001401	DIN 976-B Threaded Rod, Steel 4.8, M10 x 140, Chamfered Ends, Zinc Plated	Steel 4.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm		
97648B1003711	DIN 976-B Threaded Rod, Steel 4.8, M10 x 371, Chamfered Ends, Zinc Plated	Steel 4.8	M10 x 371	Zinc Bright Passivation Fe/Zn P1	10 mm	371 mm		
97648B1004511	DIN 976-B Threaded Rod, Steel 4.8, M10 x 451, Chamfered Ends, Zinc Plated	Steel 4.8	M10 x 451	Zinc Bright Passivation Fe/Zn P1	10 mm	451 mm		
97648B120250	DIN 976-B Threaded Rod, Steel 4.8, M12 x 250, Plain (no plating)	Steel 4.8	M12 x 250	Plain (no plating)	12 mm	250 mm		
97648B120300	DIN 976-B Threaded Rod, Steel 4.8, M12 x 300, Plain (no plating)	Steel 4.8	M12 x 300	Plain (no plating)	12 mm	300 mm		
97648B120400	DIN 976-B Threaded Rod, Steel 4.8, M12 x 400, Plain (no plating)	Steel 4.8	M12 x 400	Plain (no plating)	12 mm	400 mm		
97648B1205001	DIN 976-B Threaded Rod, Steel 4.8, M12 x 500, Plain (no plating)	Steel 4.8	M12 x 500	Plain (no plating)	12 mm	500 mm		

Chamfered Ends, Zi

Steel 4.8

M12 x 500

Zinc Bright Passivation Fe/Zn P1

12 mm

500 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
97648B1205002	DIN 976-B Threaded Rod, Steel 4.8, M12 x 500, Chamfered Ends, Ho	Steel 4.8	M12 x 500	Hot Dip Galvanizing	12 mm	500 mm		
97648B1206602	DIN 976-B Threaded Rod, Steel 4.8, M12 x 660, Chamfered Ends, Ho	Steel 4.8	M12 x 660	Hot Dip Galvanizing	12 mm	660 mm		
97648B2001501	DIN 976-B Threaded Rod, Steel 4.8, M20 x 150, Chamfered Ends, Ho	Steel 4.8	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm		
97656A081000	DIN 976-A Threaded Rod, Steel 5.6, M8 x 1000, Plain	Steel 5.6	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
97656A1010001	DIN 976-A Threaded Rod, Steel 5.6, M10 x 1000, Zinc Plated	Steel 5.6	M10 x 1000	Zinc Bright Passivation Fe/Zn P1	10 mm	1000 mm		
97656A121000	DIN 976-A Threaded Rod, Steel 5.6, M12 x 1000, Plain	Steel 5.6	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
97656A1210001	DIN 976-A Threaded Rod, Steel 5.6, M12 x 1000, Zinc Plated	Steel 5.6	M12 x 1000	Zinc Bright Passivation Fe/Zn P1	12 mm	1000 mm		
97656A161000	DIN 976-A Threaded Rod, Steel 5.6, M16 x 1000, Plain	Steel 5.6	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
97656A1610001	DIN 976-A Threaded Rod, Steel 5.6, M16 x 1000, Zinc Plated	Steel 5.6	M16 x 1000	Zinc Bright Passivation Fe/Zn P1	16 mm	1000 mm		
97656A2010001	DIN 976-A Threaded Rod, Steel 5.6, M20 x 1000, Zinc Plated	Steel 5.6	M20 x 1000	Zinc Bright Passivation Fe/Zn P1	20 mm	1000 mm		
97656A240215	DIN 976-A Threaded Rod, Steel 5.6, M24 x 215, Plain	Steel 5.6	M24 x 215	Plain (no plating)	24 mm	215 mm		
97656A2410001	DIN 976-A Threaded Rod, Steel 5.6, M24 x 1000, Zinc Plated	Steel 5.6	M24 x 1000	Zinc Bright Passivation Fe/Zn P1	24 mm	1000 mm		
97656A301000	DIN 976-A Threaded Rod, Steel 5.6, M30 x 1000, Plain	Steel 5.6	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
97656A331000	DIN 976-A Threaded Rod, Steel 5.6, M33 x 1000, Plain	Steel 5.6	M33 x 1000	Plain (no plating)	33 mm	1000 mm		
97656A361000	DIN 976-A Threaded Rod, Steel 5.6, M36 x 1000, Plain	Steel 5.6	M36 x 1000	Plain (no plating)	36 mm	1000 mm		
97656B101000ZN8	DIN 976-B Threaded Rod, Steel 5.6, M10 x 1000, Plain	Steel 5.6	M10 x 1000	ZPL 8 MICRON	10 mm	1000 mm		
97658A2407002	DIN 976-A Threaded Rod, Steel 5.8, M24 x 700, Hot-Dip Galvanised	Steel 5.8	M24 x 700	Hot Dip Galvanizing	24 mm	700 mm		
97658B0600301	DIN 976-B Threaded Rod, Steel 5.8, M6 x 30, Chamfered Ends, Zinc	Steel 5.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		
97658B0601501	DIN 976-B Threaded Rod, Steel 5.8, M6 x 150, Chamfered Ends, Zinc	Steel 5.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm		
97658B080501	DIN 976-B Threaded Rod, Steel 5.8, M8 x 50, Chamfered Ends, Zinc	Steel 5.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		
97658B120070	DIN 976-B Threaded Rod, Steel 5.8, M12 x 70, Chamfered Ends, Zinc	Steel 5.8	M12 x 70	Plain (no plating)	12 mm	70 mm		
97658B1601101	DIN 976-B Threaded Rod, Steel 5.8, M16 x 110, Chamfered Ends, Zinc	Steel 5.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm		
9768A041000	DIN 976-A Threaded Rod, Steel 8.8, M4 x 1000, Plain	Steel 8.8	M4 x 1000	Plain (no plating)	4 mm	1000 mm		
9768A0410001	DIN 976-A Threaded Rod, Steel 8.8, M4 x 1000, Zinc Plated	Steel 8.8	M4 x 1000	Zinc Bright Passivation Fe/Zn P1	4 mm	1000 mm		
9768A0500251	DIN 976-A Threaded Rod, Steel 8.8, M5 x 25, Zinc Plated	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		
9768A0500601	DIN 976-A Threaded Rod, Steel 8.8, M5 x 60, Zinc Plated	Steel 8.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm		
9768A0500751	DIN 976-A Threaded Rod, Steel 8.8, M5 x 75, Zinc Plated	Steel 8.8	M5 x 75	Zinc Bright Passivation Fe/Zn P1	5 mm	75 mm		
9768A0501201	DIN 976-A Threaded Rod, Steel 8.8, M5 x 120, Zinc Plated	Steel 8.8	M5 x 120	Zinc Bright Passivation Fe/Zn P1	5 mm	120 mm		
9768A051000	DIN 976-A Threaded Rod, Steel 8.8, M5 x 1000, Plain	Steel 8.8	M5 x 1000	Plain (no plating)	5 mm	1000 mm		
9768A0510001	DIN 976-A Threaded Rod, Steel 8.8, M5 x 1000, Zinc Plated	Steel 8.8	M5 x 1000	Zinc Bright Passivation Fe/Zn P1	5 mm	1000 mm		
9768A0600201	DIN 976-A Threaded Rod, Steel 8.8, M6 x 20, Zinc Plated	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		
9768A0600351	DIN 976-A Threaded Rod, Steel 8.8, M6 x 35, Zinc Plated	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		
9768A0600551	DIN 976-A Threaded Rod, Steel 8.8, M6 x 55, Zinc Plated	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm		
9768A0600601	DIN 976-A Threaded Rod, Steel 8.8, M6 x 60, Zinc Plated	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm		
9768A0600701	DIN 976-A Threaded Rod, Steel 8.8, M6 x 70, Zinc Plated	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm		
9768A0601001	DIN 976-A Threaded Rod, Steel 8.8, M6 x 100, Zinc Plated	Steel 8.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm		
9768A0601201	DIN 976-A Threaded Rod, Steel 8.8, M6 x 120, Zinc Plated	Steel 8.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm		
9768A0601301	DIN 976-A Threaded Rod, Steel 8.8, M6 x 130, Zinc Plated	Steel 8.8	M6 x 130	Zinc Bright Passivation Fe/Zn P1	6 mm	130 mm		
9768A0601601SST0	DIN 976-A Threaded Rod, Steel 8.8, M6 x 160, Zinc Plated	Steel 8.8	M6 x 160	Zinc Bright Passivation Fe/Zn P1	6 mm	160 mm		
9768A0601801	DIN 976-A Threaded Rod, Steel 8.8, M6 x 180, Zinc Plated	Steel 8.8	M6 x 180	Zinc Bright Passivation Fe/Zn P1	6 mm	180 mm		
9768A0601901	DIN 976-A Threaded Rod, Steel 8.8, M6 x 190, Zinc Plated	Steel 8.8	M6 x 190	Zinc Bright Passivation Fe/Zn P1	6 mm	190 mm		
9768A0602001	DIN 976-A Threaded Rod, Steel 8.8, M6 x 200, Zinc Plated	Steel 8.8	M6 x 200	Zinc Bright Passivation Fe/Zn P1	6 mm	200 mm		
9768A0602101	DIN 976-A Threaded Rod, Steel 8.8, M6 x 210, Zinc Plated	Steel 8.8	M6 x 210	Zinc Bright Passivation Fe/Zn P1	6 mm	210 mm		
9768A0602201SST0	DIN 976-A Threaded Rod, Steel 8.8, M6 x 220, Zinc Plated	Steel 8.8	M6 x 220	Zinc Bright Passivation Fe/Zn P1	6 mm	220 mm		
9768A0602211	DIN 976-A Threaded Rod, Steel 8.8, M6 x 221, Zinc Plated	Steel 8.8	M6 x 221	Zinc Bright Passivation Fe/Zn P1	6 mm	221 mm		
9768A0602601	DIN 976-A Threaded Rod, Steel 8.8, M6 x 260, Zinc Plated	Steel 8.8	M6 x 260	Zinc Bright Passivation Fe/Zn P1	6 mm	260 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A0603301	DIN 976-A Threaded Rod, Steel 8.8, M6 x 330, Zinc Plated	Steel 8.8	M6 x 330	Zinc Bright Passivation Fe/Zn P1	6 mm	330 mm		
9768A0603751	DIN 976-A Threaded Rod, Steel 8.8, M6 x 375, Zinc Plated	Steel 8.8	M6 x 375	Zinc Bright Passivation Fe/Zn P1	6 mm	375 mm		
9768A0603951	DIN 976-A Threaded Rod, Steel 8.8, M6 x 395, Zinc Plated	Steel 8.8	M6 x 395	Zinc Bright Passivation Fe/Zn P1	6 mm	395 mm		
9768A061000	DIN 976-A Threaded Rod, Steel 8.8, M6 x 1000, Plain	Steel 8.8	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
9768A0610001	DIN 976-A Threaded Rod, Steel 8.8, M6 x 1000, Zinc Plated	Steel 8.8	M6 x 1000	Zinc Bright Passivation Fe/Zn P1	6 mm	1000 mm		
9768A062000	DIN 976-A Threaded Rod, Steel 8.8, M6 x 2000, Plain	Steel 8.8	M6 x 2000	Plain (no plating)	6 mm	2000 mm		
9768A0620001	DIN 976-A Threaded Rod, Steel 8.8, M6 x 2000, Zinc Plated	Steel 8.8	M6 x 2000	Zinc Bright Passivation Fe/Zn P1	6 mm	2000 mm		
9768A080020	DIN 976-A Threaded Rod, Steel 8.8, M8 x 20, Plain	Steel 8.8	M8 x 20	Plain (no plating)	8 mm	20 mm		
9768A0800251	DIN 976-A Threaded Rod, Steel 8.8, M8 x 25, Zinc Plated	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		
9768A0800301	DIN 976-A Threaded Rod, Steel 8.8, M8 x 30, Zinc Plated	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		
9768A0800301SST1	DIN 976-A Threaded Rod, Steel 8.8, M8 x 30, Zinc Plated	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		
9768A0800351	DIN 976-A Threaded Rod, Steel 8.8, M8 x 35, Zinc Plated	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		
9768A0800401	DIN 976-A Threaded Rod, Steel 8.8, M8 x 40, Zinc Plated	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		
9768A0800501	DIN 976-A Threaded Rod, Steel 8.8, M8 x 50, Zinc Plated	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		
9768A0800551	DIN 976-A Threaded Rod, Steel 8.8, M8 x 55, Zinc Plated	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm		
9768A080060	DIN 976-A Threaded Rod, Steel 8.8, M8 x 60, Plain	Steel 8.8	M8 x 60	Plain (no plating)	8 mm	60 mm		
9768A0800601	DIN 976-A Threaded Rod, Steel 8.8, M8 x 60, Zinc Plated	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		
9768A080060GEO5	DIN 976-A Threaded Rod, Steel 8.8, M8 x 60, Zinc Flake, Silver	Steel 8.8	M8 x 60	GEOMET 500B	8 mm	60 mm		
9768A080090	DIN 976-A Threaded Rod, Steel 8.8, M8 x 90, Plain	Steel 8.8	M8 x 90	Plain (no plating)	8 mm	90 mm		
9768A080100	DIN 976-A Threaded Rod, Steel 8.8, M8 x 100, Plain	Steel 8.8	M8 x 100	Plain (no plating)	8 mm	100 mm		
9768A0801001	DIN 976-A Threaded Rod, Steel 8.8, M8 x 100, Zinc Plated	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm		
9768A0801001SST1	DIN 976-A Threaded Rod, Steel 8.8, M8 x 100, Zinc Plated	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm		
9768A0801003	DIN 976-A Threaded Rod, Steel 8.8, M8 x 100, Zinc Plated Yellow	Steel 8.8	M8 x 100	Zinc Yellow Passivation Fe/Zn P2	8 mm	100 mm		
9768A0801101	DIN 976-A Threaded Rod, Steel 8.8, M8 x 110, Zinc Plated	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm		
9768A080120	DIN 976-A Threaded Rod, Steel 8.8, M8 x 120, Plain	Steel 8.8	M8 x 120	Plain (no plating)	8 mm	120 mm		
9768A0801301	DIN 976-A Threaded Rod, Steel 8.8, M8 x 130, Zinc Plated	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm		
9768A080140	DIN 976-A Threaded Rod, Steel 8.8, M8 x 140, Plain	Steel 8.8	M8 x 140	Plain (no plating)	8 mm	140 mm		
9768A0801401	DIN 976-A Threaded Rod, Steel 8.8, M8 x 140, Zinc Plated	Steel 8.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm		
9768A0801501	DIN 976-A Threaded Rod, Steel 8.8, M8 x 150, Zinc Plated	Steel 8.8	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm		
9768A0801701	DIN 976-A Threaded Rod, Steel 8.8, M8 x 170, Zinc Plated	Steel 8.8	M8 x 170	Zinc Bright Passivation Fe/Zn P1	8 mm	170 mm		
9768A0801801	DIN 976-A Threaded Rod, Steel 8.8, M8 x 180, Zinc Plated	Steel 8.8	M8 x 180	Zinc Bright Passivation Fe/Zn P1	8 mm	180 mm		
9768A080200	DIN 976-A Threaded Rod, Steel 8.8, M8 x 200, Plain	Steel 8.8	M8 x 200	Plain (no plating)	8 mm	200 mm		
9768A0802051	DIN 976-A Threaded Rod, Steel 8.8, M8 x 205, Zinc Plated	Steel 8.8	M8 x 205	Zinc Bright Passivation Fe/Zn P1	8 mm	205 mm		
9768A0802181	DIN 976-A Threaded Rod, Steel 8.8, M8 x 218, Zinc Plated	Steel 8.8	M8 x 218	Zinc Bright Passivation Fe/Zn P1	8 mm	218 mm		
9768A0802321	DIN 976-A Threaded Rod, Steel 8.8, M8 x 232, Zinc Plated	Steel 8.8	M8 x 232	Zinc Bright Passivation Fe/Zn P1	8 mm	232 mm		
9768A0802502	DIN 976-A Threaded Rod, Steel 8.8, M8 x 250, Hot-Dip Galvanized	Steel 8.8	M8 x 250	Hot Dip Galvanizing	8 mm	250 mm		
9768A080260	DIN 976-A Threaded Rod, Steel 8.8, M8 x 260, Plain	Steel 8.8	M8 x 260	Plain (no plating)	8 mm	260 mm		
9768A0802601	DIN 976-A Threaded Rod, Steel 8.8, M8 x 260, Zinc Plated	Steel 8.8	M8 x 260	Zinc Bright Passivation Fe/Zn P1	8 mm	260 mm		
9768A0802651	DIN 976-A Threaded Rod, Steel 8.8, M8 x 265, Zinc Plated	Steel 8.8	M8 x 265	Zinc Bright Passivation Fe/Zn P1	8 mm	265 mm		
9768A0802701	DIN 976-A Threaded Rod, Steel 8.8, M8 x 270, Zinc Plated	Steel 8.8	M8 x 270	Zinc Bright Passivation Fe/Zn P1	8 mm	270 mm		
9768A0802771	DIN 976-A Threaded Rod, Steel 8.8, M8 x 277, Zinc Plated	Steel 8.8	M8 x 277	Zinc Bright Passivation Fe/Zn P1	8 mm	277 mm		
9768A0802981	DIN 976-A Threaded Rod, Steel 8.8, M8 x 298, Zinc Plated	Steel 8.8	M8 x 298	Zinc Bright Passivation Fe/Zn P1	8 mm	298 mm		
9768A0803071	DIN 976-A Threaded Rod, Steel 8.8, M8 x 307, Zinc Plated	Steel 8.8	M8 x 307	Zinc Bright Passivation Fe/Zn P1	8 mm	307 mm		
9768A0803181	DIN 976-A Threaded Rod, Steel 8.8, M8 x 318, Zinc Plated	Steel 8.8	M8 x 318	Zinc Bright Passivation Fe/Zn P1	8 mm	318 mm		
9768A0803201	DIN 976-A Threaded Rod, Steel 8.8, M8 x 320, Zinc Plated	Steel 8.8	M8 x 320	Zinc Bright Passivation Fe/Zn P1	8 mm	320 mm		
9768A0803251	DIN 976-A Threaded Rod, Steel 8.8, M8 x 325, Zinc Plated	Steel 8.8	M8 x 325	Zinc Bright Passivation Fe/Zn P1	8 mm	325 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A0803502	DIN 976-A Threaded Rod, Steel 8.8, M8 x 350, Hot-Dip Galvanised	Steel 8.8	M8 x 350	Hot Dip Galvanizing	8 mm	350 mm		
9768A0803681	DIN 976-A Threaded Rod, Steel 8.8, M8 x 368, Zinc Plated	Steel 8.8	M8 x 368	Zinc Bright Passivation Fe/Zn P1	8 mm	368 mm		
9768A0803821	DIN 976-A Threaded Rod, Steel 8.8, M8 x 382, Zinc Plated	Steel 8.8	M8 x 382	Zinc Bright Passivation Fe/Zn P1	8 mm	382 mm		
9768A0803901	DIN 976-A Threaded Rod, Steel 8.8, M8 x 390, Zinc Plated	Steel 8.8	M8 x 390	Zinc Bright Passivation Fe/Zn P1	8 mm	390 mm		
9768A0804381	DIN 976-A Threaded Rod, Steel 8.8, M8 x 438, Zinc Plated	Steel 8.8	M8 x 438	Zinc Bright Passivation Fe/Zn P1	8 mm	438 mm		
9768A0804502	DIN 976-A Threaded Rod, Steel 8.8, M8 x 450, Hot-Dip Galvanised	Steel 8.8	M8 x 450	Hot Dip Galvanizing	8 mm	450 mm		
9768A0804521	DIN 976-A Threaded Rod, Steel 8.8, M8 x 452, Zinc Plated	Steel 8.8	M8 x 452	Zinc Bright Passivation Fe/Zn P1	8 mm	452 mm		
9768A080500	DIN 976-A Threaded Rod, Steel 8.8, M8 x 500, Plain	Steel 8.8	M8 x 500	Plain (no plating)	8 mm	500 mm		
9768A080500GEO5	DIN 976-A Threaded Rod, Steel 8.8, M8 x 500, Zinc Flake, Silver	Steel 8.8	M8 x 500	GEOMET 500A	8 mm	500 mm		
9768A0805201	DIN 976-A Threaded Rod, Steel 8.8, M8 x 520, Zinc Plated	Steel 8.8	M8 x 520	Zinc Bright Passivation Fe/Zn P1	8 mm	520 mm		
9768A0806001	DIN 976-A Threaded Rod, Steel 8.8, M8 x 600, Zinc Plated	Steel 8.8	M8 x 600	Zinc Bright Passivation Fe/Zn P1	8 mm	600 mm		
9768A081000	DIN 976-A Threaded Rod, Steel 8.8, M8 x 1000, Plain	Steel 8.8	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
9768A0810001	DIN 976-A Threaded Rod, Steel 8.8, M8 x 1000, Zinc Plated	Steel 8.8	M8 x 1000	Zinc Bright Passivation Fe/Zn P1	8 mm	1000 mm		
9768A0810002	DIN 976-A Threaded Rod, Steel 8.8, M8 x 1000, Hot-Dip Galvanised	Steel 8.8	M8 x 1000	Hot Dip Galvanizing	8 mm	1000 mm		
9768A0810003	DIN 976-A Threaded Rod, Steel 8.8, M8 x 1000, Zinc Plated	Steel 8.8	M8 x 1000	Zinc Yellow Passivation Fe/Zn P2	8 mm	1000 mm		
9768A082000	DIN 976-A Threaded Rod, Steel 8.8, M8 x 2000, Plain	Steel 8.8	M8 x 2000	Plain (no plating)	8 mm	2000 mm		
9768A0820001	DIN 976-A Threaded Rod, Steel 8.8, M8 x 2000, Zinc Plated	Steel 8.8	M8 x 2000	Zinc Bright Passivation Fe/Zn P1	8 mm	2000 mm		
9768A0820002	DIN 976-A Threaded Rod, Steel 8.8, M8 x 2000, Hot-Dip Galvanised	Steel 8.8	M8 x 2000	Hot Dip Galvanizing	8 mm	2000 mm		
9768A0830001	DIN 976-A Threaded Rod, Steel 8.8, M8 x 3000, Zinc Plated	Steel 8.8	M8 x 3000	Zinc Bright Passivation Fe/Zn P1	8 mm	3000 mm		
9768A1000301	DIN 976-A Threaded Rod, Steel 8.8, M10 x 30, Zinc Plated	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm		
9768A100035	DIN 976-A Threaded Rod, Steel 8.8, M10 x 35, Plain	Steel 8.8	M10 x 35	Plain (no plating)	10 mm	35 mm		
9768A1000351	DIN 976-A Threaded Rod, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm		
9768A1000351SST1	DIN 976-A Threaded Rod, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm		
9768A1000501SST1	DIN 976-A Threaded Rod, Steel 8.8, M10 x 50, Zinc Plated	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm		
9768A1000701	DIN 976-A Threaded Rod, Steel 8.8, M10 x 70, Zinc Plated	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm		
9768A1000731	DIN 976-A Threaded Rod, Steel 8.8, M10 x 73, Zinc Plated	Steel 8.8	M10 x 73	Zinc Bright Passivation Fe/Zn P1	10 mm	73 mm		
9768A1000801	DIN 976-A Threaded Rod, Steel 8.8, M10 x 80, Zinc Plated	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm		
9768A100085	DIN 976-A Threaded Rod, Steel 8.8, M10 x 85, Plain	Steel 8.8	M10 x 85	Plain (no plating)	10 mm	85 mm		
9768A1000851	DIN 976-A Threaded Rod, Steel 8.8, M10 x 85, Zinc Plated	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm		
9768A1000901	DIN 976-A Threaded Rod, Steel 8.8, M10 x 90, Zinc Plated	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm		
9768A100100	DIN 976-A Threaded Rod, Steel 8.8, M10 x 100, Plain	Steel 8.8	M10 x 100	Plain (no plating)	10 mm	100 mm		
9768A100100GEO5	DIN 976-A Threaded Rod, Steel 8.8, M10 x 100, Zinc Flake, Silver	Steel 8.8	M10 x 100	GEOMET 500A	10 mm	100 mm		
9768A1001201	DIN 976-A Threaded Rod, Steel 8.8, M10 x 120, Zinc Plated	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm		
9768A1001202	DIN 976-A Threaded Rod, Steel 8.8, M10 x 120, Hot-Dip Galvanised	Steel 8.8	M10 x 120	Hot Dip Galvanizing	10 mm	120 mm		
9768A1001301	DIN 976-A Threaded Rod, Steel 8.8, M10 x 130, Zinc Plated	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm		
9768A100140	DIN 976-A Threaded Rod, Steel 8.8, M10 x 140, Plain	Steel 8.8	M10 x 140	Plain (no plating)	10 mm	140 mm		
9768A1001401	DIN 976-A Threaded Rod, Steel 8.8, M10 x 140, Zinc Plated	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm		
9768A1001502	DIN 976-A Threaded Rod, Steel 8.8, M10 x 150, Hot-Dip Galvanised	Steel 8.8	M10 x 150	Hot Dip Galvanizing	10 mm	150 mm		
9768A1001601	DIN 976-A Threaded Rod, Steel 8.8, M10 x 160, Zinc Plated	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm		
9768A1001602	DIN 976-A Threaded Rod, Steel 8.8, M10 x 160, Hot-Dip Galvanised	Steel 8.8	M10 x 160	Hot Dip Galvanizing	10 mm	160 mm		
9768A1001651	DIN 976-A Threaded Rod, Steel 8.8, M10 x 165, Zinc Plated	Steel 8.8	M10 x 165	Zinc Bright Passivation Fe/Zn P1	10 mm	165 mm		
9768A100170	DIN 976-A Threaded Rod, Steel 8.8, M10 x 170, Plain	Steel 8.8	M10 x 170	Plain (no plating)	10 mm	170 mm		
9768A1001701	DIN 976-A Threaded Rod, Steel 8.8, M10 x 170, Zinc Plated	Steel 8.8	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm		
9768A1001801	DIN 976-A Threaded Rod, Steel 8.8, M10 x 180, Zinc Plated	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm		
9768A1001902	DIN 976-A Threaded Rod, Steel 8.8, M10 x 190, Hot-Dip Galvanised	Steel 8.8	M10 x 190	Hot Dip Galvanizing	10 mm	190 mm		
9768A100200	DIN 976-A Threaded Rod, Steel 8.8, M10 x 200, Plain	Steel 8.8	M10 x 200	Plain (no plating)	10 mm	200 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A1002001	DIN 976-A Threaded Rod, Steel 8.8, M10 x 200, Zinc Plated	Steel 8.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm		
9768A1002002	DIN 976-A Threaded Rod, Steel 8.8, M10 x 200, Hot-Dip Galvanised	Steel 8.8	M10 x 200	Hot Dip Galvanizing	10 mm	200 mm		
9768A100220	DIN 976-A Threaded Rod, Steel 8.8, M10 x 220, Plain	Steel 8.8	M10 x 220	Plain (no plating)	10 mm	220 mm		
9768A1002301	DIN 976-A Threaded Rod, Steel 8.8, M10 x 230, Zinc Plated	Steel 8.8	M10 x 230	Zinc Bright Passivation Fe/Zn P1	10 mm	230 mm		
9768A1002302	DIN 976-A Threaded Rod, Steel 8.8, M10 x 230, Hot-Dip Galvanised	Steel 8.8	M10 x 230	Hot Dip Galvanizing	10 mm	230 mm		
9768A100250	DIN 976-A Threaded Rod, Steel 8.8, M10 x 250, Plain	Steel 8.8	M10 x 250	Plain (no plating)	10 mm	250 mm		
9768A1002501	DIN 976-A Threaded Rod, Steel 8.8, M10 x 250, Zinc Plated	Steel 8.8	M10 x 250	Zinc Bright Passivation Fe/Zn P1	10 mm	250 mm		
9768A1002751	DIN 976-A Threaded Rod, Steel 8.8, M10 x 275, Zinc Plated	Steel 8.8	M10 x 275	Zinc Bright Passivation Fe/Zn P1	10 mm	275 mm		
9768A1002802	DIN 976-A Threaded Rod, Steel 8.8, M10 x 280, Hot-Dip Galvanised	Steel 8.8	M10 x 280	Hot Dip Galvanizing	10 mm	280 mm		
9768A100285	DIN 976-A Threaded Rod, Steel 8.8, M10 x 285, Plain	Steel 8.8	M10 x 285	Plain (no plating)	10 mm	285 mm		
9768A1002901SST120	DIN 976-A Threaded Rod, Steel 8.8, M10 x 290, Zinc Plated	Steel 8.8	M10 x 290	Zinc Bright Passivation Fe/Zn P1	10 mm	290 mm		
9768A1003101	DIN 976-A Threaded Rod, Steel 8.8, M10 x 310, Zinc Plated	Steel 8.8	M10 x 310	Zinc Bright Passivation Fe/Zn P1	10 mm	310 mm		
9768A1003202	DIN 976-A Threaded Rod, Steel 8.8, M10 x 320, Hot-Dip Galvanised	Steel 8.8	M10 x 320	Hot Dip Galvanizing	10 mm	320 mm		
9768A1003252	DIN 976-A Threaded Rod, Steel 8.8, M10 x 325, Hot-Dip Galvanised	Steel 8.8	M10 x 325	Hot Dip Galvanizing	10 mm	325 mm		
9768A100335	DIN 976-A Threaded Rod, Steel 8.8, M10 x 335, Plain	Steel 8.8	M10 x 335	Plain (no plating)	10 mm	335 mm		
9768A1003502	DIN 976-A Threaded Rod, Steel 8.8, M10 x 350, Hot-Dip Galvanised	Steel 8.8	M10 x 350	Hot Dip Galvanizing	10 mm	350 mm		
9768A1003651SST096	DIN 976-A Threaded Rod, Steel 8.8, M10 x 365, Zinc Plated	Steel 8.8	M10 x 365	Zinc Bright Passivation Fe/Zn P1	10 mm	365 mm		
9768A1003901	DIN 976-A Threaded Rod, Steel 8.8, M10 x 390, Zinc Plated	Steel 8.8	M10 x 390	Zinc Bright Passivation Fe/Zn P1	10 mm	390 mm		
9768A1003902	DIN 976-A Threaded Rod, Steel 8.8, M10 x 390, Hot-Dip Galvanised	Steel 8.8	M10 x 390	Hot Dip Galvanizing	10 mm	390 mm		
9768A1004002	DIN 976-A Threaded Rod, Steel 8.8, M10 x 400, Hot-Dip Galvanised	Steel 8.8	M10 x 400	Hot Dip Galvanizing	10 mm	400 mm		
9768A1005001	DIN 976-A Threaded Rod, Steel 8.8, M10 x 500, Zinc Plated	Steel 8.8	M10 x 500	Zinc Bright Passivation Fe/Zn P1	10 mm	500 mm		
9768A100500ZNT	DIN 976-A Threaded Rod, Steel 8.8, M10 x 500, Trans, Zinc-Nickel	Steel 8.8	M10 x 500	Zinc-Nickel Fe/Zn-Ni	10 mm	500 mm		
9768A100610	DIN 976-A Threaded Rod, Steel 8.8, M10 x 610, Plain	Steel 8.8	M10 x 610	Plain (no plating)	10 mm	610 mm		
9768A100610ZNBS6700	DIN 976-A Threaded Rod, Steel 8.8, M10 x 610, Zinc-Nickel-Black	Steel 8.8	M10 x 610	Zinc-Nickel Fe/Zn-Ni BLACK	10 mm	610 mm		
9768A1006701	DIN 976-A Threaded Rod, Steel 8.8, M10 x 670, Zinc Plated	Steel 8.8	M10 x 670	Zinc Bright Passivation Fe/Zn P1	10 mm	670 mm		
9768A101000	DIN 976-A Threaded Rod, Steel 8.8, M10 x 1000, Plain	Steel 8.8	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
9768A1010001	DIN 976-A Threaded Rod, Steel 8.8, M10 x 1000, Zinc Plated	Steel 8.8	M10 x 1000	Zinc Bright Passivation Fe/Zn P1	10 mm	1000 mm		
9768A1010002	DIN 976-A Threaded Rod, Steel 8.8, M10 x 1000, Hot-Dip Galvanised	Steel 8.8	M10 x 1000	Hot Dip Galvanizing	10 mm	1000 mm		
9768A102000	DIN 976-A Threaded Rod, Steel 8.8, M10 x 2000, Plain	Steel 8.8	M10 x 2000	Plain (no plating)	10 mm	2000 mm		
9768A1020001	DIN 976-A Threaded Rod, Steel 8.8, M10 x 2000, Zinc Plated	Steel 8.8	M10 x 2000	Zinc Bright Passivation Fe/Zn P1	10 mm	2000 mm		
9768A1020002	DIN 976-A Threaded Rod, Steel 8.8, M10 x 2000, Hot-Dip Galvanised	Steel 8.8	M10 x 2000	Hot Dip Galvanizing	10 mm	2000 mm		
9768A102000ZN8	DIN 976-A Threaded Rod, Steel 8.8, M10 x 2000, Zinc Plated	Steel 8.8	M10 x 2000	ZPL 8 MICRON	10 mm	2000 mm		
9768A1022502	DIN 976-A Threaded Rod, Steel 8.8, M10 x 2250, Hot-Dip Galvanised	Steel 8.8	M10 x 2250	Hot Dip Galvanizing	10 mm	2250 mm		
9768A103000	DIN 976-A Threaded Rod, Steel 8.8, M10 x 3000, Plain	Steel 8.8	M10 x 3000	Plain (no plating)	10 mm	3000 mm		
9768A1030001	DIN 976-A Threaded Rod, Steel 8.8, M10 x 3000, Zinc Plated	Steel 8.8	M10 x 3000	Zinc Bright Passivation Fe/Zn P1	10 mm	3000 mm		
9768A1200351	DIN 976-A Threaded Rod, Steel 8.8, M12 x 35, Zinc Plated	Steel 8.8	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm		
9768A1200451	DIN 976-A Threaded Rod, Steel 8.8, M12 x 45, Zinc Plated	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm		
9768A1200501	DIN 976-A Threaded Rod, Steel 8.8, M12 x 50, Zinc Plated	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm		
9768A120055	DIN 976-A Threaded Rod, Steel 8.8, M12 x 55, Plain	Steel 8.8	M12 x 55	Plain (no plating)	12 mm	55 mm		
9768A1200602	DIN 976-A Threaded Rod, Steel 8.8, M12 x 60, Hot-Dip Galvanised	Steel 8.8	M12 x 60	Hot Dip Galvanizing	12 mm	60 mm		
9768A1200651	DIN 976-A Threaded Rod, Steel 8.8, M12 x 65, Zinc Plated	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm		
9768A120070	DIN 976-A Threaded Rod, Steel 8.8, M12 x 70, Plain	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm		
9768A1200701	DIN 976-A Threaded Rod, Steel 8.8, M12 x 70, Zinc Plated	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm		
9768A1200751	DIN 976-A Threaded Rod, Steel 8.8, M12 x 75, Zinc Plated	Steel 8.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm		
9768A1200802	DIN 976-A Threaded Rod, Steel 8.8, M12 x 80, Hot-Dip Galvanised	Steel 8.8	M12 x 80	Hot Dip Galvanizing	12 mm	80 mm		
9768A1200851	DIN 976-A Threaded Rod, Steel 8.8, M12 x 85, Zinc Plated	Steel 8.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A120090	DIN 976-A Threaded Rod, Steel 8.8, M12 x 90, Plain	Steel 8.8	M12 x 90	Plain (no plating)	12 mm	90 mm		
9768A1201001	DIN 976-A Threaded Rod, Steel 8.8, M12 x 100, Zinc	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm		
9768A1201002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 100, Hot-Dip	Steel 8.8	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm		
9768A1201051	DIN 976-A Threaded Rod, Steel 8.8, M12 x 105, Zinc	Steel 8.8	M12 x 105	Zinc Bright Passivation Fe/Zn P1	12 mm	105 mm		
9768A1201101	DIN 976-A Threaded Rod, Steel 8.8, M12 x 110, Zinc	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm		
9768A1201102	DIN 976-A Threaded Rod, Steel 8.8, M12 x 110, Hot-Dip	Steel 8.8	M12 x 110	Hot Dip Galvanizing	12 mm	110 mm		
9768A120120	DIN 976-A Threaded Rod, Steel 8.8, M12 x 120, Plain	Steel 8.8	M12 x 120	Plain (no plating)	12 mm	120 mm		
9768A1201201	DIN 976-A Threaded Rod, Steel 8.8, M12 x 120, Zinc	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm		
9768A1201301	DIN 976-A Threaded Rod, Steel 8.8, M12 x 130, Zinc	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm		
9768A1201401	DIN 976-A Threaded Rod, Steel 8.8, M12 x 140, Zinc	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm		
9768A1201402	DIN 976-A Threaded Rod, Steel 8.8, M12 x 140, Hot-Dip	Steel 8.8	M12 x 140	Hot Dip Galvanizing	12 mm	140 mm		
9768A1201452	DIN 976-A Threaded Rod, Steel 8.8, M12 x 145, Hot-Dip	Steel 8.8	M12 x 145	Hot Dip Galvanizing	12 mm	145 mm		
9768A1201501	DIN 976-A Threaded Rod, Steel 8.8, M12 x 150, Zinc	Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm		
9768A1201502	DIN 976-A Threaded Rod, Steel 8.8, M12 x 150, Hot-Dip	Steel 8.8	M12 x 150	Hot Dip Galvanizing	12 mm	150 mm		
9768A1201551	DIN 976-A Threaded Rod, Steel 8.8, M12 x 155, Zinc	Steel 8.8	M12 x 155	Zinc Bright Passivation Fe/Zn P1	12 mm	155 mm		
9768A1201552	DIN 976-A Threaded Rod, Steel 8.8, M12 x 155, Hot-Dip	Steel 8.8	M12 x 155	Hot Dip Galvanizing	12 mm	155 mm		
9768A1201601	DIN 976-A Threaded Rod, Steel 8.8, M12 x 160, Zinc	Steel 8.8	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm		
9768A1201602	DIN 976-A Threaded Rod, Steel 8.8, M12 x 160, Hot-Dip	Steel 8.8	M12 x 160	Hot Dip Galvanizing	12 mm	160 mm		
9768A1201701	DIN 976-A Threaded Rod, Steel 8.8, M12 x 170, Zinc	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm		
9768A1201702	DIN 976-A Threaded Rod, Steel 8.8, M12 x 170, Hot-Dip	Steel 8.8	M12 x 170	Hot Dip Galvanizing	12 mm	170 mm		
9768A1201751	DIN 976-A Threaded Rod, Steel 8.8, M12 x 175, Zinc	Steel 8.8	M12 x 175	Zinc Bright Passivation Fe/Zn P1	12 mm	175 mm		
9768A1201801	DIN 976-A Threaded Rod, Steel 8.8, M12 x 180, Zinc	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm		
9768A1201802	DIN 976-A Threaded Rod, Steel 8.8, M12 x 180, Hot-Dip	Steel 8.8	M12 x 180	Hot Dip Galvanizing	12 mm	180 mm		
9768A1201851	DIN 976-A Threaded Rod, Steel 8.8, M12 x 185, Zinc	Steel 8.8	M12 x 185	Zinc Bright Passivation Fe/Zn P1	12 mm	185 mm		
9768A120190	DIN 976-A Threaded Rod, Steel 8.8, M12 x 190, Plain	Steel 8.8	M12 x 190	Plain (no plating)	12 mm	190 mm		
9768A1201901	DIN 976-A Threaded Rod, Steel 8.8, M12 x 190, Zinc	Steel 8.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm		
9768A1201902	DIN 976-A Threaded Rod, Steel 8.8, M12 x 190, Hot-Dip	Steel 8.8	M12 x 190	Hot Dip Galvanizing	12 mm	190 mm		
9768A1201951	DIN 976-A Threaded Rod, Steel 8.8, M12 x 195, Zinc	Steel 8.8	M12 x 195	Zinc Bright Passivation Fe/Zn P1	12 mm	195 mm		
9768A1202001	DIN 976-A Threaded Rod, Steel 8.8, M12 x 200, Zinc	Steel 8.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm		
9768A1202002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 200, Hot-Dip	Steel 8.8	M12 x 200	Hot Dip Galvanizing	12 mm	200 mm		
9768A1202102	DIN 976-A Threaded Rod, Steel 8.8, M12 x 210, Hot-Dip	Steel 8.8	M12 x 210	Hot Dip Galvanizing	12 mm	210 mm		
9768A1202201	DIN 976-A Threaded Rod, Steel 8.8, M12 x 220, Zinc	Steel 8.8	M12 x 220	Zinc Bright Passivation Fe/Zn P1	12 mm	220 mm		
9768A1202202	DIN 976-A Threaded Rod, Steel 8.8, M12 x 220, Hot-Dip	Steel 8.8	M12 x 220	Hot Dip Galvanizing	12 mm	220 mm		
9768A120226	DIN 976-A Threaded Rod, Steel 8.8, M12 x 226, Plain	Steel 8.8	M12 x 226	Plain (no plating)	12 mm	226 mm		
9768A1202301	DIN 976-A Threaded Rod, Steel 8.8, M12 x 230, Zinc	Steel 8.8	M12 x 230	Zinc Bright Passivation Fe/Zn P1	12 mm	230 mm		
9768A1202402	DIN 976-A Threaded Rod, Steel 8.8, M12 x 240, Hot-Dip	Steel 8.8	M12 x 240	Hot Dip Galvanizing	12 mm	240 mm		
9768A1202501	DIN 976-A Threaded Rod, Steel 8.8, M12 x 250, Zinc	Steel 8.8	M12 x 250	Zinc Bright Passivation Fe/Zn P1	12 mm	250 mm		
9768A1202502	DIN 976-A Threaded Rod, Steel 8.8, M12 x 250, Hot-Dip	Steel 8.8	M12 x 250	Hot Dip Galvanizing	12 mm	250 mm		
9768A1202602	DIN 976-A Threaded Rod, Steel 8.8, M12 x 260, Hot-Dip	Steel 8.8	M12 x 260	Hot Dip Galvanizing	12 mm	260 mm		
9768A1202802	DIN 976-A Threaded Rod, Steel 8.8, M12 x 280, Hot-Dip	Steel 8.8	M12 x 280	Hot Dip Galvanizing	12 mm	280 mm		
9768A120285	DIN 976-A Threaded Rod, Steel 8.8, M12 x 285, Plain	Steel 8.8	M12 x 285	Plain (no plating)	12 mm	285 mm		
9768A1203001	DIN 976-A Threaded Rod, Steel 8.8, M12 x 300, Zinc	Steel 8.8	M12 x 300	Zinc Bright Passivation Fe/Zn P1	12 mm	300 mm		
9768A1203002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 300, Hot-Dip	Steel 8.8	M12 x 300	Hot Dip Galvanizing	12 mm	300 mm		
9768A1203101	DIN 976-A Threaded Rod, Steel 8.8, M12 x 310, Zinc	Steel 8.8	M12 x 310	Zinc Bright Passivation Fe/Zn P1	12 mm	310 mm		
9768A120330	DIN 976-A Threaded Rod, Steel 8.8, M12 x 330, Plain	Steel 8.8	M12 x 330	Plain (no plating)	12 mm	330 mm		
9768A1203301	DIN 976-A Threaded Rod, Steel 8.8, M12 x 330, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A1203302	DIN 976-A Threaded Rod, Steel 8.8, M12 x 330, Hot-Dip Galvanised	Steel 8.8	M12 x 330	Hot Dip Galvanizing	12 mm	330 mm		
9768A1203351	DIN 976-A Threaded Rod, Steel 8.8, M12 x 335, Zinc Plated	Steel 8.8	M12 x 335	Zinc Bright Passivation Fe/Zn P1	12 mm	335 mm		
9768A1203601	DIN 976-A Threaded Rod, Steel 8.8, M12 x 360, Zinc Plated	Steel 8.8	M12 x 360	Zinc Bright Passivation Fe/Zn P1	12 mm	360 mm		
9768A1203802	DIN 976-A Threaded Rod, Steel 8.8, M12 x 380, Hot-Dip Galvanised	Steel 8.8	M12 x 380	Hot Dip Galvanizing	12 mm	380 mm		
9768A1203851	DIN 976-A Threaded Rod, Steel 8.8, M12 x 385, Zinc Plated	Steel 8.8	M12 x 385	Zinc Bright Passivation Fe/Zn P1	12 mm	385 mm		
9768A1204001	DIN 976-A Threaded Rod, Steel 8.8, M12 x 400, Zinc Plated	Steel 8.8	M12 x 400	Zinc Bright Passivation Fe/Zn P1	12 mm	400 mm		
9768A1204101	DIN 976-A Threaded Rod, Steel 8.8, M12 x 410, Zinc Plated	Steel 8.8	M12 x 410	Zinc Bright Passivation Fe/Zn P1	12 mm	410 mm		
9768A1204102	DIN 976-A Threaded Rod, Steel 8.8, M12 x 410, Hot-Dip Galvanised	Steel 8.8	M12 x 410	Hot Dip Galvanizing	12 mm	410 mm		
9768A1204201SST0	DIN 976-A Threaded Rod, Steel 8.8, M12 x 420, Zinc Plated	Steel 8.8	M12 x 420	Zinc Bright Passivation Fe/Zn P1	12 mm	420 mm		
9768A1204352	DIN 976-A Threaded Rod, Steel 8.8, M12 x 435, Hot-Dip Galvanised	Steel 8.8	M12 x 435	Hot Dip Galvanizing	12 mm	435 mm		
9768A1204451	DIN 976-A Threaded Rod, Steel 8.8, M12 x 445, Zinc Plated	Steel 8.8	M12 x 445	Zinc Bright Passivation Fe/Zn P1	12 mm	445 mm		
9768A1204701	DIN 976-A Threaded Rod, Steel 8.8, M12 x 470, Zinc Plated	Steel 8.8	M12 x 470	Zinc Bright Passivation Fe/Zn P1	12 mm	470 mm		
9768A1205002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 500, Hot-Dip Galvanised	Steel 8.8	M12 x 500	Hot Dip Galvanizing	12 mm	500 mm		
9768A1205051	DIN 976-A Threaded Rod, Steel 8.8, M12 x 505, Zinc Plated	Steel 8.8	M12 x 505	Zinc Bright Passivation Fe/Zn P1	12 mm	505 mm		
9768A1205102	DIN 976-A Threaded Rod, Steel 8.8, M12 x 510, Hot-Dip Galvanised	Steel 8.8	M12 x 510	Hot Dip Galvanizing	12 mm	510 mm		
9768A1205301	DIN 976-A Threaded Rod, Steel 8.8, M12 x 530, Zinc Plated	Steel 8.8	M12 x 530	Zinc Bright Passivation Fe/Zn P1	12 mm	530 mm		
9768A1205602	DIN 976-A Threaded Rod, Steel 8.8, M12 x 560, Hot-Dip Galvanised	Steel 8.8	M12 x 560	Hot Dip Galvanizing	12 mm	560 mm		
9768A1205651	DIN 976-A Threaded Rod, Steel 8.8, M12 x 565, Zinc Plated	Steel 8.8	M12 x 565	Zinc Bright Passivation Fe/Zn P1	12 mm	565 mm		
9768A1205901	DIN 976-A Threaded Rod, Steel 8.8, M12 x 590, Zinc Plated	Steel 8.8	M12 x 590	Zinc Bright Passivation Fe/Zn P1	12 mm	590 mm		
9768A1206002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 600, Hot-Dip Galvanised	Steel 8.8	M12 x 600	Hot Dip Galvanizing	12 mm	600 mm		
9768A120615	DIN 976-A Threaded Rod, Steel 8.8, M12 x 615, Plain	Steel 8.8	M12 x 615	Plain (no plating)	12 mm	615 mm		
9768A1206501	DIN 976-A Threaded Rod, Steel 8.8, M12 x 650, Zinc Plated	Steel 8.8	M12 x 650	Zinc Bright Passivation Fe/Zn P1	12 mm	650 mm		
9768A120715	DIN 976-A Threaded Rod, Steel 8.8, M12 x 715, Plain	Steel 8.8	M12 x 715	Plain (no plating)	12 mm	715 mm		
9768A1207701	DIN 976-A Threaded Rod, Steel 8.8, M12 x 770, Zinc Plated	Steel 8.8	M12 x 770	Zinc Bright Passivation Fe/Zn P1	12 mm	770 mm		
9768A1209201	DIN 976-A Threaded Rod, Steel 8.8, M12 x 920, Zinc Plated	Steel 8.8	M12 x 920	Zinc Bright Passivation Fe/Zn P1	12 mm	920 mm		
9768A1209701	DIN 976-A Threaded Rod, Steel 8.8, M12 x 970, Zinc Plated	Steel 8.8	M12 x 970	Zinc Bright Passivation Fe/Zn P1	12 mm	970 mm		
9768A121000	DIN 976-A Threaded Rod, Steel 8.8, M12 x 1000, Plain	Steel 8.8	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
9768A1210001	DIN 976-A Threaded Rod, Steel 8.8, M12 x 1000, Zinc Plated	Steel 8.8	M12 x 1000	Zinc Bright Passivation Fe/Zn P1	12 mm	1000 mm		
9768A1210002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 1000, Hot-Dip Galvanised	Steel 8.8	M12 x 1000	Hot Dip Galvanizing	12 mm	1000 mm		
9768A121000ZN8	DIN 976-A Threaded Rod, Steel 8.8, M12 x 1000, Zinc Plated	Steel 8.8	M12 x 1000	ZPL 8 MICRON	12 mm	1000 mm		
9768A121115	DIN 976-A Threaded Rod, Steel 8.8, M12 x 1115, Plain	Steel 8.8	M12 x 1115	Plain (no plating)	12 mm	1115 mm		
9768A121251000	DIN 976-A Threaded Rod, Steel 8.8, M12 x 1.25 x 1000, Plain	Steel 8.8	M12 x 1.25 x 1000	Plain (no plating)	12 mm	1000 mm		
9768A12150501	DIN 976-A Threaded Rod, Steel 8.8, M12 x 1.5 x 50, Zinc Plated	Steel 8.8	M12 x 1.5 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm		
9768A122000	DIN 976-A Threaded Rod, Steel 8.8, M12 x 2000, Plain	Steel 8.8	M12 x 2000	Plain (no plating)	12 mm	2000 mm		
9768A1220001	DIN 976-A Threaded Rod, Steel 8.8, M12 x 2000, Zinc Plated	Steel 8.8	M12 x 2000	Zinc Bright Passivation Fe/Zn P1	12 mm	2000 mm		
9768A1220002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 2000, Hot-Dip Galvanised	Steel 8.8	M12 x 2000	Hot Dip Galvanizing	12 mm	2000 mm		
9768A123000	DIN 976-A Threaded Rod, Steel 8.8, M12 x 3000, Plain	Steel 8.8	M12 x 3000	Plain (no plating)	12 mm	3000 mm		
9768A1230001	DIN 976-A Threaded Rod, Steel 8.8, M12 x 3000, Zinc Plated	Steel 8.8	M12 x 3000	Zinc Bright Passivation Fe/Zn P1	12 mm	3000 mm		
9768A1230002	DIN 976-A Threaded Rod, Steel 8.8, M12 x 3000, Hot-Dip Galvanised	Steel 8.8	M12 x 3000	Hot Dip Galvanizing	12 mm	3000 mm		
9768A140070GEO5	DIN 976-A Threaded Rod, Steel 8.8, M14 x 70, Zinc Flake, Silver	Steel 8.8	M14 x 70	GEOMET 500A	14 mm	70 mm		
9768A140090GEO5	DIN 976-A Threaded Rod, Steel 8.8, M14 x 90, Zinc Flake, Silver	Steel 8.8	M14 x 90	GEOMET 500A	14 mm	90 mm		
9768A140100	DIN 976-A Threaded Rod, Steel 8.8, M14 x 100, Plain	Steel 8.8	M14 x 100	Plain (no plating)	14 mm	100 mm		
9768A1401001	DIN 976-A Threaded Rod, Steel 8.8, M14 x 100, Zinc Plated	Steel 8.8	M14 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm		
9768A1401501	DIN 976-A Threaded Rod, Steel 8.8, M14 x 150, Zinc Plated	Steel 8.8	M14 x 150	Zinc Bright Passivation Fe/Zn P1	14 mm	150 mm		
9768A141000	DIN 976-A Threaded Rod, Steel 8.8, M14 x 1000, Plain	Steel 8.8	M14 x 1000	Plain (no plating)	14 mm	1000 mm		
9768A1410001	DIN 976-A Threaded Rod, Steel 8.8, M14 x 1000, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A1410001SST2	DIN 976-A Threaded Rod, Steel 8.8, M14 x 1000, Zinc Plated	Steel 8.8	M14 x 1000	Zinc Bright Passivation Fe/Zn P1	14 mm	1000 mm		
9768A1410002	DIN 976-A Threaded Rod, Steel 8.8, M14 x 1000, Hot-Dip Galvanized	Steel 8.8	M14 x 1000	Hot Dip Galvanizing	14 mm	1000 mm		
9768A14151000	DIN 976-A Threaded Rod, Steel 8.8, M14 x 1.5 x 1000, Plain	Steel 8.8	M14 x 1.5 x 1000	Plain (no plating)	14 mm	1000 mm		
9768A141510001	DIN 976-A Threaded Rod, Steel 8.8, M14 x 1.5 x 1000, Zinc Plated	Steel 8.8	M14 x 1.5 x 1000	Zinc Bright Passivation Fe/Zn P1	14 mm	1000 mm		
9768A1420001	DIN 976-A Threaded Rod, Steel 8.8, M14 x 2000, Zinc Plated	Steel 8.8	M14 x 2000	Zinc Bright Passivation Fe/Zn P1	14 mm	2000 mm		
9768A143000	DIN 976-A Threaded Rod, Steel 8.8, M14 x 3000, Plain	Steel 8.8	M14 x 3000	Plain (no plating)	14 mm	3000 mm		
9768A1430001	DIN 976-A Threaded Rod, Steel 8.8, M14 x 3000, Zinc Plated	Steel 8.8	M14 x 3000	Zinc Bright Passivation Fe/Zn P1	14 mm	3000 mm		
9768A1600451	DIN 976-A Threaded Rod, Steel 8.8, M16 x 45, Zinc Plated	Steel 8.8	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm		
9768A1600551	DIN 976-A Threaded Rod, Steel 8.8, M16 x 55, Zinc Plated	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm		
9768A1600601	DIN 976-A Threaded Rod, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm		
9768A1600602	DIN 976-A Threaded Rod, Steel 8.8, M16 x 60, Hot-Dip Galvanized	Steel 8.8	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm		
9768A1600651	DIN 976-A Threaded Rod, Steel 8.8, M16 x 65, Zinc Plated	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm		
9768A1600701	DIN 976-A Threaded Rod, Steel 8.8, M16 x 70, Zinc Plated	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm		
9768A1600702	DIN 976-A Threaded Rod, Steel 8.8, M16 x 70, Hot-Dip Galvanized	Steel 8.8	M16 x 70	Hot Dip Galvanizing	16 mm	70 mm		
9768A1600802	DIN 976-A Threaded Rod, Steel 8.8, M16 x 80, Hot-Dip Galvanized	Steel 8.8	M16 x 80	Hot Dip Galvanizing	16 mm	80 mm		
9768A1600852	DIN 976-A Threaded Rod, Steel 8.8, M16 x 85, Hot-Dip Galvanized	Steel 8.8	M16 x 85	Hot Dip Galvanizing	16 mm	85 mm		
9768A160090	DIN 976-A Threaded Rod, Steel 8.8, M16 x 90, Plain	Steel 8.8	M16 x 90	Plain (no plating)	16 mm	90 mm		
9768A1600901	DIN 976-A Threaded Rod, Steel 8.8, M16 x 90, Zinc Plated	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm		
9768A1600902	DIN 976-A Threaded Rod, Steel 8.8, M16 x 90, Hot-Dip Galvanized	Steel 8.8	M16 x 90	Hot Dip Galvanizing	16 mm	90 mm		
9768A1600952	DIN 976-A Threaded Rod, Steel 8.8, M16 x 95, Hot-Dip Galvanized	Steel 8.8	M16 x 95	Hot Dip Galvanizing	16 mm	95 mm		
9768A160100	DIN 976-A Threaded Rod, Steel 8.8, M16 x 100, Plain	Steel 8.8	M16 x 100	Plain (no plating)	16 mm	100 mm		
9768A1601001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 100, Zinc Plated	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm		
9768A1601002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 100, Hot-Dip Galvanized	Steel 8.8	M16 x 100	Hot Dip Galvanizing	16 mm	100 mm		
9768A1601102	DIN 976-A Threaded Rod, Steel 8.8, M16 x 110, Hot-Dip Galvanized	Steel 8.8	M16 x 110	Hot Dip Galvanizing	16 mm	110 mm		
9768A1601201	DIN 976-A Threaded Rod, Steel 8.8, M16 x 120, Zinc Plated	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm		
9768A1601202	DIN 976-A Threaded Rod, Steel 8.8, M16 x 120, Hot-Dip Galvanized	Steel 8.8	M16 x 120	Hot Dip Galvanizing	16 mm	120 mm		
9768A1601302	DIN 976-A Threaded Rod, Steel 8.8, M16 x 130, Hot-Dip Galvanized	Steel 8.8	M16 x 130	Hot Dip Galvanizing	16 mm	130 mm		
9768A1601401	DIN 976-A Threaded Rod, Steel 8.8, M16 x 140, Zinc Plated	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm		
9768A1601402	DIN 976-A Threaded Rod, Steel 8.8, M16 x 140, Hot-Dip Galvanized	Steel 8.8	M16 x 140	Hot Dip Galvanizing	16 mm	140 mm		
9768A160150	DIN 976-A Threaded Rod, Steel 8.8, M16 x 150, Plain	Steel 8.8	M16 x 150	Plain (no plating)	16 mm	150 mm		
9768A1601501	DIN 976-A Threaded Rod, Steel 8.8, M16 x 150, Zinc Plated	Steel 8.8	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm		
9768A1601502	DIN 976-A Threaded Rod, Steel 8.8, M16 x 150, Hot-Dip Galvanized	Steel 8.8	M16 x 150	Hot Dip Galvanizing	16 mm	150 mm		
9768A160150GEO5	DIN 976-A Threaded Rod, Steel 8.8, M16 x 150, Zinc Flake-Silver	Steel 8.8	M16 x 150	GEOMET 500A	16 mm	150 mm		
9768A1601602	DIN 976-A Threaded Rod, Steel 8.8, M16 x 160, Hot-Dip Galvanized	Steel 8.8	M16 x 160	Hot Dip Galvanizing	16 mm	160 mm		
9768A1601701	DIN 976-A Threaded Rod, Steel 8.8, M16 x 170, Zinc Plated	Steel 8.8	M16 x 170	Zinc Bright Passivation Fe/Zn P1	16 mm	170 mm		
9768A1601751	DIN 976-A Threaded Rod, Steel 8.8, M16 x 175, Zinc Plated	Steel 8.8	M16 x 175	Zinc Bright Passivation Fe/Zn P1	16 mm	175 mm		
9768A1601801	DIN 976-A Threaded Rod, Steel 8.8, M16 x 180, Zinc Plated	Steel 8.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm		
9768A1601802	DIN 976-A Threaded Rod, Steel 8.8, M16 x 180, Hot-Dip Galvanized	Steel 8.8	M16 x 180	Hot Dip Galvanizing	16 mm	180 mm		
9768A1601851	DIN 976-A Threaded Rod, Steel 8.8, M16 x 185, Zinc Plated	Steel 8.8	M16 x 185	Zinc Bright Passivation Fe/Zn P1	16 mm	185 mm		
9768A160190	DIN 976-A Threaded Rod, Steel 8.8, M16 x 190, Plain	Steel 8.8	M16 x 190	Plain (no plating)	16 mm	190 mm		
9768A1601901	DIN 976-A Threaded Rod, Steel 8.8, M16 x 190, Zinc Plated	Steel 8.8	M16 x 190	Zinc Bright Passivation Fe/Zn P1	16 mm	190 mm		
9768A1601902	DIN 976-A Threaded Rod, Steel 8.8, M16 x 190, Hot-Dip Galvanized	Steel 8.8	M16 x 190	Hot Dip Galvanizing	16 mm	190 mm		
9768A1601951	DIN 976-A Threaded Rod, Steel 8.8, M16 x 195, Zinc Plated	Steel 8.8	M16 x 195	Zinc Bright Passivation Fe/Zn P1	16 mm	195 mm		
9768A160200	DIN 976-A Threaded Rod, Steel 8.8, M16 x 200, Plain	Steel 8.8	M16 x 200	Plain (no plating)	16 mm	200 mm		
9768A1602001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 200, Zinc Plated	Steel 8.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm		
9768A1602002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 200, Hot-Dip Galvanized							

Galvanised

Steel 8.8

M16 x 200

Hot Dip Galvanizing

16 mm

200 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A1602101	DIN 976-A Threaded Rod, Steel 8.8, M16 x 210, Zinc Plated	Steel 8.8	M16 x 210	Zinc Bright Passivation Fe/Zn P1	16 mm	210 mm		
9768A1602151	DIN 976-A Threaded Rod, Steel 8.8, M16 x 215, Zinc Plated	Steel 8.8	M16 x 215	Zinc Bright Passivation Fe/Zn P1	16 mm	215 mm		
9768A1602201	DIN 976-A Threaded Rod, Steel 8.8, M16 x 220, Zinc Plated	Steel 8.8	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm		
9768A1602202	DIN 976-A Threaded Rod, Steel 8.8, M16 x 220, Hot-Dip Galvanised	Steel 8.8	M16 x 220	Hot Dip Galvanizing	16 mm	220 mm		
9768A1602301	DIN 976-A Threaded Rod, Steel 8.8, M16 x 230, Zinc Plated	Steel 8.8	M16 x 230	Zinc Bright Passivation Fe/Zn P1	16 mm	230 mm		
9768A1602302	DIN 976-A Threaded Rod, Steel 8.8, M16 x 230, Hot-Dip Galvanised	Steel 8.8	M16 x 230	Hot Dip Galvanizing	16 mm	230 mm		
9768A1602401	DIN 976-A Threaded Rod, Steel 8.8, M16 x 240, Zinc Plated	Steel 8.8	M16 x 240	Zinc Bright Passivation Fe/Zn P1	16 mm	240 mm		
9768A1602402	DIN 976-A Threaded Rod, Steel 8.8, M16 x 240, Hot-Dip Galvanised	Steel 8.8	M16 x 240	Hot Dip Galvanizing	16 mm	240 mm		
9768A1602501	DIN 976-A Threaded Rod, Steel 8.8, M16 x 250, Zinc Plated	Steel 8.8	M16 x 250	Zinc Bright Passivation Fe/Zn P1	16 mm	250 mm		
9768A1602502	DIN 976-A Threaded Rod, Steel 8.8, M16 x 250, Hot-Dip Galvanised	Steel 8.8	M16 x 250	Hot Dip Galvanizing	16 mm	250 mm		
9768A1602601	DIN 976-A Threaded Rod, Steel 8.8, M16 x 260, Zinc Plated	Steel 8.8	M16 x 260	Zinc Bright Passivation Fe/Zn P1	16 mm	260 mm		
9768A1602701	DIN 976-A Threaded Rod, Steel 8.8, M16 x 270, Zinc Plated	Steel 8.8	M16 x 270	Zinc Bright Passivation Fe/Zn P1	16 mm	270 mm		
9768A1602752	DIN 976-A Threaded Rod, Steel 8.8, M16 x 275, Hot-Dip Galvanised	Steel 8.8	M16 x 275	Hot Dip Galvanizing	16 mm	275 mm		
9768A1602802	DIN 976-A Threaded Rod, Steel 8.8, M16 x 280, Hot-Dip Galvanised	Steel 8.8	M16 x 280	Hot Dip Galvanizing	16 mm	280 mm		
9768A1602901	DIN 976-A Threaded Rod, Steel 8.8, M16 x 290, Zinc Plated	Steel 8.8	M16 x 290	Zinc Bright Passivation Fe/Zn P1	16 mm	290 mm		
9768A1602902	DIN 976-A Threaded Rod, Steel 8.8, M16 x 290, Hot-Dip Galvanised	Steel 8.8	M16 x 290	Hot Dip Galvanizing	16 mm	290 mm		
9768A1603001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 300, Zinc Plated	Steel 8.8	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm		
9768A1603002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 300, Hot-Dip Galvanised	Steel 8.8	M16 x 300	Hot Dip Galvanizing	16 mm	300 mm		
9768A1603201	DIN 976-A Threaded Rod, Steel 8.8, M16 x 320, Zinc Plated	Steel 8.8	M16 x 320	Zinc Bright Passivation Fe/Zn P1	16 mm	320 mm		
9768A1603252	DIN 976-A Threaded Rod, Steel 8.8, M16 x 325, Hot-Dip Galvanised	Steel 8.8	M16 x 325	Hot Dip Galvanizing	16 mm	325 mm		
9768A1603302	DIN 976-A Threaded Rod, Steel 8.8, M16 x 330, Hot-Dip Galvanised	Steel 8.8	M16 x 330	Hot Dip Galvanizing	16 mm	330 mm		
9768A1603402	DIN 976-A Threaded Rod, Steel 8.8, M16 x 340, Hot-Dip Galvanised	Steel 8.8	M16 x 340	Hot Dip Galvanizing	16 mm	340 mm		
9768A1603501	DIN 976-A Threaded Rod, Steel 8.8, M16 x 350, Zinc Plated	Steel 8.8	M16 x 350	Zinc Bright Passivation Fe/Zn P1	16 mm	350 mm		
9768A1603502	DIN 976-A Threaded Rod, Steel 8.8, M16 x 350, Hot-Dip Galvanised	Steel 8.8	M16 x 350	Hot Dip Galvanizing	16 mm	350 mm		
9768A1603601	DIN 976-A Threaded Rod, Steel 8.8, M16 x 360, Zinc Plated	Steel 8.8	M16 x 360	Zinc Bright Passivation Fe/Zn P1	16 mm	360 mm		
9768A160375	DIN 976-A Threaded Rod, Steel 8.8, M16 x 375, Plain	Steel 8.8	M16 x 375	Plain (no plating)	16 mm	375 mm		
9768A1603751	DIN 976-A Threaded Rod, Steel 8.8, M16 x 375, Zinc Plated	Steel 8.8	M16 x 375	Zinc Bright Passivation Fe/Zn P1	16 mm	375 mm		
9768A1603752	DIN 976-A Threaded Rod, Steel 8.8, M16 x 375, Hot-Dip Galvanised	Steel 8.8	M16 x 375	Hot Dip Galvanizing	16 mm	375 mm		
9768A1603801	DIN 976-A Threaded Rod, Steel 8.8, M16 x 380, Zinc Plated	Steel 8.8	M16 x 380	Zinc Bright Passivation Fe/Zn P1	16 mm	380 mm		
9768A1603802	DIN 976-A Threaded Rod, Steel 8.8, M16 x 380, Hot-Dip Galvanised	Steel 8.8	M16 x 380	Hot Dip Galvanizing	16 mm	380 mm		
9768A1604001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 400, Zinc Plated	Steel 8.8	M16 x 400	Zinc Bright Passivation Fe/Zn P1	16 mm	400 mm		
9768A1604002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 400, Hot-Dip Galvanised	Steel 8.8	M16 x 400	Hot Dip Galvanizing	16 mm	400 mm		
9768A1604151	DIN 976-A Threaded Rod, Steel 8.8, M16 x 415, Zinc Plated	Steel 8.8	M16 x 415	Zinc Bright Passivation Fe/Zn P1	16 mm	415 mm		
9768A1604201	DIN 976-A Threaded Rod, Steel 8.8, M16 x 420, Zinc Plated	Steel 8.8	M16 x 420	Zinc Bright Passivation Fe/Zn P1	16 mm	420 mm		
9768A1604202	DIN 976-A Threaded Rod, Steel 8.8, M16 x 420, Hot-Dip Galvanised	Steel 8.8	M16 x 420	Hot Dip Galvanizing	16 mm	420 mm		
9768A1604251	DIN 976-A Threaded Rod, Steel 8.8, M16 x 425, Zinc Plated	Steel 8.8	M16 x 425	Zinc Bright Passivation Fe/Zn P1	16 mm	425 mm		
9768A1604302	DIN 976-A Threaded Rod, Steel 8.8, M16 x 430, Hot-Dip Galvanised	Steel 8.8	M16 x 430	Hot Dip Galvanizing	16 mm	430 mm		
9768A1604402	DIN 976-A Threaded Rod, Steel 8.8, M16 x 440, Hot-Dip Galvanised	Steel 8.8	M16 x 440	Hot Dip Galvanizing	16 mm	440 mm		
9768A1604501	DIN 976-A Threaded Rod, Steel 8.8, M16 x 450, Zinc Plated	Steel 8.8	M16 x 450	Zinc Bright Passivation Fe/Zn P1	16 mm	450 mm		
9768A1604601	DIN 976-A Threaded Rod, Steel 8.8, M16 x 460, Zinc Plated	Steel 8.8	M16 x 460	Zinc Bright Passivation Fe/Zn P1	16 mm	460 mm		
9768A1604602	DIN 976-A Threaded Rod, Steel 8.8, M16 x 460, Hot-Dip Galvanised	Steel 8.8	M16 x 460	Hot Dip Galvanizing	16 mm	460 mm		
9768A1604651	DIN 976-A Threaded Rod, Steel 8.8, M16 x 465, Zinc Plated	Steel 8.8	M16 x 465	Zinc Bright Passivation Fe/Zn P1	16 mm	465 mm		
9768A1604702	DIN 976-A Threaded Rod, Steel 8.8, M16 x 470, Hot-Dip Galvanised	Steel 8.8	M16 x 470	Hot Dip Galvanizing	16 mm	470 mm		
9768A1604801	DIN 976-A Threaded Rod, Steel 8.8, M16 x 480, Zinc Plated	Steel 8.8	M16 x 480	Zinc Bright Passivation Fe/Zn P1	16 mm	480 mm		
9768A1605001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 500, Zinc Plated	Steel 8.8	M16 x 500	Zinc Bright Passivation Fe/Zn P1	16 mm	500 mm		
9768A1605002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 500, Hot-Dip Galvanised							

Galvanised

Steel 8.8

M16 x 500

Hot Dip Galvanizing

16 mm

500 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A1605051	DIN 976-A Threaded Rod, Steel 8.8, M16 x 505, Zinc Plated	Steel 8.8	M16 x 505	Zinc Bright Passivation Fe/Zn P1	16 mm	505 mm		
9768A1605101	DIN 976-A Threaded Rod, Steel 8.8, M16 x 510, Zinc Plated	Steel 8.8	M16 x 510	Zinc Bright Passivation Fe/Zn P1	16 mm	510 mm		
9768A1605252	DIN 976-A Threaded Rod, Steel 8.8, M16 x 525, Hot-Dip Galvanised	Steel 8.8	M16 x 525	Hot Dip Galvanizing	16 mm	525 mm		
9768A1605351	DIN 976-A Threaded Rod, Steel 8.8, M16 x 535, Zinc Plated	Steel 8.8	M16 x 535	Zinc Bright Passivation Fe/Zn P1	16 mm	535 mm		
9768A1605551	DIN 976-A Threaded Rod, Steel 8.8, M16 x 555, Zinc Plated	Steel 8.8	M16 x 555	Zinc Bright Passivation Fe/Zn P1	16 mm	555 mm		
9768A1605581	DIN 976-A Threaded Rod, Steel 8.8, M16 x 558, Zinc Plated	Steel 8.8	M16 x 558	Zinc Bright Passivation Fe/Zn P1	16 mm	558 mm		
9768A1605981	DIN 976-A Threaded Rod, Steel 8.8, M16 x 598, Zinc Plated	Steel 8.8	M16 x 598	Zinc Bright Passivation Fe/Zn P1	16 mm	598 mm		
9768A1606001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 600, Zinc Plated	Steel 8.8	M16 x 600	Zinc Bright Passivation Fe/Zn P1	16 mm	600 mm		
9768A1606151	DIN 976-A Threaded Rod, Steel 8.8, M16 x 615, Zinc Plated	Steel 8.8	M16 x 615	Zinc Bright Passivation Fe/Zn P1	16 mm	615 mm		
9768A1606251	DIN 976-A Threaded Rod, Steel 8.8, M16 x 625, Zinc Plated	Steel 8.8	M16 x 625	Zinc Bright Passivation Fe/Zn P1	16 mm	625 mm		
9768A1606351	DIN 976-A Threaded Rod, Steel 8.8, M16 x 635, Zinc Plated	Steel 8.8	M16 x 635	Zinc Bright Passivation Fe/Zn P1	16 mm	635 mm		
9768A1606481	DIN 976-A Threaded Rod, Steel 8.8, M16 x 648, Zinc Plated	Steel 8.8	M16 x 648	Zinc Bright Passivation Fe/Zn P1	16 mm	648 mm		
9768A1606702	DIN 976-A Threaded Rod, Steel 8.8, M16 x 670, Hot-Dip Galvanised	Steel 8.8	M16 x 670	Hot Dip Galvanizing	16 mm	670 mm		
9768A1607002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 700, Hot-Dip Galvanised	Steel 8.8	M16 x 700	Hot Dip Galvanizing	16 mm	700 mm		
9768A1607181	DIN 976-A Threaded Rod, Steel 8.8, M16 x 718, Zinc Plated	Steel 8.8	M16 x 718	Zinc Bright Passivation Fe/Zn P1	16 mm	718 mm		
9768A1607251	DIN 976-A Threaded Rod, Steel 8.8, M16 x 725, Zinc Plated	Steel 8.8	M16 x 725	Zinc Bright Passivation Fe/Zn P1	16 mm	725 mm		
9768A1608181	DIN 976-A Threaded Rod, Steel 8.8, M16 x 818, Zinc Plated	Steel 8.8	M16 x 818	Zinc Bright Passivation Fe/Zn P1	16 mm	818 mm		
9768A1609001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 900, Zinc Plated	Steel 8.8	M16 x 900	Zinc Bright Passivation Fe/Zn P1	16 mm	900 mm		
9768A1609151	DIN 976-A Threaded Rod, Steel 8.8, M16 x 915, Zinc Plated	Steel 8.8	M16 x 915	Zinc Bright Passivation Fe/Zn P1	16 mm	915 mm		
9768A161000	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1000, Plain	Steel 8.8	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
9768A1610001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1000, Zinc Plated	Steel 8.8	M16 x 1000	Zinc Bright Passivation Fe/Zn P1	16 mm	1000 mm		
9768A1610002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1000, Hot-Dip Galvanised	Steel 8.8	M16 x 1000	Hot Dip Galvanizing	16 mm	1000 mm		
9768A1615001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1500, Zinc Plated	Steel 8.8	M16 x 1500	Zinc Bright Passivation Fe/Zn P1	16 mm	1500 mm		
9768A1615002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1500, Hot-Dip Galvanised	Steel 8.8	M16 x 1500	Hot Dip Galvanizing	16 mm	1500 mm		
9768A161503301	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1.5 x 330, Zinc Plated	Steel 8.8	M16 x 1.5 x 330	Zinc Bright Passivation Fe/Zn P1	16 mm	330 mm		
9768A16151000	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1.5 x 1000, Plain	Steel 8.8	M16 x 1.5 x 1000	Plain (no plating)	16 mm	1000 mm		
9768A161510001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 1.5 x 1000, Zinc Plated	Steel 8.8	M16 x 1.5 x 1000	Zinc Bright Passivation Fe/Zn P1	16 mm	1000 mm		
9768A162000	DIN 976-A Threaded Rod, Steel 8.8, M16 x 2000, Plain	Steel 8.8	M16 x 2000	Plain (no plating)	16 mm	2000 mm		
9768A1620001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 2000, Zinc Plated	Steel 8.8	M16 x 2000	Zinc Bright Passivation Fe/Zn P1	16 mm	2000 mm		
9768A1620002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 2000, Hot-Dip Galvanised	Steel 8.8	M16 x 2000	Hot Dip Galvanizing	16 mm	2000 mm		
9768A163000	DIN 976-A Threaded Rod, Steel 8.8, M16 x 3000, Plain	Steel 8.8	M16 x 3000	Plain (no plating)	16 mm	3000 mm		
9768A1630001	DIN 976-A Threaded Rod, Steel 8.8, M16 x 3000, Zinc Plated	Steel 8.8	M16 x 3000	Zinc Bright Passivation Fe/Zn P1	16 mm	3000 mm		
9768A1630002	DIN 976-A Threaded Rod, Steel 8.8, M16 x 3000, Hot-Dip Galvanised	Steel 8.8	M16 x 3000	Hot Dip Galvanizing	16 mm	3000 mm		
9768A1802001	DIN 976-A Threaded Rod, Steel 8.8, M18 x 200, Zinc Plated	Steel 8.8	M18 x 200	Zinc Bright Passivation Fe/Zn P1	18 mm	200 mm		
9768A181000	DIN 976-A Threaded Rod, Steel 8.8, M18 x 1000, Plain	Steel 8.8	M18 x 1000	Plain (no plating)	18 mm	1000 mm		
9768A1810001	DIN 976-A Threaded Rod, Steel 8.8, M18 x 1000, Zinc Plated	Steel 8.8	M18 x 1000	Zinc Bright Passivation Fe/Zn P1	18 mm	1000 mm		
9768A1810002	DIN 976-A Threaded Rod, Steel 8.8, M18 x 1000, Hot-Dip Galvanised	Steel 8.8	M18 x 1000	Hot Dip Galvanizing	18 mm	1000 mm		
9768A181510001	DIN 976-A Threaded Rod, Steel 8.8, M18 x 1.5 x 1000, Zinc Plated	Steel 8.8	M18 x 1.5 x 1000	Zinc Bright Passivation Fe/Zn P1	18 mm	1000 mm		
9768A1820001	DIN 976-A Threaded Rod, Steel 8.8, M18 x 2000, Zinc Plated	Steel 8.8	M18 x 2000	Zinc Bright Passivation Fe/Zn P1	18 mm	2000 mm		
9768A2000701	DIN 976-A Threaded Rod, Steel 8.8, M20 x 70, Zinc Plated	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm		
9768A2000702	DIN 976-A Threaded Rod, Steel 8.8, M20 x 70, Hot-Dip Galvanised	Steel 8.8	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm		
9768A2000801	DIN 976-A Threaded Rod, Steel 8.8, M20 x 80, Zinc Plated	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm		
9768A2000802	DIN 976-A Threaded Rod, Steel 8.8, M20 x 80, Hot-Dip Galvanised	Steel 8.8	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm		
9768A2000902	DIN 976-A Threaded Rod, Steel 8.8, M20 x 90, Hot-Dip Galvanised	Steel 8.8	M20 x 90	Hot Dip Galvanizing	20 mm	90 mm		
9768A2001002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 100, Hot-Dip Galvanised	Steel 8.8	M20 x 100	Hot Dip Galvanizing	20 mm	100 mm		
9768A2001052	DIN 976-A Threaded Rod, Steel 8.8, M20 x 105, Hot-Dip Galvanised	Steel 8.8	M20 x 105	Hot Dip Galvanizing	20 mm	105 mm		

Galvanised

Steel 8.8

M20 x 105

Hot Dip Galvanizing

20 mm

105 mm

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A200110	DIN 976-A Threaded Rod, Steel 8.8, M20 x 110, Plain	Steel 8.8	M20 x 110	Plain (no plating)	20 mm	110 mm		
9768A2001102	DIN 976-A Threaded Rod, Steel 8.8, M20 x 110, Hot-Dip Galvanised	Steel 8.8	M20 x 110	Hot Dip Galvanizing	20 mm	110 mm		
9768A2001201	DIN 976-A Threaded Rod, Steel 8.8, M20 x 120, Zinc Plated	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm		
9768A2001202	DIN 976-A Threaded Rod, Steel 8.8, M20 x 120, Hot-Dip Galvanised	Steel 8.8	M20 x 120	Hot Dip Galvanizing	20 mm	120 mm		
9768A2001302	DIN 976-A Threaded Rod, Steel 8.8, M20 x 130, Hot-Dip Galvanised	Steel 8.8	M20 x 130	Hot Dip Galvanizing	20 mm	130 mm		
9768A2001402	DIN 976-A Threaded Rod, Steel 8.8, M20 x 140, Hot-Dip Galvanised	Steel 8.8	M20 x 140	Hot Dip Galvanizing	20 mm	140 mm		
9768A2001452	DIN 976-A Threaded Rod, Steel 8.8, M20 x 145, Hot-Dip Galvanised	Steel 8.8	M20 x 145	Hot Dip Galvanizing	20 mm	145 mm		
9768A2001601	DIN 976-A Threaded Rod, Steel 8.8, M20 x 160, Zinc Plated	Steel 8.8	M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm		
9768A2001602	DIN 976-A Threaded Rod, Steel 8.8, M20 x 160, Hot-Dip Galvanised	Steel 8.8	M20 x 160	Hot Dip Galvanizing	20 mm	160 mm		
9768A2001701	DIN 976-A Threaded Rod, Steel 8.8, M20 x 170, Zinc Plated	Steel 8.8	M20 x 170	Zinc Bright Passivation Fe/Zn P1	20 mm	170 mm		
9768A2001752	DIN 976-A Threaded Rod, Steel 8.8, M20 x 175, Hot-Dip Galvanised	Steel 8.8	M20 x 175	Hot Dip Galvanizing	20 mm	175 mm		
9768A2001801	DIN 976-A Threaded Rod, Steel 8.8, M20 x 180, Zinc Plated	Steel 8.8	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm		
9768A2001802	DIN 976-A Threaded Rod, Steel 8.8, M20 x 180, Hot-Dip Galvanised	Steel 8.8	M20 x 180	Hot Dip Galvanizing	20 mm	180 mm		
9768A2001901	DIN 976-A Threaded Rod, Steel 8.8, M20 x 190, Zinc Plated	Steel 8.8	M20 x 190	Zinc Bright Passivation Fe/Zn P1	20 mm	190 mm		
9768A2001902	DIN 976-A Threaded Rod, Steel 8.8, M20 x 190, Hot-Dip Galvanised	Steel 8.8	M20 x 190	Hot Dip Galvanizing	20 mm	190 mm		
9768A2002001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 200, Zinc Plated	Steel 8.8	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm		
9768A2002002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 200, Hot-Dip Galvanised	Steel 8.8	M20 x 200	Hot Dip Galvanizing	20 mm	200 mm		
9768A2002101	DIN 976-A Threaded Rod, Steel 8.8, M20 x 210, Zinc Plated	Steel 8.8	M20 x 210	Zinc Bright Passivation Fe/Zn P1	20 mm	210 mm		
9768A2002201	DIN 976-A Threaded Rod, Steel 8.8, M20 x 220, Zinc Plated	Steel 8.8	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm		
9768A2002202	DIN 976-A Threaded Rod, Steel 8.8, M20 x 220, Hot-Dip Galvanised	Steel 8.8	M20 x 220	Hot Dip Galvanizing	20 mm	220 mm		
9768A2002252	DIN 976-A Threaded Rod, Steel 8.8, M20 x 225, Hot-Dip Galvanised	Steel 8.8	M20 x 225	Hot Dip Galvanizing	20 mm	225 mm		
9768A2002351	DIN 976-A Threaded Rod, Steel 8.8, M20 x 235, Zinc Plated	Steel 8.8	M20 x 235	Zinc Bright Passivation Fe/Zn P1	20 mm	235 mm		
9768A2002402	DIN 976-A Threaded Rod, Steel 8.8, M20 x 240, Hot-Dip Galvanised	Steel 8.8	M20 x 240	Hot Dip Galvanizing	20 mm	240 mm		
9768A2002451	DIN 976-A Threaded Rod, Steel 8.8, M20 x 245, Zinc Plated	Steel 8.8	M20 x 245	Zinc Bright Passivation Fe/Zn P1	20 mm	245 mm		
9768A2002501	DIN 976-A Threaded Rod, Steel 8.8, M20 x 250, Zinc Plated	Steel 8.8	M20 x 250	Zinc Bright Passivation Fe/Zn P1	20 mm	250 mm		
9768A2002502	DIN 976-A Threaded Rod, Steel 8.8, M20 x 250, Hot-Dip Galvanised	Steel 8.8	M20 x 250	Hot Dip Galvanizing	20 mm	250 mm		
9768A2002552	DIN 976-A Threaded Rod, Steel 8.8, M20 x 255, Hot-Dip Galvanised	Steel 8.8	M20 x 255	Hot Dip Galvanizing	20 mm	255 mm		
9768A2002601	DIN 976-A Threaded Rod, Steel 8.8, M20 x 260, Zinc Plated	Steel 8.8	M20 x 260	Zinc Bright Passivation Fe/Zn P1	20 mm	260 mm		
9768A2002602	DIN 976-A Threaded Rod, Steel 8.8, M20 x 260, Hot-Dip Galvanised	Steel 8.8	M20 x 260	Hot Dip Galvanizing	20 mm	260 mm		
9768A2002651	DIN 976-A Threaded Rod, Steel 8.8, M20 x 265, Zinc Plated	Steel 8.8	M20 x 265	Zinc Bright Passivation Fe/Zn P1	20 mm	265 mm		
9768A2002752	DIN 976-A Threaded Rod, Steel 8.8, M20 x 275, Hot-Dip Galvanised	Steel 8.8	M20 x 275	Hot Dip Galvanizing	20 mm	275 mm		
9768A2002802	DIN 976-A Threaded Rod, Steel 8.8, M20 x 280, Hot-Dip Galvanised	Steel 8.8	M20 x 280	Hot Dip Galvanizing	20 mm	280 mm		
9768A2002901	DIN 976-A Threaded Rod, Steel 8.8, M20 x 290, Zinc Plated	Steel 8.8	M20 x 290	Zinc Bright Passivation Fe/Zn P1	20 mm	290 mm		
9768A2002902	DIN 976-A Threaded Rod, Steel 8.8, M20 x 290, Hot-Dip Galvanised	Steel 8.8	M20 x 290	Hot Dip Galvanizing	20 mm	290 mm		
9768A2002951	DIN 976-A Threaded Rod, Steel 8.8, M20 x 295, Zinc Plated	Steel 8.8	M20 x 295	Zinc Bright Passivation Fe/Zn P1	20 mm	295 mm		
9768A2003001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 300, Zinc Plated	Steel 8.8	M20 x 300	Zinc Bright Passivation Fe/Zn P1	20 mm	300 mm		
9768A2003002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 300, Hot-Dip Galvanised	Steel 8.8	M20 x 300	Hot Dip Galvanizing	20 mm	300 mm		
9768A2003002-C	DIN 976-A Threaded Rod, Steel 8.8, M20 x 300, Hot-Dip Galvanised	Steel 8.8	M20 x 300	Hot Dip Galvanizing	20 mm	300 mm		
9768A2003102	DIN 976-A Threaded Rod, Steel 8.8, M20 x 310, Hot-Dip Galvanised	Steel 8.8	M20 x 310	Hot Dip Galvanizing	20 mm	310 mm		
9768A2003201	DIN 976-A Threaded Rod, Steel 8.8, M20 x 320, Zinc Plated	Steel 8.8	M20 x 320	Zinc Bright Passivation Fe/Zn P1	20 mm	320 mm		
9768A2003202	DIN 976-A Threaded Rod, Steel 8.8, M20 x 320, Hot-Dip Galvanised	Steel 8.8	M20 x 320	Hot Dip Galvanizing	20 mm	320 mm		
9768A2003301	DIN 976-A Threaded Rod, Steel 8.8, M20 x 330, Zinc Plated	Steel 8.8	M20 x 330	Zinc Bright Passivation Fe/Zn P1	20 mm	330 mm		
9768A2003302	DIN 976-A Threaded Rod, Steel 8.8, M20 x 330, Hot-Dip Galvanised	Steel 8.8	M20 x 330	Hot Dip Galvanizing	20 mm	330 mm		
9768A2003402	DIN 976-A Threaded Rod, Steel 8.8, M20 x 340, Hot-Dip Galvanised	Steel 8.8	M20 x 340	Hot Dip Galvanizing	20 mm	340 mm		
9768A2003502	DIN 976-A Threaded Rod, Steel 8.8, M20 x 350, Hot-Dip Galvanised	Steel 8.8	M20 x 350	Hot Dip Galvanizing	20 mm	350 mm		
9768A2003751	DIN 976-A Threaded Rod, Steel 8.8, M20 x 375, Zinc Plated							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A2003802	DIN 976-A Threaded Rod, Steel 8.8, M20 x 380, Hot-Dip Galvanised	Steel 8.8	M20 x 380	Hot Dip Galvanizing	20 mm	380 mm		
9768A2003901	DIN 976-A Threaded Rod, Steel 8.8, M20 x 390, Zinc Plated	Steel 8.8	M20 x 390	Zinc Bright Passivation Fe/Zn P1	20 mm	390 mm		
9768A2003972	DIN 976-A Threaded Rod, Steel 8.8, M20 x 397, Hot-Dip Galvanised	Steel 8.8	M20 x 397	Hot Dip Galvanizing	20 mm	397 mm		
9768A2004001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 400, Zinc Plated	Steel 8.8	M20 x 400	Zinc Bright Passivation Fe/Zn P1	20 mm	400 mm		
9768A2004002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 400, Hot-Dip Galvanised	Steel 8.8	M20 x 400	Hot Dip Galvanizing	20 mm	400 mm		
9768A2004301	DIN 976-A Threaded Rod, Steel 8.8, M20 x 430, Zinc Plated	Steel 8.8	M20 x 430	Zinc Bright Passivation Fe/Zn P1	20 mm	430 mm		
9768A2004302	DIN 976-A Threaded Rod, Steel 8.8, M20 x 430, Hot-Dip Galvanised	Steel 8.8	M20 x 430	Hot Dip Galvanizing	20 mm	430 mm		
9768A200450	DIN 976-A Threaded Rod, Steel 8.8, M20 x 450, Plain	Steel 8.8	M20 x 450	Plain (no plating)	20 mm	450 mm		
9768A2004501	DIN 976-A Threaded Rod, Steel 8.8, M20 x 450, Zinc Plated	Steel 8.8	M20 x 450	Zinc Bright Passivation Fe/Zn P1	20 mm	450 mm		
9768A2004502	DIN 976-A Threaded Rod, Steel 8.8, M20 x 450, Hot-Dip Galvanised	Steel 8.8	M20 x 450	Hot Dip Galvanizing	20 mm	450 mm		
9768A2004752	DIN 976-A Threaded Rod, Steel 8.8, M20 x 475, Hot-Dip Galvanised	Steel 8.8	M20 x 475	Hot Dip Galvanizing	20 mm	475 mm		
9768A200500	DIN 976-A Threaded Rod, Steel 8.8, M20 x 500, Plain	Steel 8.8	M20 x 500	Plain (no plating)	20 mm	500 mm		
9768A2005001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 500, Zinc Plated	Steel 8.8	M20 x 500	Zinc Bright Passivation Fe/Zn P1	20 mm	500 mm		
9768A2005002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 500, Hot-Dip Galvanised	Steel 8.8	M20 x 500	Hot Dip Galvanizing	20 mm	500 mm		
9768A2005071	DIN 976-A Threaded Rod, Steel 8.8, M20 x 507, Zinc Plated	Steel 8.8	M20 x 507	Zinc Bright Passivation Fe/Zn P1	20 mm	507 mm		
9768A2006002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 600, Hot-Dip Galvanised	Steel 8.8	M20 x 600	Hot Dip Galvanizing	20 mm	600 mm		
9768A2006502	DIN 976-A Threaded Rod, Steel 8.8, M20 x 650, Hot-Dip Galvanised	Steel 8.8	M20 x 650	Hot Dip Galvanizing	20 mm	650 mm		
9768A2007001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 700, Zinc Plated	Steel 8.8	M20 x 700	Zinc Bright Passivation Fe/Zn P1	20 mm	700 mm		
9768A2007002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 700, Hot-Dip Galvanised	Steel 8.8	M20 x 700	Hot Dip Galvanizing	20 mm	700 mm		
9768A2007501	DIN 976-A Threaded Rod, Steel 8.8, M20 x 750, Zinc Plated	Steel 8.8	M20 x 750	Zinc Bright Passivation Fe/Zn P1	20 mm	750 mm		
9768A2008001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 800, Zinc Plated	Steel 8.8	M20 x 800	Zinc Bright Passivation Fe/Zn P1	20 mm	800 mm		
9768A201000	DIN 976-A Threaded Rod, Steel 8.8, M20 x 1000, Plain	Steel 8.8	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
9768A2010001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 1000, Zinc Plated	Steel 8.8	M20 x 1000	Zinc Bright Passivation Fe/Zn P1	20 mm	1000 mm		
9768A2010002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 1000, Hot-Dip Galvanised	Steel 8.8	M20 x 1000	Hot Dip Galvanizing	20 mm	1000 mm		
9768A201000ZN8	DIN 976-A Threaded Rod, Steel 8.8, M20 x 1000, Zinc Plated	Steel 8.8	M20 x 1000	ZPL 8 MICRON	20 mm	1000 mm		
9768A2015001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 1500, Zinc Plated	Steel 8.8	M20 x 1500	Zinc Bright Passivation Fe/Zn P1	20 mm	1500 mm		
9768A2015002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 1500, Hot-Dip Galvanised	Steel 8.8	M20 x 1500	Hot Dip Galvanizing	20 mm	1500 mm		
9768A202000	DIN 976-A Threaded Rod, Steel 8.8, M20 x 2000, Plain	Steel 8.8	M20 x 2000	Plain (no plating)	20 mm	2000 mm		
9768A2020001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 2000, Zinc Plated	Steel 8.8	M20 x 2000	Zinc Bright Passivation Fe/Zn P1	20 mm	2000 mm		
9768A2020002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 2000, Hot-Dip Galvanised	Steel 8.8	M20 x 2000	Hot Dip Galvanizing	20 mm	2000 mm		
9768A203000	DIN 976-A Threaded Rod, Steel 8.8, M20 x 3000, Plain	Steel 8.8	M20 x 3000	Plain (no plating)	20 mm	3000 mm		
9768A2030001	DIN 976-A Threaded Rod, Steel 8.8, M20 x 3000, Zinc Plated	Steel 8.8	M20 x 3000	Zinc Bright Passivation Fe/Zn P1	20 mm	3000 mm		
9768A2030002	DIN 976-A Threaded Rod, Steel 8.8, M20 x 3000, Hot-Dip Galvanised	Steel 8.8	M20 x 3000	Hot Dip Galvanizing	20 mm	3000 mm		
9768A221000	DIN 976-A Threaded Rod, Steel 8.8, M22 x 1000, Plain	Steel 8.8	M22 x 1000	Plain (no plating)	22 mm	1000 mm		
9768A2210001	DIN 976-A Threaded Rod, Steel 8.8, M22 x 1000, Zinc Plated	Steel 8.8	M22 x 1000	Zinc Bright Passivation Fe/Zn P1	22 mm	1000 mm		
9768A2210002	DIN 976-A Threaded Rod, Steel 8.8, M22 x 1000, Hot-Dip Galvanised	Steel 8.8	M22 x 1000	Hot Dip Galvanizing	22 mm	1000 mm		
9768A2400801	DIN 976-A Threaded Rod, Steel 8.8, M24 x 80, Zinc Plated	Steel 8.8	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm		
9768A2401002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 100, Hot-Dip Galvanised	Steel 8.8	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm		
9768A2401102	DIN 976-A Threaded Rod, Steel 8.8, M24 x 110, Hot-Dip Galvanised	Steel 8.8	M24 x 110	Hot Dip Galvanizing	24 mm	110 mm		
9768A2401152	DIN 976-A Threaded Rod, Steel 8.8, M24 x 115, Hot-Dip Galvanised	Steel 8.8	M24 x 115	Hot Dip Galvanizing	24 mm	115 mm		
9768A240120	DIN 976-A Threaded Rod, Steel 8.8, M24 x 120, Plain	Steel 8.8	M24 x 120	Plain (no plating)	24 mm	120 mm		
9768A2401202	DIN 976-A Threaded Rod, Steel 8.8, M24 x 120, Hot-Dip Galvanised	Steel 8.8	M24 x 120	Hot Dip Galvanizing	24 mm	120 mm		
9768A2401301	DIN 976-A Threaded Rod, Steel 8.8, M24 x 130, Zinc Plated	Steel 8.8	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm		
9768A2401302	DIN 976-A Threaded Rod, Steel 8.8, M24 x 130, Hot-Dip Galvanised	Steel 8.8	M24 x 130	Hot Dip Galvanizing	24 mm	130 mm		
9768A2401402	DIN 976-A Threaded Rod, Steel 8.8, M24 x 140, Hot-Dip Galvanised	Steel 8.8	M24 x 140	Hot Dip Galvanizing	24 mm	140 mm		
9768A2401501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 150, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A2401503	DIN 976-A Threaded Rod, Steel 8.8, M24 x 150, Zinc Plated	Steel 8.8	M24 x 150	Zinc Yellow Passivation Fe/Zn P2	24 mm	150 mm		
9768A2402001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 200, Zinc Plated	Steel 8.8	M24 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm		
9768A2402002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 200, Hot-Dip Galvanised	Steel 8.8	M24 x 200	Hot Dip Galvanizing	24 mm	200 mm		
9768A2402102	DIN 976-A Threaded Rod, Steel 8.8, M24 x 210, Hot-Dip Galvanised	Steel 8.8	M24 x 210	Hot Dip Galvanizing	24 mm	210 mm		
9768A2402252	DIN 976-A Threaded Rod, Steel 8.8, M24 x 225, Hot-Dip Galvanised	Steel 8.8	M24 x 225	Hot Dip Galvanizing	24 mm	225 mm		
9768A2402501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 250, Zinc Plated	Steel 8.8	M24 x 250	Zinc Bright Passivation Fe/Zn P1	24 mm	250 mm		
9768A2402502	DIN 976-A Threaded Rod, Steel 8.8, M24 x 250, Hot-Dip Galvanised	Steel 8.8	M24 x 250	Hot Dip Galvanizing	24 mm	250 mm		
9768A2402602	DIN 976-A Threaded Rod, Steel 8.8, M24 x 260, Hot-Dip Galvanised	Steel 8.8	M24 x 260	Hot Dip Galvanizing	24 mm	260 mm		
9768A2402702	DIN 976-A Threaded Rod, Steel 8.8, M24 x 270, Hot-Dip Galvanised	Steel 8.8	M24 x 270	Hot Dip Galvanizing	24 mm	270 mm		
9768A2402802	DIN 976-A Threaded Rod, Steel 8.8, M24 x 280, Hot-Dip Galvanised	Steel 8.8	M24 x 280	Hot Dip Galvanizing	24 mm	280 mm		
9768A2402902	DIN 976-A Threaded Rod, Steel 8.8, M24 x 290, Hot-Dip Galvanised	Steel 8.8	M24 x 290	Hot Dip Galvanizing	24 mm	290 mm		
9768A2403001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 300, Zinc Plated	Steel 8.8	M24 x 300	Zinc Bright Passivation Fe/Zn P1	24 mm	300 mm		
9768A2403002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 300, Hot-Dip Galvanised	Steel 8.8	M24 x 300	Hot Dip Galvanizing	24 mm	300 mm		
9768A2403051	DIN 976-A Threaded Rod, Steel 8.8, M24 x 305, Zinc Plated	Steel 8.8	M24 x 305	Zinc Bright Passivation Fe/Zn P1	24 mm	305 mm		
9768A2403152	DIN 976-A Threaded Rod, Steel 8.8, M24 x 315, Hot-Dip Galvanised	Steel 8.8	M24 x 315	Hot Dip Galvanizing	24 mm	315 mm		
9768A2403202	DIN 976-A Threaded Rod, Steel 8.8, M24 x 320, Hot-Dip Galvanised	Steel 8.8	M24 x 320	Hot Dip Galvanizing	24 mm	320 mm		
9768A2403301	DIN 976-A Threaded Rod, Steel 8.8, M24 x 330, Zinc Plated	Steel 8.8	M24 x 330	Zinc Bright Passivation Fe/Zn P1	24 mm	330 mm		
9768A2403302	DIN 976-A Threaded Rod, Steel 8.8, M24 x 330, Hot-Dip Galvanised	Steel 8.8	M24 x 330	Hot Dip Galvanizing	24 mm	330 mm		
9768A240340	DIN 976-A Threaded Rod, Steel 8.8, M24 x 340, Plain	Steel 8.8	M24 x 340	Plain (no plating)	24 mm	340 mm		
9768A2403402	DIN 976-A Threaded Rod, Steel 8.8, M24 x 340, Hot-Dip Galvanised	Steel 8.8	M24 x 340	Hot Dip Galvanizing	24 mm	340 mm		
9768A2403451	DIN 976-A Threaded Rod, Steel 8.8, M24 x 345, Zinc Plated	Steel 8.8	M24 x 345	Zinc Bright Passivation Fe/Zn P1	24 mm	345 mm		
9768A2403501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 350, Zinc Plated	Steel 8.8	M24 x 350	Zinc Bright Passivation Fe/Zn P1	24 mm	350 mm		
9768A2403502	DIN 976-A Threaded Rod, Steel 8.8, M24 x 350, Hot-Dip Galvanised	Steel 8.8	M24 x 350	Hot Dip Galvanizing	24 mm	350 mm		
9768A2403602	DIN 976-A Threaded Rod, Steel 8.8, M24 x 360, Hot-Dip Galvanised	Steel 8.8	M24 x 360	Hot Dip Galvanizing	24 mm	360 mm		
9768A2403801	DIN 976-A Threaded Rod, Steel 8.8, M24 x 380, Zinc Plated	Steel 8.8	M24 x 380	Zinc Bright Passivation Fe/Zn P1	24 mm	380 mm		
9768A2404001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 400, Zinc Plated	Steel 8.8	M24 x 400	Zinc Bright Passivation Fe/Zn P1	24 mm	400 mm		
9768A2404002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 400, Hot-Dip Galvanised	Steel 8.8	M24 x 400	Hot Dip Galvanizing	24 mm	400 mm		
9768A2404051	DIN 976-A Threaded Rod, Steel 8.8, M24 x 405, Zinc Plated	Steel 8.8	M24 x 405	Zinc Bright Passivation Fe/Zn P1	24 mm	405 mm		
9768A2404301	DIN 976-A Threaded Rod, Steel 8.8, M24 x 430, Zinc Plated	Steel 8.8	M24 x 430	Zinc Bright Passivation Fe/Zn P1	24 mm	430 mm		
9768A2404402	DIN 976-A Threaded Rod, Steel 8.8, M24 x 440, Hot-Dip Galvanised	Steel 8.8	M24 x 440	Hot Dip Galvanizing	24 mm	440 mm		
9768A2404501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 450, Zinc Plated	Steel 8.8	M24 x 450	Zinc Bright Passivation Fe/Zn P1	24 mm	450 mm		
9768A2404502	DIN 976-A Threaded Rod, Steel 8.8, M24 x 450, Hot-Dip Galvanised	Steel 8.8	M24 x 450	Hot Dip Galvanizing	24 mm	450 mm		
9768A2404801	DIN 976-A Threaded Rod, Steel 8.8, M24 x 480, Zinc Plated	Steel 8.8	M24 x 480	Zinc Bright Passivation Fe/Zn P1	24 mm	480 mm		
9768A240500	DIN 976-A Threaded Rod, Steel 8.8, M24 x 500, Plain	Steel 8.8	M24 x 500	Plain (no plating)	24 mm	500 mm		
9768A2405001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 500, Zinc Plated	Steel 8.8	M24 x 500	Zinc Bright Passivation Fe/Zn P1	24 mm	500 mm		
9768A2405002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 500, Hot-Dip Galvanised	Steel 8.8	M24 x 500	Hot Dip Galvanizing	24 mm	500 mm		
9768A2405201	DIN 976-A Threaded Rod, Steel 8.8, M24 x 520, Zinc Plated	Steel 8.8	M24 x 520	Zinc Bright Passivation Fe/Zn P1	24 mm	520 mm		
9768A2405302	DIN 976-A Threaded Rod, Steel 8.8, M24 x 530, Hot-Dip Galvanised	Steel 8.8	M24 x 530	Hot Dip Galvanizing	24 mm	530 mm		
9768A2405501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 550, Zinc Plated	Steel 8.8	M24 x 550	Zinc Bright Passivation Fe/Zn P1	24 mm	550 mm		
9768A2405502	DIN 976-A Threaded Rod, Steel 8.8, M24 x 550, Hot-Dip Galvanised	Steel 8.8	M24 x 550	Hot Dip Galvanizing	24 mm	550 mm		
9768A2405801	DIN 976-A Threaded Rod, Steel 8.8, M24 x 580, Zinc Plated	Steel 8.8	M24 x 580	Zinc Bright Passivation Fe/Zn P1	24 mm	580 mm		
9768A2406001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 600, Zinc Plated	Steel 8.8	M24 x 600	Zinc Bright Passivation Fe/Zn P1	24 mm	600 mm		
9768A2406002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 600, Hot-Dip Galvanised	Steel 8.8	M24 x 600	Hot Dip Galvanizing	24 mm	600 mm		
9768A2406501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 650, Zinc Plated	Steel 8.8	M24 x 650	Zinc Bright Passivation Fe/Zn P1	24 mm	650 mm		
9768A2406502	DIN 976-A Threaded Rod, Steel 8.8, M24 x 650, Hot-Dip Galvanised	Steel 8.8	M24 x 650	Hot Dip Galvanizing	24 mm	650 mm		
9768A2406652	DIN 976-A Threaded Rod, Steel 8.8, M24 x 665, Hot-Dip Galvanised	Steel 8.8	M24 x 665	Hot Dip Galvanizing	24 mm	650 mm		

Galvanised

Steel 8.8

M24 x 665

Hot Dip Galvanizing

24 mm

665 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A2406802	DIN 976-A Threaded Rod, Steel 8.8, M24 x 680, Hot-Dip Galvanized	Steel 8.8	M24 x 680	Hot Dip Galvanizing	24 mm	680 mm		
9768A2407001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 700, Zinc Plated	Steel 8.8	M24 x 700	Zinc Bright Passivation Fe/Zn P1	24 mm	700 mm		
9768A2407002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 700, Hot-Dip Galvanized	Steel 8.8	M24 x 700	Hot Dip Galvanizing	24 mm	700 mm		
9768A2407151	DIN 976-A Threaded Rod, Steel 8.8, M24 x 715, Zinc Plated	Steel 8.8	M24 x 715	Zinc Bright Passivation Fe/Zn P1	24 mm	715 mm		
9768A2407501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 750, Zinc Plated	Steel 8.8	M24 x 750	Zinc Bright Passivation Fe/Zn P1	24 mm	750 mm		
9768A2407802	DIN 976-A Threaded Rod, Steel 8.8, M24 x 780, Hot-Dip Galvanized	Steel 8.8	M24 x 780	Hot Dip Galvanizing	24 mm	780 mm		
9768A2408001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 800, Zinc Plated	Steel 8.8	M24 x 800	Zinc Bright Passivation Fe/Zn P1	24 mm	800 mm		
9768A2408002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 800, Hot-Dip Galvanized	Steel 8.8	M24 x 800	Hot Dip Galvanizing	24 mm	800 mm		
9768A2408102	DIN 976-A Threaded Rod, Steel 8.8, M24 x 810, Hot-Dip Galvanized	Steel 8.8	M24 x 810	Hot Dip Galvanizing	24 mm	810 mm		
9768A2408151	DIN 976-A Threaded Rod, Steel 8.8, M24 x 815, Zinc Plated	Steel 8.8	M24 x 815	Zinc Bright Passivation Fe/Zn P1	24 mm	815 mm		
9768A2408502	DIN 976-A Threaded Rod, Steel 8.8, M24 x 850, Hot-Dip Galvanized	Steel 8.8	M24 x 850	Hot Dip Galvanizing	24 mm	850 mm		
9768A2409001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 900, Zinc Plated	Steel 8.8	M24 x 900	Zinc Bright Passivation Fe/Zn P1	24 mm	900 mm		
9768A2409002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 900, Hot-Dip Galvanized	Steel 8.8	M24 x 900	Hot Dip Galvanizing	24 mm	900 mm		
9768A2409501	DIN 976-A Threaded Rod, Steel 8.8, M24 x 950, Zinc Plated	Steel 8.8	M24 x 950	Zinc Bright Passivation Fe/Zn P1	24 mm	950 mm		
9768A241000	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1000, Plain	Steel 8.8	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
9768A2410001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1000, Zinc Plated	Steel 8.8	M24 x 1000	Zinc Bright Passivation Fe/Zn P1	24 mm	1000 mm		
9768A2410002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1000, Hot-Dip Galvanized	Steel 8.8	M24 x 1000	Hot Dip Galvanizing	24 mm	1000 mm		
9768A2412001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1200, Zinc Plated	Steel 8.8	M24 x 1200	Zinc Bright Passivation Fe/Zn P1	24 mm	1200 mm		
9768A2412002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1200, Hot-Dip Galvanized	Steel 8.8	M24 x 1200	Hot Dip Galvanizing	24 mm	1200 mm		
9768A2414002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1400, Hot-Dip Galvanized	Steel 8.8	M24 x 1400	Hot Dip Galvanizing	24 mm	1400 mm		
9768A2415001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1500, Zinc Plated	Steel 8.8	M24 x 1500	Zinc Bright Passivation Fe/Zn P1	24 mm	1500 mm		
9768A2415002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1500, Hot-Dip Galvanized	Steel 8.8	M24 x 1500	Hot Dip Galvanizing	24 mm	1500 mm		
9768A2415702	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1570, Hot-Dip Galvanized	Steel 8.8	M24 x 1570	Hot Dip Galvanizing	24 mm	1570 mm		
9768A241750	DIN 976-A Threaded Rod, Steel 8.8, M24 x 1750, Plain	Steel 8.8	M24 x 1750	Plain (no plating)	24 mm	1750 mm		
9768A242000	DIN 976-A Threaded Rod, Steel 8.8, M24 x 2000, Plain	Steel 8.8	M24 x 2000	Plain (no plating)	24 mm	2000 mm		
9768A2420001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 2000, Zinc Plated	Steel 8.8	M24 x 2000	Zinc Bright Passivation Fe/Zn P1	24 mm	2000 mm		
9768A2420002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 2000, Hot-Dip Galvanized	Steel 8.8	M24 x 2000	Hot Dip Galvanizing	24 mm	2000 mm		
9768A243000	DIN 976-A Threaded Rod, Steel 8.8, M24 x 3000, Plain	Steel 8.8	M24 x 3000	Plain (no plating)	24 mm	3000 mm		
9768A2430001	DIN 976-A Threaded Rod, Steel 8.8, M24 x 3000, Zinc Plated	Steel 8.8	M24 x 3000	Zinc Bright Passivation Fe/Zn P1	24 mm	3000 mm		
9768A2430002	DIN 976-A Threaded Rod, Steel 8.8, M24 x 3000, Hot-Dip Galvanized	Steel 8.8	M24 x 3000	Hot Dip Galvanizing	24 mm	3000 mm		
9768A2701252	DIN 976-A Threaded Rod, Steel 8.8, M27 x 125, Hot-Dip Galvanized	Steel 8.8	M27 x 125	Hot Dip Galvanizing	27 mm	125 mm		
9768A2701352	DIN 976-A Threaded Rod, Steel 8.8, M27 x 135, Hot-Dip Galvanized	Steel 8.8	M27 x 135	Hot Dip Galvanizing	27 mm	135 mm		
9768A2701402	DIN 976-A Threaded Rod, Steel 8.8, M27 x 140, Hot-Dip Galvanized	Steel 8.8	M27 x 140	Hot Dip Galvanizing	27 mm	140 mm		
9768A2701601	DIN 976-A Threaded Rod, Steel 8.8, M27 x 160, Zinc Plated	Steel 8.8	M27 x 160	Zinc Bright Passivation Fe/Zn P1	27 mm	160 mm		
9768A2701602	DIN 976-A Threaded Rod, Steel 8.8, M27 x 160, Hot-Dip Galvanized	Steel 8.8	M27 x 160	Hot Dip Galvanizing	27 mm	160 mm		
9768A2701701	DIN 976-A Threaded Rod, Steel 8.8, M27 x 170, Zinc Plated	Steel 8.8	M27 x 170	Zinc Bright Passivation Fe/Zn P1	27 mm	170 mm		
9768A270180	DIN 976-A Threaded Rod, Steel 8.8, M27 x 180, Plain	Steel 8.8	M27 x 180	Plain (no plating)	27 mm	180 mm		
9768A2702002	DIN 976-A Threaded Rod, Steel 8.8, M27 x 200, Hot-Dip Galvanized	Steel 8.8	M27 x 200	Hot Dip Galvanizing	27 mm	200 mm		
9768A2702152	DIN 976-A Threaded Rod, Steel 8.8, M27 x 215, Hot-Dip Galvanized	Steel 8.8	M27 x 215	Hot Dip Galvanizing	27 mm	215 mm		
9768A2702202	DIN 976-A Threaded Rod, Steel 8.8, M27 x 220, Hot-Dip Galvanized	Steel 8.8	M27 x 220	Hot Dip Galvanizing	27 mm	220 mm		
9768A2702302	DIN 976-A Threaded Rod, Steel 8.8, M27 x 230, Hot-Dip Galvanized	Steel 8.8	M27 x 230	Hot Dip Galvanizing	27 mm	230 mm		
9768A2702902	DIN 976-A Threaded Rod, Steel 8.8, M27 x 290, Hot-Dip Galvanized	Steel 8.8	M27 x 290	Hot Dip Galvanizing	27 mm	290 mm		
9768A2703002	DIN 976-A Threaded Rod, Steel 8.8, M27 x 300, Hot-Dip Galvanized	Steel 8.8	M27 x 300	Hot Dip Galvanizing	27 mm	300 mm		
9768A2703402	DIN 976-A Threaded Rod, Steel 8.8, M27 x 340, Hot-Dip Galvanized	Steel 8.8	M27 x 340	Hot Dip Galvanizing	27 mm	340 mm		
9768A271000	DIN 976-A Threaded Rod, Steel 8.8, M27 x 1000, Plain	Steel 8.8	M27 x 1000	Plain (no plating)	27 mm	1000 mm		
9768A2710001	DIN 976-A Threaded Rod, Steel 8.8, M27 x 1000, Zinc							

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A2710002	DIN 976-A Threaded Rod, Steel 8.8, M27 x 1000, Hot-Dip Galvanized	Steel 8.8	M27 x 1000	Hot Dip Galvanizing	27 mm	1000 mm		
9768A2720001	DIN 976-A Threaded Rod, Steel 8.8, M27 x 2000, Zinc Plated	Steel 8.8	M27 x 2000	Zinc Bright Passivation Fe/Zn P1	27 mm	2000 mm		
9768A2720002	DIN 976-A Threaded Rod, Steel 8.8, M27 x 2000, Hot-Dip Galvanized	Steel 8.8	M27 x 2000	Hot Dip Galvanizing	27 mm	2000 mm		
9768A273000	DIN 976-A Threaded Rod, Steel 8.8, M27 x 3000, Plain	Steel 8.8	M27 x 3000	Plain (no plating)	27 mm	3000 mm		
9768A2730001	DIN 976-A Threaded Rod, Steel 8.8, M27 x 3000, Zinc Plated	Steel 8.8	M27 x 3000	Zinc Bright Passivation Fe/Zn P1	27 mm	3000 mm		
9768A3001402	DIN 976-A Threaded Rod, Steel 8.8, M30 x 140, Hot-Dip Galvanized	Steel 8.8	M30 x 140	Hot Dip Galvanizing	30 mm	140 mm		
9768A3001451	DIN 976-A Threaded Rod, Steel 8.8, M30 x 145, Zinc Plated	Steel 8.8	M30 x 145	Zinc Bright Passivation Fe/Zn P1	30 mm	145 mm		
9768A3001602	DIN 976-A Threaded Rod, Steel 8.8, M30 x 160, Hot-Dip Galvanized	Steel 8.8	M30 x 160	Hot Dip Galvanizing	30 mm	160 mm		
9768A3001801	DIN 976-A Threaded Rod, Steel 8.8, M30 x 180, Zinc Plated	Steel 8.8	M30 x 180	Zinc Bright Passivation Fe/Zn P1	30 mm	180 mm		
9768A3001802	DIN 976-A Threaded Rod, Steel 8.8, M30 x 180, Hot-Dip Galvanized	Steel 8.8	M30 x 180	Hot Dip Galvanizing	30 mm	180 mm		
9768A3002002	DIN 976-A Threaded Rod, Steel 8.8, M30 x 200, Hot-Dip Galvanized	Steel 8.8	M30 x 200	Hot Dip Galvanizing	30 mm	200 mm		
9768A3002201	DIN 976-A Threaded Rod, Steel 8.8, M30 x 220, Zinc Plated	Steel 8.8	M30 x 220	Zinc Bright Passivation Fe/Zn P1	30 mm	220 mm		
9768A3002401	DIN 976-A Threaded Rod, Steel 8.8, M30 x 240, Zinc Plated	Steel 8.8	M30 x 240	Zinc Bright Passivation Fe/Zn P1	30 mm	240 mm		
9768A3002402	DIN 976-A Threaded Rod, Steel 8.8, M30 x 240, Hot-Dip Galvanized	Steel 8.8	M30 x 240	Hot Dip Galvanizing	30 mm	240 mm		
9768A3002452	DIN 976-A Threaded Rod, Steel 8.8, M30 x 245, Hot-Dip Galvanized	Steel 8.8	M30 x 245	Hot Dip Galvanizing	30 mm	245 mm		
9768A3002501	DIN 976-A Threaded Rod, Steel 8.8, M30 x 250, Zinc Plated	Steel 8.8	M30 x 250	Zinc Bright Passivation Fe/Zn P1	30 mm	250 mm		
9768A3002502	DIN 976-A Threaded Rod, Steel 8.8, M30 x 250, Hot-Dip Galvanized	Steel 8.8	M30 x 250	Hot Dip Galvanizing	30 mm	250 mm		
9768A3002652	DIN 976-A Threaded Rod, Steel 8.8, M30 x 265, Hot-Dip Galvanized	Steel 8.8	M30 x 265	Hot Dip Galvanizing	30 mm	265 mm		
9768A3003002	DIN 976-A Threaded Rod, Steel 8.8, M30 x 300, Hot-Dip Galvanized	Steel 8.8	M30 x 300	Hot Dip Galvanizing	30 mm	300 mm		
9768A3003302	DIN 976-A Threaded Rod, Steel 8.8, M30 x 330, Hot-Dip Galvanized	Steel 8.8	M30 x 330	Hot Dip Galvanizing	30 mm	330 mm		
9768A3003401	DIN 976-A Threaded Rod, Steel 8.8, M30 x 340, Zinc Plated	Steel 8.8	M30 x 340	Zinc Bright Passivation Fe/Zn P1	30 mm	340 mm		
9768A3003501	DIN 976-A Threaded Rod, Steel 8.8, M30 x 350, Zinc Plated	Steel 8.8	M30 x 350	Zinc Bright Passivation Fe/Zn P1	30 mm	350 mm		
9768A3003502	DIN 976-A Threaded Rod, Steel 8.8, M30 x 350, Hot-Dip Galvanized	Steel 8.8	M30 x 350	Hot Dip Galvanizing	30 mm	350 mm		
9768A3003601	DIN 976-A Threaded Rod, Steel 8.8, M30 x 360, Zinc Plated	Steel 8.8	M30 x 360	Zinc Bright Passivation Fe/Zn P1	30 mm	360 mm		
9768A3003602	DIN 976-A Threaded Rod, Steel 8.8, M30 x 360, Hot-Dip Galvanized	Steel 8.8	M30 x 360	Hot Dip Galvanizing	30 mm	360 mm		
9768A3003802	DIN 976-A Threaded Rod, Steel 8.8, M30 x 380, Hot-Dip Galvanized	Steel 8.8	M30 x 380	Hot Dip Galvanizing	30 mm	380 mm		
9768A3004001	DIN 976-A Threaded Rod, Steel 8.8, M30 x 400, Zinc Plated	Steel 8.8	M30 x 400	Zinc Bright Passivation Fe/Zn P1	30 mm	400 mm		
9768A3004002	DIN 976-A Threaded Rod, Steel 8.8, M30 x 400, Hot-Dip Galvanized	Steel 8.8	M30 x 400	Hot Dip Galvanizing	30 mm	400 mm		
9768A3004151	DIN 976-A Threaded Rod, Steel 8.8, M30 x 415, Zinc Plated	Steel 8.8	M30 x 415	Zinc Bright Passivation Fe/Zn P1	30 mm	415 mm		
9768A3004302	DIN 976-A Threaded Rod, Steel 8.8, M30 x 430, Hot-Dip Galvanized	Steel 8.8	M30 x 430	Hot Dip Galvanizing	30 mm	430 mm		
9768A3004402	DIN 976-A Threaded Rod, Steel 8.8, M30 x 440, Hot-Dip Galvanized	Steel 8.8	M30 x 440	Hot Dip Galvanizing	30 mm	440 mm		
9768A3004442	DIN 976-A Threaded Rod, Steel 8.8, M30 x 444, Hot-Dip Galvanized	Steel 8.8	M30 x 444	Hot Dip Galvanizing	30 mm	444 mm		
9768A3004502	DIN 976-A Threaded Rod, Steel 8.8, M30 x 450, Hot-Dip Galvanized	Steel 8.8	M30 x 450	Hot Dip Galvanizing	30 mm	450 mm		
9768A3004602	DIN 976-A Threaded Rod, Steel 8.8, M30 x 460, Hot-Dip Galvanized	Steel 8.8	M30 x 460	Hot Dip Galvanizing	30 mm	460 mm		
9768A3004801	DIN 976-A Threaded Rod, Steel 8.8, M30 x 480, Zinc Plated	Steel 8.8	M30 x 480	Zinc Bright Passivation Fe/Zn P1	30 mm	480 mm		
9768A3004802	DIN 976-A Threaded Rod, Steel 8.8, M30 x 480, Hot-Dip Galvanized	Steel 8.8	M30 x 480	Hot Dip Galvanizing	30 mm	480 mm		
9768A3005001	DIN 976-A Threaded Rod, Steel 8.8, M30 x 500, Zinc Plated	Steel 8.8	M30 x 500	Zinc Bright Passivation Fe/Zn P1	30 mm	500 mm		
9768A3005002	DIN 976-A Threaded Rod, Steel 8.8, M30 x 500, Hot-Dip Galvanized	Steel 8.8	M30 x 500	Hot Dip Galvanizing	30 mm	500 mm		
9768A3005102	DIN 976-A Threaded Rod, Steel 8.8, M30 x 510, Hot-Dip Galvanized	Steel 8.8	M30 x 510	Hot Dip Galvanizing	30 mm	510 mm		
9768A3005301	DIN 976-A Threaded Rod, Steel 8.8, M30 x 530, Zinc Plated	Steel 8.8	M30 x 530	Zinc Bright Passivation Fe/Zn P1	30 mm	530 mm		
9768A3005502	DIN 976-A Threaded Rod, Steel 8.8, M30 x 550, Hot-Dip Galvanized	Steel 8.8	M30 x 550	Hot Dip Galvanizing	30 mm	550 mm		
9768A3006001	DIN 976-A Threaded Rod, Steel 8.8, M30 x 600, Zinc Plated	Steel 8.8	M30 x 600	Zinc Bright Passivation Fe/Zn P1	30 mm	600 mm		
9768A3007502	DIN 976-A Threaded Rod, Steel 8.8, M30 x 750, Hot-Dip Galvanized	Steel 8.8	M30 x 750	Hot Dip Galvanizing	30 mm	750 mm		
9768A301000	DIN 976-A Threaded Rod, Steel 8.8, M30 x 1000, Plain	Steel 8.8	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
9768A3010001	DIN 976-A Threaded Rod, Steel 8.8, M30 x 1000, Zinc Plated	Steel 8.8	M30 x 1000	Zinc Bright Passivation Fe/Zn P1	30 mm	1000 mm		
9768A3010002	DIN 976-A Threaded Rod, Steel 8.8, M30 x 1000, Hot-Dip Galvanized	Steel 8.8	M30 x 1000	Hot Dip Galvanizing	30 mm	1000 mm		

Galvanise

Steel 8.8

M30 x 1000

Hot Dip Galvanizing

30 mm

1000 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A301000ZN12	DIN 976-A Threaded Rod, Steel 8.8, M30 x 1000, Zinc Plated	Steel 8.8	M30 x 1000	ZPL 12 MICRON	30 mm	1000 mm		
9768A301000ZN8	DIN 976-A Threaded Rod, Steel 8.8, M30 x 1000, Zinc Plated	Steel 8.8	M30 x 1000	ZPL 8 MICRON	30 mm	1000 mm		
9768A3015001	DIN 976-A Threaded Rod, Steel 8.8, M30 x 1500, Zinc Plated	Steel 8.8	M30 x 1500	Zinc Bright Passivation Fe/Zn P1	30 mm	1500 mm		
9768A302000	DIN 976-A Threaded Rod, Steel 8.8, M30 x 2000, Plain	Steel 8.8	M30 x 2000	Plain (no plating)	30 mm	2000 mm		
9768A3020001	DIN 976-A Threaded Rod, Steel 8.8, M30 x 2000, Zinc Plated	Steel 8.8	M30 x 2000	Zinc Bright Passivation Fe/Zn P1	30 mm	2000 mm		
9768A3020002	DIN 976-A Threaded Rod, Steel 8.8, M30 x 2000, Hot-Dip Galvanised	Steel 8.8	M30 x 2000	Hot Dip Galvanizing	30 mm	2000 mm		
9768A3030001	DIN 976-A Threaded Rod, Steel 8.8, M30 x 3000, Zinc Plated	Steel 8.8	M30 x 3000	Zinc Bright Passivation Fe/Zn P1	30 mm	3000 mm		
9768A3030002	DIN 976-A Threaded Rod, Steel 8.8, M30 x 3000, Hot-Dip Galvanised	Steel 8.8	M30 x 3000	Hot Dip Galvanizing	30 mm	3000 mm		
9768A3301302	DIN 976-A Threaded Rod, Steel 8.8, M33 x 130, Hot-Dip Galvanised	Steel 8.8	M33 x 130	Hot Dip Galvanizing	33 mm	130 mm		
9768A3301502	DIN 976-A Threaded Rod, Steel 8.8, M33 x 150, Hot-Dip Galvanised	Steel 8.8	M33 x 150	Hot Dip Galvanizing	33 mm	150 mm		
9768A3302002	DIN 976-A Threaded Rod, Steel 8.8, M33 x 200, Hot-Dip Galvanised	Steel 8.8	M33 x 200	Hot Dip Galvanizing	33 mm	200 mm		
9768A330300	DIN 976-A Threaded Rod, Steel 8.8, M33 x 300, Plain	Steel 8.8	M33 x 300	Plain (no plating)	33 mm	300 mm		
9768A331000	DIN 976-A Threaded Rod, Steel 8.8, M33 x 1000, Plain	Steel 8.8	M33 x 1000	Plain (no plating)	33 mm	1000 mm		
9768A3310001	DIN 976-A Threaded Rod, Steel 8.8, M33 x 1000, Zinc Plated	Steel 8.8	M33 x 1000	Zinc Bright Passivation Fe/Zn P1	33 mm	1000 mm		
9768A3310002	DIN 976-A Threaded Rod, Steel 8.8, M33 x 1000, Hot-Dip Galvanised	Steel 8.8	M33 x 1000	Hot Dip Galvanizing	33 mm	1000 mm		
9768A3312002	DIN 976-A Threaded Rod, Steel 8.8, M33 x 1200, Hot-Dip Galvanised	Steel 8.8	M33 x 1200	Hot Dip Galvanizing	33 mm	1200 mm		
9768A3320002	DIN 976-A Threaded Rod, Steel 8.8, M33 x 2000, Hot-Dip Galvanised	Steel 8.8	M33 x 2000	Hot Dip Galvanizing	33 mm	2000 mm		
9768A3330001	DIN 976-A Threaded Rod, Steel 8.8, M33 x 3000, Zinc Plated	Steel 8.8	M33 x 3000	Zinc Bright Passivation Fe/Zn P1	33 mm	3000 mm		
9768A3601602	DIN 976-A Threaded Rod, Steel 8.8, M36 x 160, Hot-Dip Galvanised	Steel 8.8	M36 x 160	Hot Dip Galvanizing	36 mm	160 mm		
9768A360180	DIN 976-A Threaded Rod, Steel 8.8, M36 x 180, Plain	Steel 8.8	M36 x 180	Plain (no plating)	36 mm	180 mm		
9768A3601802	DIN 976-A Threaded Rod, Steel 8.8, M36 x 180, Hot-Dip Galvanised	Steel 8.8	M36 x 180	Hot Dip Galvanizing	36 mm	180 mm		
9768A3601902	DIN 976-A Threaded Rod, Steel 8.8, M36 x 190, Hot-Dip Galvanised	Steel 8.8	M36 x 190	Hot Dip Galvanizing	36 mm	190 mm		
9768A3602002	DIN 976-A Threaded Rod, Steel 8.8, M36 x 200, Hot-Dip Galvanised	Steel 8.8	M36 x 200	Hot Dip Galvanizing	36 mm	200 mm		
9768A3602202	DIN 976-A Threaded Rod, Steel 8.8, M36 x 220, Hot-Dip Galvanised	Steel 8.8	M36 x 220	Hot Dip Galvanizing	36 mm	220 mm		
9768A3602302	DIN 976-A Threaded Rod, Steel 8.8, M36 x 230, Hot-Dip Galvanised	Steel 8.8	M36 x 230	Hot Dip Galvanizing	36 mm	230 mm		
9768A360250	DIN 976-A Threaded Rod, Steel 8.8, M36 x 250, Plain	Steel 8.8	M36 x 250	Plain (no plating)	36 mm	250 mm		
9768A3602502	DIN 976-A Threaded Rod, Steel 8.8, M36 x 250, Hot-Dip Galvanised	Steel 8.8	M36 x 250	Hot Dip Galvanizing	36 mm	250 mm		
9768A360280	DIN 976-A Threaded Rod, Steel 8.8, M36 x 280, Plain	Steel 8.8	M36 x 280	Plain (no plating)	36 mm	280 mm		
9768A3602802	DIN 976-A Threaded Rod, Steel 8.8, M36 x 280, Hot-Dip Galvanised	Steel 8.8	M36 x 280	Hot Dip Galvanizing	36 mm	280 mm		
9768A3603002	DIN 976-A Threaded Rod, Steel 8.8, M36 x 300, Hot-Dip Galvanised	Steel 8.8	M36 x 300	Hot Dip Galvanizing	36 mm	300 mm		
9768A3603152	DIN 976-A Threaded Rod, Steel 8.8, M36 x 315, Hot-Dip Galvanised	Steel 8.8	M36 x 315	Hot Dip Galvanizing	36 mm	315 mm		
9768A3603502	DIN 976-A Threaded Rod, Steel 8.8, M36 x 350, Hot-Dip Galvanised	Steel 8.8	M36 x 350	Hot Dip Galvanizing	36 mm	350 mm		
9768A360420	DIN 976-A Threaded Rod, Steel 8.8, M36 x 420, Plain	Steel 8.8	M36 x 420	Plain (no plating)	36 mm	420 mm		
9768A3604402	DIN 976-A Threaded Rod, Steel 8.8, M36 x 440, Hot-Dip Galvanised	Steel 8.8	M36 x 440	Hot Dip Galvanizing	36 mm	440 mm		
9768A3606502	DIN 976-A Threaded Rod, Steel 8.8, M36 x 650, Hot-Dip Galvanised	Steel 8.8	M36 x 650	Hot Dip Galvanizing	36 mm	650 mm		
9768A360750	DIN 976-A Threaded Rod, Steel 8.8, M36 x 750, Plain	Steel 8.8	M36 x 750	Plain (no plating)	36 mm	750 mm		
9768A361000	DIN 976-A Threaded Rod, Steel 8.8, M36 x 1000, Plain	Steel 8.8	M36 x 1000	Plain (no plating)	36 mm	1000 mm		
9768A3610001	DIN 976-A Threaded Rod, Steel 8.8, M36 x 1000, Zinc Plated	Steel 8.8	M36 x 1000	Zinc Bright Passivation Fe/Zn P1	36 mm	1000 mm		
9768A3610002	DIN 976-A Threaded Rod, Steel 8.8, M36 x 1000, Hot-Dip Galvanised	Steel 8.8	M36 x 1000	Hot Dip Galvanizing	36 mm	1000 mm		
9768A3615002	DIN 976-A Threaded Rod, Steel 8.8, M36 x 1500, Hot-Dip Galvanised	Steel 8.8	M36 x 1500	Hot Dip Galvanizing	36 mm	1500 mm		
9768A362000	DIN 976-A Threaded Rod, Steel 8.8, M36 x 2000, Plain	Steel 8.8	M36 x 2000	Plain (no plating)	36 mm	2000 mm		
9768A3620001	DIN 976-A Threaded Rod, Steel 8.8, M36 x 2000, Zinc Plated	Steel 8.8	M36 x 2000	Zinc Bright Passivation Fe/Zn P1	36 mm	2000 mm		
9768A3620002	DIN 976-A Threaded Rod, Steel 8.8, M36 x 2000, Hot-Dip Galvanised	Steel 8.8	M36 x 2000	Hot Dip Galvanizing	36 mm	2000 mm		
9768A362500	DIN 976-A Threaded Rod, Steel 8.8, M36 x 2500, Plain	Steel 8.8	M36 x 2500	Plain (no plating)	36 mm	2500 mm		
9768A3625002	DIN 976-A Threaded Rod, Steel 8.8, M36 x 2500, Hot-Dip Galvanised	Steel 8.8	M36 x 2500	Hot Dip Galvanizing	36 mm	2500 mm		
9768A363000	DIN 976-A Threaded Rod, Steel 8.8, M36 x 3000, Plain	Steel 8.8	M36 x 3000	Plain (no plating)	36 mm	3000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A3630002	DIN 976-A Threaded Rod, Steel 8.8, M36 x 3000, Hot-Dip Galvanised	Steel 8.8	M36 x 3000	Hot Dip Galvanizing	36 mm	3000 mm		
9768A3901502	DIN 976-A Threaded Rod, Steel 8.8, M39 x 150, Hot-Dip Galvanised	Steel 8.8	M39 x 150	Hot Dip Galvanizing	39 mm	150 mm		
9768A3901902	DIN 976-A Threaded Rod, Steel 8.8, M39 x 190, Hot-Dip Galvanised	Steel 8.8	M39 x 190	Hot Dip Galvanizing	39 mm	190 mm		
9768A3902002	DIN 976-A Threaded Rod, Steel 8.8, M39 x 200, Hot-Dip Galvanised	Steel 8.8	M39 x 200	Hot Dip Galvanizing	39 mm	200 mm		
9768A3902502	DIN 976-A Threaded Rod, Steel 8.8, M39 x 250, Hot-Dip Galvanised	Steel 8.8	M39 x 250	Hot Dip Galvanizing	39 mm	250 mm		
9768A3904751	DIN 976-A Threaded Rod, Steel 8.8, M39 x 475, Zinc Plated	Steel 8.8	M39 x 475	Zinc Bright Passivation Fe/Zn P1	39 mm	475 mm		
9768A390500	DIN 976-A Threaded Rod, Steel 8.8, M39 x 500, Plain	Steel 8.8	M39 x 500	Plain (no plating)	39 mm	500 mm		
9768A390820	DIN 976-A Threaded Rod, Steel 8.8, M39 x 820, Plain	Steel 8.8	M39 x 820	Plain (no plating)	39 mm	820 mm		
9768A391000	DIN 976-A Threaded Rod, Steel 8.8, M39 x 1000, Plain	Steel 8.8	M39 x 1000	Plain (no plating)	39 mm	1000 mm		
9768A3910001	DIN 976-A Threaded Rod, Steel 8.8, M39 x 1000, Zinc Plated	Steel 8.8	M39 x 1000	Zinc Bright Passivation Fe/Zn P1	39 mm	1000 mm		
9768A3910002	DIN 976-A Threaded Rod, Steel 8.8, M39 x 1000, Hot-Dip Galvanised	Steel 8.8	M39 x 1000	Hot Dip Galvanizing	39 mm	1000 mm		
9768A393000	DIN 976-A Threaded Rod, Steel 8.8, M39 x 3000, Plain	Steel 8.8	M39 x 3000	Plain (no plating)	39 mm	3000 mm		
9768A420240	DIN 976-A Threaded Rod, Steel 8.8, M42 x 240, Plain	Steel 8.8	M42 x 240	Plain (no plating)	42 mm	240 mm		
9768A4202502	DIN 976-A Threaded Rod, Steel 8.8, M42 x 250, Hot-Dip Galvanised	Steel 8.8	M42 x 250	Hot Dip Galvanizing	42 mm	250 mm		
9768A420660	DIN 976-A Threaded Rod, Steel 8.8, M42 x 660, Plain	Steel 8.8	M42 x 660	Plain (no plating)	42 mm	660 mm		
9768A421000	DIN 976-A Threaded Rod, Steel 8.8, M42 x 1000, Plain	Steel 8.8	M42 x 1000	Plain (no plating)	42 mm	1000 mm		
9768A4210001	DIN 976-A Threaded Rod, Steel 8.8, M42 x 1000, Zinc Plated	Steel 8.8	M42 x 1000	Zinc Bright Passivation Fe/Zn P1	42 mm	1000 mm		
9768A4210002	DIN 976-A Threaded Rod, Steel 8.8, M42 x 1000, Hot-Dip Galvanised	Steel 8.8	M42 x 1000	Hot Dip Galvanizing	42 mm	1000 mm		
9768A4212502	DIN 976-A Threaded Rod, Steel 8.8, M42 x 1250, Hot-Dip Galvanised	Steel 8.8	M42 x 1250	Hot Dip Galvanizing	42 mm	1250 mm		
9768A422000	DIN 976-A Threaded Rod, Steel 8.8, M42 x 2000, Plain	Steel 8.8	M42 x 2000	Plain (no plating)	42 mm	2000 mm		
9768A4220001	DIN 976-A Threaded Rod, Steel 8.8, M42 x 2000, Zinc Plated	Steel 8.8	M42 x 2000	Zinc Bright Passivation Fe/Zn P1	42 mm	2000 mm		
9768A4220002	DIN 976-A Threaded Rod, Steel 8.8, M42 x 2000, Hot-Dip Galvanised	Steel 8.8	M42 x 2000	Hot Dip Galvanizing	42 mm	2000 mm		
9768A4502302	DIN 976-A Threaded Rod, Steel 8.8, M45 x 230, Hot-Dip Galvanised	Steel 8.8	M45 x 230	Hot Dip Galvanizing	45 mm	230 mm		
9768A4502402	DIN 976-A Threaded Rod, Steel 8.8, M45 x 240, Hot-Dip Galvanised	Steel 8.8	M45 x 240	Hot Dip Galvanizing	45 mm	240 mm		
9768A4502452	DIN 976-A Threaded Rod, Steel 8.8, M45 x 245, Hot-Dip Galvanised	Steel 8.8	M45 x 245	Hot Dip Galvanizing	45 mm	245 mm		
9768A4502502	DIN 976-A Threaded Rod, Steel 8.8, M45 x 250, Hot-Dip Galvanised	Steel 8.8	M45 x 250	Hot Dip Galvanizing	45 mm	250 mm		
9768A4502602	DIN 976-A Threaded Rod, Steel 8.8, M45 x 260, Hot-Dip Galvanised	Steel 8.8	M45 x 260	Hot Dip Galvanizing	45 mm	260 mm		
9768A4502702	DIN 976-A Threaded Rod, Steel 8.8, M45 x 270, Hot-Dip Galvanised	Steel 8.8	M45 x 270	Hot Dip Galvanizing	45 mm	270 mm		
9768A4510002	DIN 976-A Threaded Rod, Steel 8.8, M45 x 1000, Hot-Dip Galvanised	Steel 8.8	M45 x 1000	Hot Dip Galvanizing	45 mm	1000 mm		
9768A4802602	DIN 976-A Threaded Rod, Steel 8.8, M48 x 260, Hot-Dip Galvanised	Steel 8.8	M48 x 260	Hot Dip Galvanizing	48 mm	260 mm		
9768A4803202	DIN 976-A Threaded Rod, Steel 8.8, M48 x 320, Hot-Dip Galvanised	Steel 8.8	M48 x 320	Hot Dip Galvanizing	48 mm	320 mm		
9768A481000	DIN 976-A Threaded Rod, Steel 8.8, M48 x 1000, Plain	Steel 8.8	M48 x 1000	Plain (no plating)	48 mm	1000 mm		
9768A4810001	DIN 976-A Threaded Rod, Steel 8.8, M48 x 1000, Zinc Plated	Steel 8.8	M48 x 1000	Zinc Bright Passivation Fe/Zn P1	48 mm	1000 mm		
9768A4810002	DIN 976-A Threaded Rod, Steel 8.8, M48 x 1000, Hot-Dip Galvanised	Steel 8.8	M48 x 1000	Hot Dip Galvanizing	48 mm	1000 mm		
9768A482000	DIN 976-A Threaded Rod, Steel 8.8, M48 x 2000, Plain	Steel 8.8	M48 x 2000	Plain (no plating)	48 mm	2000 mm		
9768A483000	DIN 976-A Threaded Rod, Steel 8.8, M48 x 3000, Plain	Steel 8.8	M48 x 3000	Plain (no plating)	48 mm	3000 mm		
9768A5202402	DIN 976-A Threaded Rod, Steel 8.8, M52 x 240, Hot-Dip Galvanised	Steel 8.8	M52 x 240	Hot Dip Galvanizing	52 mm	240 mm		
9768A5202752	DIN 976-A Threaded Rod, Steel 8.8, M52 x 275, Hot-Dip Galvanised	Steel 8.8	M52 x 275	Hot Dip Galvanizing	52 mm	275 mm		
9768A5203002	DIN 976-A Threaded Rod, Steel 8.8, M52 x 300, Hot-Dip Galvanised	Steel 8.8	M52 x 300	Hot Dip Galvanizing	52 mm	300 mm		
9768A521000	DIN 976-A Threaded Rod, Steel 8.8, M52 x 1000, Plain	Steel 8.8	M52 x 1000	Plain (no plating)	52 mm	1000 mm		
9768A5210002	DIN 976-A Threaded Rod, Steel 8.8, M52 x 1000, Hot-Dip Galvanised	Steel 8.8	M52 x 1000	Hot Dip Galvanizing	52 mm	1000 mm		
9768A5608502	DIN 976-A Threaded Rod, Steel 8.8, M56 x 850, Hot-Dip Galvanised	Steel 8.8	M56 x 850	Hot Dip Galvanizing	56 mm	850 mm		
9768A561000	DIN 976-A Threaded Rod, Steel 8.8, M56 x 1000, Plain	Steel 8.8	M56 x 1000	Plain (no plating)	56 mm	1000 mm		
9768A5610002	DIN 976-A Threaded Rod, Steel 8.8, M56 x 1000, Hot-Dip Galvanised	Steel 8.8	M56 x 1000	Hot Dip Galvanizing	56 mm	1000 mm		
9768A6408001	DIN 976-A Threaded Rod, Steel 8.8, M64 x 800, Zinc Plated	Steel 8.8	M64 x 800	Zinc Bright Passivation Fe/Zn P1	64 mm	800 mm		
9768A681000	DIN 976-A Threaded Rod, Steel 8.8, M68 x 1000, Plain	Steel 8.8	M68 x 1000	Plain (no plating)	68 mm	1000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768A720700	DIN 976-A Threaded Rod, Steel 8.8, M72 x 6 x 700, Plain	Steel 8.8	M72 x 6 x 700	Plain (no plating)	72 mm	700 mm		
9768AL0610001	DIN 976-A Threaded Rod, Steel 8.8, M6 x 1000, Left-Hand	Steel 8.8	M6 x 1000	Zinc Bright Passivation Fe/Zn P1	6 mm	1000 mm		
9768AL0810001	DIN 976-A Threaded Rod, Steel 8.8, M8 x 1000, Left-Hand	Steel 8.8	M8 x 1000	Zinc Bright Passivation Fe/Zn P1	8 mm	1000 mm		
9768AL1010001	DIN 976-A Threaded Rod, Steel 8.8, M10 x 1000, Left-Hand	Steel 8.8	M10 x 1000	Zinc Bright Passivation Fe/Zn P1	10 mm	1000 mm		
9768AL273000	DIN 976-A Threaded Rod, Steel 8.8, M27 x 3000, Left-Hand	Steel 8.8	M27 x 3000	Plain (no plating)	27 mm	3000 mm		
9768AL333000	DIN 976-A Threaded Rod, Steel 8.8, M33 x 3000, Left-Hand	Steel 8.8	M33 x 3000	Plain (no plating)	33 mm	3000 mm		
9768B0400161	DIN 976-B Threaded Rod, Steel 8.8, M4 x 16, Chamfered Ends, Zinc	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		
9768B0500251	DIN 976-B Threaded Rod, Steel 8.8, M5 x 25, Chamfered Ends, Zinc	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		
9768B0502501	DIN 976-B Threaded Rod, Steel 8.8, M5 x 250, Chamfered Ends, Zinc	Steel 8.8	M5 x 250	Zinc Bright Passivation Fe/Zn P1	5 mm	250 mm		
9768B0503001	DIN 976-B Threaded Rod, Steel 8.8, M5 x 300, Chamfered Ends, Zinc	Steel 8.8	M5 x 300	Zinc Bright Passivation Fe/Zn P1	5 mm	300 mm		
9768B0600251	DIN 976-B Threaded Rod, Steel 8.8, M6 x 25, Chamfered Ends, Zinc	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm		
9768B0600401	DIN 976-B Threaded Rod, Steel 8.8, M6 x 40, Chamfered Ends, Zinc	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		
9768B0601201	DIN 976-B Threaded Rod, Steel 8.8, M6 x 120, Chamfered Ends, Zinc	Steel 8.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm		
9768B0601501	DIN 976-B Threaded Rod, Steel 8.8, M6 x 150, Chamfered Ends, Zinc	Steel 8.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm		
9768B0602301	DIN 976-B Threaded Rod, Steel 8.8, M6 x 230, Chamfered Ends, Zinc	Steel 8.8	M6 x 230	Zinc Bright Passivation Fe/Zn P1	6 mm	230 mm		
9768B0602781	DIN 976-B Threaded Rod, Steel 8.8, M6 x 278, Chamfered Ends, Zinc	Steel 8.8	M6 x 278	Zinc Bright Passivation Fe/Zn P1	6 mm	278 mm		
9768B0800201	DIN 976-B Threaded Rod, Steel 8.8, M8 x 20, Chamfered Ends, Zinc	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		
9768B080025	DIN 976-B Threaded Rod, Steel 8.8, M8 x 25, Chamfered Ends, Zinc	Steel 8.8	M8 x 25	Plain (no plating)	8 mm	25 mm		
9768B0800251	DIN 976-B Threaded Rod, Steel 8.8, M8 x 25, Chamfered Ends, Zinc	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		
9768B0800301	DIN 976-B Threaded Rod, Steel 8.8, M8 x 30, Chamfered Ends, Zinc	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		
9768B0800351	DIN 976-B Threaded Rod, Steel 8.8, M8 x 35, Chamfered Ends, Zinc	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		
9768B0800401	DIN 976-B Threaded Rod, Steel 8.8, M8 x 40, Chamfered Ends, Zinc	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		
9768B0800501	DIN 976-B Threaded Rod, Steel 8.8, M8 x 50, Chamfered Ends, Zinc	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		
9768B0800601	DIN 976-B Threaded Rod, Steel 8.8, M8 x 60, Chamfered Ends, Zinc	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm		
9768B0800651	DIN 976-B Threaded Rod, Steel 8.8, M8 x 65, Chamfered Ends, Zinc	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm		
9768B0800701	DIN 976-B Threaded Rod, Steel 8.8, M8 x 70, Chamfered Ends, Zinc	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm		
9768B080080	DIN 976-B Threaded Rod, Steel 8.8, M8 x 80, Chamfered Ends, Zinc	Steel 8.8	M8 x 80	Plain (no plating)	8 mm	80 mm		
9768B080215	DIN 976-B Threaded Rod, Steel 8.8, M8 x 215, Chamfered Ends, Zinc	Steel 8.8	M8 x 215	Plain (no plating)	8 mm	215 mm		
9768B080270	DIN 976-B Threaded Rod, Steel 8.8, M8 x 270, Chamfered Ends, Zinc	Steel 8.8	M8 x 270	Plain (no plating)	8 mm	270 mm		
9768B0802701	DIN 976-B Threaded Rod, Steel 8.8, M8 x 270, Chamfered Ends, Zinc	Steel 8.8	M8 x 270	Zinc Bright Passivation Fe/Zn P1	8 mm	270 mm		
9768B0804851	DIN 976-B Threaded Rod, Steel 8.8, M8 x 485, Chamfered Ends, Zinc	Steel 8.8	M8 x 485	Zinc Bright Passivation Fe/Zn P1	8 mm	485 mm		
9768B0805001	DIN 976-B Threaded Rod, Steel 8.8, M8 x 500, Chamfered Ends, Zinc	Steel 8.8	M8 x 500	Zinc Bright Passivation Fe/Zn P1	8 mm	500 mm		
9768B1000201	DIN 976-B Threaded Rod, Steel 8.8, M10 x 20, Chamfered Ends, Zinc	Steel 8.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm		
9768B100025	DIN 976-B Threaded Rod, Steel 8.8, M10 x 25, Chamfered Ends, Zinc	Steel 8.8	M10 x 25	Plain (no plating)	10 mm	25 mm		
9768B1000301	DIN 976-B Threaded Rod, Steel 8.8, M10 x 30, Chamfered Ends, Zinc	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm		
9768B1000401	DIN 976-B Threaded Rod, Steel 8.8, M10 x 40, Chamfered Ends, Zinc	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm		
9768B1000451	DIN 976-B Threaded Rod, Steel 8.8, M10 x 45, Chamfered Ends, Zinc	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm		
9768B1000501	DIN 976-B Threaded Rod, Steel 8.8, M10 x 50, Chamfered Ends, Zinc	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm		
9768B1000601	DIN 976-B Threaded Rod, Steel 8.8, M10 x 60, Chamfered Ends, Zinc	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm		
9768B1000802	DIN 976-B Threaded Rod, Steel 8.8, M10 x 80, Chamfered Ends, Zinc	Steel 8.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm		
9768B100100	DIN 976-B Threaded Rod, Steel 8.8, M10 x 100, Chamfered Ends, Zinc	Steel 8.8	M10 x 100	Plain (no plating)	10 mm	100 mm		
9768B1001601	DIN 976-B Threaded Rod, Steel 8.8, M10 x 160, Chamfered Ends, Zinc	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm		
9768B1001801	DIN 976-B Threaded Rod, Steel 8.8, M10 x 180, Chamfered Ends, Zinc	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm		
9768B100225	DIN 976-B Threaded Rod, Steel 8.8, M10 x 225, Chamfered Ends, Zinc	Steel 8.8	M10 x 225	Plain (no plating)	10 mm	225 mm		
9768B1002601	DIN 976-B Threaded Rod, Steel 8.8, M10 x 260, Chamfered Ends, Zinc	Steel 8.8	M10 x 260	Zinc Bright Passivation Fe/Zn P1	10 mm	260 mm		
9768B100357	DIN 976-B Threaded Rod, Steel 8.8, M10 x 357, Chamfered Ends, Zinc	Steel 8.8	M10 x 357					

Chamfered Ends, Pl

Steel 8.8

M10 x 357

Plain (no plating)

10 mm

357 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768B100360	DIN 976-B Threaded Rod, Steel 8.8, M10 x 360, Chamfered Ends, Pl	Steel 8.8	M10 x 360	Plain (no plating)	10 mm	360 mm		
9768B1003601	DIN 976-B Threaded Rod, Steel 8.8, M10 x 360, Chamfered Ends, Pl	Steel 8.8	M10 x 360	Zinc Bright Passivation Fe/Zn P1	10 mm	360 mm		
9768B1004451	DIN 976-B Threaded Rod, Steel 8.8, M10 x 445, Chamfered Ends, Pl	Steel 8.8	M10 x 445	Zinc Bright Passivation Fe/Zn P1	10 mm	445 mm		
9768B1200401	DIN 976-B Threaded Rod, Steel 8.8, M12 x 40, Chamfered Ends, Pl	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm		
9768B1200402	DIN 976-B Threaded Rod, Steel 8.8, M12 x 40, Chamfered Ends, Hot	Steel 8.8	M12 x 40	Hot Dip Galvanizing	12 mm	40 mm		
9768B1200501	DIN 976-B Threaded Rod, Steel 8.8, M12 x 50, Chamfered Ends, Pl	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm		
9768B1200502	DIN 976-B Threaded Rod, Steel 8.8, M12 x 50, Chamfered Ends, Hot	Steel 8.8	M12 x 50	Hot Dip Galvanizing	12 mm	50 mm		
9768B120050ZNB	DIN 976-B Threaded Rod, Steel 8.8, M12 x 50, Chamfered Ends, Pl	Steel 8.8	M12 x 50	ZPL 8 MICRON	12 mm	50 mm		
9768B120060	DIN 976-B Threaded Rod, Steel 8.8, M12 x 60, Chamfered Ends, Pl	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm		
9768B120060ZNB	DIN 976-B Threaded Rod, Steel 8.8, M12 x 60, Chamfered Ends, Pl	Steel 8.8	M12 x 60	ZPL 8 MICRON	12 mm	60 mm		
9768B1200651	DIN 976-B Threaded Rod, Steel 8.8, M12 x 65, Chamfered Ends, Pl	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm		
9768B1200701	DIN 976-B Threaded Rod, Steel 8.8, M12 x 70, Chamfered Ends, Pl	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm		
9768B1201001	DIN 976-B Threaded Rod, Steel 8.8, M12 x 100, Chamfered Ends, Pl	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm		
9768B1201501	DIN 976-B Threaded Rod, Steel 8.8, M12 x 150, Chamfered Ends, Pl	Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm		
9768B1201701	DIN 976-B Threaded Rod, Steel 8.8, M12 x 170, Chamfered Ends, Pl	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm		
9768B1201801	DIN 976-B Threaded Rod, Steel 8.8, M12 x 180, Chamfered Ends, Pl	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm		
9768B1202001	DIN 976-B Threaded Rod, Steel 8.8, M12 x 200, Chamfered Ends, Pl	Steel 8.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm		
9768B120200ZNTF1	DIN 976-B Threaded Rod, Steel 8.8, M12 x 200, Chamfered Ends, Pl	Steel 8.8	M12 x 200	Zinc-Nickel Fe/Zn-Ni	12 mm	200 mm		
9768B120260	DIN 976-B Threaded Rod, Steel 8.8, M12 x 260, Chamfered Ends, Pl	Steel 8.8	M12 x 260	Plain (no plating)	12 mm	260 mm		
9768B1202801	DIN 976-B Threaded Rod, Steel 8.8, M12 x 280, Chamfered Ends, Pl	Steel 8.8	M12 x 280	Zinc Bright Passivation Fe/Zn P1	12 mm	280 mm		
9768B120310ZNB	DIN 976-B Threaded Rod, Steel 8.8, M12 x 310, Chamfered Ends, Pl	Steel 8.8	M12 x 310	ZPL 8 MICRON	12 mm	310 mm		
9768B120350	DIN 976-B Threaded Rod, Steel 8.8, M12 x 350, Chamfered Ends, Pl	Steel 8.8	M12 x 350	Plain (no plating)	12 mm	350 mm		
9768B1203801	DIN 976-B Threaded Rod, Steel 8.8, M12 x 380, Chamfered Ends, Pl	Steel 8.8	M12 x 380	Zinc Bright Passivation Fe/Zn P1	12 mm	380 mm		
9768B120400	DIN 976-B Threaded Rod, Steel 8.8, M12 x 400, Chamfered Ends, Pl	Steel 8.8	M12 x 400	Plain (no plating)	12 mm	400 mm		
9768B120495	DIN 976-B Threaded Rod, Steel 8.8, M12 x 495, Chamfered Ends, Pl	Steel 8.8	M12 x 495	Plain (no plating)	12 mm	495 mm		
9768B1205501	DIN 976-B Threaded Rod, Steel 8.8, M12 x 550, Chamfered Ends, Pl	Steel 8.8	M12 x 550	Zinc Bright Passivation Fe/Zn P1	12 mm	550 mm		
9768B121000GEO	DIN 976-B Threaded Rod, Steel 8.8, M12 x 1000, Chamfered Ends, Pl	Steel 8.8	M12 x 1000	GEOMET not specified	12 mm	1000 mm		
9768B1210501	DIN 976-B Threaded Rod, Steel 8.8, M12 x 1050, Chamfered Ends, Pl	Steel 8.8	M12 x 1050	Zinc Bright Passivation Fe/Zn P1	12 mm	1050 mm		
9768B1217051	DIN 976-B Threaded Rod, Steel 8.8, M12 x 1705, Chamfered Ends, Pl	Steel 8.8	M12 x 1705	Zinc Bright Passivation Fe/Zn P1	12 mm	1705 mm		
9768B1221051	DIN 976-B Threaded Rod, Steel 8.8, M12 x 2105, Chamfered Ends, Pl	Steel 8.8	M12 x 2105	Zinc Bright Passivation Fe/Zn P1	12 mm	2105 mm		
9768B140080ZNB	DIN 976-B Threaded Rod, Steel 8.8, M14 x 80, Chamfered Ends, Pl	Steel 8.8	M14 x 80	Zinc-Nickel Fe/Zn-Ni BLACK	14 mm	80 mm		
9768B1601001	DIN 976-B Threaded Rod, Steel 8.8, M16 x 100, Chamfered Ends, Pl	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm		
9768B160120	DIN 976-B Threaded Rod, Steel 8.8, M16 x 120, Chamfered Ends, Pl	Steel 8.8	M16 x 120	Plain (no plating)	16 mm	120 mm		
9768B1601201	DIN 976-B Threaded Rod, Steel 8.8, M16 x 120, Chamfered Ends, Pl	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm		
9768B160140	DIN 976-B Threaded Rod, Steel 8.8, M16 x 140, Chamfered Ends, Pl	Steel 8.8	M16 x 140	Plain (no plating)	16 mm	140 mm		
9768B1601801	DIN 976-B Threaded Rod, Steel 8.8, M16 x 180, Chamfered Ends, Pl	Steel 8.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm		
9768B1601802	DIN 976-B Threaded Rod, Steel 8.8, M16 x 180, Chamfered Ends, Pl	Steel 8.8	M16 x 180	Hot Dip Galvanizing	16 mm	180 mm		
9768B160350ZNB	DIN 976-B Threaded Rod, Steel 8.8, M16 x 350, Chamfered Ends, Pl	Steel 8.8	M16 x 350	ZPL 8 MICRON	16 mm	350 mm		
9768B160450	DIN 976-B Threaded Rod, Steel 8.8, M16 x 450, Chamfered Ends, Pl	Steel 8.8	M16 x 450	Plain (no plating)	16 mm	450 mm		
9768B1620001	DIN 976-B Threaded Rod, Steel 8.8, M16 x 2000, Chamfered Ends, Pl	Steel 8.8	M16 x 2000	Zinc Bright Passivation Fe/Zn P1	16 mm	2000 mm		
9768B162000ZNB	DIN 976-B Threaded Rod, Steel 8.8, M16 x 2000, Chamfered Ends, Pl	Steel 8.8	M16 x 2000	ZPL 8 MICRON	16 mm	2000 mm		
9768B200150	DIN 976-B Threaded Rod, Steel 8.8, M20 x 150, Chamfered Ends, Pl	Steel 8.8	M20 x 150	Plain (no plating)	20 mm	150 mm		
9768B2001501	DIN 976-B Threaded Rod, Steel 8.8, M20 x 150, Chamfered Ends, Pl	Steel 8.8	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm		
9768B200245GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 245, Chamfered Ends, Pl	Steel 8.8	M20 x 245	GEOMET	20 mm	245 mm		
9768B200280GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 280, Chamfered Ends, Pl	Steel 8.8	M20 x 280	GEOMET	20 mm	280 mm		
9768B200305GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 305, Chamfered Ends, Pl	Steel 8.8	M20 x 305	GEOMET	20 mm	305 mm		

Chamfered Ends, Zi

Steel 8.8

M20 x 305

GEOMET

20 mm

305 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9768B2003301	DIN 976-B Threaded Rod, Steel 8.8, M20 x 330, Chamfered Ends, Zi	Steel 8.8	M20 x 330	Zinc Bright Passivation Fe/Zn P1	20 mm	330 mm		
9768B200380	DIN 976-B Threaded Rod, Steel 8.8, M20 x 380, Chamfered Ends, Zi	Steel 8.8	M20 x 380	Plain (no plating)	20 mm	380 mm		
9768B200380A3C	DIN 976-B Threaded Rod, Steel 8.8, M20 x 380, Chamfered Ends, Zi	Steel 8.8	M20 x 380	ZPL 8 MICRON	20 mm	380 mm		
9768B200450GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 450, Chamfered Ends, Zi	Steel 8.8	M20 x 450	GEOMET	20 mm	450 mm		
9768B200470GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 470, Chamfered Ends, Zi	Steel 8.8	M20 x 470	GEOMET	20 mm	470 mm		
9768B200520GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 520, Chamfered Ends, Zi	Steel 8.8	M20 x 520	GEOMET	20 mm	520 mm		
9768B2005401	DIN 976-B Threaded Rod, Steel 8.8, M20 x 540, Chamfered Ends, Zi	Steel 8.8	M20 x 540	Zinc Bright Passivation Fe/Zn P1	20 mm	540 mm		
9768B200600GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 600, Chamfered Ends, Zi	Steel 8.8	M20 x 600	GEOMET	20 mm	600 mm		
9768B200665	DIN 976-B Threaded Rod, Steel 8.8, M20 x 665, Chamfered Ends, Zi	Steel 8.8	M20 x 665	Plain (no plating)	20 mm	665 mm		
9768B200700GEO	DIN 976-B Threaded Rod, Steel 8.8, M20 x 700, Chamfered Ends, Zi	Steel 8.8	M20 x 700	GEOMET	20 mm	700 mm		
9768B2401801	DIN 976-B Threaded Rod, Steel 8.8, M24 x 180, Chamfered Ends, Zi	Steel 8.8	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm		
9768B2402401	DIN 976-B Threaded Rod, Steel 8.8, M24 x 240, Chamfered Ends, Zi	Steel 8.8	M24 x 240	Zinc Bright Passivation Fe/Zn P1	24 mm	240 mm		
9768B2402801	DIN 976-B Threaded Rod, Steel 8.8, M24 x 280, Chamfered Ends, Zi	Steel 8.8	M24 x 280	Zinc Bright Passivation Fe/Zn P1	24 mm	280 mm		
9768B240400	DIN 976-B Threaded Rod, Steel 8.8, M24 x 400, Chamfered Ends, Zi	Steel 8.8	M24 x 400	Plain (no plating)	24 mm	400 mm		
9768B240400ZN12	DIN 976-B Threaded Rod, Steel 8.8, M24 x 400, Chamfered Ends, Zi	Steel 8.8	M24 x 400	ZPL 12 MICRON	24 mm	400 mm		
9768B240600	DIN 976-B Threaded Rod, Steel 8.8, M24 x 600, Chamfered Ends, Zi	Steel 8.8	M24 x 600	Plain (no plating)	24 mm	600 mm		
9768B240600ZN12	DIN 976-B Threaded Rod, Steel 8.8, M24 x 600, Chamfered Ends, Zi	Steel 8.8	M24 x 600	ZPL 12 MICRON	24 mm	600 mm		
9768B240660ZN12	DIN 976-B Threaded Rod, Steel 8.8, M24 x 660, Chamfered Ends, Zi	Steel 8.8	M24 x 660	ZPL 12 MICRON	24 mm	660 mm		
9768B240800ZN12	DIN 976-B Threaded Rod, Steel 8.8, M24 x 800, Chamfered Ends, Zi	Steel 8.8	M24 x 800	ZPL 12 MICRON	24 mm	800 mm		
9768B241365ZN12	DIN 976-B Threaded Rod, Steel 8.8, M24 x 1365, Chamfered Ends, Zi	Steel 8.8	M24 x 1365	ZPL 12 MICRON	24 mm	1365 mm		
9768B24150495	DIN 976-B Threaded Rod, Steel 8.8, M24 x 1.5 x 495, Chamfered Ends, Zi	Steel 8.8	M24 x 1.5 x 495	Plain (no plating)	24 mm	495 mm		
9768B2702602	DIN 976-B Threaded Rod, Steel 8.8, M27 x 260, Chamfered Ends, Zi	Steel 8.8	M27 x 260	Hot Dip Galvanizing	27 mm	260 mm		
9768B3001301	DIN 976-B Threaded Rod, Steel 8.8, M30 x 130, Chamfered Ends, Zi	Steel 8.8	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm		
9768B3002701	DIN 976-B Threaded Rod, Steel 8.8, M30 x 270, Chamfered Ends, Zi	Steel 8.8	M30 x 270	Zinc Bright Passivation Fe/Zn P1	30 mm	270 mm		
9768B3004701	DIN 976-B Threaded Rod, Steel 8.8, M30 x 470, Chamfered Ends, Zi	Steel 8.8	M30 x 470	Zinc Bright Passivation Fe/Zn P1	30 mm	470 mm		
9768B300700ZN12	DIN 976-B Threaded Rod, Steel 8.8, M30 x 700, Chamfered Ends, Zi	Steel 8.8	M30 x 700	ZPL 12 MICRON	30 mm	700 mm		
9768B301000ZN12	DIN 976-B Threaded Rod, Steel 8.8, M30 x 1000, Chamfered Ends, Zi	Steel 8.8	M30 x 1000	ZPL 12 MICRON	30 mm	1000 mm		
9768B3303401	DIN 976-B Threaded Rod, Steel 8.8, M33 x 340, Chamfered Ends, Zi	Steel 8.8	M33 x 340	Zinc Bright Passivation Fe/Zn P1	33 mm	340 mm		
9768B331000	DIN 976-B Threaded Rod, Steel 8.8, M33 x 1000, Chamfered Ends, Zi	Steel 8.8	M33 x 1000	Plain (no plating)	33 mm	1000 mm		
9768B3603401	DIN 976-B Threaded Rod, Steel 8.8, M36 x 340, Chamfered Ends, Zi	Steel 8.8	M36 x 340	Zinc Bright Passivation Fe/Zn P1	36 mm	340 mm		
9768B3604002	DIN 976-B Threaded Rod, Steel 8.8, M36 x 400, Chamfered Ends, Zi	Steel 8.8	M36 x 400	Hot Dip Galvanizing	36 mm	400 mm		
9768B423150	DIN 976-B Threaded Rod, Steel 8.8, M42 x 3150, Chamfered Ends, Zi	Steel 8.8	M42 x 3150	Plain (no plating)	42 mm	3150 mm		
9768B520360	DIN 976-B Threaded Rod, Steel 8.8, M52 x 360, Chamfered Ends, Zi	Steel 8.8	M52 x 360	Plain (no plating)	52 mm	360 mm		
976A206013670	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 136, Chamfered Ends, Pl	Stainless A2-70	M6 x 136	Plain (no plating)	6 mm	136 mm		
976A206068570	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 685, Chamfered Ends, Pl	Stainless A2-70	M6 x 685	Plain (no plating)	6 mm	685 mm		
976A206088570	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 885, Chamfered Ends, Pl	Stainless A2-70	M6 x 885	Plain (no plating)	6 mm	885 mm		
976A2080050	DIN 976-A Threaded Rod, Stainless A2, M8 x 50, Chamfered Ends, Ho	Stainless A2	M8 x 50	Plain (no plating)	8 mm	50 mm		
976A2100090	DIN 976-A Threaded Rod, Stainless A2, M10 x 90, Chamfered Ends, Ho	Stainless A2	M10 x 90	Plain (no plating)	10 mm	90 mm		
976A2160370	DIN 976-A Threaded Rod, Stainless A2, M16 x 370, Chamfered Ends, Ho	Stainless A2	M16 x 370	Plain (no plating)	16 mm	370 mm		
976A2A021000	DIN 976-A Threaded Rod, Stainless A2-70, M2 x 1000, Chamfered Ends, Zi	Stainless A2-70	M2 x 1000	Plain (no plating)	2 mm	1000 mm		
976A2A0251000	DIN 976-A Threaded Rod, Stainless A2-70, M2.5 x 1000, Chamfered Ends, Zi	Stainless A2-70	M2.5 x 1000	Plain (no plating)	2.5 mm	1000 mm		
976A2A030040	DIN 976-A Threaded Rod, Stainless A2-70, M3 x 40, Chamfered Ends, Zi	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm		
976A2A030100	DIN 976-A Threaded Rod, Stainless A2-70, M3 x 100, Chamfered Ends, Zi	Stainless A2-70	M3 x 100	Plain (no plating)	3 mm	100 mm		
976A2A031000	DIN 976-A Threaded Rod, Stainless A2-70, M3 x 1000, Chamfered Ends, Zi	Stainless A2-70	M3 x 1000	Plain (no plating)	3 mm	1000 mm		
976A2A040055	DIN 976-A Threaded Rod, Stainless A2-70, M4 x 55, Chamfered Ends, Zi	Stainless A2-70	M4 x 55	Plain (no plating)	4 mm	55 mm		
976A2A040155	DIN 976-A Threaded Rod, Stainless A2-70, M4 x 155, Chamfered Ends, Zi	Stainless A2-70	M4 x 155	Plain (no plating)	4 mm	155 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A2A041000	DIN 976-A Threaded Rod, Stainless A2-70, M4 x 1000	Stainless A2-70	M4 x 1000	Plain (no plating)	4 mm	1000 mm		
976A2A050030	DIN 976-A Threaded Rod, Stainless A2, M5 x 30	Stainless A2	M5 x 30	Plain (no plating)	5 mm	30 mm		
976A2A050040	DIN 976-A Threaded Rod, Stainless A2-70, M5 x 40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm		
976A2A050050	DIN 976-A Threaded Rod, Stainless A2-70, M5 x 50	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm		
976A2A050065	DIN 976-A Threaded Rod, Stainless A2, M5 x 65	Stainless A2	M5 x 65	Plain (no plating)	5 mm	65 mm		
976A2A051000	DIN 976-A Threaded Rod, Stainless A2-70, M5 x 1000	Stainless A2-70	M5 x 1000	Plain (no plating)	5 mm	1000 mm		
976A2A053000	DIN 976-A Threaded Rod, Stainless A2-70, M5 x 3000	Stainless A2-70	M5 x 3000	Plain (no plating)	5 mm	3000 mm		
976A2A060016	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 16	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm		
976A2A060020	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 20	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm		
976A2A060025	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 25	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm		
976A2A060028	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 28	Stainless A2-70	M6 x 28	Plain (no plating)	6 mm	28 mm		
976A2A060030	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 30	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm		
976A2A060035	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 35	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm		
976A2A060038	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 38	Stainless A2-70	M6 x 38	Plain (no plating)	6 mm	38 mm		
976A2A060040	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 40	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm		
976A2A060044	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 44	Stainless A2-70	M6 x 44	Plain (no plating)	6 mm	44 mm		
976A2A060045	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 45	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm		
976A2A060050	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 50	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm		
976A2A060053	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 53	Stainless A2-70	M6 x 53	Plain (no plating)	6 mm	53 mm		
976A2A060060	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 60	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm		
976A2A060065	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 65	Stainless A2-70	M6 x 65	Plain (no plating)	6 mm	65 mm		
976A2A060075	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 75	Stainless A2-70	M6 x 75	Plain (no plating)	6 mm	75 mm		
976A2A060080	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 80	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm		
976A2A060095	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 95	Stainless A2-70	M6 x 95	Plain (no plating)	6 mm	95 mm		
976A2A060100	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 100	Stainless A2-70	M6 x 100	Plain (no plating)	6 mm	100 mm		
976A2A060120	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 120	Stainless A2-70	M6 x 120	Plain (no plating)	6 mm	120 mm		
976A2A060130	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 130	Stainless A2-70	M6 x 130	Plain (no plating)	6 mm	130 mm		
976A2A060150	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 150	Stainless A2-70	M6 x 150	Plain (no plating)	6 mm	150 mm		
976A2A060160	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 160	Stainless A2-70	M6 x 160	Plain (no plating)	6 mm	160 mm		
976A2A060200	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 200	Stainless A2-70	M6 x 200	Plain (no plating)	6 mm	200 mm		
976A2A060215	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 215	Stainless A2-70	M6 x 215	Plain (no plating)	6 mm	215 mm		
976A2A060230	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 230	Stainless A2-70	M6 x 230	Plain (no plating)	6 mm	230 mm		
976A2A060256	DIN 976-A Threaded Rod, Stainless A2-50, M6 x 256	Stainless A2-50	M6 x 256	Plain (no plating)	6 mm	256 mm		
976A2A060395	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 395	Stainless A2-70	M6 x 395	Plain (no plating)	6 mm	395 mm		
976A2A061000	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 1000	Stainless A2-70	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
976A2A062000	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 2000	Stainless A2-70	M6 x 2000	Plain (no plating)	6 mm	2000 mm		
976A2A063000	DIN 976-A Threaded Rod, Stainless A2-70, M6 x 3000	Stainless A2-70	M6 x 3000	Plain (no plating)	6 mm	3000 mm		
976A2A080020	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 20	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm		
976A2A080030	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 30	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm		
976A2A080035	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 35	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm		
976A2A080040	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 40	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm		
976A2A080045	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 45	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm		
976A2A080048	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 48	Stainless A2-70	M8 x 48	Plain (no plating)	8 mm	48 mm		
976A2A080050	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 50	Stainless A2-70	M8 x 50	Plain (no plating)	8 mm	50 mm		
976A2A080055	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 55	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm		
976A2A080060	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 60	Stainless A2-70	M8 x 60	Plain (no plating)	8 mm	60 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A2A080080	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 80	Stainless A2-70	M8 x 80	Plain (no plating)	8 mm	80 mm		
976A2A080090	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 90	Stainless A2-70	M8 x 90	Plain (no plating)	8 mm	90 mm		
976A2A080100	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 100	Stainless A2-70	M8 x 100	Plain (no plating)	8 mm	100 mm		
976A2A080125	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 125	Stainless A2-70	M8 x 125	Plain (no plating)	8 mm	125 mm		
976A2A080130	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 130	Stainless A2-70	M8 x 130	Plain (no plating)	8 mm	130 mm		
976A2A080131	DIN 976-A Threaded Rod, Stainless A2, M8 x 131	Stainless A2	M8 x 131	Plain (no plating)	8 mm	131 mm		
976A2A080150	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 150	Stainless A2-70	M8 x 150	Plain (no plating)	8 mm	150 mm		
976A2A080152	DIN 976-A Threaded Rod, Stainless A2, M8 x 152	Stainless A2	M8 x 152	Plain (no plating)	8 mm	152 mm		
976A2A080170	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 170	Stainless A2-70	M8 x 170	Plain (no plating)	8 mm	170 mm		
976A2A080180	DIN 976-A Threaded Rod, Stainless A2, M8 x 180	Stainless A2	M8 x 180	Plain (no plating)	8 mm	180 mm		
976A2A080200	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 200	Stainless A2-70	M8 x 200	Plain (no plating)	8 mm	200 mm		
976A2A080220	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 220	Stainless A2-70	M8 x 220	Plain (no plating)	8 mm	220 mm		
976A2A080233	DIN 976-A Threaded Rod, Stainless A2, M8 x 233	Stainless A2	M8 x 233	Plain (no plating)	8 mm	233 mm		
976A2A080250	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 250	Stainless A2-70	M8 x 250	Plain (no plating)	8 mm	250 mm		
976A2A080300	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 300	Stainless A2-70	M8 x 300	Plain (no plating)	8 mm	300 mm		
976A2A080500	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 500	Stainless A2-70	M8 x 500	Plain (no plating)	8 mm	500 mm		
976A2A081000	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 1000	Stainless A2-70	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
976A2A082000	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 2000	Stainless A2-70	M8 x 2000	Plain (no plating)	8 mm	2000 mm		
976A2A083000	DIN 976-A Threaded Rod, Stainless A2-70, M8 x 3000	Stainless A2-70	M8 x 3000	Plain (no plating)	8 mm	3000 mm		
976A2A100025	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 25	Stainless A2-70	M10 x 25	Plain (no plating)	10 mm	25 mm		
976A2A100033	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 33	Stainless A2-70	M10 x 33	Plain (no plating)	10 mm	33 mm		
976A2A100045	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 45	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm		
976A2A100060	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 60	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm		
976A2A100065	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 65	Stainless A2-70	M10 x 65	Plain (no plating)	10 mm	65 mm		
976A2A100070	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 70	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm		
976A2A100085	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 85	Stainless A2-70	M10 x 85	Plain (no plating)	10 mm	85 mm		
976A2A100100	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 100	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm		
976A2A100120	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 120	Stainless A2-70	M10 x 120	Plain (no plating)	10 mm	120 mm		
976A2A100140	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 140	Stainless A2-70	M10 x 140	Plain (no plating)	10 mm	140 mm		
976A2A100150	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 150	Stainless A2-70	M10 x 150	Plain (no plating)	10 mm	150 mm		
976A2A100160	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 160	Stainless A2-70	M10 x 160	Plain (no plating)	10 mm	160 mm		
976A2A100170	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 170	Stainless A2-70	M10 x 170	Plain (no plating)	10 mm	170 mm		
976A2A100180	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 180	Stainless A2-70	M10 x 180	Plain (no plating)	10 mm	180 mm		
976A2A100197	DIN 976-A Threaded Rod, Stainless A2, M10 x 197	Stainless A2	M10 x 197	Plain (no plating)	10 mm	197 mm		
976A2A100200	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 200	Stainless A2-70	M10 x 200	Plain (no plating)	10 mm	200 mm		
976A2A100300	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 300	Stainless A2-70	M10 x 300	Plain (no plating)	10 mm	300 mm		
976A2A101000	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 1000	Stainless A2-70	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
976A2A101000C	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 1000	Stainless A2-70	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
976A2A102000	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 2000	Stainless A2-70	M10 x 2000	Plain (no plating)	10 mm	2000 mm		
976A2A103000	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 3000	Stainless A2-70	M10 x 3000	Plain (no plating)	10 mm	3000 mm		
976A2A120035	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 35	Stainless A2-70	M12 x 35	Plain (no plating)	12 mm	35 mm		
976A2A120040	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 40	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm		
976A2A120050	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 50	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm		
976A2A120080	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 80	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm		
976A2A120085	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 85	Stainless A2-70	M12 x 85	Plain (no plating)	12 mm	85 mm		
976A2A120090	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 90	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A2A120110	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 110	Stainless A2-70	M12 x 110	Plain (no plating)	12 mm	110 mm		
976A2A120124	DIN 976-A Threaded Rod, Stainless A2, M12 x 124	Stainless A2	M12 x 124	Plain (no plating)	12 mm	124 mm		
976A2A120125	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 125	Stainless A2-70	M12 x 125	Plain (no plating)	12 mm	125 mm		
976A2A120140	DIN 976-A Threaded Rod, Stainless A2, M12 x 140	Stainless A2	M12 x 140	Plain (no plating)	12 mm	140 mm		
976A2A120155	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 155	Stainless A2-70	M12 x 155	Plain (no plating)	12 mm	155 mm		
976A2A120160	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 160	Stainless A2-70	M12 x 160	Plain (no plating)	12 mm	160 mm		
976A2A120180	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 180	Stainless A2-70	M12 x 180	Plain (no plating)	12 mm	180 mm		
976A2A120190	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 190	Stainless A2-70	M12 x 190	Plain (no plating)	12 mm	190 mm		
976A2A120200	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 200	Stainless A2-70	M12 x 200	Plain (no plating)	12 mm	200 mm		
976A2A120210	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 210	Stainless A2-70	M12 x 210	Plain (no plating)	12 mm	210 mm		
976A2A120220	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 220	Stainless A2-70	M12 x 220	Plain (no plating)	12 mm	220 mm		
976A2A120225	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 225	Stainless A2-70	M12 x 225	Plain (no plating)	12 mm	225 mm		
976A2A120230	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 230	Stainless A2-70	M12 x 230	Plain (no plating)	12 mm	230 mm		
976A2A120240	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 240	Stainless A2-70	M12 x 240	Plain (no plating)	12 mm	240 mm		
976A2A120350	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 350	Stainless A2-70	M12 x 350	Plain (no plating)	12 mm	350 mm		
976A2A120600	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 600	Stainless A2-70	M12 x 600	Plain (no plating)	12 mm	600 mm		
976A2A121000	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 1000	Stainless A2-70	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
976A2A122000	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 2000	Stainless A2-70	M12 x 2000	Plain (no plating)	12 mm	2000 mm		
976A2A123000	DIN 976-A Threaded Rod, Stainless A2-70, M12 x 3000	Stainless A2-70	M12 x 3000	Plain (no plating)	12 mm	3000 mm		
976A2A140190	DIN 976-A Threaded Rod, Stainless A2-70, M14 x 190	Stainless A2-70	M14 x 190	Plain (no plating)	14 mm	190 mm		
976A2A141000	DIN 976-A Threaded Rod, Stainless A2-70, M14 x 1000	Stainless A2-70	M14 x 1000	Plain (no plating)	14 mm	1000 mm		
976A2A142000	DIN 976-A Threaded Rod, Stainless A2-70, M14 x 2000	Stainless A2-70	M14 x 2000	Plain (no plating)	14 mm	2000 mm		
976A2A143000	DIN 976-A Threaded Rod, Stainless A2-70, M14 x 3000	Stainless A2-70	M14 x 3000	Plain (no plating)	14 mm	3000 mm		
976A2A160060	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 60	Stainless A2-70	M16 x 60	Plain (no plating)	16 mm	60 mm		
976A2A160065	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 65	Stainless A2-70	M16 x 65	Plain (no plating)	16 mm	65 mm		
976A2A160090	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 90	Stainless A2-70	M16 x 90	Plain (no plating)	16 mm	90 mm		
976A2A160100	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 100	Stainless A2-70	M16 x 100	Plain (no plating)	16 mm	100 mm		
976A2A160110	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 110	Stainless A2-70	M16 x 110	Plain (no plating)	16 mm	110 mm		
976A2A160115	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 115	Stainless A2-70	M16 x 115	Plain (no plating)	16 mm	115 mm		
976A2A160120	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 120	Stainless A2-70	M16 x 120	Plain (no plating)	16 mm	120 mm		
976A2A160130	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 130	Stainless A2-70	M16 x 130	Plain (no plating)	16 mm	130 mm		
976A2A160140	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 140	Stainless A2-70	M16 x 140	Plain (no plating)	16 mm	140 mm		
976A2A160145	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 145	Stainless A2-70	M16 x 145	Plain (no plating)	16 mm	145 mm		
976A2A160150	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 150	Stainless A2-70	M16 x 150	Plain (no plating)	16 mm	150 mm		
976A2A160160	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 160	Stainless A2-70	M16 x 160	Plain (no plating)	16 mm	160 mm		
976A2A160175	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 175	Stainless A2-70	M16 x 175	Plain (no plating)	16 mm	175 mm		
976A2A160190	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 190	Stainless A2-70	M16 x 190	Plain (no plating)	16 mm	190 mm		
976A2A160200	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 200	Stainless A2-70	M16 x 200	Plain (no plating)	16 mm	200 mm		
976A2A160290	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 290	Stainless A2-70	M16 x 290	Plain (no plating)	16 mm	290 mm		
976A2A160300	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 300	Stainless A2-70	M16 x 300	Plain (no plating)	16 mm	300 mm		
976A2A160600	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 600	Stainless A2-70	M16 x 600	Plain (no plating)	16 mm	600 mm		
976A2A161000	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 1000	Stainless A2-70	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A2A161000C	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 1000	Stainless A2-70	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A2A16150100	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 1.5 x 100	Stainless A2-70	M16 x 1.5 x 100	Plain (no plating)	16 mm	100 mm		
976A2A16151000	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 1.5 x 1000	Stainless A2-70	M16 x 1.5 x 1000	Plain (no plating)	16 mm	1000 mm		
976A2A162000	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 2000	Stainless A2-70	M16 x 2000	Plain (no plating)	16 mm	2000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A2A163000	DIN 976-A Threaded Rod, Stainless A2-70, M16 x 3000	Stainless A2-70	M16 x 3000	Plain (no plating)	16 mm	3000 mm		
976A2A181000	DIN 976-A Threaded Rod, Stainless A2-70, M18 x 1000	Stainless A2-70	M18 x 1000	Plain (no plating)	18 mm	1000 mm		
976A2A183000	DIN 976-A Threaded Rod, Stainless A2-70, M18 x 3000	Stainless A2-70	M18 x 3000	Plain (no plating)	18 mm	3000 mm		
976A2A200100	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 100	Stainless A2-70	M20 x 100	Plain (no plating)	20 mm	100 mm		
976A2A200110	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 110	Stainless A2-70	M20 x 110	Plain (no plating)	20 mm	110 mm		
976A2A200180	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 180	Stainless A2-70	M20 x 180	Plain (no plating)	20 mm	180 mm		
976A2A200200	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 200	Stainless A2-70	M20 x 200	Plain (no plating)	20 mm	200 mm		
976A2A200237	DIN 976-A Threaded Rod, Stainless A2, M20 x 237	Stainless A2	M20 x 237	Plain (no plating)	20 mm	237 mm		
976A2A200240	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 240	Stainless A2-70	M20 x 240	Plain (no plating)	20 mm	240 mm		
976A2A200280	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 280	Stainless A2-70	M20 x 280	Plain (no plating)	20 mm	280 mm		
976A2A200290	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 290	Stainless A2-70	M20 x 290	Plain (no plating)	20 mm	290 mm		
976A2A200500	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 500	Stainless A2-70	M20 x 500	Plain (no plating)	20 mm	500 mm		
976A2A201000	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 1000	Stainless A2-70	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
976A2A201000C	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 1000	Stainless A2-70	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
976A2A20150110	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 1.5 x 110	Stainless A2-70	M20 x 1.5 x 110	Plain (no plating)	20 mm	110 mm		
976A2A202000	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 2000	Stainless A2-70	M20 x 2000	Plain (no plating)	20 mm	2000 mm		
976A2A203000	DIN 976-A Threaded Rod, Stainless A2-70, M20 x 3000	Stainless A2-70	M20 x 3000	Plain (no plating)	20 mm	3000 mm		
976A2A221000	DIN 976-A Threaded Rod, Stainless A2-70, M22 x 1000	Stainless A2-70	M22 x 1000	Plain (no plating)	22 mm	1000 mm		
976A2A222000	DIN 976-A Threaded Rod, Stainless A2-70, M22 x 2000	Stainless A2-70	M22 x 2000	Plain (no plating)	22 mm	2000 mm		
976A2A223000	DIN 976-A Threaded Rod, Stainless A2-70, M22 x 3000	Stainless A2-70	M22 x 3000	Plain (no plating)	22 mm	3000 mm		
976A2A240230	DIN 976-A Threaded Rod, Stainless A2, M24 x 230	Stainless A2	M24 x 230	Plain (no plating)	24 mm	230 mm		
976A2A240300	DIN 976-A Threaded Rod, Stainless A2, M24 x 300	Stainless A2	M24 x 300	Plain (no plating)	24 mm	300 mm		
976A2A240330	DIN 976-A Threaded Rod, Stainless A2, M24 x 330	Stainless A2	M24 x 330	Plain (no plating)	24 mm	330 mm		
976A2A240360	DIN 976-A Threaded Rod, Stainless A2-70, M24 x 360	Stainless A2-70	M24 x 360	Plain (no plating)	24 mm	360 mm		
976A2A240550	DIN 976-A Threaded Rod, Stainless A2-70, M24 x 550	Stainless A2-70	M24 x 550	Plain (no plating)	24 mm	550 mm		
976A2A241000	DIN 976-A Threaded Rod, Stainless A2-70, M24 x 1000	Stainless A2-70	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
976A2A242000	DIN 976-A Threaded Rod, Stainless A2-70, M24 x 2000	Stainless A2-70	M24 x 2000	Plain (no plating)	24 mm	2000 mm		
976A2A243000	DIN 976-A Threaded Rod, Stainless A2-70, M24 x 3000	Stainless A2-70	M24 x 3000	Plain (no plating)	24 mm	3000 mm		
976A2A270270	DIN 976-A Threaded Rod, Stainless A2, M27 x 270	Stainless A2	M27 x 270	Plain (no plating)	27 mm	270 mm		
976A2A270360	DIN 976-A Threaded Rod, Stainless A2, M27 x 360	Stainless A2	M27 x 360	Plain (no plating)	27 mm	360 mm		
976A2A270395	DIN 976-A Threaded Rod, Stainless A2, M27 x 395	Stainless A2	M27 x 395	Plain (no plating)	27 mm	395 mm		
976A2A271000	DIN 976-A Threaded Rod, Stainless A2, M27 x 1000	Stainless A2	M27 x 1000	Plain (no plating)	27 mm	1000 mm		
976A2A272000	DIN 976-A Threaded Rod, Stainless A2, M27 x 2000	Stainless A2	M27 x 2000	Plain (no plating)	27 mm	2000 mm		
976A2A273000	DIN 976-A Threaded Rod, Stainless A2, M27 x 3000	Stainless A2	M27 x 3000	Plain (no plating)	27 mm	3000 mm		
976A2A300380	DIN 976-A Threaded Rod, Stainless A2, M30 x 380	Stainless A2	M30 x 380	Plain (no plating)	30 mm	380 mm		
976A2A300395	DIN 976-A Threaded Rod, Stainless A2, M30 x 395	Stainless A2	M30 x 395	Plain (no plating)	30 mm	395 mm		
976A2A301000	DIN 976-A Threaded Rod, Stainless A2, M30 x 1000	Stainless A2	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
976A2A302000	DIN 976-A Threaded Rod, Stainless A2, M30 x 2000	Stainless A2	M30 x 2000	Plain (no plating)	30 mm	2000 mm		
976A2A303000	DIN 976-A Threaded Rod, Stainless A2, M30 x 3000	Stainless A2	M30 x 3000	Plain (no plating)	30 mm	3000 mm		
976A2A330180	DIN 976-A Threaded Rod, Stainless A2, M33 x 180	Stainless A2	M33 x 180	Plain (no plating)	33 mm	180 mm		
976A2A330420	DIN 976-A Threaded Rod, Stainless A2, M33 x 420	Stainless A2	M33 x 420	Plain (no plating)	33 mm	420 mm		
976A2A331000	DIN 976-A Threaded Rod, Stainless A2, M33 x 1000	Stainless A2	M33 x 1000	Plain (no plating)	33 mm	1000 mm		
976A2A361000	DIN 976-A Threaded Rod, Stainless A2, M36 x 1000	Stainless A2	M36 x 1000	Plain (no plating)	36 mm	1000 mm		
976A2A390450	DIN 976-A Threaded Rod, Stainless A2, M39 x 450	Stainless A2	M39 x 450	Plain (no plating)	39 mm	450 mm		
976A2A391000	DIN 976-A Threaded Rod, Stainless A2, M39 x 1000	Stainless A2	M39 x 1000	Plain (no plating)	39 mm	1000 mm		
976A2A421000	DIN 976-A Threaded Rod, Stainless A2, M42 x 1000	Stainless A2	M42 x 1000	Plain (no plating)	42 mm	1000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A2A451000	DIN 976-A Threaded Rod, Stainless A2, M45 x 1000	Stainless A2	M45 x 1000	Plain (no plating)	45 mm	1000 mm		
976A2A481000	DIN 976-A Threaded Rod, Stainless A2, M48 x 1000	Stainless A2	M48 x 1000	Plain (no plating)	48 mm	1000 mm		
976A2A521000	DIN 976-A Threaded Rod, Stainless A2, M52 x 1000	Stainless A2	M52 x 1000	Plain (no plating)	52 mm	1000 mm		
976A2AL101000	DIN 976-A Threaded Rod, Stainless A2-70, M10 x 1000, Left Hand Thread	Stainless A2-70	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
976A2AL121000	DIN 976-A Threaded Rod, Stainless A2, M12 x 1000, Left Hand Thread	Stainless A2	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
976A2B030040	DIN 976-B Threaded Rod, Stainless A2-70, M3 x 40, Chamfered Ends	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm		
976A2B030050	DIN 976-B Threaded Rod, Stainless A2-70, M3 x 50, Chamfered Ends	Stainless A2-70	M3 x 50	Plain (no plating)	3 mm	50 mm		
976A2B040025	DIN 976-B Threaded Rod, Stainless A2-70, M4 x 25, Chamfered Ends	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm		
976A2B040050	DIN 976-B Threaded Rod, Stainless A2-70, M4 x 50, Chamfered Ends	Stainless A2-70	M4 x 50	Plain (no plating)	4 mm	50 mm		
976A2B050050	DIN 976-B Threaded Rod, Stainless A2-70, M5 x 50, Chamfered Ends	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm		
976A2B050055	DIN 976-B Threaded Rod, Stainless A2-70, M5 x 55, Chamfered Ends	Stainless A2-70	M5 x 55	Plain (no plating)	5 mm	55 mm		
976A2B050090	DIN 976-B Threaded Rod, Stainless A2-70, M5 x 90, Chamfered Ends	Stainless A2-70	M5 x 90	Plain (no plating)	5 mm	90 mm		
976A2B050100	DIN 976-B Threaded Rod, Stainless A2-70, M5 x 100, Chamfered Ends	Stainless A2-70	M5 x 100	Plain (no plating)	5 mm	100 mm		
976A2B050150	DIN 976-B Threaded Rod, Stainless A2-70, M5 x 150, Chamfered Ends	Stainless A2-70	M5 x 150	Plain (no plating)	5 mm	150 mm		
976A2B060015	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 15, Chamfered Ends	Stainless A2-70	M6 x 15	Plain (no plating)	6 mm	15 mm		
976A2B060016	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 16, Chamfered Ends	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm		
976A2B060030	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 30, Chamfered Ends	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm		
976A2B060035	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 35, Chamfered Ends	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm		
976A2B060040	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 40, Chamfered Ends	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm		
976A2B060050	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 50, Chamfered Ends	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm		
976A2B060060	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 60, Chamfered Ends	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm		
976A2B060065	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 65, Chamfered Ends	Stainless A2-70	M6 x 65	Plain (no plating)	6 mm	65 mm		
976A2B060080	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 80, Chamfered Ends	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm		
976A2B060090	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 90, Chamfered Ends	Stainless A2-70	M6 x 90	Plain (no plating)	6 mm	90 mm		
976A2B060110	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 110, Chamfered Ends	Stainless A2-70	M6 x 110	Plain (no plating)	6 mm	110 mm		
976A2B060120	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 120, Chamfered Ends	Stainless A2-70	M6 x 120	Plain (no plating)	6 mm	120 mm		
976A2B060125	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 125, Chamfered Ends	Stainless A2-70	M6 x 125	Plain (no plating)	6 mm	125 mm		
976A2B060140	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 140, Chamfered Ends	Stainless A2-70	M6 x 140	Plain (no plating)	6 mm	140 mm		
976A2B060155	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 155, Chamfered Ends	Stainless A2-70	M6 x 155	Plain (no plating)	6 mm	155 mm		
976A2B060160	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 160, Chamfered Ends	Stainless A2-70	M6 x 160	Plain (no plating)	6 mm	160 mm		
976A2B060170	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 170, Chamfered Ends	Stainless A2-70	M6 x 170	Plain (no plating)	6 mm	170 mm		
976A2B060175	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 175, Chamfered Ends	Stainless A2-70	M6 x 175	Plain (no plating)	6 mm	175 mm		
976A2B060180	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 180, Chamfered Ends	Stainless A2-70	M6 x 180	Plain (no plating)	6 mm	180 mm		
976A2B060195	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 195, Chamfered Ends	Stainless A2-70	M6 x 195	Plain (no plating)	6 mm	195 mm		
976A2B060210	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 210, Chamfered Ends	Stainless A2-70	M6 x 210	Plain (no plating)	6 mm	210 mm		
976A2B060220	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 220, Chamfered Ends	Stainless A2-70	M6 x 220	Plain (no plating)	6 mm	220 mm		
976A2B060260	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 260, Chamfered Ends	Stainless A2-70	M6 x 260	Plain (no plating)	6 mm	260 mm		
976A2B060300	DIN 976-B Threaded Rod, Stainless A2-70, M6 x 300, Chamfered Ends	Stainless A2-70	M6 x 300	Plain (no plating)	6 mm	300 mm		
976A2B080010	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 10, Chamfered Ends	Stainless A2-70	M8 x 10	Plain (no plating)	8 mm	10 mm		
976A2B080020	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 20, Chamfered Ends	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm		
976A2B080025	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 25, Chamfered Ends	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm		
976A2B080030	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 30, Chamfered Ends	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm		
976A2B080045	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 45, Chamfered Ends	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm		
976A2B08005080	DIN 976-B Threaded Rod, Stainless A2-80, M8 x 50, Chamfered Ends	Stainless A2-80	M8 x 50	Plain (no plating)	8 mm	50 mm		
976A2B080055	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 55, Chamfered Ends	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm		
976A2B080060	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 60, Chamfered Ends	Stainless A2-70	M8 x 60	Plain (no plating)	8 mm	60 mm		

Chamfered Ends

Stainless A2-70

M8 x 60

Plain (no plating)

8 mm

60 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A2B080100	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 100, Chamfered End	Stainless A2-70	M8 x 100	Plain (no plating)	8 mm	100 mm		
976A2B080105	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 105, Chamfered End	Stainless A2-70	M8 x 105	Plain (no plating)	8 mm	105 mm		
976A2B080110	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 110, Chamfered End	Stainless A2-70	M8 x 110	Plain (no plating)	8 mm	110 mm		
976A2B080120	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 120, Chamfered End	Stainless A2-70	M8 x 120	Plain (no plating)	8 mm	120 mm		
976A2B080140	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 140, Chamfered End	Stainless A2-70	M8 x 140	Plain (no plating)	8 mm	140 mm		
976A2B080150	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 150, Chamfered End	Stainless A2-70	M8 x 150	Plain (no plating)	8 mm	150 mm		
976A2B080310	DIN 976-B Threaded Rod, Stainless A2-70, M8 x 310, Chamfered End	Stainless A2-70	M8 x 310	Plain (no plating)	8 mm	310 mm		
976A2B100030	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 30, Chamfered End	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm		
976A2B100040	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 40, Chamfered End	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm		
976A2B100045	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 45, Chamfered End	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm		
976A2B100050	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 50, Chamfered End	Stainless A2-70	M10 x 50	Plain (no plating)	10 mm	50 mm		
976A2B100060	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 60, Chamfered End	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm		
976A2B100070	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 70, Chamfered End	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm		
976A2B100075	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 75, Chamfered End	Stainless A2-70	M10 x 75	Plain (no plating)	10 mm	75 mm		
976A2B100085	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 85, Chamfered End	Stainless A2-70	M10 x 85	Plain (no plating)	10 mm	85 mm		
976A2B100090	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 90, Chamfered End	Stainless A2-70	M10 x 90	Plain (no plating)	10 mm	90 mm		
976A2B100092	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 92, Chamfered End	Stainless A2-70	M10 x 92	Plain (no plating)	10 mm	92 mm		
976A2B100100	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 100, Chamfered End	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm		
976A2B100110	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 110, Chamfered End	Stainless A2-70	M10 x 110	Plain (no plating)	10 mm	110 mm		
976A2B100120	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 120, Chamfered End	Stainless A2-70	M10 x 120	Plain (no plating)	10 mm	120 mm		
976A2B100150	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 150, Chamfered End	Stainless A2-70	M10 x 150	Plain (no plating)	10 mm	150 mm		
976A2B100185	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 185, Chamfered End	Stainless A2-70	M10 x 185	Plain (no plating)	10 mm	185 mm		
976A2B100190	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 190, Chamfered End	Stainless A2-70	M10 x 190	Plain (no plating)	10 mm	190 mm		
976A2B100235	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 235, Chamfered End	Stainless A2-70	M10 x 235	Plain (no plating)	10 mm	235 mm		
976A2B100250	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 250, Chamfered End	Stainless A2-70	M10 x 250	Plain (no plating)	10 mm	250 mm		
976A2B100270	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 270, Chamfered End	Stainless A2-70	M10 x 270	Plain (no plating)	10 mm	270 mm		
976A2B10045	DIN 976-B Threaded Rod, Stainless A2, M10 x 45, Chamfered End	Stainless A2	M10 x 45	Plain (no plating)	10 mm	45 mm		
976A2B100450	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 450, Chamfered End	Stainless A2-70	M10 x 450	Plain (no plating)	10 mm	450 mm		
976A2B100500	DIN 976-B Threaded Rod, Stainless A2-70, M10 x 500, Chamfered End	Stainless A2-70	M10 x 500	Plain (no plating)	10 mm	500 mm		
976A2B120030	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 30, Chamfered End	Stainless A2-70	M12 x 30	Plain (no plating)	12 mm	30 mm		
976A2B120035	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 35, Chamfered End	Stainless A2-70	M12 x 35	Plain (no plating)	12 mm	35 mm		
976A2B120050	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 50, Chamfered End	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm		
976A2B120060	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 60, Chamfered End	Stainless A2-70	M12 x 60	Plain (no plating)	12 mm	60 mm		
976A2B120065	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 65, Chamfered End	Stainless A2-70	M12 x 65	Plain (no plating)	12 mm	65 mm		
976A2B120070	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 70, Chamfered End	Stainless A2-70	M12 x 70	Plain (no plating)	12 mm	70 mm		
976A2B120080	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 80, Chamfered End	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm		
976A2B120085	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 85, Chamfered End	Stainless A2-70	M12 x 85	Plain (no plating)	12 mm	85 mm		
976A2B120090	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 90, Chamfered End	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm		
976A2B120110	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 110, Chamfered End	Stainless A2-70	M12 x 110	Plain (no plating)	12 mm	110 mm		
976A2B120115	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 115, Chamfered End	Stainless A2-70	M12 x 115	Plain (no plating)	12 mm	115 mm		
976A2B120120	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 120, Chamfered End	Stainless A2-70	M12 x 120	Plain (no plating)	12 mm	120 mm		
976A2B120130	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 130, Chamfered End	Stainless A2-70	M12 x 130	Plain (no plating)	12 mm	130 mm		
976A2B120150	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 150, Chamfered End	Stainless A2-70	M12 x 150	Plain (no plating)	12 mm	150 mm		
976A2B120190	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 190, Chamfered End	Stainless A2-70	M12 x 190	Plain (no plating)	12 mm	190 mm		
976A2B120220	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 220, Chamfered End	Stainless A2-70	M12 x 220	Plain (no plating)	12 mm	220 mm		
976A2B120250	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 250, Chamfered End	Stainless A2-70	M12 x 250	Plain (no plating)	12 mm	250 mm		

Chamfered En

Stainless A2-70

M12 x 250

Plain (no plating)

12 mm

250 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A2B120280	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 280, Chamfered End	Stainless A2-70	M12 x 280	Plain (no plating)	12 mm	280 mm		
976A2B120290	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 290, Chamfered End	Stainless A2-70	M12 x 290	Plain (no plating)	12 mm	290 mm		
976A2B120300	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 300, Chamfered End	Stainless A2-70	M12 x 300	Plain (no plating)	12 mm	300 mm		
976A2B120400	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 400, Chamfered End	Stainless A2-70	M12 x 400	Plain (no plating)	12 mm	400 mm		
976A2B120645	DIN 976-B Threaded Rod, Stainless A2-70, M12 x 645, Chamfered End	Stainless A2-70	M12 x 645	Plain (no plating)	12 mm	645 mm		
976A2B160040	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 40, Chamfered End	Stainless A2-70	M16 x 40	Plain (no plating)	16 mm	40 mm		
976A2B160050	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 50, Chamfered End	Stainless A2-70	M16 x 50	Plain (no plating)	16 mm	50 mm		
976A2B160055	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 55, Chamfered End	Stainless A2-70	M16 x 55	Plain (no plating)	16 mm	55 mm		
976A2B160070	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 70, Chamfered End	Stainless A2-70	M16 x 70	Plain (no plating)	16 mm	70 mm		
976A2B160080	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 80, Chamfered End	Stainless A2-70	M16 x 80	Plain (no plating)	16 mm	80 mm		
976A2B160085	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 85, Chamfered End	Stainless A2-70	M16 x 85	Plain (no plating)	16 mm	85 mm		
976A2B160090	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 90, Chamfered End	Stainless A2-70	M16 x 90	Plain (no plating)	16 mm	90 mm		
976A2B160100	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 100, Chamfered End	Stainless A2-70	M16 x 100	Plain (no plating)	16 mm	100 mm		
976A2B160110	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 110, Chamfered End	Stainless A2-70	M16 x 110	Plain (no plating)	16 mm	110 mm		
976A2B160120	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 120, Chamfered End	Stainless A2-70	M16 x 120	Plain (no plating)	16 mm	120 mm		
976A2B160130	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 130, Chamfered End	Stainless A2-70	M16 x 130	Plain (no plating)	16 mm	130 mm		
976A2B160140	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 140, Chamfered End	Stainless A2-70	M16 x 140	Plain (no plating)	16 mm	140 mm		
976A2B160150	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 150, Chamfered End	Stainless A2-70	M16 x 150	Plain (no plating)	16 mm	150 mm		
976A2B160160	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 160, Chamfered End	Stainless A2-70	M16 x 160	Plain (no plating)	16 mm	160 mm		
976A2B160190	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 190, Chamfered End	Stainless A2-70	M16 x 190	Plain (no plating)	16 mm	190 mm		
976A2B160200	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 200, Chamfered End	Stainless A2-70	M16 x 200	Plain (no plating)	16 mm	200 mm		
976A2B160240	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 240, Chamfered End	Stainless A2-70	M16 x 240	Plain (no plating)	16 mm	240 mm		
976A2B160245	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 245, Chamfered End	Stainless A2-70	M16 x 245	Plain (no plating)	16 mm	245 mm		
976A2B160250	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 250, Chamfered End	Stainless A2-70	M16 x 250	Plain (no plating)	16 mm	250 mm		
976A2B160340	DIN 976-B Threaded Rod, Stainless A2-70, M16 x 340, Chamfered End	Stainless A2-70	M16 x 340	Plain (no plating)	16 mm	340 mm		
976A2B200070	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 70, Chamfered End	Stainless A2-70	M20 x 70	Plain (no plating)	20 mm	70 mm		
976A2B200080	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 80, Chamfered End	Stainless A2-70	M20 x 80	Plain (no plating)	20 mm	80 mm		
976A2B200090	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 90, Chamfered End	Stainless A2-70	M20 x 90	Plain (no plating)	20 mm	90 mm		
976A2B200097	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 97, Chamfered End	Stainless A2-70	M20 x 97	Plain (no plating)	20 mm	97 mm		
976A2B200105	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 105, Chamfered End	Stainless A2-70	M20 x 105	Plain (no plating)	20 mm	105 mm		
976A2B200110	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 110, Chamfered End	Stainless A2-70	M20 x 110	Plain (no plating)	20 mm	110 mm		
976A2B200150	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 150, Chamfered End	Stainless A2-70	M20 x 150	Plain (no plating)	20 mm	150 mm		
976A2B200160	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 160, Chamfered End	Stainless A2-70	M20 x 160	Plain (no plating)	20 mm	160 mm		
976A2B200230	DIN 976-B Threaded Rod, Stainless A2-70, M20 x 230, Chamfered End	Stainless A2-70	M20 x 230	Plain (no plating)	20 mm	230 mm		
976A2B240300	DIN 976-B Threaded Rod, Stainless A2-70, M24 x 300, Chamfered End	Stainless A2-70	M24 x 300	Plain (no plating)	24 mm	300 mm		
976A2B240350	DIN 976-B Threaded Rod, Stainless A2-70, M24 x 350, Chamfered End	Stainless A2-70	M24 x 350	Plain (no plating)	24 mm	350 mm		
976A4120150	DIN 976-A Threaded Rod, Stainless A4, M12 x 150, Chamfered End	Stainless A4	M12 x 150	Plain (no plating)	12 mm	150 mm		
976A4A021000	DIN 976-A Threaded Rod, Stainless A4-70, M2 x 1000	Stainless A4-70	M2 x 1000	Plain (no plating)	2 mm	1000 mm		
976A4A0251000	DIN 976-A Threaded Rod, Stainless A4-70, M2.5 x 1000	Stainless A4-70	M2.5 x 1000	Plain (no plating)	2.5 mm	1000 mm		
976A4A030045	DIN 976-A Threaded Rod, Stainless A4-70, M3 x 45	Stainless A4-70	M3 x 45	Plain (no plating)	3 mm	45 mm		
976A4A031000	DIN 976-A Threaded Rod, Stainless A4-70, M3 x 1000	Stainless A4-70	M3 x 1000	Plain (no plating)	3 mm	1000 mm		
976A4A040025	DIN 976-A Threaded Rod, Stainless A4-70, M4 x 25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm		
976A4A041000	DIN 976-A Threaded Rod, Stainless A4-70, M4 x 1000	Stainless A4-70	M4 x 1000	Plain (no plating)	4 mm	1000 mm		
976A4A050045	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 45	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm		
976A4A05004580	DIN 976-A Threaded Rod, Stainless A4-80, M5 x 45	Stainless A4-80	M5 x 45	Plain (no plating)	5 mm	45 mm		
976A4A050050	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 50	Stainless A4-70	M5 x 50	Plain (no plating)	5 mm	50 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A050055	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 55	Stainless A4-70	M5 x 55	Plain (no plating)	5 mm	55 mm		
976A4A050060	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 60	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm		
976A4A050080	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 80	Stainless A4-70	M5 x 80	Plain (no plating)	5 mm	80 mm		
976A4A050090	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 90	Stainless A4-70	M5 x 90	Plain (no plating)	5 mm	90 mm		
976A4A050100	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 100	Stainless A4-70	M5 x 100	Plain (no plating)	5 mm	100 mm		
976A4A05010080	DIN 976-A Threaded Rod, Stainless A4-80, M5 x 100	Stainless A4-80	M5 x 100	Plain (no plating)	5 mm	100 mm		
976A4A050110	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 110	Stainless A4-70	M5 x 110	Plain (no plating)	5 mm	110 mm		
976A4A050120	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 120	Stainless A4-70	M5 x 120	Plain (no plating)	5 mm	120 mm		
976A4A05012080	DIN 976-A Threaded Rod, Stainless A4-80, M5 x 120	Stainless A4-80	M5 x 120	Plain (no plating)	5 mm	120 mm		
976A4A050125	DIN 976-A Threaded Rod, Stainless A4, M5 x 125	Stainless A4	M5 x 125	Plain (no plating)	5 mm	125 mm		
976A4A05012570	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 125	Stainless A4-70	M5 x 125	Plain (no plating)	5 mm	125 mm		
976A4A050140	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 140	Stainless A4-70	M5 x 140	Plain (no plating)	5 mm	140 mm		
976A4A05014580	DIN 976-A Threaded Rod, Stainless A4-80, M5 x 145	Stainless A4-80	M5 x 145	Plain (no plating)	5 mm	145 mm		
976A4A050150	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 150	Stainless A4-70	M5 x 150	Plain (no plating)	5 mm	150 mm		
976A4A05015080	DIN 976-A Threaded Rod, Stainless A4-80, M5 x 150	Stainless A4-80	M5 x 150	Plain (no plating)	5 mm	150 mm		
976A4A05015570	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 155	Stainless A4-70	M5 x 155	Plain (no plating)	5 mm	155 mm		
976A4A05015580	DIN 976-A Threaded Rod, Stainless A4-80, M5 x 155	Stainless A4-80	M5 x 155	Plain (no plating)	5 mm	155 mm		
976A4A050160	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 160	Stainless A4-70	M5 x 160	Plain (no plating)	5 mm	160 mm		
976A4A05017080	DIN 976-A Threaded Rod, Stainless A4-80, M5 x 170	Stainless A4-80	M5 x 170	Plain (no plating)	5 mm	170 mm		
976A4A051000	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 1000	Stainless A4-70	M5 x 1000	Plain (no plating)	5 mm	1000 mm		
976A4A052000	DIN 976-A Threaded Rod, Stainless A4-70, M5 x 2000	Stainless A4-70	M5 x 2000	Plain (no plating)	5 mm	2000 mm		
976A4A060040	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 40	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm		
976A4A060055	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 55	Stainless A4-70	M6 x 55	Plain (no plating)	6 mm	55 mm		
976A4A060070	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 70	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm		
976A4A060080	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 80	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm		
976A4A060090	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 90	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm		
976A4A060100	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 100	Stainless A4-70	M6 x 100	Plain (no plating)	6 mm	100 mm		
976A4A060110	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 110	Stainless A4-70	M6 x 110	Plain (no plating)	6 mm	110 mm		
976A4A060115	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 115	Stainless A4-70	M6 x 115	Plain (no plating)	6 mm	115 mm		
976A4A060130	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 130	Stainless A4-70	M6 x 130	Plain (no plating)	6 mm	130 mm		
976A4A06013080	DIN 976-A Threaded Rod, Stainless A4-80, M6 x 130	Stainless A4-80	M6 x 130	Plain (no plating)	6 mm	130 mm		
976A4A060140	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 140	Stainless A4-70	M6 x 140	Plain (no plating)	6 mm	140 mm		
976A4A060175	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 175	Stainless A4-70	M6 x 175	Plain (no plating)	6 mm	175 mm		
976A4A060180	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 180	Stainless A4-70	M6 x 180	Plain (no plating)	6 mm	180 mm		
976A4A060185	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 185	Stainless A4-70	M6 x 185	Plain (no plating)	6 mm	185 mm		
976A4A060190	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 190	Stainless A4-70	M6 x 190	Plain (no plating)	6 mm	190 mm		
976A4A06019080	DIN 976-A Threaded Rod, Stainless A4-80, M6 x 190	Stainless A4-80	M6 x 190	Plain (no plating)	6 mm	190 mm		
976A4A060200	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 200	Stainless A4-70	M6 x 200	Plain (no plating)	6 mm	200 mm		
976A4A060205	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 205	Stainless A4-70	M6 x 205	Plain (no plating)	6 mm	205 mm		
976A4A060220	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 220	Stainless A4-70	M6 x 220	Plain (no plating)	6 mm	220 mm		
976A4A060310	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 310	Stainless A4-70	M6 x 310	Plain (no plating)	6 mm	310 mm		
976A4A060340	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 340	Stainless A4-70	M6 x 340	Plain (no plating)	6 mm	340 mm		
976A4A060400	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 400	Stainless A4-70	M6 x 400	Plain (no plating)	6 mm	400 mm		
976A4A060405	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 405	Stainless A4-70	M6 x 405	Plain (no plating)	6 mm	405 mm		
976A4A061000	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 1000	Stainless A4-70	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
976A4A06100080	DIN 976-A Threaded Rod, Stainless A4-80, M6 x 1000	Stainless A4-80	M6 x 1000	Plain (no plating)	6 mm	1000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A061000C	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 1000	Stainless A4-70	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
976A4A062000	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 2000	Stainless A4-70	M6 x 2000	Plain (no plating)	6 mm	2000 mm		
976A4A063000	DIN 976-A Threaded Rod, Stainless A4-70, M6 x 3000	Stainless A4-70	M6 x 3000	Plain (no plating)	6 mm	3000 mm		
976A4A080035	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 35	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm		
976A4A08004080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 40	Stainless A4-80	M8 x 40	Plain (no plating)	8 mm	40 mm		
976A4A080045	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 45	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm		
976A4A080050	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 50	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm		
976A4A08005080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 50	Stainless A4-80	M8 x 50	Plain (no plating)	8 mm	50 mm		
976A4A080055	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 55	Stainless A4-70	M8 x 55	Plain (no plating)	8 mm	55 mm		
976A4A080060	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 60	Stainless A4-70	M8 x 60	Plain (no plating)	8 mm	60 mm		
976A4A080065	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 65	Stainless A4-70	M8 x 65	Plain (no plating)	8 mm	65 mm		
976A4A080070	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 70	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm		
976A4A08007080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 70	Stainless A4-80	M8 x 70	Plain (no plating)	8 mm	70 mm		
976A4A080080	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 80	Stainless A4-70	M8 x 80	Plain (no plating)	8 mm	80 mm		
976A4A080100	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 100	Stainless A4-70	M8 x 100	Plain (no plating)	8 mm	100 mm		
976A4A08010080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 100	Stainless A4-80	M8 x 100	Plain (no plating)	8 mm	100 mm		
976A4A080120	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 120	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm		
976A4A08012580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 125	Stainless A4-80	M8 x 125	Plain (no plating)	8 mm	125 mm		
976A4A08013080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 130	Stainless A4-80	M8 x 130	Plain (no plating)	8 mm	130 mm		
976A4A080140	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 140	Stainless A4-80	M8 x 140	Plain (no plating)	8 mm	140 mm		
976A4A08014580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 145	Stainless A4-80	M8 x 145	Plain (no plating)	8 mm	145 mm		
976A4A080150	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 150	Stainless A4-70	M8 x 150	Plain (no plating)	8 mm	150 mm		
976A4A08015080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 150	Stainless A4-80	M8 x 150	Plain (no plating)	8 mm	150 mm		
976A4A080160	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 160	Stainless A4-70	M8 x 160	Plain (no plating)	8 mm	160 mm		
976A4A08017080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 170	Stainless A4-80	M8 x 170	Plain (no plating)	8 mm	170 mm		
976A4A08017580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 175	Stainless A4-80	M8 x 175	Plain (no plating)	8 mm	175 mm		
976A4A080180	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 180	Stainless A4-70	M8 x 180	Plain (no plating)	8 mm	180 mm		
976A4A08018580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 185	Stainless A4-80	M8 x 185	Plain (no plating)	8 mm	185 mm		
976A4A080200	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 200	Stainless A4-70	M8 x 200	Plain (no plating)	8 mm	200 mm		
976A4A08020080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 200	Stainless A4-80	M8 x 200	Plain (no plating)	8 mm	200 mm		
976A4A08021080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 210	Stainless A4-80	M8 x 210	Plain (no plating)	8 mm	210 mm		
976A4A08021580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 215	Stainless A4-80	M8 x 215	Plain (no plating)	8 mm	215 mm		
976A4A08023580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 235	Stainless A4-80	M8 x 235	Plain (no plating)	8 mm	235 mm		
976A4A080240	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 240	Stainless A4-70	M8 x 240	Plain (no plating)	8 mm	240 mm		
976A4A080250	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 250	Stainless A4-70	M8 x 250	Plain (no plating)	8 mm	250 mm		
976A4A080300	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 300	Stainless A4-70	M8 x 300	Plain (no plating)	8 mm	300 mm		
976A4A08032080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 320	Stainless A4-80	M8 x 320	Plain (no plating)	8 mm	320 mm		
976A4A08037580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 375	Stainless A4-80	M8 x 375	Plain (no plating)	8 mm	375 mm		
976A4A08051080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 510	Stainless A4-80	M8 x 510	Plain (no plating)	8 mm	510 mm		
976A4A08053580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 535	Stainless A4-80	M8 x 535	Plain (no plating)	8 mm	535 mm		
976A4A08060080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 600	Stainless A4-80	M8 x 600	Plain (no plating)	8 mm	600 mm		
976A4A080650	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 650	Stainless A4-70	M8 x 650	Plain (no plating)	8 mm	650 mm		
976A4A08076580	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 765	Stainless A4-80	M8 x 765	Plain (no plating)	8 mm	765 mm		
976A4A081000	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 1000	Stainless A4-70	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
976A4A08100080	DIN 976-A Threaded Rod, Stainless A4-80, M8 x 1000	Stainless A4-80	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
976A4A081000C	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 1000	Stainless A4-70	M8 x 1000	Plain (no plating)	8 mm	1000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A081400	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 1400	Stainless A4-70	M8 x 1400	Plain (no plating)	8 mm	1400 mm		
976A4A082000	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 2000	Stainless A4-70	M8 x 2000	Plain (no plating)	8 mm	2000 mm		
976A4A083000	DIN 976-A Threaded Rod, Stainless A4-70, M8 x 3000	Stainless A4-70	M8 x 3000	Plain (no plating)	8 mm	3000 mm		
976A4A100030	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 30	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm		
976A4A100035	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 35	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm		
976A4A100040	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 40	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm		
976A4A100045	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 45	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm		
976A4A100050	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 50	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm		
976A4A10005080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 50	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm		
976A4A100055	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 55	Stainless A4-70	M10 x 55	Plain (no plating)	10 mm	55 mm		
976A4A100060	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 60	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm		
976A4A100070	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 70	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm		
976A4A10007080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 70	Stainless A4-80	M10 x 70	Plain (no plating)	10 mm	70 mm		
976A4A100075	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 75	Stainless A4-70	M10 x 75	Plain (no plating)	10 mm	75 mm		
976A4A10008080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 80	Stainless A4-80	M10 x 80	Plain (no plating)	10 mm	80 mm		
976A4A100085	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 85	Stainless A4-70	M10 x 85	Plain (no plating)	10 mm	85 mm		
976A4A100100	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 100	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm		
976A4A10010080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 100	Stainless A4-80	M10 x 100	Plain (no plating)	10 mm	100 mm		
976A4A100110	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 110	Stainless A4-70	M10 x 110	Plain (no plating)	10 mm	110 mm		
976A4A10011580	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 115	Stainless A4-80	M10 x 115	Plain (no plating)	10 mm	115 mm		
976A4A100120	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 120	Stainless A4-70	M10 x 120	Plain (no plating)	10 mm	120 mm		
976A4A100130	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 130	Stainless A4-70	M10 x 130	Plain (no plating)	10 mm	130 mm		
976A4A100140	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 140	Stainless A4-70	M10 x 140	Plain (no plating)	10 mm	140 mm		
976A4A100150	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 150	Stainless A4-70	M10 x 150	Plain (no plating)	10 mm	150 mm		
976A4A10015080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 150	Stainless A4-80	M10 x 150	Plain (no plating)	10 mm	150 mm		
976A4A100160	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 160	Stainless A4-70	M10 x 160	Plain (no plating)	10 mm	160 mm		
976A4A100170	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 170	Stainless A4-70	M10 x 170	Plain (no plating)	10 mm	170 mm		
976A4A100190	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 190	Stainless A4-70	M10 x 190	Plain (no plating)	10 mm	190 mm		
976A4A10019080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 190	Stainless A4-80	M10 x 190	Plain (no plating)	10 mm	190 mm		
976A4A100197	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 197	Stainless A4-70	M10 x 197	Plain (no plating)	10 mm	197 mm		
976A4A100200	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 200	Stainless A4-70	M10 x 200	Plain (no plating)	10 mm	200 mm		
976A4A100210	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 210	Stainless A4-70	M10 x 210	Plain (no plating)	10 mm	210 mm		
976A4A100230	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 230	Stainless A4-70	M10 x 230	Plain (no plating)	10 mm	230 mm		
976A4A100240	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 240	Stainless A4-70	M10 x 240	Plain (no plating)	10 mm	240 mm		
976A4A100250	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 250	Stainless A4-70	M10 x 250	Plain (no plating)	10 mm	250 mm		
976A4A100265	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 265	Stainless A4-70	M10 x 265	Plain (no plating)	10 mm	265 mm		
976A4A10027080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 270	Stainless A4-80	M10 x 270	Plain (no plating)	10 mm	270 mm		
976A4A10028180	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 281	Stainless A4-80	M10 x 281	Plain (no plating)	10 mm	281 mm		
976A4A100370	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 370	Stainless A4-70	M10 x 370	Plain (no plating)	10 mm	370 mm		
976A4A10037080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 370	Stainless A4-80	M10 x 370	Plain (no plating)	10 mm	370 mm		
976A4A100400	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 400	Stainless A4-70	M10 x 400	Plain (no plating)	10 mm	400 mm		
976A4A100410	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 410	Stainless A4-70	M10 x 410	Plain (no plating)	10 mm	410 mm		
976A4A10042580	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 425	Stainless A4-80	M10 x 425	Plain (no plating)	10 mm	425 mm		
976A4A10044080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 440	Stainless A4-80	M10 x 440	Plain (no plating)	10 mm	440 mm		
976A4A10070080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 700	Stainless A4-80	M10 x 700	Plain (no plating)	10 mm	700 mm		
976A4A101000	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 1000	Stainless A4-70	M10 x 1000	Plain (no plating)	10 mm	1000 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A10100080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 1000	Stainless A4-80	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
976A4A10100080C	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 1000	Stainless A4-80	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
976A4A101000C	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 1000	Stainless A4-70	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
976A4A101250	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 1250	Stainless A4-70	M10 x 1250	Plain (no plating)	10 mm	1250 mm		
976A4A102000	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 2000	Stainless A4-70	M10 x 2000	Plain (no plating)	10 mm	2000 mm		
976A4A10200080	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 2000	Stainless A4-80	M10 x 2000	Plain (no plating)	10 mm	2000 mm		
976A4A103000	DIN 976-A Threaded Rod, Stainless A4-70, M10 x 3000	Stainless A4-70	M10 x 3000	Plain (no plating)	10 mm	3000 mm		
976A4A10300080C	DIN 976-A Threaded Rod, Stainless A4-80, M10 x 3000	Stainless A4-80	M10 x 3000	Plain (no plating)	10 mm	3000 mm		
976A4A12002580	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 25	Stainless A4-80	M12 x 25	Plain (no plating)	12 mm	25 mm		
976A4A120040	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 40	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm		
976A4A120045	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 45	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm		
976A4A120050	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm		
976A4A12005080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm		
976A4A120055	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 55	Stainless A4-70	M12 x 55	Plain (no plating)	12 mm	55 mm		
976A4A12005580	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 55	Stainless A4-80	M12 x 55	Plain (no plating)	12 mm	55 mm		
976A4A120060	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 60	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm		
976A4A12006080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 60	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm		
976A4A120065	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 65	Stainless A4-70	M12 x 65	Plain (no plating)	12 mm	65 mm		
976A4A120070	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 70	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm		
976A4A12007080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 70	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm		
976A4A120075	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 75	Stainless A4-70	M12 x 75	Plain (no plating)	12 mm	75 mm		
976A4A120080	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 80	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm		
976A4A12008080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 80	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm		
976A4A120085	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 85	Stainless A4-70	M12 x 85	Plain (no plating)	12 mm	85 mm		
976A4A120090	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 90	Stainless A4-70	M12 x 90	Plain (no plating)	12 mm	90 mm		
976A4A12009080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 90	Stainless A4-80	M12 x 90	Plain (no plating)	12 mm	90 mm		
976A4A120100	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 100	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm		
976A4A12010080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 100	Stainless A4-80	M12 x 100	Plain (no plating)	12 mm	100 mm		
976A4A120105	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 105	Stainless A4-70	M12 x 105	Plain (no plating)	12 mm	105 mm		
976A4A120110	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 110	Stainless A4-70	M12 x 110	Plain (no plating)	12 mm	110 mm		
976A4A120120	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 120	Stainless A4-70	M12 x 120	Plain (no plating)	12 mm	120 mm		
976A4A120130	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 130	Stainless A4-70	M12 x 130	Plain (no plating)	12 mm	130 mm		
976A4A120140	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 140	Stainless A4-70	M12 x 140	Plain (no plating)	12 mm	140 mm		
976A4A120150	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 150	Stainless A4-70	M12 x 150	Plain (no plating)	12 mm	150 mm		
976A4A12015080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 150	Stainless A4-80	M12 x 150	Plain (no plating)	12 mm	150 mm		
976A4A120160	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 160	Stainless A4-70	M12 x 160	Plain (no plating)	12 mm	160 mm		
976A4A120170	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 170	Stainless A4-70	M12 x 170	Plain (no plating)	12 mm	170 mm		
976A4A12019070	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 190	Stainless A4-70	M12 x 190	Plain (no plating)	12 mm	190 mm		
976A4A120200	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 200	Stainless A4-70	M12 x 200	Plain (no plating)	12 mm	200 mm		
976A4A12022080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 220	Stainless A4-80	M12 x 220	Plain (no plating)	12 mm	220 mm		
976A4A120248	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 248	Stainless A4-70	M12 x 248	Plain (no plating)	12 mm	248 mm		
976A4A120250	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 250	Stainless A4-70	M12 x 250	Plain (no plating)	12 mm	250 mm		
976A4A12025080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 250	Stainless A4-80	M12 x 250	Plain (no plating)	12 mm	250 mm		
976A4A120260	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 260	Stainless A4-70	M12 x 260	Plain (no plating)	12 mm	260 mm		
976A4A120275	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 275	Stainless A4-70	M12 x 275	Plain (no plating)	12 mm	275 mm		
976A4A120300	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 300	Stainless A4-70	M12 x 300	Plain (no plating)	12 mm	300 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A12030080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 300	Stainless A4-80	M12 x 300	Plain (no plating)	12 mm	300 mm		
976A4A120315	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 315	Stainless A4-70	M12 x 315	Plain (no plating)	12 mm	315 mm		
976A4A12035580	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 355	Stainless A4-80	M12 x 355	Plain (no plating)	12 mm	355 mm		
976A4A120360	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 360	Stainless A4-70	M12 x 360	Plain (no plating)	12 mm	360 mm		
976A4A12036080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 360	Stainless A4-80	M12 x 360	Plain (no plating)	12 mm	360 mm		
976A4A12037080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 370	Stainless A4-80	M12 x 370	Plain (no plating)	12 mm	370 mm		
976A4A120400	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 400	Stainless A4-70	M12 x 400	Plain (no plating)	12 mm	400 mm		
976A4A120410	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 410	Stainless A4-70	M12 x 410	Plain (no plating)	12 mm	410 mm		
976A4A120425	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 425	Stainless A4-70	M12 x 425	Plain (no plating)	12 mm	425 mm		
976A4A120450	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 450	Stainless A4-70	M12 x 450	Plain (no plating)	12 mm	450 mm		
976A4A120500	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 500	Stainless A4-70	M12 x 500	Plain (no plating)	12 mm	500 mm		
976A4A12052080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 520	Stainless A4-80	M12 x 520	Plain (no plating)	12 mm	520 mm		
976A4A120750	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 750	Stainless A4-70	M12 x 750	Plain (no plating)	12 mm	750 mm		
976A4A120800	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 800	Stainless A4-70	M12 x 800	Plain (no plating)	12 mm	800 mm		
976A4A120850	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 850	Stainless A4-70	M12 x 850	Plain (no plating)	12 mm	850 mm		
976A4A121000	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 1000	Stainless A4-70	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
976A4A12100080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 1000	Stainless A4-80	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
976A4A12100080C	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 1000	Stainless A4-80	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
976A4A121200	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 1200	Stainless A4-70	M12 x 1200	Plain (no plating)	12 mm	1200 mm		
976A4A122000	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 2000	Stainless A4-70	M12 x 2000	Plain (no plating)	12 mm	2000 mm		
976A4A12200080	DIN 976-A Threaded Rod, Stainless A4-80, M12 x 2000	Stainless A4-80	M12 x 2000	Plain (no plating)	12 mm	2000 mm		
976A4A123000	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 3000	Stainless A4-70	M12 x 3000	Plain (no plating)	12 mm	3000 mm		
976A4A123000C	DIN 976-A Threaded Rod, Stainless A4-70, M12 x 3000	Stainless A4-70	M12 x 3000	Plain (no plating)	12 mm	3000 mm		
976A4A140060	DIN 976-A Threaded Rod, Stainless A4-70, M14 x 60	Stainless A4-70	M14 x 60	Plain (no plating)	14 mm	60 mm		
976A4A14006080	DIN 976-A Threaded Rod, Stainless A4-80, M14 x 60	Stainless A4-80	M14 x 60	Plain (no plating)	14 mm	60 mm		
976A4A140065	DIN 976-A Threaded Rod, Stainless A4-70, M14 x 65	Stainless A4-70	M14 x 65	Plain (no plating)	14 mm	65 mm		
976A4A14010080	DIN 976-A Threaded Rod, Stainless A4-80, M14 x 100	Stainless A4-80	M14 x 100	Plain (no plating)	14 mm	100 mm		
976A4A14011080	DIN 976-A Threaded Rod, Stainless A4-80, M14 x 110	Stainless A4-80	M14 x 110	Plain (no plating)	14 mm	110 mm		
976A4A140120	DIN 976-A Threaded Rod, Stainless A4-70, M14 x 120	Stainless A4-70	M14 x 120	Plain (no plating)	14 mm	120 mm		
976A4A140280	DIN 976-A Threaded Rod, Stainless A4-70, M14 x 280	Stainless A4-70	M14 x 280	Plain (no plating)	14 mm	280 mm		
976A4A141000	DIN 976-A Threaded Rod, Stainless A4-70, M14 x 1000	Stainless A4-70	M14 x 1000	Plain (no plating)	14 mm	1000 mm		
976A4A14100080	DIN 976-A Threaded Rod, Stainless A4-80, M14 x 1000	Stainless A4-80	M14 x 1000	Plain (no plating)	14 mm	1000 mm		
976A4A142000	DIN 976-A Threaded Rod, Stainless A4-70, M14 x 2000	Stainless A4-70	M14 x 2000	Plain (no plating)	14 mm	2000 mm		
976A4A143000	DIN 976-A Threaded Rod, Stainless A4-70, M14 x 3000	Stainless A4-70	M14 x 3000	Plain (no plating)	14 mm	3000 mm		
976A4A160065	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 65	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm		
976A4A160070	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 70	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm		
976A4A16007080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 70	Stainless A4-80	M16 x 70	Plain (no plating)	16 mm	70 mm		
976A4A160075	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 75	Stainless A4-70	M16 x 75	Plain (no plating)	16 mm	75 mm		
976A4A160080	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 80	Stainless A4-70	M16 x 80	Plain (no plating)	16 mm	80 mm		
976A4A16008080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 80	Stainless A4-80	M16 x 80	Plain (no plating)	16 mm	80 mm		
976A4A160085	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 85	Stainless A4-70	M16 x 85	Plain (no plating)	16 mm	85 mm		
976A4A160090	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 90	Stainless A4-70	M16 x 90	Plain (no plating)	16 mm	90 mm		
976A4A16009080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 90	Stainless A4-80	M16 x 90	Plain (no plating)	16 mm	90 mm		
976A4A160095	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 95	Stainless A4-70	M16 x 95	Plain (no plating)	16 mm	95 mm		
976A4A16009580	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 95	Stainless A4-80	M16 x 95	Plain (no plating)	16 mm	95 mm		
976A4A160100	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 100	Stainless A4-70	M16 x 100	Plain (no plating)	16 mm	100 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A16010080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 100	Stainless A4-80	M16 x 100	Plain (no plating)	16 mm	100 mm		
976A4A160105	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 105	Stainless A4-70	M16 x 105	Plain (no plating)	16 mm	105 mm		
976A4A160110	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 110	Stainless A4-70	M16 x 110	Plain (no plating)	16 mm	110 mm		
976A4A16011080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 110	Stainless A4-80	M16 x 110	Plain (no plating)	16 mm	110 mm		
976A4A160115	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 115	Stainless A4-70	M16 x 115	Plain (no plating)	16 mm	115 mm		
976A4A160120	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 120	Stainless A4-70	M16 x 120	Plain (no plating)	16 mm	120 mm		
976A4A16012080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 120	Stainless A4-80	M16 x 120	Plain (no plating)	16 mm	120 mm		
976A4A160125	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 125	Stainless A4-70	M16 x 125	Plain (no plating)	16 mm	125 mm		
976A4A160130	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 130	Stainless A4-70	M16 x 130	Plain (no plating)	16 mm	130 mm		
976A4A16013080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 130	Stainless A4-80	M16 x 130	Plain (no plating)	16 mm	130 mm		
976A4A160140	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 140	Stainless A4-70	M16 x 140	Plain (no plating)	16 mm	140 mm		
976A4A160160	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 160	Stainless A4-70	M16 x 160	Plain (no plating)	16 mm	160 mm		
976A4A16016080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 160	Stainless A4-80	M16 x 160	Plain (no plating)	16 mm	160 mm		
976A4A160170	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 170	Stainless A4-70	M16 x 170	Plain (no plating)	16 mm	170 mm		
976A4A16017080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 170	Stainless A4-80	M16 x 170	Plain (no plating)	16 mm	170 mm		
976A4A160175	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 175	Stainless A4-70	M16 x 175	Plain (no plating)	16 mm	175 mm		
976A4A160180	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 180	Stainless A4-70	M16 x 180	Plain (no plating)	16 mm	180 mm		
976A4A16018080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 180	Stainless A4-80	M16 x 180	Plain (no plating)	16 mm	180 mm		
976A4A160190	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 190	Stainless A4-70	M16 x 190	Plain (no plating)	16 mm	190 mm		
976A4A16019080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 190	Stainless A4-80	M16 x 190	Plain (no plating)	16 mm	190 mm		
976A4A160200	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 200	Stainless A4-70	M16 x 200	Plain (no plating)	16 mm	200 mm		
976A4A16020080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 200	Stainless A4-80	M16 x 200	Plain (no plating)	16 mm	200 mm		
976A4A160210	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 210	Stainless A4-70	M16 x 210	Plain (no plating)	16 mm	210 mm		
976A4A16022080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 220	Stainless A4-80	M16 x 220	Plain (no plating)	16 mm	220 mm		
976A4A160235	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 235	Stainless A4-70	M16 x 235	Plain (no plating)	16 mm	235 mm		
976A4A160240	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 240	Stainless A4-70	M16 x 240	Plain (no plating)	16 mm	240 mm		
976A4A16025080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 250	Stainless A4-80	M16 x 250	Plain (no plating)	16 mm	250 mm		
976A4A160260	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 260	Stainless A4-70	M16 x 260	Plain (no plating)	16 mm	260 mm		
976A4A160280	DIN 976-A Threaded Rod, Stainless A4, M16 x 280	Stainless A4	M16 x 280	Plain (no plating)	16 mm	280 mm		
976A4A16028080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 280	Stainless A4-80	M16 x 280	Plain (no plating)	16 mm	280 mm		
976A4A16030080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 300	Stainless A4-80	M16 x 300	Plain (no plating)	16 mm	300 mm		
976A4A16033080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 330	Stainless A4-80	M16 x 330	Plain (no plating)	16 mm	330 mm		
976A4A16034080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 340	Stainless A4-80	M16 x 340	Plain (no plating)	16 mm	340 mm		
976A4A16035080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 350	Stainless A4-80	M16 x 350	Plain (no plating)	16 mm	350 mm		
976A4A160375	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 375	Stainless A4-70	M16 x 375	Plain (no plating)	16 mm	375 mm		
976A4A160400	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 400	Stainless A4-70	M16 x 400	Plain (no plating)	16 mm	400 mm		
976A4A16040080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 400	Stainless A4-80	M16 x 400	Plain (no plating)	16 mm	400 mm		
976A4A16042080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 420	Stainless A4-80	M16 x 420	Plain (no plating)	16 mm	420 mm		
976A4A16043080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 430	Stainless A4-80	M16 x 430	Plain (no plating)	16 mm	430 mm		
976A4A16048080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 480	Stainless A4-80	M16 x 480	Plain (no plating)	16 mm	480 mm		
976A4A160500	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 500	Stainless A4-70	M16 x 500	Plain (no plating)	16 mm	500 mm		
976A4A16050080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 500	Stainless A4-80	M16 x 500	Plain (no plating)	16 mm	500 mm		
976A4A160550	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 550	Stainless A4-70	M16 x 550	Plain (no plating)	16 mm	550 mm		
976A4A160570	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 570	Stainless A4-70	M16 x 570	Plain (no plating)	16 mm	570 mm		
976A4A16064080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 640	Stainless A4-80	M16 x 640	Plain (no plating)	16 mm	640 mm		
976A4A160750	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 750	Stainless A4-70	M16 x 750	Plain (no plating)	16 mm	750 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A161000	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 1000	Stainless A4-70	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A4A16100080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 1000	Stainless A4-80	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A4A16100080C	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 1000	Stainless A4-80	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A4A161000C	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 1000	Stainless A4-70	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A4A162000	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 2000	Stainless A4-70	M16 x 2000	Plain (no plating)	16 mm	2000 mm		
976A4A16200080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 2000	Stainless A4-80	M16 x 2000	Plain (no plating)	16 mm	2000 mm		
976A4A163000	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 3000	Stainless A4-70	M16 x 3000	Plain (no plating)	16 mm	3000 mm		
976A4A16300080	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 3000	Stainless A4-80	M16 x 3000	Plain (no plating)	16 mm	3000 mm		
976A4A16300080C	DIN 976-A Threaded Rod, Stainless A4-80, M16 x 3000	Stainless A4-80	M16 x 3000	Plain (no plating)	16 mm	3000 mm		
976A4A18006080	DIN 976-A Threaded Rod, Stainless A4-80, M18 x 60	Stainless A4-80	M18 x 60	Plain (no plating)	18 mm	60 mm		
976A4A18007080	DIN 976-A Threaded Rod, Stainless A4-80, M18 x 70	Stainless A4-80	M18 x 70	Plain (no plating)	18 mm	70 mm		
976A4A18008080	DIN 976-A Threaded Rod, Stainless A4-80, M18 x 80	Stainless A4-80	M18 x 80	Plain (no plating)	18 mm	80 mm		
976A4A18011080	DIN 976-A Threaded Rod, Stainless A4-80, M18 x 110	Stainless A4-80	M18 x 110	Plain (no plating)	18 mm	110 mm		
976A4A181000	DIN 976-A Threaded Rod, Stainless A4-70, M18 x 1000	Stainless A4-70	M18 x 1000	Plain (no plating)	18 mm	1000 mm		
976A4A18100080	DIN 976-A Threaded Rod, Stainless A4-80, M18 x 1000	Stainless A4-80	M18 x 1000	Plain (no plating)	18 mm	1000 mm		
976A4A183000	DIN 976-A Threaded Rod, Stainless A4-70, M18 x 3000	Stainless A4-70	M18 x 3000	Plain (no plating)	18 mm	3000 mm		
976A4A200050	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 50	Stainless A4-70	M20 x 50	Plain (no plating)	20 mm	50 mm		
976A4A200060	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 60	Stainless A4-70	M20 x 60	Plain (no plating)	20 mm	60 mm		
976A4A20007080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 70	Stainless A4-80	M20 x 70	Plain (no plating)	20 mm	70 mm		
976A4A200080	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 80	Stainless A4-70	M20 x 80	Plain (no plating)	20 mm	80 mm		
976A4A20008080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 80	Stainless A4-80	M20 x 80	Plain (no plating)	20 mm	80 mm		
976A4A200090	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 90	Stainless A4-70	M20 x 90	Plain (no plating)	20 mm	90 mm		
976A4A200095	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 95	Stainless A4-70	M20 x 95	Plain (no plating)	20 mm	95 mm		
976A4A20009580	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 95	Stainless A4-80	M20 x 95	Plain (no plating)	20 mm	95 mm		
976A4A20010080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 100	Stainless A4-80	M20 x 100	Plain (no plating)	20 mm	100 mm		
976A4A200110	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 110	Stainless A4-70	M20 x 110	Plain (no plating)	20 mm	110 mm		
976A4A20011080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 110	Stainless A4-80	M20 x 110	Plain (no plating)	20 mm	110 mm		
976A4A200120	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 120	Stainless A4-70	M20 x 120	Plain (no plating)	20 mm	120 mm		
976A4A200130	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 130	Stainless A4-70	M20 x 130	Plain (no plating)	20 mm	130 mm		
976A4A20013080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 130	Stainless A4-80	M20 x 130	Plain (no plating)	20 mm	130 mm		
976A4A20014080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 140	Stainless A4-80	M20 x 140	Plain (no plating)	20 mm	140 mm		
976A4A200160	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 160	Stainless A4-70	M20 x 160	Plain (no plating)	20 mm	160 mm		
976A4A20017080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 170	Stainless A4-80	M20 x 170	Plain (no plating)	20 mm	170 mm		
976A4A20018080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 180	Stainless A4-80	M20 x 180	Plain (no plating)	20 mm	180 mm		
976A4A200190	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 190	Stainless A4-70	M20 x 190	Plain (no plating)	20 mm	190 mm		
976A4A200200	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 200	Stainless A4-70	M20 x 200	Plain (no plating)	20 mm	200 mm		
976A4A200220	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 220	Stainless A4-70	M20 x 220	Plain (no plating)	20 mm	220 mm		
976A4A200230	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 230	Stainless A4-70	M20 x 230	Plain (no plating)	20 mm	230 mm		
976A4A200240	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 240	Stainless A4-70	M20 x 240	Plain (no plating)	20 mm	240 mm		
976A4A20024080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 240	Stainless A4-80	M20 x 240	Plain (no plating)	20 mm	240 mm		
976A4A200250	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 250	Stainless A4-70	M20 x 250	Plain (no plating)	20 mm	250 mm		
976A4A20026080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 260	Stainless A4-80	M20 x 260	Plain (no plating)	20 mm	260 mm		
976A4A20030080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 300	Stainless A4-80	M20 x 300	Plain (no plating)	20 mm	300 mm		
976A4A200310	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 310	Stainless A4-70	M20 x 310	Plain (no plating)	20 mm	310 mm		
976A4A20033080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 330	Stainless A4-80	M20 x 330	Plain (no plating)	20 mm	330 mm		
976A4A200333	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 333	Stainless A4-70	M20 x 333	Plain (no plating)	20 mm	333 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A20043080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 430	Stainless A4-80	M20 x 430	Plain (no plating)	20 mm	430 mm		
976A4A20050080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 500	Stainless A4-80	M20 x 500	Plain (no plating)	20 mm	500 mm		
976A4A20051080	DIN 976-A Threaded Rod, Stainless A4, M20 x 510	Stainless A4	M20 x 510	Plain (no plating)	20 mm	510 mm		
976A4A20055080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 550	Stainless A4-80	M20 x 550	Plain (no plating)	20 mm	550 mm		
976A4A201000	DIN 976-A Threaded Rod, Stainless A4, M20 x 1000	Stainless A4	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
976A4A20100080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 1000	Stainless A4-80	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
976A4A20100080C	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 1000	Stainless A4-80	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
976A4A201000L	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 1000, left-hand T	Stainless A4-70	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
976A4A202000	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 2000	Stainless A4-70	M20 x 2000	Plain (no plating)	20 mm	2000 mm		
976A4A20200080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 2000	Stainless A4-80	M20 x 2000	Plain (no plating)	20 mm	2000 mm		
976A4A203000	DIN 976-A Threaded Rod, Stainless A4-70, M20 x 3000	Stainless A4-70	M20 x 3000	Plain (no plating)	20 mm	3000 mm		
976A4A20300080	DIN 976-A Threaded Rod, Stainless A4-80, M20 x 3000	Stainless A4-80	M20 x 3000	Plain (no plating)	20 mm	3000 mm		
976A4A220290	DIN 976-A Threaded Rod, Stainless A4-70, M22 x 290	Stainless A4-70	M22 x 290	Plain (no plating)	22 mm	290 mm		
976A4A221000	DIN 976-A Threaded Rod, Stainless A4-70, M22 x 1000	Stainless A4-70	M22 x 1000	Plain (no plating)	22 mm	1000 mm		
976A4A223000	DIN 976-B Threaded Rod, Stainless A4-70, M22 x 3000, chamfered F	Stainless A4-70	M22 x 3000	Plain (no plating)	22 mm	3000 mm		
976A4A240080	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 80	Stainless A4-70	M24 x 80	Plain (no plating)	24 mm	80 mm		
976A4A24008580	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 85	Stainless A4-80	M24 x 85	Plain (no plating)	24 mm	85 mm		
976A4A240090	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 90	Stainless A4-70	M24 x 90	Plain (no plating)	24 mm	90 mm		
976A4A24009080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 90	Stainless A4-80	M24 x 90	Plain (no plating)	24 mm	90 mm		
976A4A240100	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 100	Stainless A4-70	M24 x 100	Plain (no plating)	24 mm	100 mm		
976A4A24010080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 100	Stainless A4-80	M24 x 100	Plain (no plating)	24 mm	100 mm		
976A4A240110	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 110	Stainless A4-70	M24 x 110	Plain (no plating)	24 mm	110 mm		
976A4A24011080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 110	Stainless A4-80	M24 x 110	Plain (no plating)	24 mm	110 mm		
976A4A240115	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 115	Stainless A4-70	M24 x 115	Plain (no plating)	24 mm	115 mm		
976A4A240130	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 130	Stainless A4-70	M24 x 130	Plain (no plating)	24 mm	130 mm		
976A4A24013080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 130	Stainless A4-80	M24 x 130	Plain (no plating)	24 mm	130 mm		
976A4A24014080	DIN 976-A Threaded Rod, Stainless A4, M24 x 140	Stainless A4	M24 x 140	Plain (no plating)	24 mm	140 mm		
976A4A240150	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 150	Stainless A4-70	M24 x 150	Plain (no plating)	24 mm	150 mm		
976A4A24015080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 150	Stainless A4-80	M24 x 150	Plain (no plating)	24 mm	150 mm		
976A4A240190	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 190	Stainless A4-70	M24 x 190	Plain (no plating)	24 mm	190 mm		
976A4A240200	DIN 976-A Threaded Rod, Stainless A4, M24 x 200	Stainless A4	M24 x 200	Plain (no plating)	24 mm	200 mm		
976A4A24020080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 200	Stainless A4-80	M24 x 200	Plain (no plating)	24 mm	200 mm		
976A4A24020580	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 205	Stainless A4-80	M24 x 205	Plain (no plating)	24 mm	205 mm		
976A4A240250	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 250	Stainless A4-70	M24 x 250	Plain (no plating)	24 mm	250 mm		
976A4A240260	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 260	Stainless A4-70	M24 x 260	Plain (no plating)	24 mm	260 mm		
976A4A24026080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 260	Stainless A4-80	M24 x 260	Plain (no plating)	24 mm	260 mm		
976A4A24028080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 280	Stainless A4-80	M24 x 280	Plain (no plating)	24 mm	280 mm		
976A4A24033080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 330	Stainless A4-80	M24 x 330	Plain (no plating)	24 mm	330 mm		
976A4A24035080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 350	Stainless A4-80	M24 x 350	Plain (no plating)	24 mm	350 mm		
976A4A240360	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 360	Stainless A4-70	M24 x 360	Plain (no plating)	24 mm	360 mm		
976A4A240420	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 420	Stainless A4-70	M24 x 420	Plain (no plating)	24 mm	420 mm		
976A4A24043080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 430	Stainless A4-80	M24 x 430	Plain (no plating)	24 mm	430 mm		
976A4A240500	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 500	Stainless A4-70	M24 x 500	Plain (no plating)	24 mm	500 mm		
976A4A240540	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 540	Stainless A4-70	M24 x 540	Plain (no plating)	24 mm	540 mm		
976A4A24055080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 550	Stainless A4-80	M24 x 550	Plain (no plating)	24 mm	550 mm		
976A4A24060070	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 600	Stainless A4-70	M24 x 600	Plain (no plating)	24 mm	600 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A24060080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 600	Stainless A4-80	M24 x 600	Plain (no plating)	24 mm	600 mm		
976A4A240750	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 750	Stainless A4-70	M24 x 750	Plain (no plating)	24 mm	750 mm		
976A4A240770	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 770	Stainless A4-70	M24 x 770	Plain (no plating)	24 mm	770 mm		
976A4A241000	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 1000	Stainless A4-70	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
976A4A24100080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 1000	Stainless A4-80	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
976A4A241500	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 1500	Stainless A4-70	M24 x 1500	Plain (no plating)	24 mm	1500 mm		
976A4A242000	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 2000	Stainless A4-70	M24 x 2000	Plain (no plating)	24 mm	2000 mm		
976A4A24200080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 2000	Stainless A4-80	M24 x 2000	Plain (no plating)	24 mm	2000 mm		
976A4A243000	DIN 976-A Threaded Rod, Stainless A4-70, M24 x 3000	Stainless A4-70	M24 x 3000	Plain (no plating)	24 mm	3000 mm		
976A4A24300080	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 3000	Stainless A4-80	M24 x 3000	Plain (no plating)	24 mm	3000 mm		
976A4A24300080C	DIN 976-A Threaded Rod, Stainless A4-80, M24 x 3000	Stainless A4-80	M24 x 3000	Plain (no plating)	24 mm	3000 mm		
976A4A270090	DIN 976-A Threaded Rod, Stainless A4, M27 x 90	Stainless A4	M27 x 90	Plain (no plating)	27 mm	90 mm		
976A4A270100	DIN 976-A Threaded Rod, Stainless A4, M27 x 100	Stainless A4	M27 x 100	Plain (no plating)	27 mm	100 mm		
976A4A270120	DIN 976-A Threaded Rod, Stainless A4, M27 x 120	Stainless A4	M27 x 120	Plain (no plating)	27 mm	120 mm		
976A4A270150	DIN 976-A Threaded Rod, Stainless A4, M27 x 150	Stainless A4	M27 x 150	Plain (no plating)	27 mm	150 mm		
976A4A270170	DIN 976-A Threaded Rod, Stainless A4, M27 x 170	Stainless A4	M27 x 170	Plain (no plating)	27 mm	170 mm		
976A4A270180	DIN 976-A Threaded Rod, Stainless A4, M27 x 180	Stainless A4	M27 x 180	Plain (no plating)	27 mm	180 mm		
976A4A270200	DIN 976-A Threaded Rod, Stainless A4, M27 x 200	Stainless A4	M27 x 200	Plain (no plating)	27 mm	200 mm		
976A4A270230	DIN 976-A Threaded Rod, Stainless A4, M27 x 230	Stainless A4	M27 x 230	Plain (no plating)	27 mm	230 mm		
976A4A270260	DIN 976-A Threaded Rod, Stainless A4, M27 x 260	Stainless A4	M27 x 260	Plain (no plating)	27 mm	260 mm		
976A4A270270	DIN 976-A Threaded Rod, Stainless A4, M27 x 270	Stainless A4	M27 x 270	Plain (no plating)	27 mm	270 mm		
976A4A270300	DIN 976-A Threaded Rod, Stainless A4, M27 x 300	Stainless A4	M27 x 300	Plain (no plating)	27 mm	300 mm		
976A4A270410	DIN 976-A Threaded Rod, Stainless A4, M27 x 410	Stainless A4	M27 x 410	Plain (no plating)	27 mm	410 mm		
976A4A271000	DIN 976-A Threaded Rod, Stainless A4, M27 x 1000	Stainless A4	M27 x 1000	Plain (no plating)	27 mm	1000 mm		
976A4A27100080	DIN 976-A Threaded Rod, Stainless A4-80, M27 x 1000	Stainless A4-80	M27 x 1000	Plain (no plating)	27 mm	1000 mm		
976A4A272000	DIN 976-A Threaded Rod, Stainless A4, M27 x 2000	Stainless A4	M27 x 2000	Plain (no plating)	27 mm	2000 mm		
976A4A273000	DIN 976-A Threaded Rod, Stainless A4, M27 x 3000	Stainless A4	M27 x 3000	Plain (no plating)	27 mm	3000 mm		
976A4A300135	DIN 976-A Threaded Rod, Stainless A4, M30 x 135	Stainless A4	M30 x 135	Plain (no plating)	30 mm	135 mm		
976A4A300150	DIN 976-A Threaded Rod, Stainless A4, M30 x 150	Stainless A4	M30 x 150	Plain (no plating)	30 mm	150 mm		
976A4A300170	DIN 976-A Threaded Rod, Stainless A4, M30 x 170	Stainless A4	M30 x 170	Plain (no plating)	30 mm	170 mm		
976A4A300180	DIN 976-A Threaded Rod, Stainless A4, M30 x 180	Stainless A4	M30 x 180	Plain (no plating)	30 mm	180 mm		
976A4A300205	DIN 976-A Threaded Rod, Stainless A4, M30 x 205	Stainless A4	M30 x 205	Plain (no plating)	30 mm	205 mm		
976A4A300215	DIN 976-A Threaded Rod, Stainless A4, M30 x 215	Stainless A4	M30 x 215	Plain (no plating)	30 mm	215 mm		
976A4A30030080	DIN 976-A Threaded Rod, Stainless A4-80, M30 x 300	Stainless A4-80	M30 x 300	Plain (no plating)	30 mm	300 mm		
976A4A30032080	DIN 976-A Threaded Rod, Stainless A4-80, M30 x 320	Stainless A4-80	M30 x 320	Plain (no plating)	30 mm	320 mm		
976A4A300500	DIN 976-A Threaded Rod, Stainless A4, M30 x 500	Stainless A4	M30 x 500	Plain (no plating)	30 mm	500 mm		
976A4A301000	DIN 976-A Threaded Rod, Stainless A4, M30 x 1000	Stainless A4	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
976A4A30100080	DIN 976-A Threaded Rod, Stainless A4-80, M30 x 1000	Stainless A4-80	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
976A4A302000	DIN 976-A Threaded Rod, Stainless A4, M30 x 2000	Stainless A4	M30 x 2000	Plain (no plating)	30 mm	2000 mm		
976A4A30200080	DIN 976-A Threaded Rod, Stainless A4-80, M30 x 2000	Stainless A4-80	M30 x 2000	Plain (no plating)	30 mm	2000 mm		
976A4A303000	DIN 976-A Threaded Rod, Stainless A4, M30 x 3000	Stainless A4	M30 x 3000	Plain (no plating)	30 mm	3000 mm		
976A4A30300080	DIN 976-A Threaded Rod, Stainless A4-80, M30 x 3000	Stainless A4-80	M30 x 3000	Plain (no plating)	30 mm	3000 mm		
976A4A330120	DIN 976-A Threaded Rod, Stainless A4, M33 x 120	Stainless A4	M33 x 120	Plain (no plating)	33 mm	120 mm		
976A4A330130	DIN 976-A Threaded Rod, Stainless A4, M33 x 130	Stainless A4	M33 x 130	Plain (no plating)	33 mm	130 mm		
976A4A330140	DIN 976-A Threaded Rod, Stainless A4, M33 x 140	Stainless A4	M33 x 140	Plain (no plating)	33 mm	140 mm		
976A4A33014580	DIN 976-A Threaded Rod, Stainless A4-80, M33 x 145	Stainless A4-80	M33 x 145	Plain (no plating)	33 mm	145 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4A330300	DIN 976-A Threaded Rod, Stainless A4, M33 x 300	Stainless A4	M33 x 300	Plain (no plating)	33 mm	300 mm		
976A4A330480	DIN 976-A Threaded Rod, Stainless A4, M33 x 480	Stainless A4	M33 x 480	Plain (no plating)	33 mm	480 mm		
976A4A331000	DIN 976-A Threaded Rod, Stainless A4, M33 x 1000	Stainless A4	M33 x 1000	Plain (no plating)	33 mm	1000 mm		
976A4A333000	DIN 976-A Threaded Rod, Stainless A4, M33 x 3000	Stainless A4	M33 x 3000	Plain (no plating)	33 mm	3000 mm		
976A4A360750	DIN 976-A Threaded Rod, Stainless A4, M36 x 750	Stainless A4	M36 x 750	Plain (no plating)	36 mm	750 mm		
976A4A361000	DIN 976-A Threaded Rod, Stainless A4, M36 x 1000	Stainless A4	M36 x 1000	Plain (no plating)	36 mm	1000 mm		
976A4A362000	DIN 976-A Threaded Rod, Stainless A4, M36 x 2000	Stainless A4	M36 x 2000	Plain (no plating)	36 mm	2000 mm		
976A4A363000	DIN 976-A Threaded Rod, Stainless A4, M36 x 3000	Stainless A4	M36 x 3000	Plain (no plating)	36 mm	3000 mm		
976A4A391000	DIN 976-A Threaded Rod, Stainless A4, M39 x 1000	Stainless A4	M39 x 1000	Plain (no plating)	39 mm	1000 mm		
976A4A39150080	DIN 976-A Threaded Rod, Stainless A4-80, M39 x 1500	Stainless A4-80	M39 x 1500	Plain (no plating)	39 mm	1500 mm		
976A4A392000	DIN 976-A Threaded Rod, Stainless A4-50, M39 x 2000	Stainless A4-50	M39 x 2000	Plain (no plating)	39 mm	2000 mm		
976A4A420130	DIN 976-A Threaded Rod, Stainless A4, M42 x 130	Stainless A4	M42 x 130	Plain (no plating)	42 mm	130 mm		
976A4A421000	DIN 976-A Threaded Rod, Stainless A4, M42 x 1000	Stainless A4	M42 x 1000	Plain (no plating)	42 mm	1000 mm		
976A4A422000	DIN 976-A Threaded Rod, Stainless A4, M42 x 2000	Stainless A4	M42 x 2000	Plain (no plating)	42 mm	2000 mm		
976A4A520310	DIN 976-A Threaded Rod, Stainless A4, M52 x 310	Stainless A4	M52 x 310	Plain (no plating)	52 mm	310 mm		
976A4A521000	DIN 976-A Threaded Rod, Stainless A4, M52 x 1000	Stainless A4	M52 x 1000	Plain (no plating)	52 mm	1000 mm		
976A4A560480	DIN 976-A Threaded Rod, Stainless A4, M56 x 480	Stainless A4	M56 x 480	Plain (no plating)	56 mm	480 mm		
976A4AL161000	DIN 976-A Threaded Rod, Stainless A4-70, M16 x 1000, Left Hand Thread	Stainless A4-70	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A4B040016	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 16, Chamfered Ends	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm		
976A4B040020	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 20, Chamfered Ends	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm		
976A4B040025	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 25, Chamfered Ends	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm		
976A4B040055	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 55, Chamfered Ends	Stainless A4-70	M4 x 55	Plain (no plating)	4 mm	55 mm		
976A4B040060	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 60, Chamfered Ends	Stainless A4-70	M4 x 60	Plain (no plating)	4 mm	60 mm		
976A4B040070	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 70, Chamfered Ends	Stainless A4-70	M4 x 70	Plain (no plating)	4 mm	70 mm		
976A4B040085	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 85, Chamfered Ends	Stainless A4-70	M4 x 85	Plain (no plating)	4 mm	85 mm		
976A4B040120	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 120, Chamfered Ends	Stainless A4-70	M4 x 120	Plain (no plating)	4 mm	120 mm		
976A4B040130	DIN 976-B Threaded Rod, Stainless A4-70, M4 x 130, Chamfered Ends	Stainless A4-70	M4 x 130	Plain (no plating)	4 mm	130 mm		
976A4B050016	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 16, Chamfered Ends	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm		
976A4B050020	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 20, Chamfered Ends	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm		
976A4B050025	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 25, Chamfered Ends	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm		
976A4B050030	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 30, Chamfered Ends	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm		
976A4B050075	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 75, Chamfered Ends	Stainless A4-70	M5 x 75	Plain (no plating)	5 mm	75 mm		
976A4B050090	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 90, Chamfered Ends	Stainless A4-70	M5 x 90	Plain (no plating)	5 mm	90 mm		
976A4B050110	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 110, Chamfered Ends	Stainless A4-70	M5 x 110	Plain (no plating)	5 mm	110 mm		
976A4B050130	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 130, Chamfered Ends	Stainless A4-70	M5 x 130	Plain (no plating)	5 mm	130 mm		
976A4B050200	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 200, Chamfered Ends	Stainless A4-70	M5 x 200	Plain (no plating)	5 mm	200 mm		
976A4B050240	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 240, Chamfered Ends	Stainless A4-70	M5 x 240	Plain (no plating)	5 mm	240 mm		
976A4B050300	DIN 976-B Threaded Rod, Stainless A4-70, M5 x 300, Chamfered Ends	Stainless A4-70	M5 x 300	Plain (no plating)	5 mm	300 mm		
976A4B05100088	DIN 976-B Threaded Rod, Stainless A4, M5 x 1000, Chamfered Ends	Stainless A4	M5 x 1000	Plain (no plating)	5 mm	1000 mm		
976A4B060012	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 12, Chamfered Ends	Stainless A4-70	M6 x 12	Plain (no plating)	6 mm	12 mm		
976A4B060016	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 16, Chamfered Ends	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm		
976A4B060020	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 20, Chamfered Ends	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm		
976A4B060025	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 25, Chamfered Ends	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm		
976A4B060030	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 30, Chamfered Ends	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm		
976A4B060035	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 35, Chamfered Ends	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm		
976A4B060040	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 40, Chamfered Ends	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm		

Chamfered Ends

Stainless A4-70

M6 x 40

Plain (no plating)

6 mm

40 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4B060045	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 45, Chamfered Ends	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm		
976A4B060050	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 50, Chamfered Ends	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm		
976A4B060060	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 60, Chamfered Ends	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm		
976A4B060065	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 65, Chamfered Ends	Stainless A4-70	M6 x 65	Plain (no plating)	6 mm	65 mm		
976A4B060070	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 70, Chamfered Ends	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm		
976A4B060075	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 75, Chamfered Ends	Stainless A4-70	M6 x 75	Plain (no plating)	6 mm	75 mm		
976A4B060080	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 80, Chamfered Ends	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm		
976A4B06008088	DIN 976-B Threaded Rod, Stainless A4, M6 x 80, Chamfered Ends	Stainless A4	M6 x 80	Plain (no plating)	6 mm	80 mm		
976A4B060090	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 90, Chamfered Ends	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm		
976A4B060095	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 95, Chamfered Ends	Stainless A4-70	M6 x 95	Plain (no plating)	6 mm	95 mm		
976A4B060100	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 100, Chamfered Ends	Stainless A4-70	M6 x 100	Plain (no plating)	6 mm	100 mm		
976A4B06010288	DIN 976-B Threaded Rod, Stainless A4, M6 x 102, Chamfered End	Stainless A4	M6 x 102	Plain (no plating)	6 mm	102 mm		
976A4B060120	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 120, Chamfered Ends	Stainless A4-70	M6 x 120	Plain (no plating)	6 mm	120 mm		
976A4B060130	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 130, Chamfered End	Stainless A4-70	M6 x 130	Plain (no plating)	6 mm	130 mm		
976A4B060150	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 150, Chamfered End	Stainless A4-70	M6 x 150	Plain (no plating)	6 mm	150 mm		
976A4B06016888	DIN 976-B Threaded Rod, Stainless A4, M6 x 168, Chamfered End	Stainless A4	M6 x 168	Plain (no plating)	6 mm	168 mm		
976A4B060170	DIN 976-B Threaded Rod, Stainless A4-70, M6 x 170, Chamfered End	Stainless A4-70	M6 x 170	Plain (no plating)	6 mm	170 mm		
976A4B06023488	DIN 976-B Threaded Rod, Stainless A4, M6 x 234, Chamfered End	Stainless A4	M6 x 234	Plain (no plating)	6 mm	234 mm		
976A4B06030088	DIN 976-B Threaded Rod, Stainless A4, M6 x 300, Chamfered Ends	Stainless A4	M6 x 300	Plain (no plating)	6 mm	300 mm		
976A4B06036688	DIN 976-B Threaded Rod, Stainless A4, M6 x 366, Chamfered Ends	Stainless A4	M6 x 366	Plain (no plating)	6 mm	366 mm		
976A4B06100080C	DIN 976-B Threaded Rod, Stainless A4-80, M6 x 1000, Chamfered End	Stainless A4-80	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
976A4B06100088	DIN 976-B Threaded Rod, Stainless A4, M6 x 1000, Chamfered End	Stainless A4	M6 x 1000	Plain (no plating)	6 mm	1000 mm		
976A4B080016	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 16, Chamfered Ends	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm		
976A4B080020	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 20, Chamfered Ends	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm		
976A4B080025	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 25, Chamfered Ends	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm		
976A4B080030	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 30, Chamfered Ends	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm		
976A4B080035	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 35, Chamfered Ends	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm		
976A4B080040	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 40, Chamfered Ends	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm		
976A4B08004080	DIN 976-B Threaded Rod, Stainless A4-80, M8 x 40, Chamfered Ends	Stainless A4-80	M8 x 40	Plain (no plating)	8 mm	40 mm		
976A4B08004088SC	DIN 976-B Threaded Rod, Stainless A4, M8 x 40, Chamfered Ends C	Stainless A4	M8 x 40	Silver Coating	8 mm	40 mm		
976A4B080045	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 45, Chamfered Ends	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm		
976A4B080050	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 50, Chamfered Ends	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm		
976A4B08005088SC	DIN 976-B Threaded Rod, Stainless A4, M8 x 50, Chamfered Ends C	Stainless A4	M8 x 50	Silver Coating	8 mm	50 mm		
976A4B080055	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 55, Chamfered Ends	Stainless A4-70	M8 x 55	Plain (no plating)	8 mm	55 mm		
976A4B080060	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 60, Chamfered Ends	Stainless A4-70	M8 x 60	Plain (no plating)	8 mm	60 mm		
976A4B080065	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 65, Chamfered Ends	Stainless A4-70	M8 x 65	Plain (no plating)	8 mm	65 mm		
976A4B080070	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 70, Chamfered Ends	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm		
976A4B080075	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 75, Chamfered Ends	Stainless A4-70	M8 x 75	Plain (no plating)	8 mm	75 mm		
976A4B080080	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 80, Chamfered Ends	Stainless A4-70	M8 x 80	Plain (no plating)	8 mm	80 mm		
976A4B08008088	DIN 976-B Threaded Rod, Stainless A4, M8 x 80, Chamfered Ends	Stainless A4	M8 x 80	Plain (no plating)	8 mm	80 mm		
976A4B080090	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 90, Chamfered Ends	Stainless A4-70	M8 x 90	Plain (no plating)	8 mm	90 mm		
976A4B080100	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 100, Chamfered Ends	Stainless A4-70	M8 x 100	Plain (no plating)	8 mm	100 mm		
976A4B080110	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 110, Chamfered End	Stainless A4-70	M8 x 110	Plain (no plating)	8 mm	110 mm		
976A4B080120	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 120, Chamfered End	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm		
976A4B080125	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 125, Chamfered End	Stainless A4-70	M8 x 125	Plain (no plating)	8 mm	125 mm		
976A4B080130	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 130, Chamfered End							

Chamfered End

Stainless A4-70

M8 x 130

Plain (no plating)

8 mm

130 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4B08013888	DIN 976-B Threaded Rod, Stainless A4, M8 x 138, Chamfered Ends	Stainless A4	M8 x 138	Plain (no plating)	8 mm	138 mm		
976A4B080140	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 140, Chamfered Ends	Stainless A4-70	M8 x 140	Plain (no plating)	8 mm	140 mm		
976A4B080150	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 150, Chamfered Ends	Stainless A4-70	M8 x 150	Plain (no plating)	8 mm	150 mm		
976A4B080200	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 200, Chamfered Ends	Stainless A4-70	M8 x 200	Plain (no plating)	8 mm	200 mm		
976A4B08023288	DIN 976-B Threaded Rod, Stainless A4, M8 x 232, Chamfered Ends	Stainless A4	M8 x 232	Plain (no plating)	8 mm	232 mm		
976A4B08032688	DIN 976-B Threaded Rod, Stainless A4, M8 x 326, Chamfered Ends	Stainless A4	M8 x 326	Plain (no plating)	8 mm	326 mm		
976A4B08042088	DIN 976-B Threaded Rod, Stainless A4, M8 x 420, Chamfered Ends	Stainless A4	M8 x 420	Plain (no plating)	8 mm	420 mm		
976A4B08051070	DIN 976-B Threaded Rod, Stainless A4-70, M8 x 510, Chamfered Ends	Stainless A4-70	M8 x 510	Plain (no plating)	8 mm	510 mm		
976A4B08051488	DIN 976-B Threaded Rod, Stainless A4, M8 x 514, Chamfered Ends	Stainless A4	M8 x 514	Plain (no plating)	8 mm	514 mm		
976A4B08100088	DIN 976-B Threaded Rod, Stainless A4, M8 x 1000, Chamfered Ends	Stainless A4	M8 x 1000	Plain (no plating)	8 mm	1000 mm		
976A4B100020	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 20, Chamfered Ends	Stainless A4-70	M10 x 20	Plain (no plating)	10 mm	20 mm		
976A4B100025	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 25, Chamfered Ends	Stainless A4-70	M10 x 25	Plain (no plating)	10 mm	25 mm		
976A4B100030	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 30, Chamfered Ends	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm		
976A4B100035	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 35, Chamfered Ends	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm		
976A4B100035W62	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 35, Chamfered Ends	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm		
976A4B100040	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 40, Chamfered Ends	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm		
976A4B10004080	DIN 976-B Threaded Rod, Stainless A4-80, M10 x 40, Chamfered Ends	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm		
976A4B100045	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 45, Chamfered Ends	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm		
976A4B100050	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 50, Chamfered Ends	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm		
976A4B10005080	DIN 976-B Threaded Rod, Stainless A4-80, M10 x 50, Chamfered Ends	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm		
976A4B100055	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 55, Chamfered Ends	Stainless A4-70	M10 x 55	Plain (no plating)	10 mm	55 mm		
976A4B100060	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 60, Chamfered Ends	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm		
976A4B10006080	DIN 976-B Threaded Rod, Stainless A4-80, M10 x 60, Chamfered Ends	Stainless A4-80	M10 x 60	Plain (no plating)	10 mm	60 mm		
976A4B100065	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 65, Chamfered Ends	Stainless A4-70	M10 x 65	Plain (no plating)	10 mm	65 mm		
976A4B100070	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 70, Chamfered Ends	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm		
976A4B100075	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 75, Chamfered Ends	Stainless A4-70	M10 x 75	Plain (no plating)	10 mm	75 mm		
976A4B100080	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 80, Chamfered Ends	Stainless A4-70	M10 x 80	Plain (no plating)	10 mm	80 mm		
976A4B100090	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 90, Chamfered Ends	Stainless A4-70	M10 x 90	Plain (no plating)	10 mm	90 mm		
976A4B100100	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 100, Chamfered Ends	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm		
976A4B100110	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 110, Chamfered Ends	Stainless A4-70	M10 x 110	Plain (no plating)	10 mm	110 mm		
976A4B100120	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 120, Chamfered Ends	Stainless A4-70	M10 x 120	Plain (no plating)	10 mm	120 mm		
976A4B10014588	DIN 976-B Threaded Rod, Stainless A4, M10 x 145, Chamfered Ends	Stainless A4	M10 x 145	Plain (no plating)	10 mm	145 mm		
976A4B100150	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 150, Chamfered Ends	Stainless A4-70	M10 x 150	Plain (no plating)	10 mm	150 mm		
976A4B100160	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 160, Chamfered Ends	Stainless A4-70	M10 x 160	Plain (no plating)	10 mm	160 mm		
976A4B10016080	DIN 976-B Threaded Rod, Stainless A4-80, M10 x 160, Chamfered Ends	Stainless A4-80	M10 x 160	Plain (no plating)	10 mm	160 mm		
976A4B100190	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 190, Chamfered Ends	Stainless A4-70	M10 x 190	Plain (no plating)	10 mm	190 mm		
976A4B100200	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 200, Chamfered Ends	Stainless A4-70	M10 x 200	Plain (no plating)	10 mm	200 mm		
976A4B10027580	DIN 976-B Threaded Rod, Stainless A4-80, M10 x 275, Chamfered Ends	Stainless A4-80	M10 x 275	Plain (no plating)	10 mm	275 mm		
976A4B100500	DIN 976-B Threaded Rod, Stainless A4-70, M10 x 500, Chamfered Ends	Stainless A4-70	M10 x 500	Plain (no plating)	10 mm	500 mm		
976A4B10100088	DIN 976-B Threaded Rod, Stainless A4, M10 x 1000, Chamfered Ends	Stainless A4	M10 x 1000	Plain (no plating)	10 mm	1000 mm		
976A4B120030	DIN 976-B Threaded Rod, Stainless A4, M12 x 30, Chamfered Ends	Stainless A4	M12 x 30	Plain (no plating)	12 mm	30 mm		
976A4B120035	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 35, Chamfered Ends	Stainless A4-70	M12 x 35	Plain (no plating)	12 mm	35 mm		
976A4B120040	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 40, Chamfered Ends	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm		
976A4B12004080	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 40, Chamfered Ends	Stainless A4-80	M12 x 40	Plain (no plating)	12 mm	40 mm		
976A4B12004088	DIN 976-B Threaded Rod, Stainless A4, M12 x 40, Chamfered Ends	Stainless A4	M12 x 40	Plain (no plating)	12 mm	40 mm		
976A4B120045	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 45, Chamfered Ends	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm		

Chamfered End

Stainless A4-70

M12 x 45

Plain (no plating)

12 mm

45 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4B12004580	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 45, Chamfered End	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm		
976A4B120050	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 50, Chamfered End	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm		
976A4B12005080	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 50, Chamfered End	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm		
976A4B120060	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 60, Chamfered End	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm		
976A4B12006080	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 60, Chamfered End	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm		
976A4B120065	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 65, Chamfered End	Stainless A4-70	M12 x 65	Plain (no plating)	12 mm	65 mm		
976A4B12006580	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 65, Chamfered End	Stainless A4-80	M12 x 65	Plain (no plating)	12 mm	65 mm		
976A4B120070	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 70, Chamfered End	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm		
976A4B12007080	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 70, Chamfered End	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm		
976A4B120075	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 75, Chamfered End	Stainless A4-70	M12 x 75	Plain (no plating)	12 mm	75 mm		
976A4B120080	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 80, Chamfered End	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm		
976A4B12008080	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 80, Chamfered End	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm		
976A4B120090	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 90, Chamfered End	Stainless A4-70	M12 x 90	Plain (no plating)	12 mm	90 mm		
976A4B12009080	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 90, Chamfered End	Stainless A4-80	M12 x 90	Plain (no plating)	12 mm	90 mm		
976A4B120095	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 95, Chamfered End	Stainless A4-70	M12 x 95	Plain (no plating)	12 mm	95 mm		
976A4B120115	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 115, Chamfered End	Stainless A4-70	M12 x 115	Plain (no plating)	12 mm	115 mm		
976A4B120140	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 140, Chamfered End	Stainless A4-70	M12 x 140	Plain (no plating)	12 mm	140 mm		
976A4B120145	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 145, Chamfered End	Stainless A4-70	M12 x 145	Plain (no plating)	12 mm	145 mm		
976A4B12015080	DIN 976-B Threaded Rod, Stainless A4-80, M12 x 150, Chamfered End	Stainless A4-80	M12 x 150	Plain (no plating)	12 mm	150 mm		
976A4B120160	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 160, Chamfered End	Stainless A4-70	M12 x 160	Plain (no plating)	12 mm	160 mm		
976A4B120180	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 180, Chamfered End	Stainless A4-70	M12 x 180	Plain (no plating)	12 mm	180 mm		
976A4B120200	DIN 976-B Threaded Rod, Stainless A4-70, M12 x 200, Chamfered End	Stainless A4-70	M12 x 200	Plain (no plating)	12 mm	200 mm		
976A4B12100088	DIN 976-B Threaded Rod, Stainless A4, M12 x 1000, Chamfered End	Stainless A4	M12 x 1000	Plain (no plating)	12 mm	1000 mm		
976A4B14008570	DIN 976-B Threaded Rod, Stainless A4-70, M14 x 85, Chamfered End	Stainless A4-70	M14 x 85	Plain (no plating)	14 mm	85 mm		
976A4B160040	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 40, Chamfered End	Stainless A4-70	M16 x 40	Plain (no plating)	16 mm	40 mm		
976A4B160043	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 43, Chamfered End	Stainless A4-70	M16 x 43	Plain (no plating)	16 mm	43 mm		
976A4B160050	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 50, Chamfered End	Stainless A4-70	M16 x 50	Plain (no plating)	16 mm	50 mm		
976A4B160060	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 60, Chamfered End	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm		
976A4B16006080	DIN 976-B Threaded Rod, Stainless A4-80, M16 x 60, Chamfered End	Stainless A4-80	M16 x 60	Plain (no plating)	16 mm	60 mm		
976A4B160065	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 65, Chamfered End	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm		
976A4B160070	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 70, Chamfered End	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm		
976A4B16007080	DIN 976-B Threaded Rod, Stainless A4-80, M16 x 70, Chamfered End	Stainless A4-80	M16 x 70	Plain (no plating)	16 mm	70 mm		
976A4B160075	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 75, Chamfered End	Stainless A4-70	M16 x 75	Plain (no plating)	16 mm	75 mm		
976A4B16008080	DIN 976-B Threaded Rod, Stainless A4-80, M16 x 80, Chamfered End	Stainless A4-80	M16 x 80	Plain (no plating)	16 mm	80 mm		
976A4B160090	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 90, Chamfered End	Stainless A4-70	M16 x 90	Plain (no plating)	16 mm	90 mm		
976A4B160110	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 110, Chamfered End	Stainless A4-70	M16 x 110	Plain (no plating)	16 mm	110 mm		
976A4B16011088	DIN 976-B Threaded Rod, Stainless A4, M16 x 110, Chamfered End	Stainless A4	M16 x 110	Plain (no plating)	16 mm	110 mm		
976A4B160160	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 160, Chamfered End	Stainless A4-70	M16 x 160	Plain (no plating)	16 mm	160 mm		
976A4B16019588	DIN 976-B Threaded Rod, Stainless A4, M16 x 195, Chamfered End	Stainless A4	M16 x 195	Plain (no plating)	16 mm	195 mm		
976A4B160200	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 200, Chamfered End	Stainless A4-70	M16 x 200	Plain (no plating)	16 mm	200 mm		
976A4B16023080	DIN 976-B Threaded Rod, Stainless A4-80, M16 x 230, Chamfered End	Stainless A4-80	M16 x 230	Plain (no plating)	16 mm	230 mm		
976A4B16030080	DIN 976-B Threaded Rod, Stainless A4-80, M16 x 300, Chamfered End	Stainless A4-80	M16 x 300	Plain (no plating)	16 mm	300 mm		
976A4B16040070	DIN 976-B Threaded Rod, Stainless A4-70, M16 x 400, Chamfered End	Stainless A4-70	M16 x 400	Plain (no plating)	16 mm	400 mm		
976A4B16100088	DIN 976-B Threaded Rod, Stainless A4, M16 x 1000, Chamfered End	Stainless A4	M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976A4B200055	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 55, Chamfered End	Stainless A4-70	M20 x 55	Plain (no plating)	20 mm	55 mm		
976A4B200065	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 65, Chamfered End							

Chamfered End

Stainless A4-70

M20 x 65

Plain (no plating)

20 mm

65 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
976A4B20008070	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 80, Chamfered Ends	Stainless A4-70	M20 x 80	Plain (no plating)	20 mm	80 mm		
976A4B20008080	DIN 976-B Threaded Rod, Stainless A4-80, M20 x 80, Chamfered Ends	Stainless A4-80	M20 x 80	Plain (no plating)	20 mm	80 mm		
976A4B20009080	DIN 976-B Threaded Rod, Stainless A4-80, M20 x 90, Chamfered Ends	Stainless A4-80	M20 x 90	Plain (no plating)	20 mm	90 mm		
976A4B20010080	DIN 976-B Threaded Rod, Stainless A4-80, M20 x 100, Chamfered Ends	Stainless A4-80	M20 x 100	Plain (no plating)	20 mm	100 mm		
976A4B200117	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 117, Chamfered Ends	Stainless A4-70	M20 x 117	Plain (no plating)	20 mm	117 mm		
976A4B20012080	DIN 976-B Threaded Rod, Stainless A4-80, M20 x 120, Chamfered Ends	Stainless A4-80	M20 x 120	Plain (no plating)	20 mm	120 mm		
976A4B20013088	DIN 976-B Threaded Rod, Stainless A4, M20 x 130, Chamfered Ends	Stainless A4	M20 x 130	Plain (no plating)	20 mm	130 mm		
976A4B20014080	DIN 976-B Threaded Rod, Stainless A4-80, M20 x 140, Chamfered Ends	Stainless A4-80	M20 x 140	Plain (no plating)	20 mm	140 mm		
976A4B200160	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 160, Chamfered Ends	Stainless A4-70	M20 x 160	Plain (no plating)	20 mm	160 mm		
976A4B200215	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 215, Chamfered Ends	Stainless A4-70	M20 x 215	Plain (no plating)	20 mm	215 mm		
976A4B20031088	DIN 976-B Threaded Rod, Stainless A4, M20 x 310, Chamfered Ends	Stainless A4	M20 x 310	Plain (no plating)	20 mm	310 mm		
976A4B200330	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 330, Chamfered Ends	Stainless A4-70	M20 x 330	Plain (no plating)	20 mm	330 mm		
976A4B200575	DIN 976-B Threaded Rod, Stainless A4-70, M20 x 575, Chamfered Ends	Stainless A4-70	M20 x 575	Plain (no plating)	20 mm	575 mm		
976A4B20100088	DIN 976-B Threaded Rod, Stainless A4, M20 x 1000, Chamfered Ends	Stainless A4	M20 x 1000	Plain (no plating)	20 mm	1000 mm		
976A4B20200088	DIN 976-B Threaded Rod, Stainless A4, M20 x 2000, Chamfered Ends	Stainless A4	M20 x 2000	Plain (no plating)	20 mm	2000 mm		
976A4B240090	DIN 976-B Threaded Rod, Stainless A4, M24 x 90, Chamfered Ends	Stainless A4	M24 x 90	Plain (no plating)	24 mm	90 mm		
976A4B24010080	DIN 976-B Threaded Rod, Stainless A4-80, M24 x 100, Chamfered Ends	Stainless A4-80	M24 x 100	Plain (no plating)	24 mm	100 mm		
976A4B240235	DIN 976-B Threaded Rod, Stainless A4-70, M24 x 235, Chamfered Ends	Stainless A4-70	M24 x 235	Plain (no plating)	24 mm	235 mm		
976A4B240345	DIN 976-B Threaded Rod, Stainless A4-70, M24 x 345, Chamfered Ends	Stainless A4-70	M24 x 345	Plain (no plating)	24 mm	345 mm		
976A4B24035080	DIN 976-B Threaded Rod, Stainless A4-80, M24 x 350, Chamfered Ends	Stainless A4-80	M24 x 350	Plain (no plating)	24 mm	350 mm		
976A4B24036380	DIN 976-B Threaded Rod, Stainless A4-80, M24 x 363, Chamfered Ends	Stainless A4-80	M24 x 363	Plain (no plating)	24 mm	363 mm		
976A4B240435	DIN 976-B Threaded Rod, Stainless A4-70, M24 x 435, Chamfered Ends	Stainless A4-70	M24 x 435	Plain (no plating)	24 mm	435 mm		
976A4B240450	DIN 976-B Threaded Rod, Stainless A4-70, M24 x 450, Chamfered Ends	Stainless A4-70	M24 x 450	Plain (no plating)	24 mm	450 mm		
976A4B240535	DIN 976-B Threaded Rod, Stainless A4-70, M24 x 535, Chamfered Ends	Stainless A4-70	M24 x 535	Plain (no plating)	24 mm	535 mm		
976A4B24100088	DIN 976-B Threaded Rod, Stainless A4, M24 x 1000, Chamfered Ends	Stainless A4	M24 x 1000	Plain (no plating)	24 mm	1000 mm		
976A4B27100088	DIN 976-B Threaded Rod, Stainless A4, M27 x 1000, Chamfered Ends	Stainless A4	M27 x 1000	Plain (no plating)	27 mm	1000 mm		
976A4B30012050	DIN 976-B Threaded Rod, Stainless A4-50, M30 x 120, Chamfered Ends	Stainless A4-50	M30 x 120	Plain (no plating)	30 mm	120 mm		
976A4B30100088	DIN 976-B Threaded Rod, Stainless A4, M30 x 1000, Chamfered Ends	Stainless A4	M30 x 1000	Plain (no plating)	30 mm	1000 mm		
976A4B360280	DIN 976-B Threaded Rod, Stainless A4, M36 x 280, Chamfered Ends	Stainless A4	M36 x 280	Plain (no plating)	36 mm	280 mm		
976A4B360360	DIN 976-B Threaded Rod, Stainless A4, M36 x 360, Chamfered Ends	Stainless A4	M36 x 360	Plain (no plating)	36 mm	360 mm		
976A4B360400	DIN 976-B Threaded Rod, Stainless A4, M36 x 400, Chamfered Ends	Stainless A4	M36 x 400	Plain (no plating)	36 mm	400 mm		
976A4B360440	DIN 976-B Threaded Rod, Stainless A4, M36 x 440, Chamfered Ends	Stainless A4	M36 x 440	Plain (no plating)	36 mm	440 mm		
976A4B36045088	DIN 976-B Threaded Rod, Stainless A4, M36 x 450, Chamfered Ends	Stainless A4	M36 x 450	Plain (no plating)	36 mm	450 mm		
976A4B360480	DIN 976-B Threaded Rod, Stainless A4, M36 x 480, Chamfered Ends	Stainless A4	M36 x 480	Plain (no plating)	36 mm	480 mm		
976A4B360500	DIN 976-B Threaded Rod, Stainless A4, M36 x 500, Chamfered Ends	Stainless A4	M36 x 500	Plain (no plating)	36 mm	500 mm		
976BA050015	DIN 976-A Threaded Rod, M5 x 15, Plain		M5 x 15	Plain (no plating)	5 mm	15 mm		
976BA051000	DIN 976-A Threaded Rod, M5 x 1000, Plain		M5 x 1000	Plain (no plating)	5 mm	1000 mm		
976BA081000	DIN 976-A Threaded Rod, M8 x 1000, Plain		M8 x 1000	Plain (no plating)	8 mm	1000 mm		
976BA121000	DIN 976-A Threaded Rod, M12 x 1000, Plain		M12 x 1000	Plain (no plating)	12 mm	1000 mm		
976BA161000	DIN 976-A Threaded Rod, M16 x 1000, Plain		M16 x 1000	Plain (no plating)	16 mm	1000 mm		
976BA241000	DIN 976-A Threaded Rod, M24 x 1000, Plain		M24 x 1000	Plain (no plating)	24 mm	1000 mm		
976PA051000	DIN 976-A Threaded Rod, M5 x 1000, Plain		M5 x 1000	Plain (no plating)	5 mm	1000 mm		
976PA160170	DIN 976-A Threaded Rod, M16 x 170, Plain		M16 x 170	Plain (no plating)	16 mm	170 mm		

