



# DIN 985 — Hexagon Lock Nut



Catalogue data sheet · 551 sizes · category Nuts / Lock Nuts · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



| Article no.   | Designation (Bufab)                                       | Material / class                                          | Size          | Surface finish                   | Thread | Length | A/F    | Head / outer Ø |
|---------------|-----------------------------------------------------------|-----------------------------------------------------------|---------------|----------------------------------|--------|--------|--------|----------------|
| 9850201       | DIN 985 Hexagon Lock Nut, Steel class 6, M2, Zinc Plated  | Steel class 6                                             | M2            | Zinc Bright Passivation Fe/Zn P1 | 2 mm   |        | 4 mm   |                |
| 9850251       | DIN 985 Hexagon Lock Nut, Steel class 6, M2.5, Zinc       | Steel class 6                                             | M2.5          | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm |        | 5 mm   |                |
| 9850301       | DIN 985 Hexagon Lock Nut, Steel class 6, M3, Zinc Plated  | Steel class 6                                             | M3            | Zinc Bright Passivation Fe/Zn P1 | 3 mm   |        | 5.5 mm |                |
| 9850303       | DIN 985 Hexagon Lock Nut, Steel class 5, M3, Zinc Plated, | Steel class 5                                             | M3            | Zinc Yellow Passivation Fe/Zn P2 | 3 mm   |        | 5.5 mm |                |
| 985030ZNB     | Yellow                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M3, Zinc-Nickel, | Steel class 6 | Zn-Ni BLACK, SEALED WITH         | 3 mm   |        | 5.5 mm |                |
| 985030ZNF105  | Black                                                     | DIN 985 Hexagon Lock Nut, Steel class 6, M3, Zinc-Nickel, | Steel class 6 | Zn-Ni SILVER 5 MICRON +          | 3 mm   |        | 5.5 mm |                |
| 985030ZNF105I | Silver                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M3, Zinc-Nickel, | Steel class 6 | Zn-Ni SILVER 5 MICRON +          | 3 mm   |        | 5.5 mm |                |
| 9850351       | Silver                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M3.5, Zinc       | Steel class 6 | FINIGARD                         | 3.5 mm |        | 6 mm   |                |
| 98503SK       | Plated                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M3, Zinc Plated, | Steel class 6 | Zinc Black Passivation Fe/Zn P4  | 3 mm   |        | 5.5 mm |                |
| 9850401       | Black                                                     | DIN 985 Hexagon Lock Nut, Steel class 6, M4, Zinc Plated  | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 4 mm   |        | 7 mm   |                |
| 9850401-BULK  | 985040                                                    | DIN 985 Hexagon Lock Nut, Steel class 5, M4, Zinc Plated  | Steel class 5 | Zinc Bright Passivation Fe/Zn P1 | 4 mm   |        | 7 mm   |                |
| 9850401-S     | 985040                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M4, With         | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 4 mm   |        | 7 mm   |                |
| 985040ZNTF105 | 985040                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M4, Zinc-Nickel, | Steel class 6 | Zn-Ni SILVER 5 MICRON +          | 4 mm   |        | 7 mm   |                |
| 98504SK       | Silver                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M4, Zinc Plated, | Steel class 6 | FINIGARD                         | 4 mm   |        | 7 mm   |                |
| 98504ZB3+     | Black                                                     | DIN 985 Hexagon Lock Nut, Steel class 6, M4, Zinc Plated, | Steel class 6 | Zinc Black Passivation Fe/Zn P4  | 4 mm   |        | 7 mm   |                |
| 9850501       | Black                                                     | DIN 985 Hexagon Lock Nut, Steel class 6, M5, Zinc Plated  | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 5 mm   |        | 8 mm   |                |
| 9850501I      |                                                           | DIN 985 Hexagon Lock Nut, Steel class 6, M5, Zinc Plated  | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 5 mm   |        | 8 mm   |                |
| 9850601       |                                                           | DIN 985 Hexagon Lock Nut, Steel class 6, M6, Zinc Plated  | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 6 mm   |        | 10 mm  |                |
| 9850601GHP    |                                                           | DIN 985 Hexagon Lock Nut, Steel class 6, M6, Zinc Plated  | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 6 mm   |        | 10 mm  |                |
| 9850601I      |                                                           | DIN 985 Hexagon Lock Nut, Steel class 6, M6, Zinc Plated  | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 6 mm   |        | 10 mm  |                |
| 9850601MY6S   |                                                           | DIN 985 Hexagon Lock Nut, Steel class 6, M6, Zinc Plated  | Steel class 6 | Zinc Bright Passivation Fe/Zn P1 | 6 mm   |        | 10 mm  |                |
| 9850603       |                                                           | DIN 985 Hexagon Lock Nut, Steel class 5, M6, Zinc Plated, | Steel class 5 | Zinc Yellow Passivation Fe/Zn P2 | 6 mm   |        | 10 mm  |                |
| 9850603I      | Yellow                                                    | DIN 985 Hexagon Lock Nut, Steel class 6, M6, Zinc Plated, | Steel class 6 | Zinc Yellow Passivation Fe/Zn P2 | 6 mm   |        | 10 mm  |                |
| 9850607       | Yellow                                                    | DIN 985 Hexagon Lock Nut, Steel class 5, M6, Black Oxide  | Steel class 5 | Black Oxide                      | 6 mm   |        | 10 mm  |                |
| 985060SK      |                                                           | DIN 985 Hexagon Lock Nut, Steel class 6, M6, Zinc Plated, | Steel class 6 | Zinc Black Passivation Fe/Zn P4  | 6 mm   |        | 10 mm  |                |
| 985060ZNTF105 | Black                                                     | DIN 985 Hexagon Lock Nut, Steel class 6, M6, Zinc-Nickel, |               |                                  |        |        |        |                |

Silver

Steel class 6

M6

Zn-Ni SILVER 5 MICRON +

FINIGARD

6 mm

10 mm

| Article no.     | Designation (Bufab)                                       | Material / class | Size       | Surface finish                   | Thread | Length | A/F   | Head / outer Ø |
|-----------------|-----------------------------------------------------------|------------------|------------|----------------------------------|--------|--------|-------|----------------|
| 9850701         | DIN 985 Hexagon Lock Nut, Steel class 6, M7, Zinc Plated  | Steel class 6    | M7         | Zinc Bright Passivation Fe/Zn P1 | 7 mm   |        | 11 mm |                |
| 9850801         | DIN 985 Hexagon Lock Nut, Steel class 6, M8, Zinc Plated  | Steel class 6    | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 9850801GHP      | DIN 985 Hexagon Lock Nut, Steel class 6, M8, Zinc Plated  | Steel class 6    | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 9850801I        | DIN 985 Hexagon Lock Nut, Steel class 6, M8, Zinc Plated  | Steel class 6    | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 9850802         | DIN 985 Hexagon Lock Nut, Steel class 5, M8, Hot-Dip      | Steel class 5    | M8         | HOT DIP GALVANIZED ISO FIT       | 8 mm   |        | 13 mm |                |
| 9850807         | DIN 985 Hexagon Lock Nut, Steel class 6, M8, Black Oxide  | Steel class 6    | M8         | Black Oxide                      | 8 mm   |        | 13 mm |                |
| 985080DELSI     | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Flake,  | Steel class 8    | M8         | DELTA KL100x2/SEAL+GZ            | 8 mm   |        | 13 mm |                |
| 985080SK        | DIN 985 Hexagon Lock Nut, Steel class 6, M8, Zinc Plated, | Steel class 6    | M8         | Zinc Black Passivation Fe/Zn P4  | 8 mm   |        | 13 mm |                |
| 985080ZB        | DIN 985 Hexagon Lock Nut, Steel class 5, M8, Zinc Plated, | Steel class 5    | M8         | Zinc Black Passivation Fe/Zn P4  | 8 mm   |        | 13 mm |                |
| 985080ZN3-      | DIN 985 Hexagon Lock Nut, Steel class 6, M8, SST 600 h,   | Steel class 6    | M8         | Zn-Ni SILVER, SEALED WITH        | 8 mm   |        | 13 mm |                |
| 985080ZNB       | DIN 985 Hexagon Lock Nut, Steel class 6, M8, Zinc-Nickel, | Steel class 6    | M8         | Zn-Ni BLACK, SEALED WITH         | 8 mm   |        | 13 mm |                |
| 985081001       | DIN 985 Hexagon Lock Nut, Steel class 6, M8 x 1, Zinc     | Steel class 6    | M8 x 1     | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 9851001         | DIN 985 Hexagon Lock Nut, Steel class 6, M10, Zinc Plated | Steel class 6    | M10        | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 9851001I        | DIN 985 Hexagon Lock Nut, Steel class 6, M10, Zinc Plated | Steel class 6    | M10        | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 9851002         | DIN 985 Hexagon Lock Nut, Steel class 5, M10, Hot-Dip     | Steel class 5    | M10        | HOT DIP GALVANIZED ISO FIT       | 10 mm  |        | 17 mm |                |
| 98510041        | DIN 985 Hexagon Lock Nut, Steel class 10, M4, Zinc Plated | Steel class 10   | M4         | Zinc Bright Passivation Fe/Zn P1 | 4 mm   |        | 7 mm  |                |
| 98510051        | DIN 985 Hexagon Lock Nut, Steel class 10, M5, Zinc Plated | Steel class 10   | M5         | Zinc Bright Passivation Fe/Zn P1 | 5 mm   |        | 8 mm  |                |
| 9851005DEL      | DIN 985 Hexagon Lock Nut, Steel class 10, M5, Zinc Flake, | Steel class 10   | M5         | DELTA KL100x2/SEAL+GZ            | 5 mm   |        | 8 mm  |                |
| 98510061        | DIN 985 Hexagon Lock Nut, Steel class 10, M6, Zinc Plated | Steel class 10   | M6         | Zinc Bright Passivation Fe/Zn P1 | 6 mm   |        | 10 mm |                |
| 9851006DELS     | DIN 985 Hexagon Lock Nut, Steel class 10, M6, Zinc Flake, | Steel class 10   | M6         | DELTA KL100x2/VH301+GZ           | 6 mm   |        | 10 mm |                |
| 9851006ZFS      | DIN 985 Hexagon Lock Nut, Steel class 10, M6, Zinc Flake, | Steel class 10   | M6         | ZINC FLAKES SILVER Salt Spray Te | 6 mm   |        | 10 mm |                |
| 9851007         | DIN 985 Hexagon Lock Nut, Steel class 6, M10, Black       | Steel class 6    | M10        | Black Oxide                      | 10 mm  |        | 17 mm |                |
| 98510081        | DIN 985 Hexagon Lock Nut, Steel class 10, M8, Zinc Plated | Steel class 10   | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 98510081001     | DIN 985 Hexagon Lock Nut, Steel class 10, M8 x 1, Zinc    | Steel class 10   | M8 x 1     | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 98510083        | DIN 985 Hexagon Lock Nut, Steel class 10, M8, Zinc        | Steel class 10   | M8         | Zinc Yellow Passivation Fe/Zn P2 | 8 mm   |        | 13 mm |                |
| 9851008DELSV    | DIN 985 Hexagon Lock Nut, Steel class 10, M8, Zinc Flake, | Steel class 10   | M8         | DELTA KL100x2/SEAL               | 8 mm   |        | 13 mm |                |
| 9851008PTFE     | DIN 985 Hexagon Lock Nut, Steel class 10, M8, Ptfе        | Steel class 10   | M8         | PTFE COATED (XYLAN)              | 8 mm   |        | 13 mm |                |
| 9851008ZFS      | DIN 985 Hexagon Lock Nut, Steel class 10, M8, Zinc Flake, | Steel class 10   | M8         | ZINC FLAKES SILVER Salt Spray Te | 8 mm   |        | 13 mm |                |
| 985100GEO       | DIN 985 Hexagon Lock Nut, Steel class 6, M10, Zinc Flake, | Steel class 6    | M10        | GEOMET 500A                      | 10 mm  |        | 17 mm |                |
| 985100ZNB       | DIN 985 Hexagon Lock Nut, Steel class 6, M10, Zinc-       | Steel class 6    | M10        | Zn-Ni BLACK, SEALED WITH         | 10 mm  |        | 17 mm |                |
| 985101001       | DIN 985 Hexagon Lock Nut, Steel class 6, M10 x 1, Zinc    | Steel class 6    | M10 x 1    | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 98510100ZNB     | DIN 985 Hexagon Lock Nut, Steel class 6, M10 x 1, Zinc-   | Steel class 6    | M10 x 1    | Zn-Ni BLACK, SEALED WITH         | 10 mm  |        | 17 mm |                |
| 98510101        | DIN 985 Hexagon Lock Nut, Steel class 10, M10, Zinc       | Steel class 10   | M10        | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 98510101001     | DIN 985 Hexagon Lock Nut, Steel class 10, M10 x 1, Zinc   | Steel class 10   | M10 x 1    | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 98510101251     | DIN 985 Hexagon Lock Nut, Steel class 10, M10 x 1.25,     | Steel class 10   | M10 x 1.25 | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 98510103        | DIN 985 Hexagon Lock Nut, Steel class 10, M10, Zinc       | Steel class 10   | M10        | Zinc Yellow Passivation Fe/Zn P2 | 10 mm  |        | 17 mm |                |
| 9851010FLZNNC48 | DIN 985 Hexagon Lock Nut, Steel class 10, M10, Zinc       | Steel class 10   | M10        | ZINC FLAKES SILVER Salt Spray Te | 10 mm  |        | 17 mm |                |
| 9851010ZFS      | DIN 985 Hexagon Lock Nut, Steel class 10, M10, Zinc       | Steel class 10   | M10        | ZINC FLAKES SILVER Salt Spray Te | 10 mm  |        | 17 mm |                |
| 9851010ZNBFI05  | DIN 985 Hexagon Lock Nut, Steel class 10, M10, Zinc-      | Steel class 10   | M10        | Zn-Ni BLACK + FINIGARD 105       | 10 mm  |        | 17 mm |                |
| 98510121        | DIN 985 Hexagon Lock Nut, Steel class 10, M12, Zinc       | Steel class 10   | M12        | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 98510121251     | DIN 985 Hexagon Lock Nut, Steel class 10, M12 x 1.25,     | Steel class 10   | M12 x 1.25 | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 9851012151      | DIN 985 Hexagon Lock Nut, Steel class 10, M12 x 1.5,      | Steel class 10   | M12 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 98510122        | DIN 985 Hexagon Lock Nut, CL 10, M12, Hot-Dip             | CL 10            | M12        | Hot Dip Galvanizing              | 12 mm  |        | 19 mm |                |
| 985101251       | DIN 985 Hexagon Lock Nut, Steel class 6, M10 x 1.25,      | Steel class 6    | M10 x 1.25 | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 9851012SK       | DIN 985 Hexagon Lock Nut, Steel class 10, M12, Zinc       | Steel class 10   | M12        | Zinc Black Passivation Fe/Zn P4  | 12 mm  |        | 19 mm |                |
| 9851012ZFS      | DIN 985 Hexagon Lock Nut, Steel class 10, M12, Zinc       |                  |            |                                  |        |        |       |                |

Flake, Silve

| Article no.      | Designation (Bufab)                                                      | Material / class | Size      | Surface finish                     | Thread | Length | A/F   | Head / outer Ø |
|------------------|--------------------------------------------------------------------------|------------------|-----------|------------------------------------|--------|--------|-------|----------------|
| 98510141         | DIN 985 Hexagon Lock Nut, Steel class 10, M14, Zinc Plated               | Steel class 10   | M14       | Zinc Bright Passivation Fe/Zn P1   | 14 mm  |        | 22 mm |                |
| 98510141501      | DIN 985 Hexagon Lock Nut, Steel class 10, M14 x 1.5, Zinc Plated         | Steel class 10   | M14 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 14 mm  |        | 22 mm |                |
| 9851014150GEO    | DIN 985 Hexagon Lock Nut, Steel class 10, M14 x 1.5, Zinc Plated         | Steel class 10   | M14 x 1.5 | GEOMET 321A                        | 14 mm  |        | 22 mm |                |
| 9851014151       | DIN 985 Hexagon Lock Nut, Steel class 10, M14 x 1.5, Zinc Plated         | Steel class 10   | M14 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 14 mm  |        | 22 mm |                |
| 9851014ZF5       | DIN 985 Hexagon Lock Nut, Steel class 10, M14, Zinc Flake, Silver        | Steel class 10   | M14       | ZINC FLAKES SILVER Salt Spray Test | 14 mm  |        | 22 mm |                |
| 9851014ZNB105    | DIN 985 Hexagon Lock Nut, Steel class 10, M14, Zinc-Nickel, Black        | Steel class 10   | M14       | Zn-Ni BLACK + FINIGARD 105         | 14 mm  |        | 22 mm |                |
| 9851014ZNF105    | DIN 985 Hexagon Lock Nut, Steel class 10, M14, Zinc-Nickel, Silver       | Steel class 10   | M14       | Zn-Ni SILVER 8 MICRON + FINIGARD   | 14 mm  |        | 22 mm |                |
| 9851016          | DIN 985 Hexagon Lock Nut, Steel class 10, M16, Plain                     | Steel class 10   | M16       | Plain (no plating)                 | 16 mm  |        | 24 mm |                |
| 985101601        | DIN 985 Hexagon Lock Nut, Steel class 10, M16, Zinc Plated               | Steel class 10   | M16       | Zinc Bright Passivation Fe/Zn P1   | 16 mm  |        | 24 mm |                |
| 98510161         | DIN 985 Hexagon Lock Nut, Steel class 10, M16, Zinc Plated               | Steel class 10   | M16       | Zinc Bright Passivation Fe/Zn P1   | 16 mm  |        | 24 mm |                |
| 9851016150FLZNN  | DIN 985 Hexagon Lock Nut, Steel class 10, M16 x 1.5, Zinc Flake, Silver  | Steel class 10   | M16 x 1.5 | ZINC FLAKES SILVER Salt Spray Test | 16 mm  |        | 24 mm |                |
| 9851016151       | DIN 985 Hexagon Lock Nut, Steel class 10, M16 x 1.5, Zinc Plated         | Steel class 10   | M16 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 16 mm  |        | 24 mm |                |
| 985101615ZNB105  | DIN 985 Hexagon Lock Nut, Steel class 10, M16 x 1.5, Zinc-Nickel, Black  | Steel class 10   | M16 x 1.5 | Zn-Ni BLACK + FINIGARD 105         | 16 mm  |        | 24 mm |                |
| 98510162         | DIN 985 Hexagon Lock Nut, Steel class 10, M16, Hot-Dip Galvanise         | Steel class 10   | M16       | HOT DIP GALVANIZED ISO FIT         | 16 mm  |        | 24 mm |                |
| 9851016ZF5       | DIN 985 Hexagon Lock Nut, Steel class 10, M16, Zinc Flake, Silver        | Steel class 10   | M16       | ZINC FLAKES SILVER Salt Spray Test | 16 mm  |        | 24 mm |                |
| 9851016ZNTW      | DIN 985 Hexagon Lock Nut, Steel class 10, M16, Zinc-Nickel, Silver       | Steel class 10   | M16       | Zn-Ni SILVER, 8 MICRON, SEALED     | 16 mm  |        | 24 mm |                |
| 98510181         | DIN 985 Hexagon Lock Nut, Steel class 10, M18, Zinc Plated               | Steel class 10   | M18       | Zinc Bright Passivation Fe/Zn P1   | 18 mm  |        | 27 mm |                |
| 9851018151       | DIN 985 Hexagon Lock Nut, Steel class 10, M18 x 1.5, Zinc Plated         | Steel class 10   | M18 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 18 mm  |        | 27 mm |                |
| 985101815ZF5     | DIN 985 Hexagon Lock Nut, Steel class 10, M18 x 1.5, Zinc Flake, Silver  | Steel class 10   | M18 x 1.5 | ZINC FLAKES SILVER Salt Spray Test | 18 mm  |        | 27 mm |                |
| 985101815ZNB105  | DIN 985 Hexagon Lock Nut, Steel class 10, M18 x 1.5, Zinc-Nickel, Black  | Steel class 10   | M18 x 1.5 | Zn-Ni BLACK + FINIGARD 105         | 18 mm  |        | 27 mm |                |
| 985101815ZNTW    | DIN 985 Hexagon Lock Nut, Steel class 10, M18 x 1.5, Zinc-Nickel, Silver | Steel class 10   | M18 x 1.5 | Zn-Ni SILVER, 8 MICRON, SEALED     | 18 mm  |        | 27 mm |                |
| 98510201         | DIN 985 Hexagon Lock Nut, Steel class 10, M20, Zinc Plated               | Steel class 10   | M20       | Zinc Bright Passivation Fe/Zn P1   | 20 mm  |        | 30 mm |                |
| 9851020151       | DIN 985 Hexagon Lock Nut, Steel class 10, M20 x 1.5, Zinc Plated         | Steel class 10   | M20 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 20 mm  |        | 30 mm |                |
| 985102015ZNB105  | DIN 985 Hexagon Lock Nut, Steel class 10, M20 x 1.5, Zinc-Nickel, Black  | Steel class 10   | M20 x 1.5 | Zn-Ni BLACK + FINIGARD 105         | 20 mm  |        | 30 mm |                |
| 98510202         | DIN 985 Hexagon Lock Nut, Steel class 10, M20, Hot-Dip Galvanise         | Steel class 10   | M20       | HOT DIP GALVANIZED ISO FIT         | 20 mm  |        | 30 mm |                |
| 98510202001      | DIN 985 Hexagon Lock Nut, Steel class 10, M20 x 2, Zinc Plated           | Steel class 10   | M20 x 2   | Zinc Bright Passivation Fe/Zn P1   | 20 mm  |        | 30 mm |                |
| 9851020ZF5       | DIN 985 Hexagon Lock Nut, Steel class 10, M20, Zinc Flake, Silver        | Steel class 10   | M20       | ZINC FLAKES SILVER Salt Spray Test | 20 mm  |        | 30 mm |                |
| 98510221         | DIN 985 Hexagon Lock Nut, Steel class 10, M22, Zinc Plated               | Steel class 10   | M22       | Zinc Bright Passivation Fe/Zn P1   | 22 mm  |        | 32 mm |                |
| 9851022151       | DIN 985 Hexagon Lock Nut, Steel class 10, M22 x 1.5, Zinc Plated         | Steel class 10   | M22 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 22 mm  |        | 32 mm |                |
| 985102401        | DIN 985 Hexagon Lock Nut, Steel class 10, M24, Zinc Plated               | Steel class 10   | M24       | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 98510240ZNF105   | DIN 985 Hexagon Lock Nut, Steel class 10, M24, Zinc-Nickel, Silver       | Steel class 10   | M24       | Zn-Ni SILVER 8 MICRON + FINIGARD   | 24 mm  |        | 36 mm |                |
| 98510241         | DIN 985 Hexagon Lock Nut, Steel class 10, M24, Zinc Plated               | Steel class 10   | M24       | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 9851024151       | DIN 985 Hexagon Lock Nut, Steel class 10, M24 x 1.5, Zinc Plated         | Steel class 10   | M24 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 98510241C        | DIN 985 Hexagon Lock Nut, Steel class 10, M24, EN 10204-3-1 Cert         | Steel class 10   | M24       | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 9851024201       | DIN 985 Hexagon Lock Nut, Steel class 10, M24 x 2, Zinc Plated           | Steel class 10   | M24 x 2   | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 985102420ZNTF105 | DIN 985 Hexagon Lock Nut, Steel class 10, M24 x 2, Zinc-Nickel, Silver   | Steel class 10   | M24 x 2   | Zn-Ni SILVER 8 MICRON + FINIGARD   | 24 mm  |        | 36 mm |                |
| 9851024ZF5       | DIN 985 Hexagon Lock Nut, Steel class 10, M24, Zinc Flake, Silver        | Steel class 10   | M24       | ZINC FLAKES SILVER Salt Spray Test | 24 mm  |        | 36 mm |                |
| 98510271         | DIN 985 Hexagon Lock Nut, Steel class 10, M27, Zinc Plated               | Steel class 10   | M27       | Zinc Bright Passivation Fe/Zn P1   | 27 mm  |        | 41 mm |                |
| 9851027201       | DIN 985 Hexagon Lock Nut, Steel class 10, M27 x 2, Zinc Plated           | Steel class 10   | M27 x 2   | Zinc Bright Passivation Fe/Zn P1   | 27 mm  |        | 41 mm |                |
| 9851027201C3.1   | DIN 985 Hexagon Lock Nut, Steel class 10, M27 x 2, Zinc Plated           | Steel class 10   | M27 x 2   | Zinc Bright Passivation Fe/Zn P1   | 27 mm  |        | 41 mm |                |
| 9851027ZNB105    | DIN 985 Hexagon Lock Nut, Steel class 10, M27, Zinc-Nickel, Black        | Steel class 10   | M27       | Zn-Ni BLACK + FINIGARD 105         | 27 mm  |        | 41 mm |                |
| 9851027ZNF105    | DIN 985 Hexagon Lock Nut, Steel class 10, M27, Zinc-Nickel, Silver       | Steel class 10   | M27       | Zn-Ni SILVER 8 MICRON + FINIGARD   | 27 mm  |        | 41 mm |                |
| 9851027ZNF105I   | DIN 985 Hexagon Lock Nut, Steel class 10, M27, Zinc-Nickel, Silver       | Steel class 10   | M27       | Zn-Ni SILVER 8 MICRON + FINIGARD   | 27 mm  |        | 41 mm |                |
| 98510301         | DIN 985 Hexagon Lock Nut, Steel class 10, M30, Zinc Plated               | Steel class 10   | M30       | Zinc Bright Passivation Fe/Zn P1   | 30 mm  |        | 46 mm |                |
| 9851030151       | DIN 985 Hexagon Lock Nut, Steel class 10, M30 x 1.5, Zinc Plated         | Steel class 10   | M30 x 1.5 | Zinc Bright Passivation Fe/Zn P1   | 30 mm  |        | 46 mm |                |
| 9851030201       | DIN 985 Hexagon Lock Nut, Steel class 10, M30 x 2, Zinc Plated           |                  |           |                                    |        |        |       |                |

Plated

| Article no.   | Designation (Bufab)                                                                | Material / class | Size       | Surface finish                     | Thread | Length | A/F   | Head / outer Ø |
|---------------|------------------------------------------------------------------------------------|------------------|------------|------------------------------------|--------|--------|-------|----------------|
| 98510361      | DIN 985 Hexagon Lock Nut, Steel class 10, M36, Zinc Plated                         | Steel class 10   | M36        | Zinc Bright Passivation Fe/Zn P1   | 36 mm  |        | 55 mm |                |
| 98510363001   | DIN 985 Hexagon Lock Nut, Steel class 10, M36 x 3, Zinc Plated                     | Steel class 10   | M36 x 3    | Zinc Bright Passivation Fe/Zn P1   | 36 mm  |        | 55 mm |                |
| 9851036ZFS    | DIN 985 Hexagon Lock Nut, Steel class 10, M36, Zinc Plated                         | Steel class 10   | M36        | ZINC FLAKES SILVER Salt Spray Test | 36 mm  |        | 55 mm |                |
| 985103902     | DIN 985 Hexagon Lock Nut, Steel class 10, M39, Hot-Dip Galvanised                  | Steel class 10   | M39        | HOT DIP GALVANIZED ISO FIT         | 39 mm  |        | 60 mm |                |
| 9851042       | DIN 985 Hexagon Lock Nut, Steel class 10, M42, Plain                               | Steel class 10   | M42        | Plain (no plating)                 | 42 mm  |        | 65 mm |                |
| 98510421      | DIN 985 Hexagon Lock Nut, Steel class 10, M42, Zinc Plated                         | Steel class 10   | M42        | Zinc Bright Passivation Fe/Zn P1   | 42 mm  |        | 65 mm |                |
| 98510423001   | DIN 985 Hexagon Lock Nut, Steel class 10, M42 x 3, Zinc Plated                     | Steel class 10   | M42 x 3    | Zinc Bright Passivation Fe/Zn P1   | 42 mm  |        | 65 mm |                |
| 9851048       | DIN 985 Hexagon Lock Nut, Steel class 10, M48, EN 10204-3-1 Cert                   | Steel class 10   | M48        | Plain (no plating)                 | 48 mm  |        | 75 mm |                |
| 98510481      | DIN 985 Hexagon Lock Nut, Steel class 10, M48, Zinc Plated                         | Steel class 10   | M48        | Zinc Bright Passivation Fe/Zn P1   | 48 mm  |        | 75 mm |                |
| 98510482      | DIN 985 Hexagon Lock Nut, Steel class 10, M48, Hot-Dip Galvanised                  | Steel class 10   | M48        | HOT DIP GALVANIZED ISO FIT         | 48 mm  |        | 75 mm |                |
| 9851201       | DIN 985 Hexagon Lock Nut, Steel class 6, M12, Zinc Plated                          | Steel class 6    | M12        | Zinc Bright Passivation Fe/Zn P1   | 12 mm  |        | 19 mm |                |
| 9851202       | DIN 985 Hexagon Lock Nut, Steel class 5, M12, Hot-Dip Galvanised                   | Steel class 5    | M12        | HOT DIP GALVANIZED ISO FIT         | 12 mm  |        | 19 mm |                |
| 9851203       | DIN 985 Hexagon Lock Nut, Steel class 6, M12, Zinc Plated                          | Steel class 6    | M12        | Zinc Yellow Passivation Fe/Zn P2   | 12 mm  |        | 19 mm |                |
| 985120ZNB     | DIN 985 Hexagon Lock Nut, Steel class 6, M12, Zinc-Ni BLACK, SEALED WITH LUBRICANT | Steel class 6    | M12        | Zn-Ni BLACK, SEALED WITH LUBRICANT | 12 mm  |        | 19 mm |                |
| 985121001     | DIN 985 Hexagon Lock Nut, Steel class 6, M12 x 1, Zinc Plated                      | Steel class 6    | M12 x 1    | Zinc Bright Passivation Fe/Zn P1   | 12 mm  |        | 19 mm |                |
| 985121251     | DIN 985 Hexagon Lock Nut, Steel class 6, M12 x 1.25, Zinc Plated                   | Steel class 6    | M12 x 1.25 | Zinc Bright Passivation Fe/Zn P1   | 12 mm  |        | 19 mm |                |
| 98512151      | DIN 985 Hexagon Lock Nut, Steel class 6, M12 x 1.5, Zinc Plated                    | Steel class 6    | M12 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 12 mm  |        | 19 mm |                |
| 98512161      | DIN 985 Hexagon Lock Nut, Steel class 12, M16, Zinc Plated                         | Steel class 12   | M16        | Zinc Bright Passivation Fe/Zn P1   | 16 mm  |        | 24 mm |                |
| 9851401       | DIN 985 Hexagon Lock Nut, Steel class 6, M14, Zinc Plated                          | Steel class 6    | M14        | Zinc Bright Passivation Fe/Zn P1   | 14 mm  |        | 22 mm |                |
| 985141501     | DIN 985 Hexagon Lock Nut, Steel class 5, M14 x 1.5, Zinc Plated                    | Steel class 5    | M14 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 14 mm  |        | 22 mm |                |
| 98514151      | DIN 985 Hexagon Lock Nut, Steel class 5, M14 x 1.5, Zinc Plated                    | Steel class 5    | M14 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 14 mm  |        | 22 mm |                |
| 9851601       | DIN 985 Hexagon Lock Nut, Steel class 6, M16, Zinc Plated                          | Steel class 6    | M16        | Zinc Bright Passivation Fe/Zn P1   | 16 mm  |        | 24 mm |                |
| 9851602       | DIN 985 Hexagon Lock Nut, Steel class 5, M16, Hot-Dip Galvanised                   | Steel class 5    | M16        | HOT DIP GALVANIZED ISO FIT         | 16 mm  |        | 24 mm |                |
| 985160ZNTF105 | DIN 985 Hexagon Lock Nut, Steel class 6, M16, Zinc-Ni SILVER 8 MICRON + FINICAPD   | Steel class 6    | M16        | Zn-Ni SILVER 8 MICRON + FINICAPD   | 16 mm  |        | 24 mm |                |
| 985161501     | DIN 985 Hexagon Lock Nut, Steel class 6, M16 x 1.5, Zinc Plated                    | Steel class 6    | M16 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 16 mm  |        | 24 mm |                |
| 9851801       | DIN 985 Hexagon Lock Nut, Steel class 6, M18, Zinc Plated                          | Steel class 6    | M18        | Zinc Bright Passivation Fe/Zn P1   | 18 mm  |        | 27 mm |                |
| 985181501     | DIN 985 Hexagon Lock Nut, Steel class 6, M18 x 1.5, Zinc Plated                    | Steel class 6    | M18 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 18 mm  |        | 27 mm |                |
| 9852001       | DIN 985 Hexagon Lock Nut, Steel class 6, M20, Zinc Plated                          | Steel class 6    | M20        | Zinc Bright Passivation Fe/Zn P1   | 20 mm  |        | 30 mm |                |
| 9852002       | DIN 985 Hexagon Lock Nut, Steel class 6, M20, Hot-Dip Galvanised                   | Steel class 6    | M20        | HOT DIP GALVANIZED ISO FIT         | 20 mm  |        | 30 mm |                |
| 98520151      | DIN 985 Hexagon Lock Nut, Steel class 6, M20 x 1.5, Zinc Plated                    | Steel class 6    | M20 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 20 mm  |        | 30 mm |                |
| 985202        | DIN 985 Hexagon Lock Nut, Steel class 5, M20, Hot-Dip Galvanised                   | Steel class 5    | M20        | HOT DIP GALVANIZED ISO FIT         | 20 mm  |        | 30 mm |                |
| 985202001     | DIN 985 Hexagon Lock Nut, Steel class 6, M20 x 2, Zinc Plated                      | Steel class 6    | M20 x 2    | Zinc Bright Passivation Fe/Zn P1   | 20 mm  |        | 30 mm |                |
| 9852201       | DIN 985 Hexagon Lock Nut, Steel class 6, M22, Zinc Plated                          | Steel class 6    | M22        | Zinc Bright Passivation Fe/Zn P1   | 22 mm  |        | 32 mm |                |
| 98522151      | DIN 985 Hexagon Lock Nut, Steel class 6, M22 x 1.5, Zinc Plated                    | Steel class 6    | M22 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 22 mm  |        | 32 mm |                |
| 9852401       | DIN 985 Hexagon Lock Nut, Steel class 6, M24, Zinc Plated                          | Steel class 6    | M24        | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 9852402       | DIN 985 Hexagon Lock Nut, Steel class 5, M24, Hot-Dip Galvanised                   | Steel class 5    | M24        | HOT DIP GALVANIZED ISO FIT         | 24 mm  |        | 36 mm |                |
| 98524151      | DIN 985 Hexagon Lock Nut, Steel class 6, M24 x 1.5, Zinc Plated                    | Steel class 6    | M24 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 98524201      | DIN 985 Hexagon Lock Nut, Steel class 6, M24 x 2, Zinc Plated                      | Steel class 6    | M24 x 2    | Zinc Bright Passivation Fe/Zn P1   | 24 mm  |        | 36 mm |                |
| 9852701       | DIN 985 Hexagon Lock Nut, Steel class 5, M27, Zinc Plated                          | Steel class 5    | M27        | Zinc Bright Passivation Fe/Zn P1   | 27 mm  |        | 41 mm |                |
| 9853001       | DIN 985 Hexagon Lock Nut, Steel class 6, M30, Zinc Plated                          | Steel class 6    | M30        | Zinc Bright Passivation Fe/Zn P1   | 30 mm  |        | 46 mm |                |
| 9853002       | DIN 985 Hexagon Lock Nut, Steel class 5, M30, Hot-Dip Galvanised                   | Steel class 5    | M30        | HOT DIP GALVANIZED ISO FIT         | 30 mm  |        | 46 mm |                |
| 98530151      | DIN 985 Hexagon Lock Nut, Steel class 6, M30 x 1.5, Zinc Plated                    | Steel class 6    | M30 x 1.5  | Zinc Bright Passivation Fe/Zn P1   | 30 mm  |        | 46 mm |                |
| 98530201      | DIN 985 Hexagon Lock Nut, Steel class 6, M30 x 2, Zinc Plated                      | Steel class 6    | M30 x 2    | Zinc Bright Passivation Fe/Zn P1   | 30 mm  |        | 46 mm |                |
| 9853301       | DIN 985 Hexagon Lock Nut, Steel class 6, M33, Zinc Plated                          | Steel class 6    | M33        | Zinc Bright Passivation Fe/Zn P1   | 33 mm  |        | 50 mm |                |
| 9853601       | DIN 985 Hexagon Lock Nut, Steel class 6, M36, Zinc Plated                          | Steel class 6    | M36        | Zinc Bright Passivation Fe/Zn P1   | 36 mm  |        | 55 mm |                |
| 985360ZNFL    | DIN 985 Hexagon Lock Nut, Steel class 8, M36, Zinc Flake, Plated                   |                  |            |                                    |        |        |       |                |

Silver

| Article no.      | Designation (Bufab)                                                  | Material / class | Size    | Surface finish                       | Thread | Length | A/F    | Head / outer Ø |
|------------------|----------------------------------------------------------------------|------------------|---------|--------------------------------------|--------|--------|--------|----------------|
| 985363001        | DIN 985 Hexagon Lock Nut, Steel class 6, M36 x 3, Zinc Plated        | Steel class 6    | M36 x 3 | Zinc Bright Passivation Fe/Zn P1     | 36 mm  |        | 55 mm  |                |
| 9853901          | DIN 985 Hexagon Lock Nut, Steel class 6, M39, Zinc Plated            | Steel class 6    | M39     | Zinc Bright Passivation Fe/Zn P1     | 39 mm  |        | 60 mm  |                |
| 985405ZB         | DIN 985 Hexagon Lock Nut, Steel class 5, M5, Zinc Plated, Black      | Steel class 5    | M5      | Zinc Black Passivation Fe/Zn P4      | 5 mm   |        | 8 mm   |                |
| 9854201          | DIN 985 Hexagon Lock Nut, Steel class 5, M42, Zinc Plated            | Steel class 5    | M42     | Zinc Bright Passivation Fe/Zn P1     | 42 mm  |        | 65 mm  |                |
| 9854202          | DIN 985 Hexagon Lock Nut, Steel class 5, M42, Hot-Dip Galvanised     | Steel class 5    | M42     | HOT DIP GALVANIZED ISO FIT           | 42 mm  |        | 65 mm  |                |
| 985423001        | DIN 985 Hexagon Lock Nut, Steel class 5, M42 x 3, Zinc Plated        | Steel class 5    | M42 x 3 | Zinc Bright Passivation Fe/Zn P1     | 42 mm  |        | 65 mm  |                |
| 9854801          | DIN 985 Hexagon Lock Nut, Steel class 5, M48, Zinc Plated            | Steel class 5    | M48     | Zinc Bright Passivation Fe/Zn P1     | 48 mm  |        | 75 mm  |                |
| 98550801         | DIN 985 Hexagon Lock Nut, Steel class 5, M8, Zinc Plated             | Steel class 5    | M8      | Zinc Bright Passivation Fe/Zn P1     | 8 mm   |        | 13 mm  |                |
| 98550803SST120   | DIN 985 Hexagon Lock Nut, Steel class 5, M8, SST 120 h, Zinc Plated  | Steel class 5    | M8      | Zinc Yellow Passivation Fe/Zn P2     | 8 mm   |        | 13 mm  |                |
| 9855201          | DIN 985 Hexagon Lock Nut, Steel class 5, M52, Zinc Plated            | Steel class 5    | M52     | Zinc Bright Passivation Fe/Zn P1     | 52 mm  |        | 80 mm  |                |
| 98560301         | DIN 985 Hexagon Lock Nut, Steel class 6, M3, Zinc Plated             | Steel class 6    | M3      | Zinc Bright Passivation Fe/Zn P1     | 3 mm   |        | 5.5 mm |                |
| 98580201         | DIN 985 Hexagon Lock Nut, Steel class 8, M2, Zinc Plated             | Steel class 8    | M2      | Zinc Bright Passivation Fe/Zn P1     | 2 mm   |        | 4 mm   |                |
| 98580251         | DIN 985 Hexagon Lock Nut, Steel class 8, M2.5, Zinc Plated           | Steel class 8    | M2.5    | Zinc Bright Passivation Fe/Zn P1     | 2.5 mm |        | 5 mm   |                |
| 98580251SST072   | DIN 985 Hexagon Lock Nut, Steel class 8, M2.5, SST 72 h, Zinc Plated | Steel class 8    | M2.5    | Zinc Bright Passivation Fe/Zn P1     | 2.5 mm |        | 5 mm   |                |
| 98580301         | DIN 985 Hexagon Lock Nut, Steel class 8, M3, Zinc Plated             | Steel class 8    | M3      | Zinc Bright Passivation Fe/Zn P1     | 3 mm   |        | 5.5 mm |                |
| 98580301SST072   | DIN 985 Hexagon Lock Nut, Steel class 8, M3, SST 72 h, Zinc Plated   | Steel class 8    | M3      | Zinc Bright Passivation Fe/Zn P1     | 3 mm   |        | 5.5 mm |                |
| 98580301SST200   | DIN 985 Hexagon Lock Nut, Steel class 8, M3, SST 200 h, Zinc Plated  | Steel class 8    | M3      | Zinc Bright Passivation Fe/Zn P1     | 3 mm   |        | 5.5 mm |                |
| 98580303         | DIN 985 Hexagon Lock Nut, Steel class 8, M4, Zinc Plated, Yellow     | Steel class 8    | M4      | Zinc Yellow Passivation Fe/Zn P2     | 4 mm   |        | 7 mm   |                |
| 985803ZNF105     | DIN 985 Hexagon Lock Nut, Steel class 8, M3, Zinc-Nickel, Silver     | Steel class 8    | M3      | Zn-Ni SILVER 5 MICRON + FINIGARD 105 | 3 mm   |        | 5.5 mm |                |
| 9858040          | DIN 985 Hexagon Lock Nut, CL 8, M4, Plain                            | CL 8             | M4      | Plain (no plating)                   | 4 mm   |        | 7 mm   |                |
| 98580401         | DIN 985 Hexagon Lock Nut, Steel class 8, M4, Zinc Plated             | Steel class 8    | M4      | Zinc Bright Passivation Fe/Zn P1     | 4 mm   |        | 7 mm   |                |
| 985804033-5      | DIN 985 Hexagon Lock Nut, Steel class 8, M4, Zinc Plated, Yellow     | Steel class 8    | M4      | Zinc Yellow Passivation Fe/Zn P2     | 4 mm   |        | 7 mm   |                |
| 98580403SST072   | DIN 985 Hexagon Lock Nut, Steel class 8, M4, SST 72 h, Zinc Plated   | Steel class 8    | M4      | Zinc Yellow Passivation Fe/Zn P2     | 4 mm   |        | 7 mm   |                |
| 9858040ZNBFI05   | DIN 985 Hexagon Lock Nut, Steel class 8, M4, Zinc-Nickel, Black      | Steel class 8    | M4      | Zn-Ni BLACK + FINIGARD 105           | 4 mm   |        | 7 mm   |                |
| 98580501         | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated             | Steel class 8    | M5      | Zinc Bright Passivation Fe/Zn P1     | 5 mm   |        | 8 mm   |                |
| 98580501-SORT    | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated             | Steel class 8    | M5      | Zinc Bright Passivation Fe/Zn P1     | 5 mm   |        | 8 mm   |                |
| 98580501SST072   | DIN 985 Hexagon Lock Nut, Steel class 8, M5, SST 72 h, Zinc Plated   | Steel class 8    | M5      | Zinc Bright Passivation Fe/Zn P1     | 5 mm   |        | 8 mm   |                |
| 98580503         | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated, Yellow     | Steel class 8    | M5      | Zinc Yellow Passivation Fe/Zn P2     | 5 mm   |        | 8 mm   |                |
| 985805033-5      | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated, Yellow     | Steel class 8    | M5      | Zinc Yellow Passivation Fe/Zn P2     | 5 mm   |        | 8 mm   |                |
| 98580503SST072   | DIN 985 Hexagon Lock Nut, Steel class 8, M5, SST 72 h, Zinc Plated   | Steel class 8    | M5      | Zinc Yellow Passivation Fe/Zn P2     | 5 mm   |        | 8 mm   |                |
| 9858050I         | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Plain                   | Steel class 8    | M5      | Plain (no plating)                   | 5 mm   |        | 8 mm   |                |
| 985805GEOB       | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Geoblack, Zinc Flake    | Steel class 8    | M5      | GEOBLACK 500M                        | 5 mm   |        | 8 mm   |                |
| 985805GEOBI      | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Geoblack, Geometal      | Steel class 8    | M5      | GEOBLACK ML                          | 5 mm   |        | 8 mm   |                |
| 985805P1000      | DIN 985 Hexagon Lock Nut, Steel class 8, M5, Zinc Flake, Silver      | Steel class 8    | M5      | ZINC FLAKES SILVER P1000             | 5 mm   |        | 8 mm   |                |
| 9858060          | DIN 985 Hexagon Lock Nut, CL 8, M6, Plain                            | CL 8             | M6      | Plain (no plating)                   | 6 mm   |        | 10 mm  |                |
| 98580601         | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc Plated             | Steel class 8    | M6      | Zinc Bright Passivation Fe/Zn P1     | 6 mm   |        | 10 mm  |                |
| 98580601GHP      | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc Plated             | Steel class 8    | M6      | Zinc Bright Passivation Fe/Zn P1     | 6 mm   |        | 10 mm  |                |
| 98580601SST096   | DIN 985 Hexagon Lock Nut, Steel class 8, M6, SST 96 h, Zinc Plated   | Steel class 8    | M6      | Zinc Bright Passivation Fe/Zn P1     | 6 mm   |        | 10 mm  |                |
| 98580603         | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc Plated, Yellow     | Steel class 8    | M6      | Zinc Yellow Passivation Fe/Zn P2     | 6 mm   |        | 10 mm  |                |
| 9858060I         | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Plain                   | Steel class 8    | M6      | Plain (no plating)                   | 6 mm   |        | 10 mm  |                |
| 9858060ZB        | DIN 985 Hexagon Lock Nut, Steel class 5, M6, Zinc Plated, Black      | Steel class 5    | M6      | Zinc Black Passivation Fe/Zn P4      | 6 mm   |        | 10 mm  |                |
| 9858060ZNBFI05   | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc-Nickel, Silver     | Steel class 8    | M6      | Zn-Ni BLACK + FINIGARD 105           | 6 mm   |        | 10 mm  |                |
| 9858060ZNF105    | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc-Nickel, Silver     | Steel class 8    | M6      | Zn-Ni SILVER 5 MICRON + FINIGARD 105 | 6 mm   |        | 10 mm  |                |
| 9858060ZNF105I   | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc-Nickel, Silver     | Steel class 8    | M6      | Zn-Ni SILVER 5 MICRON + FINIGARD 105 | 6 mm   |        | 10 mm  |                |
| 9858060ZNNI8ANT2 | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc-Nickel, Silver     | Steel class 8    | M6      | Zn-Ni SILVER, 8 MICRON, SEALED       | 6 mm   |        | 10 mm  |                |
| 9858060ZNTF105   | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc-Nickel, Silver     | Steel class 8    | M6      | Zn-Ni SILVER, 8 MICRON, SEALED       | 6 mm   |        | 10 mm  |                |

Silver

Steel class 8

M6

Zn-Ni SILVER 5 MICRON +

FINIGARD

6 mm

10 mm

| Article no.      | Designation (Bufab)                                                   | Material / class | Size       | Surface finish                   | Thread | Length | A/F   | Head / outer Ø |
|------------------|-----------------------------------------------------------------------|------------------|------------|----------------------------------|--------|--------|-------|----------------|
| 98580641         | DIN 985 Hexagon Lock Nut, Steel class 8, M64, Zinc Plated             | Steel class 8    | M64        | Zinc Bright Passivation Fe/Zn P1 | 64 mm  |        | 95 mm |                |
| 985806DELB       | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc Flake, Black        | Steel class 8    | M6         | DELTA KL100x2/SEAL               | 6 mm   |        | 10 mm |                |
| 985806ZFS        | DIN 985 Hexagon Lock Nut, Steel class 8, M6, Zinc Flake, Silver       | Steel class 8    | M6         | ZINC FLAKES SILVER Salt Spray Te | 6 mm   |        | 10 mm |                |
| 98580701         | DIN 985 Hexagon Lock Nut, Steel class 8, M7, Zinc Plated              | Steel class 8    | M7         | Zinc Bright Passivation Fe/Zn P1 | 7 mm   |        | 11 mm |                |
| 98580801         | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Plated              | Steel class 8    | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 98580801-W627    | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Gleitmo 627              | Steel class 8    | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 98580801GHP      | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Plated              | Steel class 8    | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 98580801SST072   | DIN 985 Hexagon Lock Nut, Steel class 8, M8, SST 72 h, Zinc Plated    | Steel class 8    | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 98580802         | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Hot-Dip                  | Steel class 8    | M8         | HOT DIP GALVANIZED ISO FIT       | 8 mm   |        | 13 mm |                |
| 98580803         | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Plated, Yellow      | Steel class 8    | M8         | Zinc Yellow Passivation Fe/Zn P2 | 8 mm   |        | 13 mm |                |
| 9858080GEO500B   | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Flake, Silver       | Steel class 8    | M8         | GEOMET 500B                      | 8 mm   |        | 13 mm |                |
| 9858080I         | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Plain                    | Steel class 8    | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 9858080ZFS       | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Flake, Silver       | Steel class 8    | M8         | ZINC FLAKES SILVER Salt Spray Te | 8 mm   |        | 13 mm |                |
| 9858080ZN5       | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Plated              | Steel class 8    | M8         | ZINC PLATED, 5 MICRON            | 8 mm   |        | 13 mm |                |
| 9858080ZNBFI05   | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc-Nickel, Black       | Steel class 8    | M8         | Zn-Ni BLACK + FINIGARD 105       | 8 mm   |        | 13 mm |                |
| 9858080ZNF105    | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc-Nickel, Silver      | Steel class 8    | M8         | Zn-Ni SILVER 8 MICRON +          | 8 mm   |        | 13 mm |                |
| 9858080ZNF105I   | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc-Nickel, Silver      | Steel class 8    | M8         | FINIGARD SILVER 8 MICRON +       | 8 mm   |        | 13 mm |                |
| 9858080ZNTF105   | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc-Nickel, Silver      | Steel class 8    | M8         | FINIGARD SILVER 8 MICRON +       | 8 mm   |        | 13 mm |                |
| 9858081001       | DIN 985 Hexagon Lock Nut, Steel class 8, M8 x 1, Zinc Plated          | Steel class 8    | M8 x 1     | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 985808DELB       | DIN 985 Hexagon Lock Nut, Steel class 8, M8, Zinc Flake, Black        | Steel class 8    | M8         | DELTA KL100x2/SEAL               | 8 mm   |        | 13 mm |                |
| 9858100          | DIN 985 Hexagon Lock Nut, CL 8, M10, Plain                            | CL 8             | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 98581001         | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc Plated             | Steel class 8    | M10        | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 98581001C        | DIN 985 Hexagon Lock Nut, Steel class 8, M10, EN 10204                | Steel class 8    | M10        | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 98581001GHP      | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc Plated             | Steel class 8    | M10        | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 98581002         | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Hot-Dip                 | Steel class 8    | M10        | HOT DIP GALVANIZED ISO FIT       | 10 mm  |        | 17 mm |                |
| 98581003         | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc Galvanized         | Steel class 8    | M10        | Zinc Yellow Passivation Fe/Zn P2 | 10 mm  |        | 17 mm |                |
| 9858100I         | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Plain                   | Steel class 8    | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 9858100ZNBFI05   | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc-Nickel, Black      | Steel class 8    | M10        | Zn-Ni BLACK + FINIGARD 105       | 10 mm  |        | 17 mm |                |
| 9858100ZNF105    | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc-Nickel, Silver     | Steel class 8    | M10        | Zn-Ni SILVER 8 MICRON +          | 10 mm  |        | 17 mm |                |
| 9858100ZNFL480H  | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc Flake, Silver      | Steel class 8    | M10        | ZINC FLAKES SILVER Salt Spray Te | 10 mm  |        | 17 mm |                |
| 9858100ZNNI8FNT2 | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc-Nickel, Black      | Steel class 8    | M10        | Zn-Ni BLACK, 8 MICRON, SEALED    | 10 mm  |        | 17 mm |                |
| 9858101001       | DIN 985 Hexagon Lock Nut, Steel class 8, M10 x 1, Zinc Plated         | Steel class 8    | M10 x 1    | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 9858101001-C08   | DIN 985 Hexagon Lock Nut, Steel class 8, M10 x 1, With Certificate    | Steel class 8    | M10 x 1    | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 9858101003       | DIN 985 Hexagon Lock Nut, Steel class 8, M10 x 1, Zinc Plated, Yellow | Steel class 8    | M10 x 1    | Zinc Yellow Passivation Fe/Zn P2 | 10 mm  |        | 17 mm |                |
| 9858101003-C08   | DIN 985 Hexagon Lock Nut, Steel class 8, M10 x 1, With Certificate    | Steel class 8    | M10 x 1    | Zinc Yellow Passivation Fe/Zn P2 | 10 mm  |        | 17 mm |                |
| 985810101        | DIN 985 Hexagon Lock Nut, Steel class 8, M10 x 1, Zinc Plated         | Steel class 8    | M10 x 1    | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 9858101251       | DIN 985 Hexagon Lock Nut, Steel class 8, M10 x 1.25, Zinc Plated      | Steel class 8    | M10 x 1.25 | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 985810DELB       | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc Flake, Black       | Steel class 8    | M10        | DELTA KL100x2/SEAL               | 10 mm  |        | 17 mm |                |
| 985810P1000      | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc Flake, Silver      | Steel class 8    | M10        | ZINC FLAKES SILVER P1000         | 10 mm  |        | 17 mm |                |
| 985810ZNB        | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc-Nickel, Black      | Steel class 8    | M10        | Zn-Ni BLACK, SEALED WITH LUBRICA | 10 mm  |        | 17 mm |                |
| 985810ZNBFI05    | DIN 985 Hexagon Lock Nut, Steel class 8, M10, Zinc-Nickel, Silver     | Steel class 8    | M10        | Zn-Ni BLACK + FINIGARD 105       | 10 mm  |        | 17 mm |                |
| 985810ZNTSST600  | DIN 985 Hexagon Lock Nut, Steel class 8, M10, SST 600                 | Steel class 8    | M10        | Zn-Ni SILVER, SEALED WITH LUBRIC | 10 mm  |        | 17 mm |                |
| 98581201         | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc Plated             | Steel class 8    | M12        | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 98581201C        | DIN 985 Hexagon Lock Nut, Steel class 8, M12, EN 10204                | Steel class 8    | M12        | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 98581201FLZN     | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc Flake, Silver      | Steel class 8    | M12        | ZINC FLAKES SILVER Salt Spray Te | 12 mm  |        | 19 mm |                |
| 98581201SST096   | DIN 985 Hexagon Lock Nut, Steel class 8, M12, SST 96 h,               |                  |            |                                  |        |        |       |                |

Zinc Pla

| Article no.              | Designation (Bufab)                                                      | Material / class | Size       | Surface finish                   | Thread | Length | A/F   | Head / outer Ø |
|--------------------------|--------------------------------------------------------------------------|------------------|------------|----------------------------------|--------|--------|-------|----------------|
| 98581203                 | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc Plated, Yellow        | Steel class 8    | M12        | Zinc Yellow Passivation Fe/Zn P2 | 12 mm  |        | 19 mm |                |
| 9858120ZNF105            | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc-Ni SILVER             | Steel class 8    | M12        | Zn-Ni SILVER 8 MICRON +          | 12 mm  |        | 19 mm |                |
| 9858120ZNFLK             | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc Flake, Nickel, Silver | Steel class 8    | M12        | ZINC FLAKES SILVER Salt Spray Te | 12 mm  |        | 19 mm |                |
| 9858120ZNTF105           | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc-Ni SILVER             | Steel class 8    | M12        | Zn-Ni SILVER 8 MICRON +          | 12 mm  |        | 19 mm |                |
| 9858121001               | DIN 985 Hexagon Lock Nut, Steel class 8, M12 x 1, Zinc Plated, Bright    | Steel class 8    | M12 x 1    | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 9858121251               | DIN 985 Hexagon Lock Nut, Steel class 8, M12 x 1.25, Zinc Plated         | Steel class 8    | M12 x 1.25 | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 9858121501               | DIN 985 Hexagon Lock Nut, Steel class 8, M12 x 1.5, Zinc Plated          | Steel class 8    | M12 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 985812151                | DIN 985 Hexagon Lock Nut, Steel class 8, M12 x 1.5, Zinc Plated          | Steel class 8    | M12 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 9858122                  | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Hot-Dip Galvanised         | Steel class 8    | M12        | HOT DIP GALVANIZED ISO FIT       | 12 mm  |        | 19 mm |                |
| 985812GEO500B            | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc Flake, Silver         | Steel class 8    | M12        | GEOMET 500B                      | 12 mm  |        | 19 mm |                |
| 985812P1000              | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc Flake, Silver         | Steel class 8    | M12        | ZINC FLAKES SILVER P1000         | 12 mm  |        | 19 mm |                |
| 985812ZNTW               | DIN 985 Hexagon Lock Nut, Steel class 8, M12, Zinc-Ni SILVER             | Steel class 8    | M12        | Zn-Ni SILVER, 8 MICRON, SEALED   | 12 mm  |        | 19 mm |                |
| 98581401                 | DIN 985 Hexagon Lock Nut, Steel class 8, M14, Zinc Plated                | Steel class 8    | M14        | Zinc Bright Passivation Fe/Zn P1 | 14 mm  |        | 22 mm |                |
| 98581401SST120           | DIN 985 Hexagon Lock Nut, Steel class 8, M14, SST 120                    | Steel class 8    | M14        | Zinc Bright Passivation Fe/Zn P1 | 14 mm  |        | 22 mm |                |
| 98581401SST200           | DIN 985 Hexagon Lock Nut, Steel class 8, M14, SST 200                    | Steel class 8    | M14        | Zinc Bright Passivation Fe/Zn P1 | 14 mm  |        | 22 mm |                |
| 9858140I                 | DIN 985 Hexagon Lock Nut, Steel class 8, M14, Plain                      | Steel class 8    | M14        | Plain (no plating)               | 14 mm  |        | 22 mm |                |
| 9858140ZFS               | DIN 985 Hexagon Lock Nut, Steel class 8, M14, Zinc Flake, Silver         | Steel class 8    | M14        | ZINC FLAKES SILVER Salt Spray Te | 14 mm  |        | 22 mm |                |
| 9858140ZNBFI05           | DIN 985 Hexagon Lock Nut, Steel class 8, M14, Zinc-Ni BLACK              | Steel class 8    | M14        | Zn-Ni BLACK + FINIGARD 105       | 14 mm  |        | 22 mm |                |
| 9858140ZNF105            | DIN 985 Hexagon Lock Nut, Steel class 8, M14, Zinc-Ni SILVER             | Steel class 8    | M14        | Zn-Ni SILVER 8 MICRON +          | 14 mm  |        | 22 mm |                |
| 9858141501               | DIN 985 Hexagon Lock Nut, Steel class 8, M14 x 1.5, Zinc Plated          | Steel class 8    | M14 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 14 mm  |        | 22 mm |                |
| 9858141501C              | DIN 985 Hexagon Lock Nut, Steel class 8, M14 x 1.5, EN 10204 3.1         | Steel class 8    | M14 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 14 mm  |        | 22 mm |                |
| 98581601                 | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Zinc Plated                | Steel class 8    | M16        | Zinc Bright Passivation Fe/Zn P1 | 16 mm  |        | 24 mm |                |
| 98581601C                | DIN 985 Hexagon Lock Nut, Steel class 8, M16, EN 10204 3.1               | Steel class 8    | M16        | Zinc Bright Passivation Fe/Zn P1 | 16 mm  |        | 24 mm |                |
| 98581601SST072           | DIN 985 Hexagon Lock Nut, Steel class 8, M16, SST 72 h, With Cer         | Steel class 8    | M16        | Zinc Bright Passivation Fe/Zn P1 | 16 mm  |        | 24 mm |                |
| 98581601SST096           | DIN 985 Hexagon Lock Nut, Steel class 8, M16, SST 96 h, Zinc Pla         | Steel class 8    | M16        | Zinc Bright Passivation Fe/Zn P1 | 16 mm  |        | 24 mm |                |
| 98581602                 | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Hot-Dip Galvanised         | Steel class 8    | M16        | HOT DIP GALVANIZED ISO FIT       | 16 mm  |        | 24 mm |                |
| 9858160DELB              | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Zinc Flake, Black          | Steel class 8    | M16        | DELTA TONEx2/SEAL BLACKx2+GZ     | 16 mm  |        | 24 mm |                |
| 9858160P1000             | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Zinc Flake, Silver         | Steel class 8    | M16        | ZINC FLAKES SILVER P1000         | 16 mm  |        | 24 mm |                |
| 9858160ZFS               | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Zinc Flake, Silver         | Steel class 8    | M16        | ZINC FLAKES SILVER Salt Spray Te | 16 mm  |        | 24 mm |                |
| 9858160ZNBFI05           | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Zinc-Ni BLACK              | Steel class 8    | M16        | Zn-Ni BLACK + FINIGARD 105       | 16 mm  |        | 24 mm |                |
| 9858160ZNF105            | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Zinc-Ni SILVER             | Steel class 8    | M16        | Zn-Ni SILVER 8 MICRON +          | 16 mm  |        | 24 mm |                |
| 9858161501               | DIN 985 Hexagon Lock Nut, Steel class 8, M16 x 1.5, Zinc Plated          | Steel class 8    | M16 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 16 mm  |        | 24 mm |                |
| 985816151                | DIN 985 Hexagon Lock Nut, Steel class 8, M16 x 1.5, Zinc Plated          | Steel class 8    | M16 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 16 mm  |        | 24 mm |                |
| 985816ZN8                | DIN 985 Hexagon Lock Nut, Steel class 8, M16, Zinc Plated                | Steel class 8    | M16        | ZINC PLATED, 8 MICRON            | 16 mm  |        | 24 mm |                |
| 98581801                 | DIN 985 Hexagon Lock Nut, Steel class 8, M18, Zinc Plated                | Steel class 8    | M18        | Zinc Bright Passivation Fe/Zn P1 | 18 mm  |        | 27 mm |                |
| 9858181501               | DIN 985 Hexagon Lock Nut, Steel class 8, M18 x 1.5, Zinc Plated          | Steel class 8    | M18 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 18 mm  |        | 27 mm |                |
| 985818151                | DIN 985 Hexagon Lock Nut, Steel class 8, M18 x 1.5, Zinc Plated          | Steel class 8    | M18 x 1.5  | Zinc Bright Passivation Fe/Zn P1 | 18 mm  |        | 27 mm |                |
| 98582001                 | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc Plated                | Steel class 8    | M20        | Zinc Bright Passivation Fe/Zn P1 | 20 mm  |        | 30 mm |                |
| 98582001SST200           | DIN 985 Hexagon Lock Nut, Steel class 8, M20, SST 200                    | Steel class 8    | M20        | Zinc Bright Passivation Fe/Zn P1 | 20 mm  |        | 30 mm |                |
| 98582002                 | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Hot-Dip Galvanised         | Steel class 8    | M20        | HOT DIP GALVANIZED ISO FIT       | 20 mm  |        | 30 mm |                |
| 98582003                 | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc Plated, Yellow        | Steel class 8    | M20        | Zinc Yellow Passivation Fe/Zn P2 | 20 mm  |        | 30 mm |                |
| 9858200DELB              | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc Flake, Black          | Steel class 8    | M20        | DELTA KL100x2/SEAL               | 20 mm  |        | 30 mm |                |
| 9858200FE/ZNNI8/9858200I | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc-Ni BLACK              | Steel class 8    | M20        | Zn-Ni BLACK, SEALED WITH LUBRICA | 20 mm  |        | 30 mm |                |
| 9858200I                 | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Plain                      | Steel class 8    | M20        | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 9858200ZNBFI05           | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc-Ni BLACK              | Steel class 8    | M20        | Zn-Ni BLACK + FINIGARD 105       | 20 mm  |        | 30 mm |                |
| 9858200ZNF105            | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc-Ni SILVER             | Steel class 8    | M20        |                                  |        |        |       |                |

Nickel, Silve

Steel class 8

M20

Zn-Ni SILVER 8 MICRON +

FINIGARD

20 mm

30 mm

| Article no.    | Designation (Bufab)                                              | Material / class | Size      | Surface finish                   | Thread | Length | A/F   | Head / outer Ø |
|----------------|------------------------------------------------------------------|------------------|-----------|----------------------------------|--------|--------|-------|----------------|
| 9858201501     | DIN 985 Hexagon Lock Nut, Steel class 8, M20 x 1.5, Zinc Plated  | Steel class 8    | M20 x 1.5 | Zinc Bright Passivation Fe/Zn P1 | 20 mm  |        | 30 mm |                |
| 985820151      | DIN 985 Hexagon Lock Nut, Steel class 8, M20 x 1.5, Zinc Plated  | Steel class 8    | M20 x 1.5 | Zinc Bright Passivation Fe/Zn P1 | 20 mm  |        | 30 mm |                |
| 985820GEO      | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc Flake, Silver | Steel class 8    | M20       | GEOMET 500A                      | 20 mm  |        | 30 mm |                |
| 985820ZN8      | DIN 985 Hexagon Lock Nut, Steel class 8, M20, Zinc Plated        | Steel class 8    | M20       | ZINC PLATED, 8 MICRON            | 20 mm  |        | 30 mm |                |
| 98582201       | DIN 985 Hexagon Lock Nut, Steel class 8, M22, Zinc Plated        | Steel class 8    | M22       | Zinc Bright Passivation Fe/Zn P1 | 22 mm  |        | 32 mm |                |
| 9858220ZNB     | DIN 985 Hexagon Lock Nut, Steel class 8, M22, Zinc-Nickel Black  | Steel class 8    | M22       | Zn-Ni BLACK + FINIGARD 105       | 22 mm  |        | 32 mm |                |
| 9858221501     | DIN 985 Hexagon Lock Nut, Steel class 8, M22 x 1.5, Zinc Plated  | Steel class 8    | M22 x 1.5 | Zinc Bright Passivation Fe/Zn P1 | 22 mm  |        | 32 mm |                |
| 985822150ZNT   | DIN 985 Hexagon Lock Nut, Steel class 8, M22 x 1.5, Zinc-Nickel  | Steel class 8    | M22 x 1.5 | Zn-Ni SILVER, 8 MICRON, SEALED W | 22 mm  |        | 32 mm |                |
| 98582401       | DIN 985 Hexagon Lock Nut, Steel class 8, M24, Zinc Plated        | Steel class 8    | M24       | Zinc Bright Passivation Fe/Zn P1 | 24 mm  |        | 36 mm |                |
| 9858240151     | DIN 985 Hexagon Lock Nut, Steel class 8, M24 x 1.5, Zinc Plated  | Steel class 8    | M24 x 1.5 | Zinc Bright Passivation Fe/Zn P1 | 24 mm  |        | 36 mm |                |
| 98582401C      | DIN 985 Hexagon Lock Nut, Steel class 8, M24, EN 10204 3.1 Certi | Steel class 8    | M24       | Zinc Bright Passivation Fe/Zn P1 | 24 mm  |        | 36 mm |                |
| 98582401       | DIN 985 Hexagon Lock Nut, Steel class 8, M24, Plain              | Steel class 8    | M24       | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 9858240ZNB     | DIN 985 Hexagon Lock Nut, Steel class 8, M24, Zinc-Nickel Black  | Steel class 8    | M24       | Zn-Ni BLACK, SEALED WITH LUBRICA | 24 mm  |        | 36 mm |                |
| 9858240ZNB     | DIN 985 Hexagon Lock Nut, Steel class 8, M24, Zinc-Nickel Black  | Steel class 8    | M24       | Zn-Ni BLACK + FINIGARD 105       | 24 mm  |        | 36 mm |                |
| 9858240ZNF105  | DIN 985 Hexagon Lock Nut, Steel class 8, M24, Zinc-Nickel Silver | Steel class 8    | M24       | Zn-Ni SILVER 8 MICRON + FINIGARD | 24 mm  |        | 36 mm |                |
| 9858240ZNF105I | DIN 985 Hexagon Lock Nut, Steel class 8, M24, Zinc-Nickel Silver | Steel class 8    | M24       | Zn-Ni SILVER 8 MICRON + FINIGARD | 24 mm  |        | 36 mm |                |
| 9858241501     | DIN 985 Hexagon Lock Nut, Steel class 8, M24 x 1.5, Zinc Plated  | Steel class 8    | M24 x 1.5 | Zinc Bright Passivation Fe/Zn P1 | 24 mm  |        | 36 mm |                |
| 9858242001     | DIN 985 Hexagon Lock Nut, Steel class 8, M24 x 2, Zinc Plated    | Steel class 8    | M24 x 2   | Zinc Bright Passivation Fe/Zn P1 | 24 mm  |        | 36 mm |                |
| 98582701       | DIN 985 Hexagon Lock Nut, Steel class 8, M27, Zinc Plated        | Steel class 8    | M27       | Zinc Bright Passivation Fe/Zn P1 | 27 mm  |        | 41 mm |                |
| 9858272001     | DIN 985 Hexagon Lock Nut, Steel class 8, M27 x 2, Zinc Plated    | Steel class 8    | M27 x 2   | Zinc Bright Passivation Fe/Zn P1 | 27 mm  |        | 41 mm |                |
| 985827201      | DIN 985 Hexagon Lock Nut, Steel class 8, M27 x 2, Zinc Plated    | Steel class 8    | M27 x 2   | Zinc Bright Passivation Fe/Zn P1 | 27 mm  |        | 41 mm |                |
| 985827201C3.1  | DIN 985 Hexagon Lock Nut, Steel class 8, M27 x 2, Zinc Plated    | Steel class 8    | M27 x 2   | Zinc Bright Passivation Fe/Zn P1 | 27 mm  |        | 41 mm |                |
| 98582720Z      | DIN 985 Hexagon Lock Nut, Steel class 8, M27 x 2, Zinc-Nickel S  | Steel class 8    | M27 x 2   | Zn-Ni SILVER, 8 MICRON, SEALED W | 27 mm  |        | 41 mm |                |
| 98583001       | DIN 985 Hexagon Lock Nut, Steel class 8, M30, Zinc Plated        | Steel class 8    | M30       | Zinc Bright Passivation Fe/Zn P1 | 30 mm  |        | 46 mm |                |
| 98583001C      | DIN 985 Hexagon Lock Nut, Steel class 8, M30, EN 10204 3.1 Certi | Steel class 8    | M30       | Zinc Bright Passivation Fe/Zn P1 | 30 mm  |        | 46 mm |                |
| 98583002       | DIN 985 Hexagon Lock Nut, Steel class 8, M30, Hot-Dip Galvanised | Steel class 8    | M30       | HOT DIP GALVANIZED ISO FIT       | 30 mm  |        | 46 mm |                |
| 9858300ZNF105  | DIN 985 Hexagon Lock Nut, Steel class 8, M30, Zinc-Nickel Silver | Steel class 8    | M30       | Zn-Ni SILVER 8 MICRON + FINIGARD | 30 mm  |        | 46 mm |                |
| 9858301501     | DIN 985 Hexagon Lock Nut, Steel class 8, M30 x 1.5, Zinc Plated  | Steel class 8    | M30 x 1.5 | Zinc Bright Passivation Fe/Zn P1 | 30 mm  |        | 46 mm |                |
| 985830153      | DIN 985 Hexagon Lock Nut, Steel class 8, M30 x 1.5, Zinc Plated  | Steel class 8    | M30 x 1.5 | Zinc Yellow Passivation Fe/Zn P2 | 30 mm  |        | 46 mm |                |
| 9858302001     | DIN 985 Hexagon Lock Nut, Steel class 8, M30 x 2, Zinc Plated    | Steel class 8    | M30 x 2   | Zinc Bright Passivation Fe/Zn P1 | 30 mm  |        | 46 mm |                |
| 985830200ZNTW  | DIN 985 Hexagon Lock Nut, Steel class 8, M30 x 2, Zinc-Nickel S  | Steel class 8    | M30 x 2   | Zn-Ni SILVER, 8 MICRON, SEALED W | 30 mm  |        | 46 mm |                |
| 98583301       | DIN 985 Hexagon Lock Nut, Steel class 8, M33, Zinc Plated        | Steel class 8    | M33       | Zinc Bright Passivation Fe/Zn P1 | 33 mm  |        | 50 mm |                |
| 98583321       | DIN 985 Hexagon Lock Nut, Steel class 8, M33 x 2, Zinc Plated    | Steel class 8    | M33 x 2   | Zinc Bright Passivation Fe/Zn P1 | 33 mm  |        | 50 mm |                |
| 98583601       | DIN 985 Hexagon Lock Nut, Steel class 8, M36, Zinc Plated        | Steel class 8    | M36       | Zinc Bright Passivation Fe/Zn P1 | 36 mm  |        | 55 mm |                |
| 9858360ZNF105  | DIN 985 Hexagon Lock Nut, Steel class 8, M36, Zinc-Nickel Silver | Steel class 8    | M36       | Zn-Ni SILVER 8 MICRON + FINIGARD | 36 mm  |        | 55 mm |                |
| 9858362001     | DIN 985 Hexagon Lock Nut, Steel class 8, M36 x 2, Zinc Plated    | Steel class 8    | M36 x 2   | Zinc Bright Passivation Fe/Zn P1 | 36 mm  |        | 55 mm |                |
| 98583901       | DIN 985 Hexagon Lock Nut, Steel class 8, M39, Zinc Plated        | Steel class 8    | M39       | Zinc Bright Passivation Fe/Zn P1 | 39 mm  |        | 60 mm |                |
| 9858390ZNF105  | DIN 985 Hexagon Lock Nut, Steel class 8, M39, Zinc-Nickel Silver | Steel class 8    | M39       | Zn-Ni SILVER 8 MICRON + FINIGARD | 39 mm  |        | 60 mm |                |
| 9858393001     | DIN 985 Hexagon Lock Nut, Steel class 8, M39 x 3, Zinc Plated    | Steel class 8    | M39 x 3   | Zinc Bright Passivation Fe/Zn P1 | 39 mm  |        | 60 mm |                |
| 98584201       | DIN 985 Hexagon Lock Nut, Steel class 8, M42, Zinc Plated        | Steel class 8    | M42       | Zinc Bright Passivation Fe/Zn P1 | 42 mm  |        | 65 mm |                |
| 9858423001     | DIN 985 Hexagon Lock Nut, Steel class 8, M42 x 3, Zinc Plated    | Steel class 8    | M42 x 3   | Zinc Bright Passivation Fe/Zn P1 | 42 mm  |        | 65 mm |                |
| 98584801       | DIN 985 Hexagon Lock Nut, Steel class 8, M48, Zinc Plated        | Steel class 8    | M48       | Zinc Bright Passivation Fe/Zn P1 | 48 mm  |        | 75 mm |                |
| 98584802       | DIN 985 Hexagon Lock Nut, Steel class 8, M48, Hot-Dip Galvanised | Steel class 8    | M48       | HOT DIP GALVANIZED ISO FIT       | 48 mm  |        | 75 mm |                |
| 9858480ZNTF105 | DIN 985 Hexagon Lock Nut, Steel class 8, M48, Zinc-Nickel Silver | Steel class 8    | M48       | Zn-Ni SILVER 8 MICRON + FINIGARD | 48 mm  |        | 75 mm |                |
| 9858483001     | DIN 985 Hexagon Lock Nut, Steel class 8, M48 x 3, Zinc Plated    | Steel class 8    | M48 x 3   | Zinc Bright Passivation Fe/Zn P1 | 48 mm  |        | 75 mm |                |
| 985848300ZFS   | DIN 985 Hexagon Lock Nut, Steel class 8, M48 x 3, Zinc Plated    | Steel class 8    | M48 x 3   | Zinc Bright Passivation Fe/Zn P1 | 48 mm  |        | 75 mm |                |

Flake, Si

| Article no.   | Designation (Bufab)                                              | Material / class | Size    | Surface finish                   | Thread | Length | A/F    | Head / outer Ø |
|---------------|------------------------------------------------------------------|------------------|---------|----------------------------------|--------|--------|--------|----------------|
| 9858523001    | DIN 985 Hexagon Lock Nut, Steel class 8, M52 x 3, Zinc Plated    | Steel class 8    | M52 x 3 | Zinc Bright Passivation Fe/Zn P1 | 52 mm  |        | 80 mm  |                |
| 9858641       | DIN 985 Hexagon Lock Nut, Steel class 8, M64, Zinc Plated        | Steel class 8    | M64     | Zinc Bright Passivation Fe/Zn P1 | 64 mm  |        | 95 mm  |                |
| 985A202       | DIN 985 Hexagon Lock Nut, Stainless A2, M2                       | Stainless A2     | M2      | Plain (no plating)               | 2 mm   |        | 4 mm   |                |
| 985A2025      | DIN 985 Hexagon Lock Nut, Stainless A2, M2.5                     | Stainless A2     | M2.5    | Plain (no plating)               | 2.5 mm |        | 5 mm   |                |
| 985A203       | DIN 985 Hexagon Lock Nut, Stainless A2, M3                       | Stainless A2     | M3      | Plain (no plating)               | 3 mm   |        | 5.5 mm |                |
| 985A203-C     | DIN 985 Hexagon Lock Nut, Stainless A2, M3, EN 10204 3.1 Certifi | Stainless A2     | M3      | Plain (no plating)               | 3 mm   |        | 5.5 mm |                |
| 985A2030      | DIN 985 Hexagon Lock Nut, Stainless A2, M3                       | Stainless A2     | M3      | Plain (no plating)               | 3 mm   |        | 5.5 mm |                |
| 985A2035      | DIN 985 Hexagon Lock Nut, Stainless A2, M3.5                     | Stainless A2     | M3.5    | Plain (no plating)               | 3.5 mm |        | 6 mm   |                |
| 985A203SB     | DIN 985 Hexagon Lock Nut, Stainless A2, M3, Stayblack            | Stainless A2     | M3      | STAYBLACK                        | 3 mm   |        | 5.5 mm |                |
| 985A203W      | DIN 985 Hexagon Lock Nut, Stainless A2, M3                       | Stainless A2     | M3      | Plain (no plating)               | 3 mm   |        | 5.5 mm |                |
| 985A204       | DIN 985 Hexagon Lock Nut, Stainless A2, M4                       | Stainless A2     | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A204-C     | DIN 985 Hexagon Lock Nut, Stainless A2, M4, EN 10204 3.1 Certifi | Stainless A2     | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A204-S     | DIN 985 Hexagon Lock Nut, Stainless A2, M4, With Certificate (98 | Stainless A2     | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A2040      | DIN 985 Hexagon Lock Nut, Stainless A2, M4                       | Stainless A2     | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A20470     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M4                    | Stainless A2-70  | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A20480     | DIN 985 Hexagon Lock Nut, Stainless A2-80, M4                    | Stainless A2-80  | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A204SB     | DIN 985 Hexagon Lock Nut, Stainless A2, M4, Stayblack            | Stainless A2     | M4      | STAYBLACK                        | 4 mm   |        | 7 mm   |                |
| 985A204VWHITE | DIN 985 Hexagon Lock Nut, Stainless A2, M4, White, Nylon Insert  | Stainless A2     | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A204W      | DIN 985 Hexagon Lock Nut, Stainless A2, M4                       | Stainless A2     | M4      | Plain (no plating)               | 4 mm   |        | 7 mm   |                |
| 985A205       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5                    | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A205-C     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5, EN 10204 3.1 Cert | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A2050      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5                    | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A20501     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5, Zinc Plated       | Stainless A2-70  | M5      | Zinc Bright Passivation Fe/Zn P1 | 5 mm   |        | 8 mm   |                |
| 985A20570     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5                    | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A20580     | DIN 985 Hexagon Lock Nut, Stainless A2-80, M5                    | Stainless A2-80  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A20580-S   | DIN 985 Hexagon Lock Nut, Stainless A2-80, M5                    | Stainless A2-80  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A20580W    | (985A20580-S) DIN 985 Hexagon Lock Nut, Stainless A2-80, M5      | Stainless A2-80  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A205S      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5                    | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A205V      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5                    | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A205VWHITE | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5, White, Nylon Inse | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A205W      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M5                    | Stainless A2-70  | M5      | Plain (no plating)               | 5 mm   |        | 8 mm   |                |
| 985A206       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6                    | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A206-K     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6                    | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A2060      | (985A206-K) DIN 985 Hexagon Lock Nut, Stainless A2-70, M6        | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A20601     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6, Zinc Plated       | Stainless A2-70  | M6      | Zinc Bright Passivation Fe/Zn P1 | 6 mm   |        | 10 mm  |                |
| 985A2060W     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6                    | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A2060ZB    | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6, Zinc Plated, Plac | Stainless A2-70  | M6      | Zinc Black Passivation Fe/Zn P4  | 6 mm   |        | 10 mm  |                |
| 985A2067      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6, Black Oxide       | Stainless A2-70  | M6      | Black Oxide                      | 6 mm   |        | 10 mm  |                |
| 985A20670     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6                    | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A20680     | DIN 985 Hexagon Lock Nut, Stainless A2-80, M6                    | Stainless A2-80  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A206S      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6                    | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A206SB     | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6, Stayblack         | Stainless A2-70  | M6      | STAYBLACK                        | 6 mm   |        | 10 mm  |                |
| 985A206V      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6                    | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A206W      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M6                    | Stainless A2-70  | M6      | Plain (no plating)               | 6 mm   |        | 10 mm  |                |
| 985A207       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M7                    | Stainless A2-70  | M7      | Plain (no plating)               | 7 mm   |        | 11 mm  |                |
| 985A208       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8                    | Stainless A2-70  | M8      | Plain (no plating)               | 8 mm   |        | 13 mm  |                |

| Article no.     | Designation (Bufab)                                              | Material / class | Size       | Surface finish                   | Thread | Length | A/F   | Head / outer Ø |
|-----------------|------------------------------------------------------------------|------------------|------------|----------------------------------|--------|--------|-------|----------------|
| 985A208-S       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8, With Certificate  | Stainless A2-70  | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A208-S152780 | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8                    | Stainless A2-70  | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A20801       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8, Zinc Plated       | Stainless A2-70  | M8         | Zinc Bright Passivation Fe/Zn P1 | 8 mm   |        | 13 mm |                |
| 985A20810       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8 x 1                | Stainless A2-70  | M8 x 1     | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A20870       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8                    | Stainless A2-70  | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A20880       | DIN 985 Hexagon Lock Nut, Stainless A2-80, M8                    | Stainless A2-80  | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A208SB       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8, Stayblack         | Stainless A2-70  | M8         | STAYBLACK                        | 8 mm   |        | 13 mm |                |
| 985A208V        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8                    | Stainless A2-70  | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A208W        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8                    | Stainless A2-70  | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A208WHITE    | DIN 985 Hexagon Lock Nut, Stainless A2-70, M8, White, Nylon Inl  | Stainless A2-70  | M8         | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985A210         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10                   | Stainless A2-70  | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A210-S       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10, With Certificate | Stainless A2-70  | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A21001       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10, Zinc Plated      | Stainless A2-70  | M10        | Zinc Bright Passivation Fe/Zn P1 | 10 mm  |        | 17 mm |                |
| 985A210125      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10 x 1.25            | Stainless A2-70  | M10 x 1.25 | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A21070       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10                   | Stainless A2-70  | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A21080       | DIN 985 Hexagon Lock Nut, Stainless A2-80, M10                   | Stainless A2-80  | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A210SB       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10, Stayblack        | Stainless A2-70  | M10        | STAYBLACK                        | 10 mm  |        | 17 mm |                |
| 985A210V        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10                   | Stainless A2-70  | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A210W        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M10                   | Stainless A2-70  | M10        | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A212         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M12                   | Stainless A2-70  | M12        | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A21201       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M12, Zinc Plated      | Stainless A2-70  | M12        | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 985A212125      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M12 x 1.25            | Stainless A2-70  | M12 x 1.25 | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A212150      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M12 x 1.5, Pack       | Stainless A2-70  | M12 x 1.5  | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A21270       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M12                   | Stainless A2-70  | M12        | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A21280       | DIN 985 Hexagon Lock Nut, Stainless A2-80, M12                   | Stainless A2-80  | M12        | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A212V        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M12                   | Stainless A2-70  | M12        | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A212W        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M12                   | Stainless A2-70  | M12        | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A214         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M14                   | Stainless A2-70  | M14        | Plain (no plating)               | 14 mm  |        | 22 mm |                |
| 985A214150      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M14 x 1.5             | Stainless A2-70  | M14 x 1.5  | Plain (no plating)               | 14 mm  |        | 22 mm |                |
| 985A216         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M16                   | Stainless A2-70  | M16        | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A2161        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M16, Zinc Plated      | Stainless A2-70  | M16        | Zinc Bright Passivation Fe/Zn P1 | 16 mm  |        | 24 mm |                |
| 985A21615       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M16 x 1.5             | Stainless A2-70  | M16 x 1.5  | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A216150      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M16 x 1.5, Pack       | Stainless A2-70  | M16 x 1.5  | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A21670       | DIN 985 Hexagon Lock Nut, Stainless A2-70, M16                   | Stainless A2-70  | M16        | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A216W        | DIN 985 Hexagon Lock Nut, Stainless A2-70, M16                   | Stainless A2-70  | M16        | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A218         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M18                   | Stainless A2-70  | M18        | Plain (no plating)               | 18 mm  |        | 27 mm |                |
| 985A218150      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M18 x 1.5             | Stainless A2-70  | M18 x 1.5  | Plain (no plating)               | 18 mm  |        | 27 mm |                |
| 985A220         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M20                   | Stainless A2-70  | M20        | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A220150      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M20 x 1.5             | Stainless A2-70  | M20 x 1.5  | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A22080       | DIN 985 Hexagon Lock Nut, Stainless A2-80, M20                   | Stainless A2-80  | M20        | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A222         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M22                   | Stainless A2-70  | M22        | Plain (no plating)               | 22 mm  |        | 32 mm |                |
| 985A224         | DIN 985 Hexagon Lock Nut, Stainless A2-70, M24                   | Stainless A2-70  | M24        | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A224150      | DIN 985 Hexagon Lock Nut, Stainless A2-70, M24 x 1.5             | Stainless A2-70  | M24 x 1.5  | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A22470FZB    | DIN 985 Hexagon Lock Nut, Stainless A2-70, M24, Zinc Plated      | Stainless A2-70  | M24        | Zinc Bright Passivation Fe/Zn P1 | 24 mm  |        | 36 mm |                |
| 985A227         | DIN 985 Hexagon Lock Nut, Stainless A2-50, M27                   | Stainless A2-50  | M27        | Plain (no plating)               | 27 mm  |        | 41 mm |                |
| 985A230         | DIN 985 Hexagon Lock Nut, Stainless A2-50, M30                   | Stainless A2-50  | M30        | Plain (no plating)               | 30 mm  |        | 46 mm |                |

| Article no.     | Designation (Bufab)                                        | Material / class | Size       | Surface finish     | Thread | Length | A/F    | Head / outer Ø |
|-----------------|------------------------------------------------------------|------------------|------------|--------------------|--------|--------|--------|----------------|
| 985A233         | DIN 985 Hexagon Lock Nut, Stainless A2-50, M33             | Stainless A2-50  | M33        | Plain (no plating) | 33 mm  |        | 50 mm  |                |
| 985A236         | DIN 985 Hexagon Lock Nut, Stainless A2-50, M36             | Stainless A2-50  | M36        | Plain (no plating) | 36 mm  |        | 55 mm  |                |
| 985A4025        | DIN 985 Hexagon Lock Nut, Stainless A4, M2.5               | Stainless A4     | M2.5       | Plain (no plating) | 2.5 mm |        | 5 mm   |                |
| 985A4025W       | DIN 985 Hexagon Lock Nut, Stainless A4-50, M2.5            | Stainless A4-50  | M2.5       | Plain (no plating) | 2.5 mm |        | 5 mm   |                |
| 985A403         | DIN 985 Hexagon Lock Nut, Stainless A4, M3                 | Stainless A4     | M3         | Plain (no plating) | 3 mm   |        | 5.5 mm |                |
| 985A4030        | DIN 985 Hexagon Lock Nut, Stainless A4, M3                 | Stainless A4     | M3         | Plain (no plating) | 3 mm   |        | 5.5 mm |                |
| 985A40380       | DIN 985 Hexagon Lock Nut, Stainless A4-80, M3              | Stainless A4-80  | M3         | Plain (no plating) | 3 mm   |        | 5.5 mm |                |
| 985A40380BS     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M3              | Stainless A4-80  | M3         | Plain (no plating) | 3 mm   |        | 5.5 mm |                |
| 985A40380W      | DIN 985 Hexagon Lock Nut, Stainless A4-80, M3              | Stainless A4-80  | M3         | Plain (no plating) | 3 mm   |        | 5.5 mm |                |
| 985A403W615     | DIN 985 Hexagon Lock Nut, Stainless A4, M3, Gleitmo 615    | Stainless A4     | M3         | Plain (no plating) | 3 mm   |        | 5.5 mm |                |
| 985A404         | DIN 985 Hexagon Lock Nut, Stainless A4, M4                 | Stainless A4     | M4         | Plain (no plating) | 4 mm   |        | 7 mm   |                |
| 985A40480       | DIN 985 Hexagon Lock Nut, Stainless A4-80, M4              | Stainless A4-80  | M4         | Plain (no plating) | 4 mm   |        | 7 mm   |                |
| 985A40480W      | DIN 985 Hexagon Lock Nut, Stainless A4-80, M4              | Stainless A4-80  | M4         | Plain (no plating) | 4 mm   |        | 7 mm   |                |
| 985A40480W627   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M4, Gleitmo 627 | Stainless A4-80  | M4         | Plain (no plating) | 4 mm   |        | 7 mm   |                |
| 985A404W615     | DIN 985 Hexagon Lock Nut, Stainless A4, M4, Gleitmo 615    | Stainless A4     | M4         | Plain (no plating) | 4 mm   |        | 7 mm   |                |
| 985A405         | DIN 985 Hexagon Lock Nut, Stainless A4-70, M5              | Stainless A4-70  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A40580       | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5              | Stainless A4-80  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A40580-S     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5, With        | Stainless A4-80  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A40580BS     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5              | Stainless A4-80  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A40580C      | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5, EN          | Stainless A4-80  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A40580REY    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5              | Stainless A4-80  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A40580TS     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5, Termosil    | Stainless A4-80  | M5         | TERMOSIL           | 5 mm   |        | 8 mm   |                |
| 985A40580W      | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5              | Stainless A4-80  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A40580W615   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M5, Gleitmo 615 | Stainless A4-80  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A405I        | DIN 985 Hexagon Lock Nut, Stainless A4-70, M5              | Stainless A4-70  | M5         | Plain (no plating) | 5 mm   |        | 8 mm   |                |
| 985A406         | DIN 985 Hexagon Lock Nut, Stainless A4-70, M6              | Stainless A4-70  | M6         | Plain (no plating) | 6 mm   |        | 10 mm  |                |
| 985A40680       | DIN 985 Hexagon Lock Nut, Stainless A4-80, M6              | Stainless A4-80  | M6         | Plain (no plating) | 6 mm   |        | 10 mm  |                |
| 985A40680BS     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M6              | Stainless A4-80  | M6         | Plain (no plating) | 6 mm   |        | 10 mm  |                |
| 985A40680C      | DIN 985 Hexagon Lock Nut, Stainless A4-80, M6, EN          | Stainless A4-80  | M6         | Plain (no plating) | 6 mm   |        | 10 mm  |                |
| 985A40680DELSI  | DIN 985 Hexagon Lock Nut, Stainless A4-80, M6, Zinc        | Stainless A4-80  | M6         | DELTA SEAL + GZ    | 6 mm   |        | 10 mm  |                |
| 985A40680SB     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M6, Stayblack   | Stainless A4-80  | M6         | STAYBLACK          | 6 mm   |        | 10 mm  |                |
| 985A40680W615   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M6, Gleitmo 615 | Stainless A4-80  | M6         | Plain (no plating) | 6 mm   |        | 10 mm  |                |
| 985A40680W627   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M6, Gleitmo 627 | Stainless A4-80  | M6         | Plain (no plating) | 6 mm   |        | 10 mm  |                |
| 985A406V        | DIN 985 Hexagon Lock Nut, Stainless A4-70, M6              | Stainless A4-70  | M6         | Plain (no plating) | 6 mm   |        | 10 mm  |                |
| 985A408         | DIN 985 Hexagon Lock Nut, Stainless A4-70, M8              | Stainless A4-70  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A4080        | DIN 985 Hexagon Lock Nut, Stainless A4-70, M8              | Stainless A4-70  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A40880       | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8              | Stainless A4-80  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A40880-S     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8, With        | Stainless A4-80  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A40880C      | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8, EN          | Stainless A4-80  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A40880DELSI  | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8, Zinc        | Stainless A4-80  | M8         | DELTA SEAL + GZ    | 8 mm   |        | 13 mm  |                |
| 985A40880GEO500 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8, Zinc        | Stainless A4-80  | M8         | GEOMET 500A        | 8 mm   |        | 13 mm  |                |
| 985A40880W615   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8, Gleitmo 615 | Stainless A4-80  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A40880W627   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8, Gleitmo 627 | Stainless A4-80  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A40880WI     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M8              | Stainless A4-80  | M8         | Plain (no plating) | 8 mm   |        | 13 mm  |                |
| 985A410         | DIN 985 Hexagon Lock Nut, Stainless A4-70, M10             | Stainless A4-70  | M10        | Plain (no plating) | 10 mm  |        | 17 mm  |                |
| 985A410125      | DIN 985 Hexagon Lock Nut, Stainless A4-70, M10 x 1.25      | Stainless A4-70  | M10 x 1.25 | Plain (no plating) | 10 mm  |        | 17 mm  |                |

| Article no.   | Designation (Bufab)                                     | Material / class | Size      | Surface finish                   | Thread | Length | A/F   | Head / outer Ø |
|---------------|---------------------------------------------------------|------------------|-----------|----------------------------------|--------|--------|-------|----------------|
| 985A41070     | DIN 985 Hexagon Lock Nut, Stainless A4-70, M10          | Stainless A4-70  | M10       | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A41080     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M10          | Stainless A4-80  | M10       | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A41080C    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M10, EN      | Stainless A4-80  | M10       | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A41080W    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M10          | Stainless A4-80  | M10       | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A41080W615 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M10, Gleitmo | Stainless A4-80  | M10       | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A41080W627 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M10, Gleitmo | Stainless A4-80  | M10       | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985A412       | DIN 985 Hexagon Lock Nut, Stainless A4-70, M12          | Stainless A4-70  | M12       | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A41270     | DIN 985 Hexagon Lock Nut, Stainless A4-70, M12          | Stainless A4-70  | M12       | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A41280     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M12          | Stainless A4-80  | M12       | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A412801    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M12, Zinc    | Stainless A4-80  | M12       | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |
| 985A41280C    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M12, EN      | Stainless A4-80  | M12       | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A41280W    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M12          | Stainless A4-80  | M12       | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A41280W615 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M12, Gleitmo | Stainless A4-80  | M12       | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A41280W627 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M12, Gleitmo | Stainless A4-80  | M12       | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985A414       | DIN 985 Hexagon Lock Nut, Stainless A4-70, M14          | Stainless A4-70  | M14       | Plain (no plating)               | 14 mm  |        | 22 mm |                |
| 985A41480     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M14          | Stainless A4-80  | M14       | Plain (no plating)               | 14 mm  |        | 22 mm |                |
| 985A416       | DIN 985 Hexagon Lock Nut, Stainless A4-70, M16          | Stainless A4-70  | M16       | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A416150    | DIN 985 Hexagon Lock Nut, Stainless A4-70, M16 x 1.5    | Stainless A4-70  | M16 x 1.5 | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A41680     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M16          | Stainless A4-80  | M16       | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A41680C    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M16, EN      | Stainless A4-80  | M16       | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A41680W    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M16          | Stainless A4-80  | M16       | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A41680W615 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M16, Gleitmo | Stainless A4-80  | M16       | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985A418       | DIN 985 Hexagon Lock Nut, Stainless A4-70, M18          | Stainless A4-70  | M18       | Plain (no plating)               | 18 mm  |        | 27 mm |                |
| 985A41880     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M18          | Stainless A4-80  | M18       | Plain (no plating)               | 18 mm  |        | 27 mm |                |
| 985A420       | DIN 985 Hexagon Lock Nut, Stainless A4-70, M20          | Stainless A4-70  | M20       | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A420150    | DIN 985 Hexagon Lock Nut, Stainless A4-70, M20 x 1.5    | Stainless A4-70  | M20 x 1.5 | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A42080     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M20          | Stainless A4-80  | M20       | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A42080BS   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M20          | Stainless A4-80  | M20       | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A42080C    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M20, EN      | Stainless A4-80  | M20       | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A42080W615 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M20, Gleitmo | Stainless A4-80  | M20       | Plain (no plating)               | 20 mm  |        | 30 mm |                |
| 985A422       | DIN 985 Hexagon Lock Nut, Stainless A4-70, M22          | Stainless A4-70  | M22       | Plain (no plating)               | 22 mm  |        | 32 mm |                |
| 985A422150    | DIN 985 Hexagon Lock Nut, Stainless A4-70, M22 x 1.5    | Stainless A4-70  | M22 x 1.5 | Plain (no plating)               | 22 mm  |        | 32 mm |                |
| 985A42280     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M22          | Stainless A4-80  | M22       | Plain (no plating)               | 22 mm  |        | 32 mm |                |
| 985A424       | DIN 985 Hexagon Lock Nut, Stainless A4-70, M24          | Stainless A4-70  | M24       | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A424150    | DIN 985 Hexagon Lock Nut, Stainless A4-70, M24 x 1.5    | Stainless A4-70  | M24 x 1.5 | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A424200    | DIN 985 Hexagon Lock Nut, Stainless A4-70, M24 x 2      | Stainless A4-70  | M24 x 2   | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A42480     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M24          | Stainless A4-80  | M24       | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A42480-C   | DIN 985 Hexagon Lock Nut, Stainless A4-80, M24, EN      | Stainless A4-80  | M24       | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A42480C    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M24, EN      | Stainless A4-80  | M24       | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A42480W615 | DIN 985 Hexagon Lock Nut, Stainless A4-80, M24, Gleitmo | Stainless A4-80  | M24       | Plain (no plating)               | 24 mm  |        | 36 mm |                |
| 985A427       | DIN 985 Hexagon Lock Nut, Stainless A4-50, M27          | Stainless A4-50  | M27       | Plain (no plating)               | 27 mm  |        | 41 mm |                |
| 985A42780     | DIN 985 Hexagon Lock Nut, Stainless A4-80, M27          | Stainless A4-80  | M27       | Plain (no plating)               | 27 mm  |        | 41 mm |                |
| 985A430       | DIN 985 Hexagon Lock Nut, Stainless A4-50, M30          | Stainless A4-50  | M30       | Plain (no plating)               | 30 mm  |        | 46 mm |                |
| 985A430200    | DIN 985 Hexagon Lock Nut, Stainless A4-50, M30 x 2      | Stainless A4-50  | M30 x 2   | Plain (no plating)               | 30 mm  |        | 46 mm |                |
| 985A43070     | DIN 985 Hexagon Lock Nut, Stainless A4-70, M30          | Stainless A4-70  | M30       | Plain (no plating)               | 30 mm  |        | 46 mm |                |
| 985A43070C    | DIN 985 Hexagon Lock Nut, Stainless A4-70, M30, EN      |                  |           |                                  |        |        |       |                |



| Article no.  | Designation (Bufab)                                             | Material / class                | Size | Surface finish                   | Thread | Length | A/F   | Head / outer Ø |
|--------------|-----------------------------------------------------------------|---------------------------------|------|----------------------------------|--------|--------|-------|----------------|
| 985A43080    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M30                  | Stainless A4-80                 | M30  | Plain (no plating)               | 30 mm  |        | 46 mm |                |
| 985A430W615  | DIN 985 Hexagon Lock Nut, Stainless A4-50, M30, Gleitmo         | Stainless A4-50                 | M30  | Plain (no plating)               | 30 mm  |        | 46 mm |                |
| 985A433      | DIN 985 Hexagon Lock Nut, Stainless A4-50, M33                  | Stainless A4-50                 | M33  | Plain (no plating)               | 33 mm  |        | 50 mm |                |
| 985A43380    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M33                  | Stainless A4-80                 | M33  | Plain (no plating)               | 33 mm  |        | 50 mm |                |
| 985A436      | DIN 985 Hexagon Lock Nut, Stainless A4-50, M36                  | Stainless A4-50                 | M36  | Plain (no plating)               | 36 mm  |        | 55 mm |                |
| 985A43670C   | DIN 985 Hexagon Lock Nut, Stainless A4-70, M36, EN              | Stainless A4-70                 | M36  | Plain (no plating)               | 36 mm  |        | 55 mm |                |
| 985A43680    | DIN 985 Hexagon Lock Nut, Stainless A4-80, M36                  | Stainless A4-80                 | M36  | Plain (no plating)               | 36 mm  |        | 55 mm |                |
| 985B04       | DIN 985 Hexagon Lock Nut, Brass, M4, Plain                      | Brass                           | M4   | Plain (no plating)               | 4 mm   |        | 7 mm  |                |
| 985B08       | DIN 985 Hexagon Lock Nut, Brass, M8, Plain                      | Brass                           | M8   | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985B10       | DIN 985 Hexagon Lock Nut, Brass, M10, Plain                     | Brass                           | M10  | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985D60814622 | DIN 985 Hexagon Lock Nut, Duplex stainless D6-70                | Duplex stainless D6-70 (1.4462) | M8   | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985D61014462 | DIN 985 Hexagon Lock Nut, Duplex stainless D6-70                | Duplex stainless D6-70 (1.4462) | M10  | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985D61214462 | DIN 985 Hexagon Lock Nut, Duplex stainless D6-70                | Duplex stainless D6-70 (1.4462) | M12  | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985D61614462 | DIN 985 Hexagon Lock Nut, Duplex stainless D6-70                | Duplex stainless D6-70 (1.4462) | M16  | Plain (no plating)               | 16 mm  |        | 24 mm |                |
| 985DUP060C   | DIN 985 Hexagon Lock Nut, Stainless D8-70, M6, EN               | Stainless D8-70                 | M6   | Plain (no plating)               | 6 mm   |        | 10 mm |                |
| 985DUP080C   | DIN 985 Hexagon Lock Nut, Stainless D8-70, M8, EN               | Stainless D8-70                 | M8   | Plain (no plating)               | 8 mm   |        | 13 mm |                |
| 985DUP100C   | DIN 985 Hexagon Lock Nut, Stainless D8-70, M10, EN              | Stainless D8-70                 | M10  | Plain (no plating)               | 10 mm  |        | 17 mm |                |
| 985DUP120C   | DIN 985 Hexagon Lock Nut, Stainless D8-70, M12, EN              | Stainless D8-70                 | M12  | Plain (no plating)               | 12 mm  |        | 19 mm |                |
| 985V121      | DIN 985 Hexagon Lock Nut, Steel class 5, M12, Left-Hand Thread, | Steel class 5                   | M12  | Zinc Bright Passivation Fe/Zn P1 | 12 mm  |        | 19 mm |                |

