



ISO 10642 — Flat Head Screw with Hex Drive



Catalogue data sheet · 1181 sizes · category Bolts and Screws / Socket Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
104621020110	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 110	Plain (no plating)	20 mm	110 mm	12 mm	36.75 mm
106420300470	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M3 x 4	Stainless A2	M3 x 4	Plain (no plating)	3 mm	4 mm	2 mm	5.81 mm
1064206016D	ISO 10642 Flat Head Screw with Hex Drive, Duplex stainless D6 (1.4462), M6 x 16	Duplex stainless D6 (1.4462)	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
106421003006	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 6	Steel 10.9	010.9 M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.81 mm
1064210030061	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 6	Steel 10.9	010.9 M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2 mm	5.81 mm
106421003008	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 8	Steel 10.9	010.9 M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.81 mm
1064210030081	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 8	Steel 10.9	010.9 M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2 mm	5.81 mm
106421003010	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 10	Steel 10.9	010.9 M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.81 mm
1064210030101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 10	Steel 10.9	010.9 M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	2 mm	5.81 mm
106421003012	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 12	Steel 10.9	010.9 M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.81 mm
1064210030121	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 12	Steel 10.9	010.9 M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	2 mm	5.81 mm
1064210030161	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 16	Steel 10.9	010.9 M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2 mm	5.81 mm
106421003020	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 20	Steel 10.9	010.9 M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.81 mm
1064210030201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 20	Steel 10.9	010.9 M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2 mm	5.81 mm
1064210030251	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 25	Steel 10.9	010.9 M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2 mm	5.81 mm
106421003030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 30	Steel 10.9	010.9 M3 x 30	Plain (no plating)	3 mm	30 mm	2 mm	5.81 mm
1064210030301	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M3 x 30	Steel 10.9	010.9 M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm	2 mm	5.81 mm
106421004006	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 6	Steel 10.9	010.9 M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7.96 mm
1064210040061	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 6	Steel 10.9	010.9 M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	2.5 mm	7.96 mm
106421004008	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 8	Steel 10.9	010.9 M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7.96 mm
1064210040081	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 8	Steel 10.9	010.9 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	2.5 mm	7.96 mm
106421004010	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 10	Steel 10.9	010.9 M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7.96 mm
1064210040101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 10	Steel 10.9	010.9 M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	2.5 mm	7.96 mm
106421004012	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 12	Steel 10.9	010.9 M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7.96 mm
1064210040121	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 12	Steel 10.9	010.9 M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	2.5 mm	7.96 mm
106421004016	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M4 x 16	Steel 10.9	010.9 M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7.96 mm

010.9 M4 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1064210040161	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	2.5 mm	7.96 mm
1064210040181	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 18	Zinc Bright Passivation Fe/Zn P1	4 mm	18 mm	2.5 mm	7.96 mm
106421004020	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7.96 mm
1064210040201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	2.5 mm	7.96 mm
106421004022	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 22	Plain (no plating)	4 mm	22 mm	2.5 mm	7.96 mm
106421004025	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7.96 mm
1064210040251	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	2.5 mm	7.96 mm
106421004030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	7.96 mm
1064210040301	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 30	Zinc Bright Chromating Fe/Zn C1	4 mm	30 mm	2.5 mm	7.96 mm
106421004035	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 35	Plain (no plating)	4 mm	35 mm	2.5 mm	7.96 mm
1064210040351	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm	2.5 mm	7.96 mm
106421004040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 40	Plain (no plating)	4 mm	40 mm	2.5 mm	7.96 mm
1064210040501	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm	2.5 mm	7.96 mm
106421005008	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	10.07 mm
1064210050081	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	3 mm	10.07 mm
106421005010	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10.07 mm
1064210050101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	3 mm	10.07 mm
106421005012	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
1064210050121	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	3 mm	10.07 mm
106421005014	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 14	Plain (no plating)	5 mm	14 mm	3 mm	10.07 mm
1064210050141	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	3 mm	10.07 mm
106421005016	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10.07 mm
1064210050161	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	3 mm	10.07 mm
1064210050181	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 18	Zinc Bright Passivation Fe/Zn P1	5 mm	18 mm	3 mm	10.07 mm
106421005020	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10.07 mm
1064210050201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	3 mm	10.07 mm
106421005022	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 22	Plain (no plating)	5 mm	22 mm	3 mm	10.07 mm
1064210050221	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 22	Zinc Bright Passivation Fe/Zn P1	5 mm	22 mm	3 mm	10.07 mm
106421005025	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10.07 mm
1064210050251	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	3 mm	10.07 mm
106421005030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10.07 mm
1064210050301	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	3 mm	10.07 mm
106421005035	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	10.07 mm
1064210050351	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	3 mm	10.07 mm
106421005040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	10.07 mm
1064210050401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	3 mm	10.07 mm
1064210050451	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	3 mm	10.07 mm
106421005050	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 50	Plain (no plating)	5 mm	50 mm	3 mm	10.07 mm
1064210050501	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	3 mm	10.07 mm
1064210050601	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	3 mm	10.07 mm
106421005070	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M5 x 70	Plain (no plating)	5 mm	70 mm	3 mm	10.07 mm
106421006008	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M6 x 8	Plain (no plating)	6 mm	8 mm	4 mm	12.16 mm
1064210060081	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	4 mm	12.16 mm
106421006010	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	12.16 mm
1064210060101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642	Steel 10.9	010.9 M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	4 mm	12.16 mm
106421006012	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, ISO 10642							

010.9 M6 x

[illegible]

010.9 M8 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
106421008035	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 35	Steel 10.9	010.9 M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
1064210080351	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 35	Steel 10.9	010.9 M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	5 mm	16.43 mm
106421008040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 40	Steel 10.9	010.9 M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16.43 mm
1064210080401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 40	Steel 10.9	010.9 M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	5 mm	16.43 mm
1064210080451	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 45	Steel 10.9	010.9 M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	5 mm	16.43 mm
106421008050	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 50	Steel 10.9	010.9 M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	16.43 mm
1064210080501	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 50	Steel 10.9	010.9 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	5 mm	16.43 mm
106421008050H	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 50/50	Steel 10.9	010.9 M8 x 50/50	Plain (no plating)	8 mm	50 mm	5 mm	16.43 mm
106421008055	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 55	Steel 10.9	010.9 M8 x 55	Plain (no plating)	8 mm	55 mm	5 mm	16.43 mm
1064210080551	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 55	Steel 10.9	010.9 M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	5 mm	16.43 mm
1064210080551FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 55/55	Steel 10.9	010.9 M8 x 55/55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	5 mm	16.43 mm
106421008060	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 60	Steel 10.9	010.9 M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16.43 mm
1064210080601	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 60	Steel 10.9	010.9 M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	5 mm	16.43 mm
1064210080651FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 65/65	Steel 10.9	010.9 M8 x 65/65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	5 mm	16.43 mm
1064210080701	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 70	Steel 10.9	010.9 M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	5 mm	16.43 mm
106421008070H1	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 70/70	Steel 10.9	010.9 M8 x 70/70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	5 mm	16.43 mm
106421008075	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 75	Steel 10.9	010.9 M8 x 75	Plain (no plating)	8 mm	75 mm	5 mm	16.43 mm
1064210080801	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 80	Steel 10.9	010.9 M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	5 mm	16.43 mm
1064210080901	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 90	Steel 10.9	010.9 M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	5 mm	16.43 mm
106421008100	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 100	Steel 10.9	010.9 M8 x 100	Plain (no plating)	8 mm	100 mm	5 mm	16.43 mm
1064210081201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 120	Steel 10.9	010.9 M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	5 mm	16.43 mm
106421008160	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M8 x 160	Steel 10.9	010.9 M8 x 160	Plain (no plating)	8 mm	160 mm	5 mm	16.43 mm
1064210100121	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 12	Steel 10.9	010.9 M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	6 mm	20.69 mm
106421010016	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 16	Steel 10.9	010.9 M10 x 16	Plain (no plating)	10 mm	16 mm	6 mm	20.69 mm
1064210100161	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 16	Steel 10.9	010.9 M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	6 mm	20.69 mm
106421010020	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 20	Steel 10.9	010.9 M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	20.69 mm
1064210100201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 20	Steel 10.9	010.9 M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	6 mm	20.69 mm
106421010022	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 22	Steel 10.9	010.9 M10 x 22	Plain (no plating)	10 mm	22 mm	6 mm	20.69 mm
106421010025	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 25	Steel 10.9	010.9 M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	20.69 mm
1064210100251	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 25	Steel 10.9	010.9 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	6 mm	20.69 mm
1064210100251SST	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 25	Steel 10.9	010.9 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	6 mm	20.69 mm
106421010027	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 27	Steel 10.9	010.9 M10 x 27	Plain (no plating)	10 mm	27 mm	6 mm	20.69 mm
106421010030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 30	Steel 10.9	010.9 M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
1064210100301	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 30	Steel 10.9	010.9 M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	6 mm	20.69 mm
106421010035	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 35	Steel 10.9	010.9 M10 x 35	Plain (no plating)	10 mm	35 mm	6 mm	20.69 mm
1064210100351	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 35	Steel 10.9	010.9 M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	6 mm	20.69 mm
106421010040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 40	Steel 10.9	010.9 M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
1064210100401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 40	Steel 10.9	010.9 M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	6 mm	20.69 mm
1064210100451	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 45	Steel 10.9	010.9 M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	6 mm	20.69 mm
1064210100451FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 45/45	Steel 10.9	010.9 M10 x 45/45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	6 mm	20.69 mm
106421010050	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 50	Steel 10.9	010.9 M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	20.69 mm
1064210100501	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 50	Steel 10.9	010.9 M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	6 mm	20.69 mm
1064210100502	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 50	Steel 10.9	M10 x 50	HOT DIP GALVANIZED ISO FIT	10 mm	50 mm	6 mm	20.69 mm
106421010055	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 55	Steel 10.9	010.9 M10 x 55	Plain (no plating)	10 mm	55 mm	6 mm	20.69 mm
106421010060	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 60	Steel 10.9	010.9 M10 x 60	Plain (no plating)	10 mm	60 mm	6 mm	20.69 mm
1064210100601	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M10 x 60	Steel 10.9	010.9 M10 x 60	Plain (no plating)	10 mm	60 mm	6 mm	20.69 mm

010.9 M10

Part no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1064210100601FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 60/60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	6 mm	20.69 mm
1064210100651	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	6 mm	20.69 mm
1064210100801	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	6 mm	20.69 mm
106421010090	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 90	Plain (no plating)	10 mm	90 mm	6 mm	20.69 mm
1064210100901	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	6 mm	20.69 mm
106421010100	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 100	Plain (no plating)	10 mm	100 mm	6 mm	20.69 mm
1064210101101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	6 mm	20.69 mm
1064210101201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	6 mm	20.69 mm
106421010125040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M10 x 1.25 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
106421012020	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	24.81 mm
106421012025	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	24.81 mm
1064210120251	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	8 mm	24.81 mm
106421012030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24.81 mm
1064210120301	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	8 mm	24.81 mm
106421012035	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	24.81 mm
1064210120351	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	8 mm	24.81 mm
106421012040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	24.81 mm
1064210120401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	8 mm	24.81 mm
106421012045	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 45	Plain (no plating)	12 mm	45 mm	8 mm	24.81 mm
1064210120451	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	8 mm	24.81 mm
106421012050	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	24.81 mm
1064210120501	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	8 mm	24.81 mm
106421012055	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 55	Plain (no plating)	12 mm	55 mm	8 mm	24.81 mm
1064210120551	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	8 mm	24.81 mm
1064210120601	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	8 mm	24.81 mm
106421012070	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	24.81 mm
1064210120701	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	8 mm	24.81 mm
106421012070H	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 70/70	Plain (no plating)	12 mm	70 mm	8 mm	24.81 mm
106421012080	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 80	Plain (no plating)	12 mm	80 mm	8 mm	24.81 mm
1064210120801	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	8 mm	24.81 mm
106421012090	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 90	Plain (no plating)	12 mm	90 mm	8 mm	24.81 mm
1064210120901	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	8 mm	24.81 mm
106421012100	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 100	Plain (no plating)	12 mm	100 mm	8 mm	24.81 mm
1064210121001	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	8 mm	24.81 mm
1064210121101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	8 mm	24.81 mm
1064210121201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	8 mm	24.81 mm
106421012170	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M12 x 170	Plain (no plating)	12 mm	170 mm	8 mm	24.81 mm
106421014030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 30	Plain (no plating)	14 mm	30 mm	10 mm	28.31 mm
1064210140301	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	10 mm	28.31 mm
106421014035GEO	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 35	GEOMET 500A	14 mm	35 mm	10 mm	28.31 mm
106421014040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 40	Plain (no plating)	14 mm	40 mm	10 mm	28.31 mm
1064210140401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	10 mm	28.31 mm
1064210140451	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	10 mm	28.31 mm
106421014050	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 50	Plain (no plating)	14 mm	50 mm	10 mm	28.31 mm
106421014060	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 60	Plain (no plating)	14 mm	60 mm	10 mm	28.31 mm
106421014070FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,							

010.9 M14

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
106421014090FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 90/90	Plain (no plating)	14 mm	90 mm	10 mm	28.31 mm
106421014090H	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 90/90	Plain (no plating)	14 mm	90 mm	10 mm	28.31 mm
106421014120H	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M14 x 120/120	Plain (no plating)	14 mm	120 mm	10 mm	28.31 mm
106421016030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 30	Plain (no plating)	16 mm	30 mm	10 mm	30.61 mm
1064210160301	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	10 mm	30.61 mm
106421016035	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 35	Plain (no plating)	16 mm	35 mm	10 mm	30.61 mm
106421016040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30.61 mm
1064210160401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	10 mm	30.61 mm
106421016045	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 45	Plain (no plating)	16 mm	45 mm	10 mm	30.61 mm
1064210160451	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	10 mm	30.61 mm
106421016050	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 50	Plain (no plating)	16 mm	50 mm	10 mm	30.61 mm
1064210160501	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	10 mm	30.61 mm
106421016055	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 55	Plain (no plating)	16 mm	55 mm	10 mm	30.61 mm
106421016060	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 60	Plain (no plating)	16 mm	60 mm	10 mm	30.61 mm
1064210160651	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	10 mm	30.61 mm
106421016070	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 70	Plain (no plating)	16 mm	70 mm	10 mm	30.61 mm
1064210160701	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	10 mm	30.61 mm
106421016080	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 80	Plain (no plating)	16 mm	80 mm	10 mm	30.61 mm
106421016090	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 90	Plain (no plating)	16 mm	90 mm	10 mm	30.61 mm
106421016100	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 100	Plain (no plating)	16 mm	100 mm	10 mm	30.61 mm
1064210161001	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	10 mm	30.61 mm
1064210161101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	10 mm	30.61 mm
106421016120	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 120	Plain (no plating)	16 mm	120 mm	10 mm	30.61 mm
106421016140	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M16 x 140	Plain (no plating)	16 mm	140 mm	10 mm	30.61 mm
106421020025	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 25	Plain (no plating)	20 mm	25 mm	12 mm	36.75 mm
106421020030	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 30	Plain (no plating)	20 mm	30 mm	12 mm	36.75 mm
106421020035	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 35	Plain (no plating)	20 mm	35 mm	12 mm	36.75 mm
106421020040	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 40	Plain (no plating)	20 mm	40 mm	12 mm	36.75 mm
1064210200401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	12 mm	36.75 mm
106421020050	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 50	Plain (no plating)	20 mm	50 mm	12 mm	36.75 mm
1064210200551	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	12 mm	36.75 mm
106421020060	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 60	Plain (no plating)	20 mm	60 mm	12 mm	36.75 mm
1064210200601	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	12 mm	36.75 mm
106421020070	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 70	Plain (no plating)	20 mm	70 mm	12 mm	36.75 mm
1064210200701	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	12 mm	36.75 mm
106421020080	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 80	Plain (no plating)	20 mm	80 mm	12 mm	36.75 mm
106421020090	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 90	Plain (no plating)	20 mm	90 mm	12 mm	36.75 mm
1064210200901	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	12 mm	36.75 mm
106421020100	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 100	Plain (no plating)	20 mm	100 mm	12 mm	36.75 mm
1064210201101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	12 mm	36.75 mm
106421020120	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 120	Plain (no plating)	20 mm	120 mm	12 mm	36.75 mm
1064210201201	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	12 mm	36.75 mm
106421020140	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 140	Plain (no plating)	20 mm	140 mm	12 mm	36.75 mm
10642102015065	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 1.5 x 65	Plain (no plating)	20 mm	65 mm	12 mm	36.75 mm
10642102015090	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M20 x 1.5 x 90	Plain (no plating)	20 mm	90 mm	12 mm	36.75 mm
106421020160	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,							

010.9 M20

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1064210201601	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	12 mm	36.75 mm
106421020180	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M20	Steel 10.9	010.9 M20 x 180	Plain (no plating)	20 mm	180 mm	12 mm	36.75 mm
1064210240401	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 40	Zinc Bright Passivation Fe/Zn P1	24 mm	40 mm	14 mm	39 mm
106421024080	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 80	Plain (no plating)	24 mm	80 mm	14 mm	39 mm
106421024090	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 90	Plain (no plating)	24 mm	90 mm	14 mm	39 mm
106421024110	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 110	Plain (no plating)	24 mm	110 mm	14 mm	39 mm
1064210241102	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 110	Plain (no plating)	24 mm	110 mm	14 mm	39 mm
106421024120	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 120/60	Plain (no plating)	24 mm	120 mm	14 mm	39 mm
106421024160	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 160	Plain (no plating)	24 mm	160 mm	14 mm	39 mm
106421024170	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, 010.9 M24	Steel 10.9	010.9 M24 x 170	Plain (no plating)	24 mm	170 mm	14 mm	39 mm
10642105012	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 012.9 M5	Steel 8.8	08.8 M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
106421205012	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M5	Steel 12.9	012.9 M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
106421205025	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M5	Steel 12.9	012.9 M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10.07 mm
106421206020	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M6	Steel 12.9	012.9 M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
106421206025	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M6	Steel 12.9	012.9 M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	12.16 mm
106421206040	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M6	Steel 12.9	012.9 M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	12.16 mm
106421208030	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M8	Steel 12.9	012.9 M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
106421208035	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M8	Steel 12.9	012.9 M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
106421210040	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, 012.9 M10	Steel 12.9	012.9 M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
106428030061	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 6	Steel 8.8	08.8 M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2 mm	5.81 mm
10642803008	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 8	Steel 8.8	08.8 M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.81 mm
106428030081	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 8	Steel 8.8	08.8 M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2 mm	5.81 mm
106428030081SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 8	Steel 8.8	08.8 M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2 mm	5.81 mm
99106428030101	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 10	Steel 8.8	08.8 M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	2 mm	5.81 mm
10642803012	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 12	Steel 8.8	08.8 M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.81 mm
106428030121	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 12	Steel 8.8	08.8 M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	2 mm	5.81 mm
10642803016	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 16	Steel 8.8	08.8 M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.81 mm
10642803018	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 18	Steel 8.8	08.8 M3 x 18	Plain (no plating)	3 mm	18 mm	2 mm	5.81 mm
10642803020	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M3 x 20	Steel 8.8	08.8 M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.81 mm
106428040061	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 6	Steel 8.8	08.8 M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	2.5 mm	7.96 mm
10642804008	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 8	Steel 8.8	08.8 M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7.96 mm
106428040081	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 8	Steel 8.8	08.8 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	2.5 mm	7.96 mm
10642804010	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 10	Steel 8.8	08.8 M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7.96 mm
106428040101	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 10	Steel 8.8	08.8 M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	2.5 mm	7.96 mm
106428040121	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 12	Steel 8.8	08.8 M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	2.5 mm	7.96 mm
106428040141	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 14	Steel 8.8	08.8 M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm	2.5 mm	7.96 mm
10642804016	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 16	Steel 8.8	08.8 M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7.96 mm
106428040161	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 16	Steel 8.8	08.8 M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	2.5 mm	7.96 mm
106428040161SST0	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 16	Steel 8.8	08.8 M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	2.5 mm	7.96 mm
9910642804020	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 20	Steel 8.8	08.8 M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7.96 mm
106428040201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 20	Steel 8.8	08.8 M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	2.5 mm	7.96 mm
106428040201SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 20	Steel 8.8	08.8 M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	2.5 mm	7.96 mm
99106428040251	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 25	Steel 8.8	08.8 M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	2.5 mm	7.96 mm
106428040401	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M4 x 40	Steel 8.8	08.8 M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	2.5 mm	7.96 mm
106428050061	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8 M5 x 6	Steel 8.8	08.8 M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm	3 mm	10.07 mm
106428050081	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8							

M5 x 8

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642805010	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10.07 mm
106428050101	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	3 mm	10.07 mm
106428050101SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	3 mm	10.07 mm
106428050121	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	3 mm	10.07 mm
106428050141	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	3 mm	10.07 mm
106428050161	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	3 mm	10.07 mm
106428050161SST1	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	3 mm	10.07 mm
106428050161SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	3 mm	10.07 mm
10642805018	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 18	Plain (no plating)	5 mm	18 mm	3 mm	10.07 mm
10642805020	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10.07 mm
106428050201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	3 mm	10.07 mm
106428050201SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	3 mm	10.07 mm
106428050251	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	3 mm	10.07 mm
10642805030	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10.07 mm
106428050301	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	3 mm	10.07 mm
106428050301SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	3 mm	10.07 mm
106428050351	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	3 mm	10.07 mm
106428050401	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	3 mm	10.07 mm
106428050601	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	3 mm	10.07 mm
106428050801	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm	3 mm	10.07 mm
106428060101	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	4 mm	12.16 mm
106428060101SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	4 mm	12.16 mm
10642806012	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	12.16 mm
10642806014	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 14	Plain (no plating)	6 mm	14 mm	4 mm	12.16 mm
106428060141	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	4 mm	12.16 mm
10642806016	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
106428060161	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	4 mm	12.16 mm
106428060161SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	4 mm	12.16 mm
106428060161TX	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	4 mm	12.16 mm
10642806018	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 18	Plain (no plating)	6 mm	18 mm	4 mm	12.16 mm
106428060201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 20	Zinc Bright Chromating Fe/Zn C1	6 mm	20 mm	4 mm	12.16 mm
106428060201SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	4 mm	12.16 mm
10642806025	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	12.16 mm
106428060251	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	4 mm	12.16 mm
106428060251SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 25/25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	4 mm	12.16 mm
10642806030	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	12.16 mm
106428060301SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	4 mm	12.16 mm
10642806035	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 35	Plain (no plating)	6 mm	35 mm	4 mm	12.16 mm
106428060351	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	4 mm	12.16 mm
106428060351SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 35/35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	4 mm	12.16 mm
10642806040	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	12.16 mm
106428060401	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	4 mm	12.16 mm
106428060401SST0	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	4 mm	12.16 mm
10642806050	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	12.16 mm
106428060501	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	4 mm	12.16 mm
106428060601	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8							

M6 x 6

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
106428060651	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	4 mm	12.16 mm
106428060801	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 80	Zinc Bright Chromating Fe/Zn C1	6 mm	80 mm	4 mm	12.16 mm
106428061201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm	4 mm	12.16 mm
10642806351	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	4 mm	12.16 mm
106428080101	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm	5 mm	16.43 mm
106428080121SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	5 mm	16.43 mm
106428080141	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 14	Zinc Bright Passivation Fe/Zn P1	8 mm	14 mm	5 mm	16.43 mm
10642808016	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16.43 mm
106428080161	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	5 mm	16.43 mm
106428080161SST4	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	5 mm	16.43 mm
10642808020	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16.43 mm
106428080201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	5 mm	16.43 mm
106428080201SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	5 mm	16.43 mm
106428080201SST4	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	5 mm	16.43 mm
106428080202	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M8	Steel 8.8	M8 x 20	HOT DIP GALVANIZED ISO FIT	8 mm	20 mm	5 mm	16.43 mm
106428080221	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 22	Zinc Bright Passivation Fe/Zn P1	8 mm	22 mm	5 mm	16.43 mm
10642808025	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16.43 mm
106428080251	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	5 mm	16.43 mm
106428080251SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	5 mm	16.43 mm
106428080252	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M8	Steel 8.8	M8 x 25	HOT DIP GALVANIZED ISO FIT	8 mm	25 mm	5 mm	16.43 mm
10642808030	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
106428080301	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	5 mm	16.43 mm
10642808035	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
106428080351	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	5 mm	16.43 mm
106428080351SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	5 mm	16.43 mm
10642808040	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16.43 mm
106428080401SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 40/40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	5 mm	16.43 mm
106428080451	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 45	Zinc Bright Chromating Fe/Zn C1	8 mm	45 mm	5 mm	16.43 mm
10642808050	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	16.43 mm
106428080501	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	5 mm	16.43 mm
106428080501SST4	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	5 mm	16.43 mm
10642808050FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	16.43 mm
106428080551	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	5 mm	16.43 mm
10642808060	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16.43 mm
10642808060FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 60/60	Plain (no plating)	8 mm	55.04 mm	5 mm	16.43 mm
106428080651	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	5 mm	16.43 mm
10642808070	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 70	Plain (no plating)	8 mm	70 mm	5 mm	16.43 mm
106428080701	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	5 mm	16.43 mm
106428080702	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M8	Steel 8.8	M8 x 70	HOT DIP GALVANIZED ISO FIT	8 mm	70 mm	5 mm	16.43 mm
106428080751	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	5 mm	16.43 mm
106428080901	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	5 mm	16.43 mm
10642808100	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 100	Plain (no plating)	8 mm	100 mm	5 mm	16.43 mm
106428081001SST4	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	5 mm	16.43 mm
106428081012	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 1.0 x 12	Plain (no plating)	8 mm	12 mm	5 mm	16.43 mm
10642808120	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M8 x 120	Plain (no plating)	8 mm	120 mm	5 mm	16.43 mm
106428100121	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8							

M10 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
106428100161	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	6 mm	20.69 mm
10642810020	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	20.69 mm
106428100201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	6 mm	20.69 mm
10642810025	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	20.69 mm
106428100251	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	6 mm	20.69 mm
106428100251SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	6 mm	20.69 mm
10642810030	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
106428100301	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 30	Zinc Bright Chromating Fe/Zn C1	10 mm	30 mm	6 mm	20.69 mm
10642810035	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 35	Plain (no plating)	10 mm	35 mm	6 mm	20.69 mm
106428100351	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 35	Zinc Bright Chromating Fe/Zn C1	10 mm	35 mm	6 mm	20.69 mm
10642810040	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
106428100401	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 40/40	Zinc Bright Chromating Fe/Zn C1	10 mm	40 mm	6 mm	20.69 mm
106428100451	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 45	Zinc Bright Chromating Fe/Zn C1	10 mm	45 mm	6 mm	20.69 mm
106428100501	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 50	Zinc Bright Chromating Fe/Zn C1	10 mm	50 mm	6 mm	20.69 mm
106428100502	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M10	Steel 8.8	M10 x 50	HOT DIP GALVANIZED ISO FIT	10 mm	50 mm	6 mm	20.69 mm
10642810050FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	20.69 mm
10642810055	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 55	Plain (no plating)	10 mm	55 mm	6 mm	20.69 mm
10642810060	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 60	Plain (no plating)	10 mm	60 mm	6 mm	20.69 mm
106428100601	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	6 mm	20.69 mm
106428100601SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	6 mm	20.69 mm
10642810070	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 70	Plain (no plating)	10 mm	70 mm	6 mm	20.69 mm
106428100901	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	6 mm	20.69 mm
106428101001	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	6 mm	20.69 mm
106428101201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	6 mm	20.69 mm
10642810130	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M10 x 130	Plain (no plating)	10 mm	130 mm	6 mm	20.69 mm
10642812020	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	24.81 mm
10642812025	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	24.81 mm
106428120251	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	8 mm	24.81 mm
106428120252	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M12	Steel 8.8	M12 x 25	HOT DIP GALVANIZED ISO FIT	12 mm	25 mm	8 mm	24.81 mm
10642812030	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24.81 mm
106428120301	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	8 mm	24.81 mm
106428120301SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	8 mm	24.81 mm
106428120302	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M12	Steel 8.8	M12 x 30	HOT DIP GALVANIZED ISO FIT	12 mm	30 mm	8 mm	24.81 mm
10642812035	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	24.81 mm
106428120351	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	8 mm	24.81 mm
106428120352	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M12	Steel 8.8	M12 x 35	HOT DIP GALVANIZED ISO FIT	12 mm	35 mm	8 mm	24.81 mm
10642812040	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 40/40	Plain (no plating)	12 mm	40 mm	8 mm	24.81 mm
106428120401	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	8 mm	24.81 mm
106428120402	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M12	Steel 8.8	M12 x 40	HOT DIP GALVANIZED ISO FIT	12 mm	40 mm	8 mm	24.81 mm
106428120451	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	8 mm	24.81 mm
10642812050	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	24.81 mm
106428120501	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	8 mm	24.81 mm
106428120502	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M12	Steel 8.8	M12 x 50	HOT DIP GALVANIZED ISO FIT	12 mm	50 mm	8 mm	24.81 mm
10642812050FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 50/50	Plain (no plating)	12 mm	50 mm	8 mm	24.81 mm
106428120601	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	8 mm	24.81 mm
106428120601SST2	M12 x							

M12 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
106428120602	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M12	Steel 8.8	M12 x 60	HOT DIP GALVANIZED ISO FIT	12 mm	60 mm	8 mm	24.81 mm
10642812060FT	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 60/60	Plain (no plating)	12 mm	60 mm	8 mm	24.81 mm
10642812070	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	24.81 mm
106428120801	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	8 mm	24.81 mm
106428121001	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 100	Zinc Bright Chromating Fe/Zn C1	12 mm	100 mm	8 mm	24.81 mm
10642812160	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 160	Plain (no plating)	12 mm	160 mm	8 mm	24.81 mm
106428121601SST4	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	8 mm	24.81 mm
10642814030	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M14 x 30	Plain (no plating)	14 mm	30 mm	10 mm	28.31 mm
106428160251	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 25	Zinc Bright Passivation Fe/Zn P1	16 mm	25 mm	10 mm	30.61 mm
10642816030	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 30	Plain (no plating)	16 mm	30 mm	10 mm	30.61 mm
106428160301	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	10 mm	30.61 mm
106428160302	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M16	Steel 8.8	M16 x 30	Hot Dip Galvanizing	16 mm	30 mm	10 mm	30.61 mm
106428160351SST4	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	10 mm	30.61 mm
10642816040	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30.61 mm
106428160401	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	10 mm	30.61 mm
106428160401SST2	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	10 mm	30.61 mm
10642816050	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 50/50	Plain (no plating)	16 mm	50 mm	10 mm	30.61 mm
106428160501	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	10 mm	30.61 mm
106428160551	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	10 mm	30.61 mm
10642816060	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 60	Plain (no plating)	16 mm	60 mm	10 mm	30.61 mm
106428160601	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	10 mm	30.61 mm
10642816070	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 70	Plain (no plating)	16 mm	70 mm	10 mm	30.61 mm
10642816080	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 80	Plain (no plating)	16 mm	80 mm	10 mm	30.61 mm
106428160902	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M16	Steel 8.8	M16 x 90	HOT DIP GALVANIZED ISO FIT	16 mm	90 mm	10 mm	30.61 mm
10642816100	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 100	Plain (no plating)	16 mm	100 mm	10 mm	30.61 mm
106428161001	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 100	Zinc Bright Chromating Fe/Zn C1	16 mm	100 mm	10 mm	30.61 mm
106428161101	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	10 mm	30.61 mm
10642816120	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 120	Plain (no plating)	16 mm	120 mm	10 mm	30.61 mm
106428161201	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	10 mm	30.61 mm
10642816150	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 150	Plain (no plating)	16 mm	150 mm	10 mm	30.61 mm
10642816180	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M16 x 180	Plain (no plating)	16 mm	180 mm	10 mm	30.61 mm
106428200302	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M20	Steel 8.8	M20 x 30	Hot Dip Galvanizing	20 mm	30 mm	12 mm	36.75 mm
106428200351	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 35	Zinc Bright Passivation Fe/Zn P1	20 mm	35 mm	12 mm	36.75 mm
10642820040	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 40	Plain (no plating)	20 mm	40 mm	12 mm	36.75 mm
106428200401SST4	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	12 mm	36.75 mm
10642820045	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 45	Plain (no plating)	20 mm	45 mm	12 mm	36.75 mm
106428200501	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	12 mm	36.75 mm
10642820060	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 60	Plain (no plating)	20 mm	60 mm	12 mm	36.75 mm
106428200601	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	12 mm	36.75 mm
10642820070	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 70	Plain (no plating)	20 mm	70 mm	12 mm	36.75 mm
106428200901	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	12 mm	36.75 mm
10642820100	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 100	Plain (no plating)	20 mm	100 mm	12 mm	36.75 mm
106428201002	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, M20	Steel 8.8	M20 x 100	HOT DIP GALVANIZED ISO FIT	20 mm	100 mm	12 mm	36.75 mm
10642820110	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 110	Plain (no plating)	20 mm	110 mm	12 mm	36.75 mm
10642820120	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M20 x 120	Plain (no plating)	20 mm	120 mm	12 mm	36.75 mm
106428201801	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8							

M20 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
106428240401	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8	Steel 8.8	08.8 M24 x 40	Zinc Bright Passivation Fe/Zn P1	24 mm	40 mm	14 mm	39 mm
10642824080	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9,	Steel 10.9	010.9 M24 x 80	Plain (no plating)	24 mm	80 mm	14 mm	39 mm
10642A202003	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2 x 3	Plain (no plating)	2 mm	3 mm	1.36 mm	4.09 mm
10642A202004	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2 x 4	Plain (no plating)	2 mm	4 mm	1.36 mm	4.09 mm
10642A202005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2 x 5	Plain (no plating)	2 mm	5 mm	1.36 mm	4.09 mm
10642A202006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2 x 6	Plain (no plating)	2 mm	6 mm	1.36 mm	4.09 mm
10642A202008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2 x 8	Plain (no plating)	2 mm	8 mm	1.36 mm	4.09 mm
10642A202010	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2 x 10	Plain (no plating)	2 mm	10 mm	1.36 mm	4.09 mm
10642A202012	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2 x 12	Plain (no plating)	2 mm	12 mm	1.36 mm	4.09 mm
10642A202016	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2 x 16	Plain (no plating)	2 mm	16 mm	1.36 mm	4.09 mm
10642A202020	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2 x 20	Plain (no plating)	2 mm	20 mm	1.36 mm	4.09 mm
10642A2025004	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	1.5 mm	5.08 mm
10642A2025005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	1.5 mm	5.08 mm
10642A2025006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	1.5 mm	5.08 mm
10642A2025008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	1.5 mm	5.08 mm
10642A2025010	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	1.5 mm	5.08 mm
10642A2025012	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	1.5 mm	5.08 mm
10642A2025016	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	1.5 mm	5.08 mm
10642A2025020	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	1.5 mm	5.08 mm
10642A2025025	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	1.5 mm	5.08 mm
10642A203004	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 4	Plain (no plating)	3 mm	4 mm	2 mm	5.81 mm
10642A203005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.81 mm
10642A20300570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.81 mm
10642A203006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.81 mm
10642A203008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.81 mm
10642A203010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.81 mm
10642A203012	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.81 mm
10642A20301270	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.81 mm
10642A203014	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 14	Plain (no plating)	3 mm	14 mm	2 mm	5.81 mm
10642A203016	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.81 mm
10642A203018	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 18	Plain (no plating)	3 mm	18 mm	2 mm	5.81 mm
10642A203020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.81 mm
10642A20302250	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 22	Plain (no plating)	3 mm	22 mm	2 mm	5.81 mm
10642A203025	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 25	Plain (no plating)	3 mm	25 mm	2 mm	5.81 mm
10642A203030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M3 x 30	Plain (no plating)	3 mm	30 mm	2 mm	5.81 mm
10642A203035	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 35	Plain (no plating)	3 mm	35 mm	2 mm	5.81 mm
10642A203040	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 40	Plain (no plating)	3 mm	40 mm	2 mm	5.81 mm
10642A203050	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-50	M3 x 50	Plain (no plating)	3 mm	50 mm	2 mm	5.81 mm
10642A204005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M4 x 5	Plain (no plating)	4 mm	5 mm	2.5 mm	7.96 mm
10642A204006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7.96 mm
10642A204008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7.96 mm
10642A20400870	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7.96 mm
10642A204010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7.96 mm
10642A204012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,	Stainless A2	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7.96 mm
10642A20401270	ISO 10642 Flat Head Screw with Hex Drive, Stainless	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7.96 mm
10642A204014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,							

M4 x 14

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A204016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M4 x 16	Stainless A2	M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7.96 mm
10642A204018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 18	Stainless A2-50	M4 x 18	Plain (no plating)	4 mm	18 mm	2.5 mm	7.96 mm
10642A204020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M4 x 20	Stainless A2	M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7.96 mm
10642A204022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 22	Stainless A2-50	M4 x 22	Plain (no plating)	4 mm	22 mm	2.5 mm	7.96 mm
10642A204025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M4 x 25	Stainless A2	M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7.96 mm
10642A204030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 30	Stainless A2-50	M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	7.96 mm
10642A204035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 35	Stainless A2-50	M4 x 35	Plain (no plating)	4 mm	35 mm	2.5 mm	7.96 mm
10642A204040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 40	Stainless A2-50	M4 x 40	Plain (no plating)	4 mm	40 mm	2.5 mm	7.96 mm
10642A204045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 45	Stainless A2-50	M4 x 45	Plain (no plating)	4 mm	45 mm	2.5 mm	7.96 mm
10642A204050FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 50/50	Stainless A2-50	M4 x 50/50	Plain (no plating)	4 mm	47.52 mm	2.5 mm	7.96 mm
10642A204055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 55	Stainless A2-50	M4 x 55	Plain (no plating)	4 mm	55 mm	2.5 mm	7.96 mm
10642A204060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 60	Stainless A2-50	M4 x 60	Plain (no plating)	4 mm	60 mm	2.5 mm	7.96 mm
10642A204070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M4 x 70	Stainless A2-50	M4 x 70	Plain (no plating)	4 mm	70 mm	2.5 mm	7.96 mm
10642A205006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 6	Stainless A2	M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	10.07 mm
10642A205008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 8	Stainless A2	M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	10.07 mm
10642A205010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 10	Stainless A2	M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10.07 mm
10642A205010W627	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 10	Stainless A2	M5 x 10	WAX GLEITMO 627	5 mm	10 mm	3 mm	10.07 mm
10642A205012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 12	Stainless A2	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
10642A20501270	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M5 x 12	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
10642A205014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 14	Stainless A2	M5 x 14	Plain (no plating)	5 mm	14 mm	3 mm	10.07 mm
10642A205016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 16	Stainless A2	M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10.07 mm
10642A205018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 18	Stainless A2-50	M5 x 18	Plain (no plating)	5 mm	18 mm	3 mm	10.07 mm
10642A205020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M5 x 20	Stainless A2	M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10.07 mm
10642A20502070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M5 x 20	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10.07 mm
10642A205022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 22	Stainless A2-50	M5 x 22	Plain (no plating)	5 mm	22 mm	3 mm	10.07 mm
10642A205025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 25	Stainless A2-50	M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10.07 mm
10642A20502570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M5 x 25	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10.07 mm
10642A205030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 30	Stainless A2-50	M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10.07 mm
10642A205032	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 32	Stainless A2-50	M5 x 32	Plain (no plating)	5 mm	32 mm	3 mm	10.07 mm
10642A20503570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M5 x 35	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	10.07 mm
10642A205035FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 35/35	Stainless A2-50	M5 x 35/35	Plain (no plating)	5 mm	31.9 mm	3 mm	10.07 mm
10642A205040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 40	Stainless A2-50	M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	10.07 mm
10642A20504070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M5 x 40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	10.07 mm
10642A205045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 45	Stainless A2-50	M5 x 45	Plain (no plating)	5 mm	45 mm	3 mm	10.07 mm
10642A205050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 50	Stainless A2-50	M5 x 50	Plain (no plating)	5 mm	50 mm	3 mm	10.07 mm
10642A205055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 55	Stainless A2-50	M5 x 55	Plain (no plating)	5 mm	55 mm	3 mm	10.07 mm
10642A205060FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 60/60	Stainless A2-50	M5 x 60/60	Plain (no plating)	5 mm	56.9 mm	3 mm	10.07 mm
10642A205070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 70	Stainless A2-50	M5 x 70	Plain (no plating)	5 mm	70 mm	3 mm	10.07 mm
10642A205080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M5 x 80	Stainless A2-50	M5 x 80	Plain (no plating)	5 mm	80 mm	3 mm	10.07 mm
10642A206008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M6 x 8	Stainless A2	M6 x 8	Plain (no plating)	6 mm	8 mm	4 mm	12.16 mm
10642A206010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M6 x 10	Stainless A2	M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	12.16 mm
10642A206012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M6 x 12	Stainless A2	M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	12.16 mm
10642A206014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M6 x 14	Stainless A2	M6 x 14	Plain (no plating)	6 mm	14 mm	4 mm	12.16 mm
10642A206016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M6 x 16	Stainless A2	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
10642A206018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, A2-50, M6 x 18	Stainless A2	M6 x 18	Plain (no plating)	6 mm	18 mm	4 mm	12.16 mm
10642A206020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2,							

M6 x 20

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A206020W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 20	Stainless A2	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
10642A206022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 22	Stainless A2-50	M6 x 22	Plain (no plating)	6 mm	22 mm	4 mm	12.16 mm
10642A206025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 25	Stainless A2	M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	12.16 mm
10642A206030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 30	Stainless A2	M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	12.16 mm
10642A206030W627	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 30	Stainless A2-50	M6 x 30	WAX GLEITMO 627	6 mm	30 mm	4 mm	12.16 mm
10642A206035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M6 x 35/35	Stainless A2-70	M6 x 35/35	Plain (no plating)	6 mm	31.28 mm	4 mm	12.16 mm
10642A20603570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M6 x 35	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	4 mm	12.16 mm
10642A20603570W6	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M6 x 35	Stainless A2-70	M6 x 35	WAX GLEITMO 627	6 mm	35 mm	4 mm	12.16 mm
10642A206040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 40	Stainless A2	M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	12.16 mm
10642A206045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 45	Stainless A2	M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	12.16 mm
10642A206050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 50	Stainless A2	M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	12.16 mm
10642A206055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 55	Stainless A2-50	M6 x 55	Plain (no plating)	6 mm	55 mm	4 mm	12.16 mm
10642A206060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 60	Stainless A2	M6 x 60	Plain (no plating)	6 mm	60 mm	4 mm	12.16 mm
10642A206065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 65	Stainless A2-50	M6 x 65	Plain (no plating)	6 mm	65 mm	4 mm	12.16 mm
10642A20607070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 70	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm	4 mm	12.16 mm
10642A206070FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 70/70	Stainless A2-50	M6 x 70/70	Plain (no plating)	6 mm	66.28 mm	4 mm	12.16 mm
10642A206075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 75	Stainless A2-50	M6 x 75	Plain (no plating)	6 mm	75 mm	4 mm	12.16 mm
10642A206080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 80	Stainless A2-50	M6 x 80	Plain (no plating)	6 mm	80 mm	4 mm	12.16 mm
10642A206090FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 90/90	Stainless A2-50	M6 x 90/90	Plain (no plating)	6 mm	86.28 mm	4 mm	12.16 mm
10642A206100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M6 x 100	Stainless A2	M6 x 100	Plain (no plating)	6 mm	100 mm	4 mm	12.16 mm
10642A206110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 110	Stainless A2-50	M6 x 110	Plain (no plating)	6 mm	110 mm	4 mm	12.16 mm
10642A206120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 120	Stainless A2-50	M6 x 120	Plain (no plating)	6 mm	120 mm	4 mm	12.16 mm
10642A206130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 130	Stainless A2-50	M6 x 130	Plain (no plating)	6 mm	130 mm	4 mm	12.16 mm
10642A206140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 140	Stainless A2-50	M6 x 140	Plain (no plating)	6 mm	140 mm	4 mm	12.16 mm
10642A206150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 150	Stainless A2-50	M6 x 150	Plain (no plating)	6 mm	150 mm	4 mm	12.16 mm
10642A208010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 10	Stainless A2	M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	16.43 mm
10642A208012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 12	Stainless A2	M8 x 12	Plain (no plating)	8 mm	12 mm	5 mm	16.43 mm
10642A208014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 14	Stainless A2	M8 x 14	Plain (no plating)	8 mm	14 mm	5 mm	16.43 mm
10642A208016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 16	Stainless A2	M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16.43 mm
10642A208018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 18	Stainless A2	M8 x 18	Plain (no plating)	8 mm	18 mm	5 mm	16.43 mm
10642A208020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 20	Stainless A2	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16.43 mm
10642A208022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 22	Stainless A2	M8 x 22	Plain (no plating)	8 mm	22 mm	5 mm	16.43 mm
10642A208025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 25	Stainless A2	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16.43 mm
10642A208030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 30	Stainless A2-50	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
10642A20803070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 30	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
10642A208035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 35	Stainless A2	M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
10642A20803570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 35	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
10642A208040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 40	Stainless A2-50	M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16.43 mm
10642A208045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 45	Stainless A2	M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	16.43 mm
10642A20804570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 45	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	16.43 mm
10642A208050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M8 x 50	Stainless A2-50	M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	16.43 mm
10642A208050FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 50/50	Stainless A2-50	M8 x 50/50	Plain (no plating)	8 mm	45.04 mm	5 mm	16.43 mm
10642A208055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 55	Stainless A2-50	M8 x 55	Plain (no plating)	8 mm	55 mm	5 mm	16.43 mm
10642A20805570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 55	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm	5 mm	16.43 mm
10642A208060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M8 x 60	Stainless A2	M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16.43 mm
10642A208065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 60	Stainless A2-50	M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16.43 mm

A2-50, M8 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A208070FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 70	Stainless A2-50	M8 x 70/70	Plain (no plating)	8 mm	65.04 mm	5 mm	16.43 mm
10642A208075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 75	Stainless A2-50	M8 x 75	Plain (no plating)	8 mm	75 mm	5 mm	16.43 mm
10642A208080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 80	Stainless A2-50	M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	16.43 mm
10642A20808070F	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M8 x 70	Stainless A2-70	M8 x 80/80	Plain (no plating)	8 mm	75.04 mm	5 mm	16.43 mm
10642A208090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 90	Stainless A2-50	M8 x 90	Plain (no plating)	8 mm	90 mm	5 mm	16.43 mm
10642A208100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 100	Stainless A2-50	M8 x 100	Plain (no plating)	8 mm	100 mm	5 mm	16.43 mm
10642A208110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 110	Stainless A2-50	M8 x 110	Plain (no plating)	8 mm	110 mm	5 mm	16.43 mm
10642A208120FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 120	Stainless A2-50	M8 x 120/120	Plain (no plating)	8 mm	115.04 mm	5 mm	16.43 mm
10642A208130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 130	Stainless A2-50	M8 x 130	Plain (no plating)	8 mm	130 mm	5 mm	16.43 mm
10642A208140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 140	Stainless A2-50	M8 x 140	Plain (no plating)	8 mm	140 mm	5 mm	16.43 mm
10642A208150FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 150	Stainless A2-50	M8 x 150/150	Plain (no plating)	8 mm	145.04 mm	5 mm	16.43 mm
10642A208160	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 160	Stainless A2-50	M8 x 160	Plain (no plating)	8 mm	160 mm	5 mm	16.43 mm
10642A208170FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 170	Stainless A2-50	M8 x 170	Plain (no plating)	8 mm	170 mm	5 mm	16.43 mm
10642A208180	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 180	Stainless A2-50	M8 x 180	Plain (no plating)	8 mm	180 mm	5 mm	16.43 mm
10642A208200	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 200	Stainless A2-50	M8 x 200	Plain (no plating)	8 mm	200 mm	5 mm	16.43 mm
10642A210012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M10 x 12	Stainless A2	M10 x 12	Plain (no plating)	10 mm	12 mm	6 mm	20.69 mm
10642A210016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M10 x 16	Stainless A2	M10 x 16	Plain (no plating)	10 mm	16 mm	6 mm	20.69 mm
10642A210020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M10 x 20	Stainless A2	M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	20.69 mm
10642A21002070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M10 x 20	Stainless A2-70	M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	20.69 mm
10642A210022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M10 x 22	Stainless A2	M10 x 22	Plain (no plating)	10 mm	22 mm	6 mm	20.69 mm
10642A21002570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M10 x 25	Stainless A2-70	M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	20.69 mm
10642A210030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M10 x 30	Stainless A2	M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
10642A21003070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M10 x 30	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
10642A210035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M10 x 35	Stainless A2	M10 x 35	Plain (no plating)	10 mm	35 mm	6 mm	20.69 mm
10642A210040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 40	Stainless A2-50	M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
10642A21004070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 40	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
10642A210045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M10 x 45	Stainless A2-50	M10 x 45	Plain (no plating)	10 mm	45 mm	6 mm	20.69 mm
10642A210050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M10 x 50	Stainless A2	M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	20.69 mm
10642A210055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 55	Stainless A2-50	M10 x 55	Plain (no plating)	10 mm	55 mm	6 mm	20.69 mm
10642A210060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 60	Stainless A2-50	M10 x 60	Plain (no plating)	10 mm	60 mm	6 mm	20.69 mm
10642A210065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 65	Stainless A2-50	M10 x 65	Plain (no plating)	10 mm	65 mm	6 mm	20.69 mm
10642A210070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 70	Stainless A2-50	M10 x 70	Plain (no plating)	10 mm	70 mm	6 mm	20.69 mm
10642A210075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 75	Stainless A2-50	M10 x 75	Plain (no plating)	10 mm	75 mm	6 mm	20.69 mm
10642A210080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 80	Stainless A2-50	M10 x 80	Plain (no plating)	10 mm	80 mm	6 mm	20.69 mm
10642A210085	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 85	Stainless A2-50	M10 x 85	Plain (no plating)	10 mm	85 mm	6 mm	20.69 mm
10642A210090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 90	Stainless A2-50	M10 x 90	Plain (no plating)	10 mm	90 mm	6 mm	20.69 mm
10642A210100FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 100	Stainless A2-50	M10 x 100/100	Plain (no plating)	10 mm	93.8 mm	6 mm	20.69 mm
10642A210110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M10 x 110	Stainless A2-70	M10 x 110	Plain (no plating)	10 mm	110 mm	6 mm	20.69 mm
10642A210120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 120	Stainless A2-50	M10 x 120	Plain (no plating)	10 mm	120 mm	6 mm	20.69 mm
10642A210130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M10 x 130	Stainless A2-70	M10 x 130	Plain (no plating)	10 mm	130 mm	6 mm	20.69 mm
10642A210140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 140	Stainless A2-50	M10 x 140	Plain (no plating)	10 mm	140 mm	6 mm	20.69 mm
10642A210150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 150	Stainless A2-50	M10 x 150	Plain (no plating)	10 mm	150 mm	6 mm	20.69 mm
10642A210160	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 160	Stainless A2-50	M10 x 160	Plain (no plating)	10 mm	160 mm	6 mm	20.69 mm
10642A210180	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 180	Stainless A2-50	M10 x 180	Plain (no plating)	10 mm	180 mm	6 mm	20.69 mm
10642A210200	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 200	Stainless A2-50	M10 x 200	Plain (no plating)	10 mm	200 mm	6 mm	20.69 mm
10642A21065FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M10 x 100	Stainless A2-50	M10 x 100	Plain (no plating)	10 mm	100 mm	6 mm	20.69 mm

A2-70, M10 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A212016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M12 x 16	Stainless A2	M12 x 16	Plain (no plating)	12 mm	16 mm	8 mm	24.81 mm
10642A212020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M12 x 20	Stainless A2	M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	24.81 mm
10642A212022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M12 x 22	Stainless A2	M12 x 22	Plain (no plating)	12 mm	22 mm	8 mm	24.81 mm
10642A212025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M12 x 25	Stainless A2	M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	24.81 mm
10642A21203070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M12 x 30	Stainless A2-70	M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24.81 mm
10642A21203570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M12 x 35	Stainless A2	M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	24.81 mm
10642A212040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M12 x 40	Stainless A2	M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	24.81 mm
10642A212045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M12 x 45/45	Stainless A2-70	M12 x 45/45	Plain (no plating)	12 mm	37.56 mm	8 mm	24.81 mm
10642A212050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M12 x 50/50	Stainless A2-70	M12 x 50/50	Plain (no plating)	12 mm	42.56 mm	8 mm	24.81 mm
10642A21205570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M12 x 55	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	8 mm	24.81 mm
10642A212060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M12 x 60/60	Stainless A2-70	M12 x 60/60	Plain (no plating)	12 mm	52.56 mm	8 mm	24.81 mm
10642A212065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-70, M12 x 65	Stainless A2-70	M12 x 65	Plain (no plating)	12 mm	65 mm	8 mm	24.81 mm
10642A212070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M12 x 70	Stainless A2	M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	24.81 mm
10642A212075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 75	Stainless A2-50	M12 x 75	Plain (no plating)	12 mm	75 mm	8 mm	24.81 mm
10642A212080FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 80/80	Stainless A2-50	M12 x 80/80	Plain (no plating)	12 mm	72.56 mm	8 mm	24.81 mm
10642A212090FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 90/90	Stainless A2-50	M12 x 90/90	Plain (no plating)	12 mm	82.56 mm	8 mm	24.81 mm
10642A212100FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 100/100	Stainless A2-50	M12 x 100/100	Plain (no plating)	12 mm	92.56 mm	8 mm	24.81 mm
10642A212110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 110	Stainless A2-50	M12 x 110	Plain (no plating)	12 mm	110 mm	8 mm	24.81 mm
10642A212120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 120	Stainless A2-50	M12 x 120	Plain (no plating)	12 mm	120 mm	8 mm	24.81 mm
10642A212130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 130	Stainless A2-50	M12 x 130	Plain (no plating)	12 mm	130 mm	8 mm	24.81 mm
10642A212140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 140	Stainless A2-50	M12 x 140	Plain (no plating)	12 mm	140 mm	8 mm	24.81 mm
10642A212150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 150	Stainless A2-50	M12 x 150	Plain (no plating)	12 mm	150 mm	8 mm	24.81 mm
10642A212160	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 160	Stainless A2-50	M12 x 160	Plain (no plating)	12 mm	160 mm	8 mm	24.81 mm
10642A212160FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 160/160	Stainless A2-70	M12 x 160/160	Plain (no plating)	12 mm	152.56 mm	8 mm	24.81 mm
10642A212180	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 180	Stainless A2-50	M12 x 180	Plain (no plating)	12 mm	180 mm	8 mm	24.81 mm
10642A212200	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 200	Stainless A2-50	M12 x 200	Plain (no plating)	12 mm	200 mm	8 mm	24.81 mm
10642A214030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M14 x 30	Stainless A2	M14 x 30	Plain (no plating)	14 mm	30 mm	10 mm	28.31 mm
10642A214035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M14 x 35	Stainless A2	M14 x 35	Plain (no plating)	14 mm	35 mm	10 mm	28.31 mm
10642A214040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M14 x 40	Stainless A2	M14 x 40	Plain (no plating)	14 mm	40 mm	10 mm	28.31 mm
10642A214045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M14 x 45	Stainless A2	M14 x 45	Plain (no plating)	14 mm	45 mm	10 mm	28.31 mm
10642A214050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M14 x 50	Stainless A2-50	M14 x 50	Plain (no plating)	14 mm	50 mm	10 mm	28.31 mm
10642A214060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M14 x 60	Stainless A2-50	M14 x 60	Plain (no plating)	14 mm	60 mm	10 mm	28.31 mm
10642A214070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M14 x 70	Stainless A2-50	M14 x 70	Plain (no plating)	14 mm	70 mm	10 mm	28.31 mm
10642A214080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M14 x 80	Stainless A2-50	M14 x 80	Plain (no plating)	14 mm	80 mm	10 mm	28.31 mm
10642A214100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M14 x 100	Stainless A2-50	M14 x 100	Plain (no plating)	14 mm	100 mm	10 mm	28.31 mm
10642A216025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 25	Stainless A2	M16 x 25	Plain (no plating)	16 mm	25 mm	10 mm	30.61 mm
10642A216030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 30	Stainless A2	M16 x 30	Plain (no plating)	16 mm	30 mm	10 mm	30.61 mm
10642A216035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 35	Stainless A2	M16 x 35	Plain (no plating)	16 mm	35 mm	10 mm	30.61 mm
10642A216040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 40	Stainless A2	M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30.61 mm
10642A216040ANU	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 40	Stainless A2	M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30.61 mm
10642A216045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 45	Stainless A2	M16 x 45	Plain (no plating)	16 mm	45 mm	10 mm	30.61 mm
10642A216050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 50/50	Stainless A2	M16 x 50/50	Plain (no plating)	16 mm	41.2 mm	10 mm	30.61 mm
10642A216055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M16 x 55	Stainless A2	M16 x 55	Plain (no plating)	16 mm	55 mm	10 mm	30.61 mm
10642A216060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 60	Stainless A2-50	M16 x 60	Plain (no plating)	16 mm	60 mm	10 mm	30.61 mm
10642A216065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 65	Stainless A2-50	M16 x 65	Plain (no plating)	16 mm	65 mm	10 mm	30.61 mm
10642A216070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x							

A2-50, M16 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A216075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 75	Stainless A2-50	M16 x 75	Plain (no plating)	16 mm	75 mm	10 mm	30.61 mm
10642A216080FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 80	Stainless A2-50	M16 x 80/80	Plain (no plating)	16 mm	71.2 mm	10 mm	30.61 mm
10642A216090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 90	Stainless A2-50	M16 x 90	Plain (no plating)	16 mm	90 mm	10 mm	30.61 mm
10642A216100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 100	Stainless A2-50	M16 x 100	Plain (no plating)	16 mm	100 mm	10 mm	30.61 mm
10642A216110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 110	Stainless A2-50	M16 x 110	Plain (no plating)	16 mm	110 mm	10 mm	30.61 mm
10642A216120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 120	Stainless A2-50	M16 x 120	Plain (no plating)	16 mm	120 mm	10 mm	30.61 mm
10642A216130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 130	Stainless A2-50	M16 x 130	Plain (no plating)	16 mm	130 mm	10 mm	30.61 mm
10642A216140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 140	Stainless A2-50	M16 x 140	Plain (no plating)	16 mm	140 mm	10 mm	30.61 mm
10642A216140FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 140	Stainless A2-50	M16 x 140	Plain (no plating)	16 mm	140 mm	10 mm	30.61 mm
10642A216150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M16 x 150	Stainless A2-50	M16 x 150	Plain (no plating)	16 mm	150 mm	10 mm	30.61 mm
10642A220030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 30	Stainless A2	M20 x 30	Plain (no plating)	20 mm	30 mm	12 mm	36.75 mm
10642A220035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 35	Stainless A2	M20 x 35	Plain (no plating)	20 mm	35 mm	12 mm	36.75 mm
10642A220040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 40	Stainless A2	M20 x 40	Plain (no plating)	20 mm	40 mm	12 mm	36.75 mm
10642A220045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 45	Stainless A2	M20 x 45	Plain (no plating)	20 mm	45 mm	12 mm	36.75 mm
10642A220050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 50	Stainless A2	M20 x 50	Plain (no plating)	20 mm	50 mm	12 mm	36.75 mm
10642A220055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 55	Stainless A2	M20 x 55	Plain (no plating)	20 mm	55 mm	12 mm	36.75 mm
10642A220060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 60	Stainless A2	M20 x 60	Plain (no plating)	20 mm	60 mm	12 mm	36.75 mm
10642A220065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 65	Stainless A2	M20 x 65	Plain (no plating)	20 mm	65 mm	12 mm	36.75 mm
10642A220070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M20 x 70	Stainless A2	M20 x 70	Plain (no plating)	20 mm	70 mm	12 mm	36.75 mm
10642A220080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 80	Stainless A2-50	M20 x 80	Plain (no plating)	20 mm	80 mm	12 mm	36.75 mm
10642A220090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 90	Stainless A2-50	M20 x 90	Plain (no plating)	20 mm	90 mm	12 mm	36.75 mm
10642A220100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 100	Stainless A2-50	M20 x 100	Plain (no plating)	20 mm	100 mm	12 mm	36.75 mm
10642A220110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 110	Stainless A2-50	M20 x 110	Plain (no plating)	20 mm	110 mm	12 mm	36.75 mm
10642A220120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 120	Stainless A2-50	M20 x 120	Plain (no plating)	20 mm	120 mm	12 mm	36.75 mm
10642A220130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 130	Stainless A2-50	M20 x 130	Plain (no plating)	20 mm	130 mm	12 mm	36.75 mm
10642A220140FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 140	Stainless A2-50	M20 x 140	Plain (no plating)	20 mm	140 mm	12 mm	36.75 mm
10642A220150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M20 x 150	Stainless A2-50	M20 x 150	Plain (no plating)	20 mm	150 mm	12 mm	36.75 mm
10642A224050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M24 x 50	Stainless A2	M24 x 50	Plain (no plating)	24 mm	50 mm	14 mm	39 mm
10642A224060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M24 x 60	Stainless A2	M24 x 60	Plain (no plating)	24 mm	60 mm	14 mm	39 mm
10642A224070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M24 x 70	Stainless A2	M24 x 70	Plain (no plating)	24 mm	70 mm	14 mm	39 mm
10642A224080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M24 x 80	Stainless A2	M24 x 80	Plain (no plating)	24 mm	80 mm	14 mm	39 mm
10642A224090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M24 x 90	Stainless A2-50	M24 x 90	Plain (no plating)	24 mm	90 mm	14 mm	39 mm
10642A224100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M24 x 100	Stainless A2-50	M24 x 100	Plain (no plating)	24 mm	100 mm	14 mm	39 mm
10642A224110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M24 x 110	Stainless A2-50	M24 x 110	Plain (no plating)	24 mm	110 mm	14 mm	39 mm
10642A224130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M24 x 130	Stainless A2-50	M24 x 130	Plain (no plating)	24 mm	130 mm	14 mm	39 mm
10642A224140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M24 x 140	Stainless A2-50	M24 x 140	Plain (no plating)	24 mm	140 mm	14 mm	39 mm
10642A224150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M24 x 150	Stainless A2-50	M24 x 150	Plain (no plating)	24 mm	150 mm	14 mm	39 mm
10642A402003	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2 x 3	Stainless A4	M2 x 3	Plain (no plating)	2 mm	3 mm	1.36 mm	4.09 mm
10642A402004	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2 x 4	Stainless A4	M2 x 4	Plain (no plating)	2 mm	4 mm	1.36 mm	4.09 mm
10642A402005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2 x 5	Stainless A4	M2 x 5	Plain (no plating)	2 mm	5 mm	1.36 mm	4.09 mm
10642A402006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2 x 6	Stainless A4	M2 x 6	Plain (no plating)	2 mm	6 mm	1.36 mm	4.09 mm
10642A402008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2 x 8	Stainless A4-50	M2 x 8	Plain (no plating)	2 mm	8 mm	1.36 mm	4.09 mm
10642A402010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2 x 10	Stainless A4-50	M2 x 10	Plain (no plating)	2 mm	10 mm	1.36 mm	4.09 mm
10642A402012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2 x 12	Stainless A4-50	M2 x 12	Plain (no plating)	2 mm	12 mm	1.36 mm	4.09 mm
10642A402016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2 x 16	Stainless A4	M2 x 16	Plain (no plating)	2 mm	16 mm	1.36 mm	4.09 mm
10642A402020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2 x 16	Stainless A4	M2 x 16	Plain (no plating)	2 mm	16 mm	1.36 mm	4.09 mm

M2 x 20

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A4025005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2.5 x 5	Stainless A4	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	1.5 mm	5.08 mm
10642A4025006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2.5 x 6	Stainless A4	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	1.5 mm	5.08 mm
10642A4025008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2.5 x 8	Stainless A4	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	1.5 mm	5.08 mm
10642A4025010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2.5 x 10	Stainless A4-50	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	1.5 mm	5.08 mm
10642A4025012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2.5 x 12	Stainless A4-50	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	1.5 mm	5.08 mm
10642A4025016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2.5 x 16	Stainless A4-50	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	1.5 mm	5.08 mm
10642A4025020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2.5 x 20	Stainless A4-50	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	1.5 mm	5.08 mm
10642A4025020W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M2.5 x 20	Stainless A4-50	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	1.5 mm	5.08 mm
10642A4025080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M2.5 x 8	Stainless A4	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	1.5 mm	5.08 mm
10642A403004	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 4	Stainless A4	M3 x 4	Plain (no plating)	3 mm	4 mm	2 mm	5.81 mm
10642A403005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 5	Stainless A4	M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.81 mm
10642A40300570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 5	Stainless A4	M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.81 mm
10642A40300570W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 5	Stainless A4	M3 x 5	Plain (no plating)	3 mm	5 mm	2 mm	5.81 mm
10642A403006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 6	Stainless A4	M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	5.81 mm
10642A403008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 8	Stainless A4	M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.81 mm
10642A40300880DR	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 8	Stainless A4	M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.81 mm
10642A40300888	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-strength), M3 x 8	Stainless BUMAX 88 (A4 high-strength)	M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	5.81 mm
10642A403010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 10	Stainless A4	M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.81 mm
10642A40301070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 10	Stainless A4	M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.81 mm
10642A40301070W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 10	Stainless A4	M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	5.81 mm
10642A403012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M3 x 12	Stainless A4-50	M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.81 mm
10642A40301270	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 12	Stainless A4-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	5.81 mm
10642A403014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 14	Stainless A4	M3 x 14	Plain (no plating)	3 mm	14 mm	2 mm	5.81 mm
10642A403016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 16	Stainless A4	M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.81 mm
10642A40301670	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 16	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.81 mm
10642A40301670W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 16	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	5.81 mm
10642A403018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 18	Stainless A4	M3 x 18	Plain (no plating)	3 mm	18 mm	2 mm	5.81 mm
10642A403020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 20	Stainless A4	M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.81 mm
10642A40302070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 20	Stainless A4-70	M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	5.81 mm
10642A403025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M3 x 25	Stainless A4-50	M3 x 25	Plain (no plating)	3 mm	25 mm	2 mm	5.81 mm
10642A40302570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 25	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm	2 mm	5.81 mm
10642A40302570W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 25	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm	2 mm	5.81 mm
10642A403030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3 x 30	Stainless A4	M3 x 30	Plain (no plating)	3 mm	30 mm	2 mm	5.81 mm
10642A40303070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 30	Stainless A4-70	M3 x 30	Plain (no plating)	3 mm	30 mm	2 mm	5.81 mm
10642A40303070W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M3 x 30	Stainless A4-70	M3 x 30	Plain (no plating)	3 mm	30 mm	2 mm	5.81 mm
10642A403040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M3 x 40	Stainless A4-50	M3 x 40	Plain (no plating)	3 mm	40 mm	2 mm	5.81 mm
10642A403050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M3 x 50	Stainless A4-50	M3 x 50	Plain (no plating)	3 mm	50 mm	2 mm	5.81 mm
10642A4035010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3.5 x 10	Stainless A4	M3.5 x 10	Plain (no plating)	2.5 mm	10 mm	1.5 mm	5.08 mm
10642A4035012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M3.5 x 12	Stainless A4	M3.5 x 12	Plain (no plating)	2.5 mm	12 mm	1.5 mm	5.08 mm
10642A404005	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 5	Stainless A4	M4 x 5	Plain (no plating)	4 mm	5 mm	2.5 mm	7.96 mm
10642A404006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 6	Stainless A4	M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7.96 mm
10642A40400670	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 6	Stainless A4	M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7.96 mm
10642A40400680	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M4 x 6	Stainless A4-80	M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	7.96 mm
10642A404008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 8	Stainless A4	M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7.96 mm
10642A40400870	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 8	Stainless A4	M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7.96 mm
10642A40400880	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 8	Stainless A4	M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	7.96 mm

M4 x 8

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A404010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 10	Stainless A4	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7.96 mm
10642A40401070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 10	Stainless A4	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7.96 mm
10642A40401088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7.96 mm
10642A404010W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 10	Stainless A4	M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	7.96 mm
10642A404012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 12	Stainless A4	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7.96 mm
10642A40401270	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 12	Stainless A4	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7.96 mm
10642A40401270W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 12	Stainless A4	M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	7.96 mm
10642A404014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 14	Stainless A4	M4 x 14	Plain (no plating)	4 mm	14 mm	2.5 mm	7.96 mm
10642A40401470	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 14	Stainless A4-70	M4 x 14	Plain (no plating)	4 mm	14 mm	2.5 mm	7.96 mm
10642A40401470W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 14	Stainless A4-70	M4 x 14	Plain (no plating)	4 mm	14 mm	2.5 mm	7.96 mm
10642A404016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 16	Stainless A4	M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7.96 mm
10642A40401670	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 16	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7.96 mm
10642A40401688	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M4 x 16	Plain (no plating)	4 mm	16 mm	2.5 mm	7.96 mm
10642A404018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M4 x 18	Stainless A4-50	M4 x 18	Plain (no plating)	4 mm	18 mm	2.5 mm	7.96 mm
10642A404020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 20	Stainless A4	M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7.96 mm
10642A40402070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 20	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7.96 mm
10642A40402070W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 20	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	7.96 mm
10642A404025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 25	Stainless A4	M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7.96 mm
10642A40402570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7.96 mm
10642A40402570W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	7.96 mm
10642A404030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 30	Stainless A4	M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	7.96 mm
10642A40403070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 30	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	7.96 mm
10642A404035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M4 x 35	Stainless A4	M4 x 35	Plain (no plating)	4 mm	35 mm	2.5 mm	7.96 mm
10642A404040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M4 x 40	Stainless A4	M4 x 40	Plain (no plating)	4 mm	40 mm	2.5 mm	7.96 mm
10642A404045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M4 x 45	Stainless A4-50	M4 x 45	Plain (no plating)	4 mm	45 mm	2.5 mm	7.96 mm
10642A40404570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M4 x 45	Stainless A4-70	M4 x 45	Plain (no plating)	4 mm	45 mm	2.5 mm	7.96 mm
10642A404050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M4 x 50	Stainless A4-50	M4 x 50	Plain (no plating)	4 mm	50 mm	2.5 mm	7.96 mm
10642A40405080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M4 x 50	Stainless A4-80	M4 x 50	Plain (no plating)	4 mm	50 mm	2.5 mm	7.96 mm
10642A404060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M4 x 60	Stainless A4-50	M4 x 60	Plain (no plating)	4 mm	60 mm	2.5 mm	7.96 mm
10642A404070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M4 x 70	Stainless A4-50	M4 x 70	Plain (no plating)	4 mm	70 mm	2.5 mm	7.96 mm
10642A405006	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 6	Stainless A4	M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	10.07 mm
10642A405008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 8	Stainless A4	M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	10.07 mm
10642A405010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 10	Stainless A4	M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10.07 mm
10642A40501070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 10	Stainless A4	M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10.07 mm
10642A40501088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10.07 mm
10642A405012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 12	Stainless A4	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
10642A40501270	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M5 x 12	Stainless A4-70	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
10642A405012W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 12	Stainless A4	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
10642A405014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 14	Stainless A4	M5 x 14	Plain (no plating)	5 mm	14 mm	3 mm	10.07 mm
10642A40501480	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M5 x 14	Stainless A4-80	M5 x 14	Plain (no plating)	5 mm	14 mm	3 mm	10.07 mm
10642A405016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 16	Stainless A4	M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10.07 mm
10642A405016W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 16	Stainless A4	M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10.07 mm
10642A405018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M5 x 18	Stainless A4-50	M5 x 18	Plain (no plating)	5 mm	18 mm	3 mm	10.07 mm
10642A405020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 20	Stainless A4	M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10.07 mm
10642A40502070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M5 x 20	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10.07 mm
10642A40502080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M5 x 20	Stainless A4-80	M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10.07 mm

A4-80, M5 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A40502270	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70 M5 x 22	Stainless A4-70	M5 x 22	Plain (no plating)	5 mm	22 mm	3 mm	10.07 mm
10642A405025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 25	Stainless A4	M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10.07 mm
10642A405030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 30	Stainless A4	M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10.07 mm
10642A40503088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10.07 mm
10642A405030W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50 M5 x 30	Stainless A4-50	M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10.07 mm
10642A405035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 35	Stainless A4	M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	10.07 mm
10642A405040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 40	Stainless A4	M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	10.07 mm
10642A405045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 45	Stainless A4	M5 x 45	Plain (no plating)	5 mm	45 mm	3 mm	10.07 mm
10642A405050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 50	Stainless A4	M5 x 50	Plain (no plating)	5 mm	50 mm	3 mm	10.07 mm
10642A40505080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80 M5 x 50	Stainless A4-80	M5 x 50	Plain (no plating)	5 mm	50 mm	3 mm	10.07 mm
10642A40506	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M5 x 6	Stainless A4	M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	10.07 mm
10642A405060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50 M5 x 60	Stainless A4-50	M5 x 60	Plain (no plating)	5 mm	60 mm	3 mm	10.07 mm
10642A405060W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50 M5 x 60	Stainless A4-50	M5 x 60	Plain (no plating)	5 mm	60 mm	3 mm	10.07 mm
10642A405065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50 M5 x 65	Stainless A4-50	M5 x 65	Plain (no plating)	5 mm	65 mm	3 mm	10.07 mm
10642A405070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50 M5 x 70	Stainless A4-50	M5 x 70	Plain (no plating)	5 mm	70 mm	3 mm	10.07 mm
10642A406008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 8	Stainless A4	M6 x 8	Plain (no plating)	6 mm	8 mm	4 mm	12.16 mm
10642A406010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 10	Stainless A4	M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	12.16 mm
10642A40601070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70 M6 x 10	Stainless A4-70	M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	12.16 mm
10642A406012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 12	Stainless A4	M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	12.16 mm
10642A40601280	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80 M6 x 12	Stainless A4-80	M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	12.16 mm
10642A406014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 14	Stainless A4	M6 x 14	Plain (no plating)	6 mm	14 mm	4 mm	12.16 mm
10642A40601480	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80 M6 x 14	Stainless A4-80	M6 x 14	Plain (no plating)	6 mm	14 mm	4 mm	12.16 mm
10642A406015	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 15	Stainless A4	M6 x 15	Plain (no plating)	6 mm	15 mm	4 mm	12.16 mm
10642A406016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 16	Stainless A4	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
10642A40601670	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70 M6 x 16	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
10642A40601688	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
10642A406016W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 16	Stainless A4	M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
10642A406018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 18	Stainless A4	M6 x 18	Plain (no plating)	6 mm	18 mm	4 mm	12.16 mm
10642A406020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 20	Stainless A4	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
10642A40602070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70 M6 x 20	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
10642A40602088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
10642A406020W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 20	Stainless A4	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
10642A406022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 22	Stainless A4	M6 x 22	Plain (no plating)	6 mm	22 mm	4 mm	12.16 mm
10642A406025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 25	Stainless A4	M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	12.16 mm
10642A40602588	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	12.16 mm
10642A406030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 30	Stainless A4	M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	12.16 mm
10642A40603088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	12.16 mm
10642A406035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 35	Stainless A4	M6 x 35	Plain (no plating)	6 mm	35 mm	4 mm	12.16 mm
10642A406040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 40	Stainless A4	M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	12.16 mm
10642A406045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 45	Stainless A4	M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	12.16 mm
10642A406050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 50	Stainless A4	M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	12.16 mm
10642A406055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 55	Stainless A4	M6 x 55	Plain (no plating)	6 mm	55 mm	4 mm	12.16 mm
10642A406060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 60	Stainless A4	M6 x 60	Plain (no plating)	6 mm	60 mm	4 mm	12.16 mm
10642A406060FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70 M6 x 60	Stainless A4-70	M6 x 60/60	Plain (no plating)	6 mm	56.28 mm	4 mm	12.16 mm
10642A406065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 65	Stainless A4	M6 x 65	Plain (no plating)	6 mm	65 mm	4 mm	12.16 mm
10642A406065FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70 M6 x 65	Stainless A4-70	M6 x 65	Plain (no plating)	6 mm	65 mm	4 mm	12.16 mm

A4-50, M6 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A406070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 70	Stainless A4	M6 x 70	Plain (no plating)	6 mm	70 mm	4 mm	12.16 mm
10642A40607080FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M6 x 100	Stainless A4-80	M6 x 70/70	Plain (no plating)	6 mm	66.28 mm	4 mm	12.16 mm
10642A40607580	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M6 x 75	Stainless A4-80	M6 x 75	Plain (no plating)	6 mm	75 mm	4 mm	12.16 mm
10642A406080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M6 x 80	Stainless A4-50	M6 x 80	Plain (no plating)	6 mm	80 mm	4 mm	12.16 mm
10642A406090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M6 x 90	Stainless A4-50	M6 x 90	Plain (no plating)	6 mm	90 mm	4 mm	12.16 mm
10642A406100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 100	Stainless A4	M6 x 100	Plain (no plating)	6 mm	100 mm	4 mm	12.16 mm
10642A40610080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M6 x 100	Stainless A4-80	M6 x 100	Plain (no plating)	6 mm	100 mm	4 mm	12.16 mm
10642A406110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M6 x 110	Stainless A4-50	M6 x 110	Plain (no plating)	6 mm	110 mm	4 mm	12.16 mm
10642A406120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M6 x 120	Stainless A4-50	M6 x 120	Plain (no plating)	6 mm	120 mm	4 mm	12.16 mm
10642A406130FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M6 x 130	Stainless A4-50	M6 x 130	Plain (no plating)	6 mm	130 mm	4 mm	12.16 mm
10642A408010	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 10	Stainless A4	M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	16.43 mm
10642A408012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 12	Stainless A4	M8 x 12	Plain (no plating)	8 mm	12 mm	5 mm	16.43 mm
10642A408014	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 14	Stainless A4	M8 x 14	Plain (no plating)	8 mm	14 mm	5 mm	16.43 mm
10642A408015	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 15	Stainless A4	M8 x 15	Plain (no plating)	8 mm	15 mm	5 mm	16.43 mm
10642A408016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 16	Stainless A4	M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16.43 mm
10642A40801688	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16.43 mm
10642A408018	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 18	Stainless A4	M8 x 18	Plain (no plating)	8 mm	18 mm	5 mm	16.43 mm
10642A408020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 20	Stainless A4	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16.43 mm
10642A40802070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M8 x 20	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16.43 mm
10642A40802088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16.43 mm
10642A408025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 25	Stainless A4	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16.43 mm
10642A40802588	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16.43 mm
10642A408025DR1	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 25	Stainless A4	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16.43 mm
10642A408025DR11	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 25	Stainless A4	M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16.43 mm
10642A408030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 30	Stainless A4	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
10642A40803070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M8 x 30	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
10642A40803080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M8 x 30	Stainless A4-80	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
10642A40803088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
10642A408035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 35	Stainless A4	M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
10642A40803570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M8 x 35	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
10642A40803588	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16.43 mm
10642A408040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 40	Stainless A4	M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16.43 mm
10642A408040W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x 40	Stainless A4-50	M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16.43 mm
10642A408045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 45	Stainless A4	M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	16.43 mm
10642A40804580	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M8 x 45	Stainless A4-80	M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	16.43 mm
10642A408050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 50	Stainless A4	M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	16.43 mm
10642A408055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 55	Stainless A4	M8 x 55	Plain (no plating)	8 mm	55 mm	5 mm	16.43 mm
10642A408060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 60	Stainless A4	M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16.43 mm
10642A40806070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M8 x 60	Stainless A4-70	M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16.43 mm
10642A408065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 65	Stainless A4	M8 x 65	Plain (no plating)	8 mm	65 mm	5 mm	16.43 mm
10642A408070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 70	Stainless A4	M8 x 70	Plain (no plating)	8 mm	70 mm	5 mm	16.43 mm
10642A408075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 75	Stainless A4	M8 x 75	Plain (no plating)	8 mm	75 mm	5 mm	16.43 mm
10642A408080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 80	Stainless A4	M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	16.43 mm
10642A408090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 90	Stainless A4	M8 x 90	Plain (no plating)	8 mm	90 mm	5 mm	16.43 mm
10642A408100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 100	Stainless A4	M8 x 100	Plain (no plating)	8 mm	100 mm	5 mm	16.43 mm
10642A408110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M8 x 100	Stainless A4-80	M8 x 100	Plain (no plating)	8 mm	100 mm	5 mm	16.43 mm

A4-50, M8 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A408120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-50	M8 x 120	Plain (no plating)	8 mm	120 mm	5 mm	16.43 mm
10642A408130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-50	M8 x 130	Plain (no plating)	8 mm	130 mm	5 mm	16.43 mm
10642A40813080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-80	M8 x 130	Plain (no plating)	8 mm	130 mm	5 mm	16.43 mm
10642A408130FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-50	M8 x 130/130	Plain (no plating)	8 mm	125.04 mm	5 mm	16.43 mm
10642A408140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-50	M8 x 140	Plain (no plating)	8 mm	140 mm	5 mm	16.43 mm
10642A408150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-50	M8 x 150	Plain (no plating)	8 mm	150 mm	5 mm	16.43 mm
10642A408160	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-50	M8 x 160	Plain (no plating)	8 mm	160 mm	5 mm	16.43 mm
10642A408180	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-50	M8 x 180	Plain (no plating)	8 mm	180 mm	5 mm	16.43 mm
10642A408200	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x	Stainless A4-50	M8 x 200	Plain (no plating)	8 mm	200 mm	5 mm	16.43 mm
10642A410012	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 12	Stainless A4	M10 x 12	Plain (no plating)	10 mm	12 mm	6 mm	20.69 mm
10642A410016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 16	Stainless A4	M10 x 16	Plain (no plating)	10 mm	16 mm	6 mm	20.69 mm
10642A410020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 20	Stainless A4	M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	20.69 mm
10642A41002070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 20	Stainless A4	M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	20.69 mm
10642A41002088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	20.69 mm
10642A410025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 25	Stainless A4	M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	20.69 mm
10642A41002570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 25	Stainless A4	M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	20.69 mm
10642A41002588	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	20.69 mm
10642A410030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 30	Stainless A4	M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
10642A41003070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 30	Stainless A4	M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
10642A41003070W	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 30	Stainless A4	M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
10642A41003088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
10642A410035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 35	Stainless A4	M10 x 35	Plain (no plating)	10 mm	35 mm	6 mm	20.69 mm
10642A41003588	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M10 x 35	Plain (no plating)	10 mm	35 mm	6 mm	20.69 mm
10642A410040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 40	Stainless A4	M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
10642A41004070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M10 x	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
10642A41004088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	20.69 mm
10642A410045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 45	Stainless A4	M10 x 45	Plain (no plating)	10 mm	45 mm	6 mm	20.69 mm
10642A410050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 50	Stainless A4	M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	20.69 mm
10642A41005088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	20.69 mm
10642A410055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 55	Stainless A4	M10 x 55	Plain (no plating)	10 mm	55 mm	6 mm	20.69 mm
10642A41005580	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M10 x	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	6 mm	20.69 mm
10642A410060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M10 x 60	Stainless A4	M10 x 60	Plain (no plating)	10 mm	60 mm	6 mm	20.69 mm
10642A410065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x	Stainless A4-50	M10 x 65	Plain (no plating)	10 mm	65 mm	6 mm	20.69 mm
10642A410070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x	Stainless A4	M10 x 70	Plain (no plating)	10 mm	70 mm	6 mm	20.6

A4-50, M10 x

	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A410140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 140	Stainless A4-50	M10 x 140	Plain (no plating)	10 mm	140 mm	6 mm	20.69 mm
10642A410150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 150	Stainless A4-50	M10 x 150	Plain (no plating)	10 mm	150 mm	6 mm	20.69 mm
10642A41015070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 150	Stainless A4-70	M10 x 150	Plain (no plating)	10 mm	150 mm	6 mm	20.69 mm
10642A410160	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M10 x 160	Stainless A4-50	M10 x 160	Plain (no plating)	10 mm	160 mm	6 mm	20.69 mm
10642A41016070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 160	Stainless A4-70	M10 x 160	Plain (no plating)	10 mm	160 mm	6 mm	20.69 mm
10642A410170FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 170	Stainless A4-50	M10 x 170	Plain (no plating)	10 mm	170 mm	6 mm	20.69 mm
10642A410180	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 180	Stainless A4-50	M10 x 180	Plain (no plating)	10 mm	180 mm	6 mm	20.69 mm
10642A410200	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 200	Stainless A4-50	M10 x 200	Plain (no plating)	10 mm	200 mm	6 mm	20.69 mm
10642A412016	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 16	Stainless A4	M12 x 16	Plain (no plating)	12 mm	16 mm	8 mm	24.81 mm
10642A412020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 20	Stainless A4	M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	24.81 mm
10642A412022	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 22	Stainless A4	M12 x 22	Plain (no plating)	12 mm	22 mm	8 mm	24.81 mm
10642A412025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 25	Stainless A4	M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	24.81 mm
10642A41202570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 25	Stainless A4	M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	24.81 mm
10642A412030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 30	Stainless A4	M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24.81 mm
10642A41203070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M12 x 30	Stainless A4-70	M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24.81 mm
10642A41203088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24.81 mm
10642A412035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 35	Stainless A4	M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	24.81 mm
10642A41203588	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M12 x 35	Stainless BUMAX 88 (A4 high-stre	M12 x 35	Plain (no plating)	12 mm	35 mm	8 mm	24.81 mm
10642A412040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 40	Stainless A4	M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	24.81 mm
10642A41204088	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M12 x 40	Stainless BUMAX 88 (A4 high-stre	M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	24.81 mm
10642A412045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 45	Stainless A4	M12 x 45	Plain (no plating)	12 mm	45 mm	8 mm	24.81 mm
10642A412050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 50	Stainless A4	M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	24.81 mm
10642A412055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 55	Stainless A4	M12 x 55	Plain (no plating)	12 mm	55 mm	8 mm	24.81 mm
10642A412060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 60	Stainless A4	M12 x 60	Plain (no plating)	12 mm	60 mm	8 mm	24.81 mm
10642A41206088	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M12 x 60	Stainless BUMAX 88 (A4 high-stre	M12 x 60	Plain (no plating)	12 mm	60 mm	8 mm	24.81 mm
10642A412065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M12 x 65	Stainless A4-70	M12 x 65	Plain (no plating)	12 mm	65 mm	8 mm	24.81 mm
10642A412070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 70	Stainless A4	M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	24.81 mm
10642A412075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M12 x 75	Stainless A4-50	M12 x 75	Plain (no plating)	12 mm	75 mm	8 mm	24.81 mm
10642A412080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 80	Stainless A4	M12 x 80	Plain (no plating)	12 mm	80 mm	8 mm	24.81 mm
10642A412090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 90	Stainless A4	M12 x 90	Plain (no plating)	12 mm	90 mm	8 mm	24.81 mm
10642A412100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M12 x 100	Stainless A4	M12 x 100	Plain (no plating)	12 mm	100 mm	8 mm	24.81 mm
10642A4121000	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M12 x 100	Stainless A4-50	M12 x 100	Plain (no plating)	12 mm	100 mm	8 mm	24.81 mm
10642A412110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M12 x 110	Stainless A4-50	M12 x 110	Plain (no plating)	12 mm	110 mm	8 mm	24.81 mm
10642A412120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M12 x 120	Stainless A4-70	M12 x 120	Plain (no plating)	12 mm	120 mm	8 mm	24.81 mm
10642A412130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M12 x 130	Stainless A4-50	M12 x 130	Plain (no plating)	12 mm	130 mm	8 mm	24.81 mm
10642A412150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M12 x 150	Stainless A4-50	M12 x 150	Plain (no plating)	12 mm	150 mm	8 mm	24.81 mm
10642A412160	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M12 x 160	Stainless A4-70	M12 x 160	Plain (no plating)	12 mm	160 mm	8 mm	24.81 mm
10642A412180	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M12 x 180	Stainless A4-50	M12 x 180	Plain (no plating)	12 mm	180 mm	8 mm	24.81 mm
10642A412200	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M12 x 200	Stainless A4-50	M12 x 200	Plain (no plating)	12 mm	200 mm	8 mm	24.81 mm
10642A41409070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-70, M14 x 90	Stainless A4-70	M14 x 90	Plain (no plating)	14 mm	90 mm	10 mm	28.31 mm
10642A416025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 25	Stainless A4	M16 x 25	Plain (no plating)	16 mm	25 mm	10 mm	30.61 mm
10642A416030	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 30	Stainless A4	M16 x 30	Plain (no plating)	16 mm	30 mm	10 mm	30.61 mm
10642A416035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 35	Stainless A4	M16 x 35	Plain (no plating)	16 mm	35 mm	10 mm	30.61 mm
10642A416040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 40	Stainless A4	M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30.61 mm
10642A41604088	ISO 10642 Flat Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30.61 mm
10642A416045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 45	Stainless A4	M16 x 45	Plain (no plating)	16 mm	45 mm	10 mm	30.61 mm

M16 x 45

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A41604570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 45	Stainless A4	M16 x 45	Plain (no plating)	16 mm	45 mm	10 mm	30.61 mm
10642A416050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 50	Stainless A4	M16 x 50	Plain (no plating)	16 mm	50 mm	10 mm	30.61 mm
10642A41605070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 50	Stainless A4	M16 x 50	Plain (no plating)	16 mm	50 mm	10 mm	30.61 mm
10642A41605088	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 50	Stainless BUMAX 88 (A4 high-stre	M16 x 50	Plain (no plating)	16 mm	50 mm	10 mm	30.61 mm
10642A416055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 55	Stainless A4	M16 x 55	Plain (no plating)	16 mm	55 mm	10 mm	30.61 mm
10642A416060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 60	Stainless A4	M16 x 60	Plain (no plating)	16 mm	60 mm	10 mm	30.61 mm
10642A41606088	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 60	Stainless BUMAX 88 (A4 high-stre	M16 x 60	Plain (no plating)	16 mm	60 mm	10 mm	30.61 mm
10642A416065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 65	Stainless A4-50	M16 x 65	Plain (no plating)	16 mm	65 mm	10 mm	30.61 mm
10642A416070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 70	Stainless A4	M16 x 70	Plain (no plating)	16 mm	70 mm	10 mm	30.61 mm
10642A41607070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 70	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm	10 mm	30.61 mm
10642A416075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 75	Stainless A4-50	M16 x 75	Plain (no plating)	16 mm	75 mm	10 mm	30.61 mm
10642A416080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 80	Stainless A4	M16 x 80	Plain (no plating)	16 mm	80 mm	10 mm	30.61 mm
10642A416090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 90	Stainless A4-50	M16 x 90	Plain (no plating)	16 mm	90 mm	10 mm	30.61 mm
10642A416100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 100	Stainless A4-50	M16 x 100	Plain (no plating)	16 mm	100 mm	10 mm	30.61 mm
10642A41610070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 100	Stainless A4-70	M16 x 100	Plain (no plating)	16 mm	100 mm	10 mm	30.61 mm
10642A416110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 110	Stainless A4	M16 x 110	Plain (no plating)	16 mm	110 mm	10 mm	30.61 mm
10642A416120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 120	Stainless A4-50	M16 x 120	Plain (no plating)	16 mm	120 mm	10 mm	30.61 mm
10642A416130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 130	Stainless A4-50	M16 x 130	Plain (no plating)	16 mm	130 mm	10 mm	30.61 mm
10642A416140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 140	Stainless A4-50	M16 x 140	Plain (no plating)	16 mm	140 mm	10 mm	30.61 mm
10642A41614070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 140	Stainless A4-70	M16 x 140	Plain (no plating)	16 mm	140 mm	10 mm	30.61 mm
10642A41614070FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 140/140	Stainless A4-70	M16 x 140/140	Plain (no plating)	16 mm	131.2 mm	10 mm	30.61 mm
10642A416150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M16 x 150	Stainless A4-50	M16 x 150	Plain (no plating)	16 mm	150 mm	10 mm	30.61 mm
10642A420035	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 35	Stainless A4	M20 x 35	Plain (no plating)	20 mm	35 mm	12 mm	36.75 mm
10642A420040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 40	Stainless A4	M20 x 40	Plain (no plating)	20 mm	40 mm	12 mm	36.75 mm
10642A42004080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 40	Stainless A4-80	M20 x 40	Plain (no plating)	20 mm	40 mm	12 mm	36.75 mm
10642A420045	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 45	Stainless A4	M20 x 45	Plain (no plating)	20 mm	45 mm	12 mm	36.75 mm
10642A420050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 50	Stainless A4	M20 x 50	Plain (no plating)	20 mm	50 mm	12 mm	36.75 mm
10642A420055	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 55	Stainless A4	M20 x 55	Plain (no plating)	20 mm	55 mm	12 mm	36.75 mm
10642A420060	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 60	Stainless A4	M20 x 60	Plain (no plating)	20 mm	60 mm	12 mm	36.75 mm
10642A420065	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 65	Stainless A4	M20 x 65	Plain (no plating)	20 mm	65 mm	12 mm	36.75 mm
10642A420070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 70	Stainless A4	M20 x 70	Plain (no plating)	20 mm	70 mm	12 mm	36.75 mm
10642A42007080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 70	Stainless A4-80	M20 x 70	Plain (no plating)	20 mm	70 mm	12 mm	36.75 mm
10642A420080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 80	Stainless A4	M20 x 80	Plain (no plating)	20 mm	80 mm	12 mm	36.75 mm
10642A42008080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 80	Stainless A4-80	M20 x 80	Plain (no plating)	20 mm	80 mm	12 mm	36.75 mm
10642A420090	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 90	Stainless A4	M20 x 90	Plain (no plating)	20 mm	90 mm	12 mm	36.75 mm
10642A42010080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 100	Stainless A4-80	M20 x 100	Plain (no plating)	20 mm	100 mm	12 mm	36.75 mm
10642A420100FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 100	Stainless A4-50	M20 x 100	Plain (no plating)	20 mm	100 mm	12 mm	36.75 mm
10642A420110	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 110	Stainless A4-50	M20 x 110	Plain (no plating)	20 mm	110 mm	12 mm	36.75 mm
10642A420120	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 120	Stainless A4-50	M20 x 120	Plain (no plating)	20 mm	120 mm	12 mm	36.75 mm
10642A420130	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 130	Stainless A4-50	M20 x 130	Plain (no plating)	20 mm	130 mm	12 mm	36.75 mm
10642A420140	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 140	Stainless A4-50	M20 x 140	Plain (no plating)	20 mm	140 mm	12 mm	36.75 mm
10642A420150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 150	Stainless A4-50	M20 x 150	Plain (no plating)	20 mm	150 mm	12 mm	36.75 mm
10642A42404070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M24 x 40	Stainless A4	M24 x 40	Plain (no plating)	24 mm	40 mm	14 mm	39 mm
10642A424050	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M24 x 50	Stainless A4	M24 x 50	Plain (no plating)	24 mm	50 mm	14 mm	39 mm
10642A424060FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M24 x 50	Stainless A4	M24 x 60	Plain (no plating)	24 mm	60 mm	14 mm	39 mm
10642A424090FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M24 x 60	Stainless A4	M24 x 60	Plain (no plating)	24 mm	60 mm	14 mm	39 mm

A4-50, M24 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10642A424100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M2.5 x 8	Stainless A2-50	M2.5 x 140	Plain (no plating)	24 mm	140 mm	14 mm	39 mm
10642A424150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M2.5 x 30	Stainless A4-50	M2.5 x 150/150	Plain (no plating)	24 mm	136 mm	14 mm	39 mm
10642B060100	ISO 10642 Flat Head Screw with Hex Drive, Brass, M6 x 100	Brass	M6 x 100	Plain (no plating)	6 mm	100 mm	4 mm	12.16 mm
10642B06080	ISO 10642 Flat Head Screw with Hex Drive, Brass, M6 x 80	Brass	M6 x 80	Plain (no plating)	6 mm	80 mm	4 mm	12.16 mm
10642B06090	ISO 10642 Flat Head Screw with Hex Drive, Brass, M6 x 90	Brass	M6 x 90	Plain (no plating)	6 mm	90 mm	4 mm	12.16 mm
10642B08130	ISO 10642 Flat Head Screw with Hex Drive, Brass, M8 x 130	Brass	M8 x 130	Plain (no plating)	8 mm	130 mm	5 mm	16.43 mm
2KTM025008	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M2.5 x 8	Stainless A2	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	1.5 mm	5.08 mm
2KTM080030EPS	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 30	Stainless A2-50	M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16.43 mm
327601064210030	ISO 10642 Flat Head Screw with Hex Drive, Stainless D8, M10 x 30	Stainless D8	M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	20.69 mm
79911003015	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 30	Steel 10.9	Ø10.9 M3 x 15	Plain (no plating)	3 mm	15 mm	2 mm	5.81 mm
799110050201SST0	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10.9 M3 x 20	Steel 10.9	Ø10.9 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	3 mm	10.07 mm
79911005033	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10.9 M5 x 33	Steel 10.9	Ø10.9 M5 x 33	Plain (no plating)	5 mm	33 mm	3 mm	10.07 mm
79911005121	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10.9 M5 x 12	Steel 10.9	Ø10.9 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	3 mm	10.07 mm
79911006015	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10.9 M6 x 15	Steel 10.9	Ø10.9 M6 x 15	Plain (no plating)	6 mm	15 mm	4 mm	12.16 mm
799110060151	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10.9 M6 x 15	Steel 10.9	Ø10.9 M6 x 15	Zinc Bright Passivation Fe/Zn P1	6 mm	15 mm	4 mm	12.16 mm
799110060302	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M6 x 30	Steel 10.9	M6 x 30	HOT DIP GALVANIZED ISO FIT	6 mm	30 mm	4 mm	12.16 mm
799110060402	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M6 x 40	Steel 10.9	M6 x 40	HOT DIP GALVANIZED ISO FIT	6 mm	40 mm	4 mm	12.16 mm
799110060751	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, Ø10.9 M6 x 75	Steel 10.9	Ø10.9 M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm	4 mm	12.16 mm
799110060821	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, Ø10.9 M6 x 82	Steel 10.9	Ø10.9 M6 x 82	Zinc Bright Passivation Fe/Zn P1	6 mm	82 mm	4 mm	12.16 mm
7991100620	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, Ø10.9 M6 x 20	Steel 10.9	Ø10.9 M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
799110080202	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M8 x 20	Steel 10.9	M8 x 20	HOT DIP GALVANIZED ISO FIT	8 mm	20 mm	5 mm	16.43 mm
799110080252	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M8 x 25	Steel 10.9	M8 x 25	HOT DIP GALVANIZED ISO FIT	8 mm	25 mm	5 mm	16.43 mm
799110080352	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M8 x 35	Steel 10.9	M8 x 35	HOT DIP GALVANIZED ISO FIT	8 mm	35 mm	5 mm	16.43 mm
799110080502	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M8 x 50	Steel 10.9	M8 x 50	HOT DIP GALVANIZED ISO FIT	8 mm	50 mm	5 mm	16.43 mm
799110080602	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M8 x 60	Steel 10.9	M8 x 60	HOT DIP GALVANIZED ISO FIT	8 mm	60 mm	5 mm	16.43 mm
799110081002	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M8 x 100	Steel 10.9	M8 x 100	HOT DIP GALVANIZED ISO FIT	8 mm	100 mm	5 mm	16.43 mm
799110100202	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 20	Steel 10.9	M10 x 20	HOT DIP GALVANIZED ISO FIT	10 mm	20 mm	6 mm	20.69 mm
799110100252	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 25	Steel 10.9	M10 x 25	HOT DIP GALVANIZED ISO FIT	10 mm	25 mm	6 mm	20.69 mm
799110100302	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 30	Steel 10.9	M10 x 30	HOT DIP GALVANIZED ISO FIT	10 mm	30 mm	6 mm	20.69 mm
799110100352	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 35	Steel 10.9	M10 x 35	HOT DIP GALVANIZED ISO FIT	10 mm	35 mm	6 mm	20.69 mm
799110100452	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 45	Steel 10.9	M10 x 45	HOT DIP GALVANIZED ISO FIT	10 mm	45 mm	6 mm	20.69 mm
799110100702	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 70	Steel 10.9	M10 x 70	HOT DIP GALVANIZED ISO FIT	10 mm	70 mm	6 mm	20.69 mm
799110100751	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, Ø10.9 M10 x 75	Steel 10.9	Ø10.9 M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	6 mm	20.69 mm
799110100902	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M10 x 90	Steel 10.9	M10 x 90	HOT DIP GALVANIZED ISO FIT	10 mm	90 mm	6 mm	20.69 mm
799110120302	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 30	Steel 10.9	M12 x 30	HOT DIP GALVANIZED ISO FIT	12 mm	30 mm	8 mm	24.81 mm
799110120352	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 35	Steel 10.9	M12 x 35	HOT DIP GALVANIZED ISO FIT	12 mm	35 mm	8 mm	24.81 mm
799110120402	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 40	Steel 10.9	M12 x 40	HOT DIP GALVANIZED ISO FIT	12 mm	40 mm	8 mm	24.81 mm
799110120452	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 45	Steel 10.9	M12 x 45	HOT DIP GALVANIZED ISO FIT	12 mm	45 mm	8 mm	24.81 mm
799110120502	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 50	Steel 10.9	M12 x 50	HOT DIP GALVANIZED ISO FIT	12 mm	50 mm	8 mm	24.81 mm
799110120602	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 60	Steel 10.9	M12 x 60	HOT DIP GALVANIZED ISO FIT	12 mm	60 mm	8 mm	24.81 mm
799110120702	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 70	Steel 10.9	M12 x 70	HOT DIP GALVANIZED ISO FIT	12 mm	70 mm	8 mm	24.81 mm
799110120802	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 80	Steel 10.9	M12 x 80	HOT DIP GALVANIZED ISO FIT	12 mm	80 mm	8 mm	24.81 mm
799110120902	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 90	Steel 10.9	M12 x 90	HOT DIP GALVANIZED ISO FIT	12 mm	90 mm	8 mm	24.81 mm
799110121002	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 100	Steel 10.9	M12 x 100	HOT DIP GALVANIZED ISO FIT	12 mm	100 mm	8 mm	24.81 mm
799110121102	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 110	Steel 10.9	M12 x 110	HOT DIP GALVANIZED ISO FIT	12 mm	110 mm	8 mm	24.81 mm
799110121202	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 110							

M12 x 120,

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
799110121302	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 130	Steel 10.9	M12 x 130	HOT DIP GALVANIZED ISO FIT	12 mm	130 mm	8 mm	24.81 mm
799110121402	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 140	Steel 10.9	M12 x 140	HOT DIP GALVANIZED ISO FIT	12 mm	140 mm	8 mm	24.81 mm
799110121802	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M12 x 180	Steel 10.9	M12 x 180	HOT DIP GALVANIZED ISO FIT	12 mm	180 mm	8 mm	24.81 mm
799110160352	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 35	Steel 10.9	M16 x 35	HOT DIP GALVANIZED ISO FIT	16 mm	35 mm	10 mm	30.61 mm
799110160402	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 40	Steel 10.9	M16 x 40	HOT DIP GALVANIZED ISO FIT	16 mm	40 mm	10 mm	30.61 mm
799110160452	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 45	Steel 10.9	M16 x 45	HOT DIP GALVANIZED ISO FIT	16 mm	45 mm	10 mm	30.61 mm
799110160502	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 50	Steel 10.9	M16 x 50	HOT DIP GALVANIZED ISO FIT	16 mm	50 mm	10 mm	30.61 mm
799110160602	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 60	Steel 10.9	M16 x 60	HOT DIP GALVANIZED ISO FIT	16 mm	60 mm	10 mm	30.61 mm
799110160752	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 75	Steel 10.9	M16 x 75	HOT DIP GALVANIZED ISO FIT	16 mm	75 mm	10 mm	30.61 mm
799110161002	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 100	Steel 10.9	M16 x 100	HOT DIP GALVANIZED ISO FIT	16 mm	100 mm	10 mm	30.61 mm
799110161102	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 110	Steel 10.9	M16 x 110	HOT DIP GALVANIZED ISO FIT	16 mm	110 mm	10 mm	30.61 mm
799110161402	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 140	Steel 10.9	M16 x 140	HOT DIP GALVANIZED ISO FIT	16 mm	140 mm	10 mm	30.61 mm
7991101615085	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M16 x 140	Steel 10.9	Ø10.9 M16 x 1.5 x 85	Plain (no plating)	16 mm	85 mm	10 mm	30.61 mm
799110200402	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 40	Steel 10.9	M20 x 40	HOT DIP GALVANIZED ISO FIT	20 mm	40 mm	12 mm	36.75 mm
799110200552	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 55	Steel 10.9	M20 x 55	HOT DIP GALVANIZED ISO FIT	20 mm	55 mm	12 mm	36.75 mm
799110200602	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 60	Steel 10.9	M20 x 60	HOT DIP GALVANIZED ISO FIT	20 mm	60 mm	12 mm	36.75 mm
799110200652	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 65	Steel 10.9	M20 x 65	HOT DIP GALVANIZED ISO FIT	20 mm	65 mm	12 mm	36.75 mm
799110200802	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 80	Steel 10.9	M20 x 80	HOT DIP GALVANIZED ISO FIT	20 mm	80 mm	12 mm	36.75 mm
799110201101	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 80	Steel 10.9	Ø10.9 M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	12 mm	36.75 mm
799110201501	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 150	Steel 10.9	Ø10.9 M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	12 mm	36.75 mm
799110202002	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 200	Steel 10.9	M20 x 200	HOT DIP GALVANIZED ISO FIT	20 mm	200 mm	12 mm	36.75 mm
799110240601	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 200	Steel 10.9	Ø10.9 M24 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	14 mm	39 mm
79911024065	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 200	Steel 10.9	Ø10.9 M24 x 65	Plain (no plating)	24 mm	65 mm	14 mm	39 mm
79911024075	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M20 x 200	Steel 10.9	Ø10.9 M24 x 75	Plain (no plating)	24 mm	75 mm	14 mm	39 mm
79911060081	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M6 x 8	Steel 10.9	Ø10.9 M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	4 mm	12.16 mm
79911060351	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M6 x 35	Steel 10.9	Ø10.9 M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	4 mm	12.16 mm
799111040081	ISO 10642 Flat Head Screw with Hex Drive, Steel 10.9, M4 x 8	Steel 10.9	Ø10.9 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	2.5 mm	7.96 mm
79911206016	ISO 10642 Flat Head Screw with Hex Drive, Steel 12.9, M6 x 16	Steel 12.9	Ø12.9 M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	12.16 mm
7991808050	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8, M8 x 50	Steel 8.8	Ø8.8 M8 x 50/22	Plain (no plating)	8 mm	50 mm	5 mm	16.43 mm
79918080501SST40	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8, M8 x 50	Steel 8.8	Ø8.8 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	5 mm	16.43 mm
7991A200601	ISO 10642 Flat Head Screw with Hex Drive, Steel 8.8, 08.8, M20 x 60	Steel 8.8	Ø8.8 M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	12 mm	36.75 mm
7991A202004	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M2 x 4	Stainless A2	M2 x 4	Plain (no plating)	2 mm	4 mm	1.36 mm	4.09 mm
7991A203004	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M3 x 4	Stainless A2	M3 x 4	Plain (no plating)	3 mm	4 mm	2 mm	5.81 mm
7991A203040FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M3 x 40/40	Stainless A2-50	M3 x 40/40	Plain (no plating)	3 mm	38.14 mm	2 mm	5.81 mm
7991A205012V	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M5 x 12	Stainless A2	M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10.07 mm
7991A206050FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 50/50	Stainless A2-50	M6 x 50/50	Plain (no plating)	6 mm	46.28 mm	4 mm	12.16 mm
7991A206130FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M6 x 130/130	Stainless A2-50	M6 x 130/130	Plain (no plating)	6 mm	126.28 mm	4 mm	12.16 mm
7991A208150	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M8 x 150	Stainless A2-50	M8 x 150	Plain (no plating)	8 mm	150 mm	5 mm	16.43 mm
7991A212075	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2-50, M12 x 75	Stainless A2-50	M12 x 75	Plain (no plating)	12 mm	75 mm	8 mm	24.81 mm
7991A224040	ISO 10642 Flat Head Screw with Hex Drive, Stainless A2, M24 x 40	Stainless A2	M24 x 40	Plain (no plating)	24 mm	40 mm	14 mm	39 mm
7991A40503580	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M5 x 35	Stainless A4-80	M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	10.07 mm
7991A405100	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M5 x 100	Stainless A4-50	M5 x 100	Plain (no plating)	5 mm	100 mm	3 mm	10.07 mm
7991A40602070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M6 x 20	Stainless A4	M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	12.16 mm
7991A406060FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M6 x 60/60	Stainless A4-50	M6 x 60/60	Plain (no plating)	6 mm	56.28 mm	4 mm	12.16 mm
7991A40802070	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M8 x 20	Stainless A4	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16.43 mm
7991A40803570	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M8 x 20	Stainless A4	M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16.43 mm

A4-50, M8 x

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7991A40809080	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-80, M8 x 90	Stainless A4-80	M8 x 90	Plain (no plating)	8 mm	90 mm	5 mm	16.43 mm
7991A410080FT	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4-50, M10 x 80/80	Stainless A4-50	M10 x 80/80	Plain (no plating)	10 mm	73.8 mm	6 mm	20.69 mm
7991A414032	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M14 x 32	Stainless A4	M14 x 32	Plain (no plating)	14 mm	32 mm	10 mm	28.31 mm
7991A420020	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 20	Stainless A4	M20 x 20	Plain (no plating)	20 mm	20 mm	12 mm	36.75 mm
7991A420025	ISO 10642 Flat Head Screw with Hex Drive, Stainless A4, M20 x 25	Stainless A4	M20 x 25	Plain (no plating)	20 mm	25 mm	12 mm	36.75 mm

