

ISO 1234 — Split Pin

Catalogue data sheet · 534 sizes · category Pins / Split Pins · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
2ICM012006	ISO 1234 Split Pin, Stainless A2, 1.2 x 6 mm	Stainless A2	1.2 x 6 mm	Plain (no plating)				
940100081	ISO 1234 Split Pin, Steel, 1 x 8 mm, Zinc Plated	Steel	1 x 8 mm	Zinc Bright Passivation Fe/Zn P1				
94010061	ISO 1234 Split Pin, Steel, 1 x 6 mm, Zinc Plated	Steel	1 x 6 mm	Zinc Bright Passivation Fe/Zn P1				
94010081	ISO 1234 Split Pin, Steel, 1 x 8 mm, Zinc Plated	Steel	1 x 8 mm	Zinc Bright Passivation Fe/Zn P1				
94010101	ISO 1234 Split Pin, Steel, 1 x 10 mm, Zinc Plated	Steel	1 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
94010121	ISO 1234 Split Pin, Steel, 1 x 12 mm, Zinc Plated	Steel	1 x 12 mm	Zinc Bright Passivation Fe/Zn P1				
94010141	ISO 1234 Split Pin, Steel, 1 x 14 mm, Zinc Plated	Steel	1 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
94010161	ISO 1234 Split Pin, Steel, 1 x 16 mm, Zinc Plated	Steel	1 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
94010201	ISO 1234 Split Pin, Steel, 1 x 20 mm, Zinc Plated	Steel	1 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
9401025	ISO 1234 Split Pin, Steel, 1 x 25 mm, Plain	Steel	1 x 25 mm	Plain (no plating)				
94010301	ISO 1234 Split Pin, Steel, 1 x 30 mm, Zinc Plated	Steel	1 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
94010401	ISO 1234 Split Pin, Steel, 1 x 40 mm, Zinc Plated	Steel	1 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
940120081	ISO 1234 Split Pin, Steel, 1.2 x 8 mm, Zinc Plated	Steel	1.2 x 8 mm	Zinc Bright Passivation Fe/Zn P1				
940120101	ISO 1234 Split Pin, Steel, 1.2 x 10 mm, Zinc Plated	Steel	1.2 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
940120121	ISO 1234 Split Pin, Steel, 1.2 x 12 mm, Zinc Plated	Steel	1.2 x 12 mm	Zinc Bright Passivation Fe/Zn P1				
940120161	ISO 1234 Split Pin, Steel, 1.2 x 16 mm, Zinc Plated	Steel	1.2 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
940120181	ISO 1234 Split Pin, Steel, 1.2 x 18 mm, Zinc Plated	Steel	1.2 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
940120201	ISO 1234 Split Pin, Steel, 1.2 x 20 mm, Zinc Plated	Steel	1.2 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
940120251	ISO 1234 Split Pin, Steel, 1.2 x 25 mm, Zinc Plated	Steel	1.2 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
940160081	ISO 1234 Split Pin, Steel, 1.6 x 8 mm, Zinc Plated	Steel	1.6 x 8 mm	Zinc Bright Passivation Fe/Zn P1				
940160101	ISO 1234 Split Pin, Steel, 1.6 x 10 mm, Zinc Plated	Steel	1.6 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
94016012	ISO 1234 Split Pin, Steel, 1.6 x 12 mm, Plain	Steel	1.6 x 12 mm	Plain (no plating)				
940160121	ISO 1234 Split Pin, Steel, 1.6 x 12 mm, Zinc Plated	Steel	1.6 x 12 mm	Zinc Bright Passivation Fe/Zn P1				
940160141	ISO 1234 Split Pin, Steel, 1.6 x 14 mm, Zinc Plated	Steel	1.6 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
940160141PQ10	ISO 1234 Split Pin, Steel, 1.6 x 14 mm, Zinc Plated	Steel	1.6 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
940160161	ISO 1234 Split Pin, Steel, 1.6 x 16 mm, Zinc Plated	Steel	1.6 x 16 mm	Zinc Bright Passivation Fe/Zn P1				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
940160201	ISO 1234 Split Pin, Steel, 1.6 x 20 mm, Zinc Plated	Steel	1.6 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
940160221	ISO 1234 Split Pin, Steel, 1.6 x 22 mm, Zinc Plated	Steel	1.6 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
940160251	ISO 1234 Split Pin, Steel, 1.6 x 25 mm, Zinc Plated	Steel	1.6 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
940160281	ISO 1234 Split Pin, Steel, 1.6 x 28 mm, Zinc Plated	Steel	1.6 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
940160321	ISO 1234 Split Pin, Steel, 1.6 x 32 mm, Zinc Plated	Steel	1.6 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
940160361	ISO 1234 Split Pin, Steel, 1.6 x 36 mm, Zinc Plated	Steel	1.6 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
940160451	ISO 1234 Split Pin, Steel, 1.6 x 45 mm, Zinc Plated	Steel	1.6 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
94020081	ISO 1234 Split Pin, Steel, 2 x 8 mm, Zinc Plated	Steel	2 x 8 mm	Zinc Bright Passivation Fe/Zn P1				
9402010	ISO 1234 Split Pin, Steel, 2 x 10 mm, Plain	Steel	2 x 10 mm	Plain (no plating)				
94020101	ISO 1234 Split Pin, Steel, 2 x 10 mm, Zinc Plated	Steel	2 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
94020121	ISO 1234 Split Pin, Steel, 2 x 12 mm, Zinc Plated	Steel	2 x 12 mm	Zinc Bright Passivation Fe/Zn P1				
94020141	ISO 1234 Split Pin, Steel, 2 x 14 mm, Zinc Plated	Steel	2 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
94020161	ISO 1234 Split Pin, Steel, 2 x 16 mm, Zinc Plated	Steel	2 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
94020181	ISO 1234 Split Pin, Steel, 2 x 18 mm, Zinc Plated	Steel	2 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
9402020	ISO 1234 Split Pin, Steel, 2 x 20 mm, Plain	Steel	2 x 20 mm	Plain (no plating)				
94020201	ISO 1234 Split Pin, Steel, 2 x 20 mm, Zinc Plated	Steel	2 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
9402022	ISO 1234 Split Pin, Steel, 2 x 22 mm, Plain	Steel	2 x 22 mm	Plain (no plating)				
94020221	ISO 1234 Split Pin, Steel, 2 x 22 mm, Zinc Plated	Steel	2 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
94020251	ISO 1234 Split Pin, Steel, 2 x 25 mm, Zinc Plated	Steel	2 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
94020281	ISO 1234 Split Pin, Steel, 2 x 28 mm, Zinc Plated	Steel	2 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
9402032	ISO 1234 Split Pin, Steel, 2 x 32 mm, Plain	Steel	2 x 32 mm	Plain (no plating)				
94020321	ISO 1234 Split Pin, Steel, 2 x 32 mm, Zinc Plated	Steel	2 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
94020361	ISO 1234 Split Pin, Steel, 2 x 36 mm, Zinc Plated	Steel	2 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
94020401	ISO 1234 Split Pin, Steel, 2 x 40 mm, Zinc Plated	Steel	2 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
94020501	ISO 1234 Split Pin, Steel, 2 x 50 mm, Zinc Plated	Steel	2 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
940250121	ISO 1234 Split Pin, Steel, 2.5 x 12 mm, Zinc Plated	Steel	2.5 x 12 mm	Zinc Bright Passivation Fe/Zn P1				
940250141	ISO 1234 Split Pin, Steel, 2.5 x 14 mm, Zinc Plated	Steel	2.5 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
94025016	ISO 1234 Split Pin, Steel, 2.5 x 16 mm, Plain	Steel	2.5 x 16 mm	Plain (no plating)				
940250161	ISO 1234 Split Pin, Steel, 2.5 x 16 mm, Zinc Plated	Steel	2.5 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
940250181	ISO 1234 Split Pin, Steel, 2.5 x 18 mm, Zinc Plated	Steel	2.5 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
940250201	ISO 1234 Split Pin, Steel, 2.5 x 20 mm, Zinc Plated	Steel	2.5 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
94025020CABI	ISO 1234 Split Pin, Steel, 2.5 x 20 mm, Plain	Steel	2.5 x 20 mm	Plain (no plating)				
940250221	ISO 1234 Split Pin, Steel, 2.5 x 22 mm, Zinc Plated	Steel	2.5 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
94025025	ISO 1234 Split Pin, Steel, 2.5 x 25 mm, Plain	Steel	2.5 x 25 mm	Plain (no plating)				
940250251	ISO 1234 Split Pin, Steel, 2.5 x 25 mm, Zinc Plated	Steel	2.5 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
940250281	ISO 1234 Split Pin, Steel, 2.5 x 28 mm, Zinc Plated	Steel	2.5 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
940250321	ISO 1234 Split Pin, Steel, 2.5 x 32 mm, Zinc Plated	Steel	2.5 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
940250361	ISO 1234 Split Pin, Steel, 2.5 x 36 mm, Zinc Plated	Steel	2.5 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
940250401	ISO 1234 Split Pin, Steel, 2.5 x 40 mm, Zinc Plated	Steel	2.5 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
940250501	ISO 1234 Split Pin, Steel, 2.5 x 50 mm, Zinc Plated	Steel	2.5 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
940320101	ISO 1234 Split Pin, Steel, 3.2 x 10 mm, Zinc Plated	Steel	3.2 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
940320161	ISO 1234 Split Pin, Steel, 3.2 x 16 mm, Zinc Plated	Steel	3.2 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
940320181	ISO 1234 Split Pin, Steel, 3.2 x 18 mm, Zinc Plated	Steel	3.2 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
94032020	ISO 1234 Split Pin, Steel, 3.2 x 20 mm, Plain	Steel	3.2 x 20 mm	Plain (no plating)				
940320201	ISO 1234 Split Pin, Steel, 3.2 x 20 mm, Zinc Plated	Steel	3.2 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
94032022	ISO 1234 Split Pin, Steel, 3.2 x 22 mm, Plain	Steel	3.2 x 22 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
940320221	ISO 1234 Split Pin, Steel, 3.2 x 22 mm, Zinc Plated	Steel	3.2 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
94032025	ISO 1234 Split Pin, Steel, 3.2 x 25 mm, Plain	Steel	3.2 x 25 mm	Plain (no plating)				
940320251	ISO 1234 Split Pin, Steel, 3.2 x 25 mm, Zinc Plated	Steel	3.2 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
940320251KB	ISO 1234 Split Pin, Steel, 3.2 x 25 mm, Zinc Plated	Steel	3.2 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
940320281	ISO 1234 Split Pin, Steel, 3.2 x 28 mm, Zinc Plated	Steel	3.2 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
940320301	ISO 1234 Split Pin, Steel, 3.2 x 30 mm, Zinc Plated	Steel	3.2 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
940320321	ISO 1234 Split Pin, Steel, 3.2 x 32 mm, Zinc Plated	Steel	3.2 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
940320361	ISO 1234 Split Pin, Steel, 3.2 x 36 mm, Zinc Plated	Steel	3.2 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
94032040	ISO 1234 Split Pin, Steel, 3.2 x 40 mm, Plain	Steel	3.2 x 40 mm	Plain (no plating)				
940320401	ISO 1234 Split Pin, Steel, 3.2 x 40 mm, Zinc Plated	Steel	3.2 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
94032045	ISO 1234 Split Pin, Steel, 3.2 x 45 mm, Plain	Steel	3.2 x 45 mm	Plain (no plating)				
940320451	ISO 1234 Split Pin, Steel, 3.2 x 45 mm, Zinc Plated	Steel	3.2 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
940320501	ISO 1234 Split Pin, Steel, 3.2 x 50 mm, Zinc Plated	Steel	3.2 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
940320561	ISO 1234 Split Pin, Steel, 3.2 x 56 mm, Zinc Plated	Steel	3.2 x 56 mm	Zinc Bright Passivation Fe/Zn P1				
94032056MAN183-B13	ISO 1234 Split Pin, Steel, 3.2 x 56 mm, Zinc Plated (94032056MAN)	Steel	3.2 x 56 mm	ZINC PLATED, 8 MICRON				
940320631	ISO 1234 Split Pin, Steel, 3.2 x 63 mm, Zinc Plated	Steel	3.2 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
940400201	ISO 1234 Split Pin, Steel, 4 x 20 mm, Zinc Plated	Steel	4 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
94040181	ISO 1234 Split Pin, Steel, 4 x 18 mm, Zinc Plated	Steel	4 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
94040201	ISO 1234 Split Pin, Steel, 4 x 20 mm, Zinc Plated	Steel	4 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
94040221	ISO 1234 Split Pin, Steel, 4 x 22 mm, Zinc Plated	Steel	4 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
9404025	ISO 1234 Split Pin, Steel, 4 x 25 mm, Plain	Steel	4 x 25 mm	Plain (no plating)				
94040251	ISO 1234 Split Pin, Steel, 4 x 25 mm, Zinc Plated	Steel	4 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
94040281	ISO 1234 Split Pin, Steel, 4 x 28 mm, Zinc Plated	Steel	4 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
9404032	ISO 1234 Split Pin, Steel, 4 x 32 mm, Plain	Steel	4 x 32 mm	Plain (no plating)				
94040321	ISO 1234 Split Pin, Steel, 4 x 32 mm, Zinc Plated	Steel	4 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
9404032MAN183-B13	ISO 1234 Split Pin, Steel, 4 x 32 mm, Zinc Plated (9404032MAN183)	Steel	4 x 32 mm	ZINC PLATED, 8 MICRON				
94040351	ISO 1234 Split Pin, Steel, 4 x 36 mm, Zinc Plated	Steel	4 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
94040361	ISO 1234 Split Pin, Steel, 4 x 36 mm, Zinc Plated	Steel	4 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
94040361SST200	ISO 1234 Split Pin, Steel, 4 x 36 mm, SST 200 h, Zinc Plated	Steel	4 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
9404040	ISO 1234 Split Pin, Steel, 4 x 40 mm, Plain	Steel	4 x 40 mm	Plain (no plating)				
94040401	ISO 1234 Split Pin, Steel, 4 x 40 mm, Zinc Plated	Steel	4 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
94040451	ISO 1234 Split Pin, Steel, 4 x 45 mm, Zinc Plated	Steel	4 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
94040501	ISO 1234 Split Pin, Steel, 4 x 50 mm, Zinc Plated	Steel	4 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
94040561	ISO 1234 Split Pin, Steel, 4 x 56 mm, Zinc Plated	Steel	4 x 56 mm	Zinc Bright Passivation Fe/Zn P1				
9404056ZNF105	ISO 1234 Split Pin, Steel, 4 x 56 mm, Plain	Steel	4 x 56 mm	Plain (no plating)				
94040631	ISO 1234 Split Pin, Steel, 4 x 63 mm, Zinc Plated	Steel	4 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
94040631A3L	ISO 1234 Split Pin, Steel, 4 x 63 mm, Plain	Steel	4 x 63 mm	Plain (no plating)				
94040711	ISO 1234 Split Pin, Steel, 4 x 71 mm, Zinc Plated	Steel	4 x 71 mm	Zinc Bright Passivation Fe/Zn P1				
94040801	ISO 1234 Split Pin, Steel, 4 x 80 mm, Zinc Plated	Steel	4 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
94040901	ISO 1234 Split Pin, Steel, 4 x 90 mm, Zinc Plated	Steel	4 x 90 mm	Zinc Bright Passivation Fe/Zn P1				
94041001	ISO 1234 Split Pin, Steel, 4 x 100 mm, Zinc Plated	Steel	4 x 100 mm	Zinc Bright Passivation Fe/Zn P1				
94050201	ISO 1234 Split Pin, Steel, 5 x 20 mm, Zinc Plated	Steel	5 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
94050221	ISO 1234 Split Pin, Steel, 5 x 22 mm, Zinc Plated	Steel	5 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
94050251	ISO 1234 Split Pin, Steel, 5 x 25 mm, Zinc Plated	Steel	5 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
94050281	ISO 1234 Split Pin, Steel, 5 x 28 mm, Zinc Plated	Steel	5 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
94050301	ISO 1234 Split Pin, Steel, 5 x 30 mm, Zinc Plated	Steel	5 x 30 mm	Zinc Bright Passivation Fe/Zn P1				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94050321	ISO 1234 Split Pin, Steel, 5 x 32 mm, Zinc Plated	Steel	5 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
94050361	ISO 1234 Split Pin, Steel, 5 x 36 mm, Zinc Plated	Steel	5 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
9405040	ISO 1234 Split Pin, Steel, 5 x 40 mm, Plain	Steel	5 x 40 mm	Plain (no plating)				
94050401	ISO 1234 Split Pin, Steel, 5 x 40 mm, Zinc Plated	Steel	5 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
9405045	ISO 1234 Split Pin, Steel, 5 x 45 mm, Plain	Steel	5 x 45 mm	Plain (no plating)				
94050451	ISO 1234 Split Pin, Steel, 5 x 45 mm, Zinc Plated	Steel	5 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
94050451S328	ISO 1234 Split Pin, Steel, 5 x 45 mm, Zinc Plated	Steel	5 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
9405050	ISO 1234 Split Pin, Steel, 5 x 50 mm, Plain	Steel	5 x 50 mm	Plain (no plating)				
94050501	ISO 1234 Split Pin, Steel, 5 x 50 mm, Zinc Plated	Steel	5 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
94050501SST200	ISO 1234 Split Pin, Steel, 5 x 50 mm, SST 200 h, Zinc Plated	Steel	5 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
9405050A	ISO 1234 Split Pin, 5 x 50 mm, Aluminum, Plain		5 x 50 mm	Plain (no plating)				
94050561	ISO 1234 Split Pin, Steel, 5 x 56 mm, Zinc Plated	Steel	5 x 56 mm	Zinc Bright Passivation Fe/Zn P1				
9405063	ISO 1234 Split Pin, Steel, 5 x 63 mm, Plain	Steel	5 x 63 mm	Plain (no plating)				
94050631	ISO 1234 Split Pin, Steel, 5 x 63 mm, Zinc Plated	Steel	5 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
94050711	ISO 1234 Split Pin, Steel, 5 x 71 mm, Zinc Plated	Steel	5 x 71 mm	Zinc Bright Passivation Fe/Zn P1				
94050801	ISO 1234 Split Pin, Steel, 5 x 80 mm, Zinc Plated	Steel	5 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
94050901	ISO 1234 Split Pin, Steel, 5 x 90 mm, Zinc Plated	Steel	5 x 90 mm	Zinc Bright Passivation Fe/Zn P1				
94051001	ISO 1234 Split Pin, Steel, 5 x 100 mm, Zinc Plated	Steel	5 x 100 mm	Zinc Bright Passivation Fe/Zn P1				
94051851	ISO 1234 Split Pin, Steel, 5 x 185 mm, Zinc Plated	Steel	5 x 185 mm	Zinc Bright Passivation Fe/Zn P1				
940630251	ISO 1234 Split Pin, Steel, 6.3 x 25 mm, Zinc Plated	Steel	6.3 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
94063032	ISO 1234 Split Pin, Steel, 6.3 x 32 mm, Plain	Steel	6.3 x 32 mm	Plain (no plating)				
940630321	ISO 1234 Split Pin, Steel, 6.3 x 32 mm, Zinc Plated	Steel	6.3 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
94063036	ISO 1234 Split Pin, Steel, 6.3 x 36 mm, Plain	Steel	6.3 x 36 mm	Plain (no plating)				
940630361	ISO 1234 Split Pin, Steel, 6.3 x 36 mm, Zinc Plated	Steel	6.3 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
940630401	ISO 1234 Split Pin, Steel, 6.3 x 40 mm, Zinc Plated	Steel	6.3 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
94063045	ISO 1234 Split Pin, Steel, 6.3 x 45 mm, Plain	Steel	6.3 x 45 mm	Plain (no plating)				
940630451	ISO 1234 Split Pin, Steel, 6.3 x 45 mm, Zinc Plated	Steel	6.3 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
94063050	ISO 1234 Split Pin, Steel, 6.3 x 50 mm, Plain	Steel	6.3 x 50 mm	Plain (no plating)				
940630501	ISO 1234 Split Pin, Steel, 6.3 x 50 mm, Zinc Plated	Steel	6.3 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
940630561	ISO 1234 Split Pin, Steel, 6.3 x 56 mm, Zinc Plated	Steel	6.3 x 56 mm	Zinc Bright Passivation Fe/Zn P1				
94063063	ISO 1234 Split Pin, Steel, 6.3 x 63 mm, Plain	Steel	6.3 x 63 mm	Plain (no plating)				
940630631	ISO 1234 Split Pin, Steel, 6.3 x 63 mm, Zinc Plated	Steel	6.3 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
940630631PQ100	ISO 1234 Split Pin, Steel, 6.3 x 63 mm, Zinc Plated	Steel	6.3 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
940630631SST096PQ100	ISO 1234 Split Pin, Steel, 6.3 x 63 mm, SST 96 h, Zinc Plated	Steel	6.3 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
94063071	ISO 1234 Split Pin, Steel, 6.3 x 71 mm, Plain	Steel	6.3 x 71 mm	Plain (no plating)				
940630711	ISO 1234 Split Pin, Steel, 6.3 x 71 mm, Zinc Plated	Steel	6.3 x 71 mm	Zinc Bright Passivation Fe/Zn P1				
94063080	ISO 1234 Split Pin, Steel, 6.3 x 80 mm, Plain	Steel	6.3 x 80 mm	Plain (no plating)				
940630801	ISO 1234 Split Pin, Steel, 6.3 x 80 mm, Zinc Plated	Steel	6.3 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
940630901	ISO 1234 Split Pin, Steel, 6.3 x 90 mm, Zinc Plated	Steel	6.3 x 90 mm	Zinc Bright Passivation Fe/Zn P1				
940631001	ISO 1234 Split Pin, Steel, 6.3 x 100 mm, Zinc Plated	Steel	6.3 x 100 mm	Zinc Bright Passivation Fe/Zn P1				
940631121	ISO 1234 Split Pin, Steel, 6.3 x 112 mm, Zinc Plated	Steel	6.3 x 112 mm	Zinc Bright Passivation Fe/Zn P1				
940631251	ISO 1234 Split Pin, Steel, 6.3 x 125 mm, Zinc Plated	Steel	6.3 x 125 mm	Zinc Bright Passivation Fe/Zn P1				
9408040	ISO 1234 Split Pin, Steel, 8 x 40 mm, Plain	Steel	8 x 40 mm	Plain (no plating)				
94080401	ISO 1234 Split Pin, Steel, 8 x 40 mm, Zinc Plated	Steel	8 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
9408045	ISO 1234 Split Pin, Steel, 8 x 45 mm, Plain	Steel	8 x 45 mm	Plain (no plating)				
94080451	ISO 1234 Split Pin, Steel, 8 x 45 mm, Zinc Plated	Steel	8 x 45 mm	Zinc Bright Passivation Fe/Zn P1				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9408050	ISO 1234 Split Pin, Steel, 8 x 50 mm, Plain	Steel	8 x 50 mm	Plain (no plating)				
94080501	ISO 1234 Split Pin, Steel, 8 x 50 mm, Zinc Plated	Steel	8 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
9408056	ISO 1234 Split Pin, Steel, 8 x 56 mm, Plain	Steel	8 x 56 mm	Plain (no plating)				
94080561	ISO 1234 Split Pin, Steel, 8 x 56 mm, Zinc Plated	Steel	8 x 56 mm	Zinc Bright Passivation Fe/Zn P1				
9408060	ISO 1234 Split Pin, Steel, 8 x 60 mm, Plain	Steel	8 x 60 mm	Plain (no plating)				
9408063	ISO 1234 Split Pin, Steel, 8 x 63 mm, Plain	Steel	8 x 63 mm	Plain (no plating)				
94080631	ISO 1234 Split Pin, Steel, 8 x 63 mm, Zinc Plated	Steel	8 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
9408071	ISO 1234 Split Pin, Steel, 8 x 71 mm, Plain	Steel	8 x 71 mm	Plain (no plating)				
94080711	ISO 1234 Split Pin, Steel, 8 x 71 mm, Zinc Plated	Steel	8 x 71 mm	Zinc Bright Passivation Fe/Zn P1				
9408080	ISO 1234 Split Pin, Steel, 8 x 80 mm, Plain	Steel	8 x 80 mm	Plain (no plating)				
94080801	ISO 1234 Split Pin, Steel, 8 x 80 mm, Zinc Plated	Steel	8 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
94080801KB	ISO 1234 Split Pin, Steel, 8 x 80 mm, Zinc Plated	Steel	8 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
9408090	ISO 1234 Split Pin, Steel, 8 x 90 mm, Plain	Steel	8 x 90 mm	Plain (no plating)				
94080901	ISO 1234 Split Pin, Steel, 8 x 90 mm, Zinc Plated	Steel	8 x 90 mm	Zinc Bright Passivation Fe/Zn P1				
9408100	ISO 1234 Split Pin, Steel, 8 x 100 mm, Plain	Steel	8 x 100 mm	Plain (no plating)				
94081001	ISO 1234 Split Pin, Steel, 8 x 100 mm, Zinc Plated	Steel	8 x 100 mm	Zinc Bright Passivation Fe/Zn P1				
9408100PQ10	ISO 1234 Split Pin, Steel, 8 x 100 mm, Plain	Steel	8 x 100 mm	Plain (no plating)				
9408100PQ20	ISO 1234 Split Pin, Steel, 8 x 100 mm, Plain	Steel	8 x 100 mm	Plain (no plating)				
94081121	ISO 1234 Split Pin, Steel, 8 x 112 mm, Zinc Plated	Steel	8 x 112 mm	Zinc Bright Passivation Fe/Zn P1				
94081401	ISO 1234 Split Pin, Steel, 8 x 140 mm, Zinc Plated	Steel	8 x 140 mm	Zinc Bright Passivation Fe/Zn P1				
94100501	ISO 1234 Split Pin, Steel, 10 x 50 mm, Zinc Plated	Steel	10 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
9410063	ISO 1234 Split Pin, Steel, 10 x 63 mm, Plain	Steel	10 x 63 mm	Plain (no plating)				
94100631	ISO 1234 Split Pin, Steel, 10 x 63 mm, Zinc Plated	Steel	10 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
94100711	ISO 1234 Split Pin, Steel, 10 x 71 mm, Zinc Plated	Steel	10 x 71 mm	Zinc Bright Passivation Fe/Zn P1				
9410080	ISO 1234 Split Pin, Steel, 10 x 80 mm, Plain	Steel	10 x 80 mm	Plain (no plating)				
94100801	ISO 1234 Split Pin, Steel, 10 x 80 mm, Zinc Plated	Steel	10 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
94100901	ISO 1234 Split Pin, Steel, 10 x 90 mm, Zinc Plated	Steel	10 x 90 mm	Zinc Bright Passivation Fe/Zn P1				
9410100	ISO 1234 Split Pin, Steel, 10 x 100 mm, Plain	Steel	10 x 100 mm	Plain (no plating)				
94101001	ISO 1234 Split Pin, Steel, 10 x 100 mm, Zinc Plated	Steel	10 x 100 mm	Zinc Bright Passivation Fe/Zn P1				
9410112	ISO 1234 Split Pin, Steel, 10 x 112 mm, Plain	Steel	10 x 112 mm	Plain (no plating)				
94101121	ISO 1234 Split Pin, Steel, 10 x 112 mm, Zinc Plated	Steel	10 x 112 mm	Zinc Bright Passivation Fe/Zn P1				
94101251	ISO 1234 Split Pin, Steel, 10 x 125 mm, Zinc Plated	Steel	10 x 125 mm	Zinc Bright Passivation Fe/Zn P1				
94101401	ISO 1234 Split Pin, Steel, 10 x 140 mm, Zinc Plated	Steel	10 x 140 mm	Zinc Bright Passivation Fe/Zn P1				
94101601	ISO 1234 Split Pin, Steel, 10 x 160 mm, Zinc Plated	Steel	10 x 160 mm	Zinc Bright Passivation Fe/Zn P1				
94101801	ISO 1234 Split Pin, Steel, 10 x 180 mm, Zinc Plated	Steel	10 x 180 mm	Zinc Bright Passivation Fe/Zn P1				
94102001	ISO 1234 Split Pin, Steel, 10 x 200 mm, Zinc Plated	Steel	10 x 200 mm	Zinc Bright Passivation Fe/Zn P1				
94130631	ISO 1234 Split Pin, Steel, 13 x 63 mm, Zinc Plated	Steel	13 x 63 mm	Zinc Bright Passivation Fe/Zn P1				
94130901	ISO 1234 Split Pin, Steel, 13 x 90 mm, Zinc Plated	Steel	13 x 90 mm	Zinc Bright Passivation Fe/Zn P1				
9413100	ISO 1234 Split Pin, Steel, 13 x 100 mm, Plain	Steel	13 x 100 mm	Plain (no plating)				
94131001	ISO 1234 Split Pin, Steel, 13 x 100 mm, Zinc Plated	Steel	13 x 100 mm	Zinc Bright Passivation Fe/Zn P1				
9413112	ISO 1234 Split Pin, Steel, 13 x 112 mm, Plain	Steel	13 x 112 mm	Plain (no plating)				
94131121	ISO 1234 Split Pin, Steel, 13 x 112 mm, Zinc Plated	Steel	13 x 112 mm	Zinc Bright Passivation Fe/Zn P1				
94131251	ISO 1234 Split Pin, Steel, 13 x 125 mm, Zinc Plated	Steel	13 x 125 mm	Zinc Bright Passivation Fe/Zn P1				
94131401	ISO 1234 Split Pin, Steel, 13 x 140 mm, Zinc Plated	Steel	13 x 140 mm	Zinc Bright Passivation Fe/Zn P1				
94131801	ISO 1234 Split Pin, Steel, 13 x 180 mm, Zinc Plated	Steel	13 x 180 mm	Zinc Bright Passivation Fe/Zn P1				
94132001	ISO 1234 Split Pin, Steel, 13 x 200 mm, Zinc Plated	Steel	13 x 200 mm	Zinc Bright Passivation Fe/Zn P1				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94161601	ISO 1234 Split Pin, Steel, 16 x 160 mm, Zinc Plated	Steel	16 x 160 mm	Zinc Bright Passivation Fe/Zn P1				
94191991	ISO 1234 Split Pin, Steel, 10 x 100 mm, Zinc Plated	Steel	10 x 100 mm	Zinc Bright Passivation Fe/Zn P1				
94A05036	ISO 1234 Split Pin, 5 x 36 mm, Aluminum, Plain		5 x 36 mm	Plain (no plating)				
94A05045	ISO 1234 Split Pin, 5 x 45 mm, Aluminum, Plain		5 x 45 mm	Plain (no plating)				
94A201006	ISO 1234 Split Pin, Stainless A2, 1 x 6 mm	Stainless A2	1 x 6 mm	Plain (no plating)				
94A201008	ISO 1234 Split Pin, Stainless A2, 1 x 8 mm	Stainless A2	1 x 8 mm	Plain (no plating)				
94A201010	ISO 1234 Split Pin, Stainless A2, 1 x 10 mm	Stainless A2	1 x 10 mm	Plain (no plating)				
94A201012	ISO 1234 Split Pin, Stainless A2, 1 x 12 mm	Stainless A2	1 x 12 mm	Plain (no plating)				
94A201016	ISO 1234 Split Pin, Stainless A2, 1 x 16 mm	Stainless A2	1 x 16 mm	Plain (no plating)				
94A201018	ISO 1234 Split Pin, Stainless A2, 1 x 18 mm	Stainless A2	1 x 18 mm	Plain (no plating)				
94A201020	ISO 1234 Split Pin, Stainless A2, 1 x 20 mm	Stainless A2	1 x 20 mm	Plain (no plating)				
94A201025	ISO 1234 Split Pin, Stainless A2, 1 x 25 mm	Stainless A2	1 x 25 mm	Plain (no plating)				
94A201032	ISO 1234 Split Pin, Stainless A2, 1 x 32 mm	Stainless A2	1 x 32 mm	Plain (no plating)				
94A2012010	ISO 1234 Split Pin, Stainless A2, 1.2 x 10 mm	Stainless A2	1.2 x 10 mm	Plain (no plating)				
94A2012012	ISO 1234 Split Pin, Stainless A2, 1.2 x 12 mm	Stainless A2	1.2 x 12 mm	Plain (no plating)				
94A2012016	ISO 1234 Split Pin, Stainless A2, 1.2 x 16 mm	Stainless A2	1.2 x 16 mm	Plain (no plating)				
94A2012018	ISO 1234 Split Pin, Stainless A2, 1.2 x 18 mm	Stainless A2	1.2 x 18 mm	Plain (no plating)				
94A2012020	ISO 1234 Split Pin, Stainless A2, 1.2 x 20 mm	Stainless A2	1.2 x 20 mm	Plain (no plating)				
94A2012025	ISO 1234 Split Pin, Stainless A2, 1.2 x 25 mm	Stainless A2	1.2 x 25 mm	Plain (no plating)				
94A2012036	ISO 1234 Split Pin, Stainless A2, 1.2 x 36 mm	Stainless A2	1.2 x 36 mm	Plain (no plating)				
94A2016008	ISO 1234 Split Pin, Stainless A2, 1.6 x 8 mm	Stainless A2	1.6 x 8 mm	Plain (no plating)				
94A2016010	ISO 1234 Split Pin, Stainless A2, 1.6 x 10 mm	Stainless A2	1.6 x 10 mm	Plain (no plating)				
94A2016012	ISO 1234 Split Pin, Stainless A2, 1.6 x 12 mm	Stainless A2	1.6 x 12 mm	Plain (no plating)				
94A2016014	ISO 1234 Split Pin, Stainless A2, 1.6 x 14 mm	Stainless A2	1.6 x 14 mm	Plain (no plating)				
94A2016016	ISO 1234 Split Pin, Stainless A2, 1.6 x 16 mm	Stainless A2	1.6 x 16 mm	Plain (no plating)				
94A2016018	ISO 1234 Split Pin, Stainless A2, 1.6 x 18 mm	Stainless A2	1.6 x 18 mm	Plain (no plating)				
94A2016020	ISO 1234 Split Pin, Stainless A2, 1.6 x 20 mm	Stainless A2	1.6 x 20 mm	Plain (no plating)				
94A2016022	ISO 1234 Split Pin, Stainless A2, 1.6 x 22 mm	Stainless A2	1.6 x 22 mm	Plain (no plating)				
94A2016025	ISO 1234 Split Pin, Stainless A2, 1.6 x 25 mm	Stainless A2	1.6 x 25 mm	Plain (no plating)				
94A2016028	ISO 1234 Split Pin, Stainless A2, 1.6 x 28 mm	Stainless A2	1.6 x 28 mm	Plain (no plating)				
94A2016032	ISO 1234 Split Pin, Stainless A2, 1.6 x 32 mm	Stainless A2	1.6 x 32 mm	Plain (no plating)				
94A2016036	ISO 1234 Split Pin, Stainless A2, 1.6 x 36 mm	Stainless A2	1.6 x 36 mm	Plain (no plating)				
94A2016040	ISO 1234 Split Pin, Stainless A2, 1.6 x 40 mm	Stainless A2	1.6 x 40 mm	Plain (no plating)				
94A2016045	ISO 1234 Split Pin, Stainless A2, 1.6 x 45 mm	Stainless A2	1.6 x 45 mm	Plain (no plating)				
94A2016050	ISO 1234 Split Pin, Stainless A2, 1.6 x 50 mm	Stainless A2	1.6 x 50 mm	Plain (no plating)				
94A2016060	ISO 1234 Split Pin, Stainless A2, 1.6 x 60 mm	Stainless A2	1.6 x 60 mm	Plain (no plating)				
94A202010	ISO 1234 Split Pin, Stainless A2, 2 x 10 mm	Stainless A2	2 x 10 mm	Plain (no plating)				
94A202012	ISO 1234 Split Pin, Stainless A2, 2 x 12 mm	Stainless A2	2 x 12 mm	Plain (no plating)				
94A202014	ISO 1234 Split Pin, Stainless A2, 2 x 14 mm	Stainless A2	2 x 14 mm	Plain (no plating)				
94A202016	ISO 1234 Split Pin, Stainless A2, 2 x 16 mm	Stainless A2	2 x 16 mm	Plain (no plating)				
94A202018	ISO 1234 Split Pin, Stainless A2, 2 x 18 mm	Stainless A2	2 x 18 mm	Plain (no plating)				
94A202018PQ50	ISO 1234 Split Pin, Stainless A2, 2 x 18 mm	Stainless A2	2 x 18 mm	Plain (no plating)				
94A202020	ISO 1234 Split Pin, Stainless A2, 2 x 20 mm	Stainless A2	2 x 20 mm	Plain (no plating)				
94A202022	ISO 1234 Split Pin, Stainless A2, 2 x 22 mm	Stainless A2	2 x 22 mm	Plain (no plating)				
94A202025	ISO 1234 Split Pin, Stainless A2, 2 x 25 mm	Stainless A2	2 x 25 mm	Plain (no plating)				
94A202028	ISO 1234 Split Pin, Stainless A2, 2 x 28 mm	Stainless A2	2 x 28 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94A202032	ISO 1234 Split Pin, Stainless A2, 2 x 32 mm	Stainless A2	2 x 32 mm	Plain (no plating)				
94A202036	ISO 1234 Split Pin, Stainless A2, 2 x 32 mm	Stainless A2	2 x 32 mm	Plain (no plating)				
94A202040	ISO 1234 Split Pin, Stainless A2, 2 x 40 mm	Stainless A2	2 x 40 mm	Plain (no plating)				
94A202050	ISO 1234 Split Pin, Stainless A2, 2 x 50 mm	Stainless A2	2 x 50 mm	Plain (no plating)				
94A2025006	ISO 1234 Split Pin, Stainless A2, 2.5 x 6 mm	Stainless A2	2.5 x 6 mm	Plain (no plating)				
94A2025010	ISO 1234 Split Pin, Stainless A2, 2.5 x 10 mm	Stainless A2	2.5 x 10 mm	Plain (no plating)				
94A2025012	ISO 1234 Split Pin, Stainless A2, 2.5 x 12 mm	Stainless A2	2.5 x 12 mm	Plain (no plating)				
94A2025016	ISO 1234 Split Pin, Stainless A2, 2.5 x 16 mm	Stainless A2	2.5 x 16 mm	Plain (no plating)				
94A2025018	ISO 1234 Split Pin, Stainless A2, 2.5 x 18 mm	Stainless A2	2.5 x 18 mm	Plain (no plating)				
94A2025019	ISO 1234 Split Pin, Stainless A2, 2.5 x 19 mm	Stainless A2	2.5 x 19 mm	Plain (no plating)				
94A2025020	ISO 1234 Split Pin, Stainless A2, 2.5 x 20 mm	Stainless A2	2.5 x 20 mm	Plain (no plating)				
94A2025022	ISO 1234 Split Pin, Stainless A2, 2.5 x 22 mm	Stainless A2	2.5 x 22 mm	Plain (no plating)				
94A2025025	ISO 1234 Split Pin, Stainless A2, 2.5 x 25 mm	Stainless A2	2.5 x 25 mm	Plain (no plating)				
94A2025032	ISO 1234 Split Pin, Stainless A2, 2.5 x 32 mm	Stainless A2	2.5 x 32 mm	Plain (no plating)				
94A2025036	ISO 1234 Split Pin, Stainless A2, 2.5 x 36 mm	Stainless A2	2.5 x 36 mm	Plain (no plating)				
94A2025040	ISO 1234 Split Pin, Stainless A2, 2.5 x 40 mm	Stainless A2	2.5 x 40 mm	Plain (no plating)				
94A2025045	ISO 1234 Split Pin, Stainless A2, 2.5 x 45 mm	Stainless A2	2.5 x 45 mm	Plain (no plating)				
94A2025050	ISO 1234 Split Pin, Stainless A2, 2.5 x 50 mm	Stainless A2	2.5 x 50 mm	Plain (no plating)				
94A2025063	ISO 1234 Split Pin, Stainless A2, 2.5 x 63 mm	Stainless A2	2.5 x 63 mm	Plain (no plating)				
94A2032010	ISO 1234 Split Pin, Stainless A2, 3.2 x 10 mm	Stainless A2	3.2 x 10 mm	Plain (no plating)				
94A2032012	ISO 1234 Split Pin, Stainless A2, 3.2 x 12 mm	Stainless A2	3.2 x 12 mm	Plain (no plating)				
94A2032014	ISO 1234 Split Pin, Stainless A2, 3.2 x 14 mm	Stainless A2	3.2 x 14 mm	Plain (no plating)				
94A2032016	ISO 1234 Split Pin, Stainless A2, 3.2 x 16 mm	Stainless A2	3.2 x 16 mm	Plain (no plating)				
94A2032018	ISO 1234 Split Pin, Stainless A2, 3.2 x 18 mm	Stainless A2	3.2 x 18 mm	Plain (no plating)				
94A2032018PQ50	ISO 1234 Split Pin, Stainless A2, 3.2 x 18 mm	Stainless A2	3.2 x 18 mm	Plain (no plating)				
94A2032020	ISO 1234 Split Pin, Stainless A2, 3.2 x 20 mm	Stainless A2	3.2 x 20 mm	Plain (no plating)				
94A2032022	ISO 1234 Split Pin, Stainless A2, 3.2 x 22 mm	Stainless A2	3.2 x 22 mm	Plain (no plating)				
94A2032025	ISO 1234 Split Pin, Stainless A2, 3.2 x 25 mm	Stainless A2	3.2 x 25 mm	Plain (no plating)				
94A2032028	ISO 1234 Split Pin, Stainless A2, 3.2 x 28 mm	Stainless A2	3.2 x 28 mm	Plain (no plating)				
94A2032032	ISO 1234 Split Pin, Stainless A2, 3.2 x 32 mm	Stainless A2	3.2 x 32 mm	Plain (no plating)				
94A2032036	ISO 1234 Split Pin, Stainless A2, 3.2 x 36 mm	Stainless A2	3.2 x 36 mm	Plain (no plating)				
94A2032040	ISO 1234 Split Pin, Stainless A2, 3.2 x 40 mm	Stainless A2	3.2 x 40 mm	Plain (no plating)				
94A2032045	ISO 1234 Split Pin, Stainless A2, 3.2 x 45 mm	Stainless A2	3.2 x 45 mm	Plain (no plating)				
94A2032050	ISO 1234 Split Pin, Stainless A2, 3.2 x 50 mm	Stainless A2	3.2 x 50 mm	Plain (no plating)				
94A2032056	ISO 1234 Split Pin, Stainless A2, 3.2 x 56 mm	Stainless A2	3.2 x 56 mm	Plain (no plating)				
94A2032063	ISO 1234 Split Pin, Stainless A2, 3.2 x 63 mm	Stainless A2	3.2 x 63 mm	Plain (no plating)				
94A2032075	ISO 1234 Split Pin, Stainless A2, 3.2 x 75 mm	Stainless A2	3.2 x 75 mm	Plain (no plating)				
94A2032080	ISO 1234 Split Pin, Stainless A2, 3.2 x 80 mm	Stainless A2	3.2 x 80 mm	Plain (no plating)				
94A2040019	ISO 1234 Split Pin, Stainless A2, 4 x 19 mm	Stainless A2	4 x 19 mm	Plain (no plating)				
94A204016	ISO 1234 Split Pin, Stainless A2, 4 x 16 mm	Stainless A2	4 x 16 mm	Plain (no plating)				
94A204020	ISO 1234 Split Pin, Stainless A2, 4 x 20 mm	Stainless A2	4 x 20 mm	Plain (no plating)				
94A204022	ISO 1234 Split Pin, Stainless A2, 4 x 22 mm	Stainless A2	4 x 22 mm	Plain (no plating)				
94A204025	ISO 1234 Split Pin, Stainless A2, 4 x 25 mm	Stainless A2	4 x 25 mm	Plain (no plating)				
94A204028	ISO 1234 Split Pin, Stainless A2, 4 x 28 mm	Stainless A2	4 x 28 mm	Plain (no plating)				
94A204032	ISO 1234 Split Pin, Stainless A2, 4 x 32 mm	Stainless A2	4 x 32 mm	Plain (no plating)				
94A204036	ISO 1234 Split Pin, Stainless A2, 4 x 36 mm	Stainless A2	4 x 36 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94A204038	ISO 1234 Split Pin, Stainless A2, 4 x 38 mm	Stainless A2	4 x 38 mm	Plain (no plating)				
94A204040	ISO 1234 Split Pin, Stainless A2, 4 x 40 mm	Stainless A2	4 x 40 mm	Plain (no plating)				
94A204045	ISO 1234 Split Pin, Stainless A2, 4 x 45 mm	Stainless A2	4 x 45 mm	Plain (no plating)				
94A204050	ISO 1234 Split Pin, Stainless A2, 4 x 50 mm	Stainless A2	4 x 50 mm	Plain (no plating)				
94A204063	ISO 1234 Split Pin, Stainless A2, 4 x 63 mm	Stainless A2	4 x 63 mm	Plain (no plating)				
94A204071	ISO 1234 Split Pin, Stainless A2, 4 x 71 mm	Stainless A2	4 x 71 mm	Plain (no plating)				
94A204080	ISO 1234 Split Pin, Stainless A2, 4 x 80 mm	Stainless A2	4 x 80 mm	Plain (no plating)				
94A204090	ISO 1234 Split Pin, Stainless A2, 4 x 90 mm	Stainless A2	4 x 90 mm	Plain (no plating)				
94A204100	ISO 1234 Split Pin, Stainless A2, 4 x 100 mm	Stainless A2	4 x 100 mm	Plain (no plating)				
94A205016	ISO 1234 Split Pin, Stainless A2, 5 x 16 mm	Stainless A2	5 x 16 mm	Plain (no plating)				
94A205020	ISO 1234 Split Pin, Stainless A2, 5 x 20 mm	Stainless A2	5 x 20 mm	Plain (no plating)				
94A205022	ISO 1234 Split Pin, Stainless A2, 5 x 22 mm	Stainless A2	5 x 22 mm	Plain (no plating)				
94A205025	ISO 1234 Split Pin, Stainless A2, 5 x 25 mm	Stainless A2	5 x 25 mm	Plain (no plating)				
94A205028	ISO 1234 Split Pin, Stainless A2, 5 x 28 mm	Stainless A2	5 x 28 mm	Plain (no plating)				
94A205032	ISO 1234 Split Pin, Stainless A2, 5 x 32 mm	Stainless A2	5 x 32 mm	Plain (no plating)				
94A205036	ISO 1234 Split Pin, Stainless A2, 5 x 36 mm	Stainless A2	5 x 36 mm	Plain (no plating)				
94A205040	ISO 1234 Split Pin, Stainless A2, 5 x 40 mm	Stainless A2	5 x 40 mm	Plain (no plating)				
94A205040A	ISO 1234 Split Pin, Stainless A2, 5 x 40 mm	Stainless A2	5 x 40 mm	Plain (no plating)				
94A205045	ISO 1234 Split Pin, Stainless A2, 5 x 45 mm	Stainless A2	5 x 45 mm	Plain (no plating)				
94A205050	ISO 1234 Split Pin, Stainless A2, 5 x 50 mm	Stainless A2	5 x 50 mm	Plain (no plating)				
94A205056	ISO 1234 Split Pin, Stainless A2, 5 x 56 mm	Stainless A2	5 x 56 mm	Plain (no plating)				
94A205063	ISO 1234 Split Pin, Stainless A2, 5 x 63 mm	Stainless A2	5 x 63 mm	Plain (no plating)				
94A205071	ISO 1234 Split Pin, Stainless A2, 5 x 71 mm	Stainless A2	5 x 71 mm	Plain (no plating)				
94A205075	ISO 1234 Split Pin, Stainless A2, 5 x 75 mm	Stainless A2	5 x 75 mm	Plain (no plating)				
94A205090	ISO 1234 Split Pin, Stainless A2, 5 x 90 mm	Stainless A2	5 x 90 mm	Plain (no plating)				
94A205100	ISO 1234 Split Pin, Stainless A2, 5 x 100 mm	Stainless A2	5 x 100 mm	Plain (no plating)				
94A2063020	ISO 1234 Split Pin, Stainless A2, 6.3 x 20 mm	Stainless A2	6.3 x 20 mm	Plain (no plating)				
94A2063025	ISO 1234 Split Pin, Stainless A2, 6.3 x 25 mm	Stainless A2	6.3 x 25 mm	Plain (no plating)				
94A2063028	ISO 1234 Split Pin, Stainless A2, 6.3 x 28 mm	Stainless A2	6.3 x 28 mm	Plain (no plating)				
94A2063032	ISO 1234 Split Pin, Stainless A2, 6.3 x 32 mm	Stainless A2	6.3 x 32 mm	Plain (no plating)				
94A2063036	ISO 1234 Split Pin, Stainless A2, 6.3 x 36 mm	Stainless A2	6.3 x 36 mm	Plain (no plating)				
94A2063040	ISO 1234 Split Pin, Stainless A2, 6.3 x 40 mm	Stainless A2	6.3 x 40 mm	Plain (no plating)				
94A2063045	ISO 1234 Split Pin, Stainless A2, 6.3 x 45 mm	Stainless A2	6.3 x 45 mm	Plain (no plating)				
94A2063050	ISO 1234 Split Pin, Stainless A2, 6.3 x 50 mm	Stainless A2	6.3 x 50 mm	Plain (no plating)				
94A2063056	ISO 1234 Split Pin, Stainless A2, 6.3 x 56 mm	Stainless A2	6.3 x 56 mm	Plain (no plating)				
94A2063063	ISO 1234 Split Pin, Stainless A2, 6.3 x 63 mm	Stainless A2	6.3 x 63 mm	Plain (no plating)				
94A2063071	ISO 1234 Split Pin, Stainless A2, 6.3 x 71 mm	Stainless A2	6.3 x 71 mm	Plain (no plating)				
94A2063075	ISO 1234 Split Pin, Stainless A2, 6.3 x 75 mm	Stainless A2	6.3 x 75 mm	Plain (no plating)				
94A2063080	ISO 1234 Split Pin, Stainless A2, 6.3 x 80 mm	Stainless A2	6.3 x 80 mm	Plain (no plating)				
94A2063090	ISO 1234 Split Pin, Stainless A2, 6.3 x 90 mm	Stainless A2	6.3 x 90 mm	Plain (no plating)				
94A2063100	ISO 1234 Split Pin, Stainless A2, 6.3 x 100 mm	Stainless A2	6.3 x 100 mm	Plain (no plating)				
94A208032	ISO 1234 Split Pin, Stainless A2, 8 x 32 mm	Stainless A2	8 x 32 mm	Plain (no plating)				
94A208036	ISO 1234 Split Pin, Stainless A2, 8 x 36 mm	Stainless A2	8 x 36 mm	Plain (no plating)				
94A208040	ISO 1234 Split Pin, Stainless A2, 8 x 40 mm	Stainless A2	8 x 40 mm	Plain (no plating)				
94A208045	ISO 1234 Split Pin, Stainless A2, 8 x 45 mm	Stainless A2	8 x 45 mm	Plain (no plating)				
94A208050	ISO 1234 Split Pin, Stainless A2, 8 x 50 mm	Stainless A2	8 x 50 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94A208056	ISO 1234 Split Pin, Stainless A2, 8 x 56 mm	Stainless A2	8 x 56 mm	Plain (no plating)				
94A208063	ISO 1234 Split Pin, Stainless A2, 8 x 63 mm	Stainless A2	8 x 63 mm	Plain (no plating)				
94A208075	ISO 1234 Split Pin, Stainless A2, 8 x 75 mm	Stainless A2	8 x 75 mm	Plain (no plating)				
94A208080	ISO 1234 Split Pin, Stainless A2, 8 x 80 mm	Stainless A2	8 x 80 mm	Plain (no plating)				
94A208100	ISO 1234 Split Pin, Stainless A2, 8 x 100 mm	Stainless A2	8 x 100 mm	Plain (no plating)				
94A210040	ISO 1234 Split Pin, Stainless A2, 10 x 38 mm	Stainless A2	10 x 38 mm	Plain (no plating)				
94A210050	ISO 1234 Split Pin, Stainless A2, 10 x 50 mm	Stainless A2	10 x 50 mm	Plain (no plating)				
94A210056	ISO 1234 Split Pin, Stainless A2, 10 x 56 mm	Stainless A2	10 x 56 mm	Plain (no plating)				
94A210063	ISO 1234 Split Pin, Stainless A2, 10 x 63 mm	Stainless A2	10 x 63 mm	Plain (no plating)				
94A210071	ISO 1234 Split Pin, Stainless A2, 10 x 71 mm	Stainless A2	10 x 71 mm	Plain (no plating)				
94A210075	ISO 1234 Split Pin, Stainless A2, 10 x 75 mm	Stainless A2	10 x 75 mm	Plain (no plating)				
94A210080	ISO 1234 Split Pin, Stainless A2, 10 x 80 mm	Stainless A2	10 x 80 mm	Plain (no plating)				
94A210090	ISO 1234 Split Pin, Stainless A2, 10 x 90 mm	Stainless A2	10 x 90 mm	Plain (no plating)				
94A210100	ISO 1234 Split Pin, Stainless A2, 10 x 100 mm	Stainless A2	10 x 100 mm	Plain (no plating)				
94A210112	ISO 1234 Split Pin, Stainless A2, 10 x 112 mm	Stainless A2	10 x 112 mm	Plain (no plating)				
94A210125	ISO 1234 Split Pin, Stainless A2, 10 x 125 mm	Stainless A2	10 x 125 mm	Plain (no plating)				
94A212014	ISO 1234 Split Pin, Stainless A2, 1.2 x 14 mm	Stainless A2	1.2 x 14 mm	Plain (no plating)				
94A216010	ISO 1234 Split Pin, Stainless A2, 1.6 x 10 mm	Stainless A2	1.6 x 10 mm	Plain (no plating)				
94A216020	ISO 1234 Split Pin, Stainless A2, 1.6 x 20 mm	Stainless A2	1.6 x 20 mm	Plain (no plating)				
94A225025	ISO 1234 Split Pin, Stainless A2, 2.5 x 25 mm	Stainless A2	2.5 x 25 mm	Plain (no plating)				
94A225028	ISO 1234 Split Pin, Stainless A2, 2.5 x 28 mm	Stainless A2	2.5 x 28 mm	Plain (no plating)				
94A232016	ISO 1234 Split Pin, Stainless A2, 3.2 x 16 mm	Stainless A2	3.2 x 16 mm	Plain (no plating)				
94A232032	ISO 1234 Split Pin, Stainless A2, 3.2 x 32 mm	Stainless A2	3.2 x 32 mm	Plain (no plating)				
94A232040	ISO 1234 Split Pin, Stainless A2, 3.2 x 40 mm	Stainless A2	3.2 x 40 mm	Plain (no plating)				
94A401008	ISO 1234 Split Pin, Stainless A4, 1 x 8 mm	Stainless A4	1 x 8 mm	Plain (no plating)				
94A401010	ISO 1234 Split Pin, Stainless A4, 1 x 10 mm	Stainless A4	1 x 10 mm	Plain (no plating)				
94A401016	ISO 1234 Split Pin, Stainless A4, 1 x 16 mm	Stainless A4	1 x 16 mm	Plain (no plating)				
94A401020	ISO 1234 Split Pin, Stainless A4, 1 x 20 mm	Stainless A4	1 x 20 mm	Plain (no plating)				
94A4012010	ISO 1234 Split Pin, Stainless A4, 1.2 x 10 mm	Stainless A4	1.2 x 10 mm	Plain (no plating)				
94A4012012	ISO 1234 Split Pin, Stainless A4, 1.2 x 12 mm	Stainless A4	1.2 x 12 mm	Plain (no plating)				
94A4012014	ISO 1234 Split Pin, Stainless A4, 1.2 x 14 mm	Stainless A4	1.2 x 14 mm	Plain (no plating)				
94A4012016	ISO 1234 Split Pin, Stainless A4, 1.2 x 16 mm	Stainless A4	1.2 x 16 mm	Plain (no plating)				
94A4012018	ISO 1234 Split Pin, Stainless A4, 1.2 x 18 mm	Stainless A4	1.2 x 18 mm	Plain (no plating)				
94A4012020	ISO 1234 Split Pin, Stainless A4, 1.2 x 20 mm	Stainless A4	1.2 x 20 mm	Plain (no plating)				
94A4012028	ISO 1234 Split Pin, Stainless A4, 1.2 x 28 mm	Stainless A4	1.2 x 28 mm	Plain (no plating)				
94A4016008	ISO 1234 Split Pin, Stainless A4, 1.6 x 8 mm	Stainless A4	1.6 x 8 mm	Plain (no plating)				
94A4016010	ISO 1234 Split Pin, Stainless A4, 1.6 x 10 mm	Stainless A4	1.6 x 10 mm	Plain (no plating)				
94A4016012	ISO 1234 Split Pin, Stainless A4, 1.6 x 12 mm	Stainless A4	1.6 x 12 mm	Plain (no plating)				
94A4016014	ISO 1234 Split Pin, Stainless A4, 1.6 x 14 mm	Stainless A4	1.6 x 14 mm	Plain (no plating)				
94A4016016	ISO 1234 Split Pin, Stainless A4, 1.6 x 16 mm	Stainless A4	1.6 x 16 mm	Plain (no plating)				
94A4016020	ISO 1234 Split Pin, Stainless A4, 1.6 x 20 mm	Stainless A4	1.6 x 20 mm	Plain (no plating)				
94A4016022	ISO 1234 Split Pin, Stainless A4, 1.6 x 22 mm	Stainless A4	1.6 x 22 mm	Plain (no plating)				
94A4016025	ISO 1234 Split Pin, Stainless A4, 1.6 x 25 mm	Stainless A4	1.6 x 25 mm	Plain (no plating)				
94A4016028	ISO 1234 Split Pin, Stainless A4, 1.6 x 28 mm	Stainless A4	1.6 x 28 mm	Plain (no plating)				
94A4016032	ISO 1234 Split Pin, Stainless A4, 1.6 x 32 mm	Stainless A4	1.6 x 32 mm	Plain (no plating)				
94A4016036	ISO 1234 Split Pin, Stainless A4, 1.6 x 36 mm	Stainless A4	1.6 x 36 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94A4016040	ISO 1234 Split Pin, Stainless A4, 1.6 x 40 mm	Stainless A4	1.6 x 40 mm	Plain (no plating)				
94A4016045	ISO 1234 Split Pin, Stainless A4, 1.6 x 45 mm	Stainless A4	1.6 x 45 mm	Plain (no plating)				
94A402008	ISO 1234 Split Pin, Stainless A4, 2 x 8 mm	Stainless A4	2 x 8 mm	Plain (no plating)				
94A402010	ISO 1234 Split Pin, Stainless A4, 2 x 10 mm	Stainless A4	2 x 10 mm	Plain (no plating)				
94A402012	ISO 1234 Split Pin, Stainless A4, 2 x 12 mm	Stainless A4	2 x 12 mm	Plain (no plating)				
94A402014	ISO 1234 Split Pin, Stainless A4, 2 x 14 mm	Stainless A4	2 x 14 mm	Plain (no plating)				
94A402016	ISO 1234 Split Pin, Stainless A4, 2 x 16 mm	Stainless A4	2 x 16 mm	Plain (no plating)				
94A402018	ISO 1234 Split Pin, Stainless A4, 2 x 18 mm	Stainless A4	2 x 18 mm	Plain (no plating)				
94A402020	ISO 1234 Split Pin, Stainless A4, 2 x 20 mm	Stainless A4	2 x 20 mm	Plain (no plating)				
94A402022	ISO 1234 Split Pin, Stainless A4, 2 x 22 mm	Stainless A4	2 x 22 mm	Plain (no plating)				
94A402025	ISO 1234 Split Pin, Stainless A4, 2 x 25 mm	Stainless A4	2 x 25 mm	Plain (no plating)				
94A402028	ISO 1234 Split Pin, Stainless A4, 2 x 28 mm	Stainless A4	2 x 28 mm	Plain (no plating)				
94A402030	ISO 1234 Split Pin, Stainless A4, 2 x 30 mm	Stainless A4	2 x 30 mm	Plain (no plating)				
94A402032	ISO 1234 Split Pin, Stainless A4, 2 x 32 mm	Stainless A4	2 x 32 mm	Plain (no plating)				
94A402036	ISO 1234 Split Pin, Stainless A4, 2 x 36 mm	Stainless A4	2 x 36 mm	Plain (no plating)				
94A402038	ISO 1234 Split Pin, Stainless A4, 2 x 40 mm	Stainless A4	2 x 40 mm	Plain (no plating)				
94A402040	ISO 1234 Split Pin, Stainless A4, 2 x 40 mm	Stainless A4	2 x 40 mm	Plain (no plating)				
94A402045	ISO 1234 Split Pin, Stainless A4, 2 x 45 mm	Stainless A4	2 x 45 mm	Plain (no plating)				
94A402050	ISO 1234 Split Pin, Stainless A4, 2 x 50 mm	Stainless A4	2 x 50 mm	Plain (no plating)				
94A4025010	ISO 1234 Split Pin, Stainless A4, 2.5 x 10 mm	Stainless A4	2.5 x 10 mm	Plain (no plating)				
94A4025012	ISO 1234 Split Pin, Stainless A4, 2.5 x 12 mm	Stainless A4	2.5 x 12 mm	Plain (no plating)				
94A4025014	ISO 1234 Split Pin, Stainless A4, 2.5 x 14 mm	Stainless A4	2.5 x 14 mm	Plain (no plating)				
94A4025016	ISO 1234 Split Pin, Stainless A4, 2.5 x 16 mm	Stainless A4	2.5 x 16 mm	Plain (no plating)				
94A4025018	ISO 1234 Split Pin, Stainless A4, 2.5 x 18 mm	Stainless A4	2.5 x 18 mm	Plain (no plating)				
94A4025020	ISO 1234 Split Pin, Stainless A4, 2.5 x 20 mm	Stainless A4	2.5 x 20 mm	Plain (no plating)				
94A4025025	ISO 1234 Split Pin, Stainless A4, 2.5 x 25 mm	Stainless A4	2.5 x 25 mm	Plain (no plating)				
94A4025032	ISO 1234 Split Pin, Stainless A4, 2.5 x 32 mm	Stainless A4	2.5 x 32 mm	Plain (no plating)				
94A4025036	ISO 1234 Split Pin, Stainless A4, 2.5 x 36 mm	Stainless A4	2.5 x 36 mm	Plain (no plating)				
94A4025040	ISO 1234 Split Pin, Stainless A4, 2.5 x 40 mm	Stainless A4	2.5 x 40 mm	Plain (no plating)				
94A4025045	ISO 1234 Split Pin, Stainless A4, 2.5 x 45 mm	Stainless A4	2.5 x 45 mm	Plain (no plating)				
94A4025050	ISO 1234 Split Pin, Stainless A4, 2.5 x 50 mm	Stainless A4	2.5 x 50 mm	Plain (no plating)				
94A4032012	ISO 1234 Split Pin, Stainless A4, 3.2 x 12 mm	Stainless A4	3.2 x 12 mm	Plain (no plating)				
94A4032016	ISO 1234 Split Pin, Stainless A4, 3.2 x 16 mm	Stainless A4	3.2 x 16 mm	Plain (no plating)				
94A4032018	ISO 1234 Split Pin, Stainless A4, 3.2 x 18 mm	Stainless A4	3.2 x 18 mm	Plain (no plating)				
94A4032020	ISO 1234 Split Pin, Stainless A4, 3.2 x 20 mm	Stainless A4	3.2 x 20 mm	Plain (no plating)				
94A4032022	ISO 1234 Split Pin, Stainless A4, 3.2 x 22 mm	Stainless A4	3.2 x 22 mm	Plain (no plating)				
94A4032025	ISO 1234 Split Pin, Stainless A4, 3.2 x 25 mm	Stainless A4	3.2 x 25 mm	Plain (no plating)				
94A4032028	ISO 1234 Split Pin, Stainless A4, 3.2 x 28 mm	Stainless A4	3.2 x 28 mm	Plain (no plating)				
94A4032032	ISO 1234 Split Pin, Stainless A4, 3.2 x 32 mm	Stainless A4	3.2 x 32 mm	Plain (no plating)				
94A4032036	ISO 1234 Split Pin, Stainless A4, 3.2 x 36 mm	Stainless A4	3.2 x 36 mm	Plain (no plating)				
94A4032040	ISO 1234 Split Pin, Stainless A4, 3.2 x 40 mm	Stainless A4	3.2 x 40 mm	Plain (no plating)				
94A4032045	ISO 1234 Split Pin, Stainless A4, 3.2 x 45 mm	Stainless A4	3.2 x 45 mm	Plain (no plating)				
94A4032050	ISO 1234 Split Pin, Stainless A4, 3.2 x 50 mm	Stainless A4	3.2 x 50 mm	Plain (no plating)				
94A4032063	ISO 1234 Split Pin, Stainless A4, 3.2 x 63 mm	Stainless A4	3.2 x 63 mm	Plain (no plating)				
94A4032071	ISO 1234 Split Pin, Stainless A4, 3.2 x 71 mm	Stainless A4	3.2 x 71 mm	Plain (no plating)				
94A404016	ISO 1234 Split Pin, Stainless A4, 4 x 16 mm	Stainless A4	4 x 16 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94A404020	ISO 1234 Split Pin, Stainless A4, 4 x 20 mm	Stainless A4	4 x 20 mm	Plain (no plating)				
94A404022	ISO 1234 Split Pin, Stainless A4, 4 x 22 mm	Stainless A4	4 x 22 mm	Plain (no plating)				
94A404025	ISO 1234 Split Pin, Stainless A4, 4 x 25 mm	Stainless A4	4 x 25 mm	Plain (no plating)				
94A404032	ISO 1234 Split Pin, Stainless A4, 4 x 32 mm	Stainless A4	4 x 32 mm	Plain (no plating)				
94A404036	ISO 1234 Split Pin, Stainless A4, 4 x 36 mm	Stainless A4	4 x 36 mm	Plain (no plating)				
94A404038	ISO 1234 Split Pin, Stainless A4, 4 x 38 mm	Stainless A4	4 x 38 mm	Plain (no plating)				
94A404040	ISO 1234 Split Pin, Stainless A4, 4 x 40 mm	Stainless A4	4 x 40 mm	Plain (no plating)				
94A404045	ISO 1234 Split Pin, Stainless A4, 4 x 45 mm	Stainless A4	4 x 45 mm	Plain (no plating)				
94A404050	ISO 1234 Split Pin, Stainless A4, 4 x 50 mm	Stainless A4	4 x 50 mm	Plain (no plating)				
94A404063	ISO 1234 Split Pin, Stainless A4, 4 x 63 mm	Stainless A4	4 x 63 mm	Plain (no plating)				
94A404071	ISO 1234 Split Pin, Stainless A4, 4 x 71 mm	Stainless A4	4 x 71 mm	Plain (no plating)				
94A404080	ISO 1234 Split Pin, Stainless A4, 4 x 80 mm	Stainless A4	4 x 80 mm	Plain (no plating)				
94A404090	ISO 1234 Split Pin, Stainless A4, 4 x 90 mm	Stainless A4	4 x 90 mm	Plain (no plating)				
94A404100	ISO 1234 Split Pin, Stainless A4, 4 x 100 mm	Stainless A4	4 x 100 mm	Plain (no plating)				
94A405016	ISO 1234 Split Pin, Stainless A4, 5 x 16 mm	Stainless A4	5 x 16 mm	Plain (no plating)				
94A405020	ISO 1234 Split Pin, Stainless A4, 5 x 20 mm	Stainless A4	5 x 20 mm	Plain (no plating)				
94A405025	ISO 1234 Split Pin, Stainless A4, 5 x 25 mm	Stainless A4	5 x 25 mm	Plain (no plating)				
94A405028	ISO 1234 Split Pin, Stainless A4, 5 x 28 mm	Stainless A4	5 x 28 mm	Plain (no plating)				
94A405032	ISO 1234 Split Pin, Stainless A4, 5 x 32 mm	Stainless A4	5 x 32 mm	Plain (no plating)				
94A405036	ISO 1234 Split Pin, Stainless A4, 5 x 36 mm	Stainless A4	5 x 36 mm	Plain (no plating)				
94A405040	ISO 1234 Split Pin, Stainless A4, 5 x 40 mm	Stainless A4	5 x 40 mm	Plain (no plating)				
94A405045	ISO 1234 Split Pin, Stainless A4, 5 x 45 mm	Stainless A4	5 x 45 mm	Plain (no plating)				
94A405050	ISO 1234 Split Pin, Stainless A4, 5 x 50 mm	Stainless A4	5 x 50 mm	Plain (no plating)				
94A405056	ISO 1234 Split Pin, Stainless A4, 5 x 56 mm	Stainless A4	5 x 56 mm	Plain (no plating)				
94A405063	ISO 1234 Split Pin, Stainless A4, 5 x 63 mm	Stainless A4	5 x 63 mm	Plain (no plating)				
94A405071	ISO 1234 Split Pin, Stainless A4, 5 x 71 mm	Stainless A4	5 x 71 mm	Plain (no plating)				
94A405080	ISO 1234 Split Pin, Stainless A4, 5 x 80 mm	Stainless A4	5 x 80 mm	Plain (no plating)				
94A405090	ISO 1234 Split Pin, Stainless A4, 5 x 90 mm	Stainless A4	5 x 90 mm	Plain (no plating)				
94A405100	ISO 1234 Split Pin, Stainless A4, 5 x 100 mm	Stainless A4	5 x 100 mm	Plain (no plating)				
94A4063025	ISO 1234 Split Pin, Stainless A4, 6.3 x 25 mm	Stainless A4	6.3 x 25 mm	Plain (no plating)				
94A4063028	ISO 1234 Split Pin, Stainless A4, 6.3 x 28 mm	Stainless A4	6.3 x 28 mm	Plain (no plating)				
94A4063032	ISO 1234 Split Pin, Stainless A4, 6.3 x 32 mm	Stainless A4	6.3 x 32 mm	Plain (no plating)				
94A4063036	ISO 1234 Split Pin, Stainless A4, 6.3 x 36 mm	Stainless A4	6.3 x 36 mm	Plain (no plating)				
94A4063040	ISO 1234 Split Pin, Stainless A4, 6.3 x 40 mm	Stainless A4	6.3 x 40 mm	Plain (no plating)				
94A4063045	ISO 1234 Split Pin, Stainless A4, 6.3 x 45 mm	Stainless A4	6.3 x 45 mm	Plain (no plating)				
94A4063050	ISO 1234 Split Pin, Stainless A4, 6.3 x 50 mm	Stainless A4	6.3 x 50 mm	Plain (no plating)				
94A4063056	ISO 1234 Split Pin, Stainless A4, 6.3 x 56 mm	Stainless A4	6.3 x 56 mm	Plain (no plating)				
94A4063063	ISO 1234 Split Pin, Stainless A4, 6.3 x 63 mm	Stainless A4	6.3 x 63 mm	Plain (no plating)				
94A4063071	ISO 1234 Split Pin, Stainless A4, 6.3 x 71 mm	Stainless A4	6.3 x 71 mm	Plain (no plating)				
94A4063080	ISO 1234 Split Pin, Stainless A4, 6.3 x 80 mm	Stainless A4	6.3 x 80 mm	Plain (no plating)				
94A4063090	ISO 1234 Split Pin, Stainless A4, 6.3 x 90 mm	Stainless A4	6.3 x 90 mm	Plain (no plating)				
94A4063100	ISO 1234 Split Pin, Stainless A4, 6.3 x 100 mm	Stainless A4	6.3 x 100 mm	Plain (no plating)				
94A4063125	ISO 1234 Split Pin, Stainless A4, 6.3 x 125 mm	Stainless A4	6.3 x 125 mm	Plain (no plating)				
94A408032	ISO 1234 Split Pin, Stainless A4, 8 x 32 mm	Stainless A4	8 x 32 mm	Plain (no plating)				
94A408040	ISO 1234 Split Pin, Stainless A4, 8 x 40 mm	Stainless A4	8 x 40 mm	Plain (no plating)				
94A408045	ISO 1234 Split Pin, Stainless A4, 8 x 45 mm	Stainless A4	8 x 45 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94A408050	ISO 1234 Split Pin, Stainless A4, 8 x 50 mm	Stainless A4	8 x 50 mm	Plain (no plating)				
94A408056	ISO 1234 Split Pin, Stainless A4, 8 x 56 mm	Stainless A4	8 x 56 mm	Plain (no plating)				
94A408063	ISO 1234 Split Pin, Stainless A4, 8 x 63 mm	Stainless A4	8 x 63 mm	Plain (no plating)				
94A408071	ISO 1234 Split Pin, Stainless A4, 8 x 71 mm	Stainless A4	8 x 71 mm	Plain (no plating)				
94A408080	ISO 1234 Split Pin, Stainless A4, 8 x 80 mm	Stainless A4	8 x 80 mm	Plain (no plating)				
94A408090	ISO 1234 Split Pin, Stainless A4, 8 x 90 mm	Stainless A4	8 x 90 mm	Plain (no plating)				
94A408100	ISO 1234 Split Pin, Stainless A4, 8 x 100 mm	Stainless A4	8 x 100 mm	Plain (no plating)				
94A408112	ISO 1234 Split Pin, Stainless A4, 8 x 112 mm	Stainless A4	8 x 112 mm	Plain (no plating)				
94A408140	ISO 1234 Split Pin, Stainless A4, 8 x 140 mm	Stainless A4	8 x 140 mm	Plain (no plating)				
94A410045	ISO 1234 Split Pin, Stainless A4, 10 x 45 mm	Stainless A4	10 x 45 mm	Plain (no plating)				
94A410050	ISO 1234 Split Pin, Stainless A4, 10 x 50 mm	Stainless A4	10 x 50 mm	Plain (no plating)				
94A410063	ISO 1234 Split Pin, Stainless A4, 10 x 63 mm	Stainless A4	10 x 63 mm	Plain (no plating)				
94A410071	ISO 1234 Split Pin, Stainless A4, 10 x 71 mm	Stainless A4	10 x 71 mm	Plain (no plating)				
94A410075	ISO 1234 Split Pin, Stainless A4, 10 x 75 mm	Stainless A4	10 x 75 mm	Plain (no plating)				
94A410080	ISO 1234 Split Pin, Stainless A4, 10 x 80 mm	Stainless A4	10 x 80 mm	Plain (no plating)				
94A410090	ISO 1234 Split Pin, Stainless A4, 10 x 90 mm	Stainless A4	10 x 90 mm	Plain (no plating)				
94A410100	ISO 1234 Split Pin, Stainless A4, 10 x 100 mm	Stainless A4	10 x 100 mm	Plain (no plating)				
94A410112	ISO 1234 Split Pin, Stainless A4, 10 x 112 mm	Stainless A4	10 x 112 mm	Plain (no plating)				
94A410125	ISO 1234 Split Pin, Stainless A4, 10 x 125 mm	Stainless A4	10 x 125 mm	Plain (no plating)				
94A410150	ISO 1234 Split Pin, Stainless A4, 10 x 150 mm	Stainless A4	10 x 150 mm	Plain (no plating)				
94A413100	ISO 1234 Split Pin, Stainless A4, 13 x 100 mm	Stainless A4	13 x 100 mm	Plain (no plating)				
94A413180	ISO 1234 Split Pin, Stainless A4, 13 x 180 mm	Stainless A4	13 x 180 mm	Plain (no plating)				
94A4132025	ISO 1234 Split Pin, Stainless A4, 1 x 25 mm	Stainless A4	1 x 25 mm	Plain (no plating)				
94A4132032	ISO 1234 Split Pin, Stainless A4, 1 x 32 mm	Stainless A4	1 x 32 mm	Plain (no plating)				
94A425010	ISO 1234 Split Pin, Stainless A4, 2.5 x 10 mm	Stainless A4	2.5 x 10 mm	Plain (no plating)				
94A43160045	ISO 1234 Split Pin, Stainless A4, 5 x 45 mm	Stainless A4	5 x 45 mm	Plain (no plating)				
94A432022	ISO 1234 Split Pin, Stainless A4, 3.2 x 22 mm	Stainless A4	3.2 x 22 mm	Plain (no plating)				
94A432032	ISO 1234 Split Pin, Stainless A4, 3.2 x 32 mm	Stainless A4	3.2 x 32 mm	Plain (no plating)				
94A438038	ISO 1234 Split Pin, Stainless A4, 10 x 38 mm	Stainless A4	10 x 38 mm	Plain (no plating)				
94A438055	ISO 1234 Split Pin, Stainless A4, 10 x 55 mm	Stainless A4	10 x 55 mm	Plain (no plating)				
94A4532090	ISO 1234 Split Pin, Stainless A4, 4 x 90 mm	Stainless A4	4 x 90 mm	Plain (no plating)				
94B02010	ISO 1234 Split Pin, 2 x 10 mm, Plain		2 x 10 mm	Plain (no plating)				
94B02025	ISO 1234 Split Pin, 2 x 25 mm, Plain		2 x 25 mm	Plain (no plating)				
94B02040	ISO 1234 Split Pin, 2 x 40 mm, Plain		2 x 40 mm	Plain (no plating)				
94B025012K	ISO 1234 Split Pin, 2.5 x 12 mm, Plain		2.5 x 12 mm	Plain (no plating)				
94B032040	ISO 1234 Split Pin, 3.2 x 40 mm, Plain		3.2 x 40 mm	Plain (no plating)	3.2 mm			
94B05045	ISO 1234 Split Pin, 5 x 45 mm, Plain		5 x 45 mm	Plain (no plating)				
94B05063	ISO 1234 Split Pin, 5 x 63 mm, Plain		5 x 63 mm	Plain (no plating)				
94C016010	ISO 1234 Split Pin, 1.6 x 10 mm, Copper, Plain		1.6 x 10 mm	Plain (no plating)				
94C020018	ISO 1234 Split Pin, 2 x 18 mm, Copper, Plain		2 x 18 mm	Plain (no plating)				
94C020036	ISO 1234 Split Pin, 2 x 36 mm, Copper, Plain		2 x 36 mm	Plain (no plating)				
94C025025	ISO 1234 Split Pin, 2.5 x 25 mm, Copper, Plain		2.5 x 25 mm	Plain (no plating)				
94C032036	ISO 1234 Split Pin, 3.2 x 36 mm, Copper, Plain		3.2 x 36 mm	Plain (no plating)				
94C040025	ISO 1234 Split Pin, 4 x 25 mm, Copper, Plain		4 x 25 mm	Plain (no plating)				
94C04040TN	ISO 1234 Split Pin, 4 x 40 mm, Copper, Plain		4 x 40 mm	Plain (no plating)				
94C05036	ISO 1234 Split Pin, 5 x 36 mm, Copper, Plain		5 x 36 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
94C08100	ISO 1234 Split Pin, 8 x 100 mm, Copper, Plain		8 x 100 mm	Plain (no plating)				
S902177-219	ISO 1234 Split Pin, Steel, 4 x 28 mm, Plain (S902177-219)	Steel	4 x 28 mm	Plain (no plating)				