
ISO 14581 — Flat Head Screw with Torx

Catalogue data sheet · 118 sizes · category Bolts and Screws / Socket Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14581030051	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 5, Zinc Pla	Steel 4.8	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm		5.5 mm
14581030061	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 6, Zinc Pla	Steel 4.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm		5.5 mm
14581030081	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 8, Zinc Pla	Steel 4.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		5.5 mm
14581030101	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 10, Zinc Pl	Steel 4.8	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.5 mm
14581030121	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 12, Zinc Pl	Steel 4.8	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		5.5 mm
14581030141	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 14, Zinc Pl	Steel 4.8	M3 x 14	Zinc Bright Passivation Fe/Zn P1	3 mm	14 mm		5.5 mm
14581030161	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 16, Zinc Pl	Steel 4.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm		5.5 mm
14581030501	ISO 14581 Flat Head Screw with Torx, Steel 4.8, M3 x 50, Zinc Pl	Steel 4.8	M3 x 50	Zinc Bright Passivation Fe/Zn P1	3 mm	50 mm		5.5 mm
14581040081	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M4 x 8, Zin	Steel 4.8	04.8 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		8.4 mm
14581040101	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M4 x 10, Zi	Steel 4.8	04.8 M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm		8.4 mm
14581040161	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M4 x 16, Zi	Steel 4.8	04.8 M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		8.4 mm
14581040351	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M4 x 35, Zi	Steel 4.8	04.8 M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm		8.4 mm
14581050101	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 10, Zi	Steel 4.8	04.8 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		9.3 mm
14581050121	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 12, Zi	Steel 4.8	04.8 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		9.3 mm
14581050161	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 16, Zi	Steel 4.8	04.8 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		9.3 mm
1458105018	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 18, Pl	Steel 4.8	04.8 M5 x 18	Plain (no plating)	5 mm	18 mm		9.3 mm
14581050181	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 18, Zi	Steel 4.8	04.8 M5 x 18	Zinc Bright Passivation Fe/Zn P1	5 mm	18 mm		9.3 mm
14581050201	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 20, Zi	Steel 4.8	04.8 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		9.3 mm
14581050351	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 35, Zi	Steel 4.8	04.8 M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		9.3 mm
14581050401	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 40, Zi	Steel 4.8	04.8 M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		9.3 mm
14581050451	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 45, Zi	Steel 4.8	04.8 M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm		9.3 mm
14581050501	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M5 x 50, Zi	Steel 4.8	04.8 M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm		9.3 mm
14581060121	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M6 x 12, Zi	Steel 4.8	04.8 M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		11.3 mm
14581060161	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M6 x 16, Zi	Steel 4.8	04.8 M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		11.3 mm
14581060201	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M6 x 20, Zi	Steel 4.8	04.8 M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		11.3 mm
14581060351	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M6 x							

35, Zi

Steel 4.8	04.8 M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		11.3 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14581080301	ISO 14581 Flat Head Screw with Torx, Steel 4.8, 04.8 M8 x 30, Zi	Steel 4.8	04.8 M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		15.8 mm
1458110040101	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M4 x 10	Steel 10.9	010.9 M4 x 10	Plain (no plating)	4 mm	10 mm		8.4 mm
1458110040121	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M4 x 12	Steel 10.9	010.9 M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		8.4 mm
1458110050121	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M5 x 12	Steel 10.9	010.9 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		9.3 mm
1458110060251	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M6 x 25	Steel 10.9	010.9 M6 x 25	Plain (no plating)	6 mm	25 mm		11.3 mm
1458110100201	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M10 x 20	Steel 10.9	010.9 M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm		18.3 mm
1458110100351	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M10 x 35	Steel 10.9	010.9 M10 x 35	Plain (no plating)	10 mm	35 mm		18.3 mm
1458110100351	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M10 x 35	Steel 10.9	010.9 M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm		18.3 mm
1458110101301	ISO 14581 Flat Head Screw with Torx, Steel 10.9, 010.9 M10 x 130	Steel 10.9	010.9 M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm		18.3 mm
1458180300501	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 5, Zinc Pla	Steel 8.8	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm		5.5 mm
1458180300601	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 6, Zinc Pla	Steel 8.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm		5.5 mm
1458180300801	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 8, Zinc Pla	Steel 8.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		5.5 mm
1458180301001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 10, Zinc Pl	Steel 8.8	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.5 mm
1458180301201	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 12, Zinc Pl	Steel 8.8	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		5.5 mm
1458180301601	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 16, Zinc Pl	Steel 8.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm		5.5 mm
1458180302001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 20, Zinc Pl	Steel 8.8	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm		5.5 mm
1458180302501	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 25, Zinc Pl	Steel 8.8	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm		5.5 mm
1458180303001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 30, Zinc Pl	Steel 8.8	M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm		5.5 mm
1458180304001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, M3 x 40, Zinc Pl	Steel 8.8	M3 x 40	Zinc Bright Passivation Fe/Zn P1	3 mm	40 mm		5.5 mm
1458180400601	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 6, Zin	Steel 8.8	08.8 M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm		8.4 mm
1458180400801	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 8, Zin	Steel 8.8	08.8 M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		8.4 mm
1458180401201	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 12, Zi	Steel 8.8	08.8 M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		8.4 mm
14581804014	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 14, Pl	Steel 8.8	08.8 M4 x 14	Plain (no plating)	4 mm	14 mm		8.4 mm
1458180401401	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 14, Zi	Steel 8.8	08.8 M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm		8.4 mm
1458180401601	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 16, Zi	Steel 8.8	08.8 M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		8.4 mm
14581804018	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 18, Pl	Steel 8.8	08.8 M4 x 18	Plain (no plating)	4 mm	18 mm		8.4 mm
1458180402001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 20, Zi	Steel 8.8	08.8 M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm		8.4 mm
14581804025	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 25, Pl	Steel 8.8	08.8 M4 x 25	Plain (no plating)	4 mm	25 mm		8.4 mm
1458180402501	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 25, Zi	Steel 8.8	08.8 M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm		8.4 mm
1458180403001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 30, Zi	Steel 8.8	08.8 M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm		8.4 mm
1458180404001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M4 x 40, Zi	Steel 8.8	08.8 M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm		8.4 mm
1458180500601	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 6, Zin	Steel 8.8	08.8 M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm		9.3 mm
1458180500801	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 8, Zin	Steel 8.8	08.8 M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm		9.3 mm
1458180501001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 10, Zi	Steel 8.8	08.8 M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		9.3 mm
1458180501201	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 12, Zi	Steel 8.8	08.8 M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		9.3 mm
14581805016	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 16, Pl	Steel 8.8	08.8 M5 x 16	Plain (no plating)	5 mm	16 mm		9.3 mm
1458180501601	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 16, Pl	Steel 8.8	08.8 M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		9.3 mm
1458180502001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 20, Zi	Steel 8.8	08.8 M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		9.3 mm
1458180502501	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 25, Zi	Steel 8.8	08.8 M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		9.3 mm
1458180503001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 30, Zi	Steel 8.8	08.8 M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm		9.3 mm
1458180503501	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 35, Zi	Steel 8.8	08.8 M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm		9.3 mm
1458180504001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 40, Zi	Steel 8.8	08.8 M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		9.3 mm
14581805045	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M5 x 45, Pl	Steel 8.8	08.8 M5 x 45	Plain (no plating)	5 mm	45 mm		9.3 mm
1458180600801	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 8, Zin	Steel 8.8	08.8 M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm		11.3 mm
1458180601001	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 10, Zi	Steel 8.8	08.8 M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm		11.3 mm
1458180601201	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x							

12, Zi

Steel 8.8	08.8 M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		11.3 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
145818060161	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 16-Zi	Steel 8.8	08.8 M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		11.3 mm
145818060201	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 20-Zi	Steel 8.8	08.8 M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		11.3 mm
145818060251	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 25-Zi	Steel 8.8	08.8 M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm		11.3 mm
145818060301	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 30-Zi	Steel 8.8	08.8 M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		11.3 mm
145818060351	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 35-Zi	Steel 8.8	08.8 M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm		11.3 mm
145818060401	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 40-Zi	Steel 8.8	08.8 M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm		11.3 mm
145818060451	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 45-Zi	Steel 8.8	08.8 M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm		11.3 mm
14581806050	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 50-Pl	Steel 8.8	08.8 M6 x 50	Plain (no plating)	6 mm	50 mm		11.3 mm
145818060501	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 50-Zi	Steel 8.8	08.8 M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm		11.3 mm
145818060601	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M6 x 60-Zi	Steel 8.8	08.8 M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm		11.3 mm
145818080141	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 14-Zi	Steel 8.8	08.8 M8 x 14	Zinc Bright Passivation Fe/Zn P1	8 mm	14 mm		15.8 mm
145818080161	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 16-Zi	Steel 8.8	08.8 M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm		15.8 mm
14581808020	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 20-Pl	Steel 8.8	08.8 M8 x 20	Plain (no plating)	8 mm	20 mm		15.8 mm
145818080201	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 20-Zi	Steel 8.8	08.8 M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm		15.8 mm
145818080251	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 25-Zi	Steel 8.8	08.8 M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm		15.8 mm
145818080301	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 30-Zi	Steel 8.8	08.8 M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm		15.8 mm
145818080351	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 35-Zi	Steel 8.8	08.8 M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm		15.8 mm
145818080401	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 40-Zi	Steel 8.8	08.8 M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm		15.8 mm
145818080451	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 45-Zi	Steel 8.8	08.8 M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm		15.8 mm
145818080501	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M8 x 50-Zi	Steel 8.8	08.8 M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm		15.8 mm
14581810025	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M10 x 25-P	Steel 8.8	08.8 M10 x 25	Plain (no plating)	10 mm	25 mm		18.3 mm
14581810050	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M10 x 50-P	Steel 8.8	08.8 M10 x 50	Plain (no plating)	10 mm	50 mm		18.3 mm
14581810060	ISO 14581 Flat Head Screw with Torx, Steel 8.8, 08.8 M10 x 60-P	Steel 8.8	08.8 M10 x 60	Plain (no plating)	10 mm	60 mm		18.3 mm
14581A202016	ISO 14581 Flat Head Screw with Torx, Stainless A2-50, M2 x 16	Stainless A2-50	M2 x 16	Plain (no plating)	2 mm	16 mm		3.8 mm
14581A2025014	ISO 14581 Flat Head Screw with Torx, Stainless A2, M2.5 x 14	Stainless A2	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm		4.7 mm
14581A203009	ISO 14581 Flat Head Screw with Torx, Stainless A2, M3 x 9	Stainless A2	M3 x 9	Plain (no plating)	3 mm	9 mm		5.5 mm
14581A203010	ISO 14581 Flat Head Screw with Torx, Stainless A2, M3 x 10	Stainless A2	M3 x 10	Plain (no plating)	3 mm	10 mm		5.5 mm
14581A205040	ISO 14581 Flat Head Screw with Torx, Stainless A2-50, M5 x 40	Stainless A2-50	M5 x 40	Plain (no plating)	5 mm	40 mm		9.3 mm
14581A206050	ISO 14581 Flat Head Screw with Torx, Stainless A2-50, M6 x 50	Stainless A2-50	M6 x 50	Plain (no plating)	6 mm	50 mm		11.3 mm
14581A206070	ISO 14581 Flat Head Screw with Torx, Stainless A2-50, M6 x 70	Stainless A2-50	M6 x 70	Plain (no plating)	6 mm	70 mm		11.3 mm
14581A208020	ISO 14581 Flat Head Screw with Torx, Stainless A2, M8 x 20	Stainless A2	M8 x 20	Plain (no plating)	8 mm	20 mm		15.8 mm
14581A402500670	ISO 14581 Flat Head Screw with Torx, Stainless A4-70, M2.5 x 6	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm		4.7 mm
14581A40300870	ISO 14581 Flat Head Screw with Torx, Stainless A4-70, M3 x 8	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm		5.5 mm
14581A40400880	ISO 14581 Flat Head Screw with Torx, Stainless A4, M4 x 8	Stainless A4	M4 x 8	Plain (no plating)	4 mm	8 mm		8.4 mm
14581A40401080	ISO 14581 Flat Head Screw with Torx, Stainless A4, M4 x 10	Stainless A4	M4 x 10	Plain (no plating)	4 mm	10 mm		8.4 mm
14581A40401670	ISO 14581 Flat Head Screw with Torx, Stainless A4-70, M4 x 16	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm		8.4 mm
14581A40402080	ISO 14581 Flat Head Screw with Torx, Stainless A4-80, M4 x 20	Stainless A4-80	M4 x 20	Plain (no plating)	4 mm	20 mm		8.4 mm
14581A40501080	ISO 14581 Flat Head Screw with Torx, Stainless A4, M5 x 10	Stainless A4	M5 x 10	Plain (no plating)	5 mm	10 mm		9.3 mm
14581A40501280	ISO 14581 Flat Head Screw with Torx, Stainless A4, M5 x 12	Stainless A4	M5 x 12	Plain (no plating)	5 mm	12 mm		9.3 mm
14581A405014	ISO 14581 Flat Head Screw with Torx, Stainless A4, M5 x 14	Stainless A4	M5 x 14	Plain (no plating)	5 mm	14 mm		9.3 mm
14581A40501680	ISO 14581 Flat Head Screw with Torx, Stainless A4, M5 x 16	Stainless A4	M5 x 16	Plain (no plating)	5 mm	16 mm		9.3 mm
14581A40502080	ISO 14581 Flat Head Screw with Torx, Stainless A4-80, M5 x 20	Stainless A4-80	M5 x 20	Plain (no plating)	5 mm	20 mm		9.3 mm
14581A40502580	ISO 14581 Flat Head Screw with Torx, Stainless A4-80, M5 x 25	Stainless A4-80	M5 x 25	Plain (no plating)	5 mm	25 mm		9.3 mm
14581A40603080	ISO 14581 Flat Head Screw with Torx, Stainless A4-80, M6 x 30	Stainless A4-80	M6 x 30	Plain (no plating)	6 mm	30 mm		11.3 mm
14581A40801680	ISO 14581 Flat Head Screw with Torx, Stainless A4-80, M8 x 16	Stainless A4-80	M8 x 16	Plain (no plating)	8 mm	16 mm		15.8 mm
14581A40802580	ISO 14581 Flat Head Screw with Torx, Stainless A4, M8 x							

25

Stainless A4	M8 x 25	Plain (no plating)	8 mm	25 mm	15.8 mm