
# ISO 14583 — Rounded Head Screw with Torx

Catalogue data sheet · 422 sizes · category Bolts and Screws / Round Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.









| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583020041 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M2 x 4, Zinc | Steel 4.8 | M2 x 4 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 4 mm | | 4 mm |
| 14583020101 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M2 x 10, Zinc | Steel 4.8 | M2 x 10 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 10 mm | | 4 mm |
| 14583020121 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M2 x 12, Zinc | Steel 4.8 | M2 x 12 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 12 mm | | 4 mm |
| 14583020151 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M2 x 15, Zinc | Steel 4.8 | M2 x 15 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 15 mm | | 4 mm |
| 145830250061 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M2.5 x 6, Zinc | Steel 4.8 | M2.5 x 6 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 6 mm | | 5 mm |
| 14583030041 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 4, Zinc | Steel 4.8 | M3 x 4 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 4 mm | | 5.6 mm |
| 14583030051 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 5, Zinc | Steel 4.8 | M3 x 5 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 5 mm | | 5.6 mm |
| 14583030061 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 6, Zinc | Steel 4.8 | M3 x 6 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 6 mm | | 5.6 mm |
| 14583030081 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 8, Zinc | Steel 4.8 | M3 x 8 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 8 mm | | 5.6 mm |
| 14583030101 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 10, Zinc | Steel 4.8 | M3 x 10 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 10 mm | | 5.6 mm |
| 14583030121 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 12, Zinc | Steel 4.8 | M3 x 12 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 12 mm | | 5.6 mm |
| 14583030141 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 14, Zinc | Steel 4.8 | M3 x 14 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 14 mm | | 5.6 mm |
| 14583030161 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 16, Zinc | Steel 4.8 | M3 x 16 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 16 mm | | 5.6 mm |
| 14583030201 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 20, Zinc | Steel 4.8 | M3 x 20 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 20 mm | | 5.6 mm |
| 14583030221 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 22, Zinc | Steel 4.8 | M3 x 22 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 22 mm | | 5.6 mm |
| 14583030251 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 25, Zinc | Steel 4.8 | M3 x 25 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 25 mm | | 5.6 mm |
| 14583030301 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 30, Zinc | Steel 4.8 | M3 x 30 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 30 mm | | 5.6 mm |
| 14583030401 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M3 x 40, Zinc | Steel 4.8 | M3 x 40 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 40 mm | | 5.6 mm |
| 14583040061 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 6, Zinc | Steel 4.8 | M4 x 6 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 6 mm | | 8 mm |
| 14583040081 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 8, Zinc | Steel 4.8 | M4 x 8 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 8 mm | | 8 mm |
| 14583040101 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 10, Zinc | Steel 4.8 | M4 x 10 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 10 mm | | 8 mm |
| 14583040121 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 12, Zinc | Steel 4.8 | M4 x 12 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 12 mm | | 8 mm |
| 14583040161 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 16, Zinc | Steel 4.8 | M4 x 16 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 16 mm | | 8 mm |
| 14583040201 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 20, Zinc | Steel 4.8 | M4 x 20 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 20 mm | | 8 mm |
| 14583040251 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 25, Zinc | Steel 4.8 | M4 x 25 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 25 mm | | 8 mm |
| 14583040301 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x | | | | | | | |

30, Zinc

| | | | | | |
|---|---|---|---|---|---|
| Steel 4.8 | M4 x 30 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 30 mm | 8 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583040351 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 35, Zinc | Steel 4.8 | M4 x 35 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 35 mm | | 8 mm |
| 14583040401 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 40, Zinc | Steel 4.8 | M4 x 40 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 40 mm | | 8 mm |
| 14583040501 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 50, Zinc | Steel 4.8 | M4 x 50 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 50 mm | | 8 mm |
| 14583040601 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 60, Zinc | Steel 4.8 | M4 x 60 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 60 mm | | 8 mm |
| 14583040731 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M4 x 73, Zinc | Steel 4.8 | M4 x 73 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 73 mm | | 8 mm |
| 14583050061 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 6, Zinc | Steel 4.8 | M5 x 6 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 6 mm | | 9.5 mm |
| 14583050081 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 8, Zinc | Steel 4.8 | M5 x 8 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 8 mm | | 9.5 mm |
| 14583050101 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 10, Zinc | Steel 4.8 | M5 x 10 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 10 mm | | 9.5 mm |
| 14583050121 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 12, Zinc | Steel 4.8 | M5 x 12 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 12 mm | | 9.5 mm |
| 14583050141 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 14, Zinc | Steel 4.8 | M5 x 14 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 14 mm | | 9.5 mm |
| 14583050161 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 16, Zinc | Steel 4.8 | M5 x 16 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 16 mm | | 9.5 mm |
| 14583050201 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 20, Zinc | Steel 4.8 | M5 x 20 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 20 mm | | 9.5 mm |
| 14583050251 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 25, Zinc | Steel 4.8 | M5 x 25 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 25 mm | | 9.5 mm |
| 14583050301 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 30, Zinc | Steel 4.8 | M5 x 30 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 30 mm | | 9.5 mm |
| 14583050351 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 35, Zinc | Steel 4.8 | M5 x 35 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 35 mm | | 9.5 mm |
| 14583050501 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M5 x 50, Zinc | Steel 4.8 | M5 x 50 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 50 mm | | 9.5 mm |
| 14583060101 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 10, Zinc | Steel 4.8 | M6 x 10 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 10 mm | | 12 mm |
| 14583060121 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 12, Zinc | Steel 4.8 | M6 x 12 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 12 mm | | 12 mm |
| 14583060161 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 16, Zinc | Steel 4.8 | M6 x 16 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 16 mm | | 12 mm |
| 14583060201 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 20, Zinc | Steel 4.8 | M6 x 20 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 20 mm | | 12 mm |
| 14583060251 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 25, Zinc | Steel 4.8 | M6 x 25 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 25 mm | | 12 mm |
| 14583060301 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 30, Zinc | Steel 4.8 | M6 x 30 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 30 mm | | 12 mm |
| 14583060351 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 35, Zinc | Steel 4.8 | M6 x 35 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 35 mm | | 12 mm |
| 14583060501 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M6 x 50, Zinc | Steel 4.8 | M6 x 50 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 50 mm | | 12 mm |
| 14583080351 | ISO 14583 Rounded Head Screw with Torx, Steel 4.8, M8 x 35, Zinc | Steel 4.8 | M8 x 35 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 35 mm | | 16 mm |
| 1458310050101 | ISO 14583 Rounded Head Screw with Torx, Steel 10.9, M5 x 10, Zin | Steel 10.9 | M5 x 10 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 10 mm | | 9.5 mm |
| 145838020041 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2 x 4, Zinc | Steel 8.8 | M2 x 4 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 4 mm | | 4 mm |
| 145838020051 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2 x 5, Zinc | Steel 8.8 | M2 x 5 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 5 mm | | 4 mm |
| 145838020061 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2 x 6, Zinc | Steel 8.8 | M2 x 6 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 6 mm | | 4 mm |
| 145838020081 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2 x 8, Zinc | Steel 8.8 | M2 x 8 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 8 mm | | 4 mm |
| 145838020101 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2 x 10, Zinc | Steel 8.8 | M2 x 10 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 10 mm | | 4 mm |
| 145838020121 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2 x 12, Zinc | Steel 8.8 | M2 x 12 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 12 mm | | 4 mm |
| 145838020161 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2 x 16, Zinc | Steel 8.8 | M2 x 16 | Zinc Bright Passivation Fe/Zn P1 | 2 mm | 16 mm | | 4 mm |
| 1458380250031 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 3, Zin | Steel 8.8 | M2.5 x 3 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 3 mm | | 5 mm |
| 1458380250041 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 4, Zin | Steel 8.8 | M2.5 x 4 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 4 mm | | 5 mm |
| 1458380250051 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 5, Zin | Steel 8.8 | M2.5 x 5 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 5 mm | | 5 mm |
| 1458380250061 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 6, Zin | Steel 8.8 | M2.5 x 6 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 6 mm | | 5 mm |
| 1458380250081 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 8, Zin | Steel 8.8 | M2.5 x 8 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 8 mm | | 5 mm |
| 1458380250101 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 10, Zi | Steel 8.8 | M2.5 x 10 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 10 mm | | 5 mm |
| 1458380250121 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 12, Zi | Steel 8.8 | M2.5 x 12 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 12 mm | | 5 mm |
| 145838025014 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 14, Pl | Steel 8.8 | M2.5 x 14 | Plain (no plating) | 2.5 mm | 14 mm | | 5 mm |
| 1458380250161 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 16, Zi | Steel 8.8 | M2.5 x 16 | Zinc Bright Passivation Fe/Zn P1 | 2.5 mm | 16 mm | | 5 mm |
| 145838025022 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 22, Pl | Steel 8.8 | M2.5 x 22 | Plain (no plating) | 2.5 mm | 22 mm | | 5 mm |
| 145838025034 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M2.5 x 34, Pl | Steel 8.8 | M2.5 x 34 | Plain (no plating) | 2.5 mm | 34 mm | | 5 mm |
| 145838030041 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 4, Zinc | Steel 8.8 | M3 x 4 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 4 mm | | 5.6 mm |
| 145838030051 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x | | | | | | | |

5, Zinc

| | | | | | | |
|---|---|---|---|---|---|---|
| Steel 8.8 | M3 x 5 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 5 mm | | 5.6 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 145838030061 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 6, Zinc | Steel 8.8 | M3 x 6 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 6 mm | | 5.6 mm |
| 14583803008 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 8, Plain | Steel 8.8 | M3 x 8 | Plain (no plating) | 3 mm | 8 mm | | 5.6 mm |
| 145838030081 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 8, Zinc | Steel 8.8 | M3 x 8 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 8 mm | | 5.6 mm |
| 145838030101 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 10, Zinc | Steel 8.8 | M3 x 10 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 10 mm | | 5.6 mm |
| 145838030101DIN | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 10, Zinc | Steel 8.8 | M3 x 10 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 10 mm | | 5.6 mm |
| 14583803012 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 12, Plain | Steel 8.8 | M3 x 12 | Plain (no plating) | 3 mm | 12 mm | | 5.6 mm |
| 145838030121 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 12, Zinc | Steel 8.8 | M3 x 12 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 12 mm | | 5.6 mm |
| 145838030141 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 14, Zinc | Steel 8.8 | M3 x 14 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 14 mm | | 5.6 mm |
| 145838030161 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 16, Zinc | Steel 8.8 | M3 x 16 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 16 mm | | 5.6 mm |
| 145838030191 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 19, Zinc | Steel 8.8 | M3 x 19 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 19 mm | | 5.6 mm |
| 145838030201 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 20, Zinc | Steel 8.8 | M3 x 20 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 20 mm | | 5.6 mm |
| 145838030251 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 25, Zinc | Steel 8.8 | M3 x 25 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 25 mm | | 5.6 mm |
| 145838030301 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 30, Zinc | Steel 8.8 | M3 x 30 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 30 mm | | 5.6 mm |
| 145838030351 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 35, Zinc | Steel 8.8 | M3 x 35 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 35 mm | | 5.6 mm |
| 145838030401 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 40, Zinc | Steel 8.8 | M3 x 40 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 40 mm | | 5.6 mm |
| 145838030451 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M3 x 45, Zinc | Steel 8.8 | M3 x 45 | Zinc Bright Passivation Fe/Zn P1 | 3 mm | 45 mm | | 5.6 mm |
| 145838040051 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 5, Zinc | Steel 8.8 | M4 x 5 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 5 mm | | 8 mm |
| 14583804006 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 6, Plain | Steel 8.8 | M4 x 6 | Plain (no plating) | 4 mm | 6 mm | | 8 mm |
| 145838040061 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 6, Zinc | Steel 8.8 | M4 x 6 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 6 mm | | 8 mm |
| 145838040081 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 8, Zinc | Steel 8.8 | M4 x 8 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 8 mm | | 8 mm |
| 14583804010 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 10, Plain | Steel 8.8 | M4 x 10 | Plain (no plating) | 4 mm | 10 mm | | 8 mm |
| 145838040101 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 10, Zinc | Steel 8.8 | M4 x 10 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 10 mm | | 8 mm |
| 14583804012 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 12, Plain | Steel 8.8 | M4 x 12 | Plain (no plating) | 4 mm | 12 mm | | 8 mm |
| 145838040121 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 12, Zinc | Steel 8.8 | M4 x 12 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 12 mm | | 8 mm |
| 145838040141 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 14, Zinc | Steel 8.8 | M4 x 14 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 14 mm | | 8 mm |
| 145838040161 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 16, Zinc | Steel 8.8 | M4 x 16 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 16 mm | | 8 mm |
| 145838040181 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 18, Zinc | Steel 8.8 | M4 x 18 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 18 mm | | 8 mm |
| 145838040201 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 20, Zinc | Steel 8.8 | M4 x 20 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 20 mm | | 8 mm |
| 145838040251 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 25, Zinc | Steel 8.8 | M4 x 25 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 25 mm | | 8 mm |
| 145838040301 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 30, Zinc | Steel 8.8 | M4 x 30 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 30 mm | | 8 mm |
| 145838040351 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 35, Zinc | Steel 8.8 | M4 x 35 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 35 mm | | 8 mm |
| 145838040401 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 40, Zinc | Steel 8.8 | M4 x 40 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 40 mm | | 8 mm |
| 145838040421 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 42, Zinc | Steel 8.8 | M4 x 42 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 42 mm | | 8 mm |
| 145838040451 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 45, Zinc | Steel 8.8 | M4 x 45 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 45 mm | | 8 mm |
| 14583804055 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 55, Plain | Steel 8.8 | M4 x 55 | Plain (no plating) | 4 mm | 55 mm | | 8 mm |
| 145838040651 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 65, Zinc | Steel 8.8 | M4 x 65 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 65 mm | | 8 mm |
| 145838040801 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M4 x 80, Zinc | Steel 8.8 | M4 x 80 | Zinc Bright Passivation Fe/Zn P1 | 4 mm | 80 mm | | 8 mm |
| 145838050061 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 6, Zinc | Steel 8.8 | M5 x 6 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 6 mm | | 9.5 mm |
| 145838050081 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 8, Zinc | Steel 8.8 | M5 x 8 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 8 mm | | 9.5 mm |
| 145838050101 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 10, Zinc | Steel 8.8 | M5 x 10 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 10 mm | | 9.5 mm |
| 145838050121 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 12, Zinc | Steel 8.8 | M5 x 12 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 12 mm | | 9.5 mm |
| 145838050141 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 14, Zinc | Steel 8.8 | M5 x 14 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 14 mm | | 9.5 mm |
| 145838050161 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 16, Zinc | Steel 8.8 | M5 x 16 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 16 mm | | 9.5 mm |
| 145838050201 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 20, Zinc | Steel 8.8 | M5 x 20 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 20 mm | | 9.5 mm |
| 145838050251 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 25, Zinc | Steel 8.8 | M5 x 25 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 25 mm | | 9.5 mm |
| 14583805030 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x | | | | | | | |

30, Plai

| | | | | | |
|---|---|---|---|---|---|
| Steel 8.8 | M5 x 30 | Plain (no plating) | 5 mm | 30 mm | 9.5 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 145838050301 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 30, Zinc | Steel 8.8 | M5 x 30 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 30 mm | | 9.5 mm |
| 14583805035 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 35, Plai | Steel 8.8 | M5 x 35 | Plain (no plating) | 5 mm | 35 mm | | 9.5 mm |
| 145838050351 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 35, Zinc | Steel 8.8 | M5 x 35 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 35 mm | | 9.5 mm |
| 145838050401 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 40, Zinc | Steel 8.8 | M5 x 40 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 40 mm | | 9.5 mm |
| 145838050451 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 45, Zinc | Steel 8.8 | M5 x 45 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 45 mm | | 9.5 mm |
| 145838050501 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 50, Zinc | Steel 8.8 | M5 x 50 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 50 mm | | 9.5 mm |
| 145838050551 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M5 x 55, Zinc | Steel 8.8 | M5 x 55 | Zinc Bright Passivation Fe/Zn P1 | 5 mm | 55 mm | | 9.5 mm |
| 145838060061 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 6, Zinc | Steel 8.8 | M6 x 6 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 6 mm | | 12 mm |
| 145838060081 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 8, Zinc | Steel 8.8 | M6 x 8 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 8 mm | | 12 mm |
| 145838060101 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 10, Zinc | Steel 8.8 | M6 x 10 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 10 mm | | 12 mm |
| 145838060121 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 12, Zinc | Steel 8.8 | M6 x 12 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 12 mm | | 12 mm |
| 145838060161 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 16, Zinc | Steel 8.8 | M6 x 16 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 16 mm | | 12 mm |
| 14583806020 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 20, Plai | Steel 8.8 | M6 x 20 | Plain (no plating) | 6 mm | 20 mm | | 12 mm |
| 145838060201 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 20, Zinc | Steel 8.8 | M6 x 20 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 20 mm | | 12 mm |
| 145838060251 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 25, Zinc | Steel 8.8 | M6 x 25 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 25 mm | | 12 mm |
| 14583806030 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 30, Plai | Steel 8.8 | M6 x 30 | Plain (no plating) | 6 mm | 30 mm | | 12 mm |
| 145838060301 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 30, Zinc | Steel 8.8 | M6 x 30 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 30 mm | | 12 mm |
| 145838060351 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 35, Zinc | Steel 8.8 | M6 x 35 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 35 mm | | 12 mm |
| 145838060401 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 40, Zinc | Steel 8.8 | M6 x 40 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 40 mm | | 12 mm |
| 145838060501 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 50, Zinc | Steel 8.8 | M6 x 50 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 50 mm | | 12 mm |
| 14583806060 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 60, Plai | Steel 8.8 | M6 x 60 | Plain (no plating) | 6 mm | 60 mm | | 12 mm |
| 145838060601 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 60, Zinc | Steel 8.8 | M6 x 60 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 60 mm | | 12 mm |
| 145838060651 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M6 x 65, Zinc | Steel 8.8 | M6 x 65 | Zinc Bright Passivation Fe/Zn P1 | 6 mm | 65 mm | | 12 mm |
| 145838080101 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 10, Zinc | Steel 8.8 | M8 x 10 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 10 mm | | 16 mm |
| 145838080121 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 12, Zinc | Steel 8.8 | M8 x 12 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 12 mm | | 16 mm |
| 145838080161 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 16, Zinc | Steel 8.8 | M8 x 16 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 16 mm | | 16 mm |
| 145838080161DIN | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 16, Zinc | Steel 8.8 | M8 x 16 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 16 mm | | 14.5 mm |
| 145838080201 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 20, Zinc | Steel 8.8 | M8 x 20 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 20 mm | | 16 mm |
| 145838080201DIN | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 20, Zinc | Steel 8.8 | M8 x 20 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 20 mm | | 14.5 mm |
| 145838080251 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 25, Zinc | Steel 8.8 | M8 x 25 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 25 mm | | 16 mm |
| 145838080251DIN | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 25, Zinc | Steel 8.8 | M8 x 25 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 25 mm | | 16 mm |
| 145838080301 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 30, Zinc | Steel 8.8 | M8 x 30 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 30 mm | | 16 mm |
| 145838080301DIN | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 30, Zinc | Steel 8.8 | M8 x 30 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 30 mm | | 14.5 mm |
| 145838080351 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 35, Zinc | Steel 8.8 | M8 x 35 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 35 mm | | 16 mm |
| 14583808050 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 50, Plai | Steel 8.8 | M8 x 50 | Plain (no plating) | 8 mm | 50 mm | | 16 mm |
| 145838080501 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 50, Zinc | Steel 8.8 | M8 x 50 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 50 mm | | 16 mm |
| 145838080601 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M8 x 60, Zinc | Steel 8.8 | M8 x 60 | Zinc Bright Passivation Fe/Zn P1 | 8 mm | 60 mm | | 16 mm |
| 14583810030 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M10 x 30, Pla | Steel 8.8 | M10 x 30 | Plain (no plating) | 10 mm | 30 mm | | 20 mm |
| 14583810035 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M10 x 35, Pla | Steel 8.8 | M10 x 35 | Plain (no plating) | 10 mm | 35 mm | | 20 mm |
| 145838101201 | ISO 14583 Rounded Head Screw with Torx, Steel 8.8, M10 x 120, Zi | Steel 8.8 | M10 x 120 | Zinc Bright Passivation Fe/Zn P1 | 10 mm | 120 mm | | 20 mm |
| 14583A202003 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 3 | Stainless A2-70 | M2 x 3 | Plain (no plating) | 2 mm | 3 mm | | 4 mm |
| 14583A20200470 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 4 | Stainless A2-70 | M2 x 4 | Plain (no plating) | 2 mm | 4 mm | | 4 mm |
| 14583A202005 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 5 | Stainless A2-70 | M2 x 5 | Plain (no plating) | 2 mm | 5 mm | | 4 mm |
| 14583A202006 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 6 | Stainless A2-70 | M2 x 6 | Plain (no plating) | 2 mm | 6 mm | | 4 mm |
| 14583A202008 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 8 | Stainless A2-70 | M2 x 8 | Plain (no plating) | 2 mm | 8 mm | | 4 mm |
| 14583A202009 | ISO 14583 Rounded Head Screw with Torx, Stainless A2, | | | | | | | |

M2 x 9

| | | | | | |
|---|---|---|---|---|---|
| Stainless A2 | M2 x 9 | Plain (no plating) | 2 mm | 9 mm | 4 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583A202010 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 10 | Stainless A2-70 | M2 x 10 | Plain (no plating) | 2 mm | 10 mm | | 4 mm |
| 14583A202012 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 12 | Stainless A2-70 | M2 x 12 | Plain (no plating) | 2 mm | 12 mm | | 4 mm |
| 14583A202014 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 14 | Stainless A2-70 | M2 x 14 | Plain (no plating) | 2 mm | 14 mm | | 4 mm |
| 14583A202016 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 16 | Stainless A2-70 | M2 x 16 | Plain (no plating) | 2 mm | 16 mm | | 4 mm |
| 14583A202020 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2 x 20 | Stainless A2-70 | M2 x 20 | Plain (no plating) | 2 mm | 20 mm | | 4 mm |
| 14583A202026 | ISO 14583 Rounded Head Screw with Torx, Stainless A2, M2 x 26 | Stainless A2 | M2 x 26 | Plain (no plating) | 2 mm | 26 mm | | 4 mm |
| 14583A2025003 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 3 | Plain (no plating) | 2.5 mm | 3 mm | | 5 mm |
| 14583A2025004 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 4 | Plain (no plating) | 2.5 mm | 4 mm | | 5 mm |
| 14583A2025005 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 5 | Plain (no plating) | 2.5 mm | 5 mm | | 5 mm |
| 14583A2025006 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 6 | Plain (no plating) | 2.5 mm | 6 mm | | 5 mm |
| 14583A2025008 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 8 | Plain (no plating) | 2.5 mm | 8 mm | | 5 mm |
| 14583A2025010 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 10 | Plain (no plating) | 2.5 mm | 10 mm | | 5 mm |
| 14583A2025012 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 12 | Plain (no plating) | 2.5 mm | 12 mm | | 5 mm |
| 14583A2025014 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 14 | Plain (no plating) | 2.5 mm | 14 mm | | 5 mm |
| 14583A2025016 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 16 | Plain (no plating) | 2.5 mm | 16 mm | | 5 mm |
| 14583A2025019 | ISO 14583 Rounded Head Screw with Torx, Stainless A2, M2.5 x 19 | Stainless A2 | M2.5 x 19 | Plain (no plating) | 2.5 mm | 19 mm | | 5 mm |
| 14583A2025020 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 20 | Plain (no plating) | 2.5 mm | 20 mm | | 5 mm |
| 14583A2025025 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M2.5 x | Stainless A2-70 | M2.5 x 25 | Plain (no plating) | 2.5 mm | 25 mm | | 5 mm |
| 14583A2025035 | ISO 14583 Rounded Head Screw with Torx, Stainless A2, M2.5 x 35 | Stainless A2 | M2.5 x 35 | Plain (no plating) | 2.5 mm | 35 mm | | 5 mm |
| 14583A203004 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 4 | Stainless A2-70 | M3 x 4 | Plain (no plating) | 3 mm | 4 mm | | 5.6 mm |
| 14583A20300470 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 4 | Stainless A2-70 | M3 x 4 | Plain (no plating) | 3 mm | 4 mm | | 5.6 mm |
| 14583A203005 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 5 | Stainless A2-70 | M3 x 5 | Plain (no plating) | 3 mm | 5 mm | | 5.6 mm |
| 14583A203006 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 6 | Stainless A2-70 | M3 x 6 | Plain (no plating) | 3 mm | 6 mm | | 5.6 mm |
| 14583A203008 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 8 | Stainless A2-70 | M3 x 8 | Plain (no plating) | 3 mm | 8 mm | | 5.6 mm |
| 14583A203010 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 10 | Stainless A2-70 | M3 x 10 | Plain (no plating) | 3 mm | 10 mm | | 5.6 mm |
| 14583A20301070 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 10 | Stainless A2-70 | M3 x 10 | Plain (no plating) | 3 mm | 10 mm | | 5.6 mm |
| 14583A203012 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 12 | Stainless A2-70 | M3 x 12 | Plain (no plating) | 3 mm | 12 mm | | 5.6 mm |
| 14583A203014 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 14 | Stainless A2-70 | M3 x 14 | Plain (no plating) | 3 mm | 14 mm | | 5.6 mm |
| 14583A203016 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 16 | Stainless A2-70 | M3 x 16 | Plain (no plating) | 3 mm | 16 mm | | 5.6 mm |
| 14583A203018 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 18 | Stainless A2-70 | M3 x 18 | Plain (no plating) | 3 mm | 18 mm | | 5.6 mm |
| 14583A203020 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 20 | Stainless A2-70 | M3 x 20 | Plain (no plating) | 3 mm | 20 mm | | 5.6 mm |
| 14583A203022 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 22 | Stainless A2-70 | M3 x 22 | Plain (no plating) | 3 mm | 22 mm | | 5.6 mm |
| 14583A203025 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 25 | Stainless A2-70 | M3 x 25 | Plain (no plating) | 3 mm | 25 mm | | 5.6 mm |
| 14583A203030 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 30 | Stainless A2-70 | M3 x 30 | Plain (no plating) | 3 mm | 30 mm | | 5.6 mm |
| 14583A203035 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 35 | Stainless A2-70 | M3 x 35 | Plain (no plating) | 3 mm | 35 mm | | 5.6 mm |
| 14583A203040 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 40 | Stainless A2-70 | M3 x 40 | Plain (no plating) | 3 mm | 40 mm | | 5.6 mm |
| 14583A203050 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M3 x 50 | Stainless A2-70 | M3 x 50 | Plain (no plating) | 3 mm | 50 mm | | 5.6 mm |
| 14583A204005 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 5 | Stainless A2-70 | M4 x 5 | Plain (no plating) | 4 mm | 5 mm | | 8 mm |
| 14583A204006 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 6 | Stainless A2-70 | M4 x 6 | Plain (no plating) | 4 mm | 6 mm | | 8 mm |
| 14583A204008 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 8 | Stainless A2-70 | M4 x 8 | Plain (no plating) | 4 mm | 8 mm | | 8 mm |
| 14583A204010 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 10 | Stainless A2-70 | M4 x 10 | Plain (no plating) | 4 mm | 10 mm | | 8 mm |
| 14583A20401070 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 10 | Stainless A2-70 | M4 x 10 | Plain (no plating) | 4 mm | 10 mm | | 8 mm |
| 14583A204012 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 12 | Stainless A2-70 | M4 x 12 | Plain (no plating) | 4 mm | 12 mm | | 8 mm |
| 14583A204014 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 14 | Stainless A2-70 | M4 x 14 | Plain (no plating) | 4 mm | 14 mm | | 8 mm |
| 14583A204016 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 16 | Stainless A2-70 | M4 x 16 | Plain (no plating) | 4 mm | 16 mm | | 8 mm |
| 14583A20401670 | ISO 14583 Rounded Head Screw with Torx, Stainless | | | | | | | |

A2-70, M4 x 16

| | | | | | |
|---|---|---|---|---|---|
| Stainless A2-70 | M4 x 16 | Plain (no plating) | 4 mm | 16 mm | 8 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583A204018 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 18 | Stainless A2-70 | M4 x 18 | Plain (no plating) | 4 mm | 18 mm | | 8 mm |
| 14583A204020 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 20 | Stainless A2-70 | M4 x 20 | Plain (no plating) | 4 mm | 20 mm | | 8 mm |
| 14583A204022 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 22 | Stainless A2-70 | M4 x 22 | Plain (no plating) | 4 mm | 22 mm | | 8 mm |
| 14583A204025 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 25 | Stainless A2-70 | M4 x 25 | Plain (no plating) | 4 mm | 25 mm | | 8 mm |
| 14583A204030 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 30 | Stainless A2-70 | M4 x 30 | Plain (no plating) | 4 mm | 30 mm | | 8 mm |
| 14583A204035 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 35 | Stainless A2-70 | M4 x 35 | Plain (no plating) | 4 mm | 35 mm | | 8 mm |
| 14583A204036 | ISO 14583 Rounded Head Screw with Torx, Stainless A2, M4 x 36 | Stainless A2 | M4 x 36 | Plain (no plating) | 4 mm | 36 mm | | 8 mm |
| 14583A204040 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 40 | Stainless A2-70 | M4 x 40 | Plain (no plating) | 4 mm | 40 mm | | 8 mm |
| 14583A204045 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 45 | Stainless A2-70 | M4 x 45 | Plain (no plating) | 4 mm | 45 mm | | 8 mm |
| 14583A204050 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 50 | Stainless A2-70 | M4 x 50 | Plain (no plating) | 4 mm | 50 mm | | 8 mm |
| 14583A204055 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 55 | Stainless A2-70 | M4 x 55 | Plain (no plating) | 4 mm | 55 mm | | 8 mm |
| 14583A204060 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M4 x 60 | Stainless A2-70 | M4 x 60 | Plain (no plating) | 4 mm | 60 mm | | 8 mm |
| 14583A205006 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 6 | Stainless A2-70 | M5 x 6 | Plain (no plating) | 5 mm | 6 mm | | 9.5 mm |
| 14583A205008 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 8 | Stainless A2-70 | M5 x 8 | Plain (no plating) | 5 mm | 8 mm | | 9.5 mm |
| 14583A205010 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 10 | Stainless A2-70 | M5 x 10 | Plain (no plating) | 5 mm | 10 mm | | 9.5 mm |
| 14583A205012 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 12 | Stainless A2-70 | M5 x 12 | Plain (no plating) | 5 mm | 12 mm | | 9.5 mm |
| 14583A20501270 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 12 | Stainless A2-70 | M5 x 12 | Plain (no plating) | 5 mm | 12 mm | | 9.5 mm |
| 14583A205014 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 14 | Stainless A2-70 | M5 x 14 | Plain (no plating) | 5 mm | 14 mm | | 9.5 mm |
| 14583A205016 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 16 | Stainless A2-70 | M5 x 16 | Plain (no plating) | 5 mm | 16 mm | | 9.5 mm |
| 14583A205020 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 20 | Stainless A2-70 | M5 x 20 | Plain (no plating) | 5 mm | 20 mm | | 9.5 mm |
| 14583A205025 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 25 | Stainless A2-70 | M5 x 25 | Plain (no plating) | 5 mm | 25 mm | | 9.5 mm |
| 14583A205030 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 30 | Stainless A2-70 | M5 x 30 | Plain (no plating) | 5 mm | 30 mm | | 9.5 mm |
| 14583A205035 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 35 | Stainless A2-70 | M5 x 35 | Plain (no plating) | 5 mm | 35 mm | | 9.5 mm |
| 14583A205040 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 40 | Stainless A2-70 | M5 x 40 | Plain (no plating) | 5 mm | 40 mm | | 9.5 mm |
| 14583A205045 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 45 | Stainless A2-70 | M5 x 45 | Plain (no plating) | 5 mm | 45 mm | | 9.5 mm |
| 14583A205050 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 50 | Stainless A2-70 | M5 x 50 | Plain (no plating) | 5 mm | 50 mm | | 9.5 mm |
| 14583A205055 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 55 | Stainless A2-70 | M5 x 55 | Plain (no plating) | 5 mm | 55 mm | | 9.5 mm |
| 14583A205070 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M5 x 70 | Stainless A2-70 | M5 x 70 | Plain (no plating) | 5 mm | 70 mm | | 9.5 mm |
| 14583A206008 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 8 | Stainless A2-70 | M6 x 8 | Plain (no plating) | 6 mm | 8 mm | | 12 mm |
| 14583A206010 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 10 | Stainless A2-70 | M6 x 10 | Plain (no plating) | 6 mm | 10 mm | | 12 mm |
| 14583A206012 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 12 | Stainless A2-70 | M6 x 12 | Plain (no plating) | 6 mm | 12 mm | | 12 mm |
| 14583A206014 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 14 | Stainless A2-70 | M6 x 14 | Plain (no plating) | 6 mm | 14 mm | | 12 mm |
| 14583A206016 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 16 | Stainless A2-70 | M6 x 16 | Plain (no plating) | 6 mm | 16 mm | | 12 mm |
| 14583A206020 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 20 | Stainless A2-70 | M6 x 20 | Plain (no plating) | 6 mm | 20 mm | | 12 mm |
| 14583A206025 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 25 | Stainless A2-70 | M6 x 25 | Plain (no plating) | 6 mm | 25 mm | | 12 mm |
| 14583A206030 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 30 | Stainless A2-70 | M6 x 30 | Plain (no plating) | 6 mm | 30 mm | | 12 mm |
| 14583A206035 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 35 | Stainless A2-70 | M6 x 35 | Plain (no plating) | 6 mm | 35 mm | | 12 mm |
| 14583A206040 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 40 | Stainless A2-70 | M6 x 40 | Plain (no plating) | 6 mm | 40 mm | | 12 mm |
| 14583A206045 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 45 | Stainless A2-70 | M6 x 45 | Plain (no plating) | 6 mm | 45 mm | | 12 mm |
| 14583A206050 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 50 | Stainless A2-70 | M6 x 50 | Plain (no plating) | 6 mm | 50 mm | | 12 mm |
| 14583A206055 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 55 | Stainless A2-70 | M6 x 55 | Plain (no plating) | 6 mm | 55 mm | | 12 mm |
| 14583A206060 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 60 | Stainless A2-70 | M6 x 60 | Plain (no plating) | 6 mm | 60 mm | | 12 mm |
| 14583A206070 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 70 | Stainless A2-70 | M6 x 70 | Plain (no plating) | 6 mm | 70 mm | | 12 mm |
| 14583A206075 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 75 | Stainless A2-70 | M6 x 75 | Plain (no plating) | 6 mm | 75 mm | | 12 mm |
| 14583A206080 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M6 x 80 | Stainless A2-70 | M6 x 80 | Plain (no plating) | 6 mm | 80 mm | | 12 mm |
| 14583A208010 | ISO 14583 Rounded Head Screw with Torx, Stainless | | | | | | | |

A2-70, M8 x 10

| | | | | | |
|---|---|---|---|---|---|
| Stainless A2-70 | M8 x 10 | Plain (no plating) | 8 mm | 10 mm | 16 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583A208012 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 12 | Stainless A2-70 | M8 x 12 | Plain (no plating) | 8 mm | 12 mm | | 16 mm |
| 14583A208016 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 16 | Stainless A2-70 | M8 x 16 | Plain (no plating) | 8 mm | 16 mm | | 16 mm |
| 14583A208020 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 20 | Stainless A2-70 | M8 x 20 | Plain (no plating) | 8 mm | 20 mm | | 16 mm |
| 14583A208025 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 25 | Stainless A2-70 | M8 x 25 | Plain (no plating) | 8 mm | 25 mm | | 16 mm |
| 14583A208030 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 30 | Stainless A2-70 | M8 x 30 | Plain (no plating) | 8 mm | 30 mm | | 16 mm |
| 14583A208035 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 35 | Stainless A2-70 | M8 x 35 | Plain (no plating) | 8 mm | 35 mm | | 16 mm |
| 14583A208040 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 40 | Stainless A2-70 | M8 x 40 | Plain (no plating) | 8 mm | 40 mm | | 16 mm |
| 14583A208045 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 45 | Stainless A2-70 | M8 x 45 | Plain (no plating) | 8 mm | 45 mm | | 16 mm |
| 14583A208080 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M8 x 80 | Stainless A2-70 | M8 x 80 | Plain (no plating) | 8 mm | 80 mm | | 16 mm |
| 14583A210025 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M10 x 2 | Stainless A2-70 | M10 x 25 | Plain (no plating) | 10 mm | 25 mm | | 20 mm |
| 14583A210030 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M10 x 3 | Stainless A2-70 | M10 x 30 | Plain (no plating) | 10 mm | 30 mm | | 20 mm |
| 14583A210035 | ISO 14583 Rounded Head Screw with Torx, Stainless A2-70, M10 x 3 | Stainless A2-70 | M10 x 35 | Plain (no plating) | 10 mm | 35 mm | | 20 mm |
| 14583A402003 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 3 | Stainless A4-70 | M2 x 3 | Plain (no plating) | 2 mm | 3 mm | | 4 mm |
| 14583A402004 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 4 | Stainless A4-70 | M2 x 4 | Plain (no plating) | 2 mm | 4 mm | | 4 mm |
| 14583A402005 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 5 | Stainless A4-70 | M2 x 5 | Plain (no plating) | 2 mm | 5 mm | | 4 mm |
| 14583A402006 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 6 | Stainless A4-70 | M2 x 6 | Plain (no plating) | 2 mm | 6 mm | | 4 mm |
| 14583A402008 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 8 | Stainless A4-70 | M2 x 8 | Plain (no plating) | 2 mm | 8 mm | | 4 mm |
| 14583A402010 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 10 | Stainless A4-70 | M2 x 10 | Plain (no plating) | 2 mm | 10 mm | | 4 mm |
| 14583A402012 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 12 | Stainless A4-70 | M2 x 12 | Plain (no plating) | 2 mm | 12 mm | | 4 mm |
| 14583A402016 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2 x 16 | Stainless A4-70 | M2 x 16 | Plain (no plating) | 2 mm | 16 mm | | 4 mm |
| 14583A4025004 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 4 | Plain (no plating) | 2.5 mm | 4 mm | | 5 mm |
| 14583A4025005 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 5 | Plain (no plating) | 2.5 mm | 5 mm | | 5 mm |
| 14583A4025006 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 6 | Plain (no plating) | 2.5 mm | 6 mm | | 5 mm |
| 14583A4025008 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 8 | Plain (no plating) | 2.5 mm | 8 mm | | 5 mm |
| 14583A4025010 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 10 | Plain (no plating) | 2.5 mm | 10 mm | | 5 mm |
| 14583A4025012 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 12 | Plain (no plating) | 2.5 mm | 12 mm | | 5 mm |
| 14583A4025014 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 14 | Plain (no plating) | 2.5 mm | 14 mm | | 5 mm |
| 14583A4025016 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 16 | Plain (no plating) | 2.5 mm | 16 mm | | 5 mm |
| 14583A4025020 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 20 | Plain (no plating) | 2.5 mm | 20 mm | | 5 mm |
| 14583A4025025 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M2.5 x | Stainless A4-70 | M2.5 x 25 | Plain (no plating) | 2.5 mm | 25 mm | | 5 mm |
| 14583A403004 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 4 | Stainless A4-70 | M3 x 4 | Plain (no plating) | 3 mm | 4 mm | | 5.6 mm |
| 14583A40300480 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 4 | Stainless A4-80 | M3 x 4 | Plain (no plating) | 3 mm | 4 mm | | 5.6 mm |
| 14583A403005 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 5 | Stainless A4-70 | M3 x 5 | Plain (no plating) | 3 mm | 5 mm | | 5.6 mm |
| 14583A40300580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 5 | Stainless A4-80 | M3 x 5 | Plain (no plating) | 3 mm | 5 mm | | 5.6 mm |
| 14583A403006 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 6 | Stainless A4-70 | M3 x 6 | Plain (no plating) | 3 mm | 6 mm | | 5.6 mm |
| 14583A40300680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 6 | Stainless A4-80 | M3 x 6 | Plain (no plating) | 3 mm | 6 mm | | 5.6 mm |
| 14583A403008 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 8 | Stainless A4-70 | M3 x 8 | Plain (no plating) | 3 mm | 8 mm | | 5.6 mm |
| 14583A40300870 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 8 | Stainless A4-70 | M3 x 8 | Plain (no plating) | 3 mm | 8 mm | | 5.6 mm |
| 14583A40300880 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 8 | Stainless A4-80 | M3 x 8 | Plain (no plating) | 3 mm | 8 mm | | 5.6 mm |
| 14583A403008DIN | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 8 | Stainless A4-70 | M3 x 8 | Plain (no plating) | 3 mm | 8 mm | | 5.6 mm |
| 14583A403010 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 10 | Stainless A4-70 | M3 x 10 | Plain (no plating) | 3 mm | 10 mm | | 5.6 mm |
| 14583A40301070 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 10 | Stainless A4-70 | M3 x 10 | Plain (no plating) | 3 mm | 10 mm | | 5.6 mm |
| 14583A40301080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 10 | Stainless A4-80 | M3 x 10 | Plain (no plating) | 3 mm | 10 mm | | 5.6 mm |
| 14583A403012 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 12 | Stainless A4-70 | M3 x 12 | Plain (no plating) | 3 mm | 12 mm | | 5.6 mm |
| 14583A40301280 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 12 | Stainless A4-80 | M3 x 12 | Plain (no plating) | 3 mm | 12 mm | | 5.6 mm |
| 14583A403014 | ISO 14583 Rounded Head Screw with Torx, Stainless | | | | | | | |

A4-70, M3 x 14

| | | | | | |
|---|---|---|---|---|---|
| Stainless A4-70 | M3 x 14 | Plain (no plating) | 3 mm | 14 mm | 5.6 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583A403016 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 16 | Stainless A4-70 | M3 x 16 | Plain (no plating) | 3 mm | 16 mm | | 5.6 mm |
| 14583A40301680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 16 | Stainless A4-80 | M3 x 16 | Plain (no plating) | 3 mm | 16 mm | | 5.6 mm |
| 14583A403018 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 18 | Stainless A4-70 | M3 x 18 | Plain (no plating) | 3 mm | 18 mm | | 5.6 mm |
| 14583A403018DIN | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 18 | Stainless A4-70 | M3 x 18 | Plain (no plating) | 3 mm | 18 mm | | 5.6 mm |
| 14583A403020 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 20 | Stainless A4-70 | M3 x 20 | Plain (no plating) | 3 mm | 20 mm | | 5.6 mm |
| 14583A40302580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 25 | Stainless A4-80 | M3 x 25 | Plain (no plating) | 3 mm | 25 mm | | 5.6 mm |
| 14583A403030 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 30 | Stainless A4-70 | M3 x 30 | Plain (no plating) | 3 mm | 30 mm | | 5.6 mm |
| 14583A40303080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M3 x 30 | Stainless A4-80 | M3 x 30 | Plain (no plating) | 3 mm | 30 mm | | 5.6 mm |
| 14583A403040 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M3 x 40 | Stainless A4-70 | M3 x 40 | Plain (no plating) | 3 mm | 40 mm | | 5.6 mm |
| 14583A404005 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 5 | Stainless A4-70 | M4 x 5 | Plain (no plating) | 4 mm | 5 mm | | 8 mm |
| 14583A40400580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 5 | Stainless A4-80 | M4 x 5 | Plain (no plating) | 4 mm | 5 mm | | 8 mm |
| 14583A404006 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 6 | Stainless A4-70 | M4 x 6 | Plain (no plating) | 4 mm | 6 mm | | 8 mm |
| 14583A40400680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 6 | Stainless A4-80 | M4 x 6 | Plain (no plating) | 4 mm | 6 mm | | 8 mm |
| 14583A404008 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 8 | Stainless A4-70 | M4 x 8 | Plain (no plating) | 4 mm | 8 mm | | 8 mm |
| 14583A40400880 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 8 | Stainless A4-80 | M4 x 8 | Plain (no plating) | 4 mm | 8 mm | | 8 mm |
| 14583A404010 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 10 | Stainless A4-70 | M4 x 10 | Plain (no plating) | 4 mm | 10 mm | | 8 mm |
| 14583A40401080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 10 | Stainless A4-80 | M4 x 10 | Plain (no plating) | 4 mm | 10 mm | | 8 mm |
| 14583A404012 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 12 | Stainless A4-70 | M4 x 12 | Plain (no plating) | 4 mm | 12 mm | | 8 mm |
| 14583A40401280 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 12 | Stainless A4-80 | M4 x 12 | Plain (no plating) | 4 mm | 12 mm | | 8 mm |
| 14583A40401280W | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 12 | Stainless A4-80 | M4 x 12 | Plain (no plating) | 4 mm | 12 mm | | 8 mm |
| 14583A404012NB | ISO 14583 Rounded Head Screw with Torx, Stainless A4, M4 x 12 | Stainless A4 | M4 x 12 | Plain (no plating) | 4 mm | 12 mm | | 8 mm |
| 14583A404014 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 14 | Stainless A4-70 | M4 x 14 | Plain (no plating) | 4 mm | 14 mm | | 8 mm |
| 14583A40401480 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 14 | Stainless A4-80 | M4 x 14 | Plain (no plating) | 4 mm | 14 mm | | 8 mm |
| 14583A404016 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 16 | Stainless A4-70 | M4 x 16 | Plain (no plating) | 4 mm | 16 mm | | 8 mm |
| 14583A40401680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 16 | Stainless A4-80 | M4 x 16 | Plain (no plating) | 4 mm | 16 mm | | 8 mm |
| 14583A404020 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 20 | Stainless A4-70 | M4 x 20 | Plain (no plating) | 4 mm | 20 mm | | 8 mm |
| 14583A40402080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 20 | Stainless A4-80 | M4 x 20 | Plain (no plating) | 4 mm | 20 mm | | 8 mm |
| 14583A404025 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 25 | Stainless A4-70 | M4 x 25 | Plain (no plating) | 4 mm | 25 mm | | 8 mm |
| 14583A404030 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 30 | Stainless A4-70 | M4 x 30 | Plain (no plating) | 4 mm | 30 mm | | 8 mm |
| 14583A40403080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 30 | Stainless A4-80 | M4 x 30 | Plain (no plating) | 4 mm | 30 mm | | 8 mm |
| 14583A404035 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 35 | Stainless A4-70 | M4 x 35 | Plain (no plating) | 4 mm | 35 mm | | 8 mm |
| 14583A40403580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 35 | Stainless A4-80 | M4 x 35 | Plain (no plating) | 4 mm | 35 mm | | 8 mm |
| 14583A404040 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 40 | Stainless A4-70 | M4 x 40 | Plain (no plating) | 4 mm | 40 mm | | 8 mm |
| 14583A40404080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M4 x 40 | Stainless A4-80 | M4 x 40 | Plain (no plating) | 4 mm | 40 mm | | 8 mm |
| 14583A404045 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 45 | Stainless A4-70 | M4 x 45 | Plain (no plating) | 4 mm | 45 mm | | 8 mm |
| 14583A404050 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M4 x 50 | Stainless A4-70 | M4 x 50 | Plain (no plating) | 4 mm | 50 mm | | 8 mm |
| 14583A405006 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 6 | Stainless A4-70 | M5 x 6 | Plain (no plating) | 5 mm | 6 mm | | 9.5 mm |
| 14583A40500680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 6 | Stainless A4-80 | M5 x 6 | Plain (no plating) | 5 mm | 6 mm | | 9.5 mm |
| 14583A405008 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 8 | Stainless A4-70 | M5 x 8 | Plain (no plating) | 5 mm | 8 mm | | 9.5 mm |
| 14583A40500880 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 8 | Stainless A4-80 | M5 x 8 | Plain (no plating) | 5 mm | 8 mm | | 9.5 mm |
| 14583A405010 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 10 | Stainless A4-70 | M5 x 10 | Plain (no plating) | 5 mm | 10 mm | | 9.5 mm |
| 14583A40501080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 10 | Stainless A4-80 | M5 x 10 | Plain (no plating) | 5 mm | 10 mm | | 9.5 mm |
| 14583A405012 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 12 | Stainless A4-70 | M5 x 12 | Plain (no plating) | 5 mm | 12 mm | | 9.5 mm |
| 14583A40501280 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 12 | Stainless A4-80 | M5 x 12 | Plain (no plating) | 5 mm | 12 mm | | 9.5 mm |
| 14583A405014 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 14 | Stainless A4-70 | M5 x 14 | Plain (no plating) | 5 mm | 14 mm | | 9.5 mm |
| 14583A405016 | ISO 14583 Rounded Head Screw with Torx, Stainless | | | | | | | |

A4-70, M5 x 16

| | | | | | |
|---|---|---|---|---|---|
| Stainless A4-70 | M5 x 16 | Plain (no plating) | 5 mm | 16 mm | 9.5 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583A40501670 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 16 | Stainless A4-70 | M5 x 16 | Plain (no plating) | 5 mm | 16 mm | | 9.5 mm |
| 14583A40501680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 16 | Stainless A4-80 | M5 x 16 | Plain (no plating) | 5 mm | 16 mm | | 9.5 mm |
| 14583A405018 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 18 | Stainless A4-70 | M5 x 18 | Plain (no plating) | 5 mm | 18 mm | | 9.5 mm |
| 14583A405020 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 20 | Stainless A4-70 | M5 x 20 | Plain (no plating) | 5 mm | 20 mm | | 9.5 mm |
| 14583A40502080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 20 | Stainless A4-80 | M5 x 20 | Plain (no plating) | 5 mm | 20 mm | | 9.5 mm |
| 14583A405025 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 25 | Stainless A4-70 | M5 x 25 | Plain (no plating) | 5 mm | 25 mm | | 9.5 mm |
| 14583A40502580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 25 | Stainless A4-80 | M5 x 25 | Plain (no plating) | 5 mm | 25 mm | | 9.5 mm |
| 14583A405030 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 30 | Stainless A4-70 | M5 x 30 | Plain (no plating) | 5 mm | 30 mm | | 9.5 mm |
| 14583A40503080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 30 | Stainless A4-80 | M5 x 30 | Plain (no plating) | 5 mm | 30 mm | | 9.5 mm |
| 14583A405040 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 40 | Stainless A4-70 | M5 x 40 | Plain (no plating) | 5 mm | 40 mm | | 9.5 mm |
| 14583A40504080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 40 | Stainless A4-80 | M5 x 40 | Plain (no plating) | 5 mm | 40 mm | | 9.5 mm |
| 14583A405045 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 45 | Stainless A4-70 | M5 x 45 | Plain (no plating) | 5 mm | 45 mm | | 9.5 mm |
| 14583A40504580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 45 | Stainless A4-80 | M5 x 45 | Plain (no plating) | 5 mm | 45 mm | | 9.5 mm |
| 14583A405050 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 50 | Stainless A4-70 | M5 x 50 | Plain (no plating) | 5 mm | 50 mm | | 9.5 mm |
| 14583A40505080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M5 x 50 | Stainless A4-80 | M5 x 50 | Plain (no plating) | 5 mm | 50 mm | | 9.5 mm |
| 14583A405060 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 60 | Stainless A4-70 | M5 x 60 | Plain (no plating) | 5 mm | 60 mm | | 9.5 mm |
| 14583A405070 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 70 | Stainless A4-70 | M5 x 70 | Plain (no plating) | 5 mm | 70 mm | | 9.5 mm |
| 14583A40507070 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M5 x 70 | Stainless A4-70 | M5 x 70 | Plain (no plating) | 5 mm | 70 mm | | 9.5 mm |
| 14583A406008 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 8 | Stainless A4-70 | M6 x 8 | Plain (no plating) | 6 mm | 8 mm | | 12 mm |
| 14583A406010 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 10 | Stainless A4-70 | M6 x 10 | Plain (no plating) | 6 mm | 10 mm | | 12 mm |
| 14583A40601080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 10 | Stainless A4-80 | M6 x 10 | Plain (no plating) | 6 mm | 10 mm | | 12 mm |
| 14583A406012 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 12 | Stainless A4-70 | M6 x 12 | Plain (no plating) | 6 mm | 12 mm | | 12 mm |
| 14583A40601280 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 12 | Stainless A4-80 | M6 x 12 | Plain (no plating) | 6 mm | 12 mm | | 12 mm |
| 14583A406014 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 14 | Stainless A4-70 | M6 x 14 | Plain (no plating) | 6 mm | 14 mm | | 12 mm |
| 14583A406016 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 16 | Stainless A4-70 | M6 x 16 | Plain (no plating) | 6 mm | 16 mm | | 12 mm |
| 14583A40601670 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 16 | Stainless A4-70 | M6 x 16 | Plain (no plating) | 6 mm | 16 mm | | 12 mm |
| 14583A40601680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 16 | Stainless A4-80 | M6 x 16 | Plain (no plating) | 6 mm | 16 mm | | 12 mm |
| 14583A406020 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 20 | Stainless A4-70 | M6 x 20 | Plain (no plating) | 6 mm | 20 mm | | 12 mm |
| 14583A40602080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 20 | Stainless A4-80 | M6 x 20 | Plain (no plating) | 6 mm | 20 mm | | 12 mm |
| 14583A406022 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 22 | Stainless A4-70 | M6 x 22 | Plain (no plating) | 6 mm | 22 mm | | 12 mm |
| 14583A406025 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 25 | Stainless A4-70 | M6 x 25 | Plain (no plating) | 6 mm | 25 mm | | 12 mm |
| 14583A40602580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 25 | Stainless A4-80 | M6 x 25 | Plain (no plating) | 6 mm | 25 mm | | 12 mm |
| 14583A406030 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 30 | Stainless A4-70 | M6 x 30 | Plain (no plating) | 6 mm | 30 mm | | 12 mm |
| 14583A40603080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 30 | Stainless A4-80 | M6 x 30 | Plain (no plating) | 6 mm | 30 mm | | 12 mm |
| 14583A406035 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 35 | Stainless A4-70 | M6 x 35 | Plain (no plating) | 6 mm | 35 mm | | 12 mm |
| 14583A40603580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 35 | Stainless A4-80 | M6 x 35 | Plain (no plating) | 6 mm | 35 mm | | 12 mm |
| 14583A406040 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 40 | Stainless A4-70 | M6 x 40 | Plain (no plating) | 6 mm | 40 mm | | 12 mm |
| 14583A40604080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 40 | Stainless A4-80 | M6 x 40 | Plain (no plating) | 6 mm | 40 mm | | 12 mm |
| 14583A406050 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 50 | Stainless A4-70 | M6 x 50 | Plain (no plating) | 6 mm | 50 mm | | 12 mm |
| 14583A406055 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 55 | Stainless A4-70 | M6 x 55 | Plain (no plating) | 6 mm | 55 mm | | 12 mm |
| 14583A406060 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 60 | Stainless A4-70 | M6 x 60 | Plain (no plating) | 6 mm | 60 mm | | 12 mm |
| 14583A40606080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M6 x 60 | Stainless A4-80 | M6 x 60 | Plain (no plating) | 6 mm | 60 mm | | 12 mm |
| 14583A406065 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 65 | Stainless A4-70 | M6 x 65 | Plain (no plating) | 6 mm | 65 mm | | 12 mm |
| 14583A406070 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 70 | Stainless A4-70 | M6 x 70 | Plain (no plating) | 6 mm | 70 mm | | 12 mm |
| 14583A406080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M6 x 80 | Stainless A4-70 | M6 x 80 | Plain (no plating) | 6 mm | 80 mm | | 12 mm |
| 14583A40801280 | ISO 14583 Rounded Head Screw with Torx, Stainless | | | | | | | |

A4-80, M8 x 12

| | | | | | |
|---|---|---|---|---|---|
| Stainless A4-80 | M8 x 12 | Plain (no plating) | 8 mm | 12 mm | 16 mm |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 14583A40801288 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 12 | Plain (no plating) | 8 mm | 12 mm | | 16 mm |
| 14583A408016 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 16 | Stainless A4-70 | M8 x 16 | Plain (no plating) | 8 mm | 16 mm | | 16 mm |
| 14583A40801680 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M8 x 16 | Stainless A4-80 | M8 x 16 | Plain (no plating) | 8 mm | 16 mm | | 16 mm |
| 14583A40801688 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 16 | Plain (no plating) | 8 mm | 16 mm | | 16 mm |
| 14583A408020 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 20 | Stainless A4-70 | M8 x 20 | Plain (no plating) | 8 mm | 20 mm | | 16 mm |
| 14583A40802070 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 20 | Stainless A4-70 | M8 x 20 | Plain (no plating) | 8 mm | 20 mm | | 16 mm |
| 14583A40802080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M8 x 20 | Stainless A4-80 | M8 x 20 | Plain (no plating) | 8 mm | 20 mm | | 16 mm |
| 14583A40802088 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 20 | Plain (no plating) | 8 mm | 20 mm | | 16 mm |
| 14583A408025 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 25 | Stainless A4-70 | M8 x 25 | Plain (no plating) | 8 mm | 25 mm | | 16 mm |
| 14583A40802588 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 25 | Plain (no plating) | 8 mm | 25 mm | | 16 mm |
| 14583A408030 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 30 | Stainless A4-70 | M8 x 30 | Plain (no plating) | 8 mm | 30 mm | | 16 mm |
| 14583A40803088 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 30 | Plain (no plating) | 8 mm | 30 mm | | 16 mm |
| 14583A408035 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 35 | Stainless A4-70 | M8 x 35 | Plain (no plating) | 8 mm | 35 mm | | 16 mm |
| 14583A40803580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M8 x 35 | Stainless A4-80 | M8 x 35 | Plain (no plating) | 8 mm | 35 mm | | 16 mm |
| 14583A40803588 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 35 | Plain (no plating) | 8 mm | 35 mm | | 16 mm |
| 14583A408040 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 40 | Stainless A4-70 | M8 x 40 | Plain (no plating) | 8 mm | 40 mm | | 16 mm |
| 14583A40804088 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 40 | Plain (no plating) | 8 mm | 40 mm | | 16 mm |
| 14583A40804580 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-80, M8 x 45 | Stainless A4-80 | M8 x 45 | Plain (no plating) | 8 mm | 45 mm | | 16 mm |
| 14583A40804588 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 45 | Plain (no plating) | 8 mm | 45 mm | | 16 mm |
| 14583A408050 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 50 | Stainless A4-70 | M8 x 50 | Plain (no plating) | 8 mm | 50 mm | | 16 mm |
| 14583A40805088 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 50 | Plain (no plating) | 8 mm | 50 mm | | 16 mm |
| 14583A408060 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 60 | Stainless A4-70 | M8 x 60 | Plain (no plating) | 8 mm | 60 mm | | 16 mm |
| 14583A40806088 | ISO 14583 Rounded Head Screw with Torx, Stainless BUMAX 88 (A4 high-stre | Stainless BUMAX 88 (A4 high-stre | M8 x 60 | Plain (no plating) | 8 mm | 60 mm | | 16 mm |
| 14583A408080 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M8 x 80 | Stainless A4-70 | M8 x 80 | Plain (no plating) | 8 mm | 80 mm | | 16 mm |
| 14583A410025 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M10 x 2 | Stainless A4-70 | M10 x 25 | Plain (no plating) | 10 mm | 25 mm | | 20 mm |
| 14583A41003088W | ISO 14583 Rounded Head Screw with Torx, Stainless A4, M10 x 30 | Stainless A4 | M10 x 30 | Plain (no plating) | 10 mm | 30 mm | | 20 mm |
| 14583A41004070 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M10 x 4 | Stainless A4-70 | M10 x 40 | Plain (no plating) | 10 mm | 40 mm | | 20 mm |
| 14583A410050 | ISO 14583 Rounded Head Screw with Torx, Stainless A4-70, M10 x 5 | Stainless A4-70 | M10 x 50 | Plain (no plating) | 10 mm | 50 mm | | 20 mm |