

ISO 14586 — Flat Head Sheet Metal Screw with Torx

Catalogue data sheet · 264 sizes · category Bolts and Screws / Flat Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14586A2C35032	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST3.5 x 32	Plain (no plating)	3.5 mm	32 mm		8.2 mm
14586A2C39019	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST3.9 x 19	Plain (no plating)	3.9 mm	19 mm		8.5 mm
14586A2C42013	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.2 x 13	Plain (no plating)	4.2 mm	13 mm		9.4 mm
14586A2C63050C	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST6.3 x 50	Plain (no plating)	6.3 mm	50 mm		12.6 mm
14586C220061	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.2	Steel	ST2.2 x 6.5	Zinc Bright Passivation Fe/Zn P1	2.2 mm	6.5 mm		5 mm
14586C2200951	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.2	Steel	ST2.2 x 9.5	Zinc Bright Passivation Fe/Zn P1	2.2 mm	9.5 mm		5 mm
14586C220131	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.2	Steel	ST2.2 x 13	Zinc Bright Passivation Fe/Zn P1	2.2 mm	13 mm		5 mm
14586C290061	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 6.5	Zinc Bright Passivation Fe/Zn P1	2.9 mm	6.5 mm		6.3 mm
14586C290061DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 6.5	Zinc Bright Passivation Fe/Zn P1	2.9 mm	6.5 mm		5.5 mm
14586C290091	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 9.5	Zinc Bright Passivation Fe/Zn P1	2.9 mm	9.5 mm		6.3 mm
14586C290091DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 9.5	Zinc Bright Passivation Fe/Zn P1	2.9 mm	9.5 mm		5.5 mm
14586C290091KBDIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 9.5	Zinc Bright Passivation Fe/Zn P1	2.9 mm	9.5 mm		5.5 mm
14586C290131	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 13	Zinc Bright Passivation Fe/Zn P1	2.9 mm	13 mm		6.3 mm
14586C290131DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 13	Zinc Bright Passivation Fe/Zn P1	2.9 mm	13 mm		5.5 mm
14586C290161	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 16	Zinc Bright Passivation Fe/Zn P1	2.9 mm	16 mm		6.3 mm
14586C290161DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 16	Zinc Bright Passivation Fe/Zn P1	2.9 mm	16 mm		5.5 mm
14586C290191	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 19	Zinc Bright Passivation Fe/Zn P1	2.9 mm	19 mm		6.3 mm
14586C290251	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 25	Zinc Bright Passivation Fe/Zn P1	2.9 mm	25 mm		6.3 mm
14586C290321DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 32	Zinc Bright Passivation Fe/Zn P1	2.9 mm	32 mm		5.5 mm
14586C350061	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 6.5	Zinc Bright Passivation Fe/Zn P1	3.5 mm	6.5 mm		8.2 mm
14586C350091	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 9.5	Zinc Bright Passivation Fe/Zn P1	3.5 mm	9.5 mm		8.2 mm
14586C350091DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 9.5	Zinc Bright Passivation Fe/Zn P1	3.5 mm	9.5 mm		6.8 mm
14586C350091I	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 9.5	Zinc Bright Passivation Fe/Zn P1	3.5 mm	9.5 mm		8.2 mm
14586C350131	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 13	Zinc Bright Passivation Fe/Zn P1	3.5 mm	13 mm		8.2 mm
14586C350131DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 13	Zinc Bright Passivation Fe/Zn P1	3.5 mm	13 mm		6.8 mm
14586C350161	ISO 14586-C Flat Head Sheet Metal Screw with Torx,							

Steel, ST3.5

Steel	ST3.5 x 16	Zinc Bright Passivation Fe/Zn P1	3.5 mm	16 mm		8.2 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14586C350191	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 19	Zinc Bright Passivation Fe/Zn P1	3.5 mm	19 mm		8.2 mm
14586C350221	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 22	Zinc Bright Passivation Fe/Zn P1	3.5 mm	22 mm		8.2 mm
14586C350251	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 25	Zinc Bright Passivation Fe/Zn P1	3.5 mm	25 mm		8.2 mm
14586C350321	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 32	Zinc Bright Passivation Fe/Zn P1	3.5 mm	32 mm		8.2 mm
14586C350321DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 32	Zinc Bright Passivation Fe/Zn P1	3.5 mm	32 mm		6.8 mm
14586C350381	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.5	Steel	ST3.5 x 38	Zinc Bright Passivation Fe/Zn P1	3.5 mm	38 mm		8.2 mm
14586C390251	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST3.9	Steel	ST3.9 x 25	Zinc Bright Passivation Fe/Zn P1	3.9 mm	25 mm		8.5 mm
14586C420091DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 9.5	Zinc Bright Passivation Fe/Zn P1	4.2 mm	9.5 mm		8.1 mm
14586C420131	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 13	Zinc Bright Passivation Fe/Zn P1	4.2 mm	13 mm		9.4 mm
14586C420131DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 13	Zinc Bright Passivation Fe/Zn P1	4.2 mm	13 mm		8.1 mm
14586C420131KBDIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 13	Zinc Bright Passivation Fe/Zn P1	4.2 mm	13 mm		8.1 mm
14586C420161	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 16	Zinc Bright Passivation Fe/Zn P1	4.2 mm	16 mm		9.4 mm
14586C420161DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 16	Zinc Bright Passivation Fe/Zn P1	4.2 mm	16 mm		8.1 mm
14586C420191DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 19	Zinc Bright Passivation Fe/Zn P1	4.2 mm	19 mm		8.1 mm
14586C420221	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 22	Zinc Bright Passivation Fe/Zn P1	4.2 mm	22 mm		9.4 mm
14586C420251	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 25	Zinc Bright Passivation Fe/Zn P1	4.2 mm	25 mm		9.4 mm
14586C420321DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 32	Zinc Bright Passivation Fe/Zn P1	4.2 mm	32 mm		8.1 mm
14586C420381	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 38	Zinc Bright Passivation Fe/Zn P1	4.2 mm	38 mm		9.4 mm
14586C480131	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 13	Zinc Bright Passivation Fe/Zn P1	4.8 mm	13 mm		10.4 mm
14586C480161	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 16	Zinc Bright Passivation Fe/Zn P1	4.8 mm	16 mm		10.4 mm
14586C480161DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 16	Zinc Bright Passivation Fe/Zn P1	4.8 mm	16 mm		9.5 mm
14586C480191	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 19	Zinc Bright Passivation Fe/Zn P1	4.8 mm	19 mm		10.4 mm
14586C480221	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 22	Zinc Bright Passivation Fe/Zn P1	4.8 mm	22 mm		10.4 mm
14586C480251	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 25	Zinc Bright Passivation Fe/Zn P1	4.8 mm	25 mm		10.4 mm
14586C480251DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 25	Zinc Bright Passivation Fe/Zn P1	4.8 mm	25 mm		9.5 mm
14586C480321DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 32	Zinc Bright Passivation Fe/Zn P1	4.8 mm	32 mm		9.5 mm
14586C480381	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 38	Zinc Bright Passivation Fe/Zn P1	4.8 mm	38 mm		10.4 mm
14586C480381DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 38	Zinc Bright Passivation Fe/Zn P1	4.8 mm	38 mm		9.5 mm
14586C480501DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 50	Zinc Bright Passivation Fe/Zn P1	4.8 mm	50 mm		9.5 mm
14586C480601	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 60	Zinc Bright Passivation Fe/Zn P1	4.8 mm	60 mm		10.4 mm
14586C480801	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 80	Zinc Bright Passivation Fe/Zn P1	4.8 mm	80 mm		10.4 mm
14586C550131	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST5.5	Steel	ST5.5 x 13	Zinc Bright Passivation Fe/Zn P1	5.5 mm	13 mm		11.5 mm
14586C550221	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST5.5	Steel	ST5.5 x 22	Zinc Bright Passivation Fe/Zn P1	5.5 mm	22 mm		11.5 mm
14586C550321	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST5.5	Steel	ST5.5 x 32	Zinc Bright Passivation Fe/Zn P1	5.5 mm	32 mm		11.5 mm
14586C550381	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST5.5	Steel	ST5.5 x 38	Zinc Bright Passivation Fe/Zn P1	5.5 mm	38 mm		11.5 mm
14586C550451	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST5.5	Steel	ST5.5 x 45	Zinc Bright Passivation Fe/Zn P1	5.5 mm	45 mm		11.5 mm
14586C630251	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST6.3	Steel	ST6.3 x 25	Zinc Bright Passivation Fe/Zn P1	6.3 mm	25 mm		12.6 mm
14586C630321	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST6.3	Steel	ST6.3 x 32	Zinc Bright Passivation Fe/Zn P1	6.3 mm	32 mm		12.6 mm
14586C630321W627	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST6.3	Steel	ST6.3 x 32	Zinc Bright Passivation Fe/Zn P1	6.3 mm	32 mm		12.6 mm
14586C630501DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST6.3	Steel	ST6.3 x 50	Zinc Bright Passivation Fe/Zn P1	6.3 mm	50 mm		12.4 mm
14586C630501T30	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST6.3	Steel	ST6.3 x 50	Zinc Bright Passivation Fe/Zn P1	6.3 mm	50 mm		12.6 mm
14586CA222013	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST2.2 x 13	Plain (no plating)	2.2 mm	13 mm		5 mm
14586CA229009	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST2.9 x 9.5	Plain (no plating)	2.9 mm	9.5 mm		6.3 mm
14586CA229013	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST2.9 x 13	Plain (no plating)	2.9 mm	13 mm		6.3 mm
14586CA229016	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST2.9 x 16	Plain (no plating)	2.9 mm	16 mm		6.3 mm
14586CA229025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,							

Stainless A2-

Stainless A2-20H	ST2.9 x 25	Plain (no plating)	2.9 mm	25 mm	6.3 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14586CA229065	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST2.9 x 6.5	Plain (no plating)	2.9 mm	6.5 mm		6.3 mm
14586CA235006	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 6.5	Plain (no plating)	3.5 mm	6.5 mm		8.2 mm
14586CA235006T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 6.5	Plain (no plating)	3.5 mm	6.5 mm		8.2 mm
14586CA235009	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 9.5	Plain (no plating)	3.5 mm	9.5 mm		8.2 mm
14586CA235009T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 9.5	Plain (no plating)	3.5 mm	9.5 mm		8.2 mm
14586CA235009T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 9.5	Plain (no plating)	3.5 mm	9.5 mm		8.2 mm
14586CA235013	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm		8.2 mm
14586CA235013DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm		6.8 mm
14586CA235013T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm		8.2 mm
14586CA235016T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 16	Plain (no plating)	3.5 mm	16 mm		8.2 mm
14586CA235019	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm		8.2 mm
14586CA235019DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm		6.8 mm
14586CA235019T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm		8.2 mm
14586CA235025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 25	Plain (no plating)	3.5 mm	25 mm		8.2 mm
14586CA235025DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 25	Plain (no plating)	3.5 mm	25 mm		6.8 mm
14586CA235025T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 25	Plain (no plating)	3.5 mm	25 mm		8.2 mm
14586CA235032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 32	Plain (no plating)	3.5 mm	32 mm		8.2 mm
14586CA235032DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 32	Plain (no plating)	3.5 mm	32 mm		6.8 mm
14586CA235032T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 32	Plain (no plating)	3.5 mm	32 mm		8.2 mm
14586CA235038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 38	Plain (no plating)	3.5 mm	38 mm		8.2 mm
14586CA235038DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 38	Plain (no plating)	3.5 mm	38 mm		6.8 mm
14586CA235038T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 38	Plain (no plating)	3.5 mm	38 mm		8.2 mm
14586CA235050	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 50	Plain (no plating)	3.5 mm	50 mm		8.2 mm
14586CA235050DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 50	Plain (no plating)	3.5 mm	50 mm		6.8 mm
14586CA235050T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.5 x 50	Plain (no plating)	3.5 mm	50 mm		8.2 mm
14586CA239013DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.9 x 13	Plain (no plating)	3.9 mm	13 mm		7.5 mm
14586CA239019	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.9 x 19	Plain (no plating)	3.9 mm	19 mm		8.5 mm
14586CA239019DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.9 x 19	Plain (no plating)	3.9 mm	19 mm		7.5 mm
14586CA239032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.9 x 32	Plain (no plating)	3.9 mm	32 mm		8.5 mm
14586CA239038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST3.9 x 38	Plain (no plating)	3.9 mm	38 mm		8.5 mm
14586CA242009	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 9.5	Plain (no plating)	4.2 mm	9.5 mm		9.4 mm
14586CA242009DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 9.5	Plain (no plating)	4.2 mm	9.5 mm		8.1 mm
14586CA242013	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 13	Plain (no plating)	4.2 mm	13 mm		9.4 mm
14586CA242013DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 13	Plain (no plating)	4.2 mm	13 mm		8.1 mm
14586CA242016	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 16	Plain (no plating)	4.2 mm	16 mm		9.4 mm
14586CA242016DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 16	Plain (no plating)	4.2 mm	16 mm		8.1 mm
14586CA242019	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 19	Plain (no plating)	4.2 mm	19 mm		9.4 mm
14586CA242019DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 19	Plain (no plating)	4.2 mm	19 mm		8.1 mm
14586CA242022	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 22	Plain (no plating)	4.2 mm	22 mm		9.4 mm
14586CA242025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 25	Plain (no plating)	4.2 mm	25 mm		9.4 mm
14586CA242025DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 25	Plain (no plating)	4.2 mm	25 mm		8.1 mm
14586CA242032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm		9.4 mm
14586CA242032DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm		8.1 mm
14586CA242038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 38	Plain (no plating)	4.2 mm	38 mm		9.4 mm
14586CA242045	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	Stainless A2-20H	ST4.2 x 45	Plain (no plating)	4.2 mm	45 mm		9.4 mm
14586CA242045DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,							

Stainless A2-

Stainless A2-20H	ST4.2 x 45	Plain (no plating)	4.2 mm	45 mm	8.1 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14586CA242050	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.2 x 50	Plain (no plating)	4.2 mm	50 mm		9.4 mm
14586CA242050DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.2 x 50	Plain (no plating)	4.2 mm	50 mm		8.1 mm
14586CA242055DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.2 x 55	Plain (no plating)	4.2 mm	55 mm		8.1 mm
14586CA242080	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.2 x 80	Plain (no plating)	4.2 mm	80 mm		9.4 mm
14586CA242080DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.2 x 80	Plain (no plating)	4.2 mm	80 mm		8.1 mm
14586CA248009	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 9.5	Plain (no plating)	4.8 mm	9.5 mm		10.4 mm
14586CA248013	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 13	Plain (no plating)	4.8 mm	13 mm		10.4 mm
14586CA248013DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 13	Plain (no plating)	4.8 mm	13 mm		9.5 mm
14586CA248016	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 16	Plain (no plating)	4.8 mm	16 mm		10.4 mm
14586CA248016DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 16	Plain (no plating)	4.8 mm	16 mm		9.5 mm
14586CA248016DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 16	Plain (no plating)	4.8 mm	16 mm		9.5 mm
W 14586CA248019	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 19	Plain (no plating)	4.8 mm	19 mm		10.4 mm
14586CA248022	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 22	Plain (no plating)	4.8 mm	22 mm		10.4 mm
14586CA248025	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 25	Plain (no plating)	4.8 mm	25 mm		10.4 mm
14586CA248032	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 32	Plain (no plating)	4.8 mm	32 mm		10.4 mm
14586CA248032DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 32	Plain (no plating)	4.8 mm	32 mm		9.5 mm
14586CA248038	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 38	Plain (no plating)	4.8 mm	38 mm		10.4 mm
14586CA248045	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 45	Plain (no plating)	4.8 mm	45 mm		10.4 mm
14586CA248050	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 50	Plain (no plating)	4.8 mm	50 mm		10.4 mm
14586CA248070	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 70	Plain (no plating)	4.8 mm	70 mm		10.4 mm
14586CA255013	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 13	Plain (no plating)	5.5 mm	13 mm		11.5 mm
14586CA255016	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 16	Plain (no plating)	5.5 mm	16 mm		11.5 mm
14586CA255019	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 19	Plain (no plating)	5.5 mm	19 mm		11.5 mm
14586CA255025	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 25	Plain (no plating)	5.5 mm	25 mm		11.5 mm
14586CA255032	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 32	Plain (no plating)	5.5 mm	32 mm		11.5 mm
14586CA255038	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 38	Plain (no plating)	5.5 mm	38 mm		11.5 mm
14586CA255045	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 45	Plain (no plating)	5.5 mm	45 mm		11.5 mm
14586CA255050	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 50	Plain (no plating)	5.5 mm	50 mm		11.5 mm
14586CA255050DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 50	Plain (no plating)	5.5 mm	50 mm		10.8 mm
14586CA255060	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 60	Plain (no plating)	5.5 mm	60 mm		11.5 mm
14586CA255070DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST5.5 x 70	Plain (no plating)	5.5 mm	70 mm		10.8 mm
14586CA263019	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST6.3 x 19	Plain (no plating)	6.3 mm	19 mm		12.6 mm
14586CA263025	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST6.3 x 25	Plain (no plating)	6.3 mm	25 mm		12.6 mm
14586CA263025DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST6.3 x 25	Plain (no plating)	6.3 mm	25 mm		12.4 mm
14586CA263038	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST6.3 x 38	Plain (no plating)	6.3 mm	38 mm		12.6 mm
14586CA263050	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST6.3 x 50	Plain (no plating)	6.3 mm	50 mm		12.6 mm
14586CA263100	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST6.3 x 100	Plain (no plating)	6.3 mm	100 mm		12.6 mm
14586CA422009	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST2	A4-20-H	ST2.2 x 9.5	Plain (no plating)	2.2 mm	9.5 mm		5 mm
14586CA429009	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST2	A4-20-H	ST2.9 x 9.5	Plain (no plating)	2.9 mm	9.5 mm		6.3 mm
14586CA429013	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST2	A4-20-H	ST2.9 x 13	Plain (no plating)	2.9 mm	13 mm		6.3 mm
14586CA429016	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST2	A4-20-H	ST2.9 x 16	Plain (no plating)	2.9 mm	16 mm		6.3 mm
14586CA429016DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST2	A4-20-H	ST2.9 x 16	Plain (no plating)	2.9 mm	16 mm		5.5 mm
14586CA429019	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST2	A4-20-H	ST2.9 x 19	Plain (no plating)	2.9 mm	19 mm		6.3 mm
14586CA429025	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST2	A4-20-H	ST2.9 x 25	Plain (no plating)	2.9 mm	25 mm		6.3 mm
14586CA435009	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST3	A4-20-H	ST3.5 x 9.5	Plain (no plating)	3.5 mm	9.5 mm		8.2 mm
14586CA435013	ISO 14586-C Flat Head Sheet Metal Screw with Torx,							

A4-20-H, ST3.

A4-20-H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm	8.2 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14586CA435013T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm		6.8 mm
14586CA435016	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 16	Plain (no plating)	3.5 mm	16 mm		8.2 mm
14586CA435019	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm		8.2 mm
14586CA435025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 25	Plain (no plating)	3.5 mm	25 mm		8.2 mm
14586CA435032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 32	Plain (no plating)	3.5 mm	32 mm		8.2 mm
14586CA435032DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 32	Plain (no plating)	3.5 mm	32 mm		6.8 mm
14586CA435038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 38	Plain (no plating)	3.5 mm	38 mm		8.2 mm
14586CA435050	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.5 x 50	Plain (no plating)	3.5 mm	50 mm		8.2 mm
14586CA439016	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.9 x 16	Plain (no plating)	3.9 mm	16 mm		8.5 mm
14586CA439025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.9 x 25	Plain (no plating)	3.9 mm	25 mm		8.5 mm
14586CA439032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST3.9 x 32	Plain (no plating)	3.9 mm	32 mm		8.5 mm
14586CA442013	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 13	Plain (no plating)	4.2 mm	13 mm		9.4 mm
14586CA442016	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 16	Plain (no plating)	4.2 mm	16 mm		9.4 mm
14586CA442016DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 16	Plain (no plating)	4.2 mm	16 mm		8.1 mm
14586CA442019	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 19	Plain (no plating)	4.2 mm	19 mm		9.4 mm
14586CA442025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 25	Plain (no plating)	4.2 mm	25 mm		9.4 mm
14586CA442032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm		9.4 mm
14586CA442038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 38	Plain (no plating)	4.2 mm	38 mm		9.4 mm
14586CA442045	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 45	Plain (no plating)	4.2 mm	45 mm		9.4 mm
14586CA442050	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 50	Plain (no plating)	4.2 mm	50 mm		9.4 mm
14586CA442060DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 60	Plain (no plating)	4.2 mm	60 mm		8.1 mm
14586CA442060DINW	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 60	Plain (no plating)	4.2 mm	60 mm		8.1 mm
14586CA442080	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.2 x 80	Plain (no plating)	4.2 mm	80 mm		9.4 mm
14586CA448013	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 13	Plain (no plating)	4.8 mm	13 mm		10.4 mm
14586CA448016	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 16	Plain (no plating)	4.8 mm	16 mm		10.4 mm
14586CA448019	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 19	Plain (no plating)	4.8 mm	19 mm		10.4 mm
14586CA448022	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 22	Plain (no plating)	4.8 mm	22 mm		10.4 mm
14586CA448025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 25	Plain (no plating)	4.8 mm	25 mm		10.4 mm
14586CA448025DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 25	Plain (no plating)	4.8 mm	25 mm		9.5 mm
14586CA448032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 32	Plain (no plating)	4.8 mm	32 mm		10.4 mm
14586CA448038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 38	Plain (no plating)	4.8 mm	38 mm		10.4 mm
14586CA448050	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST4.8 x 50	Plain (no plating)	4.8 mm	50 mm		10.4 mm
14586CA455013	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 13	Plain (no plating)	5.5 mm	13 mm		11.5 mm
14586CA455016T	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 16	Plain (no plating)	5.5 mm	16 mm		11.5 mm
14586CA455019	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 19	Plain (no plating)	5.5 mm	19 mm		11.5 mm
14586CA455025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 25	Plain (no plating)	5.5 mm	25 mm		11.5 mm
14586CA455032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 32	Plain (no plating)	5.5 mm	32 mm		11.5 mm
14586CA455032DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 32	Plain (no plating)	5.5 mm	32 mm		10.8 mm
14586CA455038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 38	Plain (no plating)	5.5 mm	38 mm		11.5 mm
14586CA455050	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST5.5 x 50	Plain (no plating)	5.5 mm	50 mm		11.5 mm
14586CA463025	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST6.3 x 25	Plain (no plating)	6.3 mm	25 mm		12.6 mm
14586CA463032	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST6.3 x 32	Plain (no plating)	6.3 mm	32 mm		12.6 mm
14586CA463038	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST6.3 x 38	Plain (no plating)	6.3 mm	38 mm		12.6 mm
14586CA463038DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST6.3 x 38	Plain (no plating)	6.3 mm	38 mm		12.4 mm
14586CA463045	ISO 14586-C Flat Head Sheet Metal Screw with Torx,	A4-20-H	ST6.3 x 45	Plain (no plating)	6.3 mm	45 mm		12.6 mm
14586CA463050	ISO 14586-C Flat Head Sheet Metal Screw with Torx,							

A4-20-H, ST6.

A4-20-H	ST6.3 x 50	Plain (no plating)	6.3 mm	50 mm	12.6 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
14586CA463050DIN	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST6	A4-20-H	ST6.3 x 50	Plain (no plating)	6.3 mm	50 mm		12.4 mm
14586F290091	ISO 14586-F Flat Head Sheet Metal Screw with Torx, Steel, ST2.9	Steel	ST2.9 x 9.5	Zinc Bright Passivation Fe/Zn P1	2.9 mm	9.5 mm		6.3 mm
14586F480131	ISO 14586-F Flat Head Sheet Metal Screw with Torx, Steel, ST4.8	Steel	ST4.8 x 13	Zinc Bright Passivation Fe/Zn P1	4.8 mm	13 mm		10.4 mm
14586FA248013	ISO 14586-F Flat Head Sheet Metal Screw with Torx, Stainless A2	Stainless A2-20H	ST4.8 x 13	Plain (no plating)	4.8 mm	13 mm		10.4 mm
7982C420131TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 13	Zinc Bright Passivation Fe/Zn P1	4.2 mm	13 mm		8.1 mm
7982C420161TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST4.2	Steel	ST4.2 x 16	Zinc Bright Passivation Fe/Zn P1	4.2 mm	16 mm		8.1 mm
7982C630501T30	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST6.3	Steel	ST6.3 x 50	Zinc Bright Passivation Fe/Zn P1	6.3 mm	50 mm		12.4 mm
7982C630701T30	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Steel, ST6.3	Steel	ST6.3 x 70	Zinc Bright Passivation Fe/Zn P1	6.3 mm	70 mm		12.4 mm
7982CA229006TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST2.9 x 6.5	Plain (no plating)	2.9 mm	6.5 mm		5.5 mm
7982CA229019TX10	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST2.9 x 19	Plain (no plating)	2.9 mm	19 mm		5.5 mm
7982CA235006TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 6.5	Plain (no plating)	3.5 mm	6.5 mm		6.8 mm
7982CA235009TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 9.5	Plain (no plating)	3.5 mm	9.5 mm		6.8 mm
7982CA235013TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 13	Plain (no plating)	3.5 mm	13 mm		6.8 mm
7982CA235016TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 16	Plain (no plating)	3.5 mm	16 mm		6.8 mm
7982CA235019T10	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm		6.8 mm
7982CA235019TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 19	Plain (no plating)	3.5 mm	19 mm		6.8 mm
7982CA235022TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 22	Plain (no plating)	3.5 mm	22 mm		6.8 mm
7982CA235025TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 25	Plain (no plating)	3.5 mm	25 mm		6.8 mm
7982CA235032TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 32	Plain (no plating)	3.5 mm	32 mm		6.8 mm
7982CA235038TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 38	Plain (no plating)	3.5 mm	38 mm		6.8 mm
7982CA235045TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 45	Plain (no plating)	3.5 mm	45 mm		6.8 mm
7982CA235050TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 50	Plain (no plating)	3.5 mm	50 mm		6.8 mm
7982CA235065TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 6.5	Plain (no plating)	3.5 mm	6.5 mm		6.8 mm
7982CA235095TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST3.5 x 9.5	Plain (no plating)	3.5 mm	9.5 mm		6.8 mm
7982CA242013TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 13	Plain (no plating)	4.2 mm	13 mm		8.1 mm
7982CA242019TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 19	Plain (no plating)	4.2 mm	19 mm		8.1 mm
7982CA242022TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 22	Plain (no plating)	4.2 mm	22 mm		8.1 mm
7982CA242025TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 25	Plain (no plating)	4.2 mm	25 mm		8.1 mm
7982CA242032TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm		8.1 mm
7982CA242038TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 38	Plain (no plating)	4.2 mm	38 mm		8.1 mm
7982CA242045TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 45	Plain (no plating)	4.2 mm	45 mm		8.1 mm
7982CA242050TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 50	Plain (no plating)	4.2 mm	50 mm		8.1 mm
7982CA242050X	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 50	Plain (no plating)	4.2 mm	50 mm		8.1 mm
7982CA242060TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 60	Plain (no plating)	4.2 mm	60 mm		8.1 mm
7982CA242065TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.2 x 65	Plain (no plating)	4.2 mm	65 mm		8.1 mm
7982CA248009TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 9.5	Plain (no plating)	4.8 mm	9.5 mm		9.5 mm
7982CA248013TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 13	Plain (no plating)	4.8 mm	13 mm		9.5 mm
7982CA248022TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 22	Plain (no plating)	4.8 mm	22 mm		9.5 mm
7982CA248038TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 38	Plain (no plating)	4.8 mm	38 mm		9.5 mm
7982CA248045TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 45	Plain (no plating)	4.8 mm	45 mm		9.5 mm
7982CA248050TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 50	Plain (no plating)	4.8 mm	50 mm		9.5 mm
7982CA248060TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 60	Plain (no plating)	4.8 mm	60 mm		9.5 mm
7982CA248065TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST4.8 x 65	Plain (no plating)	4.8 mm	65 mm		9.5 mm
7982CA255013TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST5.5 x 13	Plain (no plating)	5.5 mm	13 mm		10.8 mm
7982CA255019TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-	Stainless A2-20H	ST5.5 x 19	Plain (no plating)	5.5 mm	19 mm		10.8 mm
7982CA255025TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx,							

Stainless A2-

Stainless A2-20H	ST5.5 x 25	Plain (no plating)	5.5 mm	25 mm	10.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7982CA255038TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-A4-20-H, ST5.5 x 38	Stainless A2-20H	ST5.5 x 38	Plain (no plating)	5.5 mm	38 mm		10.8 mm
7982CA255045TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-A4-20-H, ST5.5 x 45	Stainless A2-20H	ST5.5 x 45	Plain (no plating)	5.5 mm	45 mm		10.8 mm
7982CA263060TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, Stainless A2-A4-20-H, ST6.3 x 60	Stainless A2-20H	ST6.3 x 60	Plain (no plating)	6.3 mm	60 mm		12.4 mm
7982CA44032TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST4.2 x 32	A4-20-H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm		8.1 mm
7982CA442032TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST4.2 x 32	A4-20-H	ST4.2 x 32	Plain (no plating)	4.2 mm	32 mm		8.1 mm
7982CA448032TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST4.8 x 32	A4-20-H	ST4.8 x 32	Plain (no plating)	4.8 mm	32 mm		9.5 mm
7982CA448038TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST4.8 x 38	A4-20-H	ST4.8 x 38	Plain (no plating)	4.8 mm	38 mm		9.5 mm
7982CA455025TX	ISO 14586-C Flat Head Sheet Metal Screw with Torx, A4-20-H, ST5.5 x 25	A4-20-H	ST5.5 x 25	Plain (no plating)	5.5 mm	25 mm		10.8 mm