
# ISO 2338 — Dowel Pin

Catalogue data sheet · 1179 sizes · category Pins / Dowel Pins · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.






| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 182344-0455 | ISO 2338 Dowel Pin, Steel, 20 x 36 mm, m6 tolerance, Plain (1823 | Steel | 20 x 36 mm | Plain (no plating) | | | | |
| 2338-1.4571-04020 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 4 x 20 mm, m6 toleran | Stainless A5 (1.4571) | 4 x 20 mm | Plain (no plating) | | | | |
| 233804020 | ISO 2338 Dowel Pin, Steel, 4 x 20 mm, m6 tolerance, Plain | Steel | 4 x 20 mm | Plain (no plating) | | | | |
| 233804026 | ISO 2338 Dowel Pin, Steel, 4 x 26 mm, m6 tolerance, Plain | Steel | 4 x 26 mm | Plain (no plating) | | | | |
| 233806014 | ISO 2338 Dowel Pin, Steel, 6 x 14 mm, m6 tolerance, Plain | Steel | 6 x 14 mm | Plain (no plating) | | | | |
| 233806024 | ISO 2338 Dowel Pin, Steel, 6 x 24 mm, m6 tolerance, Plain | Steel | 6 x 24 mm | Plain (no plating) | | | | |
| 233812035H8 | ISO 2338 Dowel Pin, Steel, 12 x 35 mm, h8 tolerance, Plain | Steel | 12 x 35 mm | Plain (no plating) | | | | |
| 233812045H8 | ISO 2338 Dowel Pin, Steel, 12 x 45 mm, h8 tolerance, Plain | Steel | 12 x 45 mm | Plain (no plating) | | | | |
| 233840614 | ISO 2338 Dowel Pin, Steel, 4 x 14 mm, m6 tolerance, Plain | Steel | 4 x 14 mm | Plain (no plating) | | | | |
| 2338A015010 | ISO 2338 Dowel Pin, Steel, 1.5 x 10 mm, m6 tolerance, Plain | Steel | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338A1008010 | ISO 2338 Dowel Pin, Stainless A1, 0.8 x 10 mm, m6 tolerance | Stainless A1 | 0.8 x 10 mm | Plain (no plating) | | | | |
| 2338A101003 | ISO 2338 Dowel Pin, Stainless A1, 1 x 3 mm, m6 tolerance | Stainless A1 | 1 x 3 mm | Plain (no plating) | | | | |
| 2338A1012010 | ISO 2338 Dowel Pin, Stainless A1, 1.2 x 10 mm, m6 tolerance | Stainless A1 | 1.2 x 10 mm | Plain (no plating) | | | | |
| 2338A1015005H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 5 mm, h6 tolerance | Stainless A1 | 1.5 x 5 mm | Plain (no plating) | | | | |
| 2338A1015006 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 6 mm, h8 tolerance | Stainless A1 | 1.5 x 6 mm | Plain (no plating) | | | | |
| 2338A1015014 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 14 mm, h8 tolerance | Stainless A1 | 1.5 x 14 mm | Plain (no plating) | | | | |
| 2338A1015016H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 16 mm, h6 tolerance | Stainless A1 | 1.5 x 16 mm | Plain (no plating) | | | | |
| 2338A1020024 | ISO 2338 Dowel Pin, Stainless A1, 2 x 24 mm, m6 tolerance | Stainless A1 | 2 x 24 mm | Plain (no plating) | | | | |
| 2338A102004 | ISO 2338 Dowel Pin, Stainless A1, 2 x 4 mm, m6 tolerance | Stainless A1 | 2 x 4 mm | Plain (no plating) | | | | |
| 2338A102005 | ISO 2338 Dowel Pin, Stainless A1, 2 x 5 mm, h6 tolerance | Stainless A1 | 2 x 5 mm | Plain (no plating) | | | | |
| 2338A102006 | ISO 2338 Dowel Pin, Stainless A1, 2 x 6 mm, m6 tolerance | Stainless A1 | 2 x 6 mm | Plain (no plating) | | | | |
| 2338A102006H8 | ISO 2338 Dowel Pin, Stainless A1, 2 x 6 mm, h8 tolerance | Stainless A1 | 2 x 6 mm | Plain (no plating) | | | | |
| 2338A102008 | ISO 2338 Dowel Pin, Stainless A1, 2 x 8 mm, h8 tolerance | Stainless A1 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338A102008M6 | ISO 2338 Dowel Pin, Stainless A1, 2 x 8 mm, m6 tolerance | Stainless A1 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338A102010 | ISO 2338 Dowel Pin, Stainless A1, 2 x 10 mm, m6 tolerance | Stainless A1 | 2 x 10 mm | Plain (no plating) | | | | |
| 2338A102010S1376 | | | | | | | | |

ISO 2338 Dowel Pin, Stainless A1, 2 x 10 mm, m6

tolerance

| | | |
|---|---|---|
| Stainless A1 | 2 x 10 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338A102012 | ISO 2338 Dowel Pin, Stainless A1, 2 x 12 mm, m6 tolerance | Stainless A1 | 2 x 12 mm | Plain (no plating) | | | | |
| 2338A102014 | ISO 2338 Dowel Pin, Stainless A1, 2 x 14 mm, m6 tolerance | Stainless A1 | 2 x 14 mm | Plain (no plating) | | | | |
| 2338A1025008 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 8 mm, h8 tolerance | Stainless A1 | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338A1025010 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 10 mm, h8 tolerance | Stainless A1 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338A103006 | ISO 2338 Dowel Pin, Stainless A1, 3 x 6 mm, m6 tolerance | Stainless A1 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338A103008 | ISO 2338 Dowel Pin, Stainless A1, 3 x 8 mm, m6 tolerance | Stainless A1 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338A103008H8 | ISO 2338 Dowel Pin, Stainless A1, 3 x 8 mm, h8 tolerance | Stainless A1 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338A103010 | ISO 2338 Dowel Pin, Stainless A1, 3 x 10 mm, h8 tolerance | Stainless A1 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338A103012 | ISO 2338 Dowel Pin, Stainless A1, 3 x 12 mm, h8 tolerance | Stainless A1 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338A103016 | ISO 2338 Dowel Pin, Stainless A1, 3 x 16 mm, m6 | Stainless A1 | 3 x 16 mm | Plain (no plating) | | | | |
| 2338A103018 | ISO 2338 Dowel Pin, Stainless A1, 3 x 18 mm, m6 tolerance | Stainless A1 | 3 x 18 mm | Plain (no plating) | | | | |
| 2338A103024 | ISO 2338 Dowel Pin, Stainless A1, 3 x 24 mm, m6 tolerance | Stainless A1 | 3 x 24 mm | Plain (no plating) | | | | |
| 2338A103025E6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 25 mm | Stainless A1 | 3 x 25 mm | Plain (no plating) | | | | |
| 2338A103025F7 | ISO 2338 Dowel Pin, Stainless A1, 3 x 25 mm | Stainless A1 | 3 x 25 mm | Plain (no plating) | | | | |
| 2338A103028 | ISO 2338 Dowel Pin, Stainless A1, 3 x 28 mm, m6 tolerance | Stainless A1 | 3 x 28 mm | Plain (no plating) | | | | |
| 2338A103030H8 | ISO 2338 Dowel Pin, Stainless A1, 3 x 30 mm, h8 tolerance | Stainless A1 | 3 x 30 mm | Plain (no plating) | | | | |
| 2338A104006 | ISO 2338 Dowel Pin, Stainless A1, 4 x 6 mm, m6 tolerance | Stainless A1 | 4 x 6 mm | Plain (no plating) | | | | |
| 2338A104008 | ISO 2338 Dowel Pin, Stainless A1, 4 x 8 mm, m6 tolerance | Stainless A1 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338A104010 | ISO 2338 Dowel Pin, Stainless A1, 4 x 10 mm, h8 tolerance | Stainless A1 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338A104010M6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 10 mm, m6 | Stainless A1 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338A104012 | ISO 2338 Dowel Pin, Stainless A1, 4 x 12 mm, m6 tolerance | Stainless A1 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338A104016 | ISO 2338 Dowel Pin, Stainless A1, 4 x 16 mm, m6 tolerance | Stainless A1 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338A104020 | ISO 2338 Dowel Pin, Stainless A1, 4 x 20 mm, m6 tolerance | Stainless A1 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338A104022 | ISO 2338 Dowel Pin, Stainless A1, 4 x 22 mm, m6 tolerance | Stainless A1 | 4 x 22 mm | Plain (no plating) | | | | |
| 2338A104024 | ISO 2338 Dowel Pin, Stainless A1, 4 x 24 mm, h8 tolerance | Stainless A1 | 4 x 24 mm | Plain (no plating) | | | | |
| 2338A104025 | ISO 2338 Dowel Pin, Stainless A1, 4 x 25 mm, h8 tolerance | Stainless A1 | 4 x 25 mm | Plain (no plating) | | | | |
| 2338A104030 | ISO 2338 Dowel Pin, Stainless A1, 4 x 30 mm, h8 tolerance | Stainless A1 | 4 x 30 mm | Plain (no plating) | | | | |
| 2338A104050 | ISO 2338 Dowel Pin, Stainless A1, 4 x 50 mm, h8 tolerance | Stainless A1 | 4 x 50 mm | Plain (no plating) | | | | |
| 2338A105005 | ISO 2338 Dowel Pin, Stainless A1, 5 x 5 mm, m6 tolerance | Stainless A1 | 5 x 5 mm | Plain (no plating) | | | | |
| 2338A105006 | ISO 2338 Dowel Pin, Stainless A2, 5 x 6 mm, m6 tolerance | Stainless A2 | 5 x 6 mm | Plain (no plating) | | | | |
| 2338A105010 | ISO 2338 Dowel Pin, Stainless A1, 5 x 10 mm, m6 | Stainless A1 | 5 x 10 mm | Plain (no plating) | | | | |
| 2338A105012 | ISO 2338 Dowel Pin, Stainless A1, 5 x 12 mm, m6 tolerance | Stainless A1 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338A105016H8 | ISO 2338 Dowel Pin, Stainless A1, 5 x 16 mm, h8 tolerance | Stainless A1 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338A105020 | ISO 2338 Dowel Pin, Stainless A1, 5 x 20 mm, m6 | Stainless A1 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338A105024 | ISO 2338 Dowel Pin, Stainless A1, 5 x 24 mm, m6 tolerance | Stainless A1 | 5 x 24 mm | Plain (no plating) | | | | |
| 2338A105028 | ISO 2338 Dowel Pin, Stainless A1, 5 x 28 mm, h8 tolerance | Stainless A1 | 5 x 28 mm | Plain (no plating) | | | | |
| 2338A105035 | ISO 2338 Dowel Pin, Stainless A1, 5 x 35 mm, m6 tolerance | Stainless A1 | 5 x 35 mm | Plain (no plating) | | | | |
| 2338A105040 | ISO 2338 Dowel Pin, Stainless A1, 5 x 40 mm, h8 tolerance | Stainless A1 | 5 x 40 mm | Plain (no plating) | | | | |
| 2338A105040H8 | ISO 2338 Dowel Pin, Stainless A1, 5 x 40 mm, h8 tolerance | Stainless A1 | 5 x 40 mm | Plain (no plating) | | | | |
| 2338A106010 | ISO 2338 Dowel Pin, Stainless A1, 6 x 10 mm, m6 | Stainless A1 | 6 x 10 mm | Plain (no plating) | | | | |
| 2338A106012 | ISO 2338 Dowel Pin, Stainless A1, 6 x 12 mm, m6 tolerance | Stainless A1 | 6 x 12 mm | Plain (no plating) | | | | |
| 2338A106014 | ISO 2338 Dowel Pin, Stainless A1, 6 x 14 mm, h8 tolerance | Stainless A1 | 6 x 14 mm | Plain (no plating) | | | | |
| 2338A106018M6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 18 mm, m6 | Stainless A1 | 6 x 18 mm | Plain (no plating) | | | | |
| 2338A106020 | ISO 2338 Dowel Pin, Stainless A1, 6 x 20 mm, m6 tolerance | Stainless A1 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338A106020M6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 20 mm, m6 tolerance | Stainless A1 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338A106030 | ISO 2338 Dowel Pin, Stainless A1, 6 x 30 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A1 | 6 x 30 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338A106040 | ISO 2338 Dowel Pin, Stainless A1, 6 x 40 mm, h8 tolerance | Stainless A1 | 6 x 40 mm | Plain (no plating) | | | | |
| 2338A106060 | ISO 2338 Dowel Pin, Stainless A1, 6 x 60 mm, m6 | Stainless A1 | 6 x 60 mm | Plain (no plating) | | | | |
| 2338A108012 | ISO 2338 Dowel Pin, Stainless A1, 8 x 12 mm, m6 tolerance | Stainless A1 | 8 x 12 mm | Plain (no plating) | | | | |
| 2338A108018H8 | ISO 2338 Dowel Pin, Stainless A1, 8 x 18 mm, h8 tolerance | Stainless A1 | 8 x 18 mm | Plain (no plating) | | | | |
| 2338A108020 | ISO 2338 Dowel Pin, Stainless A2, 8 x 20 mm, m6 tolerance | Stainless A2 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338A108024H6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 24 mm, h6 tolerance | Stainless A1 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338A108024H8 | ISO 2338 Dowel Pin, Stainless A1, 8 x 24 mm, h8 tolerance | Stainless A1 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338A108024M6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 24 mm, m6 tolerance | Stainless A1 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338A108028M6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 28 mm, m6 tolerance | Stainless A1 | 8 x 28 mm | Plain (no plating) | | | | |
| 2338A108030 | ISO 2338 Dowel Pin, Stainless A2, 8 x 30 mm, m6 tolerance | Stainless A2 | 8 x 30 mm | Plain (no plating) | | | | |
| 2338A108032M6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 32 mm, m6 tolerance | Stainless A1 | 8 x 32 mm | Plain (no plating) | | | | |
| 2338A108090M6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 90 mm, m6 tolerance | Stainless A1 | 8 x 90 mm | Plain (no plating) | | | | |
| 2338A110014 | ISO 2338 Dowel Pin, Stainless A1, 10 x 14 mm, m6 tolerance | Stainless A1 | 10 x 14 mm | Plain (no plating) | | | | |
| 2338A110016 | ISO 2338 Dowel Pin, Stainless A1, 10 x 16 mm, m6 tolerance | Stainless A1 | 10 x 16 mm | Plain (no plating) | | | | |
| 2338A110020 | ISO 2338 Dowel Pin, Stainless A1, 10 x 20 mm, m6 tolerance | Stainless A1 | 10 x 20 mm | Plain (no plating) | | | | |
| 2338A112050 | ISO 2338 Dowel Pin, Stainless A1, 12 x 50 mm, m6 tolerance | Stainless A1 | 12 x 50 mm | Plain (no plating) | | | | |
| 2338A116080 | ISO 2338 Dowel Pin, Stainless A1, 16 x 80 mm, m6 tolerance | Stainless A1 | 16 x 80 mm | Plain (no plating) | | | | |
| 2338A125022 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 22 mm, h8 tolerance | Stainless A1 | 2.5 x 22 mm | Plain (no plating) | | | | |
| 2338A1M025008 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 8 mm, m6 tolerance | Stainless A1 | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338A1M03025 | ISO 2338 Dowel Pin, Steel, 3 x 25 mm, m6 tolerance, Plain | Steel | 3 x 25 mm | Plain (no plating) | | | | |
| 2338A2025010 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 10 mm, m6 | Stainless A1 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338A2025020 | ISO 2338 Dowel Pin, Stainless A2, 2.5 x 20 mm, h8 tolerance | Stainless A2 | 2.5 x 20 mm | Plain (no plating) | | | | |
| 2338A20250207 | ISO 2338 Dowel Pin, Stainless A2, 2.5 x 20 mm, h8 tolerance, Bla | Stainless A2 | 2.5 x 20 mm | Black Oxide | | | | |
| 2338A203010 | ISO 2338 Dowel Pin, Stainless A2, 3 x 10 mm, m6 tolerance | Stainless A2 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338A203018M6 | ISO 2338 Dowel Pin, Stainless A2, 3 x 18 mm, m6 tolerance | Stainless A2 | 3 x 18 mm | Plain (no plating) | | | | |
| 2338A205008 | ISO 2338 Dowel Pin, Stainless A2, 5 x 8 mm, m6 tolerance | Stainless A2 | 5 x 8 mm | Plain (no plating) | | | | |
| 2338A205012 | ISO 2338 Dowel Pin, Stainless A2, 5 x 12 mm, m6 tolerance | Stainless A2 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338A205018 | ISO 2338 Dowel Pin, Stainless A2, 5 x 18 mm, m6 tolerance | Stainless A2 | 5 x 18 mm | Plain (no plating) | | | | |
| 2338A206012 | ISO 2338 Dowel Pin, Stainless A2, 6 x 12 mm, m6 tolerance | Stainless A2 | 6 x 12 mm | Plain (no plating) | | | | |
| 2338A206014 | ISO 2338 Dowel Pin, Stainless A2, 6 x 14 mm, m6 tolerance | Stainless A2 | 6 x 14 mm | Plain (no plating) | | | | |
| 2338A206024 | ISO 2338 Dowel Pin, Stainless A2, 6 x 24 mm, m6 tolerance | Stainless A2 | 6 x 24 mm | Plain (no plating) | | | | |
| 2338A206030 | ISO 2338 Dowel Pin, Stainless A2, 6 x 30 mm, m6 tolerance | Stainless A2 | 6 x 30 mm | Plain (no plating) | | | | |
| 2338A212050 | ISO 2338 Dowel Pin, Stainless A2, 12 x 50 mm, m6 tolerance | Stainless A2 | 12 x 50 mm | Plain (no plating) | | | | |
| 2338A2512 | ISO 2338 Dowel Pin, Stainless A2, 2.5 x 12 mm, m6 tolerance | Stainless A2 | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338A2H1103020 | ISO 2338 Dowel Pin, Stainless A2, 3 x 20 mm | Stainless A2 | 3 x 20 mm | Plain (no plating) | | | | |
| 2338A2H804065 | ISO 2338 Dowel Pin, Stainless A2, 4 x 65 mm, h8 tolerance | Stainless A2 | 4 x 65 mm | Plain (no plating) | | | | |
| 2338A3M12030 | ISO 2338 Dowel Pin, A3, 12 x 30 mm, m6 tolerance, Plain | A3 | 12 x 30 mm | Plain (no plating) | | | | |
| 2338A3M16040 | ISO 2338 Dowel Pin, A3, 16 x 40 mm, m6 tolerance, Plain | A3 | 16 x 40 mm | Plain (no plating) | | | | |
| 2338A402008 | ISO 2338 Dowel Pin, Stainless A4, 2 x 8 mm, m6 tolerance | Stainless A4 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338A402020 | ISO 2338 Dowel Pin, Stainless A4, 2 x 20 mm, m6 tolerance | Stainless A4 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338A403005M6 | ISO 2338 Dowel Pin, Stainless A4, 3 x 5 mm, m6 tolerance | Stainless A4 | 3 x 5 mm | Plain (no plating) | | | | |
| 2338A403010 | ISO 2338 Dowel Pin, Stainless A4, 3 x 10 mm, m6 tolerance | Stainless A4 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338A403014 | ISO 2338 Dowel Pin, Stainless A4, 3 x 14 mm, m6 tolerance | Stainless A4 | 3 x 14 mm | Plain (no plating) | | | | |
| 2338A403016 | ISO 2338 Dowel Pin, Stainless A4, 3 x 16 mm, m6 tolerance | Stainless A4 | 3 x 16 mm | Plain (no plating) | | | | |
| 2338A403022H6 | ISO 2338 Dowel Pin, Stainless A4, 3 x 22 mm, h6 tolerance | Stainless A4 | 3 x 22 mm | Plain (no plating) | | | | |
| 2338A403026 | ISO 2338 Dowel Pin, Stainless A4, 3 x 26 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A4 | 3 x 26 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338A4030267 | ISO 2338 Dowel Pin, Stainless A4, 3 x 26 mm, m6 tolerance, Black | Stainless A4 | 3 x 26 mm | Black Oxide | | | | |
| 2338A404008 | ISO 2338 Dowel Pin, Stainless A4, 4 x 8 mm, m6 tolerance | Stainless A4 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338A404010 | ISO 2338 Dowel Pin, Stainless A4, 4 x 10 mm, m6 tolerance | Stainless A4 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338A404016 | ISO 2338 Dowel Pin, Stainless A4, 4 x 16 mm, m6 tolerance | Stainless A4 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338A404020 | ISO 2338 Dowel Pin, Stainless A4, 4 x 20 mm, m6 tolerance | Stainless A4 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338A404030 | ISO 2338 Dowel Pin, Stainless A2, 6 x 30 mm, m6 tolerance | Stainless A2 | 6 x 30 mm | Plain (no plating) | | | | |
| 2338A405008 | ISO 2338 Dowel Pin, Stainless A4, 5 x 8 mm, m6 tolerance | Stainless A4 | 5 x 8 mm | Plain (no plating) | | | | |
| 2338A405014 | ISO 2338 Dowel Pin, Stainless A4, 5 x 14 mm, m6 tolerance | Stainless A4 | 5 x 14 mm | Plain (no plating) | | | | |
| 2338A405020 | ISO 2338 Dowel Pin, Stainless A4, 5 x 20 mm, m6 tolerance | Stainless A4 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338A405024 | ISO 2338 Dowel Pin, Stainless A2, 5 x 24 mm, m6 tolerance | Stainless A2 | 5 x 24 mm | Plain (no plating) | | | | |
| 2338A405024M6 | ISO 2338 Dowel Pin, Stainless A4, 5 x 24 mm, m6 tolerance | Stainless A4 | 5 x 24 mm | Plain (no plating) | | | | |
| 2338A405028 | ISO 2338 Dowel Pin, Stainless A4, 5 x 28 mm, m6 tolerance | Stainless A4 | 5 x 28 mm | Plain (no plating) | | | | |
| 2338A405040 | ISO 2338 Dowel Pin, Stainless A4, 5 x 40 mm, m6 tolerance | Stainless A4 | 5 x 40 mm | Plain (no plating) | | | | |
| 2338A406014 | ISO 2338 Dowel Pin, Stainless A4, 6 x 14 mm, m6 tolerance | Stainless A4 | 6 x 14 mm | Plain (no plating) | | | | |
| 2338A40601480 | ISO 2338 Dowel Pin, Stainless A4, 6 x 14 mm, h8 tolerance | Stainless A4 | 6 x 14 mm | Plain (no plating) | | | | |
| 2338A406014M6 | ISO 2338 Dowel Pin, Stainless A4, 6 x 14 mm, m6 tolerance | Stainless A4 | 6 x 14 mm | Plain (no plating) | | | | |
| 2338A406016H8 | ISO 2338 Dowel Pin, Stainless A4, 6 x 16 mm, h8 tolerance | Stainless A4 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338A406016M6 | ISO 2338 Dowel Pin, Stainless A4, 6 x 16 mm, m6 tolerance | Stainless A4 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338A406020 | ISO 2338 Dowel Pin, Stainless A4, 6 x 20 mm, m6 tolerance | Stainless A4 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338A406022 | ISO 2338 Dowel Pin, Stainless A4, 6 x 22 mm, m6 tolerance | Stainless A4 | 6 x 22 mm | Plain (no plating) | | | | |
| 2338A406028 | ISO 2338 Dowel Pin, Stainless A4, 6 x 28 mm, m6 tolerance | Stainless A4 | 6 x 28 mm | Plain (no plating) | | | | |
| 2338A406030 | ISO 2338 Dowel Pin, Stainless A4, 6 x 30 mm, m6 tolerance | Stainless A4 | 6 x 30 mm | Plain (no plating) | | | | |
| 2338A406032 | ISO 2338 Dowel Pin, Stainless A4, 6 x 32 mm, m6 tolerance | Stainless A4 | 6 x 32 mm | Plain (no plating) | | | | |
| 2338A406040 | ISO 2338 Dowel Pin, Stainless A4, 6 x 40 mm, m6 tolerance | Stainless A4 | 6 x 40 mm | Plain (no plating) | | | | |
| 2338A406045 | ISO 2338 Dowel Pin, Stainless A4, 6 x 45 mm, m6 tolerance | Stainless A4 | 6 x 45 mm | Plain (no plating) | | | | |
| 2338A406050 | ISO 2338 Dowel Pin, Stainless A4, 6 x 50 mm, m6 tolerance | Stainless A4 | 6 x 50 mm | Plain (no plating) | | | | |
| 2338A406060 | ISO 2338 Dowel Pin, Stainless A4, 6 x 60 mm, m6 tolerance | Stainless A4 | 6 x 60 mm | Plain (no plating) | | | | |
| 2338A40612045 | ISO 2338 Dowel Pin, Stainless A4, 12 x 45 mm, m6 tolerance | Stainless A4 | 12 x 45 mm | Plain (no plating) | | | | |
| 2338A408010 | ISO 2338 Dowel Pin, Stainless A4, 8 x 10 mm, m6 tolerance | Stainless A4 | 8 x 10 mm | Plain (no plating) | | | | |
| 2338A408012 | ISO 2338 Dowel Pin, Stainless A4, 8 x 12 mm, m6 tolerance | Stainless A4 | 8 x 12 mm | Plain (no plating) | | | | |
| 2338A408018 | ISO 2338 Dowel Pin, Stainless A4, 8 x 18 mm, m6 tolerance | Stainless A4 | 8 x 18 mm | Plain (no plating) | | | | |
| 2338A408020 | ISO 2338 Dowel Pin, Stainless A4, 8 x 20 mm, m6 tolerance | Stainless A4 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338A408022 | ISO 2338 Dowel Pin, Stainless A4, 8 x 22 mm, m6 tolerance | Stainless A4 | 8 x 22 mm | Plain (no plating) | | | | |
| 2338A408024 | ISO 2338 Dowel Pin, Stainless A4, 8 x 24 mm, m6 tolerance | Stainless A4 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338A408030M6 | ISO 2338 Dowel Pin, Stainless A4, 8 x 30 mm, m6 tolerance | Stainless A4 | 8 x 30 mm | Plain (no plating) | | | | |
| 2338A408040 | ISO 2338 Dowel Pin, Stainless A4, 8 x 40 mm, m6 tolerance | Stainless A4 | 8 x 40 mm | Plain (no plating) | | | | |
| 2338A40832 | ISO 2338 Dowel Pin, Stainless A4, 8 x 32 mm, m6 tolerance | Stainless A4 | 8 x 32 mm | Plain (no plating) | | | | |
| 2338A408M6050 | ISO 2338 Dowel Pin, Stainless A4, 8 x 50 mm, m6 tolerance | Stainless A4 | 8 x 50 mm | Plain (no plating) | | | | |
| 2338A408M6080 | ISO 2338 Dowel Pin, Stainless A4, 8 x 80 mm, m6 tolerance | Stainless A4 | 8 x 80 mm | Plain (no plating) | | | | |
| 2338A410020 | ISO 2338 Dowel Pin, Stainless A4, 10 x 20 mm, m6 tolerance | Stainless A4 | 10 x 20 mm | Plain (no plating) | | | | |
| 2338A410028 | ISO 2338 Dowel Pin, Stainless A4, 10 x 28 mm, m6 tolerance | Stainless A4 | 10 x 28 mm | Plain (no plating) | | | | |
| 2338A410030 | ISO 2338 Dowel Pin, Stainless A4, 10 x 30 mm, m6 tolerance | Stainless A4 | 10 x 30 mm | Plain (no plating) | | | | |
| 2338A410032 | ISO 2338 Dowel Pin, Stainless A4, 10 x 32 mm, m6 tolerance | Stainless A4 | 10 x 32 mm | Plain (no plating) | | | | |
| 2338A410040M6 | ISO 2338 Dowel Pin, Stainless A4, 10 x 40 mm, m6 tolerance | Stainless A4 | 10 x 40 mm | Plain (no plating) | | | | |
| 2338A41008080 | ISO 2338 Dowel Pin, Stainless A4, 10 x 80 mm, m6 tolerance | Stainless A4 | 10 x 80 mm | Plain (no plating) | | | | |
| 2338A416050M6 | ISO 2338 Dowel Pin, Stainless A4, 16 x 50 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A4 | 16 x 50 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338A4H82003680 | ISO 2338 Dowel Pin, Stainless A4, 20 x 36 mm, h8 tolerance | Stainless A4 | 20 x 36 mm | Plain (no plating) | | | | |
| 2338A5830070 | ISO 2338 Dowel Pin, Steel, 30 x 70 mm, m6 tolerance, Plain | Steel | 30 x 70 mm | Plain (no plating) | | | | |
| 2338A8M6020 | ISO 2338 Dowel Pin, Stainless A1, 8 x 20 mm, m6 tolerance | Stainless A1 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338AA106016 | ISO 2338 Dowel Pin, Stainless A1, 6 x 16 mm, m6 tolerance | Stainless A1 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338AA206020 | ISO 2338 Dowel Pin, Stainless A2, 6 x 20 mm, m6 tolerance | Stainless A2 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338AA402014 | ISO 2338 Dowel Pin, Stainless A4, 2 x 14 mm, m6 tolerance | Stainless A4 | 2 x 14 mm | Plain (no plating) | | | | |
| 2338AM05018PH | ISO 2338 Dowel Pin, Steel, 5 x 18 mm, m6 tolerance, Zinc Phospha | Steel | 5 x 18 mm | Phosphating | | | | |
| 2338B03012H8 | ISO 2338 Dowel Pin, Steel, 3 x 12 mm, h8 tolerance, Plain | Steel | 3 x 12 mm | Plain (no plating) | | | | |
| 2338B04008H8 | ISO 2338 Dowel Pin, Steel, 4 x 8 mm, h8 tolerance, Plain | Steel | 4 x 8 mm | Plain (no plating) | | | | |
| 2338B04020H8 | ISO 2338 Dowel Pin, Stainless A2, 4 x 20 mm, h8 tolerance | Stainless A2 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338B04028H8 | ISO 2338 Dowel Pin, Steel, 4 x 24 mm, h8 tolerance, Plain | Steel | 4 x 24 mm | Plain (no plating) | | | | |
| 2338B05008H8 | ISO 2338 Dowel Pin, Steel, 5 x 8 mm, h8 tolerance, Plain | Steel | 5 x 8 mm | Plain (no plating) | | | | |
| 2338B06012H8 | ISO 2338 Dowel Pin, Steel, 6 x 12 mm, h8 tolerance, Plain | Steel | 6 x 12 mm | Plain (no plating) | | | | |
| 2338B06030H8 | ISO 2338 Dowel Pin, Steel, 6 x 30 mm, h8 tolerance, Plain | Steel | 6 x 30 mm | Plain (no plating) | | | | |
| 2338BA101020 | ISO 2338 Dowel Pin, Stainless A1, 1 x 20 mm, h8 tolerance | Stainless A1 | 1 x 20 mm | Plain (no plating) | | | | |
| 2338BA1015008 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 8 mm, h8 tolerance | Stainless A1 | 1.5 x 8 mm | Plain (no plating) | | | | |
| 2338BA1015010 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 10 mm, h8 tolerance | Stainless A1 | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338BA1015012 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 12 mm, h8 tolerance | Stainless A1 | 1.5 x 12 mm | Plain (no plating) | | | | |
| 2338BA102006 | ISO 2338 Dowel Pin, Stainless A1, 2 x 6 mm, h8 tolerance | Stainless A1 | 2 x 6 mm | Plain (no plating) | | | | |
| 2338BA102012 | ISO 2338 Dowel Pin, Stainless A1, 2 x 12 mm, h8 tolerance | Stainless A1 | 2 x 12 mm | Plain (no plating) | | | | |
| 2338BA102020 | ISO 2338 Dowel Pin, Stainless A1, 2 x 20 mm, h8 tolerance | Stainless A1 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338BA1025020 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 20 mm, h8 tolerance | Stainless A1 | 2.5 x 20 mm | Plain (no plating) | | | | |
| 2338BA1025036 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 36 mm, h8 tolerance | Stainless A1 | 2.5 x 36 mm | Plain (no plating) | | | | |
| 2338BA103005 | ISO 2338 Dowel Pin, Stainless A1, 3 x 5 mm, h8 tolerance | Stainless A1 | 3 x 5 mm | Plain (no plating) | | | | |
| 2338BA103006 | ISO 2338 Dowel Pin, Stainless A1, 3 x 6 mm, h8 tolerance | Stainless A1 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338BA103008 | ISO 2338 Dowel Pin, Stainless A1, 3 x 8 mm, h8 tolerance | Stainless A1 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338BA103010 | ISO 2338 Dowel Pin, Stainless A1, 3 x 10 mm, h8 tolerance | Stainless A1 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338BA103012 | ISO 2338 Dowel Pin, Stainless A1, 3 x 12 mm, h8 tolerance | Stainless A1 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338BA103016 | ISO 2338 Dowel Pin, Stainless A1, 3 x 16 mm, h8 tolerance | Stainless A1 | 3 x 16 mm | Plain (no plating) | | | | |
| 2338BA103020 | ISO 2338 Dowel Pin, Stainless A1, 3 x 20 mm, h8 tolerance | Stainless A1 | 3 x 20 mm | Plain (no plating) | | | | |
| 2338BA103024 | ISO 2338 Dowel Pin, Stainless A1, 3 x 24 mm, h8 tolerance | Stainless A1 | 3 x 24 mm | Plain (no plating) | | | | |
| 2338BA104008 | ISO 2338 Dowel Pin, Stainless A1, 4 x 8 mm, h8 tolerance | Stainless A1 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338BA104010 | ISO 2338 Dowel Pin, Stainless A1, 4 x 10 mm, h8 tolerance | Stainless A1 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338BA104012 | ISO 2338 Dowel Pin, Stainless A1, 4 x 12 mm, h8 tolerance | Stainless A1 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338BA104014 | ISO 2338 Dowel Pin, Stainless A1, 4 x 14 mm, h8 tolerance | Stainless A1 | 4 x 14 mm | Plain (no plating) | | | | |
| 2338BA104016 | ISO 2338 Dowel Pin, Stainless A1, 4 x 16 mm, h8 tolerance | Stainless A1 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338BA104018 | ISO 2338 Dowel Pin, Stainless A1, 4 x 18 mm, h8 tolerance | Stainless A1 | 4 x 18 mm | Plain (no plating) | | | | |
| 2338BA104020 | ISO 2338 Dowel Pin, Stainless A1, 4 x 20 mm, h8 tolerance | Stainless A1 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338BA104028 | ISO 2338 Dowel Pin, Stainless A1, 4 x 28 mm, h8 tolerance | Stainless A1 | 4 x 28 mm | Plain (no plating) | | | | |
| 2338BA104030 | ISO 2338 Dowel Pin, Stainless A1, 4 x 30 mm, h8 tolerance | Stainless A1 | 4 x 30 mm | Plain (no plating) | | | | |
| 2338BA104032 | ISO 2338 Dowel Pin, Stainless A1, 4 x 32 mm, h8 tolerance | Stainless A1 | 4 x 32 mm | Plain (no plating) | | | | |
| 2338BA105010 | ISO 2338 Dowel Pin, Stainless A1, 5 x 10 mm, h8 tolerance | Stainless A1 | 5 x 10 mm | Plain (no plating) | | | | |
| 2338BA105012 | ISO 2338 Dowel Pin, Stainless A1, 5 x 12 mm, h8 tolerance | Stainless A1 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338BA105016 | ISO 2338 Dowel Pin, Stainless A1, 5 x 16 mm, h8 tolerance | Stainless A1 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338BA105020 | ISO 2338 Dowel Pin, Stainless A1, 5 x 20 mm, h8 tolerance | Stainless A1 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338BA105028 | ISO 2338 Dowel Pin, Stainless A1, 5 x 28 mm, h8 tolerance | Stainless A1 | 5 x 28 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338BA105030 | ISO 2338 Dowel Pin, Stainless A1, 5 x 30 mm, h8 tolerance | Stainless A1 | 5 x 30 mm | Plain (no plating) | | | | |
| 2338BA106020 | ISO 2338 Dowel Pin, Stainless A1, 6 x 20 mm, h8 tolerance | Stainless A1 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338BA106024 | ISO 2338 Dowel Pin, Stainless A1, 6 x 24 mm, h8 tolerance | Stainless A1 | 6 x 24 mm | Plain (no plating) | | | | |
| 2338BA108024 | ISO 2338 Dowel Pin, Stainless A1, 8 x 24 mm, h8 tolerance | Stainless A1 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338BA112032 | ISO 2338 Dowel Pin, Stainless A1, 12 x 32 mm, h8 tolerance | Stainless A1 | 12 x 32 mm | Plain (no plating) | | | | |
| 2338BA204020H8 | ISO 2338 Dowel Pin, Stainless A2, 4 x 20 mm, h8 tolerance | Stainless A2 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338BA205020H8 | ISO 2338 Dowel Pin, Stainless A2, 5 x 20 mm, h8 tolerance | Stainless A2 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338BA403006 | ISO 2338 Dowel Pin, Stainless A4, 3 x 6 mm, h8 tolerance | Stainless A4 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338BA403012 | ISO 2338 Dowel Pin, Stainless A4, 3 x 12 mm, m6 tolerance | Stainless A4 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338BM16070 | ISO 2338 Dowel Pin, Steel, 16 x 70 mm, m6 tolerance, Plain | Steel | 16 x 70 mm | Plain (no plating) | | | | |
| 2338H01010 | ISO 2338 Dowel Pin, Steel, 1 x 10 mm, h8 tolerance, Plain | Steel | 1 x 10 mm | Plain (no plating) | | | | |
| 2338H01012 | ISO 2338 Dowel Pin, Steel, 1 x 12 mm, h8 tolerance, Plain | Steel | 1 x 12 mm | Plain (no plating) | | | | |
| 2338H015004UNHARDEN | ISO 2338 Dowel Pin, Steel, 1.5 x 4 mm, h8 tolerance, Plain | Steel | 1.5 x 4 mm | Plain (no plating) | | | | |
| 2338H015006 | ISO 2338 Dowel Pin, Steel, 1.5 x 6 mm, h8 tolerance, Plain | Steel | 1.5 x 6 mm | Plain (no plating) | | | | |
| 2338H015008 | ISO 2338 Dowel Pin, Steel, 1.5 x 8 mm, h8 tolerance, Plain | Steel | 1.5 x 8 mm | Plain (no plating) | | | | |
| 2338H015010 | ISO 2338 Dowel Pin, Steel, 1.5 x 10 mm, h8 tolerance, Plain | Steel | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338H015012 | ISO 2338 Dowel Pin, Steel, 1.5 x 12 mm, h8 tolerance, Plain | Steel | 1.5 x 12 mm | Plain (no plating) | | | | |
| 2338H02004 | ISO 2338 Dowel Pin, Steel, 2 x 4 mm, h8 tolerance, Plain | Steel | 2 x 4 mm | Plain (no plating) | | | | |
| 2338H02005 | ISO 2338 Dowel Pin, Steel, 2 x 5 mm, h8 tolerance, Plain | Steel | 2 x 5 mm | Plain (no plating) | | | | |
| 2338H02006 | ISO 2338 Dowel Pin, Steel, 2 x 6 mm, h8 tolerance, Plain | Steel | 2 x 6 mm | Plain (no plating) | | | | |
| 2338H02008 | ISO 2338 Dowel Pin, Steel, 2 x 8 mm, h8 tolerance, Plain | Steel | 2 x 8 mm | Plain (no plating) | | | | |
| 2338H02010 | ISO 2338 Dowel Pin, Steel, 2 x 10 mm, h8 tolerance, Plain | Steel | 2 x 10 mm | Plain (no plating) | | | | |
| 2338H02012 | ISO 2338 Dowel Pin, Steel, 2 x 12 mm, h8 tolerance, Plain | Steel | 2 x 12 mm | Plain (no plating) | | | | |
| 2338H02016 | ISO 2338 Dowel Pin, Steel, 2 x 16 mm, h8 tolerance, Plain | Steel | 2 x 16 mm | Plain (no plating) | | | | |
| 2338H02020 | ISO 2338 Dowel Pin, Steel, 2 x 20 mm, h8 tolerance, Plain | Steel | 2 x 20 mm | Plain (no plating) | | | | |
| 2338H02024 | ISO 2338 Dowel Pin, Steel, 2 x 24 mm, h8 tolerance, Plain | Steel | 2 x 24 mm | Plain (no plating) | | | | |
| 2338H02025 | ISO 2338 Dowel Pin, Steel, 2 x 25 mm, h8 tolerance, Plain | Steel | 2 x 25 mm | Plain (no plating) | | | | |
| 2338H025004 | ISO 2338 Dowel Pin, Steel, 2.5 x 4 mm, h8 tolerance, Plain | Steel | 2.5 x 4 mm | Plain (no plating) | | | | |
| 2338H025008 | ISO 2338 Dowel Pin, Steel, 2.5 x 8 mm, h6 tolerance, Plain | Steel | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338H025010 | ISO 2338 Dowel Pin, Steel, 2.5 x 10 mm, h8 tolerance, Plain | Steel | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338H025012 | ISO 2338 Dowel Pin, Steel, 2.5 x 12 mm, h8 tolerance, Plain | Steel | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338H025030 | ISO 2338 Dowel Pin, Steel, 2.5 x 30 mm, h8 tolerance, Plain | Steel | 2.5 x 30 mm | Plain (no plating) | | | | |
| 2338H03004 | ISO 2338 Dowel Pin, Steel, 3 x 4 mm, h8 tolerance, Plain | Steel | 3 x 4 mm | Plain (no plating) | | | | |
| 2338H03008 | ISO 2338 Dowel Pin, Steel, 3 x 8 mm, h8 tolerance, Plain | Steel | 3 x 8 mm | Plain (no plating) | | | | |
| 2338H03010 | ISO 2338 Dowel Pin, Steel, 3 x 10 mm, h8 tolerance, Plain | Steel | 3 x 10 mm | Plain (no plating) | | | | |
| 2338H03012 | ISO 2338 Dowel Pin, Steel, 3 x 12 mm, h8 tolerance, Plain | Steel | 3 x 12 mm | Plain (no plating) | | | | |
| 2338H03014 | ISO 2338 Dowel Pin, Steel, 3 x 14 mm, h8 tolerance, Plain | Steel | 3 x 14 mm | Plain (no plating) | | | | |
| 2338H03016 | ISO 2338 Dowel Pin, Steel, 3 x 16 mm, h8 tolerance, Plain | Steel | 3 x 16 mm | Plain (no plating) | | | | |
| 2338H03018 | ISO 2338 Dowel Pin, Steel, 3 x 18 mm, h8 tolerance, Plain | Steel | 3 x 18 mm | Plain (no plating) | | | | |
| 2338H03020 | ISO 2338 Dowel Pin, Steel, 3 x 20 mm, h8 tolerance, Plain | Steel | 3 x 20 mm | Plain (no plating) | | | | |
| 2338H03022 | ISO 2338 Dowel Pin, Steel, 3 x 22 mm, h8 tolerance, Plain | Steel | 3 x 22 mm | Plain (no plating) | | | | |
| 2338H03024 | ISO 2338 Dowel Pin, Steel, 3 x 24 mm, h8 tolerance, Plain | Steel | 3 x 24 mm | Plain (no plating) | | | | |
| 2338H03025 | ISO 2338 Dowel Pin, Steel, 3 x 25 mm, h8 tolerance, Plain | Steel | 3 x 25 mm | Plain (no plating) | | | | |
| 2338H03026 | ISO 2338 Dowel Pin, Steel, 3 x 26 mm, h8 tolerance, Plain | Steel | 3 x 26 mm | Plain (no plating) | | | | |
| 2338H03026S5340 | ISO 2338 Dowel Pin, Steel, 3 x 26 mm, h8 tolerance, Plain | Steel | 3 x 26 mm | Plain (no plating) | | | | |
| 2338H03030 | ISO 2338 Dowel Pin, Steel, 3 x 30 mm, h8 tolerance, Plain | Steel | 3 x 30 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338H03040 | ISO 2338 Dowel Pin, Steel, 3 x 40 mm, h8 tolerance, Plain | Steel | 3 x 40 mm | Plain (no plating) | | | | |
| 2338H03050 | ISO 2338 Dowel Pin, Steel, 3 x 50 mm, h8 tolerance, Plain | Steel | 3 x 50 mm | Plain (no plating) | | | | |
| 2338H04006 | ISO 2338 Dowel Pin, Steel, 4 x 6 mm, h8 tolerance, Plain | Steel | 4 x 6 mm | Plain (no plating) | | | | |
| 2338H04008 | ISO 2338 Dowel Pin, Steel, 4 x 8 mm, h8 tolerance, Plain | Steel | 4 x 8 mm | Plain (no plating) | | | | |
| 2338H04010 | ISO 2338 Dowel Pin, Steel, 4 x 10 mm, h8 tolerance, Plain | Steel | 4 x 10 mm | Plain (no plating) | | | | |
| 2338H04012 | ISO 2338 Dowel Pin, Steel, 4 x 12 mm, h8 tolerance, Plain | Steel | 4 x 12 mm | Plain (no plating) | | | | |
| 2338H040121 | ISO 2338 Dowel Pin, Steel, 4 x 12 mm, h8 tolerance, Zinc Plated | Steel | 4 x 12 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338H04014 | ISO 2338 Dowel Pin, Steel, 4 x 14 mm, h8 tolerance, Plain | Steel | 4 x 14 mm | Plain (no plating) | | | | |
| 2338H04014F | ISO 2338 Dowel Pin, Steel, 4 x 14 mm, h8 tolerance, Plain | Steel | 4 x 14 mm | Plain (no plating) | | | | |
| 2338H04015 | ISO 2338 Dowel Pin, Steel, 4 x 15 mm, h8 tolerance, Plain | Steel | 4 x 15 mm | Plain (no plating) | | | | |
| 2338H04016 | ISO 2338 Dowel Pin, Steel, 4 x 16 mm, h8 tolerance, Plain | Steel | 4 x 16 mm | Plain (no plating) | | | | |
| 2338H04018 | ISO 2338 Dowel Pin, Steel, 4 x 18 mm, h8 tolerance, Plain | Steel | 4 x 18 mm | Plain (no plating) | | | | |
| 2338H04020 | ISO 2338 Dowel Pin, Steel, 4 x 20 mm, h8 tolerance, Plain | Steel | 4 x 20 mm | Plain (no plating) | | | | |
| 2338H04022 | ISO 2338 Dowel Pin, Steel, 4 x 22 mm, h8 tolerance, Plain | Steel | 4 x 22 mm | Plain (no plating) | | | | |
| 2338H04025 | ISO 2338 Dowel Pin, Steel, 4 x 25 mm, h8 tolerance, Plain | Steel | 4 x 25 mm | Plain (no plating) | | | | |
| 2338H04028 | ISO 2338 Dowel Pin, Steel, 4 x 28 mm, h8 tolerance, Plain | Steel | 4 x 28 mm | Plain (no plating) | | | | |
| 2338H04032 | ISO 2338 Dowel Pin, Steel, 4 x 32 mm, h8 tolerance, Plain | Steel | 4 x 32 mm | Plain (no plating) | | | | |
| 2338H04035 | ISO 2338 Dowel Pin, Steel, 4 x 35 mm, h8 tolerance, Plain | Steel | 4 x 35 mm | Plain (no plating) | | | | |
| 2338H040351 | ISO 2338 Dowel Pin, Steel, 4 x 35 mm, h8 tolerance, Zinc Plated | Steel | 4 x 35 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338H04040 | ISO 2338 Dowel Pin, Steel, 4 x 40 mm, h8 tolerance, Plain | Steel | 4 x 40 mm | Plain (no plating) | | | | |
| 2338H04045 | ISO 2338 Dowel Pin, Steel, 4 x 45 mm, h8 tolerance, Plain | Steel | 4 x 45 mm | Plain (no plating) | | | | |
| 2338H04050 | ISO 2338 Dowel Pin, Steel 125-245 HV, 4 x 50 mm, h8 tolerance, P | Steel 125-245 HV | 4 x 50 mm | Plain (no plating) | | | | |
| 2338H040501 | ISO 2338 Dowel Pin, Steel, 4 x 50 mm, h8 tolerance, Zinc Plated | Steel | 4 x 50 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338H04060 | ISO 2338 Dowel Pin, Steel, 4 x 60 mm, h8 tolerance, Plain | Steel | 4 x 60 mm | Plain (no plating) | | | | |
| 2338H04080 | ISO 2338 Dowel Pin, Steel, 4 x 80 mm, h8 tolerance, Plain | Steel | 4 x 80 mm | Plain (no plating) | | | | |
| 2338H05006 | ISO 2338 Dowel Pin, Steel, 5 x 6 mm, h8 tolerance, Plain | Steel | 5 x 6 mm | Plain (no plating) | | | | |
| 2338H05008 | ISO 2338 Dowel Pin, Steel, 5 x 8 mm, h8 tolerance, Plain | Steel | 5 x 8 mm | Plain (no plating) | | | | |
| 2338H05010 | ISO 2338 Dowel Pin, Steel, 5 x 10 mm, h8 tolerance, Plain | Steel | 5 x 10 mm | Plain (no plating) | | | | |
| 2338H05012 | ISO 2338 Dowel Pin, Steel, 5 x 12 mm, h8 tolerance, Plain | Steel | 5 x 12 mm | Plain (no plating) | | | | |
| 2338H05014 | ISO 2338 Dowel Pin, Steel, 5 x 14 mm, h8 tolerance, Plain | Steel | 5 x 14 mm | Plain (no plating) | | | | |
| 2338H05014H6 | ISO 2338 Dowel Pin, Steel, 5 x 14 mm, h6 tolerance, Plain | Steel | 5 x 14 mm | Plain (no plating) | | | | |
| 2338H05016 | ISO 2338 Dowel Pin, Steel, 5 x 16 mm, h8 tolerance, Plain | Steel | 5 x 16 mm | Plain (no plating) | | | | |
| 2338H05020 | ISO 2338 Dowel Pin, Steel, 5 x 20 mm, h8 tolerance, Plain | Steel | 5 x 20 mm | Plain (no plating) | | | | |
| 2338H050201 | ISO 2338 Dowel Pin, Steel, 5 x 20 mm, h8 tolerance, Zinc Plated | Steel | 5 x 20 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338H05025 | ISO 2338 Dowel Pin, Steel, 5 x 25 mm, h8 tolerance, Plain | Steel | 5 x 25 mm | Plain (no plating) | | | | |
| 2338H05028 | ISO 2338 Dowel Pin, Steel, 5 x 28 mm, h8 tolerance, Plain | Steel | 5 x 28 mm | Plain (no plating) | | | | |
| 2338H05030 | ISO 2338 Dowel Pin, Steel, 5 x 30 mm, h8 tolerance, Plain | Steel | 5 x 30 mm | Plain (no plating) | | | | |
| 2338H05032 | ISO 2338 Dowel Pin, Steel, 5 x 32 mm, h8 tolerance, Plain | Steel | 5 x 32 mm | Plain (no plating) | | | | |
| 2338H05035 | ISO 2338 Dowel Pin, Steel, 5 x 35 mm, h8 tolerance, Plain | Steel | 5 x 35 mm | Plain (no plating) | | | | |
| 2338H05045 | ISO 2338 Dowel Pin, Steel, 5 x 45 mm, h8 tolerance, Plain | Steel | 5 x 45 mm | Plain (no plating) | | | | |
| 2338H05050 | ISO 2338 Dowel Pin, Steel, 5 x 50 mm, h8 tolerance, Plain | Steel | 5 x 50 mm | Plain (no plating) | | | | |
| 2338H05060 | ISO 2338 Dowel Pin, Steel, 5 x 60 mm, h8 tolerance, Plain | Steel | 5 x 60 mm | Plain (no plating) | | | | |
| 2338H05070 | ISO 2338 Dowel Pin, Steel, 5 x 70 mm, h8 tolerance, Plain | Steel | 5 x 70 mm | Plain (no plating) | | | | |
| 2338H05080 | ISO 2338 Dowel Pin, Steel, 5 x 80 mm, h8 tolerance, Plain | Steel | 5 x 80 mm | Plain (no plating) | | | | |
| 2338H06010 | ISO 2338 Dowel Pin, Steel, 6 x 10 mm, h8 tolerance, Plain | Steel | 6 x 10 mm | Plain (no plating) | | | | |
| 2338H06012 | ISO 2338 Dowel Pin, Steel, 6 x 12 mm, h8 tolerance, Plain | Steel | 6 x 12 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338H06014 | ISO 2338 Dowel Pin, Steel, 6 x 14 mm, h8 tolerance, Plain | Steel | 6 x 14 mm | Plain (no plating) | | | | |
| 2338H06016 | ISO 2338 Dowel Pin, Steel, 6 x 16 mm, h8 tolerance, Plain | Steel | 6 x 16 mm | Plain (no plating) | | | | |
| 2338H060161 | ISO 2338 Dowel Pin, Steel, 6 x 16 mm, h8 tolerance, Zinc Plated | Steel | 6 x 16 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338H06016H6 | ISO 2338 Dowel Pin, Steel, 6 x 16 mm, h6 tolerance, Plain | Steel | 6 x 16 mm | Plain (no plating) | | | | |
| 2338H06018 | ISO 2338 Dowel Pin, Steel, 6 x 18 mm, h8 tolerance, Plain | Steel | 6 x 18 mm | Plain (no plating) | | | | |
| 2338H06018UNHARDEN1 | ISO 2338 Dowel Pin, Steel, 6 x 18 mm, h8 tolerance, Plain | Steel | 6 x 18 mm | Plain (no plating) | | | | |
| 2338H06020 | ISO 2338 Dowel Pin, Steel, 6 x 20 mm, h8 tolerance, Plain | Steel | 6 x 20 mm | Plain (no plating) | | | | |
| 2338H06024 | ISO 2338 Dowel Pin, Steel, 6 x 24 mm, h8 tolerance, Plain | Steel | 6 x 24 mm | Plain (no plating) | | | | |
| 2338H06025 | ISO 2338 Dowel Pin, Steel, 6 x 25 mm, h8 tolerance, Plain | Steel | 6 x 25 mm | Plain (no plating) | | | | |
| 2338H06025H6 | ISO 2338 Dowel Pin, Steel, 6 x 25 mm, h6 tolerance, Plain | Steel | 6 x 25 mm | Plain (no plating) | | | | |
| 2338H06028 | ISO 2338 Dowel Pin, Steel, 6 x 28 mm, h8 tolerance, Plain | Steel | 6 x 28 mm | Plain (no plating) | | | | |
| 2338H06030 | ISO 2338 Dowel Pin, Steel, 6 x 30 mm, h8 tolerance, Plain | Steel | 6 x 30 mm | Plain (no plating) | | | | |
| 2338H06035 | ISO 2338 Dowel Pin, Steel, 6 x 35 mm, h8 tolerance, Plain | Steel | 6 x 35 mm | Plain (no plating) | | | | |
| 2338H06040 | ISO 2338 Dowel Pin, Steel, 6 x 40 mm, h8 tolerance, Plain | Steel | 6 x 40 mm | Plain (no plating) | | | | |
| 2338H06045 | ISO 2338 Dowel Pin, Steel, 6 x 45 mm, h8 tolerance, Plain | Steel | 6 x 45 mm | Plain (no plating) | | | | |
| 2338H06060 | ISO 2338 Dowel Pin, Steel, 6 x 60 mm, h8 tolerance, Plain | Steel | 6 x 60 mm | Plain (no plating) | | | | |
| 2338H06080 | ISO 2338 Dowel Pin, Steel, 6 x 80 mm, h8 tolerance, Plain | Steel | 6 x 80 mm | Plain (no plating) | | | | |
| 2338H07025 | ISO 2338 Dowel Pin, Steel, 7 x 25 mm, h8 tolerance, Plain | Steel | 7 x 25 mm | Plain (no plating) | | | | |
| 2338H08012 | ISO 2338 Dowel Pin, Steel, 8 x 12 mm, h8 tolerance, Plain | Steel | 8 x 12 mm | Plain (no plating) | | | | |
| 2338H08014 | ISO 2338 Dowel Pin, Steel, 8 x 14 mm, h8 tolerance, Plain | Steel | 8 x 14 mm | Plain (no plating) | | | | |
| 2338H08016 | ISO 2338 Dowel Pin, Steel, 8 x 16 mm, h8 tolerance, Plain | Steel | 8 x 16 mm | Plain (no plating) | | | | |
| 2338H08018 | ISO 2338 Dowel Pin, Steel 125-245 HV, 8 x 18 mm, h8 tolerance, P | Steel 125-245 HV | 8 x 18 mm | Plain (no plating) | | | | |
| 2338H08020 | ISO 2338 Dowel Pin, Steel, 8 x 20 mm, h8 tolerance, Plain | Steel | 8 x 20 mm | Plain (no plating) | | | | |
| 2338H08022 | ISO 2338 Dowel Pin, Steel, 8 x 22 mm, h8 tolerance, Plain | Steel | 8 x 22 mm | Plain (no plating) | | | | |
| 2338H08025 | ISO 2338 Dowel Pin, Steel, 8 x 25 mm, h8 tolerance, Plain | Steel | 8 x 25 mm | Plain (no plating) | | | | |
| 2338H08030 | ISO 2338 Dowel Pin, Steel, 8 x 30 mm, h8 tolerance, Plain | Steel | 8 x 30 mm | Plain (no plating) | | | | |
| 2338H08035 | ISO 2338 Dowel Pin, Steel, 8 x 35 mm, h8 tolerance, Plain | Steel | 8 x 35 mm | Plain (no plating) | | | | |
| 2338H08036 | ISO 2338 Dowel Pin, Steel, 8 x 36 mm, h8 tolerance, Plain | Steel | 8 x 36 mm | Plain (no plating) | | | | |
| 2338H08040 | ISO 2338 Dowel Pin, Steel, 8 x 40 mm, h8 tolerance, Plain | Steel | 8 x 40 mm | Plain (no plating) | | | | |
| 2338H08050 | ISO 2338 Dowel Pin, Steel, 8 x 50 mm, h8 tolerance, Plain | Steel | 8 x 50 mm | Plain (no plating) | | | | |
| 2338H08055 | ISO 2338 Dowel Pin, Steel, 8 x 55 mm, h8 tolerance, Plain | Steel | 8 x 55 mm | Plain (no plating) | | | | |
| 2338H08060 | ISO 2338 Dowel Pin, Steel, 8 x 60 mm, h8 tolerance, Plain | Steel | 8 x 60 mm | Plain (no plating) | | | | |
| 2338H08065 | ISO 2338 Dowel Pin, Steel, 8 x 65 mm, h8 tolerance, Plain | Steel | 8 x 65 mm | Plain (no plating) | | | | |
| 2338H10016 | ISO 2338 Dowel Pin, Steel, 10 x 16 mm, h8 tolerance, Plain | Steel | 10 x 16 mm | Plain (no plating) | | | | |
| 2338H10018 | ISO 2338 Dowel Pin, Steel, 10 x 18 mm, h8 tolerance, Plain | Steel | 10 x 18 mm | Plain (no plating) | | | | |
| 2338H10020 | ISO 2338 Dowel Pin, Steel, 10 x 20 mm, h8 tolerance, Plain | Steel | 10 x 20 mm | Plain (no plating) | | | | |
| 2338H10022 | ISO 2338 Dowel Pin, Steel, 10 x 22 mm, h8 tolerance, Plain | Steel | 10 x 22 mm | Plain (no plating) | | | | |
| 2338H10024 | ISO 2338 Dowel Pin, Steel, 10 x 24 mm, h8 tolerance, Plain | Steel | 10 x 24 mm | Plain (no plating) | | | | |
| 2338H10025H6 | ISO 2338 Dowel Pin, Steel, 10 x 25 mm, h6 tolerance, Plain | Steel | 10 x 25 mm | Plain (no plating) | | | | |
| 2338H10026 | ISO 2338 Dowel Pin, Steel, 10 x 26 mm, h8 tolerance, Plain | Steel | 10 x 26 mm | Plain (no plating) | | | | |
| 2338H10030 | ISO 2338 Dowel Pin, Steel, 10 x 30 mm, h8 tolerance, Plain | Steel | 10 x 30 mm | Plain (no plating) | | | | |
| 2338H10032 | ISO 2338 Dowel Pin, Steel, 10 x 32 mm, h8 tolerance, Plain | Steel | 10 x 32 mm | Plain (no plating) | | | | |
| 2338H10035 | ISO 2338 Dowel Pin, Steel, 10 x 35 mm, h8 tolerance, Plain | Steel | 10 x 35 mm | Plain (no plating) | | | | |
| 2338H10040 | ISO 2338 Dowel Pin, Steel, 10 x 40 mm, h8 tolerance, Plain | Steel | 10 x 40 mm | Plain (no plating) | | | | |
| 2338H10060 | ISO 2338 Dowel Pin, Steel, 10 x 60 mm, h8 tolerance, Plain | Steel | 10 x 60 mm | Plain (no plating) | | | | |
| 2338H10065 | ISO 2338 Dowel Pin, Steel, 10 x 65 mm, h8 tolerance, Plain | Steel | 10 x 65 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338H10070 | ISO 2338 Dowel Pin, Steel, 10 x 70 mm, h8 tolerance, Plain | Steel | 10 x 70 mm | Plain (no plating) | | | | |
| 2338H10074 | ISO 2338 Dowel Pin, Steel, 10 x 74 mm, h8 tolerance, Plain | Steel | 10 x 74 mm | Plain (no plating) | | | | |
| 2338H100801 | ISO 2338 Dowel Pin, Steel, 10 x 80 mm, h8 tolerance, Zinc | Steel | 10 x 80 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338H10090 | Plated ISO 2338 Dowel Pin, Steel, 10 x 90 mm, h8 tolerance, Plain | Steel | 10 x 90 mm | Plain (no plating) | | | | |
| 2338H11006 | ISO 2338 Dowel Pin, Steel, 2 x 6 mm, Plain | Steel | 2 x 6 mm | Plain (no plating) | | | | |
| 2338H1106008 | ISO 2338 Dowel Pin, Steel, 6 x 8 mm, Plain | Steel | 6 x 8 mm | Plain (no plating) | | | | |
| 2338H11A206020 | ISO 2338 Dowel Pin, Stainless A2, 6 x 20 mm | Stainless A2 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338H11A208014 | ISO 2338 Dowel Pin, Stainless A2, 8 x 14 mm | Stainless A2 | 8 x 14 mm | Plain (no plating) | | | | |
| 2338H11A216028 | ISO 2338 Dowel Pin, Stainless A2, 16 x 28 mm | Stainless A2 | 16 x 28 mm | Plain (no plating) | | | | |
| 2338H11A216036 | ISO 2338 Dowel Pin, Stainless A2, 16 x 36 mm | Stainless A2 | 16 x 36 mm | Plain (no plating) | | | | |
| 2338H11A216040 | ISO 2338 Dowel Pin, Stainless A2, 16 x 40 mm | Stainless A2 | 16 x 40 mm | Plain (no plating) | | | | |
| 2338H11A220040 | ISO 2338 Dowel Pin, Stainless A2, 20 x 40 mm | Stainless A2 | 20 x 40 mm | Plain (no plating) | | | | |
| 2338H12018 | ISO 2338 Dowel Pin, Steel, 12 x 18 mm, h8 tolerance, Plain | Steel | 12 x 18 mm | Plain (no plating) | | | | |
| 2338H12020 | ISO 2338 Dowel Pin, Steel, 12 x 20 mm, h8 tolerance, Plain | Steel | 12 x 20 mm | Plain (no plating) | | | | |
| 2338H12024 | ISO 2338 Dowel Pin, Steel, 12 x 24 mm, h8 tolerance, Plain | Steel | 12 x 24 mm | Plain (no plating) | | | | |
| 2338H12025 | ISO 2338 Dowel Pin, Steel, 12 x 25 mm, h8 tolerance, Plain | Steel | 12 x 25 mm | Plain (no plating) | | | | |
| 2338H12030 | ISO 2338 Dowel Pin, Steel, 12 x 30 mm, h8 tolerance, Plain | Steel | 12 x 30 mm | Plain (no plating) | | | | |
| 2338H12035 | ISO 2338 Dowel Pin, Steel, 12 x 35 mm, h8 tolerance, Plain | Steel | 12 x 35 mm | Plain (no plating) | | | | |
| 2338H12040 | ISO 2338 Dowel Pin, Steel, 12 x 40 mm, h8 tolerance, Plain | Steel | 12 x 40 mm | Plain (no plating) | | | | |
| 2338H12045 | ISO 2338 Dowel Pin, Steel, 12 x 45 mm, h8 tolerance, Plain | Steel | 12 x 45 mm | Plain (no plating) | | | | |
| 2338H12050 | ISO 2338 Dowel Pin, Steel, 12 x 50 mm, h8 tolerance, Plain | Steel | 12 x 50 mm | Plain (no plating) | | | | |
| 2338H12055 | ISO 2338 Dowel Pin, Steel, 12 x 55 mm, h8 tolerance, Plain | Steel | 12 x 55 mm | Plain (no plating) | | | | |
| 2338H12060 | ISO 2338 Dowel Pin, Steel, 12 x 60 mm, h8 tolerance, Plain | Steel | 12 x 60 mm | Plain (no plating) | | | | |
| 2338H12100 | ISO 2338 Dowel Pin, Steel, 12 x 100 mm, h8 tolerance, Plain | Steel | 12 x 100 mm | Plain (no plating) | | | | |
| 2338H14030 | ISO 2338 Dowel Pin, Steel, 14 x 30 mm, h6 tolerance, Plain | Steel | 14 x 30 mm | Plain (no plating) | | | | |
| 2338H160281 | ISO 2338 Dowel Pin, Steel, 16 x 28 mm, h8 tolerance, Zinc Plated | Steel | 16 x 28 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338H16032 | ISO 2338 Dowel Pin, Steel, 16 x 32 mm, h8 tolerance, Plain | Steel | 16 x 32 mm | Plain (no plating) | | | | |
| 2338H16035 | ISO 2338 Dowel Pin, Steel, 16 x 35 mm, h8 tolerance, Plain | Steel | 16 x 35 mm | Plain (no plating) | | | | |
| 2338H16040 | ISO 2338 Dowel Pin, Steel, 16 x 40 mm, h8 tolerance, Plain | Steel | 16 x 40 mm | Plain (no plating) | | | | |
| 2338H16045 | ISO 2338 Dowel Pin, Steel, 16 x 45 mm, h8 tolerance, Plain | Steel | 16 x 45 mm | Plain (no plating) | | | | |
| 2338H16050 | ISO 2338 Dowel Pin, Steel, 16 x 50 mm, h8 tolerance, Plain | Steel | 16 x 50 mm | Plain (no plating) | | | | |
| 2338H16055 | ISO 2338 Dowel Pin, Steel, 16 x 55 mm, h8 tolerance, Plain | Steel | 16 x 55 mm | Plain (no plating) | | | | |
| 2338H16070 | ISO 2338 Dowel Pin, Steel, 16 x 70 mm, h8 tolerance, Plain | Steel | 16 x 70 mm | Plain (no plating) | | | | |
| 2338H20036 | ISO 2338 Dowel Pin, Steel, 20 x 36 mm, h8 tolerance, Plain | Steel | 20 x 36 mm | Plain (no plating) | | | | |
| 2338H20040 | ISO 2338 Dowel Pin, Steel, 20 x 40 mm, h8 tolerance, Plain | Steel | 20 x 40 mm | Plain (no plating) | | | | |
| 2338H20045 | ISO 2338 Dowel Pin, Steel, 20 x 45 mm, h8 tolerance, Plain | Steel | 20 x 45 mm | Plain (no plating) | | | | |
| 2338H20050 | ISO 2338 Dowel Pin, Steel, 20 x 50 mm, h8 tolerance, Plain | Steel | 20 x 50 mm | Plain (no plating) | | | | |
| 2338H20070 | ISO 2338 Dowel Pin, Steel, 20 x 70 mm, h8 tolerance, Plain | Steel | 20 x 70 mm | Plain (no plating) | | | | |
| 2338H20080 | ISO 2338 Dowel Pin, Steel, 20 x 80 mm, h8 tolerance, Plain | Steel | 20 x 80 mm | Plain (no plating) | | | | |
| 2338H20090 | ISO 2338 Dowel Pin, Steel, 20 x 90 mm, h8 tolerance, Plain | Steel | 20 x 90 mm | Plain (no plating) | | | | |
| 2338H20100 | ISO 2338 Dowel Pin, Steel 125-245 HV, 20 x 100 mm, h8 tolerance, Plain | Steel 125-245 HV | 20 x 100 mm | Plain (no plating) | | | | |
| 2338H25050 | ISO 2338 Dowel Pin, Steel, 25 x 50 mm, h8 tolerance, Plain | Steel | 25 x 50 mm | Plain (no plating) | | | | |
| 2338H25180 | ISO 2338 Dowel Pin, Steel, 25 x 180 mm, h8 tolerance, Plain | Steel | 25 x 180 mm | Plain (no plating) | | | | |
| 2338H30060 | ISO 2338 Dowel Pin, Steel, 30 x 60 mm, h8 tolerance, Plain | Steel | 30 x 60 mm | Plain (no plating) | | | | |
| 2338H30070 | ISO 2338 Dowel Pin, Steel, 30 x 70 mm, h8 tolerance, Plain | Steel | 30 x 70 mm | Plain (no plating) | | | | |
| 2338H30150 | ISO 2338 Dowel Pin, Steel, 30 x 150 mm, h8 tolerance, | | | | | | | |

Plain

| | | |
|---|---|---|
| Steel | 30 x 150 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338H40100 | ISO 2338 Dowel Pin, Steel, 40 x 100 mm, h8 tolerance, Plain | Steel | 40 x 100 mm | Plain (no plating) | | | | |
| 2338H603010 | ISO 2338 Dowel Pin, Steel, 3 x 10 mm, h6 tolerance, Plain | Steel | 3 x 10 mm | Plain (no plating) | | | | |
| 2338H608080 | ISO 2338 Dowel Pin, Steel, 8 x 80 mm, h6 tolerance, Plain | Steel | 8 x 80 mm | Plain (no plating) | | | | |
| 2338H614050 | ISO 2338 Dowel Pin, Steel, 14 x 50 mm, h6 tolerance, Plain | Steel | 14 x 50 mm | Plain (no plating) | | | | |
| 2338H6A102022 | ISO 2338 Dowel Pin, Stainless A1, 2 x 22 mm, h6 tolerance | Stainless A1 | 2 x 22 mm | Plain (no plating) | | | | |
| 2338H6A105016 | ISO 2338 Dowel Pin, Stainless A1, 5 x 16 mm, h6 tolerance | Stainless A1 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338H6A404025 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 4 x 25 mm, h6 toleran | Stainless A5 (1.4571) | 4 x 25 mm | Plain (no plating) | | | | |
| 2338H8A108040 | ISO 2338 Dowel Pin, Stainless A1, 8 x 40 mm, h8 tolerance | Stainless A1 | 8 x 40 mm | Plain (no plating) | | | | |
| 2338H8A208040 | ISO 2338 Dowel Pin, Stainless A2, 8 x 40 mm, h8 tolerance | Stainless A2 | 8 x 40 mm | Plain (no plating) | | | | |
| 2338H8A410020 | ISO 2338 Dowel Pin, Stainless A4, 10 x 20 mm, h8 tolerance | Stainless A4 | 10 x 20 mm | Plain (no plating) | | | | |
| 2338H8BA105030 | ISO 2338 Dowel Pin, Stainless A1, 5 x 30 mm, h8 tolerance | Stainless A1 | 5 x 30 mm | Plain (no plating) | | | | |
| 2338H9050281 | ISO 2338 Dowel Pin, Steel, 5 x 28 mm, h9 tolerance, Zinc Plated | Steel | 5 x 28 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338HA10025 | ISO 2338 Dowel Pin, Steel, 10 x 25 mm, h8 tolerance, Plain | Steel | 10 x 25 mm | Plain (no plating) | | | | |
| 2338HA101002 | ISO 2338 Dowel Pin, Stainless A1, 1 x 2 mm, h8 tolerance | Stainless A1 | 1 x 2 mm | Plain (no plating) | | | | |
| 2338HA101003 | ISO 2338 Dowel Pin, Stainless A1, 1 x 3 mm, h8 tolerance | Stainless A1 | 1 x 3 mm | Plain (no plating) | | | | |
| 2338HA101003H6 | ISO 2338 Dowel Pin, Stainless A1, 1 x 3 mm, h6 tolerance | Stainless A1 | 1 x 3 mm | Plain (no plating) | | | | |
| 2338HA101004 | ISO 2338 Dowel Pin, Stainless A1, 1 x 4 mm, h8 tolerance | Stainless A1 | 1 x 4 mm | Plain (no plating) | | | | |
| 2338HA101004H6 | ISO 2338 Dowel Pin, Stainless A1, 1 x 4 mm, h6 tolerance | Stainless A1 | 1 x 4 mm | Plain (no plating) | | | | |
| 2338HA101005 | ISO 2338 Dowel Pin, Stainless A1, 1 x 5 mm, h8 tolerance | Stainless A1 | 1 x 5 mm | Plain (no plating) | | | | |
| 2338HA101006 | ISO 2338 Dowel Pin, Stainless A1, 1 x 6 mm, h8 tolerance | Stainless A1 | 1 x 6 mm | Plain (no plating) | | | | |
| 2338HA101006H6 | ISO 2338 Dowel Pin, Stainless A1, 1 x 6 mm, h6 tolerance | Stainless A1 | 1 x 6 mm | Plain (no plating) | | | | |
| 2338HA101008 | ISO 2338 Dowel Pin, Stainless A1, 1 x 8 mm, h8 tolerance | Stainless A1 | 1 x 8 mm | Plain (no plating) | | | | |
| 2338HA101008H6 | ISO 2338 Dowel Pin, Stainless A1, 1 x 8 mm, h6 tolerance | Stainless A1 | 1 x 8 mm | Plain (no plating) | | | | |
| 2338HA101010 | ISO 2338 Dowel Pin, Stainless A1, 1 x 10 mm, h8 tolerance | Stainless A1 | 1 x 10 mm | Plain (no plating) | | | | |
| 2338HA101010H6 | ISO 2338 Dowel Pin, Stainless A1, 1 x 10 mm, h6 tolerance | Stainless A1 | 1 x 10 mm | Plain (no plating) | | | | |
| 2338HA101012 | ISO 2338 Dowel Pin, Stainless A1, 1 x 12 mm, h8 tolerance | Stainless A1 | 1 x 12 mm | Plain (no plating) | | | | |
| 2338HA101055H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 55 mm, h6 tolerance | Stainless A1 | 10 x 55 mm | Plain (no plating) | | | | |
| 2338HA1012004 | ISO 2338 Dowel Pin, Stainless A1, 1.2 x 4 mm, h8 tolerance | Stainless A1 | 1.2 x 4 mm | Plain (no plating) | | | | |
| 2338HA1012006 | ISO 2338 Dowel Pin, Stainless A1, 1.2 x 6 mm, h8 tolerance | Stainless A1 | 1.2 x 6 mm | Plain (no plating) | | | | |
| 2338HA1012008 | ISO 2338 Dowel Pin, Stainless A1, 1.2 x 8 mm, h8 tolerance | Stainless A1 | 1.2 x 8 mm | Plain (no plating) | | | | |
| 2338HA1015004H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 4 mm, h6 tolerance | Stainless A1 | 1.5 x 4 mm | Plain (no plating) | | | | |
| 2338HA1015005 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 5 mm, h8 tolerance | Stainless A1 | 1.5 x 5 mm | Plain (no plating) | | | | |
| 2338HA1015005H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 5 mm, h6 tolerance | Stainless A1 | 1.5 x 5 mm | Plain (no plating) | | | | |
| 2338HA1015006 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 6 mm, h8 tolerance | Stainless A1 | 1.5 x 6 mm | Plain (no plating) | | | | |
| 2338HA1015006H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 6 mm, h6 tolerance | Stainless A1 | 1.5 x 6 mm | Plain (no plating) | | | | |
| 2338HA1015008 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 8 mm, h8 tolerance | Stainless A1 | 1.5 x 8 mm | Plain (no plating) | | | | |
| 2338HA1015008H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 8 mm, h6 tolerance | Stainless A1 | 1.5 x 8 mm | Plain (no plating) | | | | |
| 2338HA1015010 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 10 mm, h8 tolerance | Stainless A1 | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338HA1015010H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 10 mm, h6 tolerance | Stainless A1 | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338HA1015012 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 12 mm, h8 tolerance | Stainless A1 | 1.5 x 12 mm | Plain (no plating) | | | | |
| 2338HA1015012H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 12 mm, h6 tolerance | Stainless A1 | 1.5 x 12 mm | Plain (no plating) | | | | |
| 2338HA1015014 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 14 mm, h8 tolerance | Stainless A1 | 1.5 x 14 mm | Plain (no plating) | | | | |
| 2338HA1015016 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 16 mm, h8 tolerance | Stainless A1 | 1.5 x 16 mm | Plain (no plating) | | | | |
| 2338HA1015020 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 20 mm, h8 tolerance | Stainless A1 | 1.5 x 20 mm | Plain (no plating) | | | | |
| 2338HA1015025 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 25 mm, h8 tolerance | Stainless A1 | 1.5 x 25 mm | Plain (no plating) | | | | |
| 2338HA1015030 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 30 mm, h8 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A1 | 1.5 x 30 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338HA102004 | ISO 2338 Dowel Pin, Stainless A1, 2 x 4 mm, h8 tolerance | Stainless A1 | 2 x 4 mm | Plain (no plating) | | | | |
| 2338HA102005 | ISO 2338 Dowel Pin, Stainless A1, 2 x 5 mm, h8 tolerance | Stainless A1 | 2 x 5 mm | Plain (no plating) | | | | |
| 2338HA102005H6 | ISO 2338 Dowel Pin, Stainless A1, 2 x 5 mm, h6 tolerance | Stainless A1 | 2 x 5 mm | Plain (no plating) | | | | |
| 2338HA102006 | ISO 2338 Dowel Pin, Stainless A1, 2 x 6 mm, h8 tolerance | Stainless A1 | 2 x 6 mm | Plain (no plating) | | | | |
| 2338HA102006H6 | ISO 2338 Dowel Pin, Stainless A1, 2 x 6 mm, h6 tolerance | Stainless A1 | 2 x 6 mm | Plain (no plating) | | | | |
| 2338HA102008 | ISO 2338 Dowel Pin, Stainless A1, 2 x 8 mm, h8 tolerance | Stainless A1 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338HA102008H6 | ISO 2338 Dowel Pin, Stainless A1, 2 x 8 mm, h6 tolerance | Stainless A1 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338HA102010 | ISO 2338 Dowel Pin, Stainless A1, 2 x 10 mm, h8 tolerance | Stainless A1 | 2 x 10 mm | Plain (no plating) | | | | |
| 2338HA102010H6 | ISO 2338 Dowel Pin, Stainless A1, 2 x 10 mm, h6 tolerance | Stainless A1 | 2 x 10 mm | Plain (no plating) | | | | |
| 2338HA102012 | ISO 2338 Dowel Pin, Stainless A1, 2 x 12 mm, h8 tolerance | Stainless A1 | 2 x 12 mm | Plain (no plating) | | | | |
| 2338HA102012H6 | ISO 2338 Dowel Pin, Stainless A1, 2 x 12 mm, h6 tolerance | Stainless A1 | 2 x 12 mm | Plain (no plating) | | | | |
| 2338HA102014 | ISO 2338 Dowel Pin, Stainless A1, 2 x 14 mm, h8 tolerance | Stainless A1 | 2 x 14 mm | Plain (no plating) | | | | |
| 2338HA102016 | ISO 2338 Dowel Pin, Stainless A1, 2 x 16 mm, h8 tolerance | Stainless A1 | 2 x 16 mm | Plain (no plating) | | | | |
| 2338HA102018 | ISO 2338 Dowel Pin, Stainless A1, 2 x 18 mm, h8 tolerance | Stainless A1 | 2 x 18 mm | Plain (no plating) | | | | |
| 2338HA102020 | ISO 2338 Dowel Pin, Stainless A1, 2 x 20 mm, h8 tolerance | Stainless A1 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338HA102020H6 | ISO 2338 Dowel Pin, Stainless A1, 2 x 20 mm, h6 tolerance | Stainless A1 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338HA102024 | ISO 2338 Dowel Pin, Stainless A1, 2 x 24 mm, h8 tolerance | Stainless A1 | 2 x 24 mm | Plain (no plating) | | | | |
| 2338HA102025 | ISO 2338 Dowel Pin, Stainless A1, 2 x 25 mm, h8 tolerance | Stainless A1 | 2 x 25 mm | Plain (no plating) | | | | |
| 2338HA1025005 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 5 mm, h8 | Stainless A1 | 2.5 x 5 mm | Plain (no plating) | | | | |
| 2338HA1025006 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 6 mm, h8 | Stainless A1 | 2.5 x 6 mm | Plain (no plating) | | | | |
| 2338HA1025008 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 8 mm, h8 | Stainless A1 | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338HA1025010 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 10 mm, h8 | Stainless A1 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338HA1025012 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 12 mm, h8 | Stainless A1 | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338HA1025012H6 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 12 mm, h6 | Stainless A1 | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338HA1025014 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 14 mm, h8 | Stainless A1 | 2.5 x 14 mm | Plain (no plating) | | | | |
| 2338HA1025014H6 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 14 mm, h6 | Stainless A1 | 2.5 x 14 mm | Plain (no plating) | | | | |
| 2338HA1025016 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 16 mm, h8 | Stainless A1 | 2.5 x 16 mm | Plain (no plating) | | | | |
| 2338HA1025016H6 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 16 mm, h6 | Stainless A1 | 2.5 x 16 mm | Plain (no plating) | | | | |
| 2338HA1025020 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 20 mm, h8 | Stainless A1 | 2.5 x 20 mm | Plain (no plating) | | | | |
| 2338HA1025025 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 2.5 x 25 mm, h8 | Stainless A1 | 2.5 x 25 mm | Plain (no plating) | | | | |
| 2338HA103003 | tolerance<br>ISO 2338 Dowel Pin, Stainless A1, 3 x 3 mm, h8 tolerance | Stainless A1 | 3 x 3 mm | Plain (no plating) | | | | |
| 2338HA103004 | ISO 2338 Dowel Pin, Stainless A1, 3 x 4 mm, h8 tolerance | Stainless A1 | 3 x 4 mm | Plain (no plating) | | | | |
| 2338HA103005 | ISO 2338 Dowel Pin, Stainless A1, 3 x 5 mm, h8 tolerance | Stainless A1 | 3 x 5 mm | Plain (no plating) | | | | |
| 2338HA103006 | ISO 2338 Dowel Pin, Stainless A1, 3 x 6 mm, h8 tolerance | Stainless A1 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338HA103006H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 6 mm, h6 tolerance | Stainless A1 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338HA103008 | ISO 2338 Dowel Pin, Stainless A1, 3 x 8 mm, h8 tolerance | Stainless A1 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338HA103008H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 8 mm, h6 tolerance | Stainless A1 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338HA103008H67 | ISO 2338 Dowel Pin, Stainless A1, 3 x 8 mm, h6 tolerance | Stainless A1 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338HA103010 | ISO 2338 Dowel Pin, Stainless A1, 3 x 10 mm, h8 tolerance | Stainless A1 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338HA103010H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 10 mm, h6 tolerance | Stainless A1 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338HA103012 | ISO 2338 Dowel Pin, Stainless A1, 3 x 12 mm, h8 tolerance | Stainless A1 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338HA103012H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 12 mm, h6 tolerance | Stainless A1 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338HA103014 | ISO 2338 Dowel Pin, Stainless A1, 3 x 14 mm, h8 tolerance | Stainless A1 | 3 x 14 mm | Plain (no plating) | | | | |
| 2338HA103015 | ISO 2338 Dowel Pin, Stainless A1, 3 x 15 mm, h8 tolerance | Stainless A1 | 3 x 15 mm | Plain (no plating) | | | | |
| 2338HA103016 | ISO 2338 Dowel Pin, Stainless A1, 3 x 16 mm, h8 tolerance | Stainless A1 | 3 x 16 mm | Plain (no plating) | | | | |
| 2338HA103016H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 16 mm, h6 tolerance | Stainless A1 | 3 x 16 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338HA103018 | ISO 2338 Dowel Pin, Stainless A1, 3 x 18 mm, h8 tolerance | Stainless A1 | 3 x 18 mm | Plain (no plating) | | | | |
| 2338HA103020 | ISO 2338 Dowel Pin, Stainless A1, 3 x 20 mm, h8 tolerance | Stainless A1 | 3 x 20 mm | Plain (no plating) | | | | |
| 2338HA103020H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 20 mm, h6 tolerance | Stainless A1 | 3 x 20 mm | Plain (no plating) | | | | |
| 2338HA103022 | ISO 2338 Dowel Pin, Stainless A1, 3 x 22 mm, h8 tolerance | Stainless A1 | 3 x 22 mm | Plain (no plating) | | | | |
| 2338HA103024H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 24 mm, h6 tolerance | Stainless A1 | 3 x 24 mm | Plain (no plating) | | | | |
| 2338HA103025 | ISO 2338 Dowel Pin, Stainless A1, 3 x 25 mm, h8 tolerance | Stainless A1 | 3 x 25 mm | Plain (no plating) | | | | |
| 2338HA103028 | ISO 2338 Dowel Pin, Stainless A1, 3 x 28 mm, h8 tolerance | Stainless A1 | 3 x 28 mm | Plain (no plating) | | | | |
| 2338HA103028H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 28 mm, h6 tolerance | Stainless A1 | 3 x 28 mm | Plain (no plating) | | | | |
| 2338HA103030 | ISO 2338 Dowel Pin, Stainless A1, 3 x 30 mm, h8 tolerance | Stainless A1 | 3 x 30 mm | Plain (no plating) | | | | |
| 2338HA103032H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 32 mm, h6 tolerance | Stainless A1 | 3 x 32 mm | Plain (no plating) | | | | |
| 2338HA103036 | ISO 2338 Dowel Pin, Stainless A1, 3 x 36 mm, h8 tolerance | Stainless A1 | 3 x 36 mm | Plain (no plating) | | | | |
| 2338HA103040 | ISO 2338 Dowel Pin, Stainless A1, 3 x 40 mm, h8 tolerance | Stainless A1 | 3 x 40 mm | Plain (no plating) | | | | |
| 2338HA103045 | ISO 2338 Dowel Pin, Stainless A1, 3 x 45 mm, h8 tolerance | Stainless A1 | 3 x 45 mm | Plain (no plating) | | | | |
| 2338HA103050 | ISO 2338 Dowel Pin, Stainless A1, 3 x 50 mm, h8 tolerance | Stainless A1 | 3 x 50 mm | Plain (no plating) | | | | |
| 2338HA104005 | ISO 2338 Dowel Pin, Stainless A1, 4 x 5 mm, h8 tolerance | Stainless A1 | 4 x 5 mm | Plain (no plating) | | | | |
| 2338HA104006 | ISO 2338 Dowel Pin, Stainless A1, 4 x 6 mm, h8 tolerance | Stainless A1 | 4 x 6 mm | Plain (no plating) | | | | |
| 2338HA104006H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 6 mm, h6 tolerance | Stainless A1 | 4 x 6 mm | Plain (no plating) | | | | |
| 2338HA104006H8 | ISO 2338 Dowel Pin, Stainless A1, 4 x 6 mm, h8 tolerance | Stainless A1 | 4 x 6 mm | Plain (no plating) | | | | |
| 2338HA104008 | ISO 2338 Dowel Pin, Stainless A1, 4 x 8 mm, h8 tolerance | Stainless A1 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338HA104008H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 8 mm, h6 tolerance | Stainless A1 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338HA104010 | ISO 2338 Dowel Pin, Stainless A1, 4 x 10 mm, h8 tolerance | Stainless A1 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338HA104010H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 10 mm, h6 tolerance | Stainless A1 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338HA104012 | ISO 2338 Dowel Pin, Stainless A1, 4 x 12 mm, h8 tolerance | Stainless A1 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338HA104012H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 12 mm, h6 tolerance | Stainless A1 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338HA104014 | ISO 2338 Dowel Pin, Stainless A1, 4 x 14 mm, h8 tolerance | Stainless A1 | 4 x 14 mm | Plain (no plating) | | | | |
| 2338HA104014H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 14 mm, h6 tolerance | Stainless A1 | 4 x 14 mm | Plain (no plating) | | | | |
| 2338HA104015 | ISO 2338 Dowel Pin, Stainless A1, 4 x 15 mm, h8 tolerance | Stainless A1 | 4 x 15 mm | Plain (no plating) | | | | |
| 2338HA104016 | ISO 2338 Dowel Pin, Stainless A1, 4 x 16 mm, h8 tolerance | Stainless A1 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338HA104016H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 16 mm, h6 tolerance | Stainless A1 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338HA104018 | ISO 2338 Dowel Pin, Stainless A1, 4 x 18 mm, h8 tolerance | Stainless A1 | 4 x 18 mm | Plain (no plating) | | | | |
| 2338HA104020 | ISO 2338 Dowel Pin, Stainless A1, 4 x 20 mm, h8 tolerance | Stainless A1 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338HA104020H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 20 mm, h6 tolerance | Stainless A1 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338HA104024H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 24 mm, h6 tolerance | Stainless A1 | 4 x 24 mm | Plain (no plating) | | | | |
| 2338HA104025 | ISO 2338 Dowel Pin, Stainless A1, 4 x 25 mm, h8 tolerance | Stainless A1 | 4 x 25 mm | Plain (no plating) | | | | |
| 2338HA104028 | ISO 2338 Dowel Pin, Stainless A1, 4 x 28 mm, h8 tolerance | Stainless A1 | 4 x 28 mm | Plain (no plating) | | | | |
| 2338HA104030 | ISO 2338 Dowel Pin, Stainless A1, 4 x 30 mm, h8 tolerance | Stainless A1 | 4 x 30 mm | Plain (no plating) | | | | |
| 2338HA104035 | ISO 2338 Dowel Pin, Stainless A1, 4 x 35 mm, h8 tolerance | Stainless A1 | 4 x 35 mm | Plain (no plating) | | | | |
| 2338HA104040 | ISO 2338 Dowel Pin, Stainless A1, 4 x 40 mm, h8 tolerance | Stainless A1 | 4 x 40 mm | Plain (no plating) | | | | |
| 2338HA104040H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 40 mm, h6 tolerance | Stainless A1 | 4 x 40 mm | Plain (no plating) | | | | |
| 2338HA104045 | ISO 2338 Dowel Pin, Stainless A1, 4 x 45 mm, h8 tolerance | Stainless A1 | 4 x 45 mm | Plain (no plating) | | | | |
| 2338HA105005 | ISO 2338 Dowel Pin, Stainless A1, 5 x 5 mm, h8 tolerance | Stainless A1 | 5 x 5 mm | Plain (no plating) | | | | |
| 2338HA105006 | ISO 2338 Dowel Pin, Stainless A1, 5 x 6 mm, h8 tolerance | Stainless A1 | 5 x 6 mm | Plain (no plating) | | | | |
| 2338HA105008 | ISO 2338 Dowel Pin, Stainless A1, 5 x 8 mm, h8 tolerance | Stainless A1 | 5 x 8 mm | Plain (no plating) | | | | |
| 2338HA105008H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 8 mm, h6 tolerance | Stainless A1 | 5 x 8 mm | Plain (no plating) | | | | |
| 2338HA105010 | ISO 2338 Dowel Pin, Stainless A1, 5 x 10 mm, h8 tolerance | Stainless A1 | 5 x 10 mm | Plain (no plating) | | | | |
| 2338HA105010H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 10 mm, h6 tolerance | Stainless A1 | 5 x 10 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338HA105012 | ISO 2338 Dowel Pin, Stainless A1, 5 x 12 mm, h8 tolerance | Stainless A1 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338HA105012H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 12 mm, h6 tolerance | Stainless A1 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338HA105014 | ISO 2338 Dowel Pin, Stainless A1, 5 x 14 mm, h8 tolerance | Stainless A1 | 5 x 14 mm | Plain (no plating) | | | | |
| 2338HA105015H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 15 mm, h6 tolerance | Stainless A1 | 5 x 15 mm | Plain (no plating) | | | | |
| 2338HA105016 | ISO 2338 Dowel Pin, Stainless A1, 5 x 16 mm, h8 tolerance | Stainless A1 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338HA105016H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 16 mm, h6 tolerance | Stainless A1 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338HA105018 | ISO 2338 Dowel Pin, Stainless A1, 5 x 18 mm, h8 tolerance | Stainless A1 | 5 x 18 mm | Plain (no plating) | | | | |
| 2338HA105020 | ISO 2338 Dowel Pin, Stainless A1, 5 x 20 mm, h8 tolerance | Stainless A1 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338HA105020H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 20 mm, h6 tolerance | Stainless A1 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338HA105024H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 24 mm, h6 tolerance | Stainless A1 | 5 x 24 mm | Plain (no plating) | | | | |
| 2338HA105025 | ISO 2338 Dowel Pin, Stainless A1, 5 x 25 mm, h8 tolerance | Stainless A1 | 5 x 25 mm | Plain (no plating) | | | | |
| 2338HA105030 | ISO 2338 Dowel Pin, Stainless A1, 5 x 30 mm, h8 tolerance | Stainless A1 | 5 x 30 mm | Plain (no plating) | | | | |
| 2338HA105030H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 30 mm, h6 tolerance | Stainless A1 | 5 x 30 mm | Plain (no plating) | | | | |
| 2338HA105032 | ISO 2338 Dowel Pin, Stainless A1, 5 x 32 mm, h8 tolerance | Stainless A1 | 5 x 32 mm | Plain (no plating) | | | | |
| 2338HA105032H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 32 mm, h6 tolerance | Stainless A1 | 5 x 32 mm | Plain (no plating) | | | | |
| 2338HA105035 | ISO 2338 Dowel Pin, Stainless A1, 5 x 35 mm, h8 tolerance | Stainless A1 | 5 x 35 mm | Plain (no plating) | | | | |
| 2338HA105040 | ISO 2338 Dowel Pin, Stainless A1, 5 x 40 mm, h8 tolerance | Stainless A1 | 5 x 40 mm | Plain (no plating) | | | | |
| 2338HA105050H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 50 mm, h6 tolerance | Stainless A1 | 5 x 50 mm | Plain (no plating) | | | | |
| 2338HA106007 | ISO 2338 Dowel Pin, Stainless A1, 6 x 7 mm, h8 tolerance | Stainless A1 | 6 x 7 mm | Plain (no plating) | | | | |
| 2338HA106008 | ISO 2338 Dowel Pin, Stainless A1, 6 x 8 mm, h8 tolerance | Stainless A1 | 6 x 8 mm | Plain (no plating) | | | | |
| 2338HA106010 | ISO 2338 Dowel Pin, Stainless A1, 6 x 10 mm, h8 tolerance | Stainless A1 | 6 x 10 mm | Plain (no plating) | | | | |
| 2338HA106010H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 10 mm, h6 tolerance | Stainless A1 | 6 x 10 mm | Plain (no plating) | | | | |
| 2338HA106010H7 | ISO 2338 Dowel Pin, Stainless A1, 6 x 10 mm, h7 tolerance | Stainless A1 | 6 x 10 mm | Plain (no plating) | | | | |
| 2338HA106012 | ISO 2338 Dowel Pin, Stainless A1, 6 x 12 mm, h8 tolerance | Stainless A1 | 6 x 12 mm | Plain (no plating) | | | | |
| 2338HA106012H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 12 mm, h6 tolerance | Stainless A1 | 6 x 12 mm | Plain (no plating) | | | | |
| 2338HA106014 | ISO 2338 Dowel Pin, Stainless A1, 6 x 1 mm, h8 tolerance | Stainless A1 | 6 x 1 mm | Plain (no plating) | | | | |
| 2338HA106015 | ISO 2338 Dowel Pin, Stainless A1, 6 x 15 mm, h8 tolerance | Stainless A1 | 6 x 15 mm | Plain (no plating) | | | | |
| 2338HA106016 | ISO 2338 Dowel Pin, Stainless A1, 6 x 16 mm, h8 tolerance | Stainless A1 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338HA106016H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 16 mm, h6 tolerance | Stainless A1 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338HA106018 | ISO 2338 Dowel Pin, Stainless A1, 6 x 18 mm, h8 tolerance | Stainless A1 | 6 x 18 mm | Plain (no plating) | | | | |
| 2338HA106020 | ISO 2338 Dowel Pin, Stainless A1, 6 x 20 mm, h8 tolerance | Stainless A1 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338HA106020H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 20 mm, h6 tolerance | Stainless A1 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338HA106022 | ISO 2338 Dowel Pin, Stainless A1, 6 x 22 mm, h8 tolerance | Stainless A1 | 6 x 22 mm | Plain (no plating) | | | | |
| 2338HA106024 | ISO 2338 Dowel Pin, Stainless A1, 6 x 24 mm, h8 tolerance | Stainless A1 | 6 x 24 mm | Plain (no plating) | | | | |
| 2338HA106024H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 24 mm, h6 tolerance | Stainless A1 | 6 x 24 mm | Plain (no plating) | | | | |
| 2338HA106025 | ISO 2338 Dowel Pin, Stainless A1, 6 x 25 mm, h8 tolerance | Stainless A1 | 6 x 25 mm | Plain (no plating) | | | | |
| 2338HA106028 | ISO 2338 Dowel Pin, Stainless A1, 6 x 28 mm, h8 tolerance | Stainless A1 | 6 x 28 mm | Plain (no plating) | | | | |
| 2338HA106028H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 28 mm, h6 tolerance | Stainless A1 | 6 x 28 mm | Plain (no plating) | | | | |
| 2338HA106030 | ISO 2338 Dowel Pin, Stainless A1, 6 x 30 mm, h8 tolerance | Stainless A1 | 6 x 30 mm | Plain (no plating) | | | | |
| 2338HA106035 | ISO 2338 Dowel Pin, Stainless A1, 6 x 35 mm, h8 tolerance | Stainless A1 | 6 x 35 mm | Plain (no plating) | | | | |
| 2338HA106040 | ISO 2338 Dowel Pin, Stainless A1, 6 x 40 mm, h8 tolerance | Stainless A1 | 6 x 40 mm | Plain (no plating) | | | | |
| 2338HA106040H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 40 mm, h6 tolerance | Stainless A1 | 6 x 40 mm | Plain (no plating) | | | | |
| 2338HA106050 | ISO 2338 Dowel Pin, Stainless A1, 6 x 50 mm, h8 tolerance | Stainless A1 | 6 x 50 mm | Plain (no plating) | | | | |
| 2338HA106055 | ISO 2338 Dowel Pin, Stainless A1, 6 x 55 mm, h8 tolerance | Stainless A1 | 6 x 55 mm | Plain (no plating) | | | | |
| 2338HA106060 | ISO 2338 Dowel Pin, Stainless A1, 6 x 60 mm, h8 tolerance | Stainless A1 | 6 x 60 mm | Plain (no plating) | | | | |
| 2338HA106070 | ISO 2338 Dowel Pin, Stainless A1, 6 x 70 mm, h8 tolerance | Stainless A1 | 6 x 70 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338HA106100 | ISO 2338 Dowel Pin, Stainless A1, 6 x 100 mm, h8 tolerance | Stainless A1 | 6 x 100 mm | Plain (no plating) | | | | |
| 2338HA108012 | ISO 2338 Dowel Pin, Stainless A2, 8 x 12 mm, h8 tolerance | Stainless A2 | 8 x 12 mm | Plain (no plating) | | | | |
| 2338HA108012H6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 12 mm, h6 tolerance | Stainless A1 | 8 x 12 mm | Plain (no plating) | | | | |
| 2338HA108014 | ISO 2338 Dowel Pin, Stainless A1, 8 x 14 mm, h8 tolerance | Stainless A1 | 8 x 14 mm | Plain (no plating) | | | | |
| 2338HA108016 | ISO 2338 Dowel Pin, Stainless A1, 8 x 16 mm, h8 tolerance | Stainless A1 | 8 x 16 mm | Plain (no plating) | | | | |
| 2338HA108016H6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 16 mm, h6 tolerance | Stainless A1 | 8 x 16 mm | Plain (no plating) | | | | |
| 2338HA108020 | ISO 2338 Dowel Pin, Stainless A1, 8 x 20 mm, h8 tolerance | Stainless A1 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338HA108024 | ISO 2338 Dowel Pin, Stainless A1, 8 x 24 mm, h8 tolerance | Stainless A1 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338HA108025 | ISO 2338 Dowel Pin, Stainless A1, 8 x 25 mm, h8 tolerance | Stainless A1 | 8 x 25 mm | Plain (no plating) | | | | |
| 2338HA108030 | ISO 2338 Dowel Pin, Stainless A1, 8 x 30 mm, h8 tolerance | Stainless A1 | 8 x 30 mm | Plain (no plating) | | | | |
| 2338HA108035 | ISO 2338 Dowel Pin, Stainless A1, 8 x 35 mm, h8 tolerance | Stainless A1 | 8 x 35 mm | Plain (no plating) | | | | |
| 2338HA108040 | ISO 2338 Dowel Pin, Stainless A1, 8 x 40 mm, h8 tolerance | Stainless A1 | 8 x 40 mm | Plain (no plating) | | | | |
| 2338HA108050 | ISO 2338 Dowel Pin, Stainless A1, 8 x 50 mm, h8 tolerance | Stainless A1 | 8 x 50 mm | Plain (no plating) | | | | |
| 2338HA108050H6 | ISO 2338 Dowel Pin, Stainless A1, 8 x 50 mm, h6 tolerance | Stainless A1 | 8 x 50 mm | Plain (no plating) | | | | |
| 2338HA110016H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 16 mm, h6 tolerance | Stainless A1 | 10 x 16 mm | Plain (no plating) | | | | |
| 2338HA110020 | ISO 2338 Dowel Pin, Stainless A1, 10 x 20 mm, h8 tolerance | Stainless A1 | 10 x 20 mm | Plain (no plating) | | | | |
| 2338HA110024 | ISO 2338 Dowel Pin, Stainless A1, 10 x 24 mm, h8 tolerance | Stainless A1 | 10 x 24 mm | Plain (no plating) | | | | |
| 2338HA110024H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 24 mm, h6 tolerance | Stainless A1 | 10 x 24 mm | Plain (no plating) | | | | |
| 2338HA110025 | ISO 2338 Dowel Pin, Stainless A1, 10 x 25 mm, h8 tolerance | Stainless A1 | 10 x 25 mm | Plain (no plating) | | | | |
| 2338HA110025H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 25 mm, h6 tolerance | Stainless A1 | 10 x 25 mm | Plain (no plating) | | | | |
| 2338HA110028H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 28 mm, h6 tolerance | Stainless A1 | 10 x 28 mm | Plain (no plating) | | | | |
| 2338HA110030 | ISO 2338 Dowel Pin, Stainless A1, 10 x 30 mm, h8 tolerance | Stainless A1 | 10 x 30 mm | Plain (no plating) | | | | |
| 2338HA110040 | ISO 2338 Dowel Pin, Stainless A1, 10 x 40 mm, h8 tolerance | Stainless A1 | 10 x 40 mm | Plain (no plating) | | | | |
| 2338HA110050H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 50 mm, h6 tolerance | Stainless A1 | 10 x 50 mm | Plain (no plating) | | | | |
| 2338HA110055H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 55 mm, h6 tolerance | Stainless A1 | 10 x 55 mm | Plain (no plating) | | | | |
| 2338HA110070H6 | ISO 2338 Dowel Pin, Stainless A1, 10 x 70 mm, h6 tolerance | Stainless A1 | 10 x 70 mm | Plain (no plating) | | | | |
| 2338HA112024 | ISO 2338 Dowel Pin, Stainless A1, 12 x 24 mm, h8 tolerance | Stainless A1 | 12 x 24 mm | Plain (no plating) | | | | |
| 2338HA112025 | ISO 2338 Dowel Pin, Stainless A1, 12 x 25 mm, h8 tolerance | Stainless A1 | 12 x 25 mm | Plain (no plating) | | | | |
| 2338HA112030 | ISO 2338 Dowel Pin, Stainless A1, 12 x 30 mm, h8 tolerance | Stainless A1 | 12 x 30 mm | Plain (no plating) | | | | |
| 2338HA112030H6 | ISO 2338 Dowel Pin, Stainless A1, 12 x 30 mm, h6 tolerance | Stainless A1 | 12 x 30 mm | Plain (no plating) | | | | |
| 2338HA112035 | ISO 2338 Dowel Pin, Stainless A1, 12 x 35 mm, h8 tolerance | Stainless A1 | 12 x 35 mm | Plain (no plating) | | | | |
| 2338HA112040 | ISO 2338 Dowel Pin, Stainless A1, 12 x 40 mm, h8 tolerance | Stainless A1 | 12 x 40 mm | Plain (no plating) | | | | |
| 2338HA115010H6 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 10 mm, h6 tolerance | Stainless A1 | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338HA116030 | ISO 2338 Dowel Pin, Stainless A2, 16 x 30 mm, h8 tolerance | Stainless A2 | 16 x 30 mm | Plain (no plating) | | | | |
| 2338HA116040 | ISO 2338 Dowel Pin, Stainless A1, 16 x 40 mm, h8 tolerance | Stainless A1 | 16 x 40 mm | Plain (no plating) | | | | |
| 2338HA120040 | ISO 2338 Dowel Pin, Stainless A1, 20 x 40 mm, h8 tolerance | Stainless A1 | 20 x 40 mm | Plain (no plating) | | | | |
| 2338HA120050 | ISO 2338 Dowel Pin, Stainless A1, 20 x 50 mm, h8 tolerance | Stainless A1 | 20 x 50 mm | Plain (no plating) | | | | |
| 2338HA125010H8 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 10 mm, h8 tolerance | Stainless A1 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338HA202008 | ISO 2338 Dowel Pin, Stainless A2, 2 x 8 mm, h8 tolerance | Stainless A2 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338HA202010H6 | ISO 2338 Dowel Pin, Stainless A2, 2 x 10 mm, h6 tolerance | Stainless A2 | 2 x 10 mm | Plain (no plating) | | | | |
| 2338HA202016 | ISO 2338 Dowel Pin, Stainless A2, 2 x 16 mm, h8 tolerance | Stainless A2 | 2 x 16 mm | Plain (no plating) | | | | |
| 2338HA202020 | ISO 2338 Dowel Pin, Stainless A2, 2 x 20 mm, h8 tolerance | Stainless A2 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338HA202025 | ISO 2338 Dowel Pin, Stainless A2, 2 x 25 mm, h8 tolerance | Stainless A2 | 2 x 25 mm | Plain (no plating) | | | | |
| 2338HA2025005H6 | ISO 2338 Dowel Pin, Stainless A2, 2.5 x 5 mm, h6 tolerance | Stainless A2 | 2.5 x 5 mm | Plain (no plating) | | | | |
| 2338HA2025012H6 | ISO 2338 Dowel Pin, Stainless A2, 2.5 x 12 mm, h6 tolerance | Stainless A2 | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338HA203016 | ISO 2338 Dowel Pin, Stainless A2, 3 x 16 mm, h8 tolerance | Stainless A2 | 3 x 16 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338HA203025H6 | ISO 2338 Dowel Pin, Stainless A2, 3 x 25 mm, h6 tolerance | Stainless A2 | 3 x 25 mm | Plain (no plating) | | | | |
| 2338HA204008 | ISO 2338 Dowel Pin, Stainless A2, 4 x 8 mm, h8 tolerance | Stainless A2 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338HA204016 | ISO 2338 Dowel Pin, Stainless A2, 4 x 16 mm, h8 tolerance | Stainless A2 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338HA204024 | ISO 2338 Dowel Pin, Stainless A2, 4 x 24 mm, h8 tolerance | Stainless A2 | 4 x 24 mm | Plain (no plating) | | | | |
| 2338HA204047 | ISO 2338 Dowel Pin, Stainless A2, 4 x 47 mm, h8 tolerance | Stainless A2 | 4 x 47 mm | Plain (no plating) | | | | |
| 2338HA204050 | ISO 2338 Dowel Pin, Stainless A2, 4 x 50 mm, h8 tolerance | Stainless A2 | 4 x 50 mm | Plain (no plating) | | | | |
| 2338HA205016 | ISO 2338 Dowel Pin, Stainless A2, 5 x 16 mm, h8 tolerance | Stainless A2 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338HA206007 | ISO 2338 Dowel Pin, Stainless A2, 6 x 7 mm, h8 tolerance | Stainless A2 | 6 x 7 mm | Plain (no plating) | | | | |
| 2338HA206016 | ISO 2338 Dowel Pin, Stainless A2, 6 x 16 mm, h8 tolerance | Stainless A2 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338HA206022 | ISO 2338 Dowel Pin, Stainless A2, 6 x 22 mm, h8 tolerance | Stainless A2 | 6 x 22 mm | Plain (no plating) | | | | |
| 2338HA206050 | ISO 2338 Dowel Pin, Stainless A2, 6 x 50 mm, h8 tolerance | Stainless A2 | 6 x 50 mm | Plain (no plating) | | | | |
| 2338HA206060 | ISO 2338 Dowel Pin, Stainless A2, 6 x 60 mm, h6 tolerance | Stainless A2 | 6 x 60 mm | Plain (no plating) | | | | |
| 2338HA208016 | ISO 2338 Dowel Pin, Stainless A2, 8 x 16 mm, h8 tolerance | Stainless A2 | 8 x 16 mm | Plain (no plating) | | | | |
| 2338HA208020 | ISO 2338 Dowel Pin, Stainless A2, 8 x 20 mm, h8 tolerance | Stainless A2 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338HA208025 | ISO 2338 Dowel Pin, Stainless A2, 8 x 25 mm, h8 tolerance | Stainless A2 | 8 x 25 mm | Plain (no plating) | | | | |
| 2338HA208032 | ISO 2338 Dowel Pin, Stainless A2, 8 x 32 mm, h6 tolerance | Stainless A2 | 8 x 32 mm | Plain (no plating) | | | | |
| 2338HA210024 | ISO 2338 Dowel Pin, Stainless A2, 10 x 24 mm, h8 | Stainless A2 | 10 x 24 mm | Plain (no plating) | | | | |
| 2338HA210035 | ISO 2338 Dowel Pin, Stainless A2, 10 x 35 mm, h8 tolerance | Stainless A2 | 10 x 35 mm | Plain (no plating) | | | | |
| 2338HA212032 | ISO 2338 Dowel Pin, Stainless A2, 12 x 32 mm, h8 tolerance | Stainless A2 | 12 x 32 mm | Plain (no plating) | | | | |
| 2338HA212040 | ISO 2338 Dowel Pin, Stainless A2, 12 x 40 mm, h6 tolerance | Stainless A2 | 12 x 40 mm | Plain (no plating) | | | | |
| 2338HA212050 | ISO 2338 Dowel Pin, Stainless A2, 12 x 50 mm, h8 tolerance | Stainless A2 | 12 x 50 mm | Plain (no plating) | | | | |
| 2338HA216090 | ISO 2338 Dowel Pin, Stainless A2, 16 x 90 mm, h8 tolerance | Stainless A2 | 16 x 90 mm | Plain (no plating) | | | | |
| 2338HA220030 | ISO 2338 Dowel Pin, Stainless A1, 20 x 30 mm, h6 tolerance | Stainless A1 | 20 x 30 mm | Plain (no plating) | | | | |
| 2338HA4015004 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 4 mm, h8 tolerance | Stainless A4 | 1.5 x 4 mm | Plain (no plating) | | | | |
| 2338HA402012 | ISO 2338 Dowel Pin, Stainless A4, 2 x 12 mm, h8 tolerance | Stainless A4 | 2 x 12 mm | Plain (no plating) | | | | |
| 2338HA40250035 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 3.5 mm, h8 tolerance | Stainless A4 | 2.5 x 3.5 mm | Plain (no plating) | | | | |
| 2338HA40250045 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 4.5 mm, h8 tolerance | Stainless A4 | 2.5 x 4.5 mm | Plain (no plating) | | | | |
| 2338HA4025005H6 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 2.5 x 5 mm, h6 tolera | Stainless A5 (1.4571) | 2.5 x 5 mm | Plain (no plating) | | | | |
| 2338HA4025006 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 6 mm, h8 tolerance | Stainless A4 | 2.5 x 6 mm | Plain (no plating) | | | | |
| 2338HA4025006H6 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 6 mm, h6 tolerance | Stainless A4 | 2.5 x 6 mm | Plain (no plating) | | | | |
| 2338HA4025007 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 2.5 x 7 mm, h8 tolera | Stainless A5 (1.4571) | 2.5 x 7 mm | Plain (no plating) | | | | |
| 2338HA40250075 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 7.5 mm, h8 tolerance | Stainless A4 | 2.5 x 7.5 mm | Plain (no plating) | | | | |
| 2338HA4025008 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 2.5 x 8 mm, h8 tolera | Stainless A5 (1.4571) | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338HA40250085 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 8.5 mm, h8 tolerance | Stainless A4 | 2.5 x 8.5 mm | Plain (no plating) | | | | |
| 2338HA4025009 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 2.5 x 9 mm, h8 tolera | Stainless A5 (1.4571) | 2.5 x 9 mm | Plain (no plating) | | | | |
| 2338HA4025010 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 10 mm, h8 tolerance | Stainless A4 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338HA4025012 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 2.5 x 12 mm, | Stainless A5 (1.4571) | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338HA4025015 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 15 mm, h8 toler | Stainless A4 | 2.5 x 15 mm | Plain (no plating) | | | | |
| 2338HA403005 | ISO 2338 Dowel Pin, Stainless A4, 3 x 5 mm, h8 tolerance | Stainless A4 | 3 x 5 mm | Plain (no plating) | | | | |
| 2338HA403006 | ISO 2338 Dowel Pin, Stainless A4, 3 x 6 mm, h8 tolerance | Stainless A4 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338HA403007H6 | ISO 2338 Dowel Pin, Stainless A4, 3 x 7 mm, h6 tolerance | Stainless A4 | 3 x 7 mm | Plain (no plating) | | | | |
| 2338HA403008 | ISO 2338 Dowel Pin, Stainless A4, 3 x 8 mm, h8 tolerance | Stainless A4 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338HA403008H6 | ISO 2338 Dowel Pin, Stainless A4, 3 x 8 mm, h6 tolerance | Stainless A4 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338HA403009 | ISO 2338 Dowel Pin, Stainless A4, 3 x 9 mm, h8 tolerance | Stainless A4 | 3 x 9 mm | Plain (no plating) | | | | |
| 2338HA403010H6 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 3 x 10 mm, h6 teleran | Stainless A5 (1.4571) | 3 x 10 mm | Plain (no plating) | | | | |
| 2338HA403011 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 3 x 11 mm, h8 | | | | | | | |

toleran

| | | |
|---|---|---|
| Stainless A5 (1.4571) | 3 x 11 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338HA403012 | ISO 2338 Dowel Pin, Stainless A4, 3 x 12 mm, h8 tolerance | Stainless A4 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338HA403014 | ISO 2338 Dowel Pin, Stainless A4, 3 x 14 mm, h8 tolerance | Stainless A4 | 3 x 14 mm | Plain (no plating) | | | | |
| 2338HA403018 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 3 x 18 mm, h8 | Stainless A5 (1.4571) | 3 x 18 mm | Plain (no plating) | | | | |
| 2338HA403020H6 | ISO 2338 Dowel Pin, Stainless A4, 3 x 20 mm, h6 tolerance | Stainless A4 | 3 x 20 mm | Plain (no plating) | | | | |
| 2338HA403022 | ISO 2338 Dowel Pin, Stainless A4, 3 x 22 mm, h8 tolerance | Stainless A4 | 3 x 22 mm | Plain (no plating) | | | | |
| 2338HA403025 | ISO 2338 Dowel Pin, Stainless A4, 3 x 25 mm, h8 tolerance | Stainless A4 | 3 x 25 mm | Plain (no plating) | | | | |
| 2338HA403025H6 | ISO 2338 Dowel Pin, Stainless A4, 3 x 25 mm, h6 tolerance | Stainless A4 | 3 x 25 mm | Plain (no plating) | | | | |
| 2338HA403030 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 3 x 30 mm, h8 | Stainless A5 (1.4571) | 3 x 30 mm | Plain (no plating) | | | | |
| 2338HA404007 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 4 x 7 mm, h8 | Stainless A5 (1.4571) | 4 x 7 mm | Plain (no plating) | | | | |
| 2338HA404008 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 4 x 8 mm, h8 | Stainless A5 (1.4571) | 4 x 8 mm | Plain (no plating) | | | | |
| 2338HA404009 | ISO 2338 Dowel Pin, Stainless A4, 4 x 9 mm, h8 tolerance | Stainless A4 | 4 x 9 mm | Plain (no plating) | | | | |
| 2338HA404010 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 4 x 10 mm, h8 | Stainless A5 (1.4571) | 4 x 10 mm | Plain (no plating) | | | | |
| 2338HA404012 | ISO 2338 Dowel Pin, Stainless A4, 4 x 12 mm, h8 tolerance | Stainless A4 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338HA404014 | ISO 2338 Dowel Pin, Stainless A4, 4 x 14 mm, h8 tolerance | Stainless A4 | 4 x 14 mm | Plain (no plating) | | | | |
| 2338HA404016 | ISO 2338 Dowel Pin, Stainless A4, 4 x 16 mm, h8 tolerance | Stainless A4 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338HA404020 | ISO 2338 Dowel Pin, Stainless A4, 4 x 20 mm, h8 tolerance | Stainless A4 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338HA405012 | ISO 2338 Dowel Pin, Stainless A4, 5 x 12 mm, h8 tolerance | Stainless A4 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338HA405014 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 5 x 14 mm, h8 | Stainless A5 (1.4571) | 5 x 14 mm | Plain (no plating) | | | | |
| 2338HA405015 | ISO 2338 Dowel Pin, Stainless A4, 5 x 15 mm, h8 tolerance | Stainless A4 | 5 x 15 mm | Plain (no plating) | | | | |
| 2338HA405018 | ISO 2338 Dowel Pin, Stainless A4, 5 x 18 mm, h8 tolerance | Stainless A4 | 5 x 18 mm | Plain (no plating) | | | | |
| 2338HA405019 | ISO 2338 Dowel Pin, Stainless A4, 5 x 19 mm, h8 tolerance | Stainless A4 | 5 x 19 mm | Plain (no plating) | | | | |
| 2338HA405022 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 5 x 22 mm, h8 | Stainless A5 (1.4571) | 5 x 22 mm | Plain (no plating) | | | | |
| 2338HA405030 | ISO 2338 Dowel Pin, Stainless A4, 5 x 30 mm, h8 tolerance | Stainless A4 | 5 x 30 mm | Plain (no plating) | | | | |
| 2338HA406012 | ISO 2338 Dowel Pin, Stainless A4, 6 x 12 mm, h8 tolerance | Stainless A4 | 6 x 12 mm | Plain (no plating) | | | | |
| 2338HA406020 | ISO 2338 Dowel Pin, Stainless A4, 6 x 20 mm, h8 tolerance | Stainless A4 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338HA406040 | ISO 2338 Dowel Pin, Steel, 6 x 40 mm, h8 tolerance, Plain | Steel | 6 x 40 mm | Plain (no plating) | | | | |
| 2338HA408016 | ISO 2338 Dowel Pin, Stainless A4, 8 x 16 mm, h8 tolerance | Stainless A4 | 8 x 16 mm | Plain (no plating) | | | | |
| 2338HA408020 | ISO 2338 Dowel Pin, Stainless A4, 8 x 20 mm, h8 tolerance | Stainless A4 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338HA408022 | ISO 2338 Dowel Pin, Stainless A4, 8 x 22 mm, h8 tolerance | Stainless A4 | 8 x 22 mm | Plain (no plating) | | | | |
| 2338HA408024 | ISO 2338 Dowel Pin, Stainless A4, 8 x 24 mm, h8 tolerance | Stainless A4 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338HA408025 | ISO 2338 Dowel Pin, Stainless A5 (1.4571), 8 x 25 mm, h8 | Stainless A5 (1.4571) | 8 x 25 mm | Plain (no plating) | | | | |
| 2338HA410016 | ISO 2338 Dowel Pin, Stainless A4, 10 x 16 mm, h8 | Stainless A4 | 10 x 16 mm | Plain (no plating) | | | | |
| 2338HA412032 | ISO 2338 Dowel Pin, Stainless A4, 12 x 32 mm, h8 | Stainless A4 | 12 x 32 mm | Plain (no plating) | | | | |
| 2338HA416028 | ISO 2338 Dowel Pin, Stainless A4, 16 x 28 mm, h8 | Stainless A4 | 16 x 28 mm | Plain (no plating) | | | | |
| 2338HA4200040 | ISO 2338 Dowel Pin, Stainless A4, 20 x 40 mm, h8 | Stainless A4 | 20 x 40 mm | Plain (no plating) | | | | |
| 2338HA4200055 | ISO 2338 Dowel Pin, Stainless A4, 20 x 55 mm, h8 | Stainless A4 | 20 x 55 mm | Plain (no plating) | | | | |
| 2338M01003 | ISO 2338 Dowel Pin, Steel, 1 x 3 mm, m6 tolerance, Plain | Steel | 1 x 3 mm | Plain (no plating) | | | | |
| 2338M01008 | ISO 2338 Dowel Pin, Steel, 1 x 8 mm, m6 tolerance, Plain | Steel | 1 x 8 mm | Plain (no plating) | | | | |
| 2338M015004 | ISO 2338 Dowel Pin, Steel, 1.5 x 4 mm, m6 tolerance, Plain | Steel | 1.5 x 4 mm | Plain (no plating) | | | | |
| 2338M015005 | ISO 2338 Dowel Pin, Steel, 1.5 x 5 mm, m6 tolerance, Plain | Steel | 1.5 x 5 mm | Plain (no plating) | | | | |
| 2338M015006 | ISO 2338 Dowel Pin, Steel, 1.5 x 6 mm, m6 tolerance, Plain | Steel | 1.5 x 6 mm | Plain (no plating) | | | | |
| 2338M015008 | ISO 2338 Dowel Pin, Steel, 1.5 x 8 mm, m6 tolerance, Plain | Steel | 1.5 x 8 mm | Plain (no plating) | | | | |
| 2338M015010 | ISO 2338 Dowel Pin, Steel, 1.5 x 10 mm, m6 tolerance, | Steel | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338M015012 | ISO 2338 Dowel Pin, Steel, 1.5 x 12 mm, m6 tolerance, | Steel | 1.5 x 12 mm | Plain (no plating) | | | | |
| 2338M015015 | ISO 2338 Dowel Pin, Steel, 1.5 x 15 mm, m6 tolerance, | Steel | 1.5 x 15 mm | Plain (no plating) | | | | |
| 2338M015016 | ISO 2338 Dowel Pin, Steel, 1.5 x 16 mm, m6 tolerance, | | | | | | | |

Plain

| | | |
|---|---|---|
| Steel | 1.5 x 16 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338M02005 | ISO 2338 Dowel Pin, Steel, 2 x 5 mm, m6 tolerance, Plain | Steel | 2 x 5 mm | Plain (no plating) | | | | |
| 2338M02006 | ISO 2338 Dowel Pin, Steel, 2 x 6 mm, m6 tolerance, Plain | Steel | 2 x 6 mm | Plain (no plating) | | | | |
| 2338M02006ZPH | ISO 2338 Dowel Pin, Steel, 2 x 6 mm, m6 tolerance, Zinc Phosphat | Steel | 2 x 6 mm | Phosphating | | | | |
| 2338M02008 | ISO 2338 Dowel Pin, Steel, 2 x 8 mm, m6 tolerance, Plain | Steel | 2 x 8 mm | Plain (no plating) | | | | |
| 2338M02010 | ISO 2338 Dowel Pin, Steel, 2 x 10 mm, m6 tolerance, Plain | Steel | 2 x 10 mm | Plain (no plating) | | | | |
| 2338M02012 | ISO 2338 Dowel Pin, Steel, 2 x 12 mm, m6 tolerance, Plain | Steel | 2 x 12 mm | Plain (no plating) | | | | |
| 2338M02014 | ISO 2338 Dowel Pin, Steel, 2 x 14 mm, m6 tolerance, Plain | Steel | 2 x 14 mm | Plain (no plating) | | | | |
| 2338M02016 | ISO 2338 Dowel Pin, Steel, 2 x 16 mm, m6 tolerance, Plain | Steel | 2 x 16 mm | Plain (no plating) | | | | |
| 2338M02020 | ISO 2338 Dowel Pin, Steel, 2 x 20 mm, m6 tolerance, Plain | Steel | 2 x 20 mm | Plain (no plating) | | | | |
| 2338M02024 | ISO 2338 Dowel Pin, Steel, 2 x 24 mm, m6 tolerance, Plain | Steel | 2 x 24 mm | Plain (no plating) | | | | |
| 2338M02025 | ISO 2338 Dowel Pin, Steel, 2 x 25 mm, m6 tolerance, Plain | Steel | 2 x 25 mm | Plain (no plating) | | | | |
| 2338M025006 | ISO 2338 Dowel Pin, Steel, 2.5 x 6 mm, m6 tolerance, Plain | Steel | 2.5 x 6 mm | Plain (no plating) | | | | |
| 2338M025008 | ISO 2338 Dowel Pin, Steel, 2.5 x 8 mm, m6 tolerance, Plain | Steel | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338M025010 | ISO 2338 Dowel Pin, Steel, 2.5 x 10 mm, m6 tolerance, Plain | Steel | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338M025012 | ISO 2338 Dowel Pin, Steel, 2.5 x 12 mm, m6 tolerance, Plain | Steel | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338M025016 | ISO 2338 Dowel Pin, Steel, 2.5 x 16 mm, m6 tolerance, Plain | Steel | 2.5 x 16 mm | Plain (no plating) | | | | |
| 2338M025020 | ISO 2338 Dowel Pin, Steel, 2.5 x 20 mm, m6 tolerance, Plain | Steel | 2.5 x 20 mm | Plain (no plating) | | | | |
| 2338M025022 | ISO 2338 Dowel Pin, Steel, 2.5 x 22 mm, m6 tolerance, Plain | Steel | 2.5 x 22 mm | Plain (no plating) | | | | |
| 2338M03004 | ISO 2338 Dowel Pin, Steel, 3 x 4 mm, m6 tolerance, Plain | Steel | 3 x 4 mm | Plain (no plating) | | | | |
| 2338M03005 | ISO 2338 Dowel Pin, Steel, 3 x 5 mm, m6 tolerance, Plain | Steel | 3 x 5 mm | Plain (no plating) | | | | |
| 2338M03006 | ISO 2338 Dowel Pin, Steel, 3 x 6 mm, m6 tolerance, Plain | Steel | 3 x 6 mm | Plain (no plating) | | | | |
| 2338M03008 | ISO 2338 Dowel Pin, Steel, 3 x 8 mm, m6 tolerance, Plain | Steel | 3 x 8 mm | Plain (no plating) | | | | |
| 2338M03010 | ISO 2338 Dowel Pin, Steel, 3 x 10 mm, m6 tolerance, Plain | Steel | 3 x 10 mm | Plain (no plating) | | | | |
| 2338M030101 | ISO 2338 Dowel Pin, Steel, 3 x 10 mm, m6 tolerance, Zinc Plated | Steel | 3 x 10 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338M03012 | ISO 2338 Dowel Pin, Steel, 3 x 12 mm, m6 tolerance, Plain | Steel | 3 x 12 mm | Plain (no plating) | | | | |
| 2338M03014 | ISO 2338 Dowel Pin, Steel, 3 x 14 mm, m6 tolerance, Plain | Steel | 3 x 14 mm | Plain (no plating) | | | | |
| 2338M03016 | ISO 2338 Dowel Pin, Steel, 3 x 16 mm, m6 tolerance, Plain | Steel | 3 x 16 mm | Plain (no plating) | | | | |
| 2338M03020 | ISO 2338 Dowel Pin, Steel, 3 x 20 mm, m6 tolerance, Plain | Steel | 3 x 20 mm | Plain (no plating) | | | | |
| 2338M03024 | ISO 2338 Dowel Pin, Steel, 3 x 24 mm, m6 tolerance, Plain | Steel | 3 x 24 mm | Plain (no plating) | | | | |
| 2338M03025 | ISO 2338 Dowel Pin, Steel, 3 x 25 mm, m6 tolerance, Plain | Steel | 3 x 25 mm | Plain (no plating) | | | | |
| 2338M03028 | ISO 2338 Dowel Pin, Steel, 3 x 28 mm, m6 tolerance, Plain | Steel | 3 x 28 mm | Plain (no plating) | | | | |
| 2338M03040 | ISO 2338 Dowel Pin, Steel, 3 x 40 mm, m6 tolerance, Plain | Steel | 3 x 40 mm | Plain (no plating) | | | | |
| 2338M04008 | ISO 2338 Dowel Pin, Steel, 4 x 8 mm, m6 tolerance, Plain | Steel | 4 x 8 mm | Plain (no plating) | | | | |
| 2338M04010 | ISO 2338 Dowel Pin, Steel, 4 x 10 mm, m6 tolerance, Plain | Steel | 4 x 10 mm | Plain (no plating) | | | | |
| 2338M04012 | ISO 2338 Dowel Pin, Steel, 4 x 12 mm, m6 tolerance, Plain | Steel | 4 x 12 mm | Plain (no plating) | | | | |
| 2338M04014 | ISO 2338 Dowel Pin, Steel, 4 x 14 mm, m6 tolerance, Plain | Steel | 4 x 14 mm | Plain (no plating) | | | | |
| 2338M04016 | ISO 2338 Dowel Pin, Steel, 4 x 16 mm, m6 tolerance, Plain | Steel | 4 x 16 mm | Plain (no plating) | | | | |
| 2338M04018 | ISO 2338 Dowel Pin, Steel, 4 x 18 mm, m6 tolerance, Plain | Steel | 4 x 18 mm | Plain (no plating) | | | | |
| 2338M04020 | ISO 2338 Dowel Pin, Steel, 4 x 20 mm, m6 tolerance, Plain | Steel | 4 x 20 mm | Plain (no plating) | | | | |
| 2338M04025 | ISO 2338 Dowel Pin, Steel, 4 x 25 mm, m6 tolerance, Plain | Steel | 4 x 25 mm | Plain (no plating) | | | | |
| 2338M04026 | ISO 2338 Dowel Pin, Steel, 4 x 26 mm, m6 tolerance, Plain | Steel | 4 x 26 mm | Plain (no plating) | | | | |
| 2338M04028 | ISO 2338 Dowel Pin, Steel, 4 x 28 mm, m6 tolerance, Plain | Steel | 4 x 28 mm | Plain (no plating) | | | | |
| 2338M04030 | ISO 2338 Dowel Pin, Steel, 4 x 30 mm, m6 tolerance, Plain | Steel | 4 x 30 mm | Plain (no plating) | | | | |
| 2338M04036 | ISO 2338 Dowel Pin, Steel, 4 x 36 mm, m6 tolerance, Plain | Steel | 4 x 36 mm | Plain (no plating) | | | | |
| 2338M04040 | ISO 2338 Dowel Pin, Steel, 4 x 40 mm, m6 tolerance, Plain | Steel | 4 x 40 mm | Plain (no plating) | | | | |
| 2338M04045 | ISO 2338 Dowel Pin, Steel, 4 x 45 mm, m6 tolerance, Plain | Steel | 4 x 45 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338M05010 | ISO 2338 Dowel Pin, Steel, 5 x 10 mm, m6 tolerance, Plain | Steel | 5 x 10 mm | Plain (no plating) | | | | |
| 2338M05012 | ISO 2338 Dowel Pin, Steel, 5 x 12 mm, m6 tolerance, Plain | Steel | 5 x 12 mm | Plain (no plating) | | | | |
| 2338M05016 | ISO 2338 Dowel Pin, Steel, 5 x 16 mm, m6 tolerance, Plain | Steel | 5 x 16 mm | Plain (no plating) | | | | |
| 2338M05018 | ISO 2338 Dowel Pin, Steel, 5 x 18 mm, m6 tolerance, Plain | Steel | 5 x 18 mm | Plain (no plating) | | | | |
| 2338M05020 | ISO 2338 Dowel Pin, Steel, 5 x 20 mm, m6 tolerance, Plain | Steel | 5 x 20 mm | Plain (no plating) | | | | |
| 2338M05022 | ISO 2338 Dowel Pin, Steel, 5 x 22 mm, m6 tolerance, Plain | Steel | 5 x 22 mm | Plain (no plating) | | | | |
| 2338M05024 | ISO 2338 Dowel Pin, Steel, 5 x 24 mm, m6 tolerance, Plain | Steel | 5 x 24 mm | Plain (no plating) | | | | |
| 2338M05025 | ISO 2338 Dowel Pin, Steel, 5 x 25 mm, m6 tolerance, Plain | Steel | 5 x 25 mm | Plain (no plating) | | | | |
| 2338M05030 | ISO 2338 Dowel Pin, Steel, 5 x 30 mm, m6 tolerance, Plain | Steel | 5 x 30 mm | Plain (no plating) | | | | |
| 2338M05035 | ISO 2338 Dowel Pin, Steel, 5 x 35 mm, m6 tolerance, Plain | Steel | 5 x 35 mm | Plain (no plating) | | | | |
| 2338M05050 | ISO 2338 Dowel Pin, Steel, 5 x 50 mm, m6 tolerance, Plain | Steel | 5 x 50 mm | Plain (no plating) | | | | |
| 2338M06008 | ISO 2338 Dowel Pin, Steel, 6 x 8 mm, m6 tolerance, Plain | Steel | 6 x 8 mm | Plain (no plating) | | | | |
| 2338M06010 | ISO 2338 Dowel Pin, Steel, 6 x 10 mm, m6 tolerance, Plain | Steel | 6 x 10 mm | Plain (no plating) | | | | |
| 2338M06012 | ISO 2338 Dowel Pin, Steel, 6 x 12 mm, m6 tolerance, Plain | Steel | 6 x 12 mm | Plain (no plating) | | | | |
| 2338M06014 | ISO 2338 Dowel Pin, Steel, 6 x 14 mm, m6 tolerance, Plain | Steel | 6 x 14 mm | Plain (no plating) | | | | |
| 2338M06016 | ISO 2338 Dowel Pin, Steel, 6 x 16 mm, m6 tolerance, Plain | Steel | 6 x 16 mm | Plain (no plating) | | | | |
| 2338M06018 | ISO 2338 Dowel Pin, Steel, 6 x 18 mm, m6 tolerance, Plain | Steel | 6 x 18 mm | Plain (no plating) | | | | |
| 2338M06020 | ISO 2338 Dowel Pin, Steel, 6 x 20 mm, m6 tolerance, Plain | Steel | 6 x 20 mm | Plain (no plating) | | | | |
| 2338M06020PQ10 | ISO 2338 Dowel Pin, Steel, 6 x 20 mm, m6 tolerance, Plain | Steel | 6 x 20 mm | Plain (no plating) | | | | |
| 2338M06024 | ISO 2338 Dowel Pin, Steel, 6 x 24 mm, m6 tolerance, Plain | Steel | 6 x 24 mm | Plain (no plating) | | | | |
| 2338M06025 | ISO 2338 Dowel Pin, Steel, 6 x 25 mm, m6 tolerance, Plain | Steel | 6 x 25 mm | Plain (no plating) | | | | |
| 2338M06026 | ISO 2338 Dowel Pin, Steel, 6 x 26 mm, m6 tolerance, Plain | Steel | 6 x 26 mm | Plain (no plating) | | | | |
| 2338M06028 | ISO 2338 Dowel Pin, Steel, 6 x 28 mm, m6 tolerance, Plain | Steel | 6 x 28 mm | Plain (no plating) | | | | |
| 2338M06030 | ISO 2338 Dowel Pin, Steel, 6 x 30 mm, m6 tolerance, Plain | Steel | 6 x 30 mm | Plain (no plating) | | | | |
| 2338M06035 | ISO 2338 Dowel Pin, Steel, 6 x 35 mm, m6 tolerance, Plain | Steel | 6 x 35 mm | Plain (no plating) | | | | |
| 2338M06036 | ISO 2338 Dowel Pin, Steel, 6 x 36 mm, m6 tolerance, Plain | Steel | 6 x 36 mm | Plain (no plating) | | | | |
| 2338M06040 | ISO 2338 Dowel Pin, Steel, 6 x 40 mm, m6 tolerance, Plain | Steel | 6 x 40 mm | Plain (no plating) | | | | |
| 2338M06045 | ISO 2338 Dowel Pin, Steel, 6 x 45 mm, m6 tolerance, Plain | Steel | 6 x 45 mm | Plain (no plating) | | | | |
| 2338M06050 | ISO 2338 Dowel Pin, Steel, 6 x 50 mm, m6 tolerance, Plain | Steel | 6 x 50 mm | Plain (no plating) | | | | |
| 2338M06060 | ISO 2338 Dowel Pin, Steel, 6 x 60 mm, m6 tolerance, Plain | Steel | 6 x 60 mm | Plain (no plating) | | | | |
| 2338M06080 | ISO 2338 Dowel Pin, Steel, 6 x 80 mm, m6 tolerance, Plain | Steel | 6 x 80 mm | Plain (no plating) | | | | |
| 2338M06100 | ISO 2338 Dowel Pin, Steel, 6 x 100 mm, m6 tolerance, Plain | Steel | 6 x 100 mm | Plain (no plating) | | | | |
| 2338M08010 | ISO 2338 Dowel Pin, Steel, 8 x 10 mm, m6 tolerance, Plain | Steel | 8 x 10 mm | Plain (no plating) | | | | |
| 2338M08014 | ISO 2338 Dowel Pin, Steel, 8 x 14 mm, m6 tolerance, Plain | Steel | 8 x 14 mm | Plain (no plating) | | | | |
| 2338M08016 | ISO 2338 Dowel Pin, Steel, 8 x 16 mm, m6 tolerance, Plain | Steel | 8 x 16 mm | Plain (no plating) | | | | |
| 2338M08018 | ISO 2338 Dowel Pin, Steel, 8 x 18 mm, m6 tolerance, Plain | Steel | 8 x 18 mm | Plain (no plating) | | | | |
| 2338M08020 | ISO 2338 Dowel Pin, Steel, 8 x 20 mm, m6 tolerance, Plain | Steel | 8 x 20 mm | Plain (no plating) | | | | |
| 2338M08024 | ISO 2338 Dowel Pin, Steel, 8 x 24 mm, m6 tolerance, Plain | Steel | 8 x 24 mm | Plain (no plating) | | | | |
| 2338M08025 | ISO 2338 Dowel Pin, Steel, 8 x 25 mm, m6 tolerance, Plain | Steel | 8 x 25 mm | Plain (no plating) | | | | |
| 2338M08026 | ISO 2338 Dowel Pin, Steel, 8 x 26 mm, m6 tolerance, Plain | Steel | 8 x 26 mm | Plain (no plating) | | | | |
| 2338M08028 | ISO 2338 Dowel Pin, Steel, 8 x 28 mm, m6 tolerance, Plain | Steel | 8 x 28 mm | Plain (no plating) | | | | |
| 2338M08030 | ISO 2338 Dowel Pin, Steel, 8 x 30 mm, m6 tolerance, Plain | Steel | 8 x 30 mm | Plain (no plating) | | | | |
| 2338M08032 | ISO 2338 Dowel Pin, Steel, 8 x 32 mm, m6 tolerance, Plain | Steel | 8 x 32 mm | Plain (no plating) | | | | |
| 2338M08035 | ISO 2338 Dowel Pin, Steel, 8 x 35 mm, m6 tolerance, Plain | Steel | 8 x 35 mm | Plain (no plating) | | | | |
| 2338M08036 | ISO 2338 Dowel Pin, Steel, 8 x 36 mm, m6 tolerance, Plain | Steel | 8 x 36 mm | Plain (no plating) | | | | |
| 2338M08040 | ISO 2338 Dowel Pin, Steel, 8 x 40 mm, m6 tolerance, Plain | Steel | 8 x 40 mm | Plain (no plating) | | | | |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338M08045 | ISO 2338 Dowel Pin, Steel, 8 x 45 mm, m6 tolerance, Plain | Steel | 8 x 45 mm | Plain (no plating) | | | | |
| 2338M08050 | ISO 2338 Dowel Pin, Steel, 8 x 50 mm, m6 tolerance, Plain | Steel | 8 x 50 mm | Plain (no plating) | | | | |
| 2338M08055 | ISO 2338 Dowel Pin, Steel, 8 x 55 mm, m6 tolerance, Plain | Steel | 8 x 55 mm | Plain (no plating) | | | | |
| 2338M08060 | ISO 2338 Dowel Pin, Steel, 8 x 60 mm, m6 tolerance, Plain | Steel | 8 x 60 mm | Plain (no plating) | | | | |
| 2338M08080 | ISO 2338 Dowel Pin, Steel, 8 x 80 mm, m6 tolerance, Plain | Steel | 8 x 80 mm | Plain (no plating) | | | | |
| 2338M08090 | ISO 2338 Dowel Pin, Steel, 8 x 90 mm, m6 tolerance, Plain | Steel | 8 x 90 mm | Plain (no plating) | | | | |
| 2338M10014 | ISO 2338 Dowel Pin, Steel, 10 x 14 mm, m6 tolerance, Plain | Steel | 10 x 14 mm | Plain (no plating) | | | | |
| 2338M10016 | ISO 2338 Dowel Pin, Steel, 10 x 16 mm, m6 tolerance, Plain | Steel | 10 x 16 mm | Plain (no plating) | | | | |
| 2338M10018 | ISO 2338 Dowel Pin, Steel, 10 x 18 mm, m6 tolerance, Plain | Steel | 10 x 18 mm | Plain (no plating) | | | | |
| 2338M10020 | ISO 2338 Dowel Pin, Steel, 10 x 20 mm, m6 tolerance, Plain | Steel | 10 x 20 mm | Plain (no plating) | | | | |
| 2338M10024 | ISO 2338 Dowel Pin, Steel, 10 x 24 mm, m6 tolerance, Plain | Steel | 10 x 24 mm | Plain (no plating) | | | | |
| 2338M10025 | ISO 2338 Dowel Pin, Steel, 10 x 25 mm, m6 tolerance, Plain | Steel | 10 x 25 mm | Plain (no plating) | | | | |
| 2338M10026 | ISO 2338 Dowel Pin, Steel, 10 x 26 mm, m6 tolerance, Plain | Steel | 10 x 26 mm | Plain (no plating) | | | | |
| 2338M10028 | ISO 2338 Dowel Pin, Steel, 10 x 28 mm, m6 tolerance, Plain | Steel | 10 x 28 mm | Plain (no plating) | | | | |
| 2338M100281SST200 | ISO 2338 Dowel Pin, Steel, 10 x 28 mm, SST 200 h, m6 tolerance | Steel | 10 x 28 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |
| 2338M10030 | ISO 2338 Dowel Pin, Steel, 10 x 30 mm, m6 tolerance, Plain | Steel | 10 x 30 mm | Plain (no plating) | | | | |
| 2338M10035 | ISO 2338 Dowel Pin, Steel, 10 x 35 mm, m6 tolerance, Plain | Steel | 10 x 35 mm | Plain (no plating) | | | | |
| 2338M10040 | ISO 2338 Dowel Pin, Steel, 10 x 40 mm, m6 tolerance, Plain | Steel | 10 x 40 mm | Plain (no plating) | | | | |
| 2338M10045 | ISO 2338 Dowel Pin, Steel, 10 x 45 mm, m6 tolerance, Plain | Steel | 10 x 45 mm | Plain (no plating) | | | | |
| 2338M10050 | ISO 2338 Dowel Pin, Steel, 10 x 50 mm, m6 tolerance, Plain | Steel | 10 x 50 mm | Plain (no plating) | | | | |
| 2338M10055 | ISO 2338 Dowel Pin, Steel, 10 x 55 mm, m6 tolerance, Plain | Steel | 10 x 55 mm | Plain (no plating) | | | | |
| 2338M10060 | ISO 2338 Dowel Pin, Steel, 10 x 60 mm, m6 tolerance, Plain | Steel | 10 x 60 mm | Plain (no plating) | | | | |
| 2338M10070 | ISO 2338 Dowel Pin, Steel, 10 x 70 mm, m6 tolerance, Plain | Steel | 10 x 70 mm | Plain (no plating) | | | | |
| 2338M10080 | ISO 2338 Dowel Pin, Steel, 10 x 80 mm, m6 tolerance, Plain | Steel | 10 x 80 mm | Plain (no plating) | | | | |
| 2338M120030 | ISO 2338 Dowel Pin, Stainless A1, 12 x 30 mm, m6 tolerance | Stainless A1 | 12 x 30 mm | Plain (no plating) | | | | |
| 2338M12016 | ISO 2338 Dowel Pin, Steel, 12 x 16 mm, m6 tolerance, Plain | Steel | 12 x 16 mm | Plain (no plating) | | | | |
| 2338M12020 | ISO 2338 Dowel Pin, Steel, 12 x 20 mm, m6 tolerance, Plain | Steel | 12 x 20 mm | Plain (no plating) | | | | |
| 2338M12020PQ20 | ISO 2338 Dowel Pin, Steel, 12 x 20 mm, m6 tolerance, Plain | Steel | 12 x 20 mm | Plain (no plating) | | | | |
| 2338M12022 | ISO 2338 Dowel Pin, Steel, 12 x 22 mm, m6 tolerance, Plain | Steel | 12 x 22 mm | Plain (no plating) | | | | |
| 2338M12025 | ISO 2338 Dowel Pin, Steel, 12 x 25 mm, m6 tolerance, Plain | Steel | 12 x 25 mm | Plain (no plating) | | | | |
| 2338M12028 | ISO 2338 Dowel Pin, Steel, 12 x 28 mm, m6 tolerance, Plain | Steel | 12 x 28 mm | Plain (no plating) | | | | |
| 2338M12030 | ISO 2338 Dowel Pin, Steel, 12 x 30 mm, m6 tolerance, Plain | Steel | 12 x 30 mm | Plain (no plating) | | | | |
| 2338M12032 | ISO 2338 Dowel Pin, Steel, 12 x 32 mm, m6 tolerance, Plain | Steel | 12 x 32 mm | Plain (no plating) | | | | |
| 2338M12035 | ISO 2338 Dowel Pin, Steel, 12 x 35 mm, m6 tolerance, Plain | Steel | 12 x 35 mm | Plain (no plating) | | | | |
| 2338M12036 | ISO 2338 Dowel Pin, Steel, 12 x 36 mm, m6 tolerance, Plain | Steel | 12 x 36 mm | Plain (no plating) | | | | |
| 2338M12040 | ISO 2338 Dowel Pin, Steel, 12 x 40 mm, m6 tolerance, Plain | Steel | 12 x 40 mm | Plain (no plating) | | | | |
| 2338M12045 | ISO 2338 Dowel Pin, Steel, 12 x 45 mm, m6 tolerance, Plain | Steel | 12 x 45 mm | Plain (no plating) | | | | |
| 2338M12050 | ISO 2338 Dowel Pin, Steel, 12 x 50 mm, m6 tolerance, Plain | Steel | 12 x 50 mm | Plain (no plating) | | | | |
| 2338M12060 | ISO 2338 Dowel Pin, Steel, 12 x 60 mm, m6 tolerance, Plain | Steel | 12 x 60 mm | Plain (no plating) | | | | |
| 2338M12070 | ISO 2338 Dowel Pin, Steel, 12 x 70 mm, m6 tolerance, Plain | Steel | 12 x 70 mm | Plain (no plating) | | | | |
| 2338M12100 | ISO 2338 Dowel Pin, Steel, 12 x 100 mm, m6 tolerance, Plain | Steel | 12 x 100 mm | Plain (no plating) | | | | |
| 2338M12120 | ISO 2338 Dowel Pin, Steel, 12 x 120 mm, m6 tolerance, Plain | Steel | 12 x 120 mm | Plain (no plating) | | | | |
| 2338M13040 | ISO 2338 Dowel Pin, Steel, 13 x 40 mm, m6 tolerance, Plain | Steel | 13 x 40 mm | Plain (no plating) | | | | |
| 2338M14040 | ISO 2338 Dowel Pin, Steel, 14 x 40 mm, m6 tolerance, Plain | Steel | 14 x 40 mm | Plain (no plating) | | | | |
| 2338M14060 | ISO 2338 Dowel Pin, Steel, 14 x 60 mm, m6 tolerance, Plain | Steel | 14 x 60 mm | Plain (no plating) | | | | |
| 2338M14090 | ISO 2338 Dowel Pin, Steel, 14 x 90 mm, m6 tolerance, | | | | | | | |

Plain

| | | |
|---|---|---|
| Steel | 14 x 90 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338M16020 | ISO 2338 Dowel Pin, Steel, 16 x 20 mm, m6 tolerance, Plain | Steel | 16 x 20 mm | Plain (no plating) | | | | |
| 2338M16024 | ISO 2338 Dowel Pin, Steel, 16 x 24 mm, m6 tolerance, Plain | Steel | 16 x 24 mm | Plain (no plating) | | | | |
| 2338M16025 | ISO 2338 Dowel Pin, Steel, 16 x 25 mm, m6 tolerance, Plain | Steel | 16 x 25 mm | Plain (no plating) | | | | |
| 2338M16028 | ISO 2338 Dowel Pin, Steel, 16 x 28 mm, m6 tolerance, Plain | Steel | 16 x 28 mm | Plain (no plating) | | | | |
| 2338M16030 | ISO 2338 Dowel Pin, Steel, 16 x 30 mm, m6 tolerance, Plain | Steel | 16 x 30 mm | Plain (no plating) | | | | |
| 2338M16032 | ISO 2338 Dowel Pin, Steel, 16 x 32 mm, m6 tolerance, Plain | Steel | 16 x 32 mm | Plain (no plating) | | | | |
| 2338M16035 | ISO 2338 Dowel Pin, Steel, 16 x 35 mm, m6 tolerance, Plain | Steel | 16 x 35 mm | Plain (no plating) | | | | |
| 2338M16040 | ISO 2338 Dowel Pin, Steel, 16 x 40 mm, m6 tolerance, Plain | Steel | 16 x 40 mm | Plain (no plating) | | | | |
| 2338M16045 | ISO 2338 Dowel Pin, Steel, 16 x 45 mm, m6 tolerance, Plain | Steel | 16 x 45 mm | Plain (no plating) | | | | |
| 2338M16050 | ISO 2338 Dowel Pin, Steel, 16 x 50 mm, m6 tolerance, Plain | Steel | 16 x 50 mm | Plain (no plating) | | | | |
| 2338M16055 | ISO 2338 Dowel Pin, Steel, 16 x 55 mm, m6 tolerance, Plain | Steel | 16 x 55 mm | Plain (no plating) | | | | |
| 2338M16065 | ISO 2338 Dowel Pin, Steel, 16 x 65 mm, m6 tolerance, Plain | Steel | 16 x 65 mm | Plain (no plating) | | | | |
| 2338M16090 | ISO 2338 Dowel Pin, Steel, 16 x 90 mm, m6 tolerance, Plain | Steel | 16 x 90 mm | Plain (no plating) | | | | |
| 2338M20030 | ISO 2338 Dowel Pin, Steel, 20 x 30 mm, m6 tolerance, Plain | Steel | 20 x 30 mm | Plain (no plating) | | | | |
| 2338M20032 | ISO 2338 Dowel Pin, Steel, 20 x 32 mm, m6 tolerance, Plain | Steel | 20 x 32 mm | Plain (no plating) | | | | |
| 2338M20040 | ISO 2338 Dowel Pin, Steel, 20 x 40 mm, m6 tolerance, Plain | Steel | 20 x 40 mm | Plain (no plating) | | | | |
| 2338M20060 | ISO 2338 Dowel Pin, Steel, 20 x 60 mm, m6 tolerance, Plain | Steel | 20 x 60 mm | Plain (no plating) | | | | |
| 2338M20070 | ISO 2338 Dowel Pin, Steel, 20 x 70 mm, m6 tolerance, Plain | Steel | 20 x 70 mm | Plain (no plating) | | | | |
| 2338M20080 | ISO 2338 Dowel Pin, Steel, 20 x 80 mm, m6 tolerance, Plain | Steel | 20 x 80 mm | Plain (no plating) | | | | |
| 2338M20090 | ISO 2338 Dowel Pin, Steel, 20 x 90 mm, m6 tolerance, Plain | Steel | 20 x 90 mm | Plain (no plating) | | | | |
| 2338M25040 | ISO 2338 Dowel Pin, Steel, 25 x 40 mm, m6 tolerance, Plain | Steel | 25 x 40 mm | Plain (no plating) | | | | |
| 2338M25050 | ISO 2338 Dowel Pin, Steel, 25 x 50 mm, m6 tolerance, Plain | Steel | 25 x 50 mm | Plain (no plating) | | | | |
| 2338M25055 | ISO 2338 Dowel Pin, Steel, 25 x 55 mm, m6 tolerance, Plain | Steel | 25 x 55 mm | Plain (no plating) | | | | |
| 2338M25060 | ISO 2338 Dowel Pin, Steel, 25 x 60 mm, m6 tolerance, Plain | Steel | 25 x 60 mm | Plain (no plating) | | | | |
| 2338M25070 | ISO 2338 Dowel Pin, Steel, 25 x 70 mm, m6 tolerance, Plain | Steel | 25 x 70 mm | Plain (no plating) | | | | |
| 2338M25080 | ISO 2338 Dowel Pin, Steel, 25 x 80 mm, m6 tolerance, Plain | Steel | 25 x 80 mm | Plain (no plating) | | | | |
| 2338M25100 | ISO 2338 Dowel Pin, Steel, 25 x 100 mm, m6 tolerance, Plain | Steel | 25 x 100 mm | Plain (no plating) | | | | |
| 2338M30060 | ISO 2338 Dowel Pin, Steel, 30 x 60 mm, m6 tolerance, Plain | Steel | 30 x 60 mm | Plain (no plating) | | | | |
| 2338M30070 | ISO 2338 Dowel Pin, Steel, 30 x 70 mm, m6 tolerance, Plain | Steel | 30 x 70 mm | Plain (no plating) | | | | |
| 2338M30090 | ISO 2338 Dowel Pin, Steel, 30 x 90 mm, m6 tolerance, Plain | Steel | 30 x 90 mm | Plain (no plating) | | | | |
| 2338M30100 | ISO 2338 Dowel Pin, Steel, 30 x 100 mm, m6 tolerance, Plain | Steel | 30 x 100 mm | Plain (no plating) | | | | |
| 2338MA1008006 | ISO 2338 Dowel Pin, Stainless A1, 0.8 x 6 mm, m6 tolerance | Stainless A1 | 0.8 x 6 mm | Plain (no plating) | | | | |
| 2338MA101003 | ISO 2338 Dowel Pin, Stainless A1, 1 x 3 mm, m6 tolerance | Stainless A1 | 1 x 3 mm | Plain (no plating) | | | | |
| 2338MA101004 | ISO 2338 Dowel Pin, Stainless A1, 1 x 4 mm, m6 tolerance | Stainless A1 | 1 x 4 mm | Plain (no plating) | | | | |
| 2338MA101005 | ISO 2338 Dowel Pin, Stainless A1, 1 x 5 mm, m6 tolerance | Stainless A1 | 1 x 5 mm | Plain (no plating) | | | | |
| 2338MA101006 | ISO 2338 Dowel Pin, Stainless A1, 1 x 6 mm, m6 tolerance | Stainless A1 | 1 x 6 mm | Plain (no plating) | | | | |
| 2338MA101008 | ISO 2338 Dowel Pin, Stainless A1, 1 x 8 mm, m6 tolerance | Stainless A1 | 1 x 8 mm | Plain (no plating) | | | | |
| 2338MA101010 | ISO 2338 Dowel Pin, Stainless A1, 1 x 10 mm, m6 tolerance | Stainless A1 | 1 x 10 mm | Plain (no plating) | | | | |
| 2338MA101012 | ISO 2338 Dowel Pin, Stainless A1, 1 x 12 mm, m6 tolerance | Stainless A1 | 1 x 12 mm | Plain (no plating) | | | | |
| 2338MA1010188 | ISO 2338 Dowel Pin, Stainless A1, 1 x 18.8 mm, m6 tolerance | Stainless A1 | 1 x 18.8 mm | Plain (no plating) | | | | |
| 2338MA1015004 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 4 mm, m6 tolerance | Stainless A1 | 1.5 x 4 mm | Plain (no plating) | | | | |
| 2338MA1015005 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 5 mm, m6 tolerance | Stainless A1 | 1.5 x 5 mm | Plain (no plating) | | | | |
| 2338MA1015006 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 6 mm, m6 tolerance | Stainless A1 | 1.5 x 6 mm | Plain (no plating) | | | | |
| 2338MA1015008 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 8 mm, m6 tolerance | Stainless A1 | 1.5 x 8 mm | Plain (no plating) | | | | |
| 2338MA1015010 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 10 mm, m6 tolerance | Stainless A1 | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338MA1015012 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 12 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A1 | 1.5 x 12 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338MA1015014 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 14 mm, m6 tolerance | Stainless A1 | 1.5 x 14 mm | Plain (no plating) | | | | |
| 2338MA1015016 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 16 mm, m6 tolerance | Stainless A1 | 1.5 x 16 mm | Plain (no plating) | | | | |
| 2338MA1015018 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 18 mm, m6 tolerance | Stainless A1 | 1.5 x 18 mm | Plain (no plating) | | | | |
| 2338MA1015020 | ISO 2338 Dowel Pin, Stainless A2, 1.5 x 20 mm, m6 tolerance | Stainless A2 | 1.5 x 20 mm | Plain (no plating) | | | | |
| 2338MA1020010 | ISO 2338 Dowel Pin, Stainless A1, 2 x 10 mm, m6 tolerance | Stainless A1 | 2 x 10 mm | Plain (no plating) | | | | |
| 2338MA102004 | ISO 2338 Dowel Pin, Stainless A1, 2 x 4 mm, m6 tolerance | Stainless A1 | 2 x 4 mm | Plain (no plating) | | | | |
| 2338MA102005 | ISO 2338 Dowel Pin, Stainless A1, 2 x 5 mm, m6 tolerance | Stainless A1 | 2 x 5 mm | Plain (no plating) | | | | |
| 2338MA102006 | ISO 2338 Dowel Pin, Stainless A1, 2 x 6 mm, m6 tolerance | Stainless A1 | 2 x 6 mm | Plain (no plating) | | | | |
| 2338MA102007 | ISO 2338 Dowel Pin, Stainless A1, 2 x 7 mm, m6 tolerance | Stainless A1 | 2 x 7 mm | Plain (no plating) | | | | |
| 2338MA102008 | ISO 2338 Dowel Pin, Stainless A1, 2 x 8 mm, m6 tolerance | Stainless A1 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338MA1020094 | ISO 2338 Dowel Pin, Stainless A1, 2 x 9.4 mm, m6 tolerance | Stainless A1 | 2 x 9.4 mm | Plain (no plating) | | | | |
| 2338MA102010 | ISO 2338 Dowel Pin, Stainless A1, 2 x 10 mm, m6 tolerance | Stainless A1 | 2 x 10 mm | Plain (no plating) | | | | |
| 2338MA102012 | ISO 2338 Dowel Pin, Stainless A1, 2 x 12 mm, m6 tolerance | Stainless A1 | 2 x 12 mm | Plain (no plating) | | | | |
| 2338MA102014 | ISO 2338 Dowel Pin, Stainless A1, 2 x 14 mm, m6 tolerance | Stainless A1 | 2 x 14 mm | Plain (no plating) | | | | |
| 2338MA102016 | ISO 2338 Dowel Pin, Stainless A1, 2 x 16 mm, m6 tolerance | Stainless A1 | 2 x 16 mm | Plain (no plating) | | | | |
| 2338MA102018 | ISO 2338 Dowel Pin, Stainless A1, 2 x 18 mm, m6 tolerance | Stainless A1 | 2 x 18 mm | Plain (no plating) | | | | |
| 2338MA102020 | ISO 2338 Dowel Pin, Stainless A1, 2 x 20 mm, m6 tolerance | Stainless A1 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338MA102022 | ISO 2338 Dowel Pin, Stainless A2, 2 x 22 mm, m6 tolerance | Stainless A2 | 2 x 22 mm | Plain (no plating) | | | | |
| 2338MA102024 | ISO 2338 Dowel Pin, Stainless A1, 2 x 24 mm, m6 tolerance | Stainless A1 | 2 x 24 mm | Plain (no plating) | | | | |
| 2338MA1025006 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 6 mm, m6 tolerance | Stainless A1 | 2.5 x 6 mm | Plain (no plating) | | | | |
| 2338MA1025008 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 8 mm, m6 tolerance | Stainless A1 | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338MA1025010 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 10 mm, m6 tolerance | Stainless A1 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338MA1025012 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 12 mm, m6 tolerance | Stainless A1 | 2.5 x 12 mm | Plain (no plating) | | | | |
| 2338MA1025016 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 16 mm, m6 tolerance | Stainless A1 | 2.5 x 16 mm | Plain (no plating) | | | | |
| 2338MA1025020 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 20 mm, m6 tolerance | Stainless A1 | 2.5 x 20 mm | Plain (no plating) | | | | |
| 2338MA1025025 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 25 mm, m6 tolerance | Stainless A1 | 2.5 x 25 mm | Plain (no plating) | | | | |
| 2338MA1025028 | ISO 2338 Dowel Pin, Stainless A1, 2.5 x 28 mm, m6 tolerance | Stainless A1 | 2.5 x 28 mm | Plain (no plating) | | | | |
| 2338MA103004 | ISO 2338 Dowel Pin, Stainless A1, 3 x 4 mm, m6 tolerance | Stainless A1 | 3 x 4 mm | Plain (no plating) | | | | |
| 2338MA103005 | ISO 2338 Dowel Pin, Stainless A1, 3 x 5 mm, m6 tolerance | Stainless A1 | 3 x 5 mm | Plain (no plating) | | | | |
| 2338MA1030050 | ISO 2338 Dowel Pin, Stainless A1, 3 x 50 mm, m6 | Stainless A1 | 3 x 50 mm | Plain (no plating) | | | | |
| 2338MA103006 | ISO 2338 Dowel Pin, Stainless A1, 3 x 6 mm, m6 tolerance | Stainless A1 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338MA103008 | ISO 2338 Dowel Pin, Stainless A1, 3 x 8 mm, m6 tolerance | Stainless A1 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338MA1030094 | ISO 2338 Dowel Pin, Stainless A1, 3 x 9.4 mm, m6 | Stainless A1 | 3 x 9.4 mm | Plain (no plating) | | | | |
| 2338MA103010 | ISO 2338 Dowel Pin, Stainless A1, 3 x 10 mm, m6 tolerance | Stainless A1 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338MA103012 | ISO 2338 Dowel Pin, Stainless A1, 3 x 12 mm, m6 tolerance | Stainless A1 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338MA103014 | ISO 2338 Dowel Pin, Stainless A1, 3 x 14 mm, m6 tolerance | Stainless A1 | 3 x 14 mm | Plain (no plating) | | | | |
| 2338MA103016 | ISO 2338 Dowel Pin, Stainless A1, 3 x 16 mm, m6 tolerance | Stainless A1 | 3 x 16 mm | Plain (no plating) | | | | |
| 2338MA103018 | ISO 2338 Dowel Pin, Stainless A1, 3 x 18 mm, m6 tolerance | Stainless A1 | 3 x 18 mm | Plain (no plating) | | | | |
| 2338MA103020 | ISO 2338 Dowel Pin, Stainless A1, 3 x 20 mm, m6 tolerance | Stainless A1 | 3 x 20 mm | Plain (no plating) | | | | |
| 2338MA103024 | ISO 2338 Dowel Pin, Stainless A2, 3 x 24 mm, m6 tolerance | Stainless A2 | 3 x 24 mm | Plain (no plating) | | | | |
| 2338MA103025 | ISO 2338 Dowel Pin, Stainless A1, 3 x 25 mm, m6 tolerance | Stainless A1 | 3 x 25 mm | Plain (no plating) | | | | |
| 2338MA103028 | ISO 2338 Dowel Pin, Stainless A1, 3 x 28 mm, m6 tolerance | Stainless A1 | 3 x 28 mm | Plain (no plating) | | | | |
| 2338MA103030 | ISO 2338 Dowel Pin, Stainless A1, 3 x 30 mm, m6 tolerance | Stainless A1 | 3 x 30 mm | Plain (no plating) | | | | |
| 2338MA103032 | ISO 2338 Dowel Pin, Stainless A2, 3 x 32 mm, m6 tolerance | Stainless A2 | 3 x 32 mm | Plain (no plating) | | | | |
| 2338MA103040 | ISO 2338 Dowel Pin, Stainless A1, 3 x 40 mm, m6 tolerance | Stainless A1 | 3 x 40 mm | Plain (no plating) | | | | |
| 2338MA1040018 | ISO 2338 Dowel Pin, Stainless A2, 4 x 18 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A2 | 4 x 18 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338MA104006 | ISO 2338 Dowel Pin, Stainless A1, 4 x 6 mm, m6 tolerance | Stainless A1 | 4 x 6 mm | Plain (no plating) | | | | |
| 2338MA104008 | ISO 2338 Dowel Pin, Stainless A1, 4 x 8 mm, m6 tolerance | Stainless A1 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338MA104008G | ISO 2338 Dowel Pin, Stainless A1, 4 x 8 mm, m6 tolerance | Stainless A1 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338MA104010 | ISO 2338 Dowel Pin, Stainless A1, 4 x 10 mm, m6 | Stainless A1 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338MA104012 | ISO 2338 Dowel Pin, Stainless A1, 4 x 12 mm, m6 tolerance | Stainless A1 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338MA104014 | ISO 2338 Dowel Pin, Stainless A1, 4 x 14 mm, m6 tolerance | Stainless A1 | 4 x 14 mm | Plain (no plating) | | | | |
| 2338MA104016 | ISO 2338 Dowel Pin, Stainless A1, 4 x 16 mm, m6 tolerance | Stainless A1 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338MA104018 | ISO 2338 Dowel Pin, Stainless A1, 4 x 18 mm, m6 tolerance | Stainless A1 | 4 x 18 mm | Plain (no plating) | | | | |
| 2338MA104020 | ISO 2338 Dowel Pin, Stainless A1, 4 x 20 mm, m6 tolerance | Stainless A1 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338MA104024 | ISO 2338 Dowel Pin, Stainless A1, 4 x 24 mm, m6 tolerance | Stainless A1 | 4 x 24 mm | Plain (no plating) | | | | |
| 2338MA104025 | ISO 2338 Dowel Pin, Stainless A1, 4 x 25 mm, m6 tolerance | Stainless A1 | 4 x 25 mm | Plain (no plating) | | | | |
| 2338MA104028 | ISO 2338 Dowel Pin, Stainless A1, 4 x 28 mm, m6 tolerance | Stainless A1 | 4 x 28 mm | Plain (no plating) | | | | |
| 2338MA104030 | ISO 2338 Dowel Pin, Stainless A1, 4 x 30 mm, m6 tolerance | Stainless A1 | 4 x 30 mm | Plain (no plating) | | | | |
| 2338MA104032 | ISO 2338 Dowel Pin, Stainless A1, 4 x 32 mm, m6 tolerance | Stainless A1 | 4 x 32 mm | Plain (no plating) | | | | |
| 2338MA104035 | ISO 2338 Dowel Pin, Stainless A1, 4 x 35 mm, m6 tolerance | Stainless A1 | 4 x 35 mm | Plain (no plating) | | | | |
| 2338MA104040 | ISO 2338 Dowel Pin, Stainless A1, 4 x 40 mm, m6 tolerance | Stainless A1 | 4 x 40 mm | Plain (no plating) | | | | |
| 2338MA104045 | ISO 2338 Dowel Pin, Stainless A1, 4 x 45 mm, m6 tolerance | Stainless A1 | 4 x 45 mm | Plain (no plating) | | | | |
| 2338MA104050 | ISO 2338 Dowel Pin, Stainless A1, 4 x 50 mm, m6 tolerance | Stainless A1 | 4 x 50 mm | Plain (no plating) | | | | |
| 2338MA105006 | ISO 2338 Dowel Pin, Stainless A2, 5 x 6 mm, m6 tolerance | Stainless A2 | 5 x 6 mm | Plain (no plating) | | | | |
| 2338MA1050065 | ISO 2338 Dowel Pin, Stainless A2, 5 x 6.5 mm, m6 | Stainless A2 | 5 x 6.5 mm | Plain (no plating) | | | | |
| 2338MA105008 | ISO 2338 Dowel Pin, Stainless A1, 5 x 8 mm, m6 tolerance | Stainless A1 | 5 x 8 mm | Plain (no plating) | | | | |
| 2338MA105010 | ISO 2338 Dowel Pin, Stainless A1, 5 x 10 mm, m6 | Stainless A1 | 5 x 10 mm | Plain (no plating) | | | | |
| 2338MA105012 | ISO 2338 Dowel Pin, Stainless A1, 5 x 12 mm, m6 tolerance | Stainless A1 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338MA105014 | ISO 2338 Dowel Pin, Stainless A1, 5 x 14 mm, m6 tolerance | Stainless A1 | 5 x 14 mm | Plain (no plating) | | | | |
| 2338MA105016 | ISO 2338 Dowel Pin, Stainless A1, 5 x 16 mm, m6 tolerance | Stainless A1 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338MA105018 | ISO 2338 Dowel Pin, Stainless A1, 5 x 18 mm, m6 tolerance | Stainless A1 | 5 x 18 mm | Plain (no plating) | | | | |
| 2338MA105020 | ISO 2338 Dowel Pin, Stainless A1, 5 x 20 mm, m6 tolerance | Stainless A1 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338MA105024 | ISO 2338 Dowel Pin, Stainless A2, 5 x 24 mm, m6 tolerance | Stainless A2 | 5 x 24 mm | Plain (no plating) | | | | |
| 2338MA105028 | ISO 2338 Dowel Pin, Stainless A1, 5 x 28 mm, m6 tolerance | Stainless A1 | 5 x 28 mm | Plain (no plating) | | | | |
| 2338MA105030 | ISO 2338 Dowel Pin, Stainless A1, 5 x 30 mm, m6 tolerance | Stainless A1 | 5 x 30 mm | Plain (no plating) | | | | |
| 2338MA105032 | ISO 2338 Dowel Pin, Stainless A2, 5 x 32 mm, m6 tolerance | Stainless A2 | 5 x 32 mm | Plain (no plating) | | | | |
| 2338MA105035 | ISO 2338 Dowel Pin, Stainless A1, 5 x 35 mm, m6 tolerance | Stainless A1 | 5 x 35 mm | Plain (no plating) | | | | |
| 2338MA105040 | ISO 2338 Dowel Pin, Stainless A1, 5 x 40 mm, m6 tolerance | Stainless A1 | 5 x 40 mm | Plain (no plating) | | | | |
| 2338MA105045 | ISO 2338 Dowel Pin, Stainless A1, 5 x 45 mm, m6 tolerance | Stainless A1 | 5 x 45 mm | Plain (no plating) | | | | |
| 2338MA105050 | ISO 2338 Dowel Pin, Stainless A1, 5 x 50 mm, m6 tolerance | Stainless A1 | 5 x 50 mm | Plain (no plating) | | | | |
| 2338MA105060 | ISO 2338 Dowel Pin, Stainless A1, 5 x 60 mm, m6 tolerance | Stainless A1 | 5 x 60 mm | Plain (no plating) | | | | |
| 2338MA106006 | ISO 2338 Dowel Pin, Stainless A2, 6 x 6 mm, m6 tolerance | Stainless A2 | 6 x 6 mm | Plain (no plating) | | | | |
| 2338MA106008 | ISO 2338 Dowel Pin, Stainless A1, 6 x 8 mm, m6 tolerance | Stainless A1 | 6 x 8 mm | Plain (no plating) | | | | |
| 2338MA106010 | ISO 2338 Dowel Pin, Stainless A1, 6 x 10 mm, m6 | Stainless A1 | 6 x 10 mm | Plain (no plating) | | | | |
| 2338MA106012 | ISO 2338 Dowel Pin, Stainless A1, 6 x 12 mm, m6 tolerance | Stainless A1 | 6 x 12 mm | Plain (no plating) | | | | |
| 2338MA106014 | ISO 2338 Dowel Pin, Stainless A1, 6 x 14 mm, m6 tolerance | Stainless A1 | 6 x 14 mm | Plain (no plating) | | | | |
| 2338MA106016 | ISO 2338 Dowel Pin, Stainless A1, 6 x 16 mm, m6 tolerance | Stainless A1 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338MA106018 | ISO 2338 Dowel Pin, Stainless A1, 6 x 18 mm, m6 tolerance | Stainless A1 | 6 x 18 mm | Plain (no plating) | | | | |
| 2338MA106020 | ISO 2338 Dowel Pin, Stainless A1, 6 x 20 mm, m6 tolerance | Stainless A1 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338MA106024 | ISO 2338 Dowel Pin, Stainless A1, 6 x 24 mm, m6 tolerance | Stainless A1 | 6 x 24 mm | Plain (no plating) | | | | |
| 2338MA106025 | ISO 2338 Dowel Pin, Stainless A1, 6 x 25 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A1 | 6 x 25 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338MA106028 | ISO 2338 Dowel Pin, Stainless A1, 6 x 28 mm, m6 tolerance | Stainless A1 | 6 x 28 mm | Plain (no plating) | | | | |
| 2338MA106030 | ISO 2338 Dowel Pin, Stainless A1, 6 x 30 mm, m6 tolerance | Stainless A1 | 6 x 30 mm | Plain (no plating) | | | | |
| 2338MA106032 | ISO 2338 Dowel Pin, Stainless A1, 6 x 32 mm, m6 tolerance | Stainless A1 | 6 x 32 mm | Plain (no plating) | | | | |
| 2338MA106036 | ISO 2338 Dowel Pin, Stainless A2, 6 x 36 mm, m6 tolerance | Stainless A2 | 6 x 36 mm | Plain (no plating) | | | | |
| 2338MA106040 | ISO 2338 Dowel Pin, Stainless A1, 6 x 40 mm, m6 tolerance | Stainless A1 | 6 x 40 mm | Plain (no plating) | | | | |
| 2338MA106050 | ISO 2338 Dowel Pin, Stainless A1, 6 x 50 mm, m6 tolerance | Stainless A1 | 6 x 50 mm | Plain (no plating) | | | | |
| 2338MA106055 | ISO 2338 Dowel Pin, Stainless A1, 6 x 55 mm, m6 tolerance | Stainless A1 | 6 x 55 mm | Plain (no plating) | | | | |
| 2338MA106070 | ISO 2338 Dowel Pin, Stainless A1, 6 x 70 mm, m6 tolerance | Stainless A1 | 6 x 70 mm | Plain (no plating) | | | | |
| 2338MA108008 | ISO 2338 Dowel Pin, Stainless A1, 8 x 8 mm, m6 tolerance | Stainless A1 | 8 x 8 mm | Plain (no plating) | | | | |
| 2338MA108010 | ISO 2338 Dowel Pin, Stainless A1, 8 x 10 mm, m6 tolerance | Stainless A1 | 8 x 10 mm | Plain (no plating) | | | | |
| 2338MA108012 | ISO 2338 Dowel Pin, Stainless A1, 8 x 12 mm, m6 tolerance | Stainless A1 | 8 x 12 mm | Plain (no plating) | | | | |
| 2338MA108013 | ISO 2338 Dowel Pin, Stainless A2, 8 x 13 mm, m6 tolerance | Stainless A2 | 8 x 13 mm | Plain (no plating) | | | | |
| 2338MA108014 | ISO 2338 Dowel Pin, Stainless A1, 8 x 14 mm, m6 tolerance | Stainless A1 | 8 x 14 mm | Plain (no plating) | | | | |
| 2338MA108016 | ISO 2338 Dowel Pin, Stainless A1, 8 x 16 mm, m6 tolerance | Stainless A1 | 8 x 16 mm | Plain (no plating) | | | | |
| 2338MA108018 | ISO 2338 Dowel Pin, Stainless A1, 8 x 18 mm, m6 tolerance | Stainless A1 | 8 x 18 mm | Plain (no plating) | | | | |
| 2338MA108020 | ISO 2338 Dowel Pin, Stainless A1, 8 x 20 mm, m6 tolerance | Stainless A1 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338MA108024 | ISO 2338 Dowel Pin, Stainless A1, 8 x 24 mm, m6 tolerance | Stainless A1 | 8 x 24 mm | Plain (no plating) | | | | |
| 2338MA108025 | ISO 2338 Dowel Pin, Stainless A1, 8 x 25 mm, m6 tolerance | Stainless A1 | 8 x 25 mm | Plain (no plating) | | | | |
| 2338MA108028 | ISO 2338 Dowel Pin, Stainless A1, 8 x 28 mm, m6 tolerance | Stainless A1 | 8 x 28 mm | Plain (no plating) | | | | |
| 2338MA108030 | ISO 2338 Dowel Pin, Stainless A1, 8 x 30 mm, m6 tolerance | Stainless A1 | 8 x 30 mm | Plain (no plating) | | | | |
| 2338MA108032 | ISO 2338 Dowel Pin, Stainless A1, 8 x 32 mm, m6 tolerance | Stainless A1 | 8 x 32 mm | Plain (no plating) | | | | |
| 2338MA108040 | ISO 2338 Dowel Pin, Stainless A1, 8 x 40 mm, m6 tolerance | Stainless A1 | 8 x 40 mm | Plain (no plating) | | | | |
| 2338MA108050 | ISO 2338 Dowel Pin, Stainless A1, 8 x 50 mm, m6 tolerance | Stainless A1 | 8 x 50 mm | Plain (no plating) | | | | |
| 2338MA108060 | ISO 2338 Dowel Pin, Stainless A1, 8 x 60 mm, m6 tolerance | Stainless A1 | 8 x 60 mm | Plain (no plating) | | | | |
| 2338MA108080 | ISO 2338 Dowel Pin, Stainless A1, 8 x 80 mm, m6 tolerance | Stainless A1 | 8 x 80 mm | Plain (no plating) | | | | |
| 2338MA108090 | ISO 2338 Dowel Pin, Stainless A1, 8 x 90 mm, m6 tolerance | Stainless A1 | 8 x 90 mm | Plain (no plating) | | | | |
| 2338MA110016 | ISO 2338 Dowel Pin, Stainless A1, 10 x 16 mm, m6 tolerance | Stainless A1 | 10 x 16 mm | Plain (no plating) | | | | |
| 2338MA110018 | ISO 2338 Dowel Pin, Stainless A1, 10 x 18 mm, m6 tolerance | Stainless A1 | 10 x 18 mm | Plain (no plating) | | | | |
| 2338MA110020 | ISO 2338 Dowel Pin, Stainless A1, 10 x 20 mm, m6 tolerance | Stainless A1 | 10 x 20 mm | Plain (no plating) | | | | |
| 2338MA110024 | ISO 2338 Dowel Pin, Stainless A1, 10 x 24 mm, m6 tolerance | Stainless A1 | 10 x 24 mm | Plain (no plating) | | | | |
| 2338MA110025 | ISO 2338 Dowel Pin, Stainless A1, 10 x 25 mm, m6 tolerance | Stainless A1 | 10 x 25 mm | Plain (no plating) | | | | |
| 2338MA110028 | ISO 2338 Dowel Pin, Stainless A1, 10 x 28 mm, m6 tolerance | Stainless A1 | 10 x 28 mm | Plain (no plating) | | | | |
| 2338MA110030 | ISO 2338 Dowel Pin, Stainless A1, 10 x 30 mm, m6 tolerance | Stainless A1 | 10 x 30 mm | Plain (no plating) | | | | |
| 2338MA110032 | ISO 2338 Dowel Pin, Stainless A1, 10 x 32 mm, m6 tolerance | Stainless A1 | 10 x 32 mm | Plain (no plating) | | | | |
| 2338MA110036 | ISO 2338 Dowel Pin, Stainless A1, 10 x 36 mm, m6 tolerance | Stainless A1 | 10 x 36 mm | Plain (no plating) | | | | |
| 2338MA110040 | ISO 2338 Dowel Pin, Stainless A1, 10 x 40 mm, m6 tolerance | Stainless A1 | 10 x 40 mm | Plain (no plating) | | | | |
| 2338MA110050 | ISO 2338 Dowel Pin, Stainless A1, 10 x 50 mm, m6 tolerance | Stainless A1 | 10 x 50 mm | Plain (no plating) | | | | |
| 2338MA110060 | ISO 2338 Dowel Pin, Stainless A1, 10 x 60 mm, m6 tolerance | Stainless A1 | 10 x 60 mm | Plain (no plating) | | | | |
| 2338MA112020 | ISO 2338 Dowel Pin, Stainless A1, 12 x 20 mm, m6 tolerance | Stainless A1 | 12 x 20 mm | Plain (no plating) | | | | |
| 2338MA112024 | ISO 2338 Dowel Pin, Stainless A1, 12 x 24 mm, m6 tolerance | Stainless A1 | 12 x 24 mm | Plain (no plating) | | | | |
| 2338MA112028 | ISO 2338 Dowel Pin, Stainless A2, 12 x 28 mm, m6 tolerance | Stainless A2 | 12 x 28 mm | Plain (no plating) | | | | |
| 2338MA112030 | ISO 2338 Dowel Pin, Stainless A1, 12 x 30 mm, m6 tolerance | Stainless A1 | 12 x 30 mm | Plain (no plating) | | | | |
| 2338MA112035 | ISO 2338 Dowel Pin, Stainless A1, 12 x 35 mm, m6 tolerance | Stainless A1 | 12 x 35 mm | Plain (no plating) | | | | |
| 2338MA112040 | ISO 2338 Dowel Pin, Stainless A1, 12 x 40 mm, m6 tolerance | Stainless A1 | 12 x 40 mm | Plain (no plating) | | | | |
| 2338MA112045 | ISO 2338 Dowel Pin, Stainless A1, 12 x 45 mm, m6 tolerance | Stainless A1 | 12 x 45 mm | Plain (no plating) | | | | |
| 2338MA112050 | ISO 2338 Dowel Pin, Stainless A1, 12 x 50 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A1 | 12 x 50 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338MA112060 | ISO 2338 Dowel Pin, Stainless A1, 12 x 60 mm, m6 tolerance | Stainless A1 | 12 x 60 mm | Plain (no plating) | | | | |
| 2338MA112070 | ISO 2338 Dowel Pin, Stainless A1, 12 x 70 mm, m6 tolerance | Stainless A1 | 12 x 70 mm | Plain (no plating) | | | | |
| 2338MA113030 | ISO 2338 Dowel Pin, Stainless A2, 13 x 30 mm, m6 tolerance | Stainless A2 | 13 x 30 mm | Plain (no plating) | | | | |
| 2338MA114024 | ISO 2338 Dowel Pin, Stainless A1, 14 x 24 mm, m6 tolerance | Stainless A1 | 14 x 24 mm | Plain (no plating) | | | | |
| 2338MA116024 | ISO 2338 Dowel Pin, Steel, 16 x 24 mm, m6 tolerance, Plain | Steel | 16 x 24 mm | Plain (no plating) | | | | |
| 2338MA116030 | ISO 2338 Dowel Pin, Stainless A1, 16 x 30 mm, m6 tolerance | Stainless A1 | 16 x 30 mm | Plain (no plating) | | | | |
| 2338MA116040 | ISO 2338 Dowel Pin, Stainless A1, 16 x 40 mm, m6 tolerance | Stainless A1 | 16 x 40 mm | Plain (no plating) | | | | |
| 2338MA116045 | ISO 2338 Dowel Pin, Stainless A1, 16 x 45 mm, m6 tolerance | Stainless A1 | 16 x 45 mm | Plain (no plating) | | | | |
| 2338MA116050 | ISO 2338 Dowel Pin, Stainless A1, 16 x 50 mm, m6 tolerance | Stainless A1 | 16 x 50 mm | Plain (no plating) | | | | |
| 2338MA116060 | ISO 2338 Dowel Pin, Stainless A1, 16 x 60 mm, m6 tolerance | Stainless A1 | 16 x 60 mm | Plain (no plating) | | | | |
| 2338MA116070 | ISO 2338 Dowel Pin, Stainless A1, 16 x 70 mm, m6 tolerance | Stainless A1 | 16 x 70 mm | Plain (no plating) | | | | |
| 2338MA116100 | ISO 2338 Dowel Pin, Stainless A1, 16 x 100 mm, m6 tolerance | Stainless A1 | 16 x 100 mm | Plain (no plating) | | | | |
| 2338MA120060 | ISO 2338 Dowel Pin, Stainless A1, 20 x 60 mm, m6 tolerance | Stainless A1 | 20 x 60 mm | Plain (no plating) | | | | |
| 2338MA120080 | ISO 2338 Dowel Pin, Stainless A2, 20 x 80 mm, m6 tolerance | Stainless A2 | 20 x 80 mm | Plain (no plating) | | | | |
| 2338MA2015004 | ISO 2338 Dowel Pin, Stainless A2, 1.5 x 4 mm, m6 tolerance | Stainless A2 | 1.5 x 4 mm | Plain (no plating) | | | | |
| 2338MA202006 | ISO 2338 Dowel Pin, Stainless A2, 2 x 6 mm, m6 tolerance | Stainless A2 | 2 x 6 mm | Plain (no plating) | | | | |
| 2338MA20202070 | ISO 2338 Dowel Pin, Stainless A2, 2 x 20 mm, m6 | Stainless A2 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338MA2025008 | ISO 2338 Dowel Pin, Stainless A2, 2.5 x 8 mm, m6 tolerance | Stainless A2 | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338MA2025010 | ISO 2338 Dowel Pin, Stainless A2, 2.5 x 10 mm, m6 tolerance | Stainless A2 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338MA203006 | ISO 2338 Dowel Pin, Stainless A2, 3 x 6 mm, m6 tolerance | Stainless A2 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338MA203008 | ISO 2338 Dowel Pin, Stainless A2, 3 x 8 mm, m6 tolerance | Stainless A2 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338MA203012 | ISO 2338 Dowel Pin, Stainless A2, 3 x 12 mm, m6 tolerance | Stainless A2 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338MA203014 | ISO 2338 Dowel Pin, Stainless A2, 3 x 14 mm, m6 tolerance | Stainless A2 | 3 x 14 mm | Plain (no plating) | | | | |
| 2338MA204010 | ISO 2338 Dowel Pin, Stainless A2, 4 x 10 mm, m6 tolerance | Stainless A2 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338MA204012 | ISO 2338 Dowel Pin, Stainless A2, 4 x 12 mm, m6 tolerance | Stainless A2 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338MA204016 | ISO 2338 Dowel Pin, Stainless A2, 4 x 16 mm, m6 tolerance | Stainless A2 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338MA204020 | ISO 2338 Dowel Pin, Stainless A2, 4 x 20 mm, m6 tolerance | Stainless A2 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338MA204025 | ISO 2338 Dowel Pin, Stainless A2, 4 x 25 mm, m6 tolerance | Stainless A2 | 4 x 25 mm | Plain (no plating) | | | | |
| 2338MA204028 | ISO 2338 Dowel Pin, Stainless A2, 4 x 28 mm, m6 tolerance | Stainless A2 | 4 x 28 mm | Plain (no plating) | | | | |
| 2338MA204035 | ISO 2338 Dowel Pin, Stainless A2, 4 x 35 mm, m6 tolerance | Stainless A2 | 4 x 35 mm | Plain (no plating) | | | | |
| 2338MA204036 | ISO 2338 Dowel Pin, Stainless A2, 4 x 36 mm, m6 tolerance | Stainless A2 | 4 x 36 mm | Plain (no plating) | | | | |
| 2338MA205012 | ISO 2338 Dowel Pin, Stainless A2, 5 x 12 mm, m6 tolerance | Stainless A2 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338MA205014 | ISO 2338 Dowel Pin, Stainless A2, 5 x 14 mm, m6 tolerance | Stainless A2 | 5 x 14 mm | Plain (no plating) | | | | |
| 2338MA205020 | ISO 2338 Dowel Pin, Stainless A1, 5 x 20 mm, m6 tolerance | Stainless A1 | 5 x 20 mm | Plain (no plating) | | | | |
| 2338MA206010 | ISO 2338 Dowel Pin, Stainless A2, 6 x 10 mm, m6 tolerance | Stainless A2 | 6 x 10 mm | Plain (no plating) | | | | |
| 2338MA206020 | ISO 2338 Dowel Pin, Stainless A2, 6 x 20 mm, m6 tolerance | Stainless A2 | 6 x 20 mm | Plain (no plating) | | | | |
| 2338MA206024 | ISO 2338 Dowel Pin, Stainless A2, 6 x 24 mm, m6 tolerance | Stainless A2 | 6 x 24 mm | Plain (no plating) | | | | |
| 2338MA208020 | ISO 2338 Dowel Pin, Stainless A2, 8 x 20 mm, m6 tolerance | Stainless A2 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338MA208040 | ISO 2338 Dowel Pin, Stainless A2, 8 x 40 mm, m6 tolerance | Stainless A2 | 8 x 40 mm | Plain (no plating) | | | | |
| 2338MA212028 | ISO 2338 Dowel Pin, Stainless A2, 12 x 28 mm, m6 tolerance | Stainless A2 | 12 x 28 mm | Plain (no plating) | | | | |
| 2338MA212060 | ISO 2338 Dowel Pin, Stainless A2, 12 x 60 mm, m6 tolerance | Stainless A2 | 12 x 60 mm | Plain (no plating) | | | | |
| 2338MA216050 | ISO 2338 Dowel Pin, Stainless A2, 16 x 50 mm, m6 tolerance | Stainless A2 | 16 x 50 mm | Plain (no plating) | | | | |
| 2338MA220120 | ISO 2338 Dowel Pin, Stainless A2, 20 x 120 mm, m6 tolerance | Stainless A2 | 20 x 120 mm | Plain (no plating) | | | | |
| 2338MA401003 | ISO 2338 Dowel Pin, Stainless A4, 1 x 3 mm, m6 tolerance | Stainless A4 | 1 x 3 mm | Plain (no plating) | | | | |
| 2338MA401005 | ISO 2338 Dowel Pin, Stainless A4, 1 x 5 mm, m6 tolerance | Stainless A4 | 1 x 5 mm | Plain (no plating) | | | | |
| 2338MA4015004 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 4 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A4 | 1.5 x 4 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338MA4015005 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 5 mm, m6 tolerance | Stainless A4 | 1.5 x 5 mm | Plain (no plating) | | | | |
| 2338MA4015006 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 6 mm, m6 tolerance | Stainless A4 | 1.5 x 6 mm | Plain (no plating) | | | | |
| 2338MA4015008 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 8 mm, m6 tolerance | Stainless A4 | 1.5 x 8 mm | Plain (no plating) | | | | |
| 2338MA4015010 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 10 mm, m6 tolerance | Stainless A4 | 1.5 x 10 mm | Plain (no plating) | | | | |
| 2338MA4015012 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 12 mm, m6 tolerance | Stainless A4 | 1.5 x 12 mm | Plain (no plating) | | | | |
| 2338MA402004 | ISO 2338 Dowel Pin, Stainless A4, 2 x 4 mm, m6 tolerance | Stainless A4 | 2 x 4 mm | Plain (no plating) | | | | |
| 2338MA402008 | ISO 2338 Dowel Pin, Stainless A4, 2 x 8 mm, m6 tolerance | Stainless A4 | 2 x 8 mm | Plain (no plating) | | | | |
| 2338MA402012 | ISO 2338 Dowel Pin, Stainless A4, 2 x 12 mm, m6 | Stainless A4 | 2 x 12 mm | Plain (no plating) | | | | |
| 2338MA402020 | ISO 2338 Dowel Pin, Stainless A4, 2 x 20 mm, m6 tolerance | Stainless A4 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338MA4025006 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 6 mm, m6 tolerance | Stainless A4 | 2.5 x 6 mm | Plain (no plating) | | | | |
| 2338MA4025008 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 8 mm, m6 tolerance | Stainless A4 | 2.5 x 8 mm | Plain (no plating) | | | | |
| 2338MA4025010 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 10 mm, m6 tolerance | Stainless A4 | 2.5 x 10 mm | Plain (no plating) | | | | |
| 2338MA4025024 | ISO 2338 Dowel Pin, Stainless A4, 2.5 x 24 mm, m6 tolerance | Stainless A4 | 2.5 x 24 mm | Plain (no plating) | | | | |
| 2338MA4030010 | ISO 2338 Dowel Pin, Stainless A4, 3 x 10 mm, m6 tolerance | Stainless A4 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338MA4030024 | ISO 2338 Dowel Pin, Stainless A4, 3 x 24 mm, m6 tolerance | Stainless A4 | 3 x 24 mm | Plain (no plating) | | | | |
| 2338MA403006 | ISO 2338 Dowel Pin, Stainless A4, 3 x 6 mm, m6 tolerance | Stainless A4 | 3 x 6 mm | Plain (no plating) | | | | |
| 2338MA403008 | ISO 2338 Dowel Pin, Stainless A4, 3 x 8 mm, m6 tolerance | Stainless A4 | 3 x 8 mm | Plain (no plating) | | | | |
| 2338MA403010 | ISO 2338 Dowel Pin, Stainless A4, 3 x 10 mm, m6 | Stainless A4 | 3 x 10 mm | Plain (no plating) | | | | |
| 2338MA403012 | ISO 2338 Dowel Pin, Stainless A4, 3 x 12 mm, m6 tolerance | Stainless A4 | 3 x 12 mm | Plain (no plating) | | | | |
| 2338MA403014 | ISO 2338 Dowel Pin, Stainless A4, 3 x 14 mm, m6 tolerance | Stainless A4 | 3 x 14 mm | Plain (no plating) | | | | |
| 2338MA403016 | ISO 2338 Dowel Pin, Stainless A4, 3 x 16 mm, m6 tolerance | Stainless A4 | 3 x 16 mm | Plain (no plating) | | | | |
| 2338MA403024 | ISO 2338 Dowel Pin, Stainless A4, 3 x 24 mm, m6 tolerance | Stainless A4 | 3 x 24 mm | Plain (no plating) | | | | |
| 2338MA403028 | ISO 2338 Dowel Pin, Stainless A4, 3 x 28 mm, m6 tolerance | Stainless A4 | 3 x 28 mm | Plain (no plating) | | | | |
| 2338MA403036 | ISO 2338 Dowel Pin, Stainless A4, 3 x 36 mm, m6 tolerance | Stainless A4 | 3 x 36 mm | Plain (no plating) | | | | |
| 2338MA404006 | ISO 2338 Dowel Pin, Stainless A4, 4 x 6 mm, m6 tolerance | Stainless A4 | 4 x 6 mm | Plain (no plating) | | | | |
| 2338MA404008 | ISO 2338 Dowel Pin, Stainless A4, 4 x 8 mm, m6 tolerance | Stainless A4 | 4 x 8 mm | Plain (no plating) | | | | |
| 2338MA404010 | ISO 2338 Dowel Pin, Stainless A4, 4 x 10 mm, m6 | Stainless A4 | 4 x 10 mm | Plain (no plating) | | | | |
| 2338MA404012 | ISO 2338 Dowel Pin, Stainless A4, 4 x 12 mm, m6 tolerance | Stainless A4 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338MA404012M6 | ISO 2338 Dowel Pin, Stainless A4, 4 x 12 mm, m6 tolerance | Stainless A4 | 4 x 12 mm | Plain (no plating) | | | | |
| 2338MA404014 | ISO 2338 Dowel Pin, Stainless A4, 4 x 14 mm, m6 tolerance | Stainless A4 | 4 x 14 mm | Plain (no plating) | | | | |
| 2338MA404016 | ISO 2338 Dowel Pin, Stainless A4, 4 x 16 mm, m6 tolerance | Stainless A4 | 4 x 16 mm | Plain (no plating) | | | | |
| 2338MA404018 | ISO 2338 Dowel Pin, Stainless A4, 4 x 18 mm, m6 tolerance | Stainless A4 | 4 x 18 mm | Plain (no plating) | | | | |
| 2338MA404020 | ISO 2338 Dowel Pin, Stainless A4, 4 x 20 mm, m6 tolerance | Stainless A4 | 4 x 20 mm | Plain (no plating) | | | | |
| 2338MA404024 | ISO 2338 Dowel Pin, Stainless A4, 4 x 24 mm, m6 tolerance | Stainless A4 | 4 x 24 mm | Plain (no plating) | | | | |
| 2338MA404028 | ISO 2338 Dowel Pin, Stainless A4, 4 x 28 mm, m6 tolerance | Stainless A4 | 4 x 28 mm | Plain (no plating) | | | | |
| 2338MA405010 | ISO 2338 Dowel Pin, Stainless A4, 5 x 10 mm, m6 tolerance | Stainless A4 | 5 x 10 mm | Plain (no plating) | | | | |
| 2338MA405012 | ISO 2338 Dowel Pin, Stainless A4, 5 x 12 mm, m6 tolerance | Stainless A4 | 5 x 12 mm | Plain (no plating) | | | | |
| 2338MA405014 | ISO 2338 Dowel Pin, Stainless A4, 5 x 14 mm, m6 tolerance | Stainless A4 | 5 x 14 mm | Plain (no plating) | | | | |
| 2338MA405016 | ISO 2338 Dowel Pin, Stainless A4, 5 x 16 mm, m6 tolerance | Stainless A4 | 5 x 16 mm | Plain (no plating) | | | | |
| 2338MA405030 | ISO 2338 Dowel Pin, Stainless A4, 5 x 30 mm, m6 tolerance | Stainless A4 | 5 x 30 mm | Plain (no plating) | | | | |
| 2338MA405060 | ISO 2338 Dowel Pin, Stainless A4, 5 x 60 mm, m6 tolerance | Stainless A4 | 5 x 60 mm | Plain (no plating) | | | | |
| 2338MA406012 | ISO 2338 Dowel Pin, Stainless A4, 6 x 12 mm, m6 tolerance | Stainless A4 | 6 x 12 mm | Plain (no plating) | | | | |
| 2338MA406014 | ISO 2338 Dowel Pin, Stainless A4, 6 x 14 mm, m6 tolerance | Stainless A4 | 6 x 14 mm | Plain (no plating) | | | | |
| 2338MA406016 | ISO 2338 Dowel Pin, Stainless A4, 6 x 16 mm, m6 tolerance | Stainless A4 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338MA406018 | ISO 2338 Dowel Pin, Stainless A4, 6 x 18 mm, m6 tolerance | Stainless A4 | 6 x 18 mm | Plain (no plating) | | | | |
| 2338MA406020 | ISO 2338 Dowel Pin, Stainless A4, 6 x 20 mm, m6 | | | | | | | |

tolerance

| | | |
|---|---|---|
| Stainless A4 | 6 x 20 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| 2338MA406024 | ISO 2338 Dowel Pin, Stainless A4, 6 x 24 mm, m6 tolerance | Stainless A4 | 6 x 24 mm | Plain (no plating) | | | | |
| 2338MA406025 | ISO 2338 Dowel Pin, Stainless A4, 6 x 25 mm, m6 tolerance | Stainless A4 | 6 x 25 mm | Plain (no plating) | | | | |
| 2338MA406035 | ISO 2338 Dowel Pin, Stainless A4, 6 x 35 mm, m6 tolerance | Stainless A4 | 6 x 35 mm | Plain (no plating) | | | | |
| 2338MA406036 | ISO 2338 Dowel Pin, Stainless A4, 6 x 36 mm, m6 tolerance | Stainless A4 | 6 x 36 mm | Plain (no plating) | | | | |
| 2338MA406055 | ISO 2338 Dowel Pin, Stainless A4, 6 x 55 mm, m6 tolerance | Stainless A4 | 6 x 55 mm | Plain (no plating) | | | | |
| 2338MA408016 | ISO 2338 Dowel Pin, Stainless A4, 6 x 16 mm, m6 tolerance | Stainless A4 | 6 x 16 mm | Plain (no plating) | | | | |
| 2338MA408018 | ISO 2338 Dowel Pin, Stainless A4, 8 x 18 mm, m6 tolerance | Stainless A4 | 8 x 18 mm | Plain (no plating) | | | | |
| 2338MA408020 | ISO 2338 Dowel Pin, Stainless A4, 8 x 20 mm, m6 tolerance | Stainless A4 | 8 x 20 mm | Plain (no plating) | | | | |
| 2338MA408032 | ISO 2338 Dowel Pin, Stainless A4, 8 x 32 mm, m6 tolerance | Stainless A4 | 8 x 32 mm | Plain (no plating) | | | | |
| 2338MA4100036 | ISO 2338 Dowel Pin, Stainless A4, 10 x 36 mm, m6 tolerance | Stainless A4 | 10 x 36 mm | Plain (no plating) | | | | |
| 2338MA410016 | ISO 2338 Dowel Pin, Stainless A4, 10 x 16 mm, m6 tolerance | Stainless A4 | 10 x 16 mm | Plain (no plating) | | | | |
| 2338MA410018 | ISO 2338 Dowel Pin, Stainless A4, 10 x 18 mm, m6 tolerance | Stainless A4 | 10 x 18 mm | Plain (no plating) | | | | |
| 2338MA410020 | ISO 2338 Dowel Pin, Stainless A4, 10 x 20 mm, m6 tolerance | Stainless A4 | 10 x 20 mm | Plain (no plating) | | | | |
| 2338MA410024 | ISO 2338 Dowel Pin, Stainless A4, 10 x 24 mm, m6 tolerance | Stainless A4 | 10 x 24 mm | Plain (no plating) | | | | |
| 2338MA410030 | ISO 2338 Dowel Pin, Stainless A4, 10 x 30 mm, m6 tolerance | Stainless A4 | 10 x 30 mm | Plain (no plating) | | | | |
| 2338MA410032 | ISO 2338 Dowel Pin, Stainless A4, 10 x 32 mm, m6 tolerance | Stainless A4 | 10 x 32 mm | Plain (no plating) | | | | |
| 2338MA410040 | ISO 2338 Dowel Pin, Stainless A4, 10 x 40 mm, m6 tolerance | Stainless A4 | 10 x 40 mm | Plain (no plating) | | | | |
| 2338MA410050 | ISO 2338 Dowel Pin, Stainless A4, 10 x 50 mm, m6 tolerance | Stainless A4 | 10 x 50 mm | Plain (no plating) | | | | |
| 2338MA412024 | ISO 2338 Dowel Pin, Stainless A4, 12 x 24 mm, m6 tolerance | Stainless A4 | 12 x 24 mm | Plain (no plating) | | | | |
| 2338MA412030 | ISO 2338 Dowel Pin, Stainless A4, 12 x 30 mm, m6 tolerance | Stainless A4 | 12 x 30 mm | Plain (no plating) | | | | |
| 2338MA412055 | ISO 2338 Dowel Pin, Stainless A4, 12 x 55 mm, m6 tolerance | Stainless A4 | 12 x 55 mm | Plain (no plating) | | | | |
| 2338MA414038 | ISO 2338 Dowel Pin, Stainless A4, 14 x 38 mm, m6 tolerance | Stainless A4 | 14 x 38 mm | Plain (no plating) | | | | |
| 2338MA416030 | ISO 2338 Dowel Pin, Stainless A4, 16 x 30 mm, m6 tolerance | Stainless A4 | 16 x 30 mm | Plain (no plating) | | | | |
| 2338MA416032 | ISO 2338 Dowel Pin, Stainless A4, 16 x 32 mm, m6 tolerance | Stainless A4 | 16 x 32 mm | Plain (no plating) | | | | |
| 2338MA416100 | ISO 2338 Dowel Pin, Stainless A4, 16 x 100 mm, m6 tolerance | Stainless A4 | 16 x 100 mm | Plain (no plating) | | | | |
| 2338MA420035 | ISO 2338 Dowel Pin, Stainless A4, 20 x 35 mm, m6 tolerance | Stainless A4 | 20 x 35 mm | Plain (no plating) | | | | |
| 2338MA420050 | ISO 2338 Dowel Pin, Stainless A4, 20 x 50 mm, m6 tolerance | Stainless A4 | 20 x 50 mm | Plain (no plating) | | | | |
| 2338MA430140 | ISO 2338 Dowel Pin, Stainless A4, 30 x 140 mm, m6 tolerance | Stainless A4 | 30 x 140 mm | Plain (no plating) | | | | |
| 2338PA20202070 | ISO 2338 Dowel Pin, Stainless A2, 2 x 20 mm | Stainless A2 | 2 x 20 mm | Plain (no plating) | | | | |
| 2338SS08138 | ISO 2338 Dowel Pin, Stainless A1, 8 x 138 mm, m6 tolerance | Stainless A1 | 8 x 138 mm | Plain (no plating) | | | | |
| 2338SS08140 | ISO 2338 Dowel Pin, Stainless A1, 8 x 140 mm, m6 tolerance | Stainless A1 | 8 x 140 mm | Plain (no plating) | | | | |
| 47127 | ISO 2338 Dowel Pin, Stainless A4, 1.5 x 10 mm, m6 tolerance | Stainless A4 | 1.5 x 10 mm | Plain (no plating) | | | | |
| 7A1015004 | ISO 2338 Dowel Pin, Stainless A1, 1.5 x 4 mm, m6 tolerance | Stainless A1 | 1.5 x 4 mm | Plain (no plating) | | | | |
| 7A103020H6 | ISO 2338 Dowel Pin, Stainless A1, 3 x 20 mm, h6 tolerance | Stainless A1 | 3 x 20 mm | Plain (no plating) | | | | |
| 7A104014H6 | ISO 2338 Dowel Pin, Stainless A1, 4 x 14 mm, h6 tolerance | Stainless A1 | 4 x 14 mm | Plain (no plating) | | | | |
| 7A105010H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 10 mm, h6 tolerance | Stainless A1 | 5 x 10 mm | Plain (no plating) | | | | |
| 7A105016H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 16 mm, h6 tolerance | Stainless A1 | 5 x 16 mm | Plain (no plating) | | | | |
| 7A105050H6 | ISO 2338 Dowel Pin, Stainless A1, 5 x 50 mm, h6 tolerance | Stainless A1 | 5 x 50 mm | Plain (no plating) | | | | |
| 7A106024H6 | ISO 2338 Dowel Pin, Stainless A1, 6 x 24 mm, h6 tolerance | Stainless A1 | 6 x 24 mm | Plain (no plating) | | | | |
| 7A110020 | ISO 2338 Dowel Pin, Stainless A1, 10 x 20 mm, m6 tolerance | Stainless A1 | 10 x 20 mm | Plain (no plating) | | | | |
| 7A206020H8 | ISO 2338 Dowel Pin, Stainless A1, 8 x 20 mm, h6 tolerance | Stainless A1 | 8 x 20 mm | Plain (no plating) | | | | |
| 7A404024 | ISO 2338 Dowel Pin, Stainless A4, 4 x 24 mm, m6 tolerance | Stainless A4 | 4 x 24 mm | Plain (no plating) | | | | |
| 7A406032 | ISO 2338 Dowel Pin, Stainless A4, 6 x 32 mm, m6 tolerance | Stainless A4 | 6 x 32 mm | Plain (no plating) | | | | |
| 8734A4M02008 | ISO 2338 Dowel Pin, Stainless A4, 2 x 8 mm, m6 tolerance | Stainless A4 | 2 x 8 mm | Plain (no plating) | | | | |
| A181043-97 | ISO 2338 Dowel Pin, Stainless A1, 1 x 3 mm, m6 tolerance (A18104 | Stainless A1 | 1 x 3 mm | Plain (no plating) | | | | |
| M9505-128 | ISO 2338 Dowel Pin, Steel, 12 x 27 mm, h8 tolerance, | | | | | | | |

Plain (M950

| | | |
|---|---|---|
| Steel | 12 x 27 mm | Plain (no plating) |

| Article no. | Designation (Bufab) | Material / class | Size | Surface finish | Thread | Length | A/F | Head / outer Ø |
|---|---|---|---|---|---|---|---|---|
| N014014-20 | ISO 2338 Dowel Pin, Steel, 1.5 x 6 mm, m6 tolerance, Plain (N014 | Steel | 1.5 x 6 mm | Plain (no plating) | | | | |
| N014014-21 | ISO 2338 Dowel Pin, Steel, 2 x 10 mm, m6 tolerance, Plain (N0140 | Steel | 2 x 10 mm | Plain (no plating) | | | | |
| V2338H160281 | ISO 2338 Dowel Pin, Steel, 16 x 28 mm, h8 tolerance, Zinc Plated | Steel | 16 x 28 mm | Zinc Bright Passivation Fe/Zn P1 | | | | |