
ISO 4014 — Hexagon Head Screw

Catalogue data sheet · 1501 sizes · category Bolts and Screws / Hexagon Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014-1.4410-24080	ISO 4014 Hexagon Head Screw, Stainless D8-70, M24 x 80 (4014-1.4	Stainless D8-70	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4014-1.4462-24080	ISO 4014 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M2	Duplex stainless D6-70 (1.4462)	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4014-1.4501-56500	ISO 4014 Hexagon Head Screw, Stainless EN 1.4501, M56 x 500 (401	Stainless EN 1.4501	M56 x 500	Plain (no plating)	56 mm	500 mm	85 mm	
4014-1.4571-06070	ISO 4014 Hexagon Head Screw, A5-1.4571, M6 x 70, Plain (4014-1.4	A5-1.4571	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
4014-1.4571-10050	ISO 4014 Hexagon Head Screw, A5-1.4571, M10 x 50, Plain (4014-1	A5-1.4571	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4014-1.4571-24090	ISO 4014 Hexagon Head Screw, A5-1.4571, M24 x 90, Plain (4014-1	A5-1.4571	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
401410030180	ISO 4014 Hexagon Head Screw, Steel 10.9, M30 x 180, Plain	Steel 10.9	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
40141010040	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 40, Plain	Steel 10.9	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
40141010045	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 45, Plain	Steel 10.9	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
40141010050	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 50, Plain	Steel 10.9	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
401410100501	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Plated	Steel 10.9	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	16 mm	
40141010055	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 55, Plain	Steel 10.9	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
401410100551	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 55, Zinc Plated	Steel 10.9	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	16 mm	
40141010060	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 60, Plain	Steel 10.9	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
401410100651	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 65, Zinc Plated	Steel 10.9	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	16 mm	
40141010070	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 70, Plain	Steel 10.9	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
401410100701	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 70, Zinc Plated	Steel 10.9	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	16 mm	
40141010080	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 80, Plain	Steel 10.9	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
40141010090	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 90, Plain	Steel 10.9	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
401410101001	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 100, Zinc Plated	Steel 10.9	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	16 mm	
40141010120	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 120, Plain	Steel 10.9	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
40141010130	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 130, Plain	Steel 10.9	M10 x 130	Plain (no plating)	10 mm	130 mm	16 mm	
40141010180	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 180, Plain	Steel 10.9	M10 x 180	Plain (no plating)	10 mm	180 mm	16 mm	
40141010210	ISO 4014 Hexagon Head Screw, Steel 10.9, M10 x 210, Plain	Steel 10.9	M10 x 210	Plain (no plating)	10 mm	210 mm	16 mm	
40141012040	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 40, Plain	Steel 10.9	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
40141012050	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 50,							

Plain

Steel 10.9	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
401410120501	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 50, Zinc Plated	Steel 10.9	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
401410120502	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 50, Hot-Dip Galva	Steel 10.9	M12 x 50	HOT DIP GALVANIZED ISO FIT	12 mm	50 mm	18 mm	
40141012055	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 55, Plain	Steel 10.9	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
401410120552	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 55, Hot-Dip Galva	Steel 10.9	M12 x 55	HOT DIP GALVANIZED ISO FIT	12 mm	55 mm	18 mm	
40141012060	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 60, Plain	Steel 10.9	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
401410120601	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc Plated	Steel 10.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	18 mm	
40141012065	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 65, Plain	Steel 10.9	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
40141012070	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 70, Plain	Steel 10.9	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
401410120701	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 70, Zinc Plated	Steel 10.9	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	18 mm	
401410120702	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 70, Hot-Dip Galva	Steel 10.9	M12 x 70	Hot Dip Galvanizing	12 mm	70 mm	18 mm	
40141012080	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 80, Plain	Steel 10.9	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
401410120801	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc Plated	Steel 10.9	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	18 mm	
40141012085	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 85, Plain	Steel 10.9	M12 x 85	Plain (no plating)	12 mm	85 mm	18 mm	
40141012090	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 90, Plain	Steel 10.9	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
401410120901	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 90, Zinc Plated	Steel 10.9	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	18 mm	
401410120902	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 90, Hot-Dip Galva	Steel 10.9	M12 x 90	Hot Dip Galvanizing	12 mm	90 mm	18 mm	
40141012100	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 100, Plain	Steel 10.9	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
401410121001	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 100, Zinc Plated	Steel 10.9	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	18 mm	
401410121002	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 100, Hot-Dip Galv	Steel 10.9	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm	18 mm	
40141012110	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 110, Plain	Steel 10.9	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
401410121101	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 110, Zinc Plated	Steel 10.9	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	18 mm	
40141012120	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 120, Plain	Steel 10.9	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
40141012130	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 130, Plain	Steel 10.9	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
40141012180	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 180, Plain	Steel 10.9	M12 x 180	Plain (no plating)	12 mm	180 mm	18 mm	
40141012200	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 200, Plain	Steel 10.9	M12 x 200	Plain (no plating)	12 mm	200 mm	18 mm	
40141012240	ISO 4014 Hexagon Head Screw, Steel 10.9, M12 x 240, Plain	Steel 10.9	M12 x 240	Plain (no plating)	12 mm	240 mm	18 mm	
40141014050	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 50, Plain	Steel 10.9	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
401410140501	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 50, Zinc Plated	Steel 10.9	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	21 mm	
40141014060	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 60, Plain	Steel 10.9	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
401410140601	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 60, Zinc Plated	Steel 10.9	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	21 mm	
40141014070	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 70, Plain	Steel 10.9	M14 x 70	Plain (no plating)	14 mm	70 mm	21 mm	
401410140751	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 75, Zinc Plated	Steel 10.9	M14 x 75	Zinc Bright Passivation Fe/Zn P1	14 mm	75 mm	21 mm	
40141014080	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 80, Plain	Steel 10.9	M14 x 80	Plain (no plating)	14 mm	80 mm	21 mm	
401410140801	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 80, Zinc Plated	Steel 10.9	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	21 mm	
401410140801SST0	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 80, SST 96 h, Zin	Steel 10.9	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	21 mm	
40141014090	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 90, Plain	Steel 10.9	M14 x 90	Plain (no plating)	14 mm	90 mm	21 mm	
401410140901	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 90, Zinc Plated	Steel 10.9	M14 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	21 mm	
401410141001	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 100, Zinc Plated	Steel 10.9	M14 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	21 mm	
401410141101	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 110, Zinc Plated	Steel 10.9	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	21 mm	
40141014120	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 120, Plain	Steel 10.9	M14 x 120	Plain (no plating)	14 mm	120 mm	21 mm	
40141014130	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 130, Plain	Steel 10.9	M14 x 130	Plain (no plating)	14 mm	130 mm	21 mm	
40141014140	ISO 4014 Hexagon Head Screw, Steel 10.9, M14 x 140, Plain	Steel 10.9	M14 x 140	Plain (no plating)	14 mm	140 mm	21 mm	
40141016055	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 55, Plain	Steel 10.9	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
401410160652	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 65, Hot-Dip Galva	Steel 10.9	M16 x 65	HOT DIP GALVANIZED ISO FIT	16 mm	65 mm	24 mm	
401410160902	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 90, Hot-Dip Galva	Steel 10.9	M16 x 90	HOT DIP GALVANIZED ISO FIT	16 mm	90 mm	24 mm	
40141016120	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 120,							

Plain

Steel 10.9	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40141016140	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 140, Plain	Steel 10.9	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
401410161402	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 140, Hot-Dip Galv	Steel 10.9	M16 x 140	HOT DIP GALVANIZED ISO FIT	16 mm	140 mm	24 mm	
40141016150	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 150, Plain	Steel 10.9	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
40141016190	ISO 4014 Hexagon Head Screw, Steel 10.9, M16 x 190, Plain	Steel 10.9	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
401410181301	ISO 4014 Hexagon Head Screw, Steel 10.9, M18 x 130, Zinc Plated	Steel 10.9	M18 x 130	Zinc Bright Passivation Fe/Zn P1	18 mm	130 mm	27 mm	
40141020070	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 70, Plain	Steel 10.9	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
401410200702	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 70, Hot-Dip Galva	Steel 10.9	M20 x 70	HOT DIP GALVANIZED ISO FIT	20 mm	70 mm	30 mm	
401410200702HG	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 70, Oversize, Hot	Steel 10.9	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
40141020090	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 90, Plain	Steel 10.9	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
40141020100	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 100, Plain	Steel 10.9	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
40141020110	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 110, Plain	Steel 10.9	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
401410201202	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 120, Hot-Dip Galv	Steel 10.9	M20 x 120	HOT DIP GALVANIZED ISO FIT	20 mm	120 mm	30 mm	
40141020130	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 130, Plain	Steel 10.9	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
40141020140	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 140, Plain	Steel 10.9	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
401410201501	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 150, Zinc Plated	Steel 10.9	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	30 mm	
40141020220	ISO 4014 Hexagon Head Screw, Steel 10.9, M20 x 220, Plain	Steel 10.9	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
40141022080	ISO 4014 Hexagon Head Screw, Steel 10.9, M22 x 80, Plain	Steel 10.9	M22 x 80	Plain (no plating)	22 mm	80 mm	34 mm	
401410220801	ISO 4014 Hexagon Head Screw, Steel 10.9, M22 x 80, Zinc Plated	Steel 10.9	M22 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	34 mm	
40141022130	ISO 4014 Hexagon Head Screw, Steel 10.9, M22 x 130, Plain	Steel 10.9	M22 x 130	Plain (no plating)	22 mm	130 mm	34 mm	
401410221301	ISO 4014 Hexagon Head Screw, Steel 10.9, M22 x 130, Zinc Plated	Steel 10.9	M22 x 130	Zinc Bright Passivation Fe/Zn P1	22 mm	130 mm	34 mm	
40141022150	ISO 4014 Hexagon Head Screw, Steel 10.9, M22 x 150, Plain	Steel 10.9	M22 x 150	Plain (no plating)	22 mm	150 mm	34 mm	
40141024100	ISO 4014 Hexagon Head Screw, Steel 10.9, M24 x 100, Plain	Steel 10.9	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
401410241002	ISO 4014 Hexagon Head Screw, Steel 10.9, M24 x 100, Plain	Steel 10.9	M24 x 100	HOT DIP GALVANIZED ISO FIT	24 mm	100 mm	36 mm	
40141024120	ISO 4014 Hexagon Head Screw, Steel 10.9, M24 x 120, Hot-Dip Galv	Steel 10.9	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
401410241202	ISO 4014 Hexagon Head Screw, Steel 10.9, M24 x 120, Plain	Steel 10.9	M24 x 120	HOT DIP GALVANIZED ISO FIT	24 mm	120 mm	36 mm	
40141024220	ISO 4014 Hexagon Head Screw, Steel 10.9, M24 x 220, Hot-Dip Galv	Steel 10.9	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
40141024250	ISO 4014 Hexagon Head Screw, Steel 10.9, M24 x 250, Plain	Steel 10.9	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
40141024340	ISO 4014 Hexagon Head Screw, Steel 10.9, M24 x 340, Plain	Steel 10.9	M24 x 340	Plain (no plating)	24 mm	340 mm	36 mm	
40141030100TL66	ISO 4014 Hexagon Head Screw, Steel 10.9, M30 x 100, Plain	Steel 10.9	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
40141030185	ISO 4014 Hexagon Head Screw, Steel 10.9, M30 x 185, Plain	Steel 10.9	M30 x 185	Plain (no plating)	30 mm	185 mm	46 mm	
40141030500	ISO 4014 Hexagon Head Screw, Steel 10.9, M30 x 500, Plain	Steel 10.9	M30 x 500	Plain (no plating)	30 mm	500 mm	46 mm	
401410361201	ISO 4014 Hexagon Head Screw, Steel 10.9, M36 x 120, Zinc Plated	Steel 10.9	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
4014103615200	ISO 4014 Hexagon Head Screw, Steel 10.9, M36 x 1.5 x 200, Plain	Steel 10.9	M36 x 1.5 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
401410362301	ISO 4014 Hexagon Head Screw, Steel 10.9, M36 x 230, Zinc Plated	Steel 10.9	M36 x 230	Zinc Bright Passivation Fe/Zn P1	36 mm	230 mm	55 mm	
40141042330	ISO 4014 Hexagon Head Screw, Steel 10.9, M42 x 330, Plain	Steel 10.9	M42 x 330	Plain (no plating)	42 mm	330 mm	65 mm	
40141210120	ISO 4014 Hexagon Head Screw, Steel 12.9, M10 x 120, Plain	Steel 12.9	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
40141212050	ISO 4014 Hexagon Head Screw, Steel 12.9, M12 x 50, Plain	Steel 12.9	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
40141212065	ISO 4014 Hexagon Head Screw, Steel 12.9, M12 x 65, Plain	Steel 12.9	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
40141212160	ISO 4014 Hexagon Head Screw, Steel 12.9, M12 x 160, Plain	Steel 12.9	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
40141214070	ISO 4014 Hexagon Head Screw, Steel 12.9, M14 x 70, Plain	Steel 12.9	M14 x 70	Plain (no plating)	14 mm	70 mm	21 mm	
40141214085	ISO 4014 Hexagon Head Screw, Steel 12.9, M14 x 85, Plain	Steel 12.9	M14 x 85	Plain (no plating)	14 mm	85 mm	21 mm	
40141220065	ISO 4014 Hexagon Head Screw, Steel 12.9, M20 x 65, Plain	Steel 12.9	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
40141224400	ISO 4014 Hexagon Head Screw, Steel 12.9, M24 x 400, Plain	Steel 12.9	M24 x 400	Plain (no plating)	24 mm	400 mm	36 mm	
40141230090	ISO 4014 Hexagon Head Screw, Steel 12.9, M30 x 90, Plain	Steel 12.9	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
40141492312065	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M12 x 65	Stainless EN 1.4923	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
40141492312075	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M12							

x 75

Stainless EN 1.4923	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40141492316080	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M16 x 80	Stainless EN 1.4923	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
40141492316090	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M16 x 90	Stainless EN 1.4923	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
40141492316100	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M16 x 100	Stainless EN 1.4923	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
40141492316220	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M16 x 220	Stainless EN 1.4923	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
40141492320080	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M20 x 80	Stainless EN 1.4923	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
40141492320100	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M20 x 100	Stainless EN 1.4923	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
40141492320200	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M20 x 200	Stainless EN 1.4923	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
40141492324080	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M24 x 80	Stainless EN 1.4923	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
401425CRMO412065	ISO 4014 Hexagon Head Screw, 25CrMo4, M12 x 65, Plain	25CrMo4	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
4014510080	ISO 4014 Hexagon Head Screw, Steel 5.6, M10 x 80, Plain	Steel 5.6	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
40145120502	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 50, Hot-Dip Galvan	Steel 5.6	M12 x 50	HOT DIP GALVANIZED ISO FIT	12 mm	50 mm	18 mm	
4014512055	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 55, Plain	Steel 5.6	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
40145120551	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 55, Zinc Plated	Steel 5.6	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	18 mm	
4014512060	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 60, Plain	Steel 5.6	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
40145120602	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 60, Hot-Dip Galvan	Steel 5.6	M12 x 60	HOT DIP GALVANIZED ISO FIT	12 mm	60 mm	18 mm	
4014512065	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 65, Plain	Steel 5.6	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
40145120801	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 80, Zinc Plated	Steel 5.6	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	18 mm	
4014512090	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 90, Plain	Steel 5.6	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4014512110	ISO 4014 Hexagon Head Screw, Steel 5.6, M12 x 110, Plain	Steel 5.6	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
40145160602	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 60, Hot-Dip Galvan	Steel 5.6	M16 x 60	HOT DIP GALVANIZED ISO FIT	16 mm	60 mm	24 mm	
4014516065	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 65, Plain	Steel 5.6	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
40145160651	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 65, Zinc Plated	Steel 5.6	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
4014516070	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 70, Plain	Steel 5.6	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
40145160701	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 70, Zinc Plated	Steel 5.6	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
4014516080	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 80, Plain	Steel 5.6	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
40145160801	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 80, Zinc Plated	Steel 5.6	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
40145160802	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 80, Hot-Dip Galvan	Steel 5.6	M16 x 80	HOT DIP GALVANIZED ISO FIT	16 mm	80 mm	24 mm	
40145160901	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 90, Zinc Plated	Steel 5.6	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
4014516100	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 100, Plain	Steel 5.6	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
40145161001	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 100, Zinc Plated	Steel 5.6	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
4014516110	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 110, Plain	Steel 5.6	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
40145161101	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 110, Zinc Plated	Steel 5.6	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
40145161102	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 110, Hot-Dip Galva	Steel 5.6	M16 x 110	HOT DIP GALVANIZED ISO FIT	16 mm	110 mm	24 mm	
40145161201	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 120, Zinc Plated	Steel 5.6	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
4014516130	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 130, Plain	Steel 5.6	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4014516150	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 150, Plain	Steel 5.6	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4014516180	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 180, Plain	Steel 5.6	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4014516280	ISO 4014 Hexagon Head Screw, Steel 5.6, M16 x 280, Plain	Steel 5.6	M16 x 280	Plain (no plating)	16 mm	280 mm	24 mm	
4014520080	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 80, Plain	Steel 5.6	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
40145200802	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 80, Hot-Dip Galvan	Steel 5.6	M20 x 80	HOT DIP GALVANIZED ISO FIT	20 mm	80 mm	30 mm	
4014520090	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 90, Plain	Steel 5.6	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
40145200901	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 90, Zinc Plated	Steel 5.6	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
40145201001	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 100, Zinc Plated	Steel 5.6	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
40145201301	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 130, Zinc Plated	Steel 5.6	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
4014520140	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 140, Plain	Steel 5.6	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
40145201602	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 160, Hot-							

Dip Galva

Steel 5.6	M20 x 160	HOT DIP GALVANIZED ISO FIT	20 mm	160 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014520200	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 200, Plain	Steel 5.6	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
40145202201	ISO 4014 Hexagon Head Screw, Steel 5.6, M20 x 220, Zinc Plated	Steel 5.6	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm	30 mm	
40145240801	ISO 4014 Hexagon Head Screw, Steel 5.6, M24 x 80, Zinc Plated	Steel 5.6	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
40145240901	ISO 4014 Hexagon Head Screw, Steel 5.6, M24 x 90, Zinc Plated	Steel 5.6	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
4014524100	ISO 4014 Hexagon Head Screw, Steel 5.6, M24 x 100, Plain	Steel 5.6	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
4014524110	ISO 4014 Hexagon Head Screw, Steel 5.6, M24 x 110, Plain	Steel 5.6	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4014524120	ISO 4014 Hexagon Head Screw, Steel 5.6, M24 x 120, Plain	Steel 5.6	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
4014524220	ISO 4014 Hexagon Head Screw, Steel 5.6, M24 x 220, Plain	Steel 5.6	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
4014527120	ISO 4014 Hexagon Head Screw, Steel 5.6, M27 x 120, Plain	Steel 5.6	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
40145271201	ISO 4014 Hexagon Head Screw, Steel 5.6, M27 x 120, Zinc Plated	Steel 5.6	M27 x 120	Zinc Bright Passivation Fe/Zn P1	27 mm	120 mm	41 mm	
40145271402	ISO 4014 Hexagon Head Screw, Steel 5.6, M27 x 140, Hot-Dip Galva	Steel 5.6	M27 x 140	HOT DIP GALVANIZED ISO FIT	27 mm	140 mm	41 mm	
40145301101	ISO 4014 Hexagon Head Screw, Steel 5.6, M30 x 110, Zinc Plated	Steel 5.6	M30 x 110	Zinc Bright Passivation Fe/Zn P1	30 mm	110 mm	46 mm	
4014539140	ISO 4014 Hexagon Head Screw, Steel 5.6, M39 x 140, Plain	Steel 5.6	M39 x 140	Plain (no plating)	39 mm	140 mm	60 mm	
40148040751	ISO 4014 Hexagon Head Screw, Steel 8.8, M4 x 75, Zinc Plated	Steel 8.8	M4 x 75	Zinc Bright Passivation Fe/Zn P1	4 mm	75 mm	7 mm	
401480501201SST048	ISO 4014 Hexagon Head Screw, Steel 8.8, M5 x 120, SST 48 h, Zinc	Steel 8.8	M5 x 120	Zinc Bright Passivation Fe/Zn P1	5 mm	120 mm	8 mm	
4014805030	ISO 4014 Hexagon Head Screw, Steel 8.8, M5 x 30, Plain	Steel 8.8	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
40148060651	ISO 4014 Hexagon Head Screw, Steel 8.8, M6 x 65, Zinc Plated	Steel 8.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	10 mm	
4014806090	ISO 4014 Hexagon Head Screw, Steel 8.8, M6 x 90, Plain	Steel 8.8	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
40148061001	ISO 4014 Hexagon Head Screw, Steel 8.8, M6 x 100, Zinc Plated	Steel 8.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	10 mm	
40148061201	ISO 4014 Hexagon Head Screw, Steel 8.8, M6 x 120, Zinc Plated	Steel 8.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm	10 mm	
4014808043	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 43, Plain	Steel 8.8	M8 x 43	Plain (no plating)	8 mm	43 mm	13 mm	
40148080501SST120	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 50, SST 120 h, Zinc	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
4014808052	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 52, Plain	Steel 8.8	M8 x 52	Plain (no plating)	8 mm	52 mm	13 mm	
4014808055	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 55, Plain	Steel 8.8	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
40148080701	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Plated	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
40148081001	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	13 mm	
40148081001SST144	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 100, SST 144 h, Zinc	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	13 mm	
40148081101	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 110, Zinc Plated	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	13 mm	
40148081401	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 140, Zinc Plated	Steel 8.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm	13 mm	
4014808150	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 150, Plain	Steel 8.8	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
40148082101	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 210, Zinc Plated	Steel 8.8	M8 x 210	Zinc Bright Passivation Fe/Zn P1	8 mm	210 mm	13 mm	
4014808216	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 216, Plain	Steel 8.8	M8 x 216	Plain (no plating)	8 mm	216 mm	13 mm	
4014808236	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 236, Plain	Steel 8.8	M8 x 236	Plain (no plating)	8 mm	236 mm	13 mm	
4014808365	ISO 4014 Hexagon Head Screw, Steel 8.8, M8 x 365, Plain	Steel 8.8	M8 x 365	Plain (no plating)	8 mm	365 mm	13 mm	
4014810035	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 35, Plain	Steel 8.8	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4014810040	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 40, Plain	Steel 8.8	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
40148100401	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Plated	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	16 mm	
40148100401SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 40, SST 200 h, Zinc	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	16 mm	
40148100402	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 40, Hot-Dip Galvan	Steel 8.8	M10 x 40	Hot Dip Galvanizing	10 mm	40 mm	16 mm	
4014810040I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 40, Plain	Steel 8.8	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4014810045	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 45, Plain	Steel 8.8	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
40148100451	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	16 mm	
40148100451SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 45, SST 200 h, Zinc	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	16 mm	
40148100451SST40W	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 45, SST 400 h, Zinc	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	16 mm	
40148100452	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 45, Hot-Dip Galvan	Steel 8.8	M10 x 45	Hot Dip Galvanizing	10 mm	45 mm	16 mm	
4014810050	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 50, Plain	Steel 8.8	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40148100501	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc Plated	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	16 mm	
40148100501SST120	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 50, SST 120 h, Zin	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	16 mm	
40148100501SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 50, SST 200 h, Zin	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	16 mm	
40148100502	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 50, Hot-Dip Galvan	Steel 8.8	M10 x 50	Hot Dip Galvanizing	10 mm	50 mm	16 mm	
4014810050I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 50, Plain	Steel 8.8	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4014810055	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 55, Plain	Steel 8.8	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
40148100551	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 55, Zinc Plated	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	16 mm	
40148100552	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 55, Hot-Dip Galvan	Steel 8.8	M10 x 55	Hot Dip Galvanizing	10 mm	55 mm	16 mm	
4014810055I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 55, Plain	Steel 8.8	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4014810060	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 60, Plain	Steel 8.8	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
40148100601	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	16 mm	
40148100601SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 60, SST 200 h, Zin	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	16 mm	
40148100602	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 60, Hot-Dip Galvan	Steel 8.8	M10 x 60	Hot Dip Galvanizing	10 mm	60 mm	16 mm	
4014810065	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 65, Plain	Steel 8.8	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
40148100651	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 65, Zinc Plated	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	16 mm	
40148100652	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 65, Hot-Dip Galvan	Steel 8.8	M10 x 65	Hot Dip Galvanizing	10 mm	65 mm	16 mm	
4014810065I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 65, Plain	Steel 8.8	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
4014810070	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 70, Plain	Steel 8.8	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
40148100701	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 70, Zinc Plated	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	16 mm	
40148100701SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 70, SST 200 h, Zin	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	16 mm	
40148100702	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 70, Hot-Dip Galvan	Steel 8.8	M10 x 70	Hot Dip Galvanizing	10 mm	70 mm	16 mm	
40148100702HG	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 70, Oversize, Hot-	Steel 8.8	M10 x 70	Hot Dip Galvanizing	10 mm	70 mm	16 mm	
4014810070I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 70, Plain	Steel 8.8	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
40148100751	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 75, Zinc Plated	Steel 8.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	16 mm	
40148100752	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 75, Hot-Dip Galvan	Steel 8.8	M10 x 75	Hot Dip Galvanizing	10 mm	75 mm	16 mm	
40148100752CE	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 75, Hot-Dip Galvan	Steel 8.8	M10 x 75	HOT DIP GALVANIZED ISO FIT	10 mm	75 mm	16 mm	
4014810075I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 75, Plain	Steel 8.8	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
4014810080	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 80, Plain	Steel 8.8	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
40148100801	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Plated	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	16 mm	
40148100801SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 80, SST 200 h, Zin	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	16 mm	
40148100802	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 80, Hot-Dip Galvan	Steel 8.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm	16 mm	
40148100802HG	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 80, Oversize, Hot-	Steel 8.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm	16 mm	
40148100802TL40	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 80/40, Hot-Dip Gal	Steel 8.8	M10 x 80/40	HOT DIP GALVANIZED ISO FIT	10 mm	80 mm	16 mm	
4014810080I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 80, Plain	Steel 8.8	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4014810085	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 85, Plain	Steel 8.8	M10 x 85	Plain (no plating)	10 mm	85 mm	16 mm	
40148100851	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 85, Zinc Plated	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	16 mm	
4014810090	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 90, Plain	Steel 8.8	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
40148100901	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 90, Zinc Plated	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	16 mm	
40148100902	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 90, Hot-Dip Galvan	Steel 8.8	M10 x 90	Hot Dip Galvanizing	10 mm	90 mm	16 mm	
4014810090I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 90, Plain	Steel 8.8	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4014810100	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 100, Plain	Steel 8.8	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
40148101001	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc Plated	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	16 mm	
40148101002	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 100, Hot-Dip Galva	Steel 8.8	M10 x 100	Hot Dip Galvanizing	10 mm	100 mm	16 mm	
40148101002TL50	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 100/50, Hot-Dip Ga	Steel 8.8	M10 x 100/50	HOT DIP GALVANIZED ISO FIT	10 mm	100 mm	16 mm	
4014810110	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 110, Plain	Steel 8.8	M10 x 110	Plain (no plating)	10 mm	110 mm	16 mm	
40148101101	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc							

Plated

Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	16 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40148101101SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 110, SST 200 h, Zi	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	16 mm	
40148101102	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 110, Hot-Dip Galva	Steel 8.8	M10 x 110	Hot Dip Galvanizing	10 mm	110 mm	16 mm	
4014810120	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 120, Plain	Steel 8.8	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
40148101201	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc Plated	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	16 mm	
40148101202	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 120, Hot-Dip Galva	Steel 8.8	M10 x 120	Hot Dip Galvanizing	10 mm	120 mm	16 mm	
40148101202CE	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 120, Hot-Dip Galva	Steel 8.8	M10 x 120	HOT DIP GALVANIZED ISO FIT	10 mm	120 mm	16 mm	
4014810130	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 130, Plain	Steel 8.8	M10 x 130	Plain (no plating)	10 mm	130 mm	16 mm	
40148101301	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 130, Zinc Plated	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	16 mm	
4014810140	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 140, Plain	Steel 8.8	M10 x 140	Plain (no plating)	10 mm	140 mm	16 mm	
40148101401	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 140, Zinc Plated	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	16 mm	
40148101401SST40W	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 140, SST 400 h, Zi	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	16 mm	
40148101402	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 140, Hot-Dip Galva	Steel 8.8	M10 x 140	Hot Dip Galvanizing	10 mm	140 mm	16 mm	
4014810150	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 150, Plain	Steel 8.8	M10 x 150	Plain (no plating)	10 mm	150 mm	16 mm	
40148101501	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 150, Zinc Plated	Steel 8.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm	16 mm	
4014810160	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 160, Plain	Steel 8.8	M10 x 160	Plain (no plating)	10 mm	160 mm	16 mm	
40148101601	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 160, Zinc Plated	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	16 mm	
40148101601SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 160, SST 200 h, Zi	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	16 mm	
40148101701	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 170, Zinc Plated	Steel 8.8	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm	16 mm	
4014810170I	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 170, Plain	Steel 8.8	M10 x 170	Plain (no plating)	10 mm	170 mm	16 mm	
40148101801	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 180, Zinc Plated	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm	16 mm	
40148101802	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 180, Hot-Dip Galva	Steel 8.8	M10 x 180	Hot Dip Galvanizing	10 mm	180 mm	16 mm	
40148101901	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 190, Zinc Plated	Steel 8.8	M10 x 190	Zinc Bright Chromating Fe/Zn C1	10 mm	190 mm	16 mm	
40148102001	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 200, Zinc Plated	Steel 8.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm	16 mm	
40148102001SST400	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 200/35, SST 400 h	Steel 8.8	M10 x 200/35	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm	16 mm	
4014810210	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 210, Plain	Steel 8.8	M10 x 210	Plain (no plating)	10 mm	210 mm	16 mm	
40148102201	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 220, Zinc Plated	Steel 8.8	M10 x 220	Zinc Bright Passivation Fe/Zn P1	10 mm	220 mm	16 mm	
4014810240	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 240, Plain	Steel 8.8	M10 x 240	Plain (no plating)	10 mm	240 mm	16 mm	
40148102401	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 240, Zinc Plated	Steel 8.8	M10 x 240	Zinc Bright Passivation Fe/Zn P1	10 mm	240 mm	16 mm	
40148102402O	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 240, Hot-Dip Galva	Steel 8.8	M10 x 240	HOT DIP GALVANIZED ISO FIT	10 mm	240 mm	16 mm	
40148102701	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 270, Zinc Plated	Steel 8.8	M10 x 270	Zinc Bright Passivation Fe/Zn P1	10 mm	270 mm	16 mm	
40148102751	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 275, Zinc Plated	Steel 8.8	M10 x 275	Zinc Bright Passivation Fe/Zn P1	10 mm	275 mm	16 mm	
4014810451	ISO 4014 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	16 mm	
40148120401	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Plated	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	18 mm	
40148120401SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 40, SST 200 h, Zin	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	18 mm	
4014812045	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 45, Plain	Steel 8.8	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
40148120451	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 45, Zinc Plated	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	18 mm	
40148120451SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 45, SST 200 h, Zin	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	18 mm	
40148120452	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 45, Hot-Dip Galvan	Steel 8.8	M12 x 45	Hot Dip Galvanizing	12 mm	45 mm	18 mm	
4014812050	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 50, Plain	Steel 8.8	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
40148120501	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
40148120501G627	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 50, Gleitmo 627 Lu	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
40148120501SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 50, SST 200 h, Zin	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
40148120502	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 50, Hot-Dip Galvan	Steel 8.8	M12 x 50	Hot Dip Galvanizing	12 mm	50 mm	18 mm	
4014812055	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 55, Plain	Steel 8.8	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
40148120551	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	18 mm	
40148120551SST20								

200 h, Zin

Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40148120552	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 55, Hot-Dip Galvan	Steel 8.8	M12 x 55	Hot Dip Galvanizing	12 mm	55 mm	18 mm	
4014812055I	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 55, Plain	Steel 8.8	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4014812060	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 60, Plain	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
40148120601	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 60, Zinc Plated	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	18 mm	
40148120602	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 60, Hot-Dip Galvan	Steel 8.8	M12 x 60	Hot Dip Galvanizing	12 mm	60 mm	18 mm	
4014812060I	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 60, Plain	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4014812065	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 65, Plain	Steel 8.8	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
40148120651	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc Plated	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	18 mm	
40148120652	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 65, Hot-Dip Galvan	Steel 8.8	M12 x 65	Hot Dip Galvanizing	12 mm	65 mm	18 mm	
4014812065I	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 65, Plain	Steel 8.8	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
4014812070	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 70, Plain	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
40148120701	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	18 mm	
40148120702	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 70, Hot-Dip Galvan	Steel 8.8	M12 x 70	Hot Dip Galvanizing	12 mm	70 mm	18 mm	
4014812075	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 75, Plain	Steel 8.8	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
40148120751	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 75, Zinc Plated	Steel 8.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	18 mm	
40148120752	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 75, Hot-Dip Galvan	Steel 8.8	M12 x 75	Hot Dip Galvanizing	12 mm	75 mm	18 mm	
4014812080	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 80, Plain	Steel 8.8	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
40148120801	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	18 mm	
40148120802	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 80, Hot-Dip Galvan	Steel 8.8	M12 x 80	Hot Dip Galvanizing	12 mm	80 mm	18 mm	
4014812080I	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 80, Plain	Steel 8.8	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4014812085	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 85, Plain	Steel 8.8	M12 x 85	Plain (no plating)	12 mm	85 mm	18 mm	
40148120851	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 85, Zinc Plated	Steel 8.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm	18 mm	
4014812090	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 90, Plain	Steel 8.8	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
40148120901	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	18 mm	
40148120902	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 90, Hot-Dip Galvan	Steel 8.8	M12 x 90	Hot Dip Galvanizing	12 mm	90 mm	18 mm	
40148120951	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 95, Zinc Plated	Steel 8.8	M12 x 95	Zinc Bright Passivation Fe/Zn P1	12 mm	95 mm	18 mm	
4014812100	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 100, Plain	Steel 8.8	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
40148121001	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	18 mm	
40148121002	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 100, Hot-Dip Galva	Steel 8.8	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm	18 mm	
4014812110	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 110, Plain	Steel 8.8	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
40148121101	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc Plated	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	18 mm	
40148121102	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 110, Hot-Dip Galva	Steel 8.8	M12 x 110	Hot Dip Galvanizing	12 mm	110 mm	18 mm	
4014812115	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 115, Plain	Steel 8.8	M12 x 115	Plain (no plating)	12 mm	115 mm	18 mm	
40148121151	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 115, Zinc Plated	Steel 8.8	M12 x 115	Zinc Bright Passivation Fe/Zn P1	12 mm	115 mm	18 mm	
4014812120	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 120, Plain	Steel 8.8	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
40148121201	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc Plated	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	18 mm	
40148121202	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 120, Hot-Dip Galva	Steel 8.8	M12 x 120	Hot Dip Galvanizing	12 mm	120 mm	18 mm	
4014812130	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 130, Plain	Steel 8.8	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
40148121301	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 130, Zinc Plated	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	18 mm	
40148121302	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 130, Hot-Dip Galva	Steel 8.8	M12 x 130	Hot Dip Galvanizing	12 mm	130 mm	18 mm	
4014812140	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 140, Plain	Steel 8.8	M12 x 140	Plain (no plating)	12 mm	140 mm	18 mm	
40148121401	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 140, Zinc Plated	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	18 mm	
40148121402	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 140, Hot-Dip Galva	Steel 8.8	M12 x 140	Hot Dip Galvanizing	12 mm	140 mm	18 mm	
4014812150	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 150, Plain	Steel 8.8	M12 x 150	Plain (no plating)	12 mm	150 mm	18 mm	
40148121501	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 150, Zinc Plated	Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	18 mm	
40148121501SST20								

SST 200 h, Zi

Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40148121502	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 150, Hot-Dip Galva	Steel 8.8	M12 x 150	Hot Dip Galvanizing	12 mm	150 mm	18 mm	
4014812160	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 160, Plain	Steel 8.8	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
40148121601	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 160, Zinc Plated	Steel 8.8	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	18 mm	
40148121602	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 160, Hot-Dip Galva	Steel 8.8	M12 x 160	Hot Dip Galvanizing	12 mm	160 mm	18 mm	
4014812160I	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 160, Plain	Steel 8.8	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
4014812170	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 170, Plain	Steel 8.8	M12 x 170	Plain (no plating)	12 mm	170 mm	18 mm	
40148121701	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 170, Zinc Plated	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	18 mm	
40148121701SST400W	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 170, SST 400 h, Zi	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	18 mm	
40148121702	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 170, Hot-Dip Galva	Steel 8.8	M12 x 170	Hot Dip Galvanizing	12 mm	170 mm	18 mm	
4014812170TL60	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 170/60, Plain	Steel 8.8	M12 x 170/60	Plain (no plating)	12 mm	170 mm	18 mm	
4014812180	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 180, Plain	Steel 8.8	M12 x 180	Plain (no plating)	12 mm	180 mm	18 mm	
40148121801	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 180, Zinc Plated	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	18 mm	
40148121802	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 180, Hot-Dip Galva	Steel 8.8	M12 x 180	Hot Dip Galvanizing	12 mm	180 mm	18 mm	
40148121802O	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 180, Oversize, Hot	Steel 8.8	M12 x 180	Hot Dip Galvanizing	12 mm	180 mm	18 mm	
4014812180KI	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 180, Plain	Steel 8.8	M12 x 180	Plain (no plating)	12 mm	180 mm	18 mm	
4014812190	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 190, Plain	Steel 8.8	M12 x 190	Plain (no plating)	12 mm	190 mm	18 mm	
40148121901	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 190, Zinc Plated	Steel 8.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm	18 mm	
4014812200	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 200, Plain	Steel 8.8	M12 x 200	Plain (no plating)	12 mm	200 mm	18 mm	
40148122001	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 200, Zinc Plated	Steel 8.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm	18 mm	
40148122001SST400W	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 200, SST 400 h, Zi	Steel 8.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm	18 mm	
40148122002	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 200, Hot-Dip Galva	Steel 8.8	M12 x 200	Hot Dip Galvanizing	12 mm	200 mm	18 mm	
4014812220	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 220, Plain	Steel 8.8	M12 x 220	Plain (no plating)	12 mm	220 mm	18 mm	
40148122201	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc Plated	Steel 8.8	M12 x 220	Zinc Bright Passivation Fe/Zn P1	12 mm	220 mm	18 mm	
40148122202	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 220, Hot-Dip Galva	Steel 8.8	M12 x 220	Hot Dip Galvanizing	12 mm	220 mm	18 mm	
40148122301	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 230, Zinc Plated	Steel 8.8	M12 x 230	Zinc Bright Passivation Fe/Zn P1	12 mm	230 mm	18 mm	
40148122401	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 240, Zinc Plated	Steel 8.8	M12 x 240	Zinc Bright Passivation Fe/Zn P1	12 mm	240 mm	18 mm	
40148122402	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 240, Hot-Dip Galva	Steel 8.8	M12 x 240	Hot Dip Galvanizing	12 mm	240 mm	18 mm	
40148122601	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 260, Zinc Plated	Steel 8.8	M12 x 260	Zinc Bright Passivation Fe/Zn P1	12 mm	260 mm	18 mm	
40148122602	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 260, Hot-Dip Galva	Steel 8.8	M12 x 260	Hot Dip Galvanizing	12 mm	260 mm	18 mm	
40148122801	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 280, Zinc Plated	Steel 8.8	M12 x 280	Zinc Bright Passivation Fe/Zn P1	12 mm	280 mm	18 mm	
40148123001	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 300, Zinc Plated	Steel 8.8	M12 x 300	Zinc Bright Passivation Fe/Zn P1	12 mm	300 mm	18 mm	
4014812330	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 330, Plain	Steel 8.8	M12 x 330	Plain (no plating)	12 mm	330 mm	18 mm	
40148124001	ISO 4014 Hexagon Head Screw, Steel 8.8, M12 x 400, Zinc Plated	Steel 8.8	M12 x 400	Zinc Bright Passivation Fe/Zn P1	12 mm	400 mm	18 mm	
4014814050	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 50, Plain	Steel 8.8	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
40148140501	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 50, Zinc Plated	Steel 8.8	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	21 mm	
40148140501SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 50, SST 200 h, Zin	Steel 8.8	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	21 mm	
40148140502	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 50, Hot-Dip Galvan	Steel 8.8	M14 x 50	Hot Dip Galvanizing	14 mm	50 mm	21 mm	
4014814055	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 55, Plain	Steel 8.8	M14 x 55	Plain (no plating)	14 mm	55 mm	21 mm	
40148140551	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 55, Zinc Plated	Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	21 mm	
40148140551SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 55, SST 200 h, Zin	Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	21 mm	
4014814060	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 60, Plain	Steel 8.8	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
40148140601	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 60, Zinc Plated	Steel 8.8	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	21 mm	
40148140602	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 60, Hot-Dip Galvan	Steel 8.8	M14 x 60	Hot Dip Galvanizing	14 mm	60 mm	21 mm	
4014814065	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 65, Plain	Steel 8.8	M14 x 65	Plain (no plating)	14 mm	65 mm	21 mm	
40148140651	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 65, Zinc Plated	Steel 8.8	M14 x 65	Zinc Bright Passivation Fe/Zn P1	14 mm	65 mm	21 mm	
40148140652	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 65, Hot-							

Dip Galvan

Steel 8.8	M14 x 65	Hot Dip Galvanizing	14 mm	65 mm	21 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014814070	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 70, Plain	Steel 8.8	M14 x 70	Plain (no plating)	14 mm	70 mm	21 mm	
40148140701	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 70, Zinc	Steel 8.8	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	21 mm	
40148140702	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 70, Hot-Dip Galvan	Steel 8.8	M14 x 70	Hot Dip Galvanizing	14 mm	70 mm	21 mm	
4014814075	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 75, Plain	Steel 8.8	M14 x 75	Plain (no plating)	14 mm	75 mm	21 mm	
40148140751	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 75, Zinc	Steel 8.8	M14 x 75	Zinc Bright Passivation Fe/Zn P1	14 mm	75 mm	21 mm	
4014814080	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 80, Plain	Steel 8.8	M14 x 80	Plain (no plating)	14 mm	80 mm	21 mm	
40148140801	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 80, Zinc	Steel 8.8	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	21 mm	
40148140802	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 80, Hot-Dip Galvan	Steel 8.8	M14 x 80	HOT DIP GALVANIZED ISO FIT	14 mm	80 mm	21 mm	
4014814090	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 90, Plain	Steel 8.8	M14 x 90	Plain (no plating)	14 mm	90 mm	21 mm	
40148140901	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 90, Zinc	Steel 8.8	M14 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	21 mm	
40148141001	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 100, Zinc	Steel 8.8	M14 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	21 mm	
4014814110	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 110, Plain	Steel 8.8	M14 x 110	Plain (no plating)	14 mm	110 mm	21 mm	
40148141101	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 110, Zinc	Steel 8.8	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	21 mm	
40148141101SST40 0W	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 110, SST 400 h, Zi	Steel 8.8	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	21 mm	
4014814120	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 120, Plain	Steel 8.8	M14 x 120	Plain (no plating)	14 mm	120 mm	21 mm	
40148141201	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 120, Zinc	Steel 8.8	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	21 mm	
4014814130	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 130, Plain	Steel 8.8	M14 x 130	Plain (no plating)	14 mm	130 mm	21 mm	
40148141301	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 130, Zinc	Steel 8.8	M14 x 130	Zinc Bright Passivation Fe/Zn P1	14 mm	130 mm	21 mm	
4014814140	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 140, Plain	Steel 8.8	M14 x 140	Plain (no plating)	14 mm	140 mm	21 mm	
40148141401	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 140, Zinc	Steel 8.8	M14 x 140	Zinc Bright Passivation Fe/Zn P1	14 mm	140 mm	21 mm	
4014814150	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 150, Plain	Steel 8.8	M14 x 150	Plain (no plating)	14 mm	150 mm	21 mm	
40148141501	ISO 4014 Hexagon Head Screw, Steel 8.8, M14 x 150, Zinc	Steel 8.8	M14 x 150	Zinc Bright Passivation Fe/Zn P1	14 mm	150 mm	21 mm	
40148160501	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 50, Zinc	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
40148160502	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 50, Hot-Dip Galvan	Steel 8.8	M16 x 50	HOT DIP GALVANIZED ISO FIT	16 mm	50 mm	24 mm	
40148160551	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
40148160602	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 60, Hot-Dip Galvan	Steel 8.8	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm	24 mm	
40148160651	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
40148160652	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 65, Hot-Dip Galvan	Steel 8.8	M16 x 65	HOT DIP GALVANIZED ISO FIT	16 mm	65 mm	24 mm	
40148160701	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
40148160702	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 70, Hot-Dip Galvan	Steel 8.8	M16 x 70	Hot Dip Galvanizing	16 mm	70 mm	24 mm	
40148160752	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 75, Hot-Dip Galvan	Steel 8.8	M16 x 75	HOT DIP GALVANIZED ISO FIT	16 mm	75 mm	24 mm	
40148160801	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc	Steel 8.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
40148160802	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 80, Hot-Dip Galvan	Steel 8.8	M16 x 80	HOT DIP GALVANIZED ISO FIT	16 mm	80 mm	24 mm	
40148160902	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 90, Hot-Dip Galvan	Steel 8.8	M16 x 90	HOT DIP GALVANIZED ISO FIT	16 mm	90 mm	24 mm	
40148161002	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 100, Hot-Dip Galva	Steel 8.8	M16 x 100	HOT DIP GALVANIZED ISO FIT	16 mm	100 mm	24 mm	
4014816110	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 110, Plain	Steel 8.8	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
40148161102	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 110, Hot-Dip Galva	Steel 8.8	M16 x 110	HOT DIP GALVANIZED ISO FIT	16 mm	110 mm	24 mm	
40148161202	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 120, Hot-Dip Galva	Steel 8.8	M16 x 120	HOT DIP GALVANIZED ISO FIT	16 mm	120 mm	24 mm	
40148161302O	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 130, Oversize, Hot	Steel 8.8	M16 x 130	Hot Dip Galvanizing	16 mm	130 mm	24 mm	
4014816135	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 135, Plain	Steel 8.8	M16 x 135	Plain (no plating)	16 mm	135 mm	24 mm	
40148161401	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
40148161402	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 140, Hot-Dip Galva	Steel 8.8	M16 x 140	HOT DIP GALVANIZED ISO FIT	16 mm	140 mm	24 mm	
40148161502O	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 150, Oversize, Hot	Steel 8.8	M16 x 150	Hot Dip Galvanizing	16 mm	150 mm	24 mm	
40148161552O	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 155, Oversize, Hot	Steel 8.8	M16 x 155	Hot Dip Galvanizing	16 mm	155 mm	24 mm	
40148161652O	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 165, Oversize, Hot	Steel 8.8	M16 x 165	Hot Dip Galvanizing	16 mm	165 mm	24 mm	
40148161801	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 180, Zinc							

Plated

Steel 8.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40148162002	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 200, Hot-Dip Galva	Steel 8.8	M16 x 200	HOT DIP GALVANIZED ISO FIT	16 mm	200 mm	24 mm	
40148162201	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 220, Zinc Plated	Steel 8.8	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm	24 mm	
40148162401	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 240, Zinc Plated	Steel 8.8	M16 x 240	Zinc Bright Passivation Fe/Zn P1	16 mm	240 mm	24 mm	
40148162601	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 260, Zinc Plated	Steel 8.8	M16 x 260	Zinc Bright Passivation Fe/Zn P1	16 mm	260 mm	24 mm	
40148162802	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 280, Hot-Dip Galva	Steel 8.8	M16 x 280	HOT DIP GALVANIZED ISO FIT	16 mm	280 mm	24 mm	
40148163001	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 300, Zinc Plated	Steel 8.8	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm	24 mm	
40148163002	ISO 4014 Hexagon Head Screw, Steel 8.8, M16 x 300, Hot-Dip Galva	Steel 8.8	M16 x 300	HOT DIP GALVANIZED ISO FIT	16 mm	300 mm	24 mm	
4014818070	ISO 4014 Hexagon Head Screw, Steel 8.8, M18 x 70, Plain	Steel 8.8	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
40148180702O	ISO 4014 Hexagon Head Screw, Steel 8.8, M18 x 70, Hot-Dip Galvan	Steel 8.8	M18 x 70	HOT DIP GALVANIZED ISO FIT	18 mm	70 mm	27 mm	
40148180901	ISO 4014 Hexagon Head Screw, Steel 8.8, M18 x 90, Zinc Plated	Steel 8.8	M18 x 90	Zinc Bright Passivation Fe/Zn P1	18 mm	90 mm	27 mm	
40148181101	ISO 4014 Hexagon Head Screw, Steel 8.8, M18 x 110, Zinc Plated	Steel 8.8	M18 x 110	Zinc Bright Passivation Fe/Zn P1	18 mm	110 mm	27 mm	
4014818140	ISO 4014 Hexagon Head Screw, Steel 8.8, M18 x 140, Plain	Steel 8.8	M18 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
40148200651	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 65, Zinc Plated	Steel 8.8	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
40148200702	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 70, Hot-Dip Galvan	Steel 8.8	M20 x 70	HOT DIP GALVANIZED ISO FIT	20 mm	70 mm	30 mm	
40148200801	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 80, Zinc Plated	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
40148200802	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 80, Hot-Dip Galvan	Steel 8.8	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm	30 mm	
40148200851	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 85, Zinc Plated	Steel 8.8	M20 x 85	Zinc Bright Passivation Fe/Zn P1	20 mm	85 mm	30 mm	
40148200901	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 90, Zinc Plated	Steel 8.8	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
40148200951	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 95, Zinc Plated	Steel 8.8	M20 x 95	Zinc Bright Passivation Fe/Zn P1	20 mm	95 mm	30 mm	
40148201001	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc Plated	Steel 8.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
40148201101	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 110, Zinc Plated	Steel 8.8	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	30 mm	
40148201301	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 130, Zinc Plated	Steel 8.8	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	30 mm	
40148201302	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 130, Hot-Dip Galva	Steel 8.8	M20 x 130	HOT DIP GALVANIZED ISO FIT	20 mm	130 mm	30 mm	
40148201501	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 150, Zinc Plated	Steel 8.8	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	30 mm	
401482015026H	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 150, Hot-Dip Galva	Steel 8.8	M20 x 150	HOT DIP GALVANIZED ISO FIT	20 mm	150 mm	30 mm	
40148201502HG	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 150, Oversize, Hot	Steel 8.8	M20 x 150	Hot Dip Galvanizing	20 mm	150 mm	30 mm	
40148202801	ISO 4014 Hexagon Head Screw, Steel 8.8, M20 x 280, Zinc Plated	Steel 8.8	M20 x 280	Zinc Bright Passivation Fe/Zn P1	20 mm	280 mm	30 mm	
40148220701	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 70, Zinc Plated	Steel 8.8	M22 x 70	Zinc Bright Passivation Fe/Zn P1	22 mm	70 mm	34 mm	
40148220801	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 80, Zinc Plated	Steel 8.8	M22 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	34 mm	
4014822090	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 90, Plain	Steel 8.8	M22 x 90	Plain (no plating)	22 mm	90 mm	34 mm	
40148220901SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 90, SST 200 h, Zin	Steel 8.8	M22 x 90	Zinc Bright Passivation Fe/Zn P1	22 mm	90 mm	34 mm	
40148220902	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 90, Hot-Dip Galvan	Steel 8.8	M22 x 90	Hot Dip Galvanizing	22 mm	90 mm	34 mm	
40148221002	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 100, Hot-Dip Galva	Steel 8.8	M22 x 100	Hot Dip Galvanizing	22 mm	100 mm	34 mm	
40148221502	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 150, Hot-Dip Galva	Steel 8.8	M22 x 150	Hot Dip Galvanizing	22 mm	150 mm	34 mm	
40148222401	ISO 4014 Hexagon Head Screw, Steel 8.8, M22 x 240, Zinc Plated	Steel 8.8	M22 x 240	Zinc Bright Passivation Fe/Zn P1	22 mm	240 mm	34 mm	
40148240801	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 80, Zinc Plated	Steel 8.8	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
40148240802	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 80, Hot-Dip Galvan	Steel 8.8	M24 x 80	HOT DIP GALVANIZED ISO FIT	24 mm	80 mm	36 mm	
40148240901	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 90, Zinc Plated	Steel 8.8	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
40148240902	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 90, Hot-Dip Galvan	Steel 8.8	M24 x 90	HOT DIP GALVANIZED ISO FIT	24 mm	90 mm	36 mm	
40148240952O	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 95, Hot-Dip Galvan	Steel 8.8	M24 x 95	HOT DIP GALVANIZED ISO FIT	24 mm	95 mm	36 mm	
40148241001	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 100, Zinc Plated	Steel 8.8	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	36 mm	
40148241002	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 100, Hot-Dip Galva	Steel 8.8	M24 x 100	HOT DIP GALVANIZED ISO FIT	24 mm	100 mm	36 mm	
40148241101	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 110, Zinc Plated	Steel 8.8	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	36 mm	
40148241102	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 110, Hot-Dip Galva	Steel 8.8	M24 x 110	HOT DIP GALVANIZED ISO FIT	24 mm	110 mm	36 mm	
40148241102O	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 110, Hot-Dip Galva	Steel 8.8	M24 x 110	HOT DIP GALVANIZED ISO FIT	24 mm	110 mm	36 mm	
40148241301	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc							

Plated

Steel 8.8	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40148241302	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 130, Hot-Dip Galva	Steel 8.8	M24 x 130	HOT DIP GALVANIZED ISO FIT	24 mm	130 mm	36 mm	
40148241401	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 140, Zinc Plated	Steel 8.8	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	36 mm	
40148241501	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 150, Zinc Plated	Steel 8.8	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
40148241502	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 150, Hot-Dip Galva	Steel 8.8	M24 x 150	HOT DIP GALVANIZED ISO FIT	24 mm	150 mm	36 mm	
40148241801	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 180, Zinc Plated	Steel 8.8	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	36 mm	
4014824200	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 200, Plain	Steel 8.8	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
40148242701	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 270, Zinc Plated	Steel 8.8	M24 x 270	Zinc Bright Passivation Fe/Zn P1	24 mm	270 mm	36 mm	
40148242801	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 280, Zinc Plated	Steel 8.8	M24 x 280	Zinc Bright Passivation Fe/Zn P1	24 mm	280 mm	36 mm	
40148243301	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 330, Zinc Plated	Steel 8.8	M24 x 330	Zinc Bright Passivation Fe/Zn P1	24 mm	330 mm	36 mm	
40148243801	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 380, Zinc Plated	Steel 8.8	M24 x 380	Zinc Bright Passivation Fe/Zn P1	24 mm	380 mm	36 mm	
4014824420	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 420, Plain	Steel 8.8	M24 x 420	Plain (no plating)	24 mm	420 mm	36 mm	
40148246602	ISO 4014 Hexagon Head Screw, Steel 8.8, M24 x 660, Hot-Dip Galva	Steel 8.8	M24 x 660	HOT DIP GALVANIZED ISO FIT	24 mm	660 mm	36 mm	
40148270902	ISO 4014 Hexagon Head Screw, Steel 8.8, M27 x 90, Hot-Dip Galvan	Steel 8.8	M27 x 90	HOT DIP GALVANIZED ISO FIT	27 mm	90 mm	41 mm	
40148271001	ISO 4014 Hexagon Head Screw, Steel 8.8, M27 x 100, Zinc Plated	Steel 8.8	M27 x 100	Zinc Bright Passivation Fe/Zn P1	27 mm	100 mm	41 mm	
40148300901	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 90, Zinc Plated	Steel 8.8	M30 x 90	Zinc Bright Passivation Fe/Zn P1	30 mm	90 mm	46 mm	
40148301002	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 100, Hot-Dip Galva	Steel 8.8	M30 x 100	Hot Dip Galvanizing	30 mm	100 mm	46 mm	
40148301301	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 130, Zinc Plated	Steel 8.8	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm	46 mm	
40148301401	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 140, Zinc Plated	Steel 8.8	M30 x 140	Zinc Bright Passivation Fe/Zn P1	30 mm	140 mm	46 mm	
40148301502	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 150, Hot-Dip Galva	Steel 8.8	M30 x 150	HOT DIP GALVANIZED ISO FIT	30 mm	150 mm	46 mm	
40148301602	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 160, Hot-Dip Galva	Steel 8.8	M30 x 160	HOT DIP GALVANIZED ISO FIT	30 mm	160 mm	46 mm	
40148301802	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 180, Hot-Dip Galva	Steel 8.8	M30 x 180	HOT DIP GALVANIZED ISO FIT	30 mm	180 mm	46 mm	
40148302401	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 240, Zinc Plated	Steel 8.8	M30 x 240	Zinc Bright Passivation Fe/Zn P1	30 mm	240 mm	46 mm	
40148302801	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 280, Zinc Plated	Steel 8.8	M30 x 280	Zinc Bright Passivation Fe/Zn P1	30 mm	280 mm	46 mm	
40148303002CE	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 300, Hot-Dip Galva	Steel 8.8	M30 x 300	HOT DIP GALVANIZED ISO FIT	30 mm	300 mm	46 mm	
40148303401	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 340, Zinc Plated	Steel 8.8	M30 x 340	Zinc Bright Passivation Fe/Zn P1	30 mm	340 mm	46 mm	
40148303801	ISO 4014 Hexagon Head Screw, Steel 8.8, M30 x 380, Zinc Plated	Steel 8.8	M30 x 380	Zinc Bright Passivation Fe/Zn P1	30 mm	380 mm	46 mm	
40148331601SST200	ISO 4014 Hexagon Head Screw, Steel 8.8, M33 x 160, SST 200 h, Zi	Steel 8.8	M33 x 160	Zinc Bright Passivation Fe/Zn P1	33 mm	160 mm	50 mm	
40148331801	ISO 4014 Hexagon Head Screw, Steel 8.8, M33 x 180, Zinc Plated	Steel 8.8	M33 x 180	Zinc Bright Passivation Fe/Zn P1	33 mm	180 mm	50 mm	
40148360150	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 150, Plain	Steel 8.8	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
40148361101	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 110, Zinc Plated	Steel 8.8	M36 x 110	Zinc Bright Passivation Fe/Zn P1	36 mm	110 mm	55 mm	
40148361301	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 130, Zinc Plated	Steel 8.8	M36 x 130	Zinc Bright Passivation Fe/Zn P1	36 mm	130 mm	55 mm	
4014836170	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 170, Plain	Steel 8.8	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
40148361701	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 170, Zinc Plated	Steel 8.8	M36 x 170	Zinc Bright Passivation Fe/Zn P1	36 mm	170 mm	55 mm	
401483617038	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 170, Plain	Steel 8.8	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
40148361801	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 180, Zinc Plated	Steel 8.8	M36 x 180	Zinc Bright Passivation Fe/Zn P1	36 mm	180 mm	55 mm	
40148362001	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 200, Zinc Plated	Steel 8.8	M36 x 200	Zinc Bright Passivation Fe/Zn P1	36 mm	200 mm	55 mm	
40148362101	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 210, Zinc Plated	Steel 8.8	M36 x 210	Zinc Bright Passivation Fe/Zn P1	36 mm	210 mm	55 mm	
40148362201	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 220, Zinc Plated	Steel 8.8	M36 x 220	Zinc Bright Passivation Fe/Zn P1	36 mm	220 mm	55 mm	
40148363701	ISO 4014 Hexagon Head Screw, Steel 8.8, M36 x 370, Zinc Plated	Steel 8.8	M36 x 370	Zinc Bright Passivation Fe/Zn P1	36 mm	370 mm	55 mm	
40148391802O	ISO 4014 Hexagon Head Screw, Steel 8.8, M39 x 180, Oversize, Hot	Steel 8.8	M39 x 180	Hot Dip Galvanizing	39 mm	180 mm	60 mm	
4014842140	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 140, Plain	Steel 8.8	M42 x 140	Plain (no plating)	42 mm	140 mm	65 mm	
4014842160	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 160, Plain	Steel 8.8	M42 x 160	Plain (no plating)	42 mm	160 mm	65 mm	
40148421601	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 160, Zinc Plated	Steel 8.8	M42 x 160	Zinc Bright Passivation Fe/Zn P1	42 mm	160 mm	65 mm	
4014842190	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 190, Plain	Steel 8.8	M42 x 190	Plain (no plating)	42 mm	190 mm	65 mm	
40148421901	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 190, Zinc Plated	Steel 8.8	M42 x 190	Zinc Bright Passivation Fe/Zn P1	42 mm	190 mm	65 mm	
4014842200	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 200,							

Plain

Steel 8.8	M42 x 200	Plain (no plating)	42 mm	200 mm	65 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40148422001	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 200, Zinc Plated	Steel 8.8	M42 x 200	Zinc Bright Passivation Fe/Zn P1	42 mm	200 mm	65 mm	
4014842220	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 220, Plain	Steel 8.8	M42 x 220	Plain (no plating)	42 mm	220 mm	65 mm	
40148422201	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 220, Zinc Plated	Steel 8.8	M42 x 220	Zinc Bright Passivation Fe/Zn P1	42 mm	220 mm	65 mm	
40148422601	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 260, Zinc Plated	Steel 8.8	M42 x 260	Zinc Bright Passivation Fe/Zn P1	42 mm	260 mm	65 mm	
40148422801	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 280, Zinc Plated	Steel 8.8	M42 x 280	Zinc Bright Passivation Fe/Zn P1	42 mm	280 mm	65 mm	
40148423302O	ISO 4014 Hexagon Head Screw, Steel 8.8, M42 x 330, Oversize, Hot Dip Galva	Steel 8.8	M42 x 330	Hot Dip Galvanizing	42 mm	330 mm	65 mm	
4014848150	ISO 4014 Hexagon Head Screw, Steel 8.8, M48 x 150, Plain	Steel 8.8	M48 x 150	Plain (no plating)	48 mm	150 mm	75 mm	
4014848160	ISO 4014 Hexagon Head Screw, Steel 8.8, M48 x 160, Plain	Steel 8.8	M48 x 160	Plain (no plating)	48 mm	160 mm	75 mm	
40148481802O	ISO 4014 Hexagon Head Screw, Steel 8.8, M48 x 180, Oversize, Hot Dip Galva	Steel 8.8	M48 x 180	Hot Dip Galvanizing	48 mm	180 mm	75 mm	
40148482401	ISO 4014 Hexagon Head Screw, Steel 8.8, M48 x 240, Zinc Plated	Steel 8.8	M48 x 240	Zinc Bright Passivation Fe/Zn P1	48 mm	240 mm	75 mm	
40148482402	ISO 4014 Hexagon Head Screw, Steel 8.8, M48 x 240, Hot-Dip Galva	Steel 8.8	M48 x 240	HOT DIP GALVANIZED ISO FIT	48 mm	240 mm	75 mm	
40148482801	ISO 4014 Hexagon Head Screw, Steel 8.8, M48 x 280, Zinc Plated	Steel 8.8	M48 x 280	Zinc Bright Passivation Fe/Zn P1	48 mm	280 mm	75 mm	
40148483801	ISO 4014 Hexagon Head Screw, Steel 8.8, M48 x 380, Zinc Plated	Steel 8.8	M48 x 380	Zinc Bright Passivation Fe/Zn P1	48 mm	380 mm	75 mm	
40148521901	ISO 4014 Hexagon Head Screw, Steel 8.8, M52 x 190, Zinc Plated	Steel 8.8	M52 x 190	Zinc Bright Passivation Fe/Zn P1	52 mm	190 mm	80 mm	
40148562401	ISO 4014 Hexagon Head Screw, Steel 8.8, M56 x 240, Zinc Plated	Steel 8.8	M56 x 240	Zinc Bright Passivation Fe/Zn P1	56 mm	240 mm	85 mm	
40148642401	ISO 4014 Hexagon Head Screw, Steel 8.8, M64 x 240, Zinc Plated	Steel 8.8	M64 x 240	Zinc Bright Passivation Fe/Zn P1	64 mm	240 mm	95 mm	
40148642601	ISO 4014 Hexagon Head Screw, Steel 8.8, M64 x 260, Zinc Plated	Steel 8.8	M64 x 260	Zinc Bright Passivation Fe/Zn P1	64 mm	260 mm	95 mm	
4014A04025704	ISO 4014 Hexagon Head Screw, Stainless A4-70, M4 x 25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4014A20303070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M3 x 30	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm	5.5 mm	
4014A20402570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M4 x 25	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4014A20407070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M4 x 70	Stainless A2-70	M4 x 70	Plain (no plating)	4 mm	70 mm	7 mm	
4014A20502570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 25	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	8 mm	
4014A20503070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 30	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
4014A20503570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 35	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm	8 mm	
4014A20504070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
4014A20504570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 45	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
4014A20505070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 50	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm	8 mm	
4014A20505070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 50, Gleitmo 627	Stainless A2-70	M5 x 50	WAX GLEITMO 627	5 mm	50 mm	8 mm	
4014A20505570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 55	Stainless A2-70	M5 x 55	Plain (no plating)	5 mm	55 mm	8 mm	
4014A20506070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 60	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm	8 mm	
4014A20506570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 65	Stainless A2-70	M5 x 65	Plain (no plating)	5 mm	65 mm	8 mm	
4014A20507070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 70	Stainless A2-70	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
4014A20507570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 75	Stainless A2-70	M5 x 75	Plain (no plating)	5 mm	75 mm	8 mm	
4014A20508070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 80	Stainless A2-70	M5 x 80	Plain (no plating)	5 mm	80 mm	8 mm	
4014A20509070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 90	Stainless A2-70	M5 x 90	Plain (no plating)	5 mm	90 mm	8 mm	
4014A20510070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M5 x 100	Stainless A2-70	M5 x 100	Plain (no plating)	5 mm	100 mm	8 mm	
4014A20602570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 25	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4014A20603070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 30	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4014A20603070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 30, Gleitmo 627	Stainless A2-70	M6 x 30	WAX GLEITMO 627	6 mm	30 mm	10 mm	
4014A20603570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 35	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
4014A20604070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 40	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
4014A20604570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 45	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
4014A20605070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 50	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
4014A20605070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 50, Gleitmo 627	Stainless A2-70	M6 x 50	WAX GLEITMO 627	6 mm	50 mm	10 mm	
4014A20605570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 55	Stainless A2-70	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
4014A20606070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 60	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A20606070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 60, Gleitmo 6	Stainless A2-70	M6 x 60	WAX GLEITMO 627	6 mm	60 mm	10 mm	
4014A20606570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 65	Stainless A2-70	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4014A20607070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 70	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
4014A20607570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 75	Stainless A2-70	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
4014A20608070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 80	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm	10 mm	
4014A20608570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 85	Stainless A2-70	M6 x 85	Plain (no plating)	6 mm	85 mm	10 mm	
4014A20609070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 90	Stainless A2-70	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
4014A20609570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 95	Stainless A2-70	M6 x 95	Plain (no plating)	6 mm	95 mm	10 mm	
4014A20610070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 100	Stainless A2-70	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
4014A20611070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 110	Stainless A2-70	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
4014A20612070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 120	Stainless A2-70	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
4014A20613070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 130	Stainless A2-70	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
4014A20614070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 140	Stainless A2-70	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
4014A20615070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 150	Stainless A2-70	M6 x 150	Plain (no plating)	6 mm	150 mm	10 mm	
4014A20616070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 160	Stainless A2-70	M6 x 160	Plain (no plating)	6 mm	160 mm	10 mm	
4014A20618070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 180	Stainless A2-70	M6 x 180	Plain (no plating)	6 mm	180 mm	10 mm	
4014A20620070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M6 x 200	Stainless A2-70	M6 x 200	Plain (no plating)	6 mm	200 mm	10 mm	
4014A20802570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 25	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4014A208030/2070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 30/20 (4014A2	Stainless A2-70	M8 x 30/20	Plain (no plating)	8 mm	30 mm	13 mm	
4014A20803070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 30	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4014A20803570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 35	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4014A20804070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 40	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4014A20804070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 40, Gleitmo 6	Stainless A2-70	M8 x 40	WAX GLEITMO 627	8 mm	40 mm	13 mm	
4014A20804570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 45	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4014A20805070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 50	Stainless A2-70	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4014A20805070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 50, Gleitmo 6	Stainless A2-70	M8 x 50	WAX GLEITMO 627	8 mm	50 mm	13 mm	
4014A20805570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 55	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
4014A20806070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 60	Stainless A2-70	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
4014A20806070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 60, Gleitmo 6	Stainless A2-70	M8 x 60	WAX GLEITMO 627	8 mm	60 mm	13 mm	
4014A20806570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 65	Stainless A2-70	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
4014A20807070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 70	Stainless A2-70	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
4014A20807570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 75	Stainless A2-70	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
4014A20808070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 80	Stainless A2-70	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4014A20808570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 85	Stainless A2-70	M8 x 85	Plain (no plating)	8 mm	85 mm	13 mm	
4014A20809070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 90	Stainless A2-70	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
4014A20809570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 95	Stainless A2-70	M8 x 95	Plain (no plating)	8 mm	95 mm	13 mm	
4014A20810070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 100	Stainless A2-70	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
4014A20811070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 110	Stainless A2-70	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
4014A20812070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 120	Stainless A2-70	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
4014A20813070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 130	Stainless A2-70	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
4014A20814070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 140	Stainless A2-70	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
4014A20815070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 150	Stainless A2-70	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
4014A20816070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 160	Stainless A2-70	M8 x 160	Plain (no plating)	8 mm	160 mm	13 mm	
4014A20817070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 170	Stainless A2-70	M8 x 170	Plain (no plating)	8 mm	170 mm	13 mm	
4014A20818070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 180	Stainless A2-70	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	
4014A20819070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 190	Stainless A2-70	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A20820070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 200	Stainless A2-70	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
4014A20821070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 210	Stainless A2-70	M8 x 210	Plain (no plating)	8 mm	210 mm	13 mm	
4014A20822070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 220	Stainless A2-70	M8 x 220	Plain (no plating)	8 mm	220 mm	13 mm	
4014A20824070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M8 x 240	Stainless A2-70	M8 x 240	Plain (no plating)	8 mm	240 mm	13 mm	
4014A21003570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 35	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4014A21004070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 40	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4014A21004080	ISO 4014 Hexagon Head Screw, Stainless A2-80, M10 x 40	Stainless A2-80	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4014A21004570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 45	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
4014A21005070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 50	Stainless A2-70	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4014A21005570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 55	Stainless A2-70	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4014A21006070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 60	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4014A21006570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 65	Stainless A2-70	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
4014A21007070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 70	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4014A21007570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 75	Stainless A2-70	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
4014A21008070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 80	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4014A21009070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 90	Stainless A2-70	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4014A21010070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 100	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
4014A21012070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 120	Stainless A2-70	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
4014A21014070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 140	Stainless A2-70	M10 x 140	Plain (no plating)	10 mm	140 mm	16 mm	
4014A21015070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 150	Stainless A2-70	M10 x 150	Plain (no plating)	10 mm	150 mm	16 mm	
4014A21016070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 160	Stainless A2-70	M10 x 160	Plain (no plating)	10 mm	160 mm	16 mm	
4014A21017070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 170	Stainless A2-70	M10 x 170	Plain (no plating)	10 mm	170 mm	16 mm	
4014A21018070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 180	Stainless A2-70	M10 x 180	Plain (no plating)	10 mm	180 mm	16 mm	
4014A21019070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 190	Stainless A2-70	M10 x 190	Plain (no plating)	10 mm	190 mm	16 mm	
4014A21020070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M10 x 200	Stainless A2-70	M10 x 200	Plain (no plating)	10 mm	200 mm	16 mm	
4014A21204570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 45	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4014A21205070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 50	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4014A21205570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 55	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4014A21206070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 60	Stainless A2-70	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4014A21206570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 65	Stainless A2-70	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
4014A21207070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 70	Stainless A2-70	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4014A21207570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 75	Stainless A2-70	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
4014A212080	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 80	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4014A21208070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 80	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4014A21209070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 90	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4014A21210070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 100	Stainless A2-70	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
4014A21211070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 110	Stainless A2-70	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4014A21211570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 115	Stainless A2-70	M12 x 115	Plain (no plating)	12 mm	115 mm	18 mm	
4014A21212070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 120	Stainless A2-70	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
4014A21213070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 130	Stainless A2-70	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
4014A21214070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 140	Stainless A2-70	M12 x 140	Plain (no plating)	12 mm	140 mm	18 mm	
4014A21215070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 150	Stainless A2-70	M12 x 150	Plain (no plating)	12 mm	150 mm	18 mm	
4014A21216070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 160	Stainless A2-70	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
4014A21218070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 180	Stainless A2-70	M12 x 180	Plain (no plating)	12 mm	180 mm	18 mm	
4014A21219070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 190	Stainless A2-70	M12 x 190	Plain (no plating)	12 mm	190 mm	18 mm	
4014A21221070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x							

210

Stainless A2-70	M12 x 210	Plain (no plating)	12 mm	210 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A21224070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M12 x 240	Stainless A2-70	M12 x 240	Plain (no plating)	12 mm	240 mm	18 mm	
4014A21405070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M14 x 50	Stainless A2-70	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
4014A21604570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 45	Stainless A2-70	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4014A21605070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 50	Stainless A2-70	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4014A21605570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 55	Stainless A2-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
4014A21606070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 60	Stainless A2-70	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
4014A21606570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 65	Stainless A2-70	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4014A21607070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 70	Stainless A2-70	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4014A21607570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 75	Stainless A2-70	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
4014A21608070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 80	Stainless A2-70	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4014A21608570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 85	Stainless A2-70	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
4014A21609070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 90	Stainless A2-70	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4014A21609570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 95	Stainless A2-70	M16 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
4014A21610070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 100	Stainless A2-70	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
4014A21610070W627	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 100, Gleitmo	Stainless A2-70	M16 x 100	WAX GLEITMO 627	16 mm	100 mm	24 mm	
4014A21611070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 110	Stainless A2-70	M16 x 110	WAX GLEITMO 627	16 mm	110 mm	24 mm	
4014A21612070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 120	Stainless A2-70	M16 x 120	WAX GLEITMO 627	16 mm	120 mm	24 mm	
4014A21613070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 130	Stainless A2-70	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4014A21614070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 140	Stainless A2-70	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
4014A21615070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 150	Stainless A2-70	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4014A2161511070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 1.5 x 110	Stainless A2-70	M16 x 1.5 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
4014A21616070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 160	Stainless A2-70	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
4014A21617070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 170	Stainless A2-70	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	
4014A21618070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 180	Stainless A2-70	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4014A21619070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 190	Stainless A2-70	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
4014A21620070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 200	Stainless A2-70	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
4014A21621070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 210	Stainless A2-70	M16 x 210	Plain (no plating)	16 mm	210 mm	24 mm	
4014A21622070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 220	Stainless A2-70	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
4014A21623070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 230	Stainless A2-70	M16 x 230	Plain (no plating)	16 mm	230 mm	24 mm	
4014A21624070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 240	Stainless A2-70	M16 x 240	Plain (no plating)	16 mm	240 mm	24 mm	
4014A21625070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 250	Stainless A2-70	M16 x 250	Plain (no plating)	16 mm	250 mm	24 mm	
4014A21626070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 260	Stainless A2-70	M16 x 260	Plain (no plating)	16 mm	260 mm	24 mm	
4014A21628070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 280	Stainless A2-70	M16 x 280	Plain (no plating)	16 mm	280 mm	24 mm	
4014A21629070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 290	Stainless A2-70	M16 x 290	Plain (no plating)	16 mm	290 mm	24 mm	
4014A21630070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 300	Stainless A2-70	M16 x 300	Plain (no plating)	16 mm	300 mm	24 mm	
4014A21634070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 340	Stainless A2-70	M16 x 340	Plain (no plating)	16 mm	340 mm	24 mm	
4014A21636070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 360	Stainless A2-70	M16 x 360	Plain (no plating)	16 mm	360 mm	24 mm	
4014A21638070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 380	Stainless A2-70	M16 x 380	Plain (no plating)	16 mm	380 mm	24 mm	
4014A21642070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 420	Stainless A2-70	M16 x 420	Plain (no plating)	16 mm	420 mm	24 mm	
4014A21650070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M16 x 500	Stainless A2-70	M16 x 500	Plain (no plating)	16 mm	500 mm	24 mm	
4014A21806070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 60	Stainless A2-70	M18 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
4014A21806570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 65	Stainless A2-70	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
4014A21807070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 70	Stainless A2-70	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
4014A21807570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 75	Stainless A2-70	M18 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
4014A21808070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 80	Stainless A2-70	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
4014A21808570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 85	Stainless A2-70	M18 x 85	Plain (no plating)	18 mm	85 mm	27 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A21809070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 90	Stainless A2-70	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
4014A21810070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 100	Stainless A2-70	M18 x 100	Plain (no plating)	18 mm	100 mm	27 mm	
4014A21811070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 110	Stainless A2-70	M18 x 110	Plain (no plating)	18 mm	110 mm	27 mm	
4014A21812070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 120	Stainless A2-70	M18 x 120	Plain (no plating)	18 mm	120 mm	27 mm	
4014A21813070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 130	Stainless A2-70	M18 x 130	Plain (no plating)	18 mm	130 mm	27 mm	
4014A21814070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 140	Stainless A2-70	M18 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
4014A21815070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 150	Stainless A2-70	M18 x 150	Plain (no plating)	18 mm	150 mm	27 mm	
4014A21816070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 160	Stainless A2-70	M18 x 160	Plain (no plating)	18 mm	160 mm	27 mm	
4014A21818070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 180	Stainless A2-70	M18 x 180	Plain (no plating)	18 mm	180 mm	27 mm	
4014A21820070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M18 x 200	Stainless A2-70	M18 x 200	Plain (no plating)	18 mm	200 mm	27 mm	
4014A22006070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 60	Stainless A2-70	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4014A22006570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 65	Stainless A2-70	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4014A22007070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 70	Stainless A2-70	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4014A22007570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 75	Stainless A2-70	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
4014A22008070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 80	Stainless A2-70	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4014A22008570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 85	Stainless A2-70	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
4014A22009070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 90	Stainless A2-70	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4014A22009570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 95	Stainless A2-70	M20 x 95	Plain (no plating)	20 mm	95 mm	30 mm	
4014A22010070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 100	Stainless A2-70	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
4014A22011070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 110	Stainless A2-70	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
4014A22012070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 120	Stainless A2-70	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
4014A22013070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 130	Stainless A2-70	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
4014A22014070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 140	Stainless A2-70	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4014A22015070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 150	Stainless A2-70	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
4014A22016070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 160	Stainless A2-70	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
4014A22017070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 170	Stainless A2-70	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
4014A22018070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 180	Stainless A2-70	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
4014A22019070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 190	Stainless A2-70	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
4014A22020070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 200	Stainless A2-70	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
4014A22021070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 210	Stainless A2-70	M20 x 210	Plain (no plating)	20 mm	210 mm	30 mm	
4014A22022070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 220	Stainless A2-70	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
4014A22023070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 230	Stainless A2-70	M20 x 230	Plain (no plating)	20 mm	230 mm	30 mm	
4014A22024070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 240	Stainless A2-70	M20 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
4014A22025070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 250	Stainless A2-70	M20 x 250	Plain (no plating)	20 mm	250 mm	30 mm	
4014A22026070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 260	Stainless A2-70	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
4014A22027070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 270	Stainless A2-70	M20 x 270	Plain (no plating)	20 mm	270 mm	30 mm	
4014A22028070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 280	Stainless A2-70	M20 x 280	Plain (no plating)	20 mm	280 mm	30 mm	
4014A22030070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 300	Stainless A2-70	M20 x 300	Plain (no plating)	20 mm	300 mm	30 mm	
4014A22032070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 320	Stainless A2-70	M20 x 320	Plain (no plating)	20 mm	320 mm	30 mm	
4014A22036070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x 360	Stainless A2-70	M20 x 360	Plain (no plating)	20 mm	360 mm	30 mm	
4014A22407070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x 70	Stainless A2-70	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
4014A22407570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x 75	Stainless A2-70	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
4014A22408070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x 80	Stainless A2-70	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4014A22408570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x 85	Stainless A2-70	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
4014A22409070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x 90	Stainless A2-70	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
4014A22409570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x 95	Stainless A2-70	M24 x 95	Plain (no plating)	24 mm	95 mm	36 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A22410070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
4014A22411070	100 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4014A22412070	110 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
4014A22413070	120 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
4014A22414070	130 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
4014A22415070	140 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
4014A22416070	150 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
4014A22417070	160 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
4014A22418070	170 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
4014A22419070	180 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
4014A22420070	190 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
4014A22421070	200 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 210	Plain (no plating)	24 mm	210 mm	36 mm	
4014A22422070	210 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
4014A22423070	220 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 230	Plain (no plating)	24 mm	230 mm	36 mm	
4014A22424070	230 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
4014A22425070	240 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
4014A22426070	250 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
4014A22427070	260 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 270	Plain (no plating)	24 mm	270 mm	36 mm	
4014A22428070	270 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
4014A22430070	280 ISO 4014 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 300	Plain (no plating)	24 mm	300 mm	36 mm	
4014A22708070	300 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x 80	Stainless A2-70	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
4014A22709070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x 90	Stainless A2-70	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
4014A22710070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
4014A22711070	100 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
4014A22712070	110 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
4014A22713070	120 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
4014A22714070	130 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
4014A22715070	140 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
4014A22716070	150 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 160	Plain (no plating)	27 mm	160 mm	41 mm	
4014A22717050	160 ISO 4014 Hexagon Head Screw, Stainless A2-50, M27 x	Stainless A2-50	M27 x 170	Plain (no plating)	27 mm	170 mm	41 mm	
4014A22718070	170 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 180	Plain (no plating)	27 mm	180 mm	41 mm	
4014A22719050	180 ISO 4014 Hexagon Head Screw, Stainless A2-50, M27 x	Stainless A2-50	M27 x 190	Plain (no plating)	27 mm	190 mm	41 mm	
4014A22719070	190 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 190	Plain (no plating)	27 mm	190 mm	41 mm	
4014A22720070	190 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
4014A22721070	200 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 210	Plain (no plating)	27 mm	210 mm	41 mm	
4014A22722070	210 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 220	Plain (no plating)	27 mm	220 mm	41 mm	
4014A22723070	220 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 230	Plain (no plating)	27 mm	230 mm	41 mm	
4014A22725070	230 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 250	Plain (no plating)	27 mm	250 mm	41 mm	
4014A22728070	250 ISO 4014 Hexagon Head Screw, Stainless A2-70, M27 x	Stainless A2-70	M27 x 280	Plain (no plating)	27 mm	280 mm	41 mm	
4014A23007570	280 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x 75	Stainless A2-70	M30 x 75	Plain (no plating)	30 mm	75 mm	46 mm	
4014A23008070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x 80	Stainless A2-70	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
4014A23008570	ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x 85	Stainless A2-70	M30 x 85	Plain (no plating)	30 mm	85 mm	46 mm	
4014A23009070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x 90	Stainless A2-70	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
4014A23010070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
4014A23011070	100 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
4014A23012070	110 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x							

120

Stainless A2-70	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A23013070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4014A23014070	130 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
4014A23015070	140 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4014A23016070	150 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
4014A23017070	160 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
4014A23017570	170 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 175	Plain (no plating)	30 mm	175 mm	46 mm	
4014A23018070	175 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
4014A23019070	180 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 190	Plain (no plating)	30 mm	190 mm	46 mm	
4014A23020070	190 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
4014A23022070	200 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
4014A23024070	220 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
4014A23025070	240 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 250	Plain (no plating)	30 mm	250 mm	46 mm	
4014A23026070	250 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 260	Plain (no plating)	30 mm	260 mm	46 mm	
4014A23028070	260 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 280	Plain (no plating)	30 mm	280 mm	46 mm	
4014A23030070	280 ISO 4014 Hexagon Head Screw, Stainless A2-70, M30 x	Stainless A2-70	M30 x 300	Plain (no plating)	30 mm	300 mm	46 mm	
4014A23309070	300 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x 90	Stainless A2-70	M33 x 90	Plain (no plating)	33 mm	90 mm	50 mm	
4014A23310070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 100	Plain (no plating)	33 mm	100 mm	50 mm	
4014A23311070	100 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 110	Plain (no plating)	33 mm	110 mm	50 mm	
4014A23312070	110 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
4014A23313070	120 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
4014A23314070	130 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
4014A23315070	140 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm	
4014A23316070	150 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 160	Plain (no plating)	33 mm	160 mm	50 mm	
4014A23317070	160 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 170	Plain (no plating)	33 mm	170 mm	50 mm	
4014A23318070	170 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 180	Plain (no plating)	33 mm	180 mm	50 mm	
4014A23319070	180 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 190	Plain (no plating)	33 mm	190 mm	50 mm	
4014A23320070	190 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 200	Plain (no plating)	33 mm	200 mm	50 mm	
4014A23324070	200 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 240	Plain (no plating)	33 mm	240 mm	50 mm	
4014A23325070	240 ISO 4014 Hexagon Head Screw, Stainless A2-70, M33 x	Stainless A2-70	M33 x 250	Plain (no plating)	33 mm	250 mm	50 mm	
4014A23610070	250 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
4014A23611070	100 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4014A23612070	110 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
4014A23613070	120 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
4014A23614070	130 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4014A23615070	140 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
4014A23616070	150 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
4014A23617070	160 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
4014A23618070	170 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
4014A23619070	180 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 190	Plain (no plating)	36 mm	190 mm	55 mm	
4014A23620070	190 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
4014A23622070	200 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 220	Plain (no plating)	36 mm	220 mm	55 mm	
4014A23624070	220 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 240	Plain (no plating)	36 mm	240 mm	55 mm	
4014A23625070	240 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 250	Plain (no plating)	36 mm	250 mm	55 mm	
4014A23630070	250 ISO 4014 Hexagon Head Screw, Stainless A2-70, M36 x	Stainless A2-70	M36 x 300	Plain (no plating)	36 mm	300 mm	55 mm	
4014A23912070	300 ISO 4014 Hexagon Head Screw, Stainless A2-70, M39 x	Stainless A2-70	M39 x 120	Plain (no plating)	39 mm	120 mm	60 mm	
4014A23914070	120 ISO 4014 Hexagon Head Screw, Stainless A2-70, M39 x							

140

Stainless A2-70	M39 x 140	Plain (no plating)	39 mm	140 mm	60 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A23915070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M39 x 150	Stainless A2-70	M39 x 150	Plain (no plating)	39 mm	150 mm	60 mm	
4014A23916070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M39 x 160	Stainless A2-70	M39 x 160	Plain (no plating)	39 mm	160 mm	60 mm	
4014A23918070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M39 x 180	Stainless A2-70	M39 x 180	Plain (no plating)	39 mm	180 mm	60 mm	
4014A23918550	ISO 4014 Hexagon Head Screw, Stainless A2-50, M39 x 185	Stainless A2-50	M39 x 185	Plain (no plating)	39 mm	185 mm	60 mm	
4014A23920070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M39 x 200	Stainless A2-70	M39 x 200	Plain (no plating)	39 mm	200 mm	60 mm	
4014A24212050	ISO 4014 Hexagon Head Screw, Stainless A2-50, M42 x 120	Stainless A2-50	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
4014A24515070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M45 x 150	Stainless A2-70	M45 x 150	Plain (no plating)	45 mm	150 mm	70 mm	
4014A24518070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M45 x 180	Stainless A2-70	M45 x 180	Plain (no plating)	45 mm	180 mm	70 mm	
4014A40402570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M4 x 25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4014A40405080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M4 x 50	Stainless A4-80	M4 x 50	Plain (no plating)	4 mm	50 mm	7 mm	
4014A40502570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 25	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm	8 mm	
4014A40502580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 25	Stainless A4-80	M5 x 25	Plain (no plating)	5 mm	23 mm	8 mm	
4014A40503070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 30	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
4014A40503070W	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 30, Gleitmo 6	Stainless A4-70	M5 x 30	WAX GLEITMO 627	5 mm	30 mm	8 mm	
4014A40503080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 30	Stainless A4-80	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
4014A40503570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 35	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm	8 mm	
4014A40503570W	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 35, Gleitmo 6	Stainless A4-70	M5 x 35	WAX GLEITMO 627	5 mm	35 mm	8 mm	
4014A40503580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 35	Stainless A4-80	M5 x 35	Plain (no plating)	5 mm	35 mm	8 mm	
4014A40504070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 40	Stainless A4-70	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
4014A40504080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 40	Stainless A4-80	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
4014A40504570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 45	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
4014A40504580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 45	Stainless A4-80	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
4014A40505070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 50	Stainless A4-70	M5 x 50	Plain (no plating)	5 mm	50 mm	8 mm	
4014A40505070W	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 50, Gleitmo 6	Stainless A4-70	M5 x 50	WAX GLEITMO 627	5 mm	50 mm	8 mm	
4014A40505080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 50	Stainless A4-80	M5 x 50	Plain (no plating)	5 mm	50 mm	8 mm	
4014A40505570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 55	Stainless A4-70	M5 x 55	Plain (no plating)	5 mm	55 mm	8 mm	
4014A40505580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 55	Stainless A4-80	M5 x 55	Plain (no plating)	5 mm	55 mm	8 mm	
4014A40506070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 60	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm	8 mm	
4014A40506080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 60	Stainless A4-80	M5 x 60	Plain (no plating)	5 mm	60 mm	8 mm	
4014A40506570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 65	Stainless A4-70	M5 x 65	Plain (no plating)	5 mm	65 mm	8 mm	
4014A40506580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 65	Stainless A4-80	M5 x 65	Plain (no plating)	5 mm	65 mm	8 mm	
4014A40507070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 70	Stainless A4-70	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
4014A40507080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 70	Stainless A4-80	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
4014A40507570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 75	Stainless A4-70	M5 x 75	Plain (no plating)	5 mm	75 mm	8 mm	
4014A40507580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 75	Stainless A4-80	M5 x 75	Plain (no plating)	5 mm	75 mm	8 mm	
4014A40508070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 80	Stainless A4-70	M5 x 80	Plain (no plating)	5 mm	80 mm	8 mm	
4014A40508080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 80	Stainless A4-80	M5 x 80	Plain (no plating)	5 mm	80 mm	8 mm	
4014A40509070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 90	Stainless A4-70	M5 x 90	Plain (no plating)	5 mm	90 mm	8 mm	
4014A40509080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 90	Stainless A4-80	M5 x 90	Plain (no plating)	5 mm	90 mm	8 mm	
4014A40510070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 100	Stainless A4-70	M5 x 100	Plain (no plating)	5 mm	100 mm	8 mm	
4014A40510080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M5 x 100	Stainless A4-80	M5 x 100	Plain (no plating)	5 mm	100 mm	8 mm	
4014A40514070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M5 x 140	Stainless A4-70	M5 x 140	Plain (no plating)	5 mm	140 mm	8 mm	
4014A40602570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 25	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4014A40602580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 25	Stainless A4-80	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4014A40603070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 30	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4014A40603080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 30	Stainless A4-80	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A40603570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 35	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
4014A40603580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 35	Stainless A4-80	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
4014A40604070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 40	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
4014A40604080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 40	Stainless A4-80	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
4014A40604570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 45	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
4014A40604580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 45	Stainless A4-80	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
4014A40604580W	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 45	Stainless A4-80	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
4014A40605070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 50	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
4014A40605080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 50	Stainless A4-80	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
4014A40605570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 55	Stainless A4-70	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
4014A40605580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 55	Stainless A4-80	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
4014A40606070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 60	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
4014A40606080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 60	Stainless A4-80	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
4014A40606570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 65	Stainless A4-70	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4014A40606580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 65	Stainless A4-80	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4014A40607070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 70	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
4014A40607080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 70	Stainless A4-80	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
4014A40607570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 75	Stainless A4-70	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
4014A40607580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 75	Stainless A4-80	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
4014A40608070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 80	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm	10 mm	
4014A40608080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 80	Stainless A4-80	M6 x 80	Plain (no plating)	6 mm	80 mm	10 mm	
4014A40608570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 85	Stainless A4-70	M6 x 85	Plain (no plating)	6 mm	85 mm	10 mm	
4014A40608580BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 85	Stainless A4-80	M6 x 85	Plain (no plating)	6 mm	85 mm	10 mm	
4014A40609070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 90	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
4014A40609080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 90	Stainless A4-80	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
4014A40610070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 100	Stainless A4-70	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
4014A40610080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 100	Stainless A4-80	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
4014A40611070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 110	Stainless A4-70	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
4014A40611080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 110	Stainless A4-80	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
4014A40612070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 120	Stainless A4-70	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
4014A40612080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 120	Stainless A4-80	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
4014A40613070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 130	Stainless A4-70	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
4014A40613080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 130	Stainless A4-80	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
4014A40614070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 140	Stainless A4-70	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
4014A40614080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 140	Stainless A4-80	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
4014A40615070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 150	Stainless A4-70	M6 x 150	Plain (no plating)	6 mm	150 mm	10 mm	
4014A40616080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M6 x 160	Stainless A4-80	M6 x 160	Plain (no plating)	6 mm	160 mm	10 mm	
4014A40617070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 170	Stainless A4-70	M6 x 170	Plain (no plating)	6 mm	170 mm	10 mm	
4014A40618070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 180	Stainless A4-70	M6 x 180	Plain (no plating)	6 mm	180 mm	10 mm	
4014A40619070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 190	Stainless A4-70	M6 x 190	Plain (no plating)	6 mm	190 mm	10 mm	
4014A40620070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M6 x 200	Stainless A4-70	M6 x 200	Plain (no plating)	6 mm	200 mm	10 mm	
4014A40803070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 30	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4014A40803080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 30	Stainless A4-80	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4014A40803570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 35	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4014A40803580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 35	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4014A40804070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 40	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A40804080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 40	Stainless A4-80	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4014A40804570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 45	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4014A40804580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 45	Stainless A4-80	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4014A40804580BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 45	Stainless A4-80	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4014A40805070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 50	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4014A40805070W	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 50, Gleitmo 6	Stainless A4-70	M8 x 50	WAX GLEITMO 627	8 mm	50 mm	13 mm	
4014A40805080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 50	Stainless A4-80	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4014A40805570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 55	Stainless A4-70	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
4014A40805580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 55	Stainless A4-80	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
4014A40806070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 60	Stainless A4-70	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
4014A40806070W	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 60, Gleitmo 6	Stainless A4-70	M8 x 60	WAX GLEITMO 627	8 mm	60 mm	13 mm	
4014A40806080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 60	Stainless A4-80	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
4014A40806570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 65	Stainless A4-70	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
4014A40806580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 65	Stainless A4-80	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
4014A40807070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 70	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
4014A40807080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 70	Stainless A4-80	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
4014A40807570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 75	Stainless A4-70	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
4014A40807580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 75	Stainless A4-80	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
4014A40808070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 80	Stainless A4-70	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4014A40808070W	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 80, Gleitmo 6	Stainless A4-70	M8 x 80	WAX GLEITMO 627	8 mm	80 mm	13 mm	
4014A40808080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 80	Stainless A4-80	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4014A40808080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 80	Stainless A4-80	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4014A40808570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 85	Stainless A4-70	M8 x 85	Plain (no plating)	8 mm	85 mm	13 mm	
4014A40809070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 90	Stainless A4-70	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
4014A40809080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 90	Stainless A4-80	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
4014A40809080W	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 90	Stainless A4-80	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
4014A40809570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 95	Stainless A4-70	M8 x 95	Plain (no plating)	8 mm	95 mm	13 mm	
4014A40809580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 95	Stainless A4-80	M8 x 95	Plain (no plating)	8 mm	95 mm	13 mm	
4014A40810070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 100	Stainless A4-70	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
4014A40810080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 100	Stainless A4-80	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
4014A40811070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 110	Stainless A4-70	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
4014A40811080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 110	Stainless A4-80	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
4014A40812070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 120	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
4014A40812080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 120	Stainless A4-80	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
4014A40812570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 125	Stainless A4-70	M8 x 125	Plain (no plating)	8 mm	125 mm	13 mm	
4014A40813070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 130	Stainless A4-70	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
4014A40813080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 130	Stainless A4-80	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
4014A40814070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 140	Stainless A4-70	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
4014A40814080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 140	Stainless A4-80	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
4014A40815070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 150	Stainless A4-70	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
4014A40815080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 150	Stainless A4-80	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
4014A40816070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 160	Stainless A4-70	M8 x 160	Plain (no plating)	8 mm	160 mm	13 mm	
4014A40816080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 160	Stainless A4-80	M8 x 160	Plain (no plating)	8 mm	160 mm	13 mm	
4014A40817070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 170	Stainless A4-70	M8 x 170	Plain (no plating)	8 mm	170 mm	13 mm	
4014A40817080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 170	Stainless A4-80	M8 x 170	Plain (no plating)	8 mm	170 mm	13 mm	
4014A40818070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 180	Stainless A4-70	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A40818080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 180	Stainless A4-80	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	
4014A40819070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 190	Stainless A4-70	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	
4014A40819080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 190	Stainless A4-80	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	
4014A40820070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 200	Stainless A4-70	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
4014A40820080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 200	Stainless A4-80	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
4014A40821070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M8 x 210	Stainless A4-70	M8 x 210	Plain (no plating)	8 mm	210 mm	13 mm	
4014A40822080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 220	Stainless A4-80	M8 x 220	Plain (no plating)	8 mm	220 mm	13 mm	
4014A40823080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M8 x 230	Stainless A4-80	M8 x 230	Plain (no plating)	8 mm	230 mm	13 mm	
4014A41003580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 35	Stainless A4-80	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4014A41004070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 40	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4014A41004080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 40	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4014A41004080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 40	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4014A41004570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 45	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
4014A41004580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 45	Stainless A4-80	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
4014A41004580W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 45 Gleitmo	Stainless A4-80	M10 x 45	WAX GLEITMO 627	10 mm	45 mm	16 mm	
4014A41005070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 50	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4014A41005080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 50	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4014A41005080W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 50 Gleitmo	Stainless A4-80	M10 x 50	WAX GLEITMO 627	10 mm	50 mm	16 mm	
4014A41005570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 55	Stainless A4-70	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4014A41005580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 55	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4014A41006070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 60	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4014A41006080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 60	Stainless A4-80	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4014A41006580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 65	Stainless A4-80	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
4014A410070109	ISO 4014 Hexagon Head Screw, Stainless BUMAX 109 (A4 high-streng	Stainless BUMAX 109 (A4 high-str	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4014A41007070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 70	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4014A41007080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 70	Stainless A4-80	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4014A41007580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 75	Stainless A4-80	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
4014A41008070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 80	Stainless A4-70	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4014A41008080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 80	Stainless A4-80	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4014A41008080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 80	Stainless A4-80	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4014A41009070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 90	Stainless A4-70	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4014A41009080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 90	Stainless A4-80	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4014A41009080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 90	Stainless A4-80	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4014A41009580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 95	Stainless A4-80	M10 x 95	Plain (no plating)	10 mm	95 mm	16 mm	
4014A41010070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 100	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
4014A41010080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 100	Stainless A4-80	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
4014A41011080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 110	Stainless A4-80	M10 x 110	Plain (no plating)	10 mm	110 mm	16 mm	
4014A41012080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 120	Stainless A4-80	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
4014A41013080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 130	Stainless A4-80	M10 x 130	Plain (no plating)	10 mm	130 mm	16 mm	
4014A41014070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 140	Stainless A4-70	M10 x 140	Plain (no plating)	10 mm	140 mm	16 mm	
4014A41014080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 140	Stainless A4-80	M10 x 140	Plain (no plating)	10 mm	140 mm	16 mm	
4014A41015070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 150	Stainless A4-70	M10 x 150	Plain (no plating)	10 mm	150 mm	16 mm	
4014A41015080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 150	Stainless A4-80	M10 x 150	Plain (no plating)	10 mm	150 mm	16 mm	
4014A41016080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 160	Stainless A4-80	M10 x 160	Plain (no plating)	10 mm	160 mm	16 mm	
4014A41017070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 170	Stainless A4-70	M10 x 170	Plain (no plating)	10 mm	170 mm	16 mm	
4014A41017080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x							

170

Stainless A4-80	M10 x 170	Plain (no plating)	10 mm	170 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A41018080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 180	Stainless A4-80	M10 x 180	Plain (no plating)	10 mm	180 mm	16 mm	
4014A41020070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M10 x 200	Stainless A4-70	M10 x 200	Plain (no plating)	10 mm	200 mm	16 mm	
4014A41020080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M10 x 200	Stainless A4-80	M10 x 200	Plain (no plating)	10 mm	200 mm	16 mm	
4014A41204080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 40	Stainless A4-80	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4014A41204570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 45	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4014A41204580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 45	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4014A41205070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4014A41205080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4014A41205080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4014A41205080W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 50 Gleitmo	Stainless A4-80	M12 x 50	WAX GLEITMO 627	12 mm	50 mm	18 mm	
4014A412055109	ISO 4014 Hexagon Head Screw, Stainless BUMAX 109 (A4 high-streng	Stainless BUMAX 109 (A4 high-str	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4014A41205570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 55	Stainless A4-70	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4014A41205580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 55	Stainless A4-80	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4014A41205580W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 55 Gleitmo	Stainless A4-80	M12 x 55	WAX GLEITMO 627	12 mm	55 mm	18 mm	
4014A41206070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 60	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4014A41206080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 60	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4014A41206080W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 60 Gleitmo	Stainless A4-80	M12 x 60	WAX GLEITMO 627	12 mm	60 mm	18 mm	
4014A41206580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 65	Stainless A4-80	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
4014A412070109	ISO 4014 Hexagon Head Screw, Stainless BUMAX 109 (A4 high-streng	Stainless BUMAX 109 (A4 high-str	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4014A41207070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 70	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4014A41207080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 70	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4014A41207080W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 70 Gleitmo	Stainless A4-80	M12 x 70	WAX GLEITMO 627	12 mm	70 mm	18 mm	
4014A41207580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 75	Stainless A4-80	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
4014A412080109	ISO 4014 Hexagon Head Screw, Stainless BUMAX 109 (A4 high-streng	Stainless BUMAX 109 (A4 high-str	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4014A41208070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 80	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4014A41208080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 80	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4014A41208080W	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 80 Gleitmo	Stainless A4-80	M12 x 80	WAX GLEITMO 627	12 mm	80 mm	18 mm	
4014A41209070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 90	Stainless A4-70	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4014A41209080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 90	Stainless A4-80	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4014A41209080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 90	Stainless A4-80	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4014A41210070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 100	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
4014A41210080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 100	Stainless A4-80	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
4014A41211070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 110	Stainless A4-70	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4014A41211080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 110	Stainless A4-80	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4014A41212070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 120	Stainless A4-70	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
4014A41212080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 120	Stainless A4-80	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
4014A41213070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 130	Stainless A4-70	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
4014A41213080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 130	Stainless A4-80	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
4014A41214080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 140	Stainless A4-80	M12 x 140	Plain (no plating)	12 mm	140 mm	18 mm	
4014A41215070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 150	Stainless A4-70	M12 x 150	Plain (no plating)	12 mm	150 mm	18 mm	
4014A41215080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 150	Stainless A4-80	M12 x 150	Plain (no plating)	12 mm	150 mm	18 mm	
4014A41216070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 160	Stainless A4-70	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
4014A41216080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 160	Stainless A4-80	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
4014A41217080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 170	Stainless A4-80	M12 x 170	Plain (no plating)	12 mm	170 mm	18 mm	
4014A41218080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 180	Stainless A4-80	M12 x 180	Plain (no plating)	12 mm	180 mm	18 mm	
4014A41219080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x							

190

Stainless A4-80	M12 x 190	Plain (no plating)	12 mm	190 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A41219570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 195	Stainless A4-70	M12 x 195	Plain (no plating)	12 mm	195 mm	18 mm	
4014A41220070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 200	Stainless A4-70	M12 x 200	Plain (no plating)	12 mm	200 mm	18 mm	
4014A41220080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 200	Stainless A4-80	M12 x 200	Plain (no plating)	12 mm	200 mm	18 mm	
4014A41222080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 220	Stainless A4-80	M12 x 220	Plain (no plating)	12 mm	220 mm	18 mm	
4014A412220LT100	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 220/100	Stainless A4-80	M12 x 220/100	Plain (no plating)	12 mm	220 mm	18 mm	
4014A41225080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M12 x 250	Stainless A4-80	M12 x 250	Plain (no plating)	12 mm	250 mm	18 mm	
4014A41228070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M12 x 280	Stainless A4-70	M12 x 280	Plain (no plating)	12 mm	280 mm	18 mm	
4014A41406080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M14 x 60	Stainless A4-80	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
4014A41406080W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M14 x 60, Gleitmo	Stainless A4-80	M14 x 60	WAX GLEITMO 627	14 mm	60 mm	21 mm	
4014A41406580W627	ISO 4014 Hexagon Head Screw, Stainless A4-80, M14 x 65, Gleitmo	Stainless A4-80	M14 x 65	WAX GLEITMO 627	14 mm	65 mm	21 mm	
4014A41407580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M14 x 75	Stainless A4-80	M14 x 75	Plain (no plating)	14 mm	75 mm	21 mm	
4014A41409080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M14 x 90	Stainless A4-80	M14 x 90	Plain (no plating)	14 mm	90 mm	21 mm	
4014A41412070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M14 x 120	Stainless A4-70	M14 x 120	Plain (no plating)	14 mm	120 mm	21 mm	
4014A41412080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M14 x 120	Stainless A4-80	M14 x 120	Plain (no plating)	14 mm	120 mm	21 mm	
4014A416014070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 140	Stainless A4-70	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
4014A416018070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 180	Stainless A4-70	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4014A41604080TL23	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 40/23	Stainless A4-80	M16 x 40/23	Plain (no plating)	16 mm	40 mm	24 mm	
4014A41604570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 45	Stainless A4-70	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4014A41604580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 45	Stainless A4-80	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4014A41605070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 50	Stainless A4-70	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4014A41605080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 50	Stainless A4-80	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4014A41605570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 55	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
4014A41605580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 55	Stainless A4-80	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
4014A41606070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 60	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
4014A41606080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 60	Stainless A4-80	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
4014A41606570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 65	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4014A41606580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 65	Stainless A4-80	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4014A41607070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 70	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4014A41607080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 70	Stainless A4-80	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4014A41607570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 75	Stainless A4-70	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
4014A41607580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 75	Stainless A4-80	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
4014A41608070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 80	Stainless A4-70	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4014A41608080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 80	Stainless A4-80	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4014A41608080W	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 80	Stainless A4-70	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4014A41608570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 85	Stainless A4-70	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
4014A41608580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 85	Stainless A4-80	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
4014A416090109	ISO 4014 Hexagon Head Screw, Stainless BUMAX 109 (A4 high-streng	Stainless BUMAX 109 (A4 high-str	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4014A41609070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 90	Stainless A4-70	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4014A41609080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 90	Stainless A4-80	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4014A41609570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 95	Stainless A4-70	M16 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
4014A41609580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 95	Stainless A4-80	M16 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
4014A41610070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 100	Stainless A4-70	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
4014A41610080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 100	Stainless A4-80	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
4014A41611070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 110	Stainless A4-70	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
4014A41611080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 110	Stainless A4-80	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
4014A41612070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x							

120

Stainless A4-70	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A41612080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 120	Stainless A4-80	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
4014A41612570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 125	Stainless A4-70	M16 x 125	Plain (no plating)	16 mm	125 mm	24 mm	
4014A41613070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 130	Stainless A4-70	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4014A41613080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 130	Stainless A4-80	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4014A41613088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4014A41614070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 140	Stainless A4-70	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
4014A41614080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 140	Stainless A4-80	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
4014A41615070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 150	Stainless A4-70	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4014A41615080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 150	Stainless A4-80	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4014A41615580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 155	Stainless A4-80	M16 x 155	Plain (no plating)	16 mm	155 mm	24 mm	
4014A41616070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 160	Stainless A4-70	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
4014A41616080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 160	Stainless A4-80	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
4014A41617070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 170	Stainless A4-70	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	
4014A41617080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 170	Stainless A4-80	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	
4014A41618070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 180	Stainless A4-70	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4014A41618080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 180	Stainless A4-80	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4014A41618080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 180	Stainless A4-80	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4014A41619070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 190	Stainless A4-70	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
4014A41619080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 190	Stainless A4-80	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
4014A41620070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 200	Stainless A4-70	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
4014A41620080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 200	Stainless A4-80	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
4014A41621070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 210	Stainless A4-70	M16 x 210	Plain (no plating)	16 mm	210 mm	24 mm	
4014A41621080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 210	Stainless A4-80	M16 x 210	Plain (no plating)	16 mm	210 mm	24 mm	
4014A41622070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 220	Stainless A4-70	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
4014A41622080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 220	Stainless A4-80	M16 x 220	Plain (no plating)	16 mm	220 mm	24 mm	
4014A41623070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 230	Stainless A4-70	M16 x 230	Plain (no plating)	16 mm	230 mm	24 mm	
4014A41623080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 230	Stainless A4-80	M16 x 230	Plain (no plating)	16 mm	230 mm	24 mm	
4014A41624070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 240	Stainless A4-70	M16 x 240	Plain (no plating)	16 mm	240 mm	24 mm	
4014A41624080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 240	Stainless A4-80	M16 x 240	Plain (no plating)	16 mm	240 mm	24 mm	
4014A41625070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 250	Stainless A4-70	M16 x 250	Plain (no plating)	16 mm	250 mm	24 mm	
4014A41625080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 250	Stainless A4-80	M16 x 250	Plain (no plating)	16 mm	250 mm	24 mm	
4014A41625570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 255	Stainless A4-70	M16 x 255	Plain (no plating)	16 mm	255 mm	24 mm	
4014A41626070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 260	Stainless A4-70	M16 x 260	Plain (no plating)	16 mm	260 mm	24 mm	
4014A41627070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 270	Stainless A4-70	M16 x 270	Plain (no plating)	16 mm	270 mm	24 mm	
4014A41627080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 270	Stainless A4-80	M16 x 270	Plain (no plating)	16 mm	270 mm	24 mm	
4014A41628070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 280	Stainless A4-70	M16 x 280	Plain (no plating)	16 mm	280 mm	24 mm	
4014A41628080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 280	Stainless A4-80	M16 x 280	Plain (no plating)	16 mm	280 mm	24 mm	
4014A41629080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 290	Stainless A4-80	M16 x 290	Plain (no plating)	16 mm	290 mm	24 mm	
4014A41630070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 300	Stainless A4-70	M16 x 300	Plain (no plating)	16 mm	300 mm	24 mm	
4014A41630080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M16 x 300	Stainless A4-80	M16 x 300	Plain (no plating)	16 mm	300 mm	24 mm	
4014A41636070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 360	Stainless A4-70	M16 x 360	Plain (no plating)	16 mm	360 mm	24 mm	
4014A41806070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 60	Stainless A4-70	M18 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
4014A41806570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 65	Stainless A4-70	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
4014A41807070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 70	Stainless A4-70	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
4014A41807570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 75	Stainless A4-70	M18 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
4014A41808070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 80	Stainless A4-70	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A41808080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M18 x 80	Stainless A4-80	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
4014A41809070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 90	Stainless A4-70	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
4014A41809080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M18 x 90	Stainless A4-80	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
4014A41810070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 100	Stainless A4-70	M18 x 100	Plain (no plating)	18 mm	100 mm	27 mm	
4014A41811070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 110	Stainless A4-70	M18 x 110	Plain (no plating)	18 mm	110 mm	27 mm	
4014A41812070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 120	Stainless A4-70	M18 x 120	Plain (no plating)	18 mm	120 mm	27 mm	
4014A41813070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 130	Stainless A4-70	M18 x 130	Plain (no plating)	18 mm	130 mm	27 mm	
4014A41814070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 140	Stainless A4-70	M18 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
4014A41815070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 150	Stainless A4-70	M18 x 150	Plain (no plating)	18 mm	150 mm	27 mm	
4014A41816070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 160	Stainless A4-70	M18 x 160	Plain (no plating)	18 mm	160 mm	27 mm	
4014A41820070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M18 x 200	Stainless A4-70	M18 x 200	Plain (no plating)	18 mm	200 mm	27 mm	
4014A42005570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 55	Stainless A4-70	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4014A42005580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 55	Stainless A4-80	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4014A42006070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 60	Stainless A4-70	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4014A42006080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 60	Stainless A4-80	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4014A42006570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 65	Stainless A4-70	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4014A42006580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 65	Stainless A4-80	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4014A42007070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 70	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4014A42007080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 70	Stainless A4-80	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4014A42007080W	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 70	Stainless A4-80	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4014A42007570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 75	Stainless A4-70	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
4014A42007580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 75	Stainless A4-80	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
4014A42008070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 80	Stainless A4-70	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4014A42008080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 80	Stainless A4-80	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4014A42008088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4014A42008570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 85	Stainless A4-70	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
4014A42008570EU	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 85	Stainless A4-70	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
4014A42008580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 85	Stainless A4-80	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
4014A42009070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 90	Stainless A4-70	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4014A42009080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 90	Stainless A4-80	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4014A42009080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 90	Stainless A4-80	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4014A42009088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4014A42009570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 95	Stainless A4-70	M20 x 95	Plain (no plating)	20 mm	95 mm	30 mm	
4014A42009580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 95	Stainless A4-80	M20 x 95	Plain (no plating)	20 mm	95 mm	30 mm	
4014A42010070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 100	Stainless A4-70	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
4014A42010080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 100	Stainless A4-80	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
4014A42011070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 110	Stainless A4-70	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
4014A42011080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 110	Stainless A4-80	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
4014A42011088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
4014A42011570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 115	Stainless A4-70	M20 x 115	Plain (no plating)	20 mm	115 mm	30 mm	
4014A42012070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 120	Stainless A4-70	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
4014A42012080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 120	Stainless A4-80	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
4014A42013070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 130	Stainless A4-70	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
4014A42013080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 130	Stainless A4-80	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
4014A42014070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 140	Stainless A4-70	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4014A42014080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x							

140

Stainless A4-80	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A42014080W	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 140	Stainless A4-80	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4014A42015070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 150	Stainless A4-70	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
4014A42015080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 150	Stainless A4-80	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
4014A42016070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 160	Stainless A4-70	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
4014A42016080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 160	Stainless A4-80	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
4014A42017070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 170	Stainless A4-70	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
4014A42017080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 170	Stainless A4-80	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
4014A42018070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 180	Stainless A4-70	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
4014A42018080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 180	Stainless A4-80	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
4014A42018088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
4014A42019070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 190	Stainless A4-70	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
4014A42019080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 190	Stainless A4-80	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
4014A42020070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 200	Stainless A4-70	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
4014A42020080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 200	Stainless A4-80	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
4014A42021070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 210	Stainless A4-70	M20 x 210	Plain (no plating)	20 mm	210 mm	30 mm	
4014A42021080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 210	Stainless A4-80	M20 x 210	Plain (no plating)	20 mm	210 mm	30 mm	
4014A42022070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 220	Stainless A4-70	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
4014A42022080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 220	Stainless A4-80	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
4014A42023070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 230	Stainless A4-70	M20 x 230	Plain (no plating)	20 mm	230 mm	30 mm	
4014A42024070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 240	Stainless A4-70	M20 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
4014A42024080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 240	Stainless A4-80	M20 x 240	Plain (no plating)	20 mm	240 mm	30 mm	
4014A42025070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 250	Stainless A4-70	M20 x 250	Plain (no plating)	20 mm	250 mm	30 mm	
4014A42025080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 250	Stainless A4-80	M20 x 250	Plain (no plating)	20 mm	250 mm	30 mm	
4014A42026070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 260	Stainless A4-70	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
4014A42026080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 260	Stainless A4-80	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
4014A42027070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 270	Stainless A4-70	M20 x 270	Plain (no plating)	20 mm	270 mm	30 mm	
4014A42027080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M20 x 270	Stainless A4-80	M20 x 270	Plain (no plating)	20 mm	270 mm	30 mm	
4014A42028070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 280	Stainless A4-70	M20 x 280	Plain (no plating)	20 mm	280 mm	30 mm	
4014A42029070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 290	Stainless A4-70	M20 x 290	Plain (no plating)	20 mm	290 mm	30 mm	
4014A42030070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 300	Stainless A4-70	M20 x 300	Plain (no plating)	20 mm	300 mm	30 mm	
4014A42034070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 340	Stainless A4-70	M20 x 340	Plain (no plating)	20 mm	340 mm	30 mm	
4014A42035070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 350	Stainless A4-70	M20 x 350	Plain (no plating)	20 mm	350 mm	30 mm	
4014A42036070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 360	Stainless A4-70	M20 x 360	Plain (no plating)	20 mm	360 mm	30 mm	
4014A42038070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 380	Stainless A4-70	M20 x 380	Plain (no plating)	20 mm	380 mm	30 mm	
4014A42060070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M20 x 60	Stainless A4-70	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4014A42210070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M22 x 100	Stainless A4-70	M22 x 100	Plain (no plating)	22 mm	100 mm	34 mm	
4014A42212070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M22 x 120	Stainless A4-70	M22 x 120	Plain (no plating)	22 mm	120 mm	34 mm	
4014A42406580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 65	Stainless A4-80	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
4014A42407070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 70	Stainless A4-70	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
4014A42407080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 70	Stainless A4-80	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
4014A42407570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 75	Stainless A4-70	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
4014A42407580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 75	Stainless A4-80	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
4014A42408070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 80	Stainless A4-70	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4014A42408080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 80	Stainless A4-80	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4014A42408570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 85	Stainless A4-70	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
4014A42408580	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 85	Stainless A4-80	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A42409070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 90	Stainless A4-70	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
4014A42409080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 90	Stainless A4-80	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
4014A42409570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 95	Stainless A4-70	M24 x 95	Plain (no plating)	24 mm	95 mm	36 mm	
4014A42410070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 100	Stainless A4-70	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
4014A42410080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 100	Stainless A4-80	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
4014A42411070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 110	Stainless A4-70	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4014A42411080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 110	Stainless A4-80	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4014A42411088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4014A42412070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 120	Stainless A4-70	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
4014A42412080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 120	Stainless A4-80	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
4014A42412570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 125	Stainless A4-70	M24 x 125	Plain (no plating)	24 mm	125 mm	36 mm	
4014A42413070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 130	Stainless A4-70	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
4014A42413080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 130	Stainless A4-80	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
4014A42414070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 140	Stainless A4-70	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
4014A42414080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 140	Stainless A4-80	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
4014A42414080BS	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 140	Stainless A4-80	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
4014A42415070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 150	Stainless A4-70	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
4014A42415080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 150	Stainless A4-80	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
4014A42416070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 160	Stainless A4-70	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
4014A42416080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 160	Stainless A4-80	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
4014A42417070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 170	Stainless A4-70	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
4014A42417080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 170	Stainless A4-80	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
4014A42418070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 180	Stainless A4-70	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
4014A42418080	ISO 4014 Hexagon Head Screw, Stainless A4, M24 x 180	Stainless A4	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
4014A42419070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 190	Stainless A4-70	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
4014A42419080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 190	Stainless A4-80	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
4014A42420070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 200	Stainless A4-70	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
4014A42420080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 200	Stainless A4-80	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
4014A42421070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 210	Stainless A4-70	M24 x 210	Plain (no plating)	24 mm	210 mm	36 mm	
4014A42422070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 220	Stainless A4-70	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
4014A42422080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 220	Stainless A4-80	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
4014A42423070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 230	Stainless A4-70	M24 x 230	Plain (no plating)	24 mm	230 mm	36 mm	
4014A42423080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 230	Stainless A4-80	M24 x 230	Plain (no plating)	24 mm	230 mm	36 mm	
4014A42424070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 240	Stainless A4-70	M24 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
4014A42424080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 240	Stainless A4-80	M24 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
4014A42425050	ISO 4014 Hexagon Head Screw, Stainless A4-50, M24 x 250	Stainless A4-50	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
4014A42425070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 250	Stainless A4-70	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
4014A42425080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 250	Stainless A4-80	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
4014A42426070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 260	Stainless A4-70	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
4014A42426080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 260	Stainless A4-80	M24 x 260	Plain (no plating)	24 mm	260 mm	36 mm	
4014A42427070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 270	Stainless A4-70	M24 x 270	Plain (no plating)	24 mm	270 mm	36 mm	
4014A42428070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 280	Stainless A4-70	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
4014A42428080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M24 x 280	Stainless A4-80	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
4014A42430070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 300	Stainless A4-70	M24 x 300	Plain (no plating)	24 mm	300 mm	36 mm	
4014A42434070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 340	Stainless A4-70	M24 x 340	Plain (no plating)	24 mm	340 mm	36 mm	
4014A42446070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x							

460

Stainless A4-70	M24 x 460	Plain (no plating)	24 mm	460 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A42450070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M24 x 500	Stainless A4-70	M24 x 500	Plain (no plating)	24 mm	500 mm	36 mm	
4014A42706070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 60	Stainless A4-70	M27 x 60	Plain (no plating)	27 mm	60 mm	41 mm	
4014A42707070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 70	Stainless A4-70	M27 x 70	Plain (no plating)	27 mm	70 mm	41 mm	
4014A42707570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 75	Stainless A4-70	M27 x 75	Plain (no plating)	27 mm	75 mm	41 mm	
4014A42708070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 80	Stainless A4-70	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
4014A42709070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 90	Stainless A4-70	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
4014A42710070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 100	Stainless A4-70	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
4014A42710080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 100	Stainless A4-80	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
4014A42711070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 110	Stainless A4-70	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
4014A42711080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 110	Stainless A4-80	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
4014A42712070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 120	Stainless A4-70	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
4014A42712080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 120	Stainless A4-80	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
4014A42713070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 130	Stainless A4-70	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
4014A42713080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 130	Stainless A4-80	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
4014A42714070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 140	Stainless A4-70	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
4014A42714080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 140	Stainless A4-80	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
4014A42715070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 150	Stainless A4-70	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
4014A42715080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 150	Stainless A4-80	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
4014A42716070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 160	Stainless A4-70	M27 x 160	Plain (no plating)	27 mm	160 mm	41 mm	
4014A42716080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 160	Stainless A4-80	M27 x 160	Plain (no plating)	27 mm	160 mm	41 mm	
4014A42717070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 170	Stainless A4-70	M27 x 170	Plain (no plating)	27 mm	170 mm	41 mm	
4014A42718070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 180	Stainless A4-70	M27 x 180	Plain (no plating)	27 mm	180 mm	41 mm	
4014A42718080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 180	Stainless A4-80	M27 x 180	Plain (no plating)	27 mm	180 mm	41 mm	
4014A42719070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 190	Stainless A4-70	M27 x 190	Plain (no plating)	27 mm	190 mm	41 mm	
4014A42720070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 200	Stainless A4-70	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
4014A42720080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M27 x 200	Stainless A4-80	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
4014A42721070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 210	Stainless A4-70	M27 x 210	Plain (no plating)	27 mm	210 mm	41 mm	
4014A42722070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 220	Stainless A4-70	M27 x 220	Plain (no plating)	27 mm	220 mm	41 mm	
4014A42723070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 230	Stainless A4-70	M27 x 230	Plain (no plating)	27 mm	230 mm	41 mm	
4014A42724070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 240	Stainless A4-70	M27 x 240	Plain (no plating)	27 mm	240 mm	41 mm	
4014A42725070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 250	Stainless A4-70	M27 x 250	Plain (no plating)	27 mm	250 mm	41 mm	
4014A42726070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 260	Stainless A4-70	M27 x 260	Plain (no plating)	27 mm	260 mm	41 mm	
4014A42727070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 270	Stainless A4-70	M27 x 270	Plain (no plating)	27 mm	270 mm	41 mm	
4014A42728070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 280	Stainless A4-70	M27 x 280	Plain (no plating)	27 mm	280 mm	41 mm	
4014A42730070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M27 x 300	Stainless A4-70	M27 x 300	Plain (no plating)	27 mm	300 mm	41 mm	
4014A43008070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 80	Stainless A4-70	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
4014A43008080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 80	Stainless A4-80	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
4014A43008570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 85	Stainless A4-70	M30 x 85	Plain (no plating)	30 mm	85 mm	46 mm	
4014A43009070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 90	Stainless A4-70	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
4014A43009080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 90	Stainless A4-80	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
4014A43009088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
4014A43010070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 100	Stainless A4-70	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
4014A43010080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 100	Stainless A4-80	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
4014A43011070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 110	Stainless A4-70	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
4014A43011080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 110	Stainless A4-80	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
4014A43012070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x							

120

Stainless A4-70	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A43012080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 120	Stainless A4-80	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
4014A430130	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 130	Stainless A4-70	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4014A43013070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 130	Stainless A4-70	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4014A43013080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 130	Stainless A4-80	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4014A43013088	ISO 4014 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4014A43014070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 140	Stainless A4-70	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
4014A43014080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 140	Stainless A4-80	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
4014A430150	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 150	Stainless A4-70	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4014A43015070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 150	Stainless A4-70	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4014A43015080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 150	Stainless A4-80	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4014A430150BOR	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 150	Stainless A4-70	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4014A43016070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 160	Stainless A4-70	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
4014A43016080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 160	Stainless A4-80	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
4014A43016570	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 165	Stainless A4-70	M30 x 165	Plain (no plating)	30 mm	165 mm	46 mm	
4014A43017070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 170	Stainless A4-70	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
4014A43018070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 180	Stainless A4-70	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
4014A43018080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 180	Stainless A4-80	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
4014A43019070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 190	Stainless A4-70	M30 x 190	Plain (no plating)	30 mm	190 mm	46 mm	
4014A43020070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 200	Stainless A4-70	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
4014A43020080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 200	Stainless A4-80	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
4014A43021070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 210	Stainless A4-70	M30 x 210	Plain (no plating)	30 mm	210 mm	46 mm	
4014A430220	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 220	Stainless A4-70	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
4014A43022070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 220	Stainless A4-70	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
4014A43022080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 220	Stainless A4-80	M30 x 220	Plain (no plating)	30 mm	220 mm	46 mm	
4014A43023070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 230	Stainless A4-70	M30 x 230	Plain (no plating)	30 mm	230 mm	46 mm	
4014A43023080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 230	Stainless A4-80	M30 x 230	Plain (no plating)	30 mm	230 mm	46 mm	
4014A43025070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 250	Stainless A4-70	M30 x 250	Plain (no plating)	30 mm	250 mm	46 mm	
4014A43026070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 260	Stainless A4-70	M30 x 260	Plain (no plating)	30 mm	260 mm	46 mm	
4014A43027070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 270	Stainless A4-70	M30 x 270	Plain (no plating)	30 mm	270 mm	46 mm	
4014A43028070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 280	Stainless A4-70	M30 x 280	Plain (no plating)	30 mm	280 mm	46 mm	
4014A43028080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M30 x 280	Stainless A4-80	M30 x 280	Plain (no plating)	30 mm	280 mm	46 mm	
4014A430290	ISO 4014 Hexagon Head Screw, Stainless A4-50, M30 x 290	Stainless A4-50	M30 x 290	Plain (no plating)	30 mm	290 mm	46 mm	
4014A43030070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M30 x 300	Stainless A4-70	M30 x 300	Plain (no plating)	30 mm	300 mm	46 mm	
4014A43309070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 90	Stainless A4-70	M33 x 90	Plain (no plating)	33 mm	90 mm	50 mm	
4014A43310070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 100	Stainless A4-70	M33 x 100	Plain (no plating)	33 mm	100 mm	50 mm	
4014A43311070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 110	Stainless A4-70	M33 x 110	Plain (no plating)	33 mm	110 mm	50 mm	
4014A43312070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 120	Stainless A4-70	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
4014A43312080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M33 x 120	Stainless A4-80	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
4014A433130	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 130	Stainless A4-70	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
4014A43313070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 130	Stainless A4-70	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
4014A43313080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M33 x 130	Stainless A4-80	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
4014A433140	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 140	Stainless A4-70	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
4014A43314070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 140	Stainless A4-70	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
4014A43314080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M33 x 140	Stainless A4-80	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
4014A43315070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 150	Stainless A4-70	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm	
4014A43315080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M33 x							

150

Stainless A4-80	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A43316070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 160	Stainless A4-70	M33 x 160	Plain (no plating)	33 mm	160 mm	50 mm	
4014A43316080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M33 x 160	Stainless A4-80	M33 x 160	Plain (no plating)	33 mm	160 mm	50 mm	
4014A43317070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 170	Stainless A4-70	M33 x 170	Plain (no plating)	33 mm	170 mm	50 mm	
4014A43318070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 180	Stainless A4-70	M33 x 180	Plain (no plating)	33 mm	180 mm	50 mm	
4014A43318080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M33 x 180	Stainless A4-80	M33 x 180	Plain (no plating)	33 mm	180 mm	50 mm	
4014A43320070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 200	Stainless A4-70	M33 x 200	Plain (no plating)	33 mm	200 mm	50 mm	
4014A43320080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M33 x 200	Stainless A4-80	M33 x 200	Plain (no plating)	33 mm	200 mm	50 mm	
4014A433220	ISO 4014 Hexagon Head Screw, Stainless A4-50, M33 x 220	Stainless A4-50	M33 x 220	Plain (no plating)	33 mm	220 mm	50 mm	
4014A43323070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 320	Stainless A4-70	M33 x 320	Plain (no plating)	33 mm	320 mm	50 mm	
4014A43324070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 240	Stainless A4-70	M33 x 240	Plain (no plating)	33 mm	240 mm	50 mm	
4014A43325070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 250	Stainless A4-70	M33 x 250	Plain (no plating)	33 mm	250 mm	50 mm	
4014A433260	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 260	Stainless A4-70	M33 x 260	Plain (no plating)	33 mm	260 mm	50 mm	
4014A43327070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 270	Stainless A4-70	M33 x 270	Plain (no plating)	33 mm	270 mm	50 mm	
4014A43330070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 300	Stainless A4-70	M33 x 300	Plain (no plating)	33 mm	300 mm	50 mm	
4014A43332070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M33 x 320	Stainless A4-70	M33 x 320	Plain (no plating)	33 mm	320 mm	50 mm	
4014A43610070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 100	Stainless A4-70	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
4014A43610080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 100	Stainless A4-80	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
4014A43611070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 110	Stainless A4-70	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4014A43611080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 110	Stainless A4-80	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4014A43612070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 120	Stainless A4-70	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
4014A43612080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 120	Stainless A4-80	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
4014A43613070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 130	Stainless A4-70	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
4014A43613080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 130	Stainless A4-80	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
4014A436140	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 140	Stainless A4-70	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4014A43614070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 140	Stainless A4-70	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4014A43614080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 140	Stainless A4-80	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4014A43615070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 150	Stainless A4-70	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
4014A43615080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 150	Stainless A4-80	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
4014A43616070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 160	Stainless A4-70	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
4014A43616080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 160	Stainless A4-80	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
4014A43617070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 170	Stainless A4-70	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
4014A43618070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 180	Stainless A4-70	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
4014A43618080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 180	Stainless A4-80	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
4014A43620070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 200	Stainless A4-70	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
4014A43620080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 200	Stainless A4-80	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
4014A43621070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 210	Stainless A4-70	M36 x 210	Plain (no plating)	36 mm	210 mm	55 mm	
4014A43622070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 220	Stainless A4-70	M36 x 220	Plain (no plating)	36 mm	220 mm	55 mm	
4014A43624070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 240	Stainless A4-70	M36 x 240	Plain (no plating)	36 mm	240 mm	55 mm	
4014A43624080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 240	Stainless A4-80	M36 x 240	Plain (no plating)	36 mm	240 mm	55 mm	
4014A43626070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 260	Stainless A4-70	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
4014A43627070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 270	Stainless A4-70	M36 x 270	Plain (no plating)	36 mm	270 mm	55 mm	
4014A43629080	ISO 4014 Hexagon Head Screw, Stainless A4-80, M36 x 290	Stainless A4-80	M36 x 290	Plain (no plating)	36 mm	290 mm	55 mm	
4014A43630070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 300	Stainless A4-70	M36 x 300	Plain (no plating)	36 mm	300 mm	55 mm	
4014A43632070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M36 x 320	Stainless A4-70	M36 x 320	Plain (no plating)	36 mm	320 mm	55 mm	
4014A43912070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M39 x 120	Stainless A4-70	M39 x 120	Plain (no plating)	39 mm	120 mm	60 mm	
4014A43913070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M39 x							

130

Stainless A4-70	M39 x 130	Plain (no plating)	39 mm	130 mm	60 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4014A43915070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M39 x 150	Stainless A4-70	M39 x 150	Plain (no plating)	39 mm	150 mm	60 mm	
4014A43920070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M39 x 200	Stainless A4-70	M39 x 200	Plain (no plating)	39 mm	200 mm	60 mm	
4014A43926070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M39 x 260	Stainless A4-70	M39 x 260	Plain (no plating)	39 mm	260 mm	60 mm	
4014A44212070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M42 x 120	Stainless A4-70	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
4014A44213070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M42 x 130	Stainless A4-70	M42 x 130	Plain (no plating)	42 mm	130 mm	65 mm	
4014A44214070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M42 x 140	Stainless A4-70	M42 x 140	Plain (no plating)	42 mm	140 mm	65 mm	
4014A44215070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M42 x 150	Stainless A4-70	M42 x 150	Plain (no plating)	42 mm	150 mm	65 mm	
4014A44218070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M42 x 180	Stainless A4-70	M42 x 180	Plain (no plating)	42 mm	180 mm	65 mm	
4014A44219070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M42 x 190	Stainless A4-70	M42 x 190	Plain (no plating)	42 mm	190 mm	65 mm	
4014A44220070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M42 x 200	Stainless A4-70	M42 x 200	Plain (no plating)	42 mm	200 mm	65 mm	
4014A44512070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M45 x 120	Stainless A4-70	M45 x 120	Plain (no plating)	45 mm	120 mm	70 mm	
4014A445130	ISO 4014 Hexagon Head Screw, Stainless A4-70, M45 x 130	Stainless A4-70	M45 x 130	Plain (no plating)	45 mm	130 mm	70 mm	
4014A44514050	ISO 4014 Hexagon Head Screw, Stainless A4-50, M45 x 140	Stainless A4-50	M45 x 140	Plain (no plating)	45 mm	140 mm	70 mm	
4014A44515070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M45 x 150	Stainless A4-70	M45 x 150	Plain (no plating)	45 mm	150 mm	70 mm	
4014A445170	ISO 4014 Hexagon Head Screw, Stainless A4, M45 x 170	Stainless A4	M45 x 170	Plain (no plating)	45 mm	170 mm	70 mm	
4014A44517070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M45 x 170	Stainless A4-70	M45 x 170	Plain (no plating)	45 mm	170 mm	70 mm	
4014A44518070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M45 x 180	Stainless A4-70	M45 x 180	Plain (no plating)	45 mm	180 mm	70 mm	
4014A44520070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M45 x 200	Stainless A4-70	M45 x 200	Plain (no plating)	45 mm	200 mm	70 mm	
4014A44815070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M48 x 150	Stainless A4-70	M48 x 150	Plain (no plating)	48 mm	150 mm	75 mm	
4014A448160	ISO 4014 Hexagon Head Screw, Stainless A4-70, M48 x 160	Stainless A4-70	M48 x 160	Plain (no plating)	48 mm	160 mm	75 mm	
4014A452190	ISO 4014 Hexagon Head Screw, Stainless A4-70, M52 x 190	Stainless A4-70	M52 x 190	Plain (no plating)	52 mm	190 mm	80 mm	
4014A45620050	ISO 4014 Hexagon Head Screw, Stainless A4-50, M56 x 200	Stainless A4-50	M56 x 200	Plain (no plating)	56 mm	200 mm	85 mm	
4014AISI28616080	ISO 4014 Hexagon Head Screw, Stainless EN 1.4980, M16 x 80	Stainless EN 1.4980	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4014B10055	ISO 4014 Hexagon Head Screw, Brass, M10 x 55, Plain	Brass	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4014C31615080	ISO 4014 Hexagon Head Screw, C3-80, M16 x 150, Plain	C3-80	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4014C31616080	ISO 4014 Hexagon Head Screw, C3-80, M16 x 160, Plain	C3-80	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
4014C32009080	ISO 4014 Hexagon Head Screw, C3-80, M20 x 90, Plain	C3-80	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4014C32014080	ISO 4014 Hexagon Head Screw, C3-80, M20 x 140, Plain	C3-80	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4014C32411080	ISO 4014 Hexagon Head Screw, C3-80, M24 x 110, Plain	C3-80	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4014C32413080	ISO 4014 Hexagon Head Screw, C3-80, M24 x 130, Plain	C3-80	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
4014C32416080	ISO 4014 Hexagon Head Screw, C3-80, M24 x 160, Plain	C3-80	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
4014C33012080	ISO 4014 Hexagon Head Screw, C3-80, M30 x 120, Plain	C3-80	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
4014C33018080	ISO 4014 Hexagon Head Screw, C3-80, M30 x 180, Plain	C3-80	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
4014C33020080	ISO 4014 Hexagon Head Screw, C3-80, M30 x 200, Plain	C3-80	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
4014C33024080	ISO 4014 Hexagon Head Screw, C3-80, M30 x 240, Plain	C3-80	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
4014C33614080	ISO 4014 Hexagon Head Screw, C3-80, M36 x 140, Plain	C3-80	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4014C33644080	ISO 4014 Hexagon Head Screw, C3-80, M36 x 440, Plain	C3-80	M36 x 440	Plain (no plating)	36 mm	440 mm	55 mm	
4014D60805080	ISO 4014 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M8	Duplex stainless D6-70 (1.4462)	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4014D806050109	ISO 4014 Hexagon Head Screw, SDX109, M6 x 50, Bumax, Plain	SDX109	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
4014D808040109	ISO 4014 Hexagon Head Screw, SDX109, M8 x 40, Bumax, Plain	SDX109	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4014D808060109	ISO 4014 Hexagon Head Screw, SDX109, M8 x 60, Bumax, Plain	SDX109	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
4014D81211080	ISO 4014 Hexagon Head Screw, Stainless D8-80, M12 x 110	Stainless D8-80	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4014D82013080	ISO 4014 Hexagon Head Screw, Stainless D8-70, M20 x 130	Stainless D8-70	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
4014D82016080	ISO 4014 Hexagon Head Screw, Stainless D8-70, M20 x 160	Stainless D8-70	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
4014DUP16090	ISO 4014 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M1	Duplex stainless D6-80 (1.4462)	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4017A22017070	ISO 4014 Hexagon Head Screw, Stainless A2-70, M20 x							

170

Stainless A2-70	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
9311492320100	ISO 4014 Hexagon Head Screw, Stainless EN 1.4923, M20 x 100	Stainless EN 1.4923	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
9318050401SST400W	ISO 4014 Hexagon Head Screw, Steel 8.8, M5 x 40, SST 400 h, Zinc	Steel 8.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	8 mm	
931A41629070	ISO 4014 Hexagon Head Screw, Stainless A4-70, M16 x 290	Stainless A4-70	M16 x 290	Plain (no plating)	16 mm	290 mm	24 mm	