
ISO 4017 — Hexagon Head Screw

Catalogue data sheet · 1970 sizes · category Bolts and Screws / Hexagon Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
32760401710045	ISO 4017 Hexagon Head Screw, Stainless D8-70, M10 x 45	Stainless D8-70	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
32760401710050	ISO 4017 Hexagon Head Screw, Stainless D8-70, M10 x 50	Stainless D8-70	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
32760401710060	ISO 4017 Hexagon Head Screw, Stainless D8-70, M10 x 60	Stainless D8-70	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4017-1.4404-080207 0	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 20 (4017-1.44	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017-1.4404-080257 0	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 25 (4017-1.44	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017-1.4410-05040	ISO 4017 Hexagon Head Screw, Stainless D8-70, M5 x 40 (4017-1.44	Stainless D8-70	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
4017-1.4410-16030	ISO 4017 Hexagon Head Screw, Stainless D8-70, M16 x 30 (4017-1.4	Stainless D8-70	M16 x 30	Plain (no plating)	16 mm	30 mm	24 mm	
4017-1.4410-16045	ISO 4017 Hexagon Head Screw, Stainless D8-70, M16 x 45 (4017-1.4	Stainless D8-70	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017-1.4462-06030	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462) M6	Duplex stainless D6-70 (1.4462)	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4017-1.4462-08016	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462) M8	Duplex stainless D6-70 (1.4462)	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017-1.4462-08040	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462) M8	Duplex stainless D6-70 (1.4462)	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4017-1.4462-12035	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462) M1	Duplex stainless D6-70 (1.4462)	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017-1.4462-16035	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462) M1	Duplex stainless D6-70 (1.4462)	M16 x 35	Plain (no plating)	16 mm	35 mm	24 mm	
4017-1.4462-24060	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462) M2	Duplex stainless D6-70 (1.4462)	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
4017-1.4462-30070	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462) M3	Duplex stainless D6-70 (1.4462)	M30 x 70	Plain (no plating)	30 mm	70 mm	46 mm	
4017-1.4501-10025	ISO 4017 Hexagon Head Screw, Stainless EN 1.4501, M10 x 25 (4017	Stainless EN 1.4501	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017-1.4501-20050	ISO 4017 Hexagon Head Screw, Stainless EN 1.4501, M20 x 50 (4017	Stainless EN 1.4501	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
4017-1.4571-08120	ISO 4017 Hexagon Head Screw, A5-1.4571, M8 x 120, Plain (4017-1	A5-1.4571	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
4017-1.4571-08120 GL605	ISO 4017 Hexagon Head Screw, A5-1.4571, M8 x 120, Gleitmo 605 Lu	A5-1.4571	M8 x 120	WAX GLEITMO 605	8 mm	120 mm	13 mm	
4017-1.4571-12055	ISO 4017 Hexagon Head Screw, A5-1.4571, M12 x 55, Plain (4017-1	A5-1.4571	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4017-1.4571-12055 GL605	ISO 4017 Hexagon Head Screw, A5-1.4571, M12 x 55, Gleitmo 605 Lu	A5-1.4571	M12 x 55	WAX GLEITMO 605	12 mm	55 mm	18 mm	
4017-1.4980-36080	ISO 4017 Hexagon Head Screw, Stainless EN 1.4980, M36 x 80 (4017	Stainless EN 1.4980	M36 x 80	Plain (no plating)	36 mm	80 mm	55 mm	
401710060161	ISO 4017 Hexagon Head Screw, Steel 10.9, M6 x 16, Zinc Plated	Steel 10.9	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	10 mm	
40171006030	ISO 4017 Hexagon Head Screw, Steel 10.9, M6 x 30, Plain	Steel 10.9	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
401710080201	ISO 4017 Hexagon Head Screw, Steel 10.9, M8 x 20, Zinc Plated	Steel 10.9	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	13 mm	
40171008025	ISO 4017 Hexagon Head Screw, Steel 10.9, M8 x 25, Plain	Steel 10.9	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40171008030	ISO 4017 Hexagon Head Screw, Steel 10.9, M8 x 30, Plain	Steel 10.9	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
40171008045	ISO 4017 Hexagon Head Screw, Steel 10.9, M8 x 45, Plain	Steel 10.9	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
401710100161	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 16, Zinc	Steel 10.9	M10 x 16	Zinc Bright Chromating Fe/Zn C1	10 mm	16 mm	16 mm	
40171010020	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 20, Plain	Steel 10.9	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
40171010025	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 25, Plain	Steel 10.9	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
401710100251	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 25, Zinc Plated	Steel 10.9	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	16 mm	
40171010025GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 25, Zinc Flake, S	Steel 10.9	M10 x 25	GEOMET 500B	10 mm	25 mm	16 mm	
40171010030	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 30, Plain	Steel 10.9	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
401710100301	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 30, Zinc Plated	Steel 10.9	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	16 mm	
40171010035	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 35, Plain	Steel 10.9	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
401710100351	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 35, Zinc Plated	Steel 10.9	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	16 mm	
40171010040	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 40, Plain	Steel 10.9	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
401710100401	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 40, Zinc Plated	Steel 10.9	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	16 mm	
40171010040GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 40, Zinc Flake, S	Steel 10.9	M10 x 40	GEOMET 500B	10 mm	40 mm	16 mm	
40171010045	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 45, Plain	Steel 10.9	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
40171010045GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 45, Zinc Flake, S	Steel 10.9	M10 x 45	GEOMET 500B	10 mm	45 mm	16 mm	
40171010050	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 50, Plain	Steel 10.9	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
401710100501	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 50, Zinc Plated	Steel 10.9	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	16 mm	
40171010055	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 55, Plain	Steel 10.9	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
40171010060	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 60, Plain	Steel 10.9	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
40171010065	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 65, Plain	Steel 10.9	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
40171010070	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 70, Plain	Steel 10.9	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
40171010080	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 80, Plain	Steel 10.9	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
401710100801	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 80, Zinc Plated	Steel 10.9	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	16 mm	
401710100901	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 90, Zinc Plated	Steel 10.9	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	16 mm	
40171010100	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 100, Plain	Steel 10.9	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
40171010120	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 120, Plain	Steel 10.9	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
40171010130	ISO 4017 Hexagon Head Screw, Steel 10.9, M10 x 130, Plain	Steel 10.9	M10 x 130	Plain (no plating)	10 mm	130 mm	16 mm	
40171012020	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 20, Plain	Steel 10.9	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
401710120201	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 20, Zinc Plated	Steel 10.9	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	18 mm	
40171012025	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 25, Plain	Steel 10.9	M12 x 25	Plain (no plating)	12 mm	25 mm	18 mm	
401710120251	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 25, Zinc Plated	Steel 10.9	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	18 mm	
40171012025GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 25, Zinc Flake, S	Steel 10.9	M12 x 25	GEOMET 500B	12 mm	25 mm	18 mm	
40171012030	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 30, Plain	Steel 10.9	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
401710120301	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 30, Zinc Plated	Steel 10.9	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	18 mm	
40171012030GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 30, Zinc Flake, S	Steel 10.9	M12 x 30	GEOMET 500B	12 mm	30 mm	18 mm	
40171012035	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 35, Plain	Steel 10.9	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
401710120351	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 35, Zinc Plated	Steel 10.9	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	18 mm	
40171012040	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 40, Plain	Steel 10.9	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
401710120401	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 40, Zinc Plated	Steel 10.9	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	18 mm	
401710120402	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 40, Hot-Dip Galva	Steel 10.9	M12 x 40	Hot Dip Galvanizing	12 mm	40 mm	18 mm	
40171012045	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 45, Plain	Steel 10.9	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
401710120451	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 45, Zinc Plated	Steel 10.9	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	18 mm	
401710120452	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 45, Hot-Dip Galva	Steel 10.9	M12 x 45	Hot Dip Galvanizing	12 mm	45 mm	18 mm	
40171012050	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 50, Plain	Steel 10.9	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
401710120501	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 50, Zinc							

Plated

Steel 10.9	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40171012055	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 55, Plain	Steel 10.9	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
401710120551	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 55, Zinc Plated	Steel 10.9	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	18 mm	
40171012060	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 60, Plain	Steel 10.9	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
401710120601	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc Plated	Steel 10.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	18 mm	
40171012060GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 60, Zinc Flake, S	Steel 10.9	M12 x 60	GEOMET 500B	12 mm	60 mm	18 mm	
40171012065	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 65, Plain	Steel 10.9	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
40171012070	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 70, Plain	Steel 10.9	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
40171012075	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 75, Plain	Steel 10.9	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
401710120801	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 80, Zinc Plated	Steel 10.9	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	18 mm	
40171012090	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 90, Plain	Steel 10.9	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
40171012110	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 110, Plain	Steel 10.9	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
40171012110GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 110, Zinc Flake, S	Steel 10.9	M12 x 110	GEOMET 500B	12 mm	110 mm	18 mm	
40171012130	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 130, Plain	Steel 10.9	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
401710121501	ISO 4017 Hexagon Head Screw, Steel 10.9, M12 x 150, Zinc Plated	Steel 10.9	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	18 mm	
40171014030	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 30, Plain	Steel 10.9	M14 x 30	Plain (no plating)	14 mm	30 mm	21 mm	
40171014035	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 35, Plain	Steel 10.9	M14 x 35	Plain (no plating)	14 mm	35 mm	21 mm	
40171014040	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 40, Plain	Steel 10.9	M14 x 40	Plain (no plating)	14 mm	40 mm	21 mm	
40171014045	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 45, Plain	Steel 10.9	M14 x 45	Plain (no plating)	14 mm	45 mm	21 mm	
401710140451	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 45, Zinc Plated	Steel 10.9	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	21 mm	
40171014045GEO500A	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 45, Zinc Flake, S	Steel 10.9	M14 x 45	GEOMET 500A	14 mm	45 mm	21 mm	
40171014050	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 50, Plain	Steel 10.9	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
40171014070	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 70, Plain	Steel 10.9	M14 x 70	Plain (no plating)	14 mm	70 mm	21 mm	
40171014070GEO500A	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 70, Zinc Flake, S	Steel 10.9	M14 x 70	GEOMET 500A	14 mm	70 mm	21 mm	
40171014080	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 80, Plain	Steel 10.9	M14 x 80	Plain (no plating)	14 mm	80 mm	21 mm	
40171014100	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 100, Plain	Steel 10.9	M14 x 100	Plain (no plating)	14 mm	100 mm	21 mm	
40171014100GEO500B	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 100, Zinc Flake, S	Steel 10.9	M14 x 100	GEOMET 500B	14 mm	100 mm	21 mm	
40171014120	ISO 4017 Hexagon Head Screw, Steel 10.9, M14 x 120, Plain	Steel 10.9	M14 x 120	Plain (no plating)	14 mm	120 mm	21 mm	
40171016040	ISO 4017 Hexagon Head Screw, Steel 10.9, M16 x 40, Plain	Steel 10.9	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
40171016050	ISO 4017 Hexagon Head Screw, Steel 10.9, M16 x 50, Plain	Steel 10.9	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
401710160501	ISO 4017 Hexagon Head Screw, Steel 10.9, M16 x 50, Zinc Plated	Steel 10.9	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
401710160502	ISO 4017 Hexagon Head Screw, Steel 10.9, M16 x 50, Hot-Dip Galva	Steel 10.9	M16 x 50	HOT DIP GALVANIZED ISO FIT	16 mm	50 mm	24 mm	
401710160602	ISO 4017 Hexagon Head Screw, Steel 10.9, M16 x 60, Hot-Dip Galva	Steel 10.9	M16 x 60	HOT DIP GALVANIZED ISO FIT	16 mm	60 mm	24 mm	
401710160701	ISO 4017 Hexagon Head Screw, Steel 10.9, M16 x 70, Zinc Plated	Steel 10.9	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
40171018050	ISO 4017 Hexagon Head Screw, Steel 10.9, M18 x 50, Plain	Steel 10.9	M18 x 50	Plain (no plating)	18 mm	50 mm	27 mm	
40171020045	ISO 4017 Hexagon Head Screw, Steel 10.9, M20 x 45, Plain	Steel 10.9	M20 x 45	Plain (no plating)	20 mm	45 mm	30 mm	
401710200601	ISO 4017 Hexagon Head Screw, Steel 10.9, M20 x 60, Zinc Plated	Steel 10.9	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
401710200902	ISO 4017 Hexagon Head Screw, Steel 10.9, M20 x 90, Hot-Dip Galva	Steel 10.9	M20 x 90	HOT DIP GALVANIZED ISO FIT	20 mm	90 mm	30 mm	
40171022050	ISO 4017 Hexagon Head Screw, Steel 10.9, M22 x 50, Plain	Steel 10.9	M22 x 50	Plain (no plating)	22 mm	50 mm	34 mm	
401710240802	ISO 4017 Hexagon Head Screw, Steel 10.9, M24 x 80, Hot-Dip Galva	Steel 10.9	M24 x 80	HOT DIP GALVANIZED ISO FIT	24 mm	80 mm	36 mm	
40171024090	ISO 4017 Hexagon Head Screw, Steel 10.9, M24 x 90, Plain	Steel 10.9	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
40171024100	ISO 4017 Hexagon Head Screw, Steel 10.9, M20 x 100, Plain	Steel 10.9	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
40171024160	ISO 4017 Hexagon Head Screw, Steel 10.9, M24 x 160, Plain	Steel 10.9	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
401710241801	ISO 4017 Hexagon Head Screw, Steel 10.9, M24 x 180, Zinc Plated	Steel 10.9	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	36 mm	
40171024230	ISO 4017 Hexagon Head Screw, Steel 10.9, M24 x 230, Plain	Steel 10.9	M24 x 230	Plain (no plating)	24 mm	230 mm	36 mm	
40171030060	ISO 4017 Hexagon Head Screw, Steel 10.9, M30 x 60, Plain	Steel 10.9	M30 x 60	Plain (no plating)	30 mm	60 mm	46 mm	
401710300801	ISO 4017 Hexagon Head Screw, Steel 10.9, M30 x 80, Zinc							

Plated

Steel 10.9	M30 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	46 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
401710301001	ISO 4017 Hexagon Head Screw, Steel 10.9, M30 x 100, Zinc Plated	Steel 10.9	M30 x 100	Zinc Bright Passivation Fe/Zn P1	30 mm	100 mm	46 mm	
401712040161	ISO 4017 Hexagon Head Screw, Steel 12.9, M4 x 16, Zinc Plated	Steel 12.9	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	7 mm	
40171206016	ISO 4017 Hexagon Head Screw, Steel 12.9, M6 x 16, Plain	Steel 12.9	M6 x 16	Plain (no plating)	6 mm	16 mm	10 mm	
40171206020	ISO 4017 Hexagon Head Screw, Steel 12.9, M6 x 20, Plain	Steel 12.9	M6 x 20	Plain (no plating)	6 mm	20 mm	10 mm	
40171210025	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 25, Plain	Steel 12.9	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
40171210030	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 30, Plain	Steel 12.9	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
40171210035	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 35, Plain	Steel 12.9	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
40171210040	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 40, Plain	Steel 12.9	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
40171210045	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 45, Plain	Steel 12.9	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
40171210050	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 50, Plain	Steel 12.9	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
40171210055	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 55, Plain	Steel 12.9	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
40171210060	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 60, Plain	Steel 12.9	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
40171210120	ISO 4017 Hexagon Head Screw, Steel 12.9, M10 x 120, Plain	Steel 12.9	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
40171212035	ISO 4017 Hexagon Head Screw, Steel 12.9, M12 x 35, Plain	Steel 12.9	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
40171212040	ISO 4017 Hexagon Head Screw, Steel 12.9, M12 x 40, Plain	Steel 12.9	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
40171212045	ISO 4017 Hexagon Head Screw, Steel 12.9, M12 x 45, Plain	Steel 12.9	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
40171212050	ISO 4017 Hexagon Head Screw, Steel 12.9, M12 x 50, Plain	Steel 12.9	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
40171212060	ISO 4017 Hexagon Head Screw, Steel 12.9, M12 x 60, Plain	Steel 12.9	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
40171214040	ISO 4017 Hexagon Head Screw, Steel 12.9, M14 x 40, Plain	Steel 12.9	M14 x 40	Plain (no plating)	14 mm	40 mm	21 mm	
40171214050	ISO 4017 Hexagon Head Screw, Steel 12.9, M14 x 50, Plain	Steel 12.9	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
40171216025	ISO 4017 Hexagon Head Screw, Steel 12.9, M16 x 25, Plain	Steel 12.9	M16 x 25	Plain (no plating)	16 mm	25 mm	24 mm	
40171220060	ISO 4017 Hexagon Head Screw, Steel 12.9, M20 x 60, Plain	Steel 12.9	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
40171220080	ISO 4017 Hexagon Head Screw, Steel 12.9, M20 x 80, Plain	Steel 12.9	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
40171441016055	ISO 4017 Hexagon Head Screw, Stainless D8-70, M16 x 55	Stainless D8-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
40171492308030	ISO 4017 Hexagon Head Screw, Stainless EN 1.4923, M8 x 30	Stainless EN 1.4923	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
40171492310016	ISO 4017 Hexagon Head Screw, Stainless EN 1.4923, M10 x 16	Stainless EN 1.4923	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
401748240851	ISO 4017 Hexagon Head Screw, Steel 4.8, M24 x 85, Zinc Plated	Steel 4.8	M24 x 85	Zinc Bright Passivation Fe/Zn P1	24 mm	85 mm	36 mm	
4017492312040	ISO 4017 Hexagon Head Screw, Stainless EN 1.4923, M12 x 40	Stainless EN 1.4923	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017506065	ISO 4017 Hexagon Head Screw, Steel 5.6, M6 x 65, Plain	Steel 5.6	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4017508020	ISO 4017 Hexagon Head Screw, Steel 5.6, M8 x 20, Plain	Steel 5.6	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017508030	ISO 4017 Hexagon Head Screw, Steel 5.6, M8 x 30, Plain	Steel 5.6	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4017510020	ISO 4017 Hexagon Head Screw, Steel 5.6, M10 x 20, Plain	Steel 5.6	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
4017510035	ISO 4017 Hexagon Head Screw, Steel 5.6, M10 x 35, Plain	Steel 5.6	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4017510040	ISO 4017 Hexagon Head Screw, Steel 5.6, M10 x 40, Plain	Steel 5.6	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4017512040	ISO 4017 Hexagon Head Screw, Steel 5.6, M12 x 40, Plain	Steel 5.6	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
40175120401	ISO 4017 Hexagon Head Screw, Steel 5.6, M12 x 40, Zinc Plated	Steel 5.6	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	18 mm	
40175120501	ISO 4017 Hexagon Head Screw, Steel 5.6, M12 x 50, Zinc Plated	Steel 5.6	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
40175160352	ISO 4017 Hexagon Head Screw, Steel 5.6, M16 x 35, Hot-Dip Galvan	Steel 5.6	M16 x 35	HOT DIP GALVANIZED ISO FIT	16 mm	35 mm	24 mm	
40175160501	ISO 4017 Hexagon Head Screw, Steel 5.6, M16 x 50, Zinc Plated	Steel 5.6	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	24 mm	
40175160551	ISO 4017 Hexagon Head Screw, Steel 5.6, M16 x 55, Zinc Plated	Steel 5.6	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
4017516060	ISO 4017 Hexagon Head Screw, Steel 5.6, M16 x 60, Plain	Steel 5.6	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
40175160601	ISO 4017 Hexagon Head Screw, Steel 5.6, M16 x 60, Zinc Plated	Steel 5.6	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
40175160701	ISO 4017 Hexagon Head Screw, Steel 5.6, M16 x 70, Zinc Plated	Steel 5.6	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
4017520050	ISO 4017 Hexagon Head Screw, Steel 5.6, M20 x 50, Plain	Steel 5.6	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
40175200502	ISO 4017 Hexagon Head Screw, Steel 5.6, M20 x 50, Hot-Dip Galvan	Steel 5.6	M20 x 50	HOT DIP GALVANIZED ISO FIT	20 mm	50 mm	30 mm	
40175200652	ISO 4017 Hexagon Head Screw, Steel 5.6, M20 x 65, Hot-							

Dip Galvan

Steel 5.6	M20 x 65	HOT DIP GALVANIZED ISO FIT	20 mm	65 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40175200701	ISO 4017 Hexagon Head Screw, Steel 5.6, M20 x 70, Zinc Plated	Steel 5.6	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
40175201801	ISO 4017 Hexagon Head Screw, Steel 5.6, M20 x 180, Zinc Plated	Steel 5.6	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	30 mm	
40175240801	ISO 4017 Hexagon Head Screw, Steel 5.6, M24 x 80, Zinc Plated	Steel 5.6	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	36 mm	
4017527090	ISO 4017 Hexagon Head Screw, Steel 5.6, M27 x 90, Plain	Steel 5.6	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
40175300901	ISO 4017 Hexagon Head Screw, Steel 5.6, M30 x 90, Zinc Plated	Steel 5.6	M30 x 90	Zinc Bright Passivation Fe/Zn P1	30 mm	90 mm	46 mm	
4017530100	ISO 4017 Hexagon Head Screw, Steel 5.6, M30 x 100, Plain	Steel 5.6	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
40175301201	ISO 4017 Hexagon Head Screw, Steel 5.6, M30 x 120, Zinc Plated	Steel 5.6	M30 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	46 mm	
4017530130	ISO 4017 Hexagon Head Screw, Steel 5.6, M30 x 130, Plain	Steel 5.6	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
40175301301	ISO 4017 Hexagon Head Screw, Steel 5.6, M30 x 130, Zinc Plated	Steel 5.6	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm	46 mm	
4017533120	ISO 4017 Hexagon Head Screw, Steel 5.6, M33 x 120, Plain	Steel 5.6	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
4017539140	ISO 4017 Hexagon Head Screw, Steel 5.6, M39 x 140, Plain	Steel 5.6	M39 x 140	Plain (no plating)	39 mm	140 mm	60 mm	
40178030061SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M3 x 6, SST	Steel 8.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	5.5 mm	
40178030081	ISO 4017 Hexagon Head Screw, Steel 8.8, M3 x 8, Zinc Plated	Steel 8.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	5.5 mm	
40178040161	ISO 4017 Hexagon Head Screw, Steel 8.8, M4 x 16, Zinc Plated	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	7 mm	
4017805020	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 20, Plain	Steel 8.8	M5 x 20	Plain (no plating)	5 mm	20 mm	8 mm	
40178050201	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 20, Zinc Plated	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	8 mm	
40178050201SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 20, SST 96 h Zinc	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	8 mm	
40178050251SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 25, SST 96 h Zinc	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	8 mm	
40178050451	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 45, Zinc Plated	Steel 8.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	8 mm	
40178050451SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 45, SST 96 h Zinc	Steel 8.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	8 mm	
40178050551	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 55, Zinc Plated	Steel 8.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	8 mm	
40178050551SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M5 x 55, SST 96 h Zinc	Steel 8.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	8 mm	
40178060101	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 10, Zinc Plated	Steel 8.8	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	10 mm	
4017806014	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 14, Plain	Steel 8.8	M6 x 14	Plain (no plating)	6 mm	14 mm	10 mm	
40178060161	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 16, Zinc Plated	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	10 mm	
40178060201	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 20, Zinc Plated	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	10 mm	
40178060202	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 20, Hot-Dip Galvani	Steel 8.8	M6 x 20	HOT DIP GALVANIZED ISO FIT	6 mm	20 mm	10 mm	
40178060251	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 25, Zinc Plated	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	10 mm	
4017806025GEO50A	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 25, Zinc Flake, Sil	Steel 8.8	M6 x 25	GEOMET 500A	6 mm	25 mm	10 mm	
4017806030	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 30, Plain	Steel 8.8	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
40178060301SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 30, SST 96 h Zinc	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
40178060302	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 30, Hot-Dip Galvani	Steel 8.8	M6 x 30	HOT DIP GALVANIZED ISO FIT	6 mm	30 mm	10 mm	
40178060351SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 35, SST 96 h Zinc	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	10 mm	
40178060451SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 45, SST 96 h Zinc	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	10 mm	
40178060501	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 50, Zinc Plated	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	10 mm	
40178060601	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 60, Zinc Plated	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	10 mm	
40178060601SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 60, SST 96 h Zinc	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	10 mm	
4017806070	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 70, Plain	Steel 8.8	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
40178060701	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 70, Zinc Plated	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
40178060701SST072	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 70, SST 72 h Zinc	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	10 mm	
40178060901	ISO 4017 Hexagon Head Screw, Steel 8.8, M6 x 90, Zinc Plated	Steel 8.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	10 mm	
40178080101SST072	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 10, SST 72 h Zinc	Steel 8.8	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm	13 mm	
40178080121	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 12, Zinc Plated	Steel 8.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	13 mm	
40178080141SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 14, SST 96 h Zinc	Steel 8.8	M8 x 14	Zinc Bright Passivation Fe/Zn P1	8 mm	14 mm	13 mm	
4017808016	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 16, Plain	Steel 8.8	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
40178080161	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 16, Zinc							

Plated

Steel 8.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178080161SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 16, SST 96 h, Zinc Plated	Steel 8.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	13 mm	
40178080201	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 20, Zinc Plated	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	13 mm	
40178080201SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 20, SST 96 h, Zinc Plated	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	13 mm	
4017808022	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 22, Plain	Steel 8.8	M8 x 22	Plain (no plating)	8 mm	22 mm	13 mm	
4017808025	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 25, Plain	Steel 8.8	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
40178080251	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 25, Zinc Plated	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	13 mm	
40178080251SST072	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 25, SST 72 h, Zinc Plated	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	13 mm	
40178080301	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 30, Zinc Plated	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	13 mm	
40178080301SST120	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 30, SST 120 h, Zinc Plated	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	13 mm	
40178080351SST120	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 35, SST 120 h, Zinc Plated	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	13 mm	
40178080501	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 50, Zinc Plated	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
40178080601	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 60, Zinc Plated	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	13 mm	
40178080701	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 70, Zinc Plated	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
40178080701SST144	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 70, SST 144 h, Zinc Plated	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	13 mm	
40178080702	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 70, Hot-Dip Galvani	Steel 8.8	M8 x 70	HOT DIP GALVANIZED ISO FIT	8 mm	70 mm	13 mm	
4017808085	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 85, Plain	Steel 8.8	M8 x 85	Plain (no plating)	8 mm	85 mm	13 mm	
40178080902	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 90, Hot-Dip Galvani	Steel 8.8	M8 x 90	HOT DIP GALVANIZED ISO FIT	8 mm	90 mm	13 mm	
40178080902CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 90, Hot-Dip Galvani	Steel 8.8	M8 x 90	HOT DIP GALVANIZED ISO FIT	8 mm	90 mm	13 mm	
40178081001	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 100, Zinc Plated	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	13 mm	
40178081401SST40W	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 140, SST 400 h, Zinc	Steel 8.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm	13 mm	
40178100101SST40W	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 10, SST 400 h, Zinc	Steel 8.8	M10 x 10	Zinc Bright Passivation Fe/Zn P1	10 mm	10 mm	16 mm	
4017810012	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 12, Plain	Steel 8.8	M10 x 12	Plain (no plating)	10 mm	12 mm	16 mm	
40178100121	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 12, Zinc Plated	Steel 8.8	M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	16 mm	
40178100121SST40W	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 12, SST 400 h, Zinc	Steel 8.8	M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	16 mm	
40178100141	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 14, Zinc Plated	Steel 8.8	M10 x 14	Zinc Bright Passivation Fe/Zn P1	10 mm	14 mm	16 mm	
4017810015	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 15, Plain	Steel 8.8	M10 x 15	Plain (no plating)	10 mm	15 mm	16 mm	
4017810016	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 16, Plain	Steel 8.8	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
40178100161	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 16, Zinc Plated	Steel 8.8	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	16 mm	
40178100162	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 16, Hot-Dip Galvan	Steel 8.8	M10 x 16	Hot Dip Galvanizing	10 mm	16 mm	16 mm	
4017810016I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 16, Plain	Steel 8.8	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
4017810018	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 18, Plain	Steel 8.8	M10 x 18	Plain (no plating)	10 mm	18 mm	16 mm	
40178100181	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 18, Zinc Plated	Steel 8.8	M10 x 18	Zinc Bright Passivation Fe/Zn P1	10 mm	18 mm	16 mm	
4017810020	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 20, Plain	Steel 8.8	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
40178100201	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 20, Zinc Plated	Steel 8.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	16 mm	
40178100202	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 20, Hot-Dip Galvan	Steel 8.8	M10 x 20	Hot Dip Galvanizing	10 mm	20 mm	16 mm	
4017810020I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 20, Plain	Steel 8.8	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
4017810022	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 22, Plain	Steel 8.8	M10 x 22	Plain (no plating)	10 mm	22 mm	16 mm	
40178100221	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 22, Zinc Plated	Steel 8.8	M10 x 22	Zinc Bright Passivation Fe/Zn P1	10 mm	22 mm	16 mm	
4017810022I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 22, Plain	Steel 8.8	M10 x 22	Plain (no plating)	10 mm	22 mm	16 mm	
4017810025	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, Plain	Steel 8.8	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
40178100251	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, Zinc Plated	Steel 8.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	16 mm	
40178100251SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, SST 96 h, Zinc Plated	Steel 8.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	16 mm	
40178100252	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, Hot-Dip Galvan	Steel 8.8	M10 x 25	Hot Dip Galvanizing	10 mm	25 mm	16 mm	
40178100252HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, Oversize, Hot	Steel 8.8	M10 x 25	Hot Dip Galvanizing	10 mm	25 mm	16 mm	
4017810025GEO50A	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, Zinc Flake, Si	Steel 8.8	M10 x 25	GEOMET 500A	10 mm	25 mm	16 mm	
4017810025GEO50								

0B

ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, Zinc

Flake, Si

Steel 8.8	M10 x 25	GEOMET 500B	10 mm	25 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017810025I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 25, Plain	Steel 8.8	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017810028	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 28, Plain	Steel 8.8	M10 x 28	Plain (no plating)	10 mm	28 mm	16 mm	
40178100281	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 28, Zinc Plated	Steel 8.8	M10 x 28	Zinc Bright Chromating Fe/Zn C1	10 mm	28 mm	16 mm	
4017810030	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Plain	Steel 8.8	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
40178100301	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Zinc Plated	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	16 mm	
40178100301E	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Zinc Plated	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	16 mm	
40178100301SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, SST 96 h, Zinc	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	16 mm	
40178100302	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Hot-Dip Galvan	Steel 8.8	M10 x 30	Hot Dip Galvanizing	10 mm	30 mm	16 mm	
40178100302HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Oversize, Hot-	Steel 8.8	M10 x 30	Hot Dip Galvanizing	10 mm	30 mm	16 mm	
40178100307	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Black Oxide	Steel 8.8	M10 x 30	Black Oxide	10 mm	30 mm	16 mm	
4017810030GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Zinc Flake, Si	Steel 8.8	M10 x 30	GEOMET 500B	10 mm	30 mm	16 mm	
4017810030I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Plain	Steel 8.8	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017810035	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 35, Plain	Steel 8.8	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
40178100351	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 35, Zinc Plated	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	16 mm	
40178100351SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 35, SST 200 h, Zin	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	16 mm	
40178100352	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 35, Hot-Dip Galvan	Steel 8.8	M10 x 35	Hot Dip Galvanizing	10 mm	35 mm	16 mm	
40178100353	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 35, Zinc Plated, Y	Steel 8.8	M10 x 35	Zinc Yellow Passivation Fe/Zn P2	10 mm	35 mm	16 mm	
4017810035GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 35, Zinc Flake, Si	Steel 8.8	M10 x 35	GEOMET 500B	10 mm	35 mm	16 mm	
4017810035I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 35, Plain	Steel 8.8	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4017810040	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 40, Plain	Steel 8.8	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
40178100401	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Plated	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	16 mm	
40178100402	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 40, Hot-Dip Galvan	Steel 8.8	M10 x 40	Hot Dip Galvanizing	10 mm	40 mm	16 mm	
4017810040380	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Plated, Y	Steel 8.8	M10 x 40	Zinc Yellow Passivation Fe/Zn P2	10 mm	40 mm	16 mm	
4017810040GEO500A	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Flake, Si	Steel 8.8	M10 x 40	GEOMET 500A	10 mm	40 mm	16 mm	
4017810040GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 40, Zinc Flake, Si	Steel 8.8	M10 x 40	GEOMET 500B	10 mm	40 mm	16 mm	
40178100422HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 42, Oversize, Hot-	Steel 8.8	M10 x 42	Hot Dip Galvanizing	10 mm	42 mm	16 mm	
4017810045	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 45, Plain	Steel 8.8	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
40178100451	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 45, Zinc Plated	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	16 mm	
40178100452	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 45, Hot-Dip Galvan	Steel 8.8	M10 x 45	Hot Dip Galvanizing	10 mm	45 mm	16 mm	
40178100452CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 45, Hot-Dip Galvan	Steel 8.8	M10 x 45	HOT DIP GALVANIZED ISO FIT	10 mm	45 mm	16 mm	
4017810050	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 50, Plain	Steel 8.8	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
40178100501	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 50, Zinc Plated	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	16 mm	
40178100501SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 50, SST 200 h, Zin	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	16 mm	
40178100502	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 50, Hot-Dip Galvan	Steel 8.8	M10 x 50	Hot Dip Galvanizing	10 mm	50 mm	16 mm	
4017810055	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 55, Plain	Steel 8.8	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
40178100551	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 55, Zinc Plated	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	16 mm	
40178100551SST144	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 55, SST 144 h, Zin	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	16 mm	
40178100551SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 55, SST 200 h, Zin	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	16 mm	
40178100552	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 55, Hot-Dip Galvan	Steel 8.8	M10 x 55	Hot Dip Galvanizing	10 mm	55 mm	16 mm	
40178100552CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 55, Hot-Dip Galvan	Steel 8.8	M10 x 55	HOT DIP GALVANIZED ISO FIT	10 mm	55 mm	16 mm	
4017810060	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 60, Plain	Steel 8.8	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
40178100601	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 60, Zinc Plated	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	16 mm	
40178100602	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 60, Hot-Dip Galvan	Steel 8.8	M10 x 60	Hot Dip Galvanizing	10 mm	60 mm	16 mm	
4017810065	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 65, Plain	Steel 8.8	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
40178100651	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 65, Zinc Plated	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	16 mm	
40178100651SST20								

200 h, Zin

Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	16 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178100652O	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 65, Oversize, Hot-Dip Galvan	Steel 8.8	M10 x 65	Hot Dip Galvanizing	10 mm	65 mm	16 mm	
4017810070	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 70, Plain	Steel 8.8	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
40178100701	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 70, Zinc Plated	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	16 mm	
40178100701SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 70, SST 96 h, Zinc	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	16 mm	
40178100701SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 70, SST 200 h, Zin	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	16 mm	
40178100702	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 70, Hot-Dip Galvan	Steel 8.8	M10 x 70	Hot Dip Galvanizing	10 mm	70 mm	16 mm	
40178100702O	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 70, Oversize, Hot-Dip Galvan	Steel 8.8	M10 x 70	Hot Dip Galvanizing	10 mm	70 mm	16 mm	
4017810075	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 75, Plain	Steel 8.8	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
40178100751	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 75, Zinc Plated	Steel 8.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	16 mm	
40178100751SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 75, SST 200 h, Zin	Steel 8.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	16 mm	
40178100753	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 75, Zinc Plated, Y	Steel 8.8	M10 x 75	Zinc Yellow Passivation Fe/Zn P2	10 mm	75 mm	16 mm	
4017810080	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 80, Plain	Steel 8.8	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
40178100801	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 80, Zinc Plated	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	16 mm	
40178100801SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 80, SST 96 h, Zinc	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	16 mm	
40178100802	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 80, Hot-Dip Galvan	Steel 8.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm	16 mm	
40178100802O	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 80, Oversize, Hot-Dip Galvan	Steel 8.8	M10 x 80	Hot Dip Galvanizing	10 mm	80 mm	16 mm	
4017810085	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 85, Plain	Steel 8.8	M10 x 85	Plain (no plating)	10 mm	85 mm	16 mm	
40178100851	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 85, Zinc Plated	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	16 mm	
40178100851SST400W	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 85, SST 400 h, Zin	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	16 mm	
4017810090	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, Plain	Steel 8.8	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
40178100901	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, Zinc Plated	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	16 mm	
40178100901SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, SST 96 h, Zinc	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	16 mm	
40178100901SST120	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, SST 120 h, Zin	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	16 mm	
40178100901SST144	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, SST 144 h, Zin	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	16 mm	
40178100901SST400	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, SST 400 h, Zin	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	16 mm	
40178100902	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, Hot-Dip Galvan	Steel 8.8	M10 x 90	Hot Dip Galvanizing	10 mm	90 mm	16 mm	
40178100902O	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, Oversize, Hot-Dip Galvan	Steel 8.8	M10 x 90	Hot Dip Galvanizing	10 mm	90 mm	16 mm	
4017810090I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 90, Plain	Steel 8.8	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4017810100	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 100, Plain	Steel 8.8	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
40178101001	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc Plated	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	16 mm	
40178101001I	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 100, Zinc Plated	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	16 mm	
40178101001SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 100, SST 96 h, Zin	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	16 mm	
40178101001SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 100, SST 200 h, Zi	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	16 mm	
40178101002	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 100, Hot-Dip Galva	Steel 8.8	M10 x 100	Hot Dip Galvanizing	10 mm	100 mm	16 mm	
40178101101	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 110, Zinc Plated	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	16 mm	
40178101101SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 110, SST 96 h, Zin	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	16 mm	
40178101102	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 110, Hot-Dip Galva	Steel 8.8	M10 x 110	Hot Dip Galvanizing	10 mm	110 mm	16 mm	
4017810120	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 120, Plain	Steel 8.8	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
40178101201	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 120, Zinc Plated	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	16 mm	
4017810130	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 130, Plain	Steel 8.8	M10 x 130	Plain (no plating)	10 mm	130 mm	16 mm	
40178101301	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 130, Zinc Plated	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	16 mm	
4017810140	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 140, Plain	Steel 8.8	M10 x 140	Plain (no plating)	10 mm	140 mm	16 mm	
40178101501	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 150, Zinc Plated	Steel 8.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm	16 mm	
40178101601	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 160, Zinc Plated	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	16 mm	
4017810170	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 170, Plain	Steel 8.8	M10 x 170	Plain (no plating)	10 mm	170 mm	16 mm	
40178101801	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 180, Zinc							

Plated

Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178101901	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 190, Zinc Plated	Steel 8.8	M10 x 190	Zinc Bright Chromating Fe/Zn C1	10 mm	190 mm	16 mm	
4017810200	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 200, Plain	Steel 8.8	M10 x 200	Plain (no plating)	10 mm	200 mm	16 mm	
40178102201	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 220, Zinc Plated	Steel 8.8	M10 x 220	Zinc Bright Passivation Fe/Zn P1	10 mm	220 mm	16 mm	
401781030GEO500A	ISO 4017 Hexagon Head Screw, Steel 8.8, M10 x 30, Zinc Flake, Si	Steel 8.8	M10 x 30	GEOMET 500A	10 mm	30 mm	16 mm	
4017812010	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 10, Plain	Steel 8.8	M12 x 10	Plain (no plating)	12 mm	10 mm	18 mm	
4017812016	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 16, Plain	Steel 8.8	M12 x 16	Plain (no plating)	12 mm	16 mm	18 mm	
40178120161	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 16, Zinc Plated	Steel 8.8	M12 x 16	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	18 mm	
40178120162	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 16, Hot-Dip Galvan	Steel 8.8	M12 x 16	HOT DIP GALVANIZED ISO FIT	12 mm	16 mm	18 mm	
4017812016S	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 16, Plain	Steel 8.8	M12 x 16	Plain (no plating)	12 mm	16 mm	18 mm	
4017812020	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 20, Plain	Steel 8.8	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
40178120201	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 20, Zinc Plated	Steel 8.8	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	18 mm	
40178120201SST072	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 20, SST 72 h, Zinc	Steel 8.8	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	18 mm	
40178120201SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 20, SST 200 h, Zin	Steel 8.8	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	18 mm	
40178120202	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 20, Hot-Dip Galvan	Steel 8.8	M12 x 20	Hot Dip Galvanizing	12 mm	20 mm	18 mm	
4017812020GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 20, Zinc Flake, Si	Steel 8.8	M12 x 20	GEOMET 500B	12 mm	20 mm	18 mm	
4017812020I	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 20, Plain	Steel 8.8	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
40178120221	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 22, Zinc Plated	Steel 8.8	M12 x 22	Zinc Bright Passivation Fe/Zn P1	12 mm	22 mm	18 mm	
4017812025	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 25, Plain	Steel 8.8	M12 x 25	Plain (no plating)	12 mm	25 mm	18 mm	
40178120251	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 25, Zinc Plated	Steel 8.8	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	18 mm	
40178120252	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 25, Hot-Dip Galvan	Steel 8.8	M12 x 25	Hot Dip Galvanizing	12 mm	25 mm	18 mm	
40178120252HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 25, Oversize, Hot-	Steel 8.8	M12 x 25	Hot Dip Galvanizing	12 mm	25 mm	18 mm	
4017812025I	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 25, Plain	Steel 8.8	M12 x 25	Plain (no plating)	12 mm	25 mm	18 mm	
4017812030	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 30, Plain	Steel 8.8	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
40178120301	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 30, Zinc Plated	Steel 8.8	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	18 mm	
40178120301SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 30, SST 96 h, Zinc	Steel 8.8	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	18 mm	
40178120301SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 30, SST 200 h, Zin	Steel 8.8	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	18 mm	
40178120302	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 30, Hot-Dip Galvan	Steel 8.8	M12 x 30	Hot Dip Galvanizing	12 mm	30 mm	18 mm	
40178120302HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 30, Oversize, Hot-	Steel 8.8	M12 x 30	Hot Dip Galvanizing	12 mm	30 mm	18 mm	
4017812035	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Plain	Steel 8.8	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
40178120351	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Zinc Plated	Steel 8.8	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	18 mm	
40178120352	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Hot-Dip Galvan	Steel 8.8	M12 x 35	Hot Dip Galvanizing	12 mm	35 mm	18 mm	
40178120352O	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Oversize, Hot-	Steel 8.8	M12 x 35	Hot Dip Galvanizing	12 mm	35 mm	18 mm	
40178120353	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Zinc Plated Y	Steel 8.8	M12 x 35	Zinc Yellow Passivation Fe/Zn P2	12 mm	35 mm	18 mm	
40178120357	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Black Oxide	Steel 8.8	M12 x 35	Black Oxide	12 mm	35 mm	18 mm	
4017812035GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Zinc Flake, Si	Steel 8.8	M12 x 35	GEOMET 500B	12 mm	35 mm	18 mm	
4017812035I	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 35, Plain	Steel 8.8	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017812040	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Plain	Steel 8.8	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
40178120401	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Plated	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	18 mm	
40178120402	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Hot-Dip Galvan	Steel 8.8	M12 x 40	Hot Dip Galvanizing	12 mm	40 mm	18 mm	
40178120402HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Oversize, Hot-	Steel 8.8	M12 x 40	Hot Dip Galvanizing	12 mm	40 mm	18 mm	
40178120402O	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Oversize, Hot-	Steel 8.8	M12 x 40	Hot Dip Galvanizing	12 mm	40 mm	18 mm	
40178120403	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Plated Y	Steel 8.8	M12 x 40	Zinc Yellow Passivation Fe/Zn P2	12 mm	40 mm	18 mm	
4017812040GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Zinc Flake, Si	Steel 8.8	M12 x 40	GEOMET 500B	12 mm	40 mm	18 mm	
4017812040I	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 40, Plain	Steel 8.8	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017812045	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 45, Plain	Steel 8.8	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
40178120451	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 45, Zinc							

Plated

Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178120451SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 45, SST 96 h, Zinc	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	18 mm	
40178120451SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 45, SST 200 h, Zin	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	18 mm	
40178120452	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 45, Hot-Dip Galvan	Steel 8.8	M12 x 45	Hot Dip Galvanizing	12 mm	45 mm	18 mm	
40178120457	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 45, Black Oxide	Steel 8.8	M12 x 45	Black Oxide	12 mm	45 mm	18 mm	
4017812045I	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 45, Plain	Steel 8.8	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017812050	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 50, Plain	Steel 8.8	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
40178120501	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
40178120501I	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
40178120501SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 50, SST 200 h, Zin	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	18 mm	
40178120502	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 50, Hot-Dip Galvan	Steel 8.8	M12 x 50	Hot Dip Galvanizing	12 mm	50 mm	18 mm	
40178120503	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 50, Zinc Plated, Y	Steel 8.8	M12 x 50	Zinc Yellow Passivation Fe/Zn P2	12 mm	50 mm	18 mm	
4017812055	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 55, Plain	Steel 8.8	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
40178120551	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 55, Zinc Plated	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	18 mm	
40178120552	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 55, Hot-Dip Galvan	Steel 8.8	M12 x 55	Hot Dip Galvanizing	12 mm	55 mm	18 mm	
40178120552O	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 55, Oversize, Hot-	Steel 8.8	M12 x 55	Hot Dip Galvanizing	12 mm	55 mm	18 mm	
4017812060	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 60, Plain	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
40178120601	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 60, Zinc Plated	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	18 mm	
40178120602	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 60, Hot-Dip Galvan	Steel 8.8	M12 x 60	Hot Dip Galvanizing	12 mm	60 mm	18 mm	
4017812065	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 65, Plain	Steel 8.8	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
40178120651	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 65, Zinc Plated	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	18 mm	
40178120651SST120	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 65, SST 120 h, Zin	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	18 mm	
40178120652	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 65, Hot-Dip Galvan	Steel 8.8	M12 x 65	Hot Dip Galvanizing	12 mm	65 mm	18 mm	
4017812070	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 70, Plain	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
40178120701	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Plated	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	18 mm	
40178120701SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 70, SST 96 h, Zinc	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	18 mm	
40178120702	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 70, Hot-Dip Galvan	Steel 8.8	M12 x 70	Hot Dip Galvanizing	12 mm	70 mm	18 mm	
4017812070GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 70, Zinc Flake, Si	Steel 8.8	M12 x 70	GEOMET 500B	12 mm	70 mm	18 mm	
4017812075	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 75, Plain	Steel 8.8	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
40178120751	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 75, Zinc Plated	Steel 8.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	18 mm	
4017812080	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 80, Plain	Steel 8.8	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
40178120801	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 80, Zinc Plated	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	18 mm	
40178120802	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 80, Hot-Dip Galvan	Steel 8.8	M12 x 80	Hot Dip Galvanizing	12 mm	80 mm	18 mm	
40178120851	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 85, Zinc Plated	Steel 8.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm	18 mm	
4017812090	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 90, Plain	Steel 8.8	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
40178120901	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Plated	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	18 mm	
40178120901SST120	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 90, SST 120 h, Zin	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	18 mm	
4017812090GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 90, Zinc Flake, Si	Steel 8.8	M12 x 90	GEOMET 500B	12 mm	90 mm	18 mm	
4017812100	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 100, Plain	Steel 8.8	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
40178121001	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 100, Zinc Plated	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	18 mm	
40178121001SST072	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 100, SST 72 h, Zin	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	18 mm	
40178121002	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 100, Hot-Dip Galva	Steel 8.8	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm	18 mm	
40178121002HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 100, Oversize, Hot	Steel 8.8	M12 x 100	Hot Dip Galvanizing	12 mm	100 mm	18 mm	
4017812110	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 110, Plain	Steel 8.8	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
40178121101	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc Plated	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	18 mm	
40178121102O	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 110, Oversize, Hot	Steel 8.8	M12 x 110	Hot Dip Galvanizing	12 mm	110 mm	18 mm	
4017812110GEO50								

0B

ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 110, Zinc

Flake, S

Steel 8.8	M12 x 110	GEOMET 500B	12 mm	110 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017812120	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 120, Plain	Steel 8.8	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
40178121201	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc Plated	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	18 mm	
4017812120GEO500B	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 120, Zinc Flake, S	Steel 8.8	M12 x 120	GEOMET 500B	12 mm	120 mm	18 mm	
4017812130	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 130, Plain	Steel 8.8	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
40178121301	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 130, Zinc Plated	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	18 mm	
40178121302	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 130, Hot-Dip Galva	Steel 8.8	M12 x 130	Hot Dip Galvanizing	12 mm	130 mm	18 mm	
40178121302O	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 130, Oversize, Hot	Steel 8.8	M12 x 130	Hot Dip Galvanizing	12 mm	130 mm	18 mm	
40178121401SST400W	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 140, SST 400 h, Zi	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	18 mm	
40178121402	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 140, Hot-Dip Galva	Steel 8.8	M12 x 140	Hot Dip Galvanizing	12 mm	140 mm	18 mm	
40178121501	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 150, Zinc Plated	Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	18 mm	
40178121502	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 150, Hot-Dip Galva	Steel 8.8	M12 x 150	Hot Dip Galvanizing	12 mm	150 mm	18 mm	
4017812160	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 160, Plain	Steel 8.8	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
40178121601	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 160, Zinc Plated	Steel 8.8	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	18 mm	
40178121602	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 160, Hot-Dip Galva	Steel 8.8	M12 x 160	Hot Dip Galvanizing	12 mm	160 mm	18 mm	
40178121602O	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 160, Oversize, Hot	Steel 8.8	M12 x 160	Hot Dip Galvanizing	12 mm	160 mm	18 mm	
4017812170	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 170, Plain	Steel 8.8	M12 x 170	Plain (no plating)	12 mm	170 mm	18 mm	
40178121702	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 170, Hot-Dip Galva	Steel 8.8	M12 x 170	HOT DIP GALVANIZED ISO FIT	12 mm	170 mm	18 mm	
40178121702O	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 170, Oversize, Hot	Steel 8.8	M12 x 170	Hot Dip Galvanizing	12 mm	170 mm	18 mm	
40178121801	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 180, Zinc Plated	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	18 mm	
40178121802	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 180, Hot-Dip Galva	Steel 8.8	M12 x 180	HOT DIP GALVANIZED ISO FIT	12 mm	180 mm	18 mm	
40178122002	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 200, Hot-Dip Galva	Steel 8.8	M12 x 200	Hot Dip Galvanizing	12 mm	200 mm	18 mm	
4017812220	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 220, Plain	Steel 8.8	M12 x 220	Plain (no plating)	12 mm	220 mm	18 mm	
40178122201	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 220, Zinc Plated	Steel 8.8	M12 x 220	Zinc Bright Passivation Fe/Zn P1	12 mm	220 mm	18 mm	
40178122202	ISO 4017 Hexagon Head Screw, Steel 8.8, M12 x 220, Hot-Dip Galva	Steel 8.8	M12 x 220	HOT DIP GALVANIZED ISO FIT	12 mm	220 mm	18 mm	
4017814020	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 20, Plain	Steel 8.8	M14 x 20	Plain (no plating)	14 mm	20 mm	21 mm	
40178140201	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 20, Zinc Plated	Steel 8.8	M14 x 20	Zinc Bright Passivation Fe/Zn P1	14 mm	20 mm	21 mm	
4017814025	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 25, Plain	Steel 8.8	M14 x 25	Plain (no plating)	14 mm	25 mm	21 mm	
40178140251	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 25, Zinc Plated	Steel 8.8	M14 x 25	Zinc Bright Passivation Fe/Zn P1	14 mm	25 mm	21 mm	
4017814030	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 30, Plain	Steel 8.8	M14 x 30	Plain (no plating)	14 mm	30 mm	21 mm	
40178140301	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 30, Zinc Plated	Steel 8.8	M14 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	21 mm	
4017814035	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 35, Plain	Steel 8.8	M14 x 35	Plain (no plating)	14 mm	35 mm	21 mm	
40178140351	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 35, Zinc Plated	Steel 8.8	M14 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	21 mm	
40178140352	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 35, Hot-Dip Galvan	Steel 8.8	M14 x 35	Hot Dip Galvanizing	14 mm	35 mm	21 mm	
4017814040	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 40, Plain	Steel 8.8	M14 x 40	Plain (no plating)	14 mm	40 mm	21 mm	
40178140401	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 40, Zinc Plated	Steel 8.8	M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	21 mm	
4017814040I	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 40, Plain	Steel 8.8	M14 x 40	Plain (no plating)	14 mm	40 mm	21 mm	
4017814045	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 45, Plain	Steel 8.8	M14 x 45	Plain (no plating)	14 mm	45 mm	21 mm	
40178140451	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 45, Zinc Plated	Steel 8.8	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	21 mm	
40178140451SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 45, SST 200 h, Zin	Steel 8.8	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	21 mm	
40178140452	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 45, Hot-Dip Galvan	Steel 8.8	M14 x 45	Hot Dip Galvanizing	14 mm	45 mm	21 mm	
4017814045I	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 45, Plain	Steel 8.8	M14 x 45	Plain (no plating)	14 mm	45 mm	21 mm	
4017814050	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 50, Plain	Steel 8.8	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
40178140501	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 50, Zinc Plated	Steel 8.8	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	21 mm	
4017814050I	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 50, Plain	Steel 8.8	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
4017814055	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 55, Plain	Steel 8.8	M14 x 55	Plain (no plating)	14 mm	55 mm	21 mm	
40178140551	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 55, Zinc							

Plated

Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	21 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178140551SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 55, SST 200 h, Zin	Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	21 mm	
4017814060	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 60, Plain	Steel 8.8	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
40178140601	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 60, Zinc Plated	Steel 8.8	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	21 mm	
4017814065	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 65, Plain	Steel 8.8	M14 x 65	Plain (no plating)	14 mm	65 mm	21 mm	
40178140651	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 65, Zinc Plated	Steel 8.8	M14 x 65	Zinc Bright Passivation Fe/Zn P1	14 mm	65 mm	21 mm	
4017814070	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 70, Plain	Steel 8.8	M14 x 70	Plain (no plating)	14 mm	70 mm	21 mm	
40178140701	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 70, Zinc Plated	Steel 8.8	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	21 mm	
40178140701SST120	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 70, SST 120 h, Zin	Steel 8.8	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	21 mm	
4017814080	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 80, Plain	Steel 8.8	M14 x 80	Plain (no plating)	14 mm	80 mm	21 mm	
40178140801SST120	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 80, SST 120 h, Zin	Steel 8.8	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	21 mm	
4017814085	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 85, Plain	Steel 8.8	M14 x 85	Plain (no plating)	14 mm	85 mm	21 mm	
40178140851SST400W	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 85, SST 400 h, Zin	Steel 8.8	M14 x 85	Zinc Bright Passivation Fe/Zn P1	14 mm	85 mm	21 mm	
4017814090	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 90, Plain	Steel 8.8	M14 x 90	Plain (no plating)	14 mm	90 mm	21 mm	
4017814100	ISO 4017 Hexagon Head Screw, Steel 8.8, M14 x 100, Plain	Steel 8.8	M14 x 100	Plain (no plating)	14 mm	100 mm	21 mm	
40178160302	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 30, Hot-Dip Galvan	Steel 8.8	M16 x 30	HOT DIP GALVANIZED ISO FIT	16 mm	30 mm	24 mm	
40178160351	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 35, Zinc Plated	Steel 8.8	M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	24 mm	
40178160352O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 35, Oversize, Hot-	Steel 8.8	M16 x 35	Hot Dip Galvanizing	16 mm	35 mm	24 mm	
40178160401	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 40, Zinc Plated	Steel 8.8	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	24 mm	
40178160401GY	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 40, Zinc Pla	Stainless A2-70	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	24 mm	
40178160402	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 40, Hot-Dip Galvan	Steel 8.8	M16 x 40	HOT DIP GALVANIZED ISO FIT	16 mm	40 mm	24 mm	
40178160402O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 40, Oversize, Hot-	Steel 8.8	M16 x 40	Hot Dip Galvanizing	16 mm	40 mm	24 mm	
40178160452	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 45, Hot-Dip Galvan	Steel 8.8	M16 x 45	HOT DIP GALVANIZED ISO FIT	16 mm	45 mm	24 mm	
40178160452O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 45, Oversize, Hot-	Steel 8.8	M16 x 45	Hot Dip Galvanizing	16 mm	45 mm	24 mm	
40178160502	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 50, Hot-Dip Galvan	Steel 8.8	M16 x 50	HOT DIP GALVANIZED ISO FIT	16 mm	50 mm	24 mm	
40178160551	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 55, Zinc Plated	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	24 mm	
40178160552	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 55, Hot-Dip Galvan	Steel 8.8	M16 x 55	HOT DIP GALVANIZED ISO FIT	16 mm	55 mm	24 mm	
40178160552O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 55, Oversize, Hot-	Steel 8.8	M16 x 55	Hot Dip Galvanizing	16 mm	55 mm	24 mm	
40178160601	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
40178160601CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 60, Zinc Plated	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
40178160601SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 60, SST 96 h, Zinc	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
40178160602	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 60, Hot-Dip Galvan	Steel 8.8	M16 x 60	HOT DIP GALVANIZED ISO FIT	16 mm	60 mm	24 mm	
40178160602O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 60, Oversize, Hot-	Steel 8.8	M16 x 60	Hot Dip Galvanizing	16 mm	60 mm	24 mm	
40178160651CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 65, Zinc Plated	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
40178160652	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 65, Hot-Dip Galvan	Steel 8.8	M16 x 65	HOT DIP GALVANIZED ISO FIT	16 mm	65 mm	24 mm	
40178160652O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 65, Oversize, Hot-	Steel 8.8	M16 x 65	Hot Dip Galvanizing	16 mm	65 mm	24 mm	
40178160701	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 70, Zinc Plated	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
40178160701SST072	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 70, SST 72 h, Zinc	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
40178160702	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 70, Hot-Dip Galvan	Steel 8.8	M16 x 70	HOT DIP GALVANIZED ISO FIT	16 mm	70 mm	24 mm	
40178160702O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 70, Oversize, Hot-	Steel 8.8	M16 x 70	Hot Dip Galvanizing	16 mm	70 mm	24 mm	
40178160751	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 75, Zinc Plated	Steel 8.8	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	24 mm	
40178160801	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 80, Zinc Plated	Steel 8.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
40178160802	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 80, Hot-Dip Galvan	Steel 8.8	M16 x 80	HOT DIP GALVANIZED ISO FIT	16 mm	80 mm	24 mm	
40178160802O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 80, Oversize, Hot-	Steel 8.8	M16 x 80	Hot Dip Galvanizing	16 mm	80 mm	24 mm	
40178160901	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 90, Zinc Plated	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
40178160902	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 90, Hot-Dip Galvan	Steel 8.8	M16 x 90	HOT DIP GALVANIZED ISO FIT	16 mm	90 mm	24 mm	
40178160902O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 90,							

Oversize, Hot-

Steel 8.8	M16 x 90	Hot Dip Galvanizing	16 mm	90 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178161001SST048	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 100, SST 48 h, Zin	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
40178161001SST072	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 100, SST 72 h, Zin	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	24 mm	
40178161002	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 100, Hot-Dip Galva	Steel 8.8	M16 x 100	HOT DIP GALVANIZED ISO FIT	16 mm	100 mm	24 mm	
40178161002O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 100, Oversize, Hot	Steel 8.8	M16 x 100	Hot Dip Galvanizing	16 mm	100 mm	24 mm	
40178161101	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 110, Zinc Plated	Steel 8.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
40178161102	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 110, Hot-Dip Galva	Steel 8.8	M16 x 110	HOT DIP GALVANIZED ISO FIT	16 mm	110 mm	24 mm	
40178161102O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 110, Oversize, Hot	Steel 8.8	M16 x 110	Hot Dip Galvanizing	16 mm	110 mm	24 mm	
4017816120	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 120, Plain	Steel 8.8	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
40178161201	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 120, Zinc Plated	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	24 mm	
40178161202	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 120, Hot-Dip Galva	Steel 8.8	M16 x 120	HOT DIP GALVANIZED ISO FIT	16 mm	120 mm	24 mm	
40178161302	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 130, Hot-Dip Galva	Steel 8.8	M16 x 130	HOT DIP GALVANIZED ISO FIT	16 mm	130 mm	24 mm	
40178161302O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 130, Oversize, Hot	Steel 8.8	M16 x 130	Hot Dip Galvanizing	16 mm	130 mm	24 mm	
40178161401	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 140, Zinc Plated	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	24 mm	
40178161402	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 140, Hot-Dip Galva	Steel 8.8	M16 x 140	HOT DIP GALVANIZED ISO FIT	16 mm	140 mm	24 mm	
40178161501	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 150, Zinc Plated	Steel 8.8	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	24 mm	
40178161502	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 150, Hot-Dip Galva	Steel 8.8	M16 x 150	HOT DIP GALVANIZED ISO FIT	16 mm	150 mm	24 mm	
40178161802	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 180, Hot-Dip Galva	Steel 8.8	M16 x 180	HOT DIP GALVANIZED ISO FIT	16 mm	180 mm	24 mm	
40178161802O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 180, Hot-Dip Galva	Steel 8.8	M16 x 180	HOT DIP GALVANIZED ISO FIT	16 mm	180 mm	24 mm	
40178161902O	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 190, Oversize, Hot	Steel 8.8	M16 x 190	Hot Dip Galvanizing	16 mm	190 mm	24 mm	
40178162002	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 200, Hot-Dip Galva	Steel 8.8	M16 x 200	HOT DIP GALVANIZED ISO FIT	16 mm	200 mm	24 mm	
40178162202	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 220, Hot-Dip Galva	Steel 8.8	M16 x 220	HOT DIP GALVANIZED ISO FIT	16 mm	220 mm	24 mm	
40178162601	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 260, Zinc Plated	Steel 8.8	M16 x 260	Zinc Bright Passivation Fe/Zn P1	16 mm	260 mm	24 mm	
40178162802	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 280, Hot-Dip Galva	Steel 8.8	M16 x 280	HOT DIP GALVANIZED ISO FIT	16 mm	280 mm	24 mm	
40178163001	ISO 4017 Hexagon Head Screw, Steel 8.8, M16 x 300, Zinc Plated	Steel 8.8	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm	24 mm	
4017818040	ISO 4017 Hexagon Head Screw, Steel 8.8, M18 x 40, Plain	Steel 8.8	M18 x 40	Plain (no plating)	18 mm	40 mm	27 mm	
4017818045	ISO 4017 Hexagon Head Screw, Steel 8.8, M18 x 45, Plain	Steel 8.8	M18 x 45	Plain (no plating)	18 mm	45 mm	27 mm	
40178181101SST400W	ISO 4017 Hexagon Head Screw, Steel 8.8, M18 x 110, SST 400 h, Zi	Steel 8.8	M18 x 110	Zinc Bright Passivation Fe/Zn P1	18 mm	110 mm	27 mm	
40178200301	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 30, Zinc Plated	Steel 8.8	M20 x 30	Zinc Bright Passivation Fe/Zn P1	20 mm	30 mm	30 mm	
40178200401	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 40, Zinc Plated	Steel 8.8	M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	30 mm	
40178200402	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 40, Hot-Dip Galvan	Steel 8.8	M20 x 40	HOT DIP GALVANIZED ISO FIT	20 mm	40 mm	30 mm	
4017820045	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 45, Plain	Steel 8.8	M20 x 45	Plain (no plating)	20 mm	45 mm	30 mm	
40178200451	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 45, Zinc Plated	Steel 8.8	M20 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	30 mm	
40178200452	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 45, Hot-Dip Galvan	Steel 8.8	M20 x 45	HOT DIP GALVANIZED ISO FIT	20 mm	45 mm	30 mm	
40178200501	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 50, Zinc Plated	Steel 8.8	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	30 mm	
40178200501CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 50, Zinc Plated	Steel 8.8	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	30 mm	
4017820055	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 55, Plain	Steel 8.8	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
40178200552	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 55, Hot-Dip Galvan	Steel 8.8	M20 x 55	HOT DIP GALVANIZED ISO FIT	20 mm	55 mm	30 mm	
40178200601	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 60, Zinc Plated	Steel 8.8	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	30 mm	
40178200602	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 60, Hot-Dip Galvan	Steel 8.8	M20 x 60	HOT DIP GALVANIZED ISO FIT	20 mm	60 mm	30 mm	
40178200651SST096	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 65, SST 96 h, Zinc	Steel 8.8	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	30 mm	
40178200701	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 70, Zinc Plated	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
40178200702	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 70, Hot-Dip Galvan	Steel 8.8	M20 x 70	HOT DIP GALVANIZED ISO FIT	20 mm	70 mm	30 mm	
40178200702HG	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 70, Oversize, Hot	Steel 8.8	M20 x 70	Hot Dip Galvanizing	20 mm	70 mm	30 mm	
40178200752	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 75, Hot-Dip Galvan	Steel 8.8	M20 x 75	HOT DIP GALVANIZED ISO FIT	20 mm	75 mm	30 mm	
40178200801	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 80, Zinc Plated	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
40178200802	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 80, Hot-							

Dip Galvan

Steel 8.8	M20 x 80	HOT DIP GALVANIZED ISO FIT	20 mm	80 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178200802O	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 80, Oversize, Hot-	Steel 8.8	M20 x 80	Hot Dip Galvanizing	20 mm	80 mm	30 mm	
40178200902	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 90, Hot-Dip Galvan	Steel 8.8	M20 x 90	HOT DIP GALVANIZED ISO FIT	20 mm	90 mm	30 mm	
4017820100	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 100, Plain	Steel 8.8	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
40178201001	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 100, Zinc Plated	Steel 8.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
40178201002	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 100, Hot-Dip Galva	Steel 8.8	M20 x 100	HOT DIP GALVANIZED ISO FIT	20 mm	100 mm	30 mm	
40178201102	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 110, Hot-Dip Galva	Steel 8.8	M20 x 110	HOT DIP GALVANIZED ISO FIT	20 mm	110 mm	30 mm	
40178201102CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 110, Hot-Dip Galva	Steel 8.8	M20 x 110	HOT DIP GALVANIZED ISO FIT	20 mm	110 mm	30 mm	
4017820120	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 120, Plain	Steel 8.8	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
40178201201	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 120, Zinc Plated	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	
40178201202	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 120, Hot-Dip Galva	Steel 8.8	M20 x 120	HOT DIP GALVANIZED ISO FIT	20 mm	120 mm	30 mm	
40178201203	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 120, Plain	Steel 8.8	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
4017820125	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 125, Plain	Steel 8.8	M20 x 125	Plain (no plating)	20 mm	125 mm	30 mm	
40178201302CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 130, Hot-Dip Galva	Steel 8.8	M20 x 130	HOT DIP GALVANIZED ISO FIT	20 mm	130 mm	30 mm	
40178201402	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 140, Hot-Dip Galva	Steel 8.8	M20 x 140	HOT DIP GALVANIZED ISO FIT	20 mm	140 mm	30 mm	
40178201502O	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 150, Oversize, Hot	Steel 8.8	M20 x 150	Hot Dip Galvanizing	20 mm	150 mm	30 mm	
4017820152001	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 1.5 x 200, Zinc Pl	Steel 8.8	M20 x 1.5 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	30 mm	
40178201702O	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 170, Oversize, Hot	Steel 8.8	M20 x 170	Hot Dip Galvanizing	20 mm	170 mm	30 mm	
4017820220	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 220, Plain	Steel 8.8	M20 x 220	Plain (no plating)	20 mm	220 mm	30 mm	
4017822045	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 45, Plain	Steel 8.8	M22 x 45	Plain (no plating)	22 mm	45 mm	34 mm	
40178220451	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 45, Zinc Plated	Steel 8.8	M22 x 45	Zinc Bright Passivation Fe/Zn P1	22 mm	45 mm	34 mm	
40178220551	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 55, Zinc Plated	Steel 8.8	M22 x 55	Zinc Bright Passivation Fe/Zn P1	22 mm	55 mm	34 mm	
4017822060	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 60, Plain	Steel 8.8	M22 x 60	Plain (no plating)	22 mm	60 mm	34 mm	
40178220601SST200	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 60, SST 200 h, Zin	Steel 8.8	M22 x 60	Zinc Bright Passivation Fe/Zn P1	22 mm	60 mm	34 mm	
4017822070	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 70, Plain	Steel 8.8	M22 x 70	Plain (no plating)	22 mm	70 mm	34 mm	
40178220701SST400W	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 70, SST 400 h, Zin	Steel 8.8	M22 x 70	Zinc Bright Passivation Fe/Zn P1	22 mm	70 mm	34 mm	
40178220702	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 70, Hot-Dip Galvan	Steel 8.8	M22 x 70	Hot Dip Galvanizing	22 mm	70 mm	34 mm	
40178220801	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 80, Zinc Plated	Steel 8.8	M22 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	34 mm	
40178220901	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 90, Zinc Plated	Steel 8.8	M22 x 90	Zinc Bright Passivation Fe/Zn P1	22 mm	90 mm	34 mm	
40178221001	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 100, Zinc Plated	Steel 8.8	M22 x 100	Zinc Bright Chromating Fe/Zn C1	22 mm	100 mm	34 mm	
40178221002	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 100, Hot-Dip Galva	Steel 8.8	M22 x 100	HOT DIP GALVANIZED ISO FIT	22 mm	100 mm	34 mm	
40178221102	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 110, Hot-Dip Galva	Steel 8.8	M22 x 110	HOT DIP GALVANIZED ISO FIT	22 mm	110 mm	34 mm	
40178221202	ISO 4017 Hexagon Head Screw, Steel 8.8, M22 x 120, Hot-Dip Galva	Steel 8.8	M22 x 120	HOT DIP GALVANIZED ISO FIT	22 mm	120 mm	34 mm	
4017824040	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 40, Plain	Steel 8.8	M24 x 40	Plain (no plating)	24 mm	40 mm	36 mm	
40178240401	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 40, Zinc Plated	Steel 8.8	M24 x 40	Zinc Bright Passivation Fe/Zn P1	24 mm	40 mm	36 mm	
40178240502	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 50, Hot-Dip Galvan	Steel 8.8	M24 x 50	HOT DIP GALVANIZED ISO FIT	24 mm	50 mm	36 mm	
40178240551	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 55, Zinc Plated	Steel 8.8	M24 x 55	Zinc Bright Passivation Fe/Zn P1	24 mm	55 mm	36 mm	
40178240651	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 65, Zinc Plated	Steel 8.8	M24 x 65	Zinc Bright Passivation Fe/Zn P1	24 mm	65 mm	36 mm	
40178240701	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 70, Zinc Plated	Steel 8.8	M24 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	36 mm	
40178240702	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 70, Hot-Dip Galvan	Steel 8.8	M24 x 70	HOT DIP GALVANIZED ISO FIT	24 mm	70 mm	36 mm	
40178240751	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 75, Zinc Plated	Steel 8.8	M24 x 75	Zinc Bright Passivation Fe/Zn P1	24 mm	75 mm	36 mm	
40178240802	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 80, Hot-Dip Galvan	Steel 8.8	M24 x 80	HOT DIP GALVANIZED ISO FIT	24 mm	80 mm	36 mm	
40178240851	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 85, Zinc Plated	Steel 8.8	M24 x 85	Zinc Bright Passivation Fe/Zn P1	24 mm	85 mm	36 mm	
40178240901	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 90, Zinc Plated	Steel 8.8	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	36 mm	
40178240902	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 90, Hot-Dip Galvan	Steel 8.8	M24 x 90	HOT DIP GALVANIZED ISO FIT	24 mm	90 mm	36 mm	
40178241002	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 100, Hot-Dip Galva	Steel 8.8	M24 x 100	HOT DIP GALVANIZED ISO FIT	24 mm	100 mm	36 mm	
40178241002O	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 100,							

Oversize, Hot

Steel 8.8	M24 x 100	Hot Dip Galvanizing	24 mm	100 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178241202	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 120, Hot-Dip Galva	Steel 8.8	M24 x 120	HOT DIP GALVANIZED ISO FIT	24 mm	120 mm	36 mm	
40178241301	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 130, Zinc Plated	Steel 8.8	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	36 mm	
40178241501	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 150, Zinc Plated	Steel 8.8	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	36 mm	
40178241502O	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 150, Oversize, Hot	Steel 8.8	M24 x 150	Hot Dip Galvanizing	24 mm	150 mm	36 mm	
40178241902O	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 190, Oversize, Hot	Steel 8.8	M24 x 190	Hot Dip Galvanizing	24 mm	190 mm	36 mm	
40178242202	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 220, Hot-Dip Galva	Steel 8.8	M24 x 220	HOT DIP GALVANIZED ISO FIT	24 mm	220 mm	36 mm	
40178242801	ISO 4017 Hexagon Head Screw, Steel 8.8, M24 x 280, Zinc Plated	Steel 8.8	M24 x 280	Zinc Bright Passivation Fe/Zn P1	24 mm	280 mm	36 mm	
40178270501	ISO 4017 Hexagon Head Screw, Steel 8.8, M27 x 50, Zinc Plated	Steel 8.8	M27 x 50	Zinc Bright Passivation Fe/Zn P1	27 mm	50 mm	41 mm	
40178270802	ISO 4017 Hexagon Head Screw, Steel 8.8, M27 x 80, Hot-Dip Galvan	Steel 8.8	M27 x 80	HOT DIP GALVANIZED ISO FIT	27 mm	80 mm	41 mm	
40178271202	ISO 4017 Hexagon Head Screw, Steel 8.8, M27 x 120, Hot-Dip Galva	Steel 8.8	M27 x 120	HOT DIP GALVANIZED ISO FIT	27 mm	120 mm	41 mm	
40178300502	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 50, Hot-Dip Galvan	Steel 8.8	M30 x 50	HOT DIP GALVANIZED ISO FIT	30 mm	50 mm	46 mm	
40178300602	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 60, Hot-Dip Galvan	Steel 8.8	M30 x 60	HOT DIP GALVANIZED ISO FIT	30 mm	60 mm	46 mm	
40178300801	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 80, Zinc Plated	Steel 8.8	M30 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	46 mm	
40178300802	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 80, Hot-Dip Galvan	Steel 8.8	M30 x 80	HOT DIP GALVANIZED ISO FIT	30 mm	80 mm	46 mm	
40178300902	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 90, Hot-Dip Galvan	Steel 8.8	M30 x 90	HOT DIP GALVANIZED ISO FIT	30 mm	90 mm	46 mm	
40178300951	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 95, Zinc Plated	Steel 8.8	M30 x 95	Zinc Bright Passivation Fe/Zn P1	30 mm	95 mm	46 mm	
40178301002	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 100, Hot-Dip Galva	Steel 8.8	M30 x 100	HOT DIP GALVANIZED ISO FIT	30 mm	100 mm	46 mm	
40178301002O	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 100, Hot-Dip Galva	Steel 8.8	M30 x 100	HOT DIP GALVANIZED ISO FIT	30 mm	100 mm	46 mm	
4017830110	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 110, Plain	Steel 8.8	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
40178301201	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 120, Zinc Plated	Steel 8.8	M30 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	46 mm	
40178301402	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 140, Hot-Dip Galva	Steel 8.8	M30 x 140	HOT DIP GALVANIZED ISO FIT	30 mm	140 mm	46 mm	
40178301502	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 150, Hot-Dip Galva	Steel 8.8	M30 x 150	HOT DIP GALVANIZED ISO FIT	30 mm	150 mm	46 mm	
40178301802CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 180, Hot-Dip Galva	Steel 8.8	M30 x 180	HOT DIP GALVANIZED ISO FIT	30 mm	180 mm	46 mm	
4017830260	ISO 4017 Hexagon Head Screw, Steel 8.8, M30 x 260, Plain	Steel 8.8	M30 x 260	Plain (no plating)	30 mm	260 mm	46 mm	
40178331002	ISO 4017 Hexagon Head Screw, Steel 8.8, M33 x 100, Hot-Dip Galva	Steel 8.8	M33 x 100	HOT DIP GALVANIZED ISO FIT	33 mm	100 mm	50 mm	
4017833190	ISO 4017 Hexagon Head Screw, Steel 8.8, M33 x 190, Plain	Steel 8.8	M33 x 190	Plain (no plating)	33 mm	190 mm	50 mm	
40178334401	ISO 4017 Hexagon Head Screw, Steel 8.8, M33 x 440, Zinc Plated	Steel 8.8	M33 x 440	Zinc Bright Passivation Fe/Zn P1	33 mm	440 mm	50 mm	
4017836075	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 75, Plain	Steel 8.8	M36 x 75	Plain (no plating)	36 mm	75 mm	55 mm	
40178361001	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 100, Zinc Plated	Steel 8.8	M36 x 100	Zinc Bright Passivation Fe/Zn P1	36 mm	100 mm	55 mm	
40178361201	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 120, Zinc Plated	Steel 8.8	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	55 mm	
40178361202	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 120, Hot-Dip Galva	Steel 8.8	M36 x 120	HOT DIP GALVANIZED ISO FIT	36 mm	120 mm	55 mm	
40178361202CE	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 120, Hot-Dip Galva	Steel 8.8	M36 x 120	HOT DIP GALVANIZED ISO FIT	36 mm	120 mm	55 mm	
40178361202O	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 120, Hot-Dip Galva	Steel 8.8	M36 x 120	HOT DIP GALVANIZED ISO FIT	36 mm	120 mm	55 mm	
40178361302	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 130, Hot-Dip Galva	Steel 8.8	M36 x 130	HOT DIP GALVANIZED ISO FIT	36 mm	130 mm	55 mm	
40178361401	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 140, Zinc Plated	Steel 8.8	M36 x 140	Zinc Bright Passivation Fe/Zn P1	36 mm	140 mm	55 mm	
40178361701	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 170, Zinc Plated	Steel 8.8	M36 x 170	Zinc Bright Passivation Fe/Zn P1	36 mm	170 mm	55 mm	
4017836230	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 230, Plain	Steel 8.8	M36 x 230	Plain (no plating)	36 mm	230 mm	55 mm	
4017836340	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 340, Plain	Steel 8.8	M36 x 340	Plain (no plating)	36 mm	340 mm	55 mm	
40178364001	ISO 4017 Hexagon Head Screw, Steel 8.8, M36 x 400, Zinc Plated	Steel 8.8	M36 x 400	Zinc Bright Passivation Fe/Zn P1	36 mm	400 mm	55 mm	
40178391002	ISO 4017 Hexagon Head Screw, Steel 8.8, M39 x 100, Hot-Dip Galva	Steel 8.8	M39 x 100	HOT DIP GALVANIZED ISO FIT	39 mm	100 mm	60 mm	
40178391332	ISO 4017 Hexagon Head Screw, Steel 8.8, M39 x 133, Hot-Dip Galva	Steel 8.8	M39 x 133	HOT DIP GALVANIZED ISO FIT	39 mm	133 mm	60 mm	
40178394102	ISO 4017 Hexagon Head Screw, Steel 8.8, M39 x 410, Hot-Dip Galva	Steel 8.8	M39 x 410	HOT DIP GALVANIZED ISO FIT	39 mm	410 mm	60 mm	
4017842070	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 70, Plain	Steel 8.8	M42 x 70	Plain (no plating)	42 mm	70 mm	65 mm	
40178421001	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 100, Zinc Plated	Steel 8.8	M42 x 100	Zinc Bright Passivation Fe/Zn P1	42 mm	100 mm	65 mm	
40178421201	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 120, Zinc Plated	Steel 8.8	M42 x 120	Zinc Bright Passivation Fe/Zn P1	42 mm	120 mm	65 mm	
40178421201SST04								

ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 120,

SST 48 h, Zin

Steel 8.8	M42 x 120	Zinc Bright Passivation Fe/Zn P1	42 mm	120 mm	65 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40178421502	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 150, Hot-Dip Galva	Steel 8.8	M42 x 150	HOT DIP GALVANIZED ISO FIT	42 mm	150 mm	65 mm	
40178421801	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 180, Zinc Plated	Steel 8.8	M42 x 180	Zinc Bright Passivation Fe/Zn P1	42 mm	180 mm	65 mm	
40178422002O	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 200, Oversize, Hot	Steel 8.8	M42 x 200	Hot Dip Galvanizing	42 mm	200 mm	65 mm	
4017842260	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 260, Plain	Steel 8.8	M42 x 260	Plain (no plating)	42 mm	260 mm	65 mm	
4017842300	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 300, Plain	Steel 8.8	M42 x 300	Plain (no plating)	42 mm	300 mm	65 mm	
4017842360	ISO 4017 Hexagon Head Screw, Steel 8.8, M42 x 360, Plain	Steel 8.8	M42 x 360	Plain (no plating)	42 mm	360 mm	65 mm	
4017848160	ISO 4017 Hexagon Head Screw, Steel 8.8, M48 x 160, Plain	Steel 8.8	M48 x 160	Plain (no plating)	48 mm	160 mm	75 mm	
4017848200	ISO 4017 Hexagon Head Screw, Steel 8.8, M48 x 200, Plain	Steel 8.8	M48 x 200	Plain (no plating)	48 mm	200 mm	75 mm	
4017848220	ISO 4017 Hexagon Head Screw, Steel 8.8, M48 x 220, Plain	Steel 8.8	M48 x 220	Plain (no plating)	48 mm	220 mm	75 mm	
4017856110	ISO 4017 Hexagon Head Screw, Steel 8.8, M56 x 110, Plain	Steel 8.8	M56 x 110	Plain (no plating)	56 mm	110 mm	85 mm	
4017856130	ISO 4017 Hexagon Head Screw, Steel 8.8, M56 x 130, Plain	Steel 8.8	M56 x 130	Plain (no plating)	56 mm	130 mm	85 mm	
40178561301	ISO 4017 Hexagon Head Screw, Steel 8.8, M56 x 130, Zinc Plated	Steel 8.8	M56 x 130	Zinc Bright Passivation Fe/Zn P1	56 mm	130 mm	85 mm	
40178561501	ISO 4017 Hexagon Head Screw, Steel 8.8, M56 x 150, Zinc Plated	Steel 8.8	M56 x 150	Zinc Bright Passivation Fe/Zn P1	56 mm	150 mm	85 mm	
40178561801	ISO 4017 Hexagon Head Screw, Steel 8.8, M56 x 180, Zinc Plated	Steel 8.8	M56 x 180	Zinc Bright Passivation Fe/Zn P1	56 mm	180 mm	85 mm	
4017856200	ISO 4017 Hexagon Head Screw, Steel 8.8, M56 x 200, Plain	Steel 8.8	M56 x 200	Plain (no plating)	56 mm	200 mm	85 mm	
40178601801	ISO 4017 Hexagon Head Screw, Steel 8.8, M60 x 180, Zinc Plated	Steel 8.8	M60 x 180	Zinc Bright Passivation Fe/Zn P1	60 mm	180 mm	90 mm	
401787206160	ISO 4017 Hexagon Head Screw, Steel 8.8, M72 x 6.0 x 160, Plain	Steel 8.8	M72 x 6.0 x 160	Plain (no plating)	72 mm	160 mm	105 mm	
40178L20040	ISO 4017 Hexagon Head Screw, Steel 8.8, M20 x 40, Left-Hand Thre	Steel 8.8	M20 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
4017A20200470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 4	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm	4 mm	
4017A20200570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 5	Stainless A2-70	M2 x 5	Plain (no plating)	2 mm	5 mm	4 mm	
4017A20200670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 6	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm	4 mm	
4017A20200870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 8	Stainless A2-70	M2 x 8	Plain (no plating)	2 mm	8 mm	4 mm	
4017A20201070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 10	Stainless A2-70	M2 x 10	Plain (no plating)	2 mm	10 mm	4 mm	
4017A20201270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 12	Stainless A2-70	M2 x 12	Plain (no plating)	2 mm	12 mm	4 mm	
4017A20201670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 16	Stainless A2-70	M2 x 16	Plain (no plating)	2 mm	16 mm	4 mm	
4017A20202070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2 x 20	Stainless A2-70	M2 x 20	Plain (no plating)	2 mm	20 mm	4 mm	
4017A202500370	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 3	Stainless A2-70	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	5 mm	
4017A202500470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 4	Stainless A2-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	5 mm	
4017A202500570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 5	Stainless A2-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	5 mm	
4017A202500670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 6	Stainless A2-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	5 mm	
4017A202500870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 8	Stainless A2-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	5 mm	
4017A202501070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 10	Stainless A2-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	5 mm	
4017A202501270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 12	Stainless A2-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	5 mm	
4017A202501670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 16	Stainless A2-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	5 mm	
4017A202502070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 20	Stainless A2-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	5 mm	
4017A202502570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M2.5 x 25	Stainless A2-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	5 mm	
4017A20300470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 4	Stainless A2-70	M3 x 4	Plain (no plating)	3 mm	4 mm	5.5 mm	
4017A20300570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 5	Stainless A2-70	M3 x 5	Plain (no plating)	3 mm	5 mm	5.5 mm	
4017A20300670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 6	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm	5.5 mm	
4017A20300870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 8	Stainless A2-70	M3 x 8	Plain (no plating)	3 mm	8 mm	5.5 mm	
4017A20301070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 10	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm	5.5 mm	
4017A20301270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 12	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm	5.5 mm	
4017A20301370	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 13	Stainless A2-70	M3 x 13	Plain (no plating)	3 mm	13 mm	5.5 mm	
4017A20301470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 14	Stainless A2-70	M3 x 14	Plain (no plating)	3 mm	14 mm	5.5 mm	
4017A20301670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 16	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm	5.5 mm	
4017A20301870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 18	Stainless A2-70	M3 x 18	Plain (no plating)	3 mm	18 mm	5.5 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A20302070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 20	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm	5.5 mm	
4017A20302270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 22	Stainless A2-70	M3 x 22	Plain (no plating)	3 mm	22 mm	5.5 mm	
4017A20302570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 25	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm	5.5 mm	
4017A20303070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 30	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm	5.5 mm	
4017A20303570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 35	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm	5.5 mm	
4017A20304070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 40	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm	5.5 mm	
4017A20304570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 45	Stainless A2-70	M3 x 45	Plain (no plating)	3 mm	45 mm	5.5 mm	
4017A20305070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M3 x 50	Stainless A2-70	M3 x 50	Plain (no plating)	3 mm	50 mm	5.5 mm	
4017A20400570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 5	Stainless A2-70	M4 x 5	Plain (no plating)	4 mm	5 mm	7 mm	
4017A20400670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 6	Stainless A2-70	M4 x 6	Plain (no plating)	4 mm	6 mm	7 mm	
4017A20400870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 8	Stainless A2-70	M4 x 8	Plain (no plating)	4 mm	8 mm	7 mm	
4017A20401070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 10	Stainless A2-70	M4 x 10	Plain (no plating)	4 mm	10 mm	7 mm	
4017A20401270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 12	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm	7 mm	
4017A20401470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 14	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm	7 mm	
4017A20401670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 16	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm	7 mm	
4017A20401670W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 16, Gleitmo 627	Stainless A2-70	M4 x 16	WAX GLEITMO 627	4 mm	16 mm	7 mm	
4017A20401870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 18	Stainless A2-70	M4 x 18	Plain (no plating)	4 mm	18 mm	7 mm	
4017A20402070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 20	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm	7 mm	
4017A20402270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 22	Stainless A2-70	M4 x 22	Plain (no plating)	4 mm	22 mm	7 mm	
4017A20402570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 25	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4017A20403070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 30	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm	7 mm	
4017A20403570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 35	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm	7 mm	
4017A20404070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 40	Stainless A2-70	M4 x 40	Plain (no plating)	4 mm	40 mm	7 mm	
4017A20404570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 45	Stainless A2-70	M4 x 45	Plain (no plating)	4 mm	45 mm	7 mm	
4017A20405070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 50	Stainless A2-70	M4 x 50	Plain (no plating)	4 mm	50 mm	7 mm	
4017A20406070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 60	Stainless A2-70	M4 x 60	Plain (no plating)	4 mm	60 mm	7 mm	
4017A20406570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 65	Stainless A2-70	M4 x 65	Plain (no plating)	4 mm	65 mm	7 mm	
4017A20407070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 70	Stainless A2-70	M4 x 70	Plain (no plating)	4 mm	70 mm	7 mm	
4017A20408070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 80	Stainless A2-70	M4 x 80	Plain (no plating)	4 mm	80 mm	7 mm	
4017A20500670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 6	Stainless A2-70	M5 x 6	Plain (no plating)	5 mm	6 mm	8 mm	
4017A20500870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 8	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm	8 mm	
4017A20501070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 10	Stainless A2-70	M5 x 10	Plain (no plating)	5 mm	10 mm	8 mm	
4017A20501070W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 10, Gleitmo 627	Stainless A2-70	M5 x 10	WAX GLEITMO 627	5 mm	10 mm	8 mm	
4017A20501270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 12	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm	8 mm	
4017A20501270W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 12, Gleitmo 627	Stainless A2-70	M5 x 12	WAX GLEITMO 627	5 mm	12 mm	8 mm	
4017A20501470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 14	Stainless A2-70	M5 x 14	Plain (no plating)	5 mm	14 mm	8 mm	
4017A20501670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 16	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm	8 mm	
4017A20501870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 18	Stainless A2-70	M5 x 18	Plain (no plating)	5 mm	18 mm	8 mm	
4017A20502070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 20	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm	8 mm	
4017A20502270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 22	Stainless A2-70	M5 x 22	Plain (no plating)	5 mm	22 mm	8 mm	
4017A20502570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 25	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	8 mm	
4017A20502570W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 25	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	8 mm	
4017A20502570W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 25, Gleitmo 627	Stainless A2-70	M5 x 25	WAX GLEITMO 627	5 mm	25 mm	8 mm	
4017A20503070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 30	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
4017A20503570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 35	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm	8 mm	
4017A20504070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 40	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A20504570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 45	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
4017A20505070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 50	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm	8 mm	
4017A20505570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 55	Stainless A2-70	M5 x 55	Plain (no plating)	5 mm	55 mm	8 mm	
4017A20506070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 60	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm	8 mm	
4017A20506570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 65	Stainless A2-70	M5 x 65	Plain (no plating)	5 mm	65 mm	8 mm	
4017A20507070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 70	Stainless A2-70	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
4017A20507570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 75	Stainless A2-70	M5 x 75	Plain (no plating)	5 mm	75 mm	8 mm	
4017A20508070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 80	Stainless A2-70	M5 x 80	Plain (no plating)	5 mm	80 mm	8 mm	
4017A20508570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 85	Stainless A2-70	M5 x 85	Plain (no plating)	5 mm	85 mm	8 mm	
4017A20509070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 90	Stainless A2-70	M5 x 90	Plain (no plating)	5 mm	90 mm	8 mm	
4017A20509570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 95	Stainless A2-70	M5 x 95	Plain (no plating)	5 mm	95 mm	8 mm	
4017A20510070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M5 x 100	Stainless A2-70	M5 x 100	Plain (no plating)	5 mm	100 mm	8 mm	
4017A20600670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 6	Stainless A2-70	M6 x 6	Plain (no plating)	6 mm	6 mm	10 mm	
4017A20600870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 8	Stainless A2-70	M6 x 8	Plain (no plating)	6 mm	8 mm	10 mm	
4017A20601070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 10	Stainless A2-70	M6 x 10	Plain (no plating)	6 mm	10 mm	10 mm	
4017A20601070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 10	Stainless A2-70	M6 x 10	Plain (no plating)	6 mm	10 mm	10 mm	
4017A20601270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 12	Stainless A2-70	M6 x 12	Plain (no plating)	6 mm	12 mm	10 mm	
4017A20601270SP	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 12	Stainless A2-70	M6 x 12	Plain (no plating)	6 mm	12 mm	10 mm	
4017A20601270W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 12	Stainless A2-70	M6 x 12	Plain (no plating)	6 mm	12 mm	10 mm	
4017A20601470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 14	Stainless A2-70	M6 x 14	Plain (no plating)	6 mm	14 mm	10 mm	
4017A20601670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 16	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm	10 mm	
4017A206016701	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 16, Zinc Plat	Stainless A2-70	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	10 mm	
4017A20601670W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 16	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm	10 mm	
4017A20601670W62	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 16, 7 Gleitmo 6	Stainless A2-70	M6 x 16	WAX GLEITMO 627	6 mm	16 mm	10 mm	
4017A20601870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 18	Stainless A2-70	M6 x 18	Plain (no plating)	6 mm	18 mm	10 mm	
4017A20602070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 20	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	10 mm	
4017A20602070W62	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 20, 7 Gleitmo 6	Stainless A2-70	M6 x 20	WAX GLEITMO 627	6 mm	20 mm	10 mm	
4017A20602270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 22	Stainless A2-70	M6 x 22	Plain (no plating)	6 mm	22 mm	10 mm	
4017A20602570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 25	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017A20602570W62	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 25, 7 Gleitmo 6	Stainless A2-70	M6 x 25	WAX GLEITMO 627	6 mm	25 mm	10 mm	
4017A20602580	ISO 4017 Hexagon Head Screw, Stainless A2-80, M6 x 25	Stainless A2-80	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017A20603070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 30	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4017A206030701	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 30, Zinc Plat	Stainless A2-70	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	10 mm	
4017A20603570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 35	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
4017A20604070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 40	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
4017A20604270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 42	Stainless A2-70	M6 x 42	Plain (no plating)	6 mm	42 mm	10 mm	
4017A20604370PZ	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 43	Stainless A2-70	M6 x 43	Plain (no plating)	6 mm	43 mm	10 mm	
4017A20604570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 45	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
4017A20605070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 50	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
4017A20605570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 55	Stainless A2-70	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
4017A20606070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 60	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
4017A20606570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 65	Stainless A2-70	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4017A20607070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 70	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
4017A20607570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 75	Stainless A2-70	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
4017A20608070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 80	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm	10 mm	
4017A20609070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 90	Stainless A2-70	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A20609570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 95	Stainless A2-70	M6 x 95	Plain (no plating)	6 mm	95 mm	10 mm	
4017A20610070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 100	Stainless A2-70	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
4017A20611070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 110	Stainless A2-70	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
4017A20612070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 120	Stainless A2-70	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
4017A20613070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 130	Stainless A2-70	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
4017A20614070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 140	Stainless A2-70	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
4017A20615070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M6 x 150	Stainless A2-70	M6 x 150	Plain (no plating)	6 mm	150 mm	10 mm	
4017A20800870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 8	Stainless A2-70	M8 x 8	Plain (no plating)	8 mm	8 mm	13 mm	
4017A20801070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 10	Stainless A2-70	M8 x 10	Plain (no plating)	8 mm	10 mm	13 mm	
4017A20801080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M8 x 10	Stainless A2-80	M8 x 10	Plain (no plating)	8 mm	10 mm	13 mm	
4017A20801270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 12	Stainless A2-70	M8 x 12	Plain (no plating)	8 mm	12 mm	13 mm	
4017A20801270W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 12	Stainless A2-70	M8 x 12	Plain (no plating)	8 mm	12 mm	13 mm	
4017A20801470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 14	Stainless A2-70	M8 x 14	Plain (no plating)	8 mm	14 mm	13 mm	
4017A20801570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 15	Stainless A2-70	M8 x 15	Plain (no plating)	8 mm	15 mm	13 mm	
4017A20801670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 16	Stainless A2-70	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017A20801670W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 16	Stainless A2-70	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017A20801670W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 16, Gleitmo 627	Stainless A2-70	M8 x 16	WAX GLEITMO 627	8 mm	16 mm	13 mm	
4017A20801680	ISO 4017 Hexagon Head Screw, Stainless A2-80, M8 x 16	Stainless A2-80	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017A20801870	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 18	Stainless A2-70	M8 x 18	Plain (no plating)	8 mm	18 mm	13 mm	
4017A20802070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 20	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017A20802070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 20	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017A20802070W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 20, Gleitmo 627	Stainless A2-70	M8 x 20	WAX GLEITMO 627	8 mm	20 mm	13 mm	
4017A20802080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M8 x 20	Stainless A2-80	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017A20802270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 22	Stainless A2-70	M8 x 22	Plain (no plating)	8 mm	22 mm	13 mm	
4017A20802570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 25	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A20802570W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 25	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A20802570W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 25, Gleitmo 627	Stainless A2-70	M8 x 25	WAX GLEITMO 627	8 mm	25 mm	13 mm	
4017A20802580	ISO 4017 Hexagon Head Screw, Stainless A2-80, M8 x 25	Stainless A2-80	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A20803070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 30	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4017A20803070W627	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 30, Gleitmo 627	Stainless A2-70	M8 x 30	WAX GLEITMO 627	8 mm	30 mm	13 mm	
4017A20803080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M8 x 30	Stainless A2-80	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4017A20803570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 35	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4017A20803570NW	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 35	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4017A20804070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 40	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4017A20804570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 45	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4017A20805070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 50	Stainless A2-70	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4017A20805570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 55	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
4017A20806070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 60	Stainless A2-70	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
4017A20806570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 65	Stainless A2-70	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
4017A20807070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 70	Stainless A2-70	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
4017A20807570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 75	Stainless A2-70	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
4017A20807570CN	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 75	Stainless A2-70	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
4017A20808070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 80	Stainless A2-70	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4017A20808570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 85	Stainless A2-70	M8 x 85	Plain (no plating)	8 mm	85 mm	13 mm	
4017A20809070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 90	Stainless A2-70	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
4017A20809570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 95	Stainless A2-70	M8 x 95	Plain (no plating)	8 mm	95 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A20810070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 100	Stainless A2-70	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
4017A20810570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 105	Stainless A2-70	M8 x 105	Plain (no plating)	8 mm	105 mm	13 mm	
4017A20811070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 110	Stainless A2-70	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
4017A20812070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 120	Stainless A2-70	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
4017A20813070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 130	Stainless A2-70	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
4017A20814070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 140	Stainless A2-70	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
4017A20815070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 150	Stainless A2-70	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
4017A20816070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 160	Stainless A2-70	M8 x 160	Plain (no plating)	8 mm	160 mm	13 mm	
4017A20817070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 170	Stainless A2-70	M8 x 170	Plain (no plating)	8 mm	170 mm	13 mm	
4017A20818070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 180	Stainless A2-70	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	
4017A20819070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 190	Stainless A2-70	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	
4017A20820070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M8 x 200	Stainless A2-70	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
4017A21001270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 12	Stainless A2-70	M10 x 12	Plain (no plating)	10 mm	12 mm	16 mm	
4017A21001470	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 14	Stainless A2-70	M10 x 14	Plain (no plating)	10 mm	14 mm	16 mm	
4017A21001670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 16	Stainless A2-70	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
4017A21002070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 20	Stainless A2-70	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
4017A210025	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 25	Stainless A2-70	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017A21002570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 25	Stainless A2-70	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017A21003070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 30	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A21003070ISO	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 30	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A21003570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 35	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4017A21003570W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 35	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4017A21004070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 40	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4017A21004080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M10 x 40	Stainless A2-80	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4017A21004570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 45	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
4017A21004580	ISO 4017 Hexagon Head Screw, Stainless A2-80, M10 x 45	Stainless A2-80	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
4017A21005070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 50	Stainless A2-70	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4017A21005570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 55	Stainless A2-70	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4017A21006070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 60	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4017A21006570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 65	Stainless A2-70	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
4017A21007070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 70	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4017A21007570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 75	Stainless A2-70	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
4017A21008070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 80	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4017A21009070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 90	Stainless A2-70	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4017A21010070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 100	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
4017A21011070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 110	Stainless A2-70	M10 x 110	Plain (no plating)	10 mm	110 mm	16 mm	
4017A21012070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 120	Stainless A2-70	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
4017A21014070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 140	Stainless A2-70	M10 x 140	Plain (no plating)	10 mm	140 mm	16 mm	
4017A21015070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M10 x 150	Stainless A2-70	M10 x 150	Plain (no plating)	10 mm	150 mm	16 mm	
4017A21201670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 16	Stainless A2-70	M12 x 16	Plain (no plating)	12 mm	16 mm	18 mm	
4017A21202070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 20	Stainless A2-70	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
4017A21202270	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 22	Stainless A2-70	M12 x 22	Plain (no plating)	12 mm	22 mm	18 mm	
4017A21202570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 25	Stainless A2-70	M12 x 25	Plain (no plating)	12 mm	25 mm	18 mm	
4017A21203070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 30	Stainless A2-70	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
4017A21203070I	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 30	Stainless A2-70	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
4017A21203080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M12 x 30	Stainless A2-80	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A21203570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 35	Stainless A2-70	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017A21203570I	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 35	Stainless A2-70	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017A21204070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 40	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A21204070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 40	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A21204080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M12 x 40	Stainless A2-80	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A21204570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 45	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017A21204570I	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 45	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017A21204570W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 45	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017A21205070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 50	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4017A21205570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 55	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4017A21205570W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 55	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4017A21206070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 60	Stainless A2-70	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4017A21206570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 65	Stainless A2-70	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
4017A21207070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 70	Stainless A2-70	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4017A21207570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 75	Stainless A2-70	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
4017A21208070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 80	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4017A21208570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 85	Stainless A2-70	M12 x 85	Plain (no plating)	12 mm	85 mm	18 mm	
4017A21209070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 90	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4017A21210070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 100	Stainless A2-70	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
4017A21211070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 110	Stainless A2-70	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4017A21211080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M12 x 110	Stainless A2-80	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4017A21212070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 120	Stainless A2-70	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
4017A21213070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 130	Stainless A2-70	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
4017A21215070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 150	Stainless A2-70	M12 x 150	Plain (no plating)	12 mm	150 mm	18 mm	
4017A21219070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M12 x 190	Stainless A2-70	M12 x 190	Plain (no plating)	12 mm	190 mm	18 mm	
4017A21403570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 35	Stainless A2-70	M14 x 35	Plain (no plating)	14 mm	35 mm	21 mm	
4017A21404070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 40	Stainless A2-70	M14 x 40	Plain (no plating)	14 mm	40 mm	21 mm	
4017A21404570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 45	Stainless A2-70	M14 x 45	Plain (no plating)	14 mm	45 mm	21 mm	
4017A21405070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 50	Stainless A2-70	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
4017A21405570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 55	Stainless A2-70	M14 x 55	Plain (no plating)	14 mm	55 mm	21 mm	
4017A21406070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 60	Stainless A2-70	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
4017A21406570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 65	Stainless A2-70	M14 x 65	Plain (no plating)	14 mm	65 mm	21 mm	
4017A21407070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 70	Stainless A2-70	M14 x 70	Plain (no plating)	14 mm	70 mm	21 mm	
4017A21408070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 80	Stainless A2-70	M14 x 80	Plain (no plating)	14 mm	80 mm	21 mm	
4017A21410070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M14 x 100	Stainless A2-70	M14 x 100	Plain (no plating)	14 mm	100 mm	21 mm	
4017A21601503070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 1.5 x 30	Stainless A2-70	M16 x 1.5 x 30	Plain (no plating)	16 mm	30 mm	24 mm	
4017A21601670	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 16	Stainless A2-70	M16 x 16	Plain (no plating)	16 mm	16 mm	24 mm	
4017A21602070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 20	Stainless A2-70	M16 x 20	Plain (no plating)	16 mm	20 mm	24 mm	
4017A21602570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 25	Stainless A2-70	M16 x 25	Plain (no plating)	16 mm	25 mm	24 mm	
4017A21602580	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 25	Stainless A2-80	M16 x 25	Plain (no plating)	16 mm	25 mm	24 mm	
4017A21603070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 30	Stainless A2-70	M16 x 30	Plain (no plating)	16 mm	30 mm	24 mm	
4017A21603570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 35	Stainless A2-70	M16 x 35	Plain (no plating)	16 mm	35 mm	24 mm	
4017A21603580	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 35	Stainless A2-80	M16 x 35	Plain (no plating)	16 mm	35 mm	24 mm	
4017A21604070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 40	Stainless A2-70	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
4017A21604070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 40	Stainless A2-70	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
4017A21604080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 40	Stainless A2-80	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A21604570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 45	Stainless A2-70	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017A21605070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 50	Stainless A2-70	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017A21605570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 55	Stainless A2-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
4017A21605580	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 55	Stainless A2-80	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
4017A21606070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 60	Stainless A2-70	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
4017A21606570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 65	Stainless A2-70	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4017A21606580	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 65	Stainless A2-80	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4017A21607070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 70	Stainless A2-70	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4017A21607080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 70	Stainless A2-80	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4017A21607570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 75	Stainless A2-70	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
4017A21607570W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 75	Stainless A2-70	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
4017A21608070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 80	Stainless A2-70	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4017A21608070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 80	Stainless A2-70	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4017A21608080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 80	Stainless A2-80	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4017A21608570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 85	Stainless A2-70	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
4017A21609070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 90	Stainless A2-70	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4017A21609080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 90	Stainless A2-80	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4017A21609570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 95	Stainless A2-70	M16 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
4017A21610070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 100	Stainless A2-70	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
4017A21611070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 110	Stainless A2-70	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
4017A21611570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 115	Stainless A2-70	M16 x 115	Plain (no plating)	16 mm	115 mm	24 mm	
4017A21612070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 120	Stainless A2-70	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
4017A21612080	ISO 4017 Hexagon Head Screw, Stainless A2-80, M16 x 120	Stainless A2-80	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
4017A21613070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 130	Stainless A2-70	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4017A21614070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 140	Stainless A2-70	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
4017A21615070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 150	Stainless A2-70	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4017A21616070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 160	Stainless A2-70	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
4017A21617070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 170	Stainless A2-70	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	
4017A21618070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 180	Stainless A2-70	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4017A21619070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 190	Stainless A2-70	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
4017A21620070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M16 x 200	Stainless A2-70	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
4017A21803570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 35	Stainless A2-70	M18 x 35	Plain (no plating)	18 mm	35 mm	27 mm	
4017A21804070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 40	Stainless A2-70	M18 x 40	Plain (no plating)	18 mm	40 mm	27 mm	
4017A21804570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 45	Stainless A2-70	M18 x 45	Plain (no plating)	18 mm	45 mm	27 mm	
4017A21805070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 50	Stainless A2-70	M18 x 50	Plain (no plating)	18 mm	50 mm	27 mm	
4017A21805570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 55	Stainless A2-70	M18 x 55	Plain (no plating)	18 mm	55 mm	27 mm	
4017A21806070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 60	Stainless A2-70	M18 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
4017A21806570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 65	Stainless A2-70	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
4017A21807070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 70	Stainless A2-70	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
4017A21807570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 75	Stainless A2-70	M18 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
4017A21808070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 80	Stainless A2-70	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
4017A21809070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 90	Stainless A2-70	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
4017A21810070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 100	Stainless A2-70	M18 x 100	Plain (no plating)	18 mm	100 mm	27 mm	
4017A21811070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 110	Stainless A2-70	M18 x 110	Plain (no plating)	18 mm	110 mm	27 mm	
4017A21812070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x 120	Stainless A2-70	M18 x 120	Plain (no plating)	18 mm	120 mm	27 mm	
4017A21813070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x							

130

Stainless A2-70	M18 x 130	Plain (no plating)	18 mm	130 mm	27 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A21814070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x	Stainless A2-70	M18 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
4017A21815070	140 ISO 4017 Hexagon Head Screw, Stainless A2-70, M18 x	Stainless A2-70	M18 x 150	Plain (no plating)	18 mm	150 mm	27 mm	
4017A22002570	150 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 25	Stainless A2-70	M20 x 25	Plain (no plating)	20 mm	25 mm	30 mm	
4017A22003070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 30	Stainless A2-70	M20 x 30	Plain (no plating)	20 mm	30 mm	30 mm	
4017A22003570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 35	Stainless A2-70	M20 x 35	Plain (no plating)	20 mm	35 mm	30 mm	
4017A22004070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 40	Stainless A2-70	M20 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
4017A22004570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 45	Stainless A2-70	M20 x 45	Plain (no plating)	20 mm	45 mm	30 mm	
4017A22005070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 50	Stainless A2-70	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
4017A22005070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 50	Stainless A2-70	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
4017A22005570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 55	Stainless A2-70	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4017A22006070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 60	Stainless A2-70	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4017A22006570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 65	Stainless A2-70	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4017A22006570W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 65	Stainless A2-70	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4017A22007070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 70	Stainless A2-70	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4017A22007070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 70	Stainless A2-70	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4017A22007570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 75	Stainless A2-70	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
4017A22008070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 80	Stainless A2-70	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4017A22008070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 80	Stainless A2-70	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4017A22009070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 90	Stainless A2-70	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4017A22009070W	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x 90	Stainless A2-70	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4017A22010070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
4017A22011070	100 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
4017A22012070	110 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
4017A22013070	120 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
4017A22014070	130 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4017A22015070	140 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
4017A22016070	150 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
4017A22018070	160 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
4017A22019070	180 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
4017A22020070	190 ISO 4017 Hexagon Head Screw, Stainless A2-70, M20 x	Stainless A2-70	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
4017A22204070	200 ISO 4017 Hexagon Head Screw, Stainless A2-70, M22 x 40	Stainless A2-70	M22 x 40	Plain (no plating)	22 mm	40 mm	34 mm	
4017A22205070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M22 x 50	Stainless A2-70	M22 x 50	Plain (no plating)	22 mm	50 mm	34 mm	
4017A22207570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M22 x 75	Stainless A2-70	M22 x 75	Plain (no plating)	22 mm	75 mm	34 mm	
4017A22403570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 35	Stainless A2-70	M24 x 35	Plain (no plating)	24 mm	35 mm	36 mm	
4017A22404070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 40	Stainless A2-70	M24 x 40	Plain (no plating)	24 mm	40 mm	36 mm	
4017A22404570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 45	Stainless A2-70	M24 x 45	Plain (no plating)	24 mm	45 mm	36 mm	
4017A22405070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 50	Stainless A2-70	M24 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
4017A22405570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 55	Stainless A2-70	M24 x 55	Plain (no plating)	24 mm	55 mm	36 mm	
4017A22406070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 60	Stainless A2-70	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
4017A22406570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 65	Stainless A2-70	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
4017A22407070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 70	Stainless A2-70	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
4017A22407570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 75	Stainless A2-70	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
4017A22408070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 80	Stainless A2-70	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4017A22409070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 90	Stainless A2-70	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
4017A22410070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x	Stainless A2-70	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
4017A22411070	100 ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x							

110

Stainless A2-70	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A22412070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 120	Stainless A2-70	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
4017A22413070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 130	Stainless A2-70	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
4017A22414070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 140	Stainless A2-70	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
4017A22415070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 150	Stainless A2-70	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
4017A22417070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 170	Stainless A2-70	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
4017A22418070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 180	Stainless A2-70	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
4017A22419070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 190	Stainless A2-70	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
4017A22420070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 200	Stainless A2-70	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
4017A22704070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 40	Stainless A2-70	M27 x 40	Plain (no plating)	27 mm	40 mm	41 mm	
4017A22705070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 50	Stainless A2-70	M27 x 50	Plain (no plating)	27 mm	50 mm	41 mm	
4017A22706070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 60	Stainless A2-70	M27 x 60	Plain (no plating)	27 mm	60 mm	41 mm	
4017A22706570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 65	Stainless A2-70	M27 x 65	Plain (no plating)	27 mm	65 mm	41 mm	
4017A22707070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 70	Stainless A2-70	M27 x 70	Plain (no plating)	27 mm	70 mm	41 mm	
4017A22708070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 80	Stainless A2-70	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
4017A22709070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 90	Stainless A2-70	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
4017A22710070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 100	Stainless A2-70	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
4017A22711070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 110	Stainless A2-70	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
4017A22712070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 120	Stainless A2-70	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
4017A22713070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 130	Stainless A2-70	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
4017A22714070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 140	Stainless A2-70	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
4017A22715070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 150	Stainless A2-70	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
4017A22716070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 160	Stainless A2-70	M27 x 160	Plain (no plating)	27 mm	160 mm	41 mm	
4017A22717070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 170	Stainless A2-70	M27 x 170	Plain (no plating)	27 mm	170 mm	41 mm	
4017A22720070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M27 x 200	Stainless A2-70	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
4017A23004070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 40	Stainless A2-70	M30 x 40	Plain (no plating)	30 mm	40 mm	46 mm	
4017A23005070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 50	Stainless A2-70	M30 x 50	Plain (no plating)	30 mm	50 mm	46 mm	
4017A23006070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 60	Stainless A2-70	M30 x 60	Plain (no plating)	30 mm	60 mm	46 mm	
4017A23006570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 65	Stainless A2-70	M30 x 65	Plain (no plating)	30 mm	65 mm	46 mm	
4017A23007070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 70	Stainless A2-70	M30 x 70	Plain (no plating)	30 mm	70 mm	46 mm	
4017A23007570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 75	Stainless A2-70	M30 x 75	Plain (no plating)	30 mm	75 mm	46 mm	
4017A23008070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 80	Stainless A2-70	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
4017A23009070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 90	Stainless A2-70	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
4017A23010070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 100	Stainless A2-70	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
4017A23011070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 110	Stainless A2-70	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
4017A23012070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 120	Stainless A2-70	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
4017A23013070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 130	Stainless A2-70	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4017A23014070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 140	Stainless A2-70	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
4017A23015070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 150	Stainless A2-70	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4017A23016070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 160	Stainless A2-70	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
4017A23017070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 170	Stainless A2-70	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
4017A23018070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 180	Stainless A2-70	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
4017A23019070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 190	Stainless A2-70	M30 x 190	Plain (no plating)	30 mm	190 mm	46 mm	
4017A23020070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 200	Stainless A2-70	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
4017A23023070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M30 x 230	Stainless A2-70	M30 x 230	Plain (no plating)	30 mm	230 mm	46 mm	
4017A23307070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 70	Stainless A2-70	M33 x 70	Plain (no plating)	33 mm	70 mm	50 mm	
4017A23307570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 75	Stainless A2-70	M33 x 75	Plain (no plating)	33 mm	75 mm	50 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A23308070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 80	Stainless A2-70	M33 x 80	Plain (no plating)	33 mm	80 mm	50 mm	
4017A23309070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 90	Stainless A2-70	M33 x 90	Plain (no plating)	33 mm	90 mm	50 mm	
4017A23310070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 100	Stainless A2-70	M33 x 100	Plain (no plating)	33 mm	100 mm	50 mm	
4017A23311070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 110	Stainless A2-70	M33 x 110	Plain (no plating)	33 mm	110 mm	50 mm	
4017A23312070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 120	Stainless A2-70	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
4017A23313070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 130	Stainless A2-70	M33 x 130	Plain (no plating)	33 mm	130 mm	50 mm	
4017A23314070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 140	Stainless A2-70	M33 x 140	Plain (no plating)	33 mm	140 mm	50 mm	
4017A23315070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 150	Stainless A2-70	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm	
4017A23320070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M33 x 200	Stainless A2-70	M33 x 200	Plain (no plating)	33 mm	200 mm	50 mm	
4017A23605570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 55	Stainless A2-70	M36 x 55	Plain (no plating)	36 mm	55 mm	55 mm	
4017A23606070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 60	Stainless A2-70	M36 x 60	Plain (no plating)	36 mm	60 mm	55 mm	
4017A23608070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 80	Stainless A2-70	M36 x 80	Plain (no plating)	36 mm	80 mm	55 mm	
4017A23609070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 90	Stainless A2-70	M36 x 90	Plain (no plating)	36 mm	90 mm	55 mm	
4017A23610070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 100	Stainless A2-70	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
4017A23611070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 110	Stainless A2-70	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4017A23612070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 120	Stainless A2-70	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
4017A23613070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 130	Stainless A2-70	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
4017A23614070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 140	Stainless A2-70	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4017A23615070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 150	Stainless A2-70	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
4017A23618070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 180	Stainless A2-70	M36 x 180	Plain (no plating)	36 mm	180 mm	55 mm	
4017A23620070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M36 x 200	Stainless A2-70	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
4017A23910070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M39 x 100	Stainless A2-70	M39 x 100	Plain (no plating)	39 mm	100 mm	60 mm	
4017A23912070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M39 x 120	Stainless A2-70	M39 x 120	Plain (no plating)	39 mm	120 mm	60 mm	
4017A23915070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M39 x 150	Stainless A2-70	M39 x 150	Plain (no plating)	39 mm	150 mm	60 mm	
4017A2402570	ISO 4017 Hexagon Head Screw, Stainless A2-70, M4 x 25	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4017A24212070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M42 x 120	Stainless A2-70	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
4017A25216070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M52 x 160	Stainless A2-70	M52 x 160	Plain (no plating)	52 mm	160 mm	80 mm	
4017A2LH2406070	ISO 4017 Hexagon Head Screw, Stainless A2-70, M24 x 60 Left Han	Stainless A2-70	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
4017A40200470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 4	Stainless A4-70	M2 x 4	Plain (no plating)	2 mm	4 mm	4 mm	
4017A40200480	ISO 4017 Hexagon Head Screw, Stainless A4-80, M2 x 4	Stainless A4-80	M2 x 4	Plain (no plating)	2 mm	4 mm	4 mm	
4017A40200570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 5	Stainless A4-70	M2 x 5	Plain (no plating)	2 mm	5 mm	4 mm	
4017A40200670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 6	Stainless A4-70	M2 x 6	Plain (no plating)	2 mm	6 mm	4 mm	
4017A40200870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 8	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm	4 mm	
4017A40201070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 10	Stainless A4-70	M2 x 10	Plain (no plating)	2 mm	10 mm	4 mm	
4017A40201270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 12	Stainless A4-70	M2 x 12	Plain (no plating)	2 mm	12 mm	4 mm	
4017A40201470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 14	Stainless A4-70	M2 x 14	Plain (no plating)	2 mm	14 mm	4 mm	
4017A40201670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 16	Stainless A4-70	M2 x 16	Plain (no plating)	2 mm	16 mm	4 mm	
4017A40202070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2 x 20	Stainless A4-70	M2 x 20	Plain (no plating)	2 mm	20 mm	4 mm	
4017A402500370	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x 3	Stainless A4-70	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	5 mm	
4017A402500470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x 4	Stainless A4-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	5 mm	
4017A402500570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x 5	Stainless A4-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	5 mm	
4017A402500670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x 6	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	5 mm	
4017A402500870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x 8	Stainless A4-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	5 mm	
4017A402501070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x 10	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	5 mm	
4017A402501470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x 14	Stainless A4-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm	5 mm	
4017A402501670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x							

16

Stainless A4-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A402502070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	5 mm	
4017A40300570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 5	Stainless A4-70	M3 x 5	Plain (no plating)	3 mm	5 mm	5.5 mm	
4017A40300670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 6	Stainless A4-70	M3 x 6	Plain (no plating)	3 mm	6 mm	5.5 mm	
4017A40300870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 8	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm	5.5 mm	
4017A40301070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 10	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm	5.5 mm	
4017A40301080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M3 x 10	Stainless A4-80	M3 x 10	Plain (no plating)	3 mm	10 mm	5.5 mm	
4017A40301270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 12	Stainless A4-70	M3 x 12	Plain (no plating)	3 mm	12 mm	5.5 mm	
4017A40301470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 14	Stainless A4-70	M3 x 14	Plain (no plating)	3 mm	14 mm	5.5 mm	
4017A40301670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 16	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	5.5 mm	
4017A40302070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 20	Stainless A4-70	M3 x 20	Plain (no plating)	3 mm	20 mm	5.5 mm	
4017A40302570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 25	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm	5.5 mm	
4017A40303070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 30	Stainless A4-70	M3 x 30	Plain (no plating)	3 mm	30 mm	5.5 mm	
4017A40303570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 35	Stainless A4-70	M3 x 35	Plain (no plating)	3 mm	35 mm	5.5 mm	
4017A40304070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M3 x 40	Stainless A4-70	M3 x 40	Plain (no plating)	3 mm	40 mm	5.5 mm	
4017A40400570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 5	Stainless A4-70	M4 x 5	Plain (no plating)	4 mm	5 mm	7 mm	
4017A40400670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 6	Stainless A4-70	M4 x 6	Plain (no plating)	4 mm	6 mm	7 mm	
4017A40400680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 6	Stainless A4-80	M4 x 6	Plain (no plating)	4 mm	6 mm	7 mm	
4017A40400870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 8	Stainless A4-70	M4 x 8	Plain (no plating)	4 mm	8 mm	7 mm	
4017A40400880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 8	Stainless A4-80	M4 x 8	Plain (no plating)	4 mm	8 mm	7 mm	
4017A40401070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 10	Stainless A4-70	M4 x 10	Plain (no plating)	4 mm	10 mm	7 mm	
4017A40401080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 10	Stainless A4-80	M4 x 10	Plain (no plating)	4 mm	10 mm	7 mm	
4017A40401270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 12	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	7 mm	
4017A40401280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 12	Stainless A4-80	M4 x 12	Plain (no plating)	4 mm	12 mm	7 mm	
4017A40401280W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 12	Stainless A4-80	M4 x 12	Plain (no plating)	4 mm	12 mm	7 mm	
4017A40401470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 14	Stainless A4-70	M4 x 14	Plain (no plating)	4 mm	14 mm	7 mm	
4017A40401480	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 14	Stainless A4-80	M4 x 14	Plain (no plating)	4 mm	14 mm	7 mm	
4017A40401480W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 14	Stainless A4-80	M4 x 14	Plain (no plating)	4 mm	14 mm	7 mm	
4017A40401670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 16	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm	7 mm	
4017A40401680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 16	Stainless A4-80	M4 x 16	Plain (no plating)	4 mm	16 mm	7 mm	
4017A40401870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 18	Stainless A4-70	M4 x 18	Plain (no plating)	4 mm	18 mm	7 mm	
4017A40402070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 20	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm	7 mm	
4017A40402080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 20	Stainless A4-80	M4 x 20	Plain (no plating)	4 mm	20 mm	7 mm	
4017A40402270PA	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 22	Stainless A4-70	M4 x 22	Plain (no plating)	4 mm	22 mm	7 mm	
4017A40402280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 22	Stainless A4-80	M4 x 22	Plain (no plating)	4 mm	22 mm	7 mm	
4017A40402570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 25	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4017A40402580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 25	Stainless A4-80	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4017A40402580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 25	Stainless A4-80	M4 x 25	Plain (no plating)	4 mm	25 mm	7 mm	
4017A40403070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 30	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm	7 mm	
4017A40403080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 30	Stainless A4-80	M4 x 30	Plain (no plating)	4 mm	30 mm	7 mm	
4017A40403088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M4 x 30	Plain (no plating)	4 mm	30 mm	7 mm	
4017A40403570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 35	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm	7 mm	
4017A40403580	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 35	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm	7 mm	
4017A40404070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 40	Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm	7 mm	
4017A40404080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 40	Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm	7 mm	
4017A40404570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 45	Stainless A4-70	M4 x 45	Plain (no plating)	4 mm	45 mm	7 mm	
4017A40404580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 45	Stainless A4-80	M4 x 45	Plain (no plating)	4 mm	45 mm	7 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A40405070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 50	Stainless A4-70	M4 x 50	Plain (no plating)	4 mm	50 mm	7 mm	
4017A40406070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 60	Stainless A4-70	M4 x 60	Plain (no plating)	4 mm	60 mm	7 mm	
4017A40406080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 60	Stainless A4-80	M4 x 60	Plain (no plating)	4 mm	60 mm	7 mm	
4017A40406580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 65	Stainless A4-80	M4 x 65	Plain (no plating)	4 mm	65 mm	7 mm	
4017A40407070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 70	Stainless A4-70	M4 x 70	Plain (no plating)	4 mm	70 mm	7 mm	
4017A40407080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 70	Stainless A4-80	M4 x 70	Plain (no plating)	4 mm	70 mm	7 mm	
4017A40408070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M4 x 80	Stainless A4-70	M4 x 80	Plain (no plating)	4 mm	80 mm	7 mm	
4017A40408080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M4 x 80	Stainless A4-80	M4 x 80	Plain (no plating)	4 mm	80 mm	7 mm	
4017A40500670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 6	Stainless A4-70	M5 x 6	Plain (no plating)	5 mm	6 mm	8 mm	
4017A405008	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 8	Stainless A4-70	M5 x 8	Plain (no plating)	5 mm	8 mm	8 mm	
4017A40500870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 8	Stainless A4-70	M5 x 8	Plain (no plating)	5 mm	8 mm	8 mm	
4017A40500880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 8	Stainless A4-80	M5 x 8	Plain (no plating)	5 mm	8 mm	8 mm	
4017A40501070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 10	Stainless A4-70	M5 x 10	Plain (no plating)	5 mm	10 mm	8 mm	
4017A40501080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 10	Stainless A4-80	M5 x 10	Plain (no plating)	5 mm	10 mm	8 mm	
4017A40501270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 12	Stainless A4-70	M5 x 12	Plain (no plating)	5 mm	12 mm	8 mm	
4017A40501280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 12	Stainless A4-80	M5 x 12	Plain (no plating)	5 mm	12 mm	8 mm	
4017A40501280W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 12	Stainless A4-80	M5 x 12	Plain (no plating)	5 mm	12 mm	8 mm	
4017A40501470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 14	Stainless A4-70	M5 x 14	Plain (no plating)	5 mm	14 mm	8 mm	
4017A40501480	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 14	Stainless A4-80	M5 x 14	Plain (no plating)	5 mm	14 mm	8 mm	
4017A40501670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 16	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm	8 mm	
4017A40501680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 16	Stainless A4-80	M5 x 16	Plain (no plating)	5 mm	16 mm	8 mm	
4017A40501870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 18	Stainless A4-70	M5 x 18	Plain (no plating)	5 mm	18 mm	8 mm	
4017A40501880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 18	Stainless A4-80	M5 x 18	Plain (no plating)	5 mm	18 mm	8 mm	
4017A40502070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 20	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm	8 mm	
4017A40502080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 20	Stainless A4-80	M5 x 20	Plain (no plating)	5 mm	20 mm	8 mm	
4017A40502270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 22	Stainless A4-70	M5 x 22	Plain (no plating)	5 mm	22 mm	8 mm	
4017A40502280	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 22	Stainless A4-70	M5 x 22	Plain (no plating)	5 mm	22 mm	8 mm	
4017A40502570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 25	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm	8 mm	
4017A40502580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 25	Stainless A4-80	M5 x 25	Plain (no plating)	5 mm	25 mm	8 mm	
4017A40502580W	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 25, Gleitmo 6	Stainless A4-70	M5 x 25	WAX GLEITMO 625	5 mm	25 mm	8 mm	
4017A40503070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 30	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
4017A40503080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 30	Stainless A4-80	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
4017A40503088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M5 x 30	Plain (no plating)	5 mm	30 mm	8 mm	
4017A40503570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 35	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm	8 mm	
4017A40503580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 35	Stainless A4-80	M5 x 35	Plain (no plating)	5 mm	35 mm	8 mm	
4017A40504070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 40	Stainless A4-70	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
4017A40504080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 40	Stainless A4-80	M5 x 40	Plain (no plating)	5 mm	40 mm	8 mm	
4017A40504570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 45	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
4017A40504580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 45	Stainless A4-80	M5 x 45	Plain (no plating)	5 mm	45 mm	8 mm	
4017A40505070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 50	Stainless A4-70	M5 x 50	Plain (no plating)	5 mm	50 mm	8 mm	
4017A40505080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 50	Stainless A4-80	M5 x 50	Plain (no plating)	5 mm	50 mm	8 mm	
4017A40505570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 55	Stainless A4-70	M5 x 55	Plain (no plating)	5 mm	55 mm	8 mm	
4017A40505570W	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 55, Gleitmo 6	Stainless A4-70	M5 x 55	WAX GLEITMO 625	5 mm	55 mm	8 mm	
4017A40505580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 55	Stainless A4-80	M5 x 55	Plain (no plating)	5 mm	55 mm	8 mm	
4017A40506070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 60	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm	8 mm	
4017A40506080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 60	Stainless A4-80	M5 x 60	Plain (no plating)	5 mm	60 mm	8 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A40507070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 70	Stainless A4-70	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
4017A40507080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 70	Stainless A4-70	M5 x 70	Plain (no plating)	5 mm	70 mm	8 mm	
4017A40507570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 75	Stainless A4-70	M5 x 75	Plain (no plating)	5 mm	75 mm	8 mm	
4017A40508070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 80	Stainless A4-70	M5 x 80	Plain (no plating)	5 mm	80 mm	8 mm	
4017A40508080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 80	Stainless A4-80	M5 x 80	Plain (no plating)	5 mm	80 mm	8 mm	
4017A40509070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M5 x 90	Stainless A4-70	M5 x 90	Plain (no plating)	5 mm	90 mm	8 mm	
4017A40509080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M5 x 90	Stainless A4-80	M5 x 90	Plain (no plating)	5 mm	90 mm	8 mm	
4017A40600670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 6	Stainless A4-70	M6 x 6	Plain (no plating)	6 mm	6 mm	10 mm	
4017A40600680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 6	Stainless A4-80	M6 x 6	Plain (no plating)	6 mm	6 mm	10 mm	
4017A40600870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 8	Stainless A4-70	M6 x 8	Plain (no plating)	6 mm	8 mm	10 mm	
4017A40600880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 8	Stainless A4-80	M6 x 8	Plain (no plating)	6 mm	8 mm	10 mm	
4017A40601070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 10	Stainless A4-70	M6 x 10	Plain (no plating)	6 mm	10 mm	10 mm	
4017A40601080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 10	Stainless A4-80	M6 x 10	Plain (no plating)	6 mm	10 mm	10 mm	
4017A40601080V60	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 10, Gleitmo 6	Stainless A4-80	M6 x 10	WAX GLEITMO 605	6 mm	10 mm	10 mm	
4017A40601270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 12	Stainless A4-70	M6 x 12	Plain (no plating)	6 mm	12 mm	10 mm	
4017A40601280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 12	Stainless A4-80	M6 x 12	Plain (no plating)	6 mm	12 mm	10 mm	
4017A40601470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 14	Stainless A4-70	M6 x 14	Plain (no plating)	6 mm	14 mm	10 mm	
4017A40601480	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 14	Stainless A4-80	M6 x 14	Plain (no plating)	6 mm	14 mm	10 mm	
4017A40601670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 16	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm	10 mm	
4017A40601680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 16	Stainless A4-80	M6 x 16	Plain (no plating)	6 mm	16 mm	10 mm	
4017A40601680W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 16	Stainless A4-80	M6 x 16	Plain (no plating)	6 mm	16 mm	10 mm	
4017A40601870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 18	Stainless A4-70	M6 x 18	Plain (no plating)	6 mm	18 mm	10 mm	
4017A40601880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 18	Stainless A4-80	M6 x 18	Plain (no plating)	6 mm	18 mm	10 mm	
4017A40602070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 20	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm	10 mm	
4017A40602070DRI	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 20	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm	10 mm	
4017A40602080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 20	Stainless A4-80	M6 x 20	Plain (no plating)	6 mm	20 mm	10 mm	
4017A40602080GE	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 20	Stainless A4-80	M6 x 20	Plain (no plating)	6 mm	20 mm	10 mm	
4017A40602080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 20	Stainless A4-80	M6 x 20	Plain (no plating)	6 mm	20 mm	10 mm	
4017A40602270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 22	Stainless A4-70	M6 x 22	Plain (no plating)	6 mm	22 mm	10 mm	
4017A40602280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 22	Stainless A4-80	M6 x 22	Plain (no plating)	6 mm	22 mm	10 mm	
4017A40602280W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 22	Stainless A4-80	M6 x 22	Plain (no plating)	6 mm	22 mm	10 mm	
4017A40602570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 25	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017A40602570DRI	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 25	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017A40602580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 25	Stainless A4-80	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017A40602580BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 25	Stainless A4-80	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017A40602580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 25	Stainless A4-80	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017A406030109BL	ISO 4017 Hexagon Head Screw, Stainless BUMAX 109 (A4 high-streng	Stainless BUMAX 109 (A4 high-str	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4017A40603070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 30	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4017A40603070S50	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 30	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4017A40603080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 30	Stainless A4-80	M6 x 30	Plain (no plating)	6 mm	30 mm	10 mm	
4017A40603570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 35	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
4017A40603580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 35	Stainless A4-80	M6 x 35	Plain (no plating)	6 mm	35 mm	10 mm	
4017A40604070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 40	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
4017A40604080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 40	Stainless A4-80	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
4017A40604088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M6 x 40	Plain (no plating)	6 mm	40 mm	10 mm	
4017A40604570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 45	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A40604580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 45	Stainless A4-80	M6 x 45	Plain (no plating)	6 mm	45 mm	10 mm	
4017A40605070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 50	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
4017A40605080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 50	Stainless A4-80	M6 x 50	Plain (no plating)	6 mm	50 mm	10 mm	
4017A40605570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 55	Stainless A4-70	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
4017A40605580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 55	Stainless A4-80	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
4017A40605588	ISO 4017 Hexagon Head Screw, Stainless A4, M6 x 55, Bumax	Stainless A4	M6 x 55	Plain (no plating)	6 mm	55 mm	10 mm	
4017A40606070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 60	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
4017A40606080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 60	Stainless A4-80	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
4017A40606080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 60	Stainless A4-80	M6 x 60	Plain (no plating)	6 mm	60 mm	10 mm	
4017A40606570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 65	Stainless A4-70	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4017A40606580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 65	Stainless A4-80	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4017A40606588	ISO 4017 Hexagon Head Screw, Stainless A4, M6 x 65, Bumax	Stainless A4	M6 x 65	Plain (no plating)	6 mm	65 mm	10 mm	
4017A40607070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 70	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
4017A40607080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 70	Stainless A4-80	M6 x 70	Plain (no plating)	6 mm	70 mm	10 mm	
4017A40607570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 75	Stainless A4-70	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
4017A40607580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 75	Stainless A4-80	M6 x 75	Plain (no plating)	6 mm	75 mm	10 mm	
4017A40608070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 80	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm	10 mm	
4017A40608080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 80	Stainless A4-80	M6 x 80	Plain (no plating)	6 mm	80 mm	10 mm	
4017A40609070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 90	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
4017A40609080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 90	Stainless A4-80	M6 x 90	Plain (no plating)	6 mm	90 mm	10 mm	
4017A40610070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 100	Stainless A4-70	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
4017A40610080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 100	Stainless A4-80	M6 x 100	Plain (no plating)	6 mm	100 mm	10 mm	
4017A40611070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 110	Stainless A4-70	M6 x 110	Plain (no plating)	6 mm	110 mm	10 mm	
4017A40612070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 120	Stainless A4-70	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
4017A40612080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M6 x 120	Stainless A4-80	M6 x 120	Plain (no plating)	6 mm	120 mm	10 mm	
4017A40613070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 130	Stainless A4-70	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
4017A40613080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 130	Stainless A4-70	M6 x 130	Plain (no plating)	6 mm	130 mm	10 mm	
4017A40614070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 140	Stainless A4-70	M6 x 140	Plain (no plating)	6 mm	140 mm	10 mm	
4017A40615070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M6 x 150	Stainless A4-70	M6 x 150	Plain (no plating)	6 mm	150 mm	10 mm	
4017A40800870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 8	Stainless A4-70	M8 x 8	Plain (no plating)	8 mm	8 mm	13 mm	
4017A40800880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 8	Stainless A4-80	M8 x 8	Plain (no plating)	8 mm	8 mm	13 mm	
4017A40801070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 10	Stainless A4-70	M8 x 10	Plain (no plating)	8 mm	10 mm	13 mm	
4017A40801080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 10	Stainless A4-80	M8 x 10	Plain (no plating)	8 mm	10 mm	13 mm	
4017A40801270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 12	Stainless A4-70	M8 x 12	Plain (no plating)	8 mm	12 mm	13 mm	
4017A40801280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 12	Stainless A4-80	M8 x 12	Plain (no plating)	8 mm	12 mm	13 mm	
4017A40801280V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 12	Stainless A4-80	M8 x 12	Plain (no plating)	8 mm	12 mm	13 mm	
4017A40801470	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 14	Stainless A4-70	M8 x 14	Plain (no plating)	8 mm	14 mm	13 mm	
4017A40801480	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 14	Stainless A4-80	M8 x 14	Plain (no plating)	8 mm	14 mm	13 mm	
4017A40801488	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M8 x 14	Plain (no plating)	8 mm	14 mm	13 mm	
4017A40801670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 16	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017A40801680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 16	Stainless A4-80	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017A40801680BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 16	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017A40801680V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 16, Gleitmo 6	Stainless A4-80	M8 x 16	WAX GLEITMO 625	8 mm	16 mm	13 mm	
4017A40801680W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 16	Stainless A4-80	M8 x 16	Plain (no plating)	8 mm	16 mm	13 mm	
4017A408018109	ISO 4017 Hexagon Head Screw, Stainless A4, M8 x 18, Bumax	Stainless A4	M8 x 18	Plain (no plating)	8 mm	18 mm	13 mm	
4017A40801870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 18	Stainless A4-70	M8 x 18	Plain (no plating)	8 mm	18 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A40801880	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 18	Stainless A4-70	M8 x 18	Plain (no plating)	8 mm	18 mm	13 mm	
4017A40802070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 20	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017A408020701	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 20, Zinc Plat	Stainless A4-70	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	13 mm	
4017A40802080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 20	Stainless A4-80	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017A40802080BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 20	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017A40802080V60	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 20, Cleitmo 6	Stainless A4-80	M8 x 20	WAX GLEITMO 605	8 mm	20 mm	13 mm	
4017A40802080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 20	Stainless A4-80	M8 x 20	Plain (no plating)	8 mm	20 mm	13 mm	
4017A40802270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 22	Stainless A4-70	M8 x 22	Plain (no plating)	8 mm	22 mm	13 mm	
4017A40802280	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 22	Stainless A4-70	M8 x 22	Plain (no plating)	8 mm	22 mm	13 mm	
4017A408025	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 25	Stainless A4-80	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A40802570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 25	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A408025701	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 25, Zinc Plat	Stainless A4-70	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	13 mm	
4017A40802570DRI	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 25	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A40802580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 25	Stainless A4-80	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A40802580V60	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 25, Cleitmo 6	Stainless A4-80	M8 x 25	WAX GLEITMO 605	8 mm	25 mm	13 mm	
4017A40802580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 25, Cleitmo 6	Stainless A4-80	M8 x 25	WAX GLEITMO 627	8 mm	25 mm	13 mm	
4017A40802588	ISO 4017 Hexagon Head Screw, Stainless A4, M8 x 25, Bumax	Stainless A4	M8 x 25	Plain (no plating)	8 mm	25 mm	13 mm	
4017A40802880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 28	Stainless A4-80	M8 x 28	Plain (no plating)	8 mm	28 mm	13 mm	
4017A40803070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 30	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4017A40803070S50	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 30	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4017A40803080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 30	Stainless A4-80	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm	
4017A40803080V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 30, Cleitmo 6	Stainless A4-80	M8 x 30	WAX GLEITMO 625	8 mm	30 mm	13 mm	
4017A40803570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 35	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4017A40803580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 35	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4017A40803580V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 35	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4017A40803580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 35	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	13 mm	
4017A40804070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 40	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4017A40804080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 40	Stainless A4-80	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4017A40804570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 45	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4017A40804580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 45	Stainless A4-80	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4017A40804580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 45	Stainless A4-80	M8 x 45	Plain (no plating)	8 mm	45 mm	13 mm	
4017A40805070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 50	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4017A40805080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 50	Stainless A4-80	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4017A408050807	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 50	Stainless A4-80	M8 x 50	Plain (no plating)	8 mm	50 mm	13 mm	
4017A40805080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 50, Cleitmo 6	Stainless A4-80	M8 x 50	WAX GLEITMO 627	8 mm	50 mm	13 mm	
4017A40805570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 55	Stainless A4-70	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
4017A40805580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 55	Stainless A4-80	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
4017A40805588	ISO 4017 Hexagon Head Screw, Stainless A4, M8 x 55, Bumax	Stainless A4	M8 x 55	Plain (no plating)	8 mm	55 mm	13 mm	
4017A40806070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 60	Stainless A4-70	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
4017A40806080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 60	Stainless A4-80	M8 x 60	Plain (no plating)	8 mm	8 mm	13 mm	
4017A40806080BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 60	Stainless A4-80	M8 x 60	Plain (no plating)	8 mm	60 mm	13 mm	
4017A40806570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 65	Stainless A4-70	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
4017A40806580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 65	Stainless A4-80	M8 x 65	Plain (no plating)	8 mm	65 mm	13 mm	
4017A40807070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 70	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
4017A40807080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 70	Stainless A4-80	M8 x 70	Plain (no plating)	8 mm	70 mm	13 mm	
4017A40807570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 75	Stainless A4-70	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A40807580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 75	Stainless A4-80	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
4017A40807588	ISO 4017 Hexagon Head Screw, Stainless A4, M8 x 75, Bumax	Stainless A4	M8 x 75	Plain (no plating)	8 mm	75 mm	13 mm	
4017A40808070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 80	Stainless A4-70	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4017A40808080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 80	Stainless A4-80	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4017A40808570GL	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 85, Gleitmo 6	Stainless A4-70	M8 x 85	WAX GLEITMO 605	8 mm	85 mm	13 mm	
4017A40809070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 90	Stainless A4-70	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
4017A40809080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 90	Stainless A4-80	M8 x 90	Plain (no plating)	8 mm	90 mm	13 mm	
4017A40809580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 95	Stainless A4-80	M8 x 95	Plain (no plating)	8 mm	95 mm	13 mm	
4017A40810010	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 1.0 x 10	Stainless A4-80	M8 x 1.0 x 10	Plain (no plating)	8 mm	10 mm	13 mm	
4017A40810070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 100	Stainless A4-70	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
4017A40810080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 100	Stainless A4-80	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
4017A40810080V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 100	Stainless A4-80	M8 x 100	Plain (no plating)	8 mm	100 mm	13 mm	
4017A40811070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 110	Stainless A4-70	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
4017A40811080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 110	Stainless A4-80	M8 x 110	Plain (no plating)	8 mm	110 mm	13 mm	
4017A40812070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 120	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
4017A40812080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 120	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm	13 mm	
4017A408125109	ISO 4017 Hexagon Head Screw, Stainless A4, M8 x 125, Bumax	Stainless A4	M8 x 125	Plain (no plating)	8 mm	125 mm	13 mm	
4017A40813070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 130	Stainless A4-70	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
4017A40813080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 130	Stainless A4-80	M8 x 130	Plain (no plating)	8 mm	130 mm	13 mm	
4017A40814070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 140	Stainless A4-70	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
4017A40814080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 140	Stainless A4-80	M8 x 140	Plain (no plating)	8 mm	140 mm	13 mm	
4017A40815070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 150	Stainless A4-70	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
4017A40815080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 150	Stainless A4-80	M8 x 150	Plain (no plating)	8 mm	150 mm	13 mm	
4017A40816070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 160	Stainless A4-70	M8 x 160	Plain (no plating)	8 mm	160 mm	13 mm	
4017A40817070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 170	Stainless A4-70	M8 x 170	Plain (no plating)	8 mm	170 mm	13 mm	
4017A40818070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 180	Stainless A4-70	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	
4017A40818080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 180	Stainless A4-80	M8 x 180	Plain (no plating)	8 mm	180 mm	13 mm	
4017A40819070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 190	Stainless A4-70	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	
4017A40819080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M8 x 190	Stainless A4-80	M8 x 190	Plain (no plating)	8 mm	190 mm	13 mm	
4017A40820070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M8 x 200	Stainless A4-70	M8 x 200	Plain (no plating)	8 mm	200 mm	13 mm	
4017A41000880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 8	Stainless A4-80	M10 x 8	Plain (no plating)	10 mm	8 mm	16 mm	
4017A41001080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 10	Stainless A4-80	M10 x 10	Plain (no plating)	10 mm	10 mm	16 mm	
4017A41001270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 12	Stainless A4-70	M10 x 12	Plain (no plating)	10 mm	12 mm	16 mm	
4017A41001280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 12	Stainless A4-80	M10 x 12	Plain (no plating)	10 mm	12 mm	16 mm	
4017A41001580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 15	Stainless A4-80	M10 x 15	Plain (no plating)	10 mm	15 mm	16 mm	
4017A41001670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 16	Stainless A4-70	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
4017A41001670W	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 16	Stainless A4-70	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
4017A41001680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 16	Stainless A4-80	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
4017A41001680V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 16	Stainless A4-80	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
4017A41001870	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 18	Stainless A4-70	M10 x 18	Plain (no plating)	10 mm	18 mm	16 mm	
4017A41002070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 20	Stainless A4-70	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
4017A41002080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 20	Stainless A4-80	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
4017A410020801	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 20, Zinc Pla	Stainless A4-70	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	16 mm	
4017A41002080BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 20	Stainless A4-70	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	
4017A41002080V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 20, Gleitmo	Stainless A4-80	M10 x 20	WAX GLEITMO 627	10 mm	20 mm	16 mm	
4017A41002080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 20	Stainless A4-80	M10 x 20	Plain (no plating)	10 mm	20 mm	16 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A41002080W627	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 20, Gleitmo	Stainless A4-70	M10 x 20	WAX GLEITMO 627	10 mm	20 mm	16 mm	
4017A410022109	ISO 4017 Hexagon Head Screw, Stainless A4, M10 x 22, Bumax	Stainless A4	M10 x 22	Plain (no plating)	10 mm	22 mm	16 mm	
4017A41002270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 22	Stainless A4-70	M10 x 22	Plain (no plating)	10 mm	22 mm	16 mm	
4017A41002280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 22	Stainless A4-80	M10 x 22	Plain (no plating)	10 mm	22 mm	16 mm	
4017A410025	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 25	Stainless A4-70	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017A41002570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 25	Stainless A4-70	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017A41002580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 25	Stainless A4-80	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017A41002580BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 25	Stainless A4-80	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017A41002580V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 25	Stainless A4-80	M10 x 25	Plain (no plating)	10 mm	25 mm	16 mm	
4017A41002580W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 25, Gleitmo	Stainless A4-80	M10 x 25	WAX GLEITMO 627	10 mm	25 mm	16 mm	
4017A41002880	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 28	Stainless A4-80	M10 x 28	Plain (no plating)	10 mm	28 mm	16 mm	
4017A41003070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 30	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A41003080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 30	Stainless A4-80	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A410030801	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 30, Zinc Pla	Stainless A4-80	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	16 mm	
4017A41003080BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 30	Stainless A4-80	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A41003080V	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 30	Stainless A4-80	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A41003080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 30	Stainless A4-80	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A41003080W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 30, Gleitmo	Stainless A4-80	M10 x 30	WAX GLEITMO 627	10 mm	30 mm	16 mm	
4017A41003088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017A41003570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 35	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4017A41003580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 35	Stainless A4-80	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4017A410035801	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 35, Zinc Pla	Stainless A4-80	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	16 mm	
4017A41003580W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 35, Gleitmo	Stainless A4-80	M10 x 35	WAX GLEITMO 627	10 mm	35 mm	16 mm	
4017A41003588	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M10 x 35	Plain (no plating)	10 mm	35 mm	16 mm	
4017A41004070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 40	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4017A41004080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 40	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4017A41004080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 40	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	16 mm	
4017A41004080W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 40, Gleitmo	Stainless A4-80	M10 x 40	WAX GLEITMO 627	10 mm	40 mm	16 mm	
4017A41004570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 45	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
4017A41004580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 45	Stainless A4-80	M10 x 45	Plain (no plating)	10 mm	45 mm	16 mm	
4017A41005070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 50	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4017A41005080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 50	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm	16 mm	
4017A41005570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 55	Stainless A4-70	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4017A41005580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 55	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4017A41005580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 55	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	16 mm	
4017A41006070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 60	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4017A41006080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 60	Stainless A4-80	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4017A41006088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M10 x 60	Plain (no plating)	10 mm	60 mm	16 mm	
4017A41006570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 65	Stainless A4-70	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
4017A41006580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 65	Stainless A4-80	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
4017A410070109	ISO 4017 Hexagon Head Screw, Stainless A4, M10 x 70, Bumax	Stainless A4	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4017A41007070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 70	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4017A41007080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 70	Stainless A4-80	M10 x 70	Plain (no plating)	10 mm	70 mm	16 mm	
4017A41007570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 75	Stainless A4-70	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
4017A41007580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 75	Stainless A4-80	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
4017A41007588	ISO 4017 Hexagon Head Screw, Stainless A4, M10 x 75,							

Bumax

Stainless A4	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A41008070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 80	Stainless A4-70	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4017A41008080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 80	Stainless A4-80	M10 x 80	Plain (no plating)	10 mm	80 mm	16 mm	
4017A41009070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 90	Stainless A4-70	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4017A41009080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 90	Stainless A4-80	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4017A41009080BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 90	Stainless A4-70	M10 x 90	Plain (no plating)	10 mm	90 mm	16 mm	
4017A41010070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 100	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
4017A41010080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 100	Stainless A4-80	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
4017A41010080BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 100	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	16 mm	
4017A41011070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 110	Stainless A4-70	M10 x 110	Plain (no plating)	10 mm	110 mm	16 mm	
4017A41011080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 110	Stainless A4-80	M10 x 110	Plain (no plating)	10 mm	110 mm	16 mm	
4017A41012080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 120	Stainless A4-80	M10 x 120	Plain (no plating)	10 mm	120 mm	16 mm	
4017A41012570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 125	Stainless A4-70	M10 x 125	Plain (no plating)	10 mm	125 mm	16 mm	
4017A41013080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 130	Stainless A4-80	M10 x 130	Plain (no plating)	10 mm	130 mm	16 mm	
4017A41014070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 140	Stainless A4-70	M10 x 140	Plain (no plating)	10 mm	140 mm	16 mm	
4017A41015070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 150	Stainless A4-70	M10 x 150	Plain (no plating)	10 mm	150 mm	16 mm	
4017A41015080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M10 x 150	Stainless A4-80	M10 x 150	Plain (no plating)	10 mm	150 mm	16 mm	
4017A41017070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 170	Stainless A4-70	M10 x 170	Plain (no plating)	10 mm	170 mm	16 mm	
4017A41018070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M10 x 180	Stainless A4-70	M10 x 180	Plain (no plating)	10 mm	180 mm	16 mm	
4017A41201280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 12	Stainless A4-80	M12 x 12	Plain (no plating)	12 mm	12 mm	18 mm	
4017A41201680	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 16	Stainless A4-80	M12 x 16	Plain (no plating)	12 mm	16 mm	18 mm	
4017A41201680BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 16	Stainless A4-80	M12 x 16	Plain (no plating)	12 mm	16 mm	18 mm	
4017A41202070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 20	Stainless A4-70	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
4017A41202080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 20	Stainless A4-80	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
4017A41202080BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 20	Stainless A4-70	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
4017A41202080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 20	Stainless A4-80	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
4017A41202088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M12 x 20	Plain (no plating)	12 mm	20 mm	18 mm	
4017A41202270	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 22	Stainless A4-70	M12 x 22	Plain (no plating)	12 mm	22 mm	18 mm	
4017A41202570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 25	Stainless A4-70	M12 x 25	Plain (no plating)	12 mm	25 mm	18 mm	
4017A41202570W	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 25 Gleitmo	Stainless A4-70	M12 x 25	WAX GLEITMO 625	12 mm	25 mm	18 mm	
4017A41202580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 25	Stainless A4-80	M12 x 25	Plain (no plating)	12 mm	25 mm	18 mm	
4017A41202580BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 25	Stainless A4-80	M12 x 25	Plain (no plating)	12 mm	25 mm	18 mm	
4017A41202580W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 25 Gleitmo	Stainless A4-80	M12 x 25	WAX GLEITMO 627	12 mm	25 mm	18 mm	
4017A41203070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 30	Stainless A4-70	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
4017A41203080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 30	Stainless A4-80	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
4017A412030801	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 30 Zinc Pla	Stainless A4-70	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	18 mm	
4017A41203080BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 30	Stainless A4-70	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
4017A41203080W627	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 30 Gleitmo	Stainless A4-70	M12 x 30	WAX GLEITMO 627	12 mm	30 mm	18 mm	
4017A41203088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
4017A41203570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 35	Stainless A4-70	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017A41203580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 35	Stainless A4-80	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017A41203580BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 35	Stainless A4-70	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017A41203580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 35	Stainless A4-80	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017A41203580W627	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 35 Gleitmo	Stainless A4-70	M12 x 35	WAX GLEITMO 627	12 mm	35 mm	18 mm	
4017A41203580WN	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 35	Stainless A4-80	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017A41204070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 40	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A41204070DRI	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 40	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A41204070DRII	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 40	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A41204070NL	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 40	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A41204080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 40	Stainless A4-80	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A41204080BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 40	Stainless A4-80	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A41204080W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 40, Gleitmo	Stainless A4-80	M12 x 40	WAX GLEITMO 627	12 mm	40 mm	18 mm	
4017A41204088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017A41204570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 45	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017A41204580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 45	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017A41204580I	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 45	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017A41204580W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 45, Gleitmo	Stainless A4-80	M12 x 45	WAX GLEITMO 627	12 mm	45 mm	18 mm	
4017A41204588	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M12 x 45	Plain (no plating)	12 mm	45 mm	18 mm	
4017A412050109	ISO 4017 Hexagon Head Screw, Stainless A4, M12 x 50, Bumax	Stainless A4	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4017A41205070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 50	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4017A41205080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4017A41205080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 50	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4017A41205080W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 50, Gleitmo	Stainless A4-80	M12 x 50	WAX GLEITMO 627	12 mm	50 mm	18 mm	
4017A41205088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4017A41205570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 55	Stainless A4-70	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4017A41205580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 55	Stainless A4-80	M12 x 55	Plain (no plating)	12 mm	55 mm	18 mm	
4017A41206070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 60	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4017A41206080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 60	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4017A41206080BS	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 60	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4017A41206080W627	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 60, Gleitmo	Stainless A4-70	M12 x 60	WAX GLEITMO 627	12 mm	60 mm	18 mm	
4017A41206088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M12 x 60	Plain (no plating)	12 mm	60 mm	18 mm	
4017A41206570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 65	Stainless A4-70	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
4017A41206580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 65	Stainless A4-80	M12 x 65	Plain (no plating)	12 mm	65 mm	18 mm	
4017A41207070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 70	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4017A41207080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 70	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4017A41207080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 70	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4017A41207088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M12 x 70	Plain (no plating)	12 mm	70 mm	18 mm	
4017A41207570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 75	Stainless A4-70	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
4017A41207580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 75	Stainless A4-80	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
4017A41207588	ISO 4017 Hexagon Head Screw, Stainless A4, M12 x 75, Bumax	Stainless A4	M12 x 75	Plain (no plating)	12 mm	75 mm	18 mm	
4017A41208070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 80	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4017A41208080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 80	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4017A41208570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 85	Stainless A4-70	M12 x 85	Plain (no plating)	12 mm	85 mm	18 mm	
4017A41209070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 90	Stainless A4-70	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4017A41209080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 90	Stainless A4-80	M12 x 90	Plain (no plating)	12 mm	90 mm	18 mm	
4017A41210070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 100	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
4017A41210080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 100	Stainless A4-80	M12 x 100	Plain (no plating)	12 mm	100 mm	18 mm	
4017A41211070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 110	Stainless A4-70	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4017A41211080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 110	Stainless A4-80	M12 x 110	Plain (no plating)	12 mm	110 mm	18 mm	
4017A41212080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 120	Stainless A4-80	M12 x 120	Plain (no plating)	12 mm	120 mm	18 mm	
4017A41213080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 130	Stainless A4-80	M12 x 130	Plain (no plating)	12 mm	130 mm	18 mm	
4017A41214080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 140	Stainless A4-80	M12 x 140	Plain (no plating)	12 mm	140 mm	18 mm	
4017A41215080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x							

150

Stainless A4-80	M12 x 150	Plain (no plating)	12 mm	150 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A41216080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 160	Stainless A4-80	M12 x 160	Plain (no plating)	12 mm	160 mm	18 mm	
4017A41220070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M12 x 200	Stainless A4-70	M12 x 200	Plain (no plating)	12 mm	200 mm	18 mm	
4017A41220080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 200	Stainless A4-80	M12 x 200	Plain (no plating)	12 mm	200 mm	18 mm	
4017A41222080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 220	Stainless A4-80	M12 x 220	Plain (no plating)	12 mm	220 mm	18 mm	
4017A41224080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M12 x 240	Stainless A4-80	M12 x 240	Plain (no plating)	12 mm	240 mm	18 mm	
4017A41402080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 20	Stainless A4-80	M14 x 20	Plain (no plating)	14 mm	20 mm	21 mm	
4017A41402088	ISO 4017 Hexagon Head Screw, Stainless A4, M14 x 20, Bumax	Stainless A4	M14 x 20	Plain (no plating)	14 mm	20 mm	21 mm	
4017A41402580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 25	Stainless A4-80	M14 x 25	Plain (no plating)	14 mm	25 mm	21 mm	
4017A41403570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M14 x 35	Stainless A4-70	M14 x 35	Plain (no plating)	14 mm	35 mm	21 mm	
4017A41403580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 35	Stainless A4-80	M14 x 35	Plain (no plating)	14 mm	35 mm	21 mm	
4017A41403580W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 35, Gleitmo	Stainless A4-80	M14 x 35	WAX GLEITMO 627	14 mm	35 mm	21 mm	
4017A41404070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M14 x 40	Stainless A4-70	M14 x 40	Plain (no plating)	14 mm	40 mm	21 mm	
4017A41404080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 40	Stainless A4-80	M14 x 40	Plain (no plating)	14 mm	40 mm	21 mm	
4017A41404580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 45	Stainless A4-80	M14 x 45	Plain (no plating)	14 mm	45 mm	21 mm	
4017A41405080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 50	Stainless A4-80	M14 x 50	Plain (no plating)	14 mm	50 mm	21 mm	
4017A41405570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M14 x 55	Stainless A4-70	M14 x 55	Plain (no plating)	14 mm	55 mm	21 mm	
4017A41406070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M14 x 60	Stainless A4-70	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
4017A41406080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 60	Stainless A4-80	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
4017A41406088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M14 x 60	Plain (no plating)	14 mm	60 mm	21 mm	
4017A41406588	ISO 4017 Hexagon Head Screw, Stainless A4, M14 x 65, Bumax	Stainless A4	M14 x 65	Plain (no plating)	14 mm	65 mm	21 mm	
4017A41407080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 70	Stainless A4-80	M14 x 70	Plain (no plating)	14 mm	70 mm	21 mm	
4017A41408080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M14 x 80	Stainless A4-80	M14 x 80	Plain (no plating)	14 mm	80 mm	21 mm	
4017A41601280	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 12	Stainless A4-80	M16 x 12	Plain (no plating)	16 mm	12 mm	24 mm	
4017A41601680	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 16	Stainless A4-70	M16 x 16	Plain (no plating)	16 mm	16 mm	24 mm	
4017A41602070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 20	Stainless A4-70	M16 x 20	Plain (no plating)	16 mm	20 mm	24 mm	
4017A41602080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 20	Stainless A4-80	M16 x 20	Plain (no plating)	16 mm	20 mm	24 mm	
4017A41602570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 25	Stainless A4-70	M16 x 25	Plain (no plating)	16 mm	25 mm	24 mm	
4017A41602580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 25	Stainless A4-80	M16 x 25	Plain (no plating)	16 mm	25 mm	24 mm	
4017A41603070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 30	Stainless A4-70	M16 x 30	Plain (no plating)	16 mm	30 mm	24 mm	
4017A41603080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 30	Stainless A4-80	M16 x 30	Plain (no plating)	16 mm	30 mm	24 mm	
4017A41603570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 35	Stainless A4-70	M16 x 35	Plain (no plating)	16 mm	35 mm	24 mm	
4017A41603580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 35	Stainless A4-80	M16 x 35	Plain (no plating)	16 mm	35 mm	24 mm	
4017A41603580W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 35, Gleitmo	Stainless A4-80	M16 x 35	WAX GLEITMO 627	16 mm	35 mm	24 mm	
4017A41604070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 40	Stainless A4-70	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
4017A41604080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 40	Stainless A4-80	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
4017A41604080W627	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 40, Gleitmo	Stainless A4-70	M16 x 40	WAX GLEITMO 627	16 mm	40 mm	24 mm	
4017A41604570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 45	Stainless A4-70	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017A41604580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 45	Stainless A4-80	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017A41604580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 45	Stainless A4-80	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017A41604588	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017A41605070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 50	Stainless A4-70	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017A41605080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 50	Stainless A4-80	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017A41605080BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 50	Stainless A4-80	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017A41605080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 50	Stainless A4-80	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017A41605088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017A41605570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 55	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A41605580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 55	Stainless A4-80	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
4017A41605580W	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 55	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	24 mm	
4017A41606070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 60	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
4017A41606080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 60	Stainless A4-80	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
4017A41606080W627	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 60, Gleitmo	Stainless A4-80	M16 x 60	WAX GLEITMO 627	16 mm	60 mm	24 mm	
4017A41606570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 65	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4017A41606580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 65	Stainless A4-80	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4017A41606580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 65	Stainless A4-80	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4017A41606588	ISO 4017 Hexagon Head Screw, Stainless A4, M16 x 65, Bumax	Stainless A4	M16 x 65	Plain (no plating)	16 mm	65 mm	24 mm	
4017A41607070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 70	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4017A41607080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 70	Stainless A4-80	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4017A41607088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4017A41607570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 75	Stainless A4-70	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
4017A41607580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 75	Stainless A4-80	M16 x 75	Plain (no plating)	16 mm	75 mm	24 mm	
4017A41608070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 80	Stainless A4-70	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4017A41608080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 80	Stainless A4-80	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4017A41608088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M16 x 80	Plain (no plating)	16 mm	80 mm	24 mm	
4017A41608570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 85	Stainless A4-70	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
4017A41608580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 85	Stainless A4-80	M16 x 85	Plain (no plating)	16 mm	85 mm	24 mm	
4017A41609070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 90	Stainless A4-70	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4017A41609080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 90	Stainless A4-80	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4017A41609580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 95	Stainless A4-80	M16 x 95	Plain (no plating)	16 mm	95 mm	24 mm	
4017A41610070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 100	Stainless A4-70	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
4017A41610080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 100	Stainless A4-80	M16 x 100	Plain (no plating)	16 mm	100 mm	24 mm	
4017A41611070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 110	Stainless A4-70	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
4017A41611080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 110	Stainless A4-80	M16 x 110	Plain (no plating)	16 mm	110 mm	24 mm	
4017A41612070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 120	Stainless A4-70	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
4017A41612080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 120	Stainless A4-80	M16 x 120	Plain (no plating)	16 mm	120 mm	24 mm	
4017A41613070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 130	Stainless A4-70	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4017A41613080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 130	Stainless A4-80	M16 x 130	Plain (no plating)	16 mm	130 mm	24 mm	
4017A41613580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 135	Stainless A4-80	M16 x 135	Plain (no plating)	16 mm	135 mm	24 mm	
4017A41614070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 140	Stainless A4-70	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
4017A41614080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 140	Stainless A4-80	M16 x 140	Plain (no plating)	16 mm	140 mm	24 mm	
4017A41615070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 150	Stainless A4-70	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4017A41615080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 150	Stainless A4-80	M16 x 150	Plain (no plating)	16 mm	150 mm	24 mm	
4017A41616070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 160	Stainless A4-70	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
4017A41616080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 160	Stainless A4-80	M16 x 160	Plain (no plating)	16 mm	160 mm	24 mm	
4017A41617070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 170	Stainless A4-70	M16 x 170	Plain (no plating)	16 mm	170 mm	24 mm	
4017A41618070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 180	Stainless A4-70	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4017A41618080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 180	Stainless A4-80	M16 x 180	Plain (no plating)	16 mm	180 mm	24 mm	
4017A41619070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 190	Stainless A4-70	M16 x 190	Plain (no plating)	16 mm	190 mm	24 mm	
4017A41620070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 200	Stainless A4-70	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
4017A41620080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M16 x 200	Stainless A4-80	M16 x 200	Plain (no plating)	16 mm	200 mm	24 mm	
4017A41624070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M16 x 240	Stainless A4-70	M16 x 240	Plain (no plating)	16 mm	240 mm	24 mm	
4017A41803070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 30	Stainless A4-70	M18 x 30	Plain (no plating)	18 mm	30 mm	27 mm	
4017A41803570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 35	Stainless A4-70	M18 x 35	Plain (no plating)	18 mm	35 mm	27 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A41804070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 40	Stainless A4-70	M18 x 40	Plain (no plating)	18 mm	40 mm	27 mm	
4017A41804088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M18 x 40	Plain (no plating)	18 mm	40 mm	27 mm	
4017A41804570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 45	Stainless A4-70	M18 x 45	Plain (no plating)	18 mm	45 mm	27 mm	
4017A41805070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 50	Stainless A4-70	M18 x 50	Plain (no plating)	18 mm	50 mm	27 mm	
4017A41805088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M18 x 50	Plain (no plating)	18 mm	50 mm	27 mm	
4017A41805570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 55	Stainless A4-70	M18 x 55	Plain (no plating)	18 mm	55 mm	27 mm	
4017A41806070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 60	Stainless A4-70	M18 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
4017A41806088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M18 x 60	Plain (no plating)	18 mm	60 mm	27 mm	
4017A41806570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 65	Stainless A4-70	M18 x 65	Plain (no plating)	18 mm	65 mm	27 mm	
4017A41807070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 70	Stainless A4-70	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
4017A41807080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M18 x 70	Stainless A4-80	M18 x 70	Plain (no plating)	18 mm	70 mm	27 mm	
4017A41807570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 75	Stainless A4-70	M18 x 75	Plain (no plating)	18 mm	75 mm	27 mm	
4017A41808070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 80	Stainless A4-70	M18 x 80	Plain (no plating)	18 mm	80 mm	27 mm	
4017A41809070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 90	Stainless A4-70	M18 x 90	Plain (no plating)	18 mm	90 mm	27 mm	
4017A41810070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 100	Stainless A4-70	M18 x 100	Plain (no plating)	18 mm	100 mm	27 mm	
4017A41811070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 110	Stainless A4-70	M18 x 110	Plain (no plating)	18 mm	110 mm	27 mm	
4017A41812070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 120	Stainless A4-70	M18 x 120	Plain (no plating)	18 mm	120 mm	27 mm	
4017A41813070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 130	Stainless A4-70	M18 x 130	Plain (no plating)	18 mm	130 mm	27 mm	
4017A41814070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 140	Stainless A4-70	M18 x 140	Plain (no plating)	18 mm	140 mm	27 mm	
4017A41815070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M18 x 150	Stainless A4-70	M18 x 150	Plain (no plating)	18 mm	150 mm	27 mm	
4017A42002070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 20	Stainless A4-70	M20 x 20	Plain (no plating)	20 mm	20 mm	30 mm	
4017A42002080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 20	Stainless A4-80	M20 x 20	Plain (no plating)	20 mm	20 mm	30 mm	
4017A42002570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 25	Stainless A4-70	M20 x 25	Plain (no plating)	20 mm	25 mm	30 mm	
4017A42002580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 25	Stainless A4-80	M20 x 25	Plain (no plating)	20 mm	25 mm	30 mm	
4017A42002588	ISO 4017 Hexagon Head Screw, Stainless A4, M20 x 25, Bumax	Stainless A4	M20 x 25	Plain (no plating)	20 mm	25 mm	30 mm	
4017A42003070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 30	Stainless A4-70	M20 x 30	Plain (no plating)	20 mm	30 mm	30 mm	
4017A42003080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 30	Stainless A4-80	M20 x 30	Plain (no plating)	20 mm	30 mm	30 mm	
4017A42003080BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 30	Stainless A4-80	M20 x 30	Plain (no plating)	20 mm	30 mm	30 mm	
4017A42003570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 35	Stainless A4-70	M20 x 35	Plain (no plating)	20 mm	35 mm	30 mm	
4017A42003580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 35	Stainless A4-80	M20 x 35	Plain (no plating)	20 mm	35 mm	30 mm	
4017A42003588	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M20 x 35	Plain (no plating)	20 mm	35 mm	30 mm	
4017A42004070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 40	Stainless A4-70	M20 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
4017A42004080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 40	Stainless A4-80	M20 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
4017A42004080BS	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 40	Stainless A4-80	M20 x 40	Plain (no plating)	20 mm	40 mm	30 mm	
4017A42004570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 45	Stainless A4-70	M20 x 45	Plain (no plating)	20 mm	45 mm	30 mm	
4017A42004580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 45	Stainless A4-80	M20 x 45	Plain (no plating)	20 mm	45 mm	30 mm	
4017A42005070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 50	Stainless A4-70	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
4017A42005080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 50	Stainless A4-80	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
4017A42005570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 55	Stainless A4-70	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4017A42005580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 55	Stainless A4-80	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4017A42005580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 55	Stainless A4-80	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4017A420060109	ISO 4017 Hexagon Head Screw, Stainless A4, M20 x 60, Bumax	Stainless A4	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4017A42006070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 60	Stainless A4-70	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4017A42006080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 60	Stainless A4-80	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4017A42006080W	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 60	Stainless A4-70	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4017A42006088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4							

high-strengt

Stainless BUMAX 88 (A4 high-

stre

M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A420065109	ISO 4017 Hexagon Head Screw, Stainless A4, M20 x 65, Bumax	Stainless A4	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4017A42006570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 65	Stainless A4-70	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4017A42006580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 65	Stainless A4-80	M20 x 65	Plain (no plating)	20 mm	65 mm	30 mm	
4017A42007070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 70	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4017A42007080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 70	Stainless A4-80	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4017A42007080G	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 70, Gleitmo	Stainless A4-70	M20 x 70	WAX GLEITMO 627	20 mm	70 mm	30 mm	
4017A42007088	ISO 4017 Hexagon Head Screw, Stainless BUMAX 88 (A4 high-strengt	Stainless BUMAX 88 (A4 high-stre	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4017A42007570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 75	Stainless A4-70	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
4017A42007580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 75	Stainless A4-80	M20 x 75	Plain (no plating)	20 mm	75 mm	30 mm	
4017A42008070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 80	Stainless A4-70	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4017A42008080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 80	Stainless A4-80	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4017A42008580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 85	Stainless A4-80	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
4017A42009070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 90	Stainless A4-70	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4017A42009080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 90	Stainless A4-80	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4017A42009080VG	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 90	Stainless A4-80	M20 x 90	Plain (no plating)	20 mm	90 mm	30 mm	
4017A42009580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 95	Stainless A4-80	M20 x 95	Plain (no plating)	20 mm	95 mm	30 mm	
4017A42010070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 100	Stainless A4-70	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
4017A42010080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 100	Stainless A4-80	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
4017A42010080W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 100	Stainless A4-80	M20 x 100	Plain (no plating)	20 mm	100 mm	30 mm	
4017A42011070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 110	Stainless A4-70	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
4017A42011080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 110	Stainless A4-80	M20 x 110	Plain (no plating)	20 mm	110 mm	30 mm	
4017A42012070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 120	Stainless A4-70	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
4017A42012080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 120	Stainless A4-80	M20 x 120	Plain (no plating)	20 mm	120 mm	30 mm	
4017A42013070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 130	Stainless A4-70	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
4017A42013080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 130	Stainless A4-80	M20 x 130	Plain (no plating)	20 mm	130 mm	30 mm	
4017A420140109	ISO 4017 Hexagon Head Screw, Stainless A4, M20 x 140, Bumax	Stainless A4	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4017A42014070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 140	Stainless A4-70	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4017A42014080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 140	Stainless A4-80	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4017A42014088	ISO 4017 Hexagon Head Screw, Stainless A4, M20 x 140, Bumax	Stainless A4	M20 x 140	Plain (no plating)	20 mm	140 mm	30 mm	
4017A42015070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 150	Stainless A4-70	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
4017A42015080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 150	Stainless A4-80	M20 x 150	Plain (no plating)	20 mm	150 mm	30 mm	
4017A42016070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 160	Stainless A4-70	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
4017A42016080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 160	Stainless A4-80	M20 x 160	Plain (no plating)	20 mm	160 mm	30 mm	
4017A42017070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 170	Stainless A4-70	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
4017A42017080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 170	Stainless A4-80	M20 x 170	Plain (no plating)	20 mm	170 mm	30 mm	
4017A42018070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 180	Stainless A4-70	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
4017A42018080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 180	Stainless A4-80	M20 x 180	Plain (no plating)	20 mm	180 mm	30 mm	
4017A42019070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 190	Stainless A4-70	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
4017A42019080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 190	Stainless A4-80	M20 x 190	Plain (no plating)	20 mm	190 mm	30 mm	
4017A42020070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 200	Stainless A4-70	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
4017A42020080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 200	Stainless A4-80	M20 x 200	Plain (no plating)	20 mm	200 mm	30 mm	
4017A42025070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 250	Stainless A4-70	M20 x 250	Plain (no plating)	20 mm	250 mm	30 mm	
4017A42026070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M20 x 260	Stainless A4-70	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
4017A42026080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M20 x 260	Stainless A4-80	M20 x 260	Plain (no plating)	20 mm	260 mm	30 mm	
4017A42205070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M22 x 50	Stainless A4-70	M22 x 50	Plain (no plating)	22 mm	50 mm	34 mm	
4017A42212070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M22 x							

120

Stainless A4-70	M22 x 120	Plain (no plating)	22 mm	120 mm	34 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A42213070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M22 x 130	Stainless A4-70	M22 x 130	Plain (no plating)	22 mm	130 mm	34 mm	
4017A4240206570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 2.0 x 65	Stainless A4-70	M24 x 2.0 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
4017A42402070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 20	Stainless A4-70	M24 x 20	Plain (no plating)	24 mm	20 mm	36 mm	
4017A42402580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 25	Stainless A4-80	M24 x 25	Plain (no plating)	24 mm	25 mm	36 mm	
4017A42403070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 30	Stainless A4-70	M24 x 30	Plain (no plating)	24 mm	30 mm	36 mm	
4017A42403080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 30	Stainless A4-80	M24 x 30	Plain (no plating)	24 mm	30 mm	36 mm	
4017A42403088	ISO 4017 Hexagon Head Screw, Stainless A4, M24 x 30, Bumax	Stainless A4	M24 x 30	Plain (no plating)	24 mm	30 mm	36 mm	
4017A42403580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 35	Stainless A4-80	M24 x 35	Plain (no plating)	24 mm	35 mm	36 mm	
4017A42404070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 40	Stainless A4-70	M24 x 40	Plain (no plating)	24 mm	40 mm	36 mm	
4017A42404080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 40	Stainless A4-80	M24 x 40	Plain (no plating)	24 mm	40 mm	36 mm	
4017A42404570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 45	Stainless A4-70	M24 x 45	Plain (no plating)	24 mm	45 mm	36 mm	
4017A42404580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 45	Stainless A4-80	M24 x 45	Plain (no plating)	24 mm	45 mm	36 mm	
4017A42405070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 50	Stainless A4-70	M24 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
4017A42405080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 50	Stainless A4-80	M24 x 50	Plain (no plating)	24 mm	50 mm	36 mm	
4017A42405570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 55	Stainless A4-70	M24 x 55	Plain (no plating)	24 mm	55 mm	36 mm	
4017A42405580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 55	Stainless A4-80	M24 x 55	Plain (no plating)	24 mm	55 mm	36 mm	
4017A42406070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 60	Stainless A4-70	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
4017A42406080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 60	Stainless A4-80	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
4017A42406570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 65	Stainless A4-70	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
4017A42406580	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 65	Stainless A4-70	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
4017A42406580W	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 65	Stainless A4-80	M24 x 65	Plain (no plating)	24 mm	65 mm	36 mm	
4017A424070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 70	Stainless A4-70	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
4017A42407070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 70	Stainless A4-70	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
4017A42407080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 70	Stainless A4-80	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
4017A42407570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 75	Stainless A4-70	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
4017A42407580	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 75	Stainless A4-70	M24 x 75	Plain (no plating)	24 mm	75 mm	36 mm	
4017A42408070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 80	Stainless A4-70	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4017A42408080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 80	Stainless A4-80	M24 x 80	Plain (no plating)	24 mm	80 mm	36 mm	
4017A42408570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 85	Stainless A4-70	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
4017A42408580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 85	Stainless A4-80	M24 x 85	Plain (no plating)	24 mm	85 mm	36 mm	
4017A42409070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 90	Stainless A4-70	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
4017A42409080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 90	Stainless A4-80	M24 x 90	Plain (no plating)	24 mm	90 mm	36 mm	
4017A42410070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 100	Stainless A4-70	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
4017A42410080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 100	Stainless A4-80	M24 x 100	Plain (no plating)	24 mm	100 mm	36 mm	
4017A42411070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 110	Stainless A4-70	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4017A42411080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 110	Stainless A4-80	M24 x 110	Plain (no plating)	24 mm	110 mm	36 mm	
4017A42412070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 120	Stainless A4-70	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
4017A42412080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 120	Stainless A4-80	M24 x 120	Plain (no plating)	24 mm	120 mm	36 mm	
4017A42413070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 130	Stainless A4-70	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
4017A42413080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 130	Stainless A4-80	M24 x 130	Plain (no plating)	24 mm	130 mm	36 mm	
4017A42414070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 140	Stainless A4-70	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
4017A42414080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 140	Stainless A4-80	M24 x 140	Plain (no plating)	24 mm	140 mm	36 mm	
4017A42415070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 150	Stainless A4-70	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
4017A42415080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 150	Stainless A4-70	M24 x 150	Plain (no plating)	24 mm	150 mm	36 mm	
4017A42416070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 160	Stainless A4-70	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm	
4017A42416080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x							

160

Stainless A4-70	M24 x 160	Plain (no plating)	24 mm	160 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A42417070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 170	Stainless A4-70	M24 x 170	Plain (no plating)	24 mm	170 mm	36 mm	
4017A42418070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 180	Stainless A4-70	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
4017A42418080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 180	Stainless A4-80	M24 x 180	Plain (no plating)	24 mm	180 mm	36 mm	
4017A42419070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 190	Stainless A4-70	M24 x 190	Plain (no plating)	24 mm	190 mm	36 mm	
4017A42420070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 200	Stainless A4-70	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
4017A42420080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 200	Stainless A4-70	M24 x 200	Plain (no plating)	24 mm	200 mm	36 mm	
4017A42421070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 210	Stainless A4-70	M24 x 210	Plain (no plating)	24 mm	210 mm	36 mm	
4017A42422070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 220	Stainless A4-70	M24 x 220	Plain (no plating)	24 mm	220 mm	36 mm	
4017A42424080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 240	Stainless A4-70	M24 x 240	Plain (no plating)	24 mm	240 mm	36 mm	
4017A42425070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M24 x 250	Stainless A4-70	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
4017A42425080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 250	Stainless A4-80	M24 x 250	Plain (no plating)	24 mm	250 mm	36 mm	
4017A42428080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 280	Stainless A4-80	M24 x 280	Plain (no plating)	24 mm	280 mm	36 mm	
4017A42430080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M24 x 300	Stainless A4-80	M24 x 300	Plain (no plating)	24 mm	300 mm	36 mm	
4017A42704080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 40	Stainless A4-80	M27 x 40	Plain (no plating)	27 mm	40 mm	41 mm	
4017A42705070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 50	Stainless A4-70	M27 x 50	Plain (no plating)	27 mm	50 mm	41 mm	
4017A42705080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 50	Stainless A4-80	M27 x 50	Plain (no plating)	27 mm	50 mm	41 mm	
4017A42705570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 55	Stainless A4-70	M27 x 55	Plain (no plating)	27 mm	55 mm	41 mm	
4017A42706070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 60	Stainless A4-70	M27 x 60	Plain (no plating)	27 mm	60 mm	41 mm	
4017A42706080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 60	Stainless A4-80	M27 x 60	Plain (no plating)	27 mm	60 mm	41 mm	
4017A427070	ISO 4017 Hexagon Head Screw, Stainless A4, M27 x 70	Stainless A4	M27 x 70	Plain (no plating)	27 mm	70 mm	41 mm	
4017A42707070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 70	Stainless A4-70	M27 x 70	Plain (no plating)	27 mm	70 mm	41 mm	
4017A42707080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 70	Stainless A4-80	M27 x 70	Plain (no plating)	27 mm	70 mm	41 mm	
4017A42707570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 75	Stainless A4-70	M27 x 75	Plain (no plating)	27 mm	75 mm	41 mm	
4017A42707580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 75	Stainless A4-80	M27 x 75	Plain (no plating)	27 mm	75 mm	41 mm	
4017A427080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 80	Stainless A4-70	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
4017A42708070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 80	Stainless A4-70	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
4017A42708080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 80	Stainless A4-80	M27 x 80	Plain (no plating)	27 mm	80 mm	41 mm	
4017A42708570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 85	Stainless A4-70	M27 x 85	Plain (no plating)	27 mm	85 mm	41 mm	
4017A42709070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 90	Stainless A4-70	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
4017A42709080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 90	Stainless A4-80	M27 x 90	Plain (no plating)	27 mm	90 mm	41 mm	
4017A42710070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 100	Stainless A4-70	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
4017A42710080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 100	Stainless A4-80	M27 x 100	Plain (no plating)	27 mm	100 mm	41 mm	
4017A42711070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 110	Stainless A4-70	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
4017A42711080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 110	Stainless A4-80	M27 x 110	Plain (no plating)	27 mm	110 mm	41 mm	
4017A42712070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 120	Stainless A4-70	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
4017A42712080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 120	Stainless A4-70	M27 x 120	Plain (no plating)	27 mm	120 mm	41 mm	
4017A42713070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 130	Stainless A4-70	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
4017A42713080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 130	Stainless A4-80	M27 x 130	Plain (no plating)	27 mm	130 mm	41 mm	
4017A42714070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 140	Stainless A4-70	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
4017A42714080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 140	Stainless A4-80	M27 x 140	Plain (no plating)	27 mm	140 mm	41 mm	
4017A42715070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 150	Stainless A4-70	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
4017A42715080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 150	Stainless A4-80	M27 x 150	Plain (no plating)	27 mm	150 mm	41 mm	
4017A42718080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 180	Stainless A4-80	M27 x 180	Plain (no plating)	27 mm	180 mm	41 mm	
4017A42720080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M27 x 200	Stainless A4-80	M27 x 200	Plain (no plating)	27 mm	200 mm	41 mm	
4017A42724070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M27 x 240	Stainless A4-70	M27 x 240	Plain (no plating)	27 mm	240 mm	41 mm	
4017A43003570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 35	Stainless A4-70	M30 x 35	Plain (no plating)	30 mm	35 mm	46 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A43005070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 50	Stainless A4-70	M30 x 50	Plain (no plating)	30 mm	50 mm	46 mm	
4017A43005080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 50	Stainless A4-80	M30 x 50	Plain (no plating)	30 mm	50 mm	46 mm	
4017A43005570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 55	Stainless A4-70	M30 x 55	Plain (no plating)	30 mm	55 mm	46 mm	
4017A43006070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 60	Stainless A4-70	M30 x 60	Plain (no plating)	30 mm	60 mm	46 mm	
4017A43006080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 60	Stainless A4-80	M30 x 60	Plain (no plating)	30 mm	60 mm	46 mm	
4017A43006570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 65	Stainless A4-70	M30 x 65	Plain (no plating)	30 mm	65 mm	46 mm	
4017A43006580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 65	Stainless A4-80	M30 x 65	Plain (no plating)	30 mm	65 mm	46 mm	
4017A43007070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 70	Stainless A4-70	M30 x 70	Plain (no plating)	30 mm	70 mm	46 mm	
4017A43007080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 70	Stainless A4-80	M30 x 70	Plain (no plating)	30 mm	70 mm	46 mm	
4017A43007570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 75	Stainless A4-70	M30 x 75	Plain (no plating)	30 mm	75 mm	46 mm	
4017A43007580	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 75	Stainless A4-80	M30 x 75	Plain (no plating)	30 mm	75 mm	46 mm	
4017A43008070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 80	Stainless A4-70	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
4017A43008080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 80	Stainless A4-80	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
4017A43009070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 90	Stainless A4-70	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
4017A43009080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 90	Stainless A4-80	M30 x 90	Plain (no plating)	30 mm	90 mm	46 mm	
4017A43010070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 100	Stainless A4-70	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
4017A43010080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 100	Stainless A4-80	M30 x 100	Plain (no plating)	30 mm	100 mm	46 mm	
4017A43011070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 110	Stainless A4-70	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
4017A43011080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 110	Stainless A4-80	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
4017A43012070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 120	Stainless A4-70	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
4017A43012080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 120	Stainless A4-80	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
4017A43013070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 130	Stainless A4-70	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4017A43013080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 130	Stainless A4-80	M30 x 130	Plain (no plating)	30 mm	130 mm	46 mm	
4017A43014070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 140	Stainless A4-70	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
4017A43014080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 140	Stainless A4-70	M30 x 140	Plain (no plating)	30 mm	140 mm	46 mm	
4017A43015070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 150	Stainless A4-70	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4017A43015080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 150	Stainless A4-80	M30 x 150	Plain (no plating)	30 mm	150 mm	46 mm	
4017A43016070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 160	Stainless A4-70	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
4017A43016080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 160	Stainless A4-80	M30 x 160	Plain (no plating)	30 mm	160 mm	46 mm	
4017A43017070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 170	Stainless A4-70	M30 x 170	Plain (no plating)	30 mm	170 mm	46 mm	
4017A43018070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 180	Stainless A4-70	M30 x 180	Plain (no plating)	30 mm	180 mm	46 mm	
4017A43019070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 190	Stainless A4-70	M30 x 190	Plain (no plating)	30 mm	190 mm	46 mm	
4017A43020070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 200	Stainless A4-70	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
4017A43020080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 200	Stainless A4-80	M30 x 200	Plain (no plating)	30 mm	200 mm	46 mm	
4017A43021070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 210	Stainless A4-70	M30 x 210	Plain (no plating)	30 mm	210 mm	46 mm	
4017A43024070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M30 x 240	Stainless A4-70	M30 x 240	Plain (no plating)	30 mm	240 mm	46 mm	
4017A43026080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M30 x 260	Stainless A4-80	M30 x 260	Plain (no plating)	30 mm	260 mm	46 mm	
4017A43306570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M33 x 65	Stainless A4-70	M33 x 65	Plain (no plating)	33 mm	65 mm	50 mm	
4017A43307070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M33 x 70	Stainless A4-70	M33 x 70	Plain (no plating)	33 mm	70 mm	50 mm	
4017A43307080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M33 x 70	Stainless A4-80	M33 x 70	Plain (no plating)	33 mm	70 mm	50 mm	
4017A43308070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M33 x 80	Stainless A4-70	M33 x 80	Plain (no plating)	33 mm	80 mm	50 mm	
4017A43308080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M33 x 80	Stainless A4-80	M33 x 80	Plain (no plating)	33 mm	80 mm	50 mm	
4017A43309070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M33 x 90	Stainless A4-70	M33 x 90	Plain (no plating)	33 mm	90 mm	50 mm	
4017A43309080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M33 x 90	Stainless A4-80	M33 x 90	Plain (no plating)	33 mm	90 mm	50 mm	
4017A43310070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M33 x 100	Stainless A4-70	M33 x 100	Plain (no plating)	33 mm	100 mm	50 mm	
4017A43310080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M33 x							

100

Stainless A4-80	M33 x 100	Plain (no plating)	33 mm	100 mm	50 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A43311070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M33 x 110	Stainless A4-70	M33 x 110	Plain (no plating)	33 mm	110 mm	50 mm	
4017A43312080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M33 x 120	Stainless A4-80	M33 x 120	Plain (no plating)	33 mm	120 mm	50 mm	
4017A43315070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M33 x 150	Stainless A4-70	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm	
4017A43315080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M33 x 150	Stainless A4-80	M33 x 150	Plain (no plating)	33 mm	150 mm	50 mm	
4017A43601670	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 16	Stainless A4-70	M36 x 16	Plain (no plating)	36 mm	16 mm	55 mm	
4017A43605080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 50	Stainless A4-80	M36 x 50	Plain (no plating)	36 mm	50 mm	55 mm	
4017A43606070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 60	Stainless A4-70	M36 x 60	Plain (no plating)	36 mm	60 mm	55 mm	
4017A43606080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 60	Stainless A4-80	M36 x 60	Plain (no plating)	36 mm	60 mm	55 mm	
4017A43606570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 65	Stainless A4-70	M36 x 65	Plain (no plating)	36 mm	65 mm	55 mm	
4017A43607070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 70	Stainless A4-70	M36 x 70	Plain (no plating)	36 mm	70 mm	55 mm	
4017A43607080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 70	Stainless A4-80	M36 x 70	Plain (no plating)	36 mm	70 mm	55 mm	
4017A43607570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 75	Stainless A4-70	M36 x 75	Plain (no plating)	36 mm	75 mm	55 mm	
4017A43608070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 80	Stainless A4-70	M36 x 80	Plain (no plating)	36 mm	80 mm	55 mm	
4017A43608080	ISO 4017 Hexagon Head Screw, Stainless A4, M36 x 80	Stainless A4	M36 x 80	Plain (no plating)	36 mm	80 mm	55 mm	
4017A43608570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 85	Stainless A4-70	M36 x 85	Plain (no plating)	36 mm	85 mm	55 mm	
4017A43609070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 90	Stainless A4-70	M36 x 90	Plain (no plating)	36 mm	90 mm	55 mm	
4017A43609080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 90	Stainless A4-80	M36 x 90	Plain (no plating)	36 mm	90 mm	55 mm	
4017A43610070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 100	Stainless A4-70	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
4017A43610080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 100	Stainless A4-80	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
4017A43611070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 110	Stainless A4-70	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4017A43611080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 110	Stainless A4-80	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4017A43611088	ISO 4017 Hexagon Head Screw, Stainless A4, M36 x 110, Bumax	Stainless A4	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4017A43612070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 120	Stainless A4-70	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
4017A43612080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 120	Stainless A4-80	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
4017A43613070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 130	Stainless A4-70	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
4017A43613080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 130	Stainless A4-80	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
4017A43614070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 140	Stainless A4-70	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4017A43614080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 140	Stainless A4-80	M36 x 140	Plain (no plating)	36 mm	140 mm	55 mm	
4017A43615070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 150	Stainless A4-70	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
4017A43615080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 150	Stainless A4-80	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
4017A436160	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 160	Stainless A4-70	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
4017A43616070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 160	Stainless A4-70	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
4017A43616080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 160	Stainless A4-80	M36 x 160	Plain (no plating)	36 mm	160 mm	55 mm	
4017A43617070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 170	Stainless A4-70	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
4017A43617080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 170	Stainless A4-80	M36 x 170	Plain (no plating)	36 mm	170 mm	55 mm	
4017A43620070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M36 x 200	Stainless A4-70	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
4017A43620080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 200	Stainless A4-80	M36 x 200	Plain (no plating)	36 mm	200 mm	55 mm	
4017A43626080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M36 x 260	Stainless A4-80	M36 x 260	Plain (no plating)	36 mm	260 mm	55 mm	
4017A43920070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M39 x 200	Stainless A4-70	M39 x 200	Plain (no plating)	39 mm	200 mm	60 mm	
4017A44210070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M42 x 100	Stainless A4-70	M42 x 100	Plain (no plating)	42 mm	100 mm	65 mm	
4017A44210080	ISO 4017 Hexagon Head Screw, Stainless A4-70, M42 x 100	Stainless A4-70	M42 x 100	Plain (no plating)	42 mm	100 mm	65 mm	
4017A44212050	ISO 4017 Hexagon Head Screw, Stainless A4-50, M42 x 120	Stainless A4-50	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
4017A44212080	ISO 4017 Hexagon Head Screw, Stainless A4-80, M42 x 120	Stainless A4-80	M42 x 120	Plain (no plating)	42 mm	120 mm	65 mm	
4017A44220070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M42 x 200	Stainless A4-70	M42 x 200	Plain (no plating)	42 mm	200 mm	65 mm	
4017A44510070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M45 x 100	Stainless A4-70	M45 x 100	Plain (no plating)	45 mm	100 mm	70 mm	
4017A44511570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M45 x							

115

Stainless A4-70	M45 x 115	Plain (no plating)	45 mm	115 mm	70 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017A44512070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M45 x 120	Stainless A4-70	M45 x 120	Plain (no plating)	45 mm	120 mm	70 mm	
4017A44513570	ISO 4017 Hexagon Head Screw, Stainless A4-70, M45 x 135	Stainless A4-70	M45 x 135	Plain (no plating)	45 mm	135 mm	70 mm	
4017A44528050	ISO 4017 Hexagon Head Screw, Stainless A4-50, M45 x 280	Stainless A4-50	M45 x 280	Plain (no plating)	45 mm	280 mm	70 mm	
4017A44810070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M48 x 100	Stainless A4-70	M48 x 100	Plain (no plating)	48 mm	100 mm	75 mm	
4017A45615070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M56 x 150	Stainless A4-70	M56 x 150	Plain (no plating)	56 mm	150 mm	85 mm	
4017A46416070	ISO 4017 Hexagon Head Screw, Stainless A4-70, M64 x 160	Stainless A4-70	M64 x 160	Plain (no plating)	64 mm	160 mm	95 mm	
4017A4L0300880	ISO 4017 Hexagon Head Screw, A4L-80, M3 x 8, Plain	A4L-80	M3 x 8	Plain (no plating)	3 mm	8 mm	5.5 mm	
4017B10016	ISO 4017 Hexagon Head Screw, Brass, M10 x 16, Plain	Brass	M10 x 16	Plain (no plating)	10 mm	16 mm	16 mm	
4017B10030	ISO 4017 Hexagon Head Screw, Brass, M10 x 30, Plain	Brass	M10 x 30	Plain (no plating)	10 mm	30 mm	16 mm	
4017B10065	ISO 4017 Hexagon Head Screw, Brass, M10 x 65, Plain	Brass	M10 x 65	Plain (no plating)	10 mm	65 mm	16 mm	
4017B10075TP	ISO 4017 Hexagon Head Screw, Brass, M10 x 75, Plain	Brass	M10 x 75	Plain (no plating)	10 mm	75 mm	16 mm	
4017B12030	ISO 4017 Hexagon Head Screw, Brass, M12 x 30, Plain	Brass	M12 x 30	Plain (no plating)	12 mm	30 mm	18 mm	
4017B12080	ISO 4017 Hexagon Head Screw, Brass, M12 x 80, Plain	Brass	M12 x 80	Plain (no plating)	12 mm	80 mm	18 mm	
4017C31204080	ISO 4017 Hexagon Head Screw, C3-80, M12 x 40, Plain	C3-80	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017C31604080	ISO 4017 Hexagon Head Screw, C3-80, M16 x 40, Plain	C3-80	M16 x 40	Plain (no plating)	16 mm	40 mm	24 mm	
4017C31604580	ISO 4017 Hexagon Head Screw, C3-80, M16 x 45, Plain	C3-80	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017C31606080	ISO 4017 Hexagon Head Screw, C3-80, M16 x 60, Plain	C3-80	M16 x 60	Plain (no plating)	16 mm	60 mm	24 mm	
4017C31607080	ISO 4017 Hexagon Head Screw, C3-80, M16 x 70, Plain	C3-80	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4017C31609080	ISO 4017 Hexagon Head Screw, C3-80, M16 x 90, Plain	C3-80	M16 x 90	Plain (no plating)	16 mm	90 mm	24 mm	
4017C32005080	ISO 4017 Hexagon Head Screw, C3-80, M20 x 50, Plain	C3-80	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
4017C32005580	ISO 4017 Hexagon Head Screw, C3-80, M20 x 55, Plain	C3-80	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4017C32006080	ISO 4017 Hexagon Head Screw, C3-80, M20 x 60, Plain	C3-80	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4017C32007080	ISO 4017 Hexagon Head Screw, C3-80, M20 x 70, Plain	C3-80	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4017C32008580	ISO 4017 Hexagon Head Screw, C3-80, M20 x 85, Plain	C3-80	M20 x 85	Plain (no plating)	20 mm	85 mm	30 mm	
4017C32406080	ISO 4017 Hexagon Head Screw, C3-80, M24 x 60, Plain	C3-80	M24 x 60	Plain (no plating)	24 mm	60 mm	36 mm	
4017C33008080	ISO 4017 Hexagon Head Screw, C3-80, M30 x 80, Plain	C3-80	M30 x 80	Plain (no plating)	30 mm	80 mm	46 mm	
4017C33011080	ISO 4017 Hexagon Head Screw, C3-80, M30 x 110, Plain	C3-80	M30 x 110	Plain (no plating)	30 mm	110 mm	46 mm	
4017C33012080	ISO 4017 Hexagon Head Screw, C3-80, M30 x 120, Plain	C3-80	M30 x 120	Plain (no plating)	30 mm	120 mm	46 mm	
4017C33609080	ISO 4017 Hexagon Head Screw, C3-80, M36 x 90, Plain	C3-80	M36 x 90	Plain (no plating)	36 mm	90 mm	55 mm	
4017C33610080	ISO 4017 Hexagon Head Screw, C3-80, M36 x 100, Plain	C3-80	M36 x 100	Plain (no plating)	36 mm	100 mm	55 mm	
4017C33611080	ISO 4017 Hexagon Head Screw, C3-80, M36 x 110, Plain	C3-80	M36 x 110	Plain (no plating)	36 mm	110 mm	55 mm	
4017C33612080	ISO 4017 Hexagon Head Screw, C3-80, M36 x 120, Plain	C3-80	M36 x 120	Plain (no plating)	36 mm	120 mm	55 mm	
4017C33613080	ISO 4017 Hexagon Head Screw, C3-80, M36 x 130, Plain	C3-80	M36 x 130	Plain (no plating)	36 mm	130 mm	55 mm	
4017C33615080	ISO 4017 Hexagon Head Screw, C3-80, M36 x 150, Plain	C3-80	M36 x 150	Plain (no plating)	36 mm	150 mm	55 mm	
4017C34213080	ISO 4017 Hexagon Head Screw, C3-80, M42 x 130, Plain	C3-80	M42 x 130	Plain (no plating)	42 mm	130 mm	65 mm	
4017C34216080	ISO 4017 Hexagon Head Screw, C3-80, M42 x 160, Plain	C3-80	M42 x 160	Plain (no plating)	42 mm	160 mm	65 mm	
4017C34225080	ISO 4017 Hexagon Head Screw, C3-80, M42 x 250, Plain	C3-80	M42 x 250	Plain (no plating)	42 mm	250 mm	65 mm	
4017C34229080	ISO 4017 Hexagon Head Screw, C3-80, M42 x 290, Plain	C3-80	M42 x 290	Plain (no plating)	42 mm	290 mm	65 mm	
4017D61604580	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462)-M1	Duplex stainless D6-70 (1.4462)	M16 x 45	Plain (no plating)	16 mm	45 mm	24 mm	
4017D618020129	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462)-M1	Duplex stainless D6-70 (1.4462)	M18 x 20	Plain (no plating)	18 mm	20 mm	27 mm	
4017D80601680	ISO 4017 Hexagon Head Screw, Stainless D8-70, M6 x 16	Stainless D8-70	M6 x 16	Plain (no plating)	6 mm	16 mm	10 mm	
4017D806025109	ISO 4017 Hexagon Head Screw, SDX109, M6 x 25, Bumax, Plain	SDX109	M6 x 25	Plain (no plating)	6 mm	25 mm	10 mm	
4017D812035109	ISO 4017 Hexagon Head Screw, SDX109, M12 x 35, Bumax, Plain	SDX109	M12 x 35	Plain (no plating)	12 mm	35 mm	18 mm	
4017D812040109	ISO 4017 Hexagon Head Screw, SDX109, M12 x 40, Bumax, Plain	SDX109	M12 x 40	Plain (no plating)	12 mm	40 mm	18 mm	
4017D816050109	ISO 4017 Hexagon Head Screw, SDX109, M16 x 50, Bumax, Plain	SDX109	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017DUP08030	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70							

(1.4462), M8

Duplex stainless D6-70 (1.4462)	M8 x 30	Plain (no plating)	8 mm	30 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4017DUP08040	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M8	Duplex stainless D6-70 (1.4462)	M8 x 40	Plain (no plating)	8 mm	40 mm	13 mm	
4017DUP08080	ISO 4017 Hexagon Head Screw, Duplex stainless D6-70 (1.4462), M8	Duplex stainless D6-70 (1.4462)	M8 x 80	Plain (no plating)	8 mm	80 mm	13 mm	
4017DUP12050	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M1	Duplex stainless D6-80 (1.4462)	M12 x 50	Plain (no plating)	12 mm	50 mm	18 mm	
4017DUP16050	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M1	Duplex stainless D6-80 (1.4462)	M16 x 50	Plain (no plating)	16 mm	50 mm	24 mm	
4017DUP16070	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M1	Duplex stainless D6-80 (1.4462)	M16 x 70	Plain (no plating)	16 mm	70 mm	24 mm	
4017DUP20050	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M2	Duplex stainless D6-80 (1.4462)	M20 x 50	Plain (no plating)	20 mm	50 mm	30 mm	
4017DUP20055	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M2	Duplex stainless D6-80 (1.4462)	M20 x 55	Plain (no plating)	20 mm	55 mm	30 mm	
4017DUP20060	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M2	Duplex stainless D6-80 (1.4462)	M20 x 60	Plain (no plating)	20 mm	60 mm	30 mm	
4017DUP20070	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M2	Duplex stainless D6-80 (1.4462)	M20 x 70	Plain (no plating)	20 mm	70 mm	30 mm	
4017DUP20080	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M2	Duplex stainless D6-80 (1.4462)	M20 x 80	Plain (no plating)	20 mm	80 mm	30 mm	
4017DUP24070	ISO 4017 Hexagon Head Screw, Duplex stainless D6-80 (1.4462), M2	Duplex stainless D6-80 (1.4462)	M24 x 70	Plain (no plating)	24 mm	70 mm	36 mm	
9338080951SST400W	ISO 4017 Hexagon Head Screw, Steel 8.8, M8 x 95, SST 400 h, Zinc	Steel 8.8	M8 x 95	Zinc Bright Passivation Fe/Zn P1	8 mm	95 mm	13 mm	