

ISO 4035 — Hexagon Nut

Catalogue data sheet · 164 sizes · category Nuts / Hexagon Nuts · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
403500301	ISO 4035 Hexagon Nut, Steel class 4, M3, Zinc Plated	Steel class 4	M3	Zinc Bright Passivation Fe/Zn P1	3 mm		5.5 mm	
403500303	ISO 4035 Hexagon Nut, Steel class 4, M3, Zinc Plated, Yellow Pas	Steel class 4	M3	Zinc Yellow Passivation Fe/Zn P2	3 mm		5.5 mm	
403500401	ISO 4035 Hexagon Nut, Steel class 4, M4, Zinc Plated	Steel class 4	M4	Zinc Bright Passivation Fe/Zn P1	4 mm		7 mm	
4035004033-5	ISO 4035 Hexagon Nut, Steel class 4, M4, Zinc Plated, Yellow Pas	Steel class 4	M4	Zinc Yellow Passivation Fe/Zn P2	4 mm		7 mm	
4035004035SST120	ISO 4035 Hexagon Nut, Steel class 4, M4, SST 120 h, Zinc Plated	Steel class 4	M4	Zinc Yellow Passivation Fe/Zn P2	4 mm		7 mm	
40350050	ISO 4035 Hexagon Nut, Steel class 4, M5, Plain	Steel class 4	M5	Plain (no plating)	5 mm		8 mm	
403500501	ISO 4035 Hexagon Nut, Steel class 4, M5, Zinc Plated	Steel class 4	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
403500501SST072	ISO 4035 Hexagon Nut, Steel class 4, M5, SST 72 h, Zinc Plated	Steel class 4	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
403500501SST120	ISO 4035 Hexagon Nut, Steel class 4, M5, SST 120 h, Zinc Plated	Steel class 4	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
40350050I	ISO 4035 Hexagon Nut, Steel class 4, M5, Plain	Steel class 4	M5	Plain (no plating)	5 mm		8 mm	
40350050ZN5CNT2	ISO 4035 Hexagon Nut, Steel class 4, M5, Zinc Plated	Steel class 4	M5	ZINC PLATED, 5 MICRON, SEALED	5 mm		8 mm	
40350060	ISO 4035 Hexagon Nut, Steel class 4, M6, Plain	Steel class 4	M6	Plain (no plating)	6 mm		10 mm	
403500601	ISO 4035 Hexagon Nut, Steel class 4, M6, Zinc Plated	Steel class 4	M6	Zinc Bright Passivation Fe/Zn P1	6 mm		10 mm	
403500601SST200	ISO 4035 Hexagon Nut, Steel class 4, M6, SST 200 h, Zinc Plated	Steel class 4	M6	Zinc Bright Passivation Fe/Zn P1	6 mm		10 mm	
4035006033-5	ISO 4035 Hexagon Nut, Steel class 4, M6, Zinc Plated, Yellow Pas	Steel class 4	M6	Zinc Yellow Passivation Fe/Zn P2	6 mm		10 mm	
40350060ZNTF105	ISO 4035 Hexagon Nut, Steel class 4, M6, Zinc-Nickel, Silver	Steel class 4	M6	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm		10 mm	
40350060ZNTF105I	ISO 4035 Hexagon Nut, Steel class 4, M6, Zinc-Nickel, Silver	Steel class 4	M6	Zn-Ni SILVER 5 MICRON + FINIGARD	6 mm		10 mm	
40350080	ISO 4035 Hexagon Nut, Steel class 4, M8, Plain	Steel class 4	M8	Plain (no plating)	8 mm		13 mm	
403500801	ISO 4035 Hexagon Nut, Steel class 4, M8, Zinc Plated	Steel class 4	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
403500801SST072	ISO 4035 Hexagon Nut, Steel class 4, M8, SST 72 h, Zinc Plated	Steel class 4	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
403500801SST120	ISO 4035 Hexagon Nut, Steel class 4, M8, SST 120 h, Zinc Plated	Steel class 4	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
403500801SST200	ISO 4035 Hexagon Nut, Steel class 4, M8, SST 200 h, Zinc Plated	Steel class 4	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
4035008033-40350080	ISO 4035 Hexagon Nut, Steel class 4, M8, Zinc Plated, Yellow Pas	Steel class 4	M8	Zinc Yellow Passivation Fe/Zn P2	8 mm		13 mm	
40350080CP	ISO 4035 Hexagon Nut, Steel class 4, M8, Copper Plated	Steel class 4	M8	Copper Plating	8 mm		13 mm	
40350080CP-16614	ISO 4035 Hexagon Nut, Steel class 4, M8, Copper Plated (40350080	Steel class 4	M8	Copper Plating	8 mm		13 mm	
40350080ZNB	ISO 4035 Hexagon Nut, Steel class 4, M8, Zinc-Nickel,							

Black

Steel class 4	M8	Zn-Ni BLACK + FINIGARD 105	8 mm		13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
40350100	ISO 4035 Hexagon Nut, Steel class 4, M10, Plain	Steel class 4	M10	Plain (no plating)	10 mm		17 mm	
403501001	ISO 4035 Hexagon Nut, Steel class 4, M10, Zinc Plated	Steel class 4	M10	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
403501001SST120	ISO 4035 Hexagon Nut, Steel class 4, M10, SST 120 h,	Steel class 4	M10	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
403501002	ISO 4035 Hexagon Nut, Steel class 4, M10, Hot-Dip	Steel class 4	M10	HOT DIP GALVANIZED ISO FIT	10 mm		17 mm	
40350100ZNF105	ISO 4035 Hexagon Nut, Steel class 4, M10, Zinc-Nickel,	Steel class 4	M10	Zn-Ni SILVER 8 MICRON +	10 mm		17 mm	
40350100ZNNI8FNT2	ISO 4035 Hexagon Nut, Steel class 4, M10, Zinc-Nickel,	Steel class 4	M10	Zn-Ni BLACK, 8 MICRON, SEALED	10 mm		17 mm	
40350120	ISO 4035 Hexagon Nut, Steel class 4, M12, Plain	Steel class 4	M12	Plain (no plating)	12 mm		18 mm	
403501201	ISO 4035 Hexagon Nut, Steel class 4, M12, Zinc Plated	Steel class 4	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		18 mm	
403501201SST120	ISO 4035 Hexagon Nut, Steel class 4, M12, SST 120 h,	Steel class 4	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		18 mm	
40350120ZNTF105	ISO 4035 Hexagon Nut, Steel class 4, M12, Zinc-Nickel,	Steel class 4	M12	Zn-Ni SILVER 8 MICRON +	12 mm		18 mm	
40350121	ISO 4035 Hexagon Nut, Steel class 4, M12, Zinc Plated	Steel class 4	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		18 mm	
40350121SST120	ISO 4035 Hexagon Nut, Steel class 4, M12, SST 120 h,	Steel class 4	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		18 mm	
40350160	ISO 4035 Hexagon Nut, Steel class 4, M16, Plain	Steel class 4	M16	Plain (no plating)	16 mm		24 mm	
403501601	ISO 4035 Hexagon Nut, Steel class 4, M16, Zinc Plated	Steel class 4	M16	Zinc Bright Passivation Fe/Zn P1	16 mm		24 mm	
403501602	ISO 4035 Hexagon Nut, Steel class 4, M16, Hot-Dip	Steel class 4	M16	HOT DIP GALVANIZED ISO FIT	16 mm		24 mm	
40350180	ISO 4035 Hexagon Nut, Steel class 4, M18, Plain	Steel class 4	M18	Plain (no plating)	18 mm		27 mm	
403501801SST200	ISO 4035 Hexagon Nut, Steel class 4, M18, SST 200 h,	Steel class 4	M18	Zinc Bright Passivation Fe/Zn P1	18 mm		27 mm	
40350180GEO5A	ISO 4035 Hexagon Nut, Steel class 4, M18, Zinc Flake,	Steel class 4	M18	GEOMET 500A	18 mm		27 mm	
403502001	ISO 4035 Hexagon Nut, Steel class 4, M20, Zinc Plated	Steel class 4	M20	Zinc Bright Passivation Fe/Zn P1	20 mm		30 mm	
403502001-SST072	ISO 4035 Hexagon Nut, Steel class 5, M20, SST 72 h, Zinc	Steel class 5	M20	Zinc Bright Passivation Fe/Zn P1	20 mm		30 mm	
403502002	ISO 4035 Hexagon Nut, Steel class 4, M20, Hot-Dip	Steel class 4	M20	HOT DIP GALVANIZED ISO FIT	20 mm		30 mm	
40350220	ISO 4035 Hexagon Nut, Steel class 5, M22, Plain	Steel class 5	M22	Plain (no plating)	22 mm		32 mm	
40350221SST048	ISO 4035 Hexagon Nut, Steel class 5, M22, SST 48 h, Zinc	Steel class 5	M22	Zinc Bright Passivation Fe/Zn P1	22 mm		32 mm	
40350240	ISO 4035 Hexagon Nut, Steel class 4, M24, Plain	Steel class 4	M24	Plain (no plating)	24 mm		36 mm	
403502401	ISO 4035 Hexagon Nut, Steel class 4, M24, Zinc Plated	Steel class 4	M24	Zinc Bright Passivation Fe/Zn P1	24 mm		36 mm	
403502401SST200	ISO 4035 Hexagon Nut, Steel class 4, M24, SST 200 h,	Steel class 4	M24	Zinc Bright Passivation Fe/Zn P1	24 mm		36 mm	
4035024201	ISO 4035 Hexagon Nut, Steel class 4, M24 x 2, Zinc Plated	Steel class 4	M24 x 2	Zinc Bright Passivation Fe/Zn P1	24 mm		36 mm	
40350270	ISO 4035 Hexagon Nut, Steel class 4, M27, Plain	Steel class 4	M27	Plain (no plating)	27 mm		41 mm	
403503001	ISO 4035 Hexagon Nut, Steel class 4, M30, Zinc Plated	Steel class 4	M30	Zinc Bright Passivation Fe/Zn P1	30 mm		46 mm	
403503301	ISO 4035 Hexagon Nut, Steel class 4, M33, Zinc Plated	Steel class 4	M33	Zinc Bright Passivation Fe/Zn P1	33 mm		50 mm	
403503601	ISO 4035 Hexagon Nut, Steel class 4, M36, Zinc Plated	Steel class 4	M36	Zinc Bright Passivation Fe/Zn P1	36 mm		55 mm	
4035040100GEO5A	ISO 4035 Hexagon Nut, Steel class 4, M10, Zinc Flake,	Steel class 4	M10	GEOMET 500A	10 mm		17 mm	
4035040300	ISO 4035 Hexagon Nut, Steel class 4, M30, Plain	Steel class 4	M30	Plain (no plating)	30 mm		46 mm	
403504501	ISO 4035 Hexagon Nut, Steel class 4, M45, Zinc Plated	Steel class 4	M45	Zinc Bright Passivation Fe/Zn P1	45 mm		70 mm	
40350481	ISO 4035 Hexagon Nut, Steel class 4, M48, Zinc Plated	Steel class 4	M48	Zinc Bright Passivation Fe/Zn P1	48 mm		75 mm	
40350500501	ISO 4035 Hexagon Nut, Steel class 5, M5, Zinc Plated	Steel class 5	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
4035050050GEO5A	ISO 4035 Hexagon Nut, Steel class 5, M5, Zinc Flake,	Steel class 5	M5	GEOMET 500A	5 mm		8 mm	
4035050060	ISO 4035 Hexagon Nut, Steel class 5, M6, Plain	Steel class 5	M6	Plain (no plating)	6 mm		10 mm	
40350500601SST096	ISO 4035 Hexagon Nut, Steel class 5, M6, SST 96 h, Zinc	Steel class 5	M6	Zinc Bright Passivation Fe/Zn P1	6 mm		10 mm	
4035050080C	ISO 4035 Hexagon Nut, Steel class 5, M8, EN 10204 3.1	Steel class 5	M8	Plain (no plating)	8 mm		13 mm	
4035050100	ISO 4035 Hexagon Nut, Steel class 5, M10, Plain	Steel class 5	M10	Plain (no plating)	10 mm		17 mm	
4035050100ZN8	ISO 4035 Hexagon Nut, Steel class 5, M10, Zinc Plated	Steel class 5	M10	ZINC PLATED, 8 MICRON	10 mm		17 mm	
4035050120C	ISO 4035 Hexagon Nut, Steel class 5, M12, EN 10204 3.1	Steel class 5	M12	Plain (no plating)	12 mm		18 mm	
4035050140	ISO 4035 Hexagon Nut, Steel class 5, M14, Plain	Steel class 5	M14	Plain (no plating)	14 mm		22 mm	
4035050161	ISO 4035 Hexagon Nut, Steel class 5, M16, Zinc Plated	Steel class 5	M16	Zinc Bright Passivation Fe/Zn P1	16 mm		24 mm	
4035050180	ISO 4035 Hexagon Nut, Steel class 5, M18, Plain	Steel class 5	M18	Plain (no plating)	18 mm		27 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4035050180GEO5A	ISO 4035 Hexagon Nut, Steel class 5, M18, Zinc Flake,	Steel class 5	M18	GEOMET 500A	18 mm		27 mm	
4035050200C	ISO 4035 Hexagon Nut, Steel class 5, M20, EN 10204 3.1	Steel class 5	M20	Plain (no plating)	20 mm		30 mm	
4035050240L	ISO 4035 Hexagon Nut, Steel class 5, M24, Left-Hand	Steel class 5	M24	Plain (no plating)	24 mm		36 mm	
4035050241	ISO 4035 Hexagon Nut, Steel class 5, M24, Zinc Plated	Steel class 5	M24	Zinc Bright Passivation Fe/Zn P1	24 mm		36 mm	
4035050330	ISO 4035 Hexagon Nut, Steel class 5, M33, Plain	Steel class 5	M33	Plain (no plating)	33 mm		50 mm	
40350503301	ISO 4035 Hexagon Nut, Steel class 5, M33, Zinc Plated	Steel class 5	M33	Zinc Bright Passivation Fe/Zn P1	33 mm		50 mm	
4035050361	ISO 4035 Hexagon Nut, Steel class 5, M36, Zinc Plated	Steel class 5	M36	Zinc Bright Passivation Fe/Zn P1	36 mm		55 mm	
40350503901	ISO 4035 Hexagon Nut, Steel class 5, M39, Zinc Plated	Steel class 5	M39	Zinc Bright Passivation Fe/Zn P1	39 mm		60 mm	
4035050453001	ISO 4035 Hexagon Nut, Steel class 5, M45 x 3, Zinc Plated	Steel class 5	M45 x 3	Zinc Bright Passivation Fe/Zn P1	45 mm		70 mm	
40350530150ZN12	ISO 4035 Hexagon Nut, Steel class 5, M30, Zinc Plated	Steel class 5	M30	ZINC PLATED, 12 MICRON	30 mm		46 mm	
403540101	ISO 4035 Hexagon Nut, Steel class 4, M10, Zinc Plated	Steel class 4	M10	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
403541201	ISO 4035 Hexagon Nut, Steel class 4, M12, Zinc Plated	Steel class 4	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		18 mm	
403550120	ISO 4035 Hexagon Nut, Steel class 5, M12, Plain	Steel class 5	M12	Plain (no plating)	12 mm		18 mm	
403550120GEO	ISO 4035 Hexagon Nut, Steel class 5, M12, Zinc Flake,	Steel class 5	M12	GEOMET 321A	12 mm		18 mm	
403550200	ISO 4035 Hexagon Nut, Steel class 5, M20, Plain	Steel class 5	M20	Plain (no plating)	20 mm		30 mm	
4035502001	ISO 4035 Hexagon Nut, Steel class 5, M20, Zinc Plated	Steel class 5	M20	Zinc Bright Passivation Fe/Zn P1	20 mm		30 mm	
403550200A3C	ISO 4035 Hexagon Nut, Steel class 5, M20, Zinc Plated	Steel class 5	M20	ZINC PLATED, 8 MICRON	20 mm		30 mm	
403550200ZN8	ISO 4035 Hexagon Nut, Steel class 5, M20, Zinc Plated	Steel class 5	M20	ZINC PLATED, 8 MICRON	20 mm		30 mm	
4035801201	ISO 4035 Hexagon Nut, Steel class 4, M12, With	Steel class 4	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		18 mm	
403580120ZN8	ISO 4035 Hexagon Nut, Steel class 4, M12, Zinc Plated	Steel class 4	M12	ZINC PLATED, 8 MICRON	12 mm		18 mm	
403580160ZN8	ISO 4035 Hexagon Nut, Steel class 4, M16, Zinc Plated	Steel class 4	M16	ZINC PLATED, 8 MICRON	16 mm		24 mm	
403580240ZN8	ISO 4035 Hexagon Nut, Steel class 4, M24, Zinc Plated	Steel class 4	M24	ZINC PLATED, 8 MICRON	24 mm		36 mm	
4035803002	ISO 4035 Hexagon Nut, Steel class 4, M30, Hot-Dip	Steel class 4	M30	HOT DIP GALVANIZED ISO FIT	30 mm		46 mm	
403580300ZN12	ISO 4035 Hexagon Nut, Steel class 4, M30, Zinc Plated	Steel class 4	M30	ZINC PLATED, 12 MICRON	30 mm		46 mm	
40358030150ZN12	ISO 4035 Hexagon Nut, Steel class 4, M30 x 1.5, Zinc	Steel class 4	M30 x 1.5	ZINC PLATED, 12 MICRON	30 mm		46 mm	
403580360A3C	ISO 4035 Hexagon Nut, Steel class 4, M36, Zinc Plated	Steel class 4	M36	ZINC PLATED, 8 MICRON	36 mm		55 mm	
403580360ZN12	ISO 4035 Hexagon Nut, Steel class 4, M36, Zinc Plated	Steel class 4	M36	ZINC PLATED, 12 MICRON	36 mm		55 mm	
40358036300ZN12	ISO 4035 Hexagon Nut, Steel class 4, M36 x 3, Zinc Plated	Steel class 4	M36 x 3	ZINC PLATED, 12 MICRON	36 mm		55 mm	
40358036300ZN8	ISO 4035 Hexagon Nut, Steel class 4, M36 x 3, Zinc Plated	Steel class 4	M36 x 3	ZINC PLATED, 8 MICRON	36 mm		55 mm	
403580420ZN12	ISO 4035 Hexagon Nut, Steel class 4, M42, Zinc Plated	Steel class 4	M42	ZINC PLATED, 12 MICRON	42 mm		65 mm	
40358048400A3C	ISO 4035 Hexagon Nut, Steel class 4, M48 x 4, Zinc Plated	Steel class 4	M48 x 4	ZINC PLATED, 8 MICRON	48 mm		75 mm	
4035812150ZN8	ISO 4035 Hexagon Nut, Steel class 4, M12 x 1.5, Zinc	Steel class 4	M12 x 1.5	ZINC PLATED, 8 MICRON	12 mm		18 mm	
4035848400ZN12	ISO 4035 Hexagon Nut, Steel class 4, M48 x 4, Zinc Plated	Steel class 4	M48 x 4	ZINC PLATED, 12 MICRON	48 mm		75 mm	
4035A2016	ISO 4035 Hexagon Nut, Stainless A2-35, M1.6	Stainless A2-35	M1.6	Plain (no plating)	1.6 mm		3.2 mm	
4035A202570-S	ISO 4035 Hexagon Nut, Stainless A2-35, M2.5, With	Stainless A2-35	M2.5	Plain (no plating)	2.5 mm		5 mm	
4035A203	ISO 4035 Hexagon Nut, Stainless A2, M3, With Certificate	Stainless A2	M3	Plain (no plating)	3 mm		5.5 mm	
4035A205	ISO 4035 Hexagon Nut, Stainless A2-35, M5	Stainless A2-35	M5	Plain (no plating)	5 mm		8 mm	
4035A206	ISO 4035 Hexagon Nut, Stainless A2-35, M6	Stainless A2-35	M6	Plain (no plating)	6 mm		10 mm	
4035A208	ISO 4035 Hexagon Nut, Stainless A2-35, M8	Stainless A2-35	M8	Plain (no plating)	8 mm		13 mm	
4035A210	ISO 4035 Hexagon Nut, Stainless A2-35, M10	Stainless A2-35	M10	Plain (no plating)	10 mm		17 mm	
4035A212	ISO 4035 Hexagon Nut, Stainless A2-35, M12	Stainless A2-35	M12	Plain (no plating)	12 mm		18 mm	
4035A2120	ISO 4035 Hexagon Nut, Stainless A2-35, M12	Stainless A2-35	M12	Plain (no plating)	12 mm		18 mm	
4035A212SB-12	ISO 4035 Hexagon Nut, Stainless A2-35, M12, With	Stainless A2-35	M12	STAYBLACK	12 mm		18 mm	
4035A214	ISO 4035 Hexagon Nut, Stainless A2-35, M14	Stainless A2-35	M14	Plain (no plating)	14 mm		22 mm	
4035A216	ISO 4035 Hexagon Nut, Stainless A2-35, M16	Stainless A2-35	M16	Plain (no plating)	16 mm		24 mm	
4035A220	ISO 4035 Hexagon Nut, Stainless A2-35, M20	Stainless A2-35	M20	Plain (no plating)	20 mm		30 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4035A224	ISO 4035 Hexagon Nut, Stainless A2-35, M24	Stainless A2-35	M24	Plain (no plating)	24 mm		36 mm	
4035A40025	ISO 4035 Hexagon Nut, Stainless A4-35, M2.5	Stainless A4-35	M2.5	Plain (no plating)	2.5 mm		5 mm	
4035A4004	ISO 4035 Hexagon Nut, Stainless A4-35, M4	Stainless A4-35	M4	Plain (no plating)	4 mm		7 mm	
4035A4005	ISO 4035 Hexagon Nut, Stainless A4-35, M5	Stainless A4-35	M5	Plain (no plating)	5 mm		8 mm	
4035A4006	ISO 4035 Hexagon Nut, Stainless A4-35, M6	Stainless A4-35	M6	Plain (no plating)	6 mm		10 mm	
4035A4006040	ISO 4035 Hexagon Nut, Stainless A4-40, M6	Stainless A4-40	M6	Plain (no plating)	6 mm		10 mm	
4035A400680	ISO 4035 Hexagon Nut, Stainless A4-40, M6	Stainless A4-40	M6	Plain (no plating)	6 mm		10 mm	
4035A4008040	ISO 4035 Hexagon Nut, Stainless A4-40, M8	Stainless A4-40	M8	Plain (no plating)	8 mm		13 mm	
4035A4010040	ISO 4035 Hexagon Nut, Stainless A4-40, M10	Stainless A4-40	M10	Plain (no plating)	10 mm		17 mm	
4035A401070	ISO 4035 Hexagon Nut, Stainless A4-35, M10	Stainless A4-35	M10	Plain (no plating)	10 mm		17 mm	
4035A4012040	ISO 4035 Hexagon Nut, Stainless A4-40, M12	Stainless A4-40	M12	Plain (no plating)	12 mm		19 mm	
4035A4012040L	ISO 4035 Hexagon Nut, Stainless A4-40, M12, Left-Hand	Stainless A4-40	M12	Plain (no plating)	12 mm		19 mm	
4035A401270	ISO 4035 Hexagon Nut, Stainless A4-35, M12	Stainless A4-35	M12	Plain (no plating)	12 mm		18 mm	
4035A401435	ISO 4035 Hexagon Nut, Stainless A4-35, M14	Stainless A4-35	M14	Plain (no plating)	14 mm		22 mm	
4035A4016040	ISO 4035 Hexagon Nut, Stainless A4-40, M16	Stainless A4-40	M16	Plain (no plating)	16 mm		24 mm	
4035A4016040L	ISO 4035 Hexagon Nut, Stainless A4-40, M16, Left-Hand	Stainless A4-40	M16	Plain (no plating)	16 mm		24 mm	
4035A4020	ISO 4035 Hexagon Nut, Stainless A4-35, M20	Stainless A4-35	M20	Plain (no plating)	20 mm		30 mm	
4035A4020040	ISO 4035 Hexagon Nut, Stainless A4-40, M20	Stainless A4-40	M20	Plain (no plating)	20 mm		30 mm	
4035A4024040	ISO 4035 Hexagon Nut, Stainless A4-40, M24	Stainless A4-40	M24	Plain (no plating)	24 mm		36 mm	
4035A402570	ISO 4035 Hexagon Nut, Stainless A4-35, M2.5	Stainless A4-35	M2.5	Plain (no plating)	2.5 mm		5 mm	
4035A4030040L	ISO 4035 Hexagon Nut, Stainless A4-40, M30, Left-Hand	Stainless A4-40	M30	Plain (no plating)	30 mm		46 mm	
4035A4036040	ISO 4035 Hexagon Nut, Stainless A4-40, M36	Stainless A4-40	M36	Plain (no plating)	36 mm		55 mm	
4035A4036080	ISO 4035 Hexagon Nut, Stainless A4-40, M36	Stainless A4-40	M36	Plain (no plating)	36 mm		55 mm	
4035A4100	ISO 4035 Hexagon Nut, Stainless A4-35, M10	Stainless A4-35	M10	Plain (no plating)	10 mm		17 mm	
4035A4120	ISO 4035 Hexagon Nut, Stainless A4-35, M12	Stainless A4-35	M12	Plain (no plating)	12 mm		18 mm	
4035A412080	ISO 4035 Hexagon Nut, Stainless A4-40, M12	Stainless A4-40	M12	Plain (no plating)	12 mm		18 mm	
4035A416	ISO 4035 Hexagon Nut, Stainless A4-35, M16	Stainless A4-35	M16	Plain (no plating)	16 mm		24 mm	
4035A4160	ISO 4035 Hexagon Nut, Stainless A4-35, M16	Stainless A4-35	M16	Plain (no plating)	16 mm		24 mm	
4035A41670	ISO 4035 Hexagon Nut, Stainless A4-35, M16	Stainless A4-35	M16	Plain (no plating)	16 mm		24 mm	
4035A41680	ISO 4035 Hexagon Nut, Stainless A4-40, M16	Stainless A4-40	M16	Plain (no plating)	16 mm		24 mm	
4035A4180	ISO 4035 Hexagon Nut, Stainless A4-35, M18	Stainless A4-35	M18	Plain (no plating)	18 mm		27 mm	
4035A4302	ISO 4035 Hexagon Nut, Stainless A4-25, M30 x 2	Stainless A4-25	M30 x 2	Plain (no plating)	30 mm		46 mm	
4035A43070	ISO 4035 Hexagon Nut, Stainless A4-35, M30	Stainless A4-35	M30	Plain (no plating)	30 mm		46 mm	
4035B016	ISO 4035 Hexagon Nut, Brass, M1.6, Plain	Brass	M1.6	Plain (no plating)	1.6 mm		3.2 mm	
4035B0164	ISO 4035 Hexagon Nut, Brass, M1.6, Nickel Plated	Brass	M1.6	Nickel Plating	1.6 mm		3.2 mm	
4035B1004	ISO 4035 Hexagon Nut, Brass, M10, Nickel Plated	Brass	M10	Nickel Plating	10 mm		17 mm	
4035B14	ISO 4035 Hexagon Nut, Brass, M14, Plain	Brass	M14	Plain (no plating)	14 mm		22 mm	
4035B140	ISO 4035 Hexagon Nut, Brass, M14, Plain	Brass	M14	Plain (no plating)	14 mm		22 mm	
4035B16	ISO 4035 Hexagon Nut, Brass, M16, Plain	Brass	M16	Plain (no plating)	16 mm		24 mm	
4035B16TP	ISO 4035 Hexagon Nut, Brass, M16, TIN Plated	Brass	M16	Tin Plating	16 mm		24 mm	
4035B180	ISO 4035 Hexagon Nut, Brass, M18, Plain	Brass	M18	Plain (no plating)	18 mm		27 mm	
4035B304	ISO 4035 Hexagon Nut, Brass, M30, Nickel Plated	Brass	M30	Nickel Plating	30 mm		46 mm	
4035L0420200	ISO 4035 Hexagon Nut, Steel class 4, M42 x 2, Left-Hand Thread	Steel class 4	M42 x 2	Plain (no plating)	42 mm		65 mm	
4035L050453001	ISO 4035 Hexagon Nut, Steel class 5, M45 x 3, Left-Hand Thread	Steel class 5	M45 x 3	Zinc Bright Passivation Fe/Zn P1	45 mm		70 mm	
4035LA4302	ISO 4035 Hexagon Nut, Stainless A4-25, M30 x 2, Left-Hand Thread	Stainless A4-25	M30 x 2	Plain (no plating)	30 mm		46 mm	
4035V101	ISO 4035 Hexagon Nut, Steel class 4, M10, Left-Hand							

Thread, Zinc

Steel class 4	M10	Zinc Bright Passivation Fe/Zn P1	10 mm	17 mm