
ISO 4762 — Socket Head Screw with Hex Drive

Catalogue data sheet · 5022 sizes · category Bolts and Screws / Socket Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
10875ZB3	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
27296	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
32760476203012	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M3 x	Stainless D8-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
32760476204025	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M4 x	Stainless D8-70	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
32760476206050	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M6 x	Stainless D8-70	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
32760476220070VN605	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M20	Stainless D8-70	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
32760912160 35	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M16	Stainless D8-70	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
4762-1.4410-10016	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M10	Stainless D8-70	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
4762-1.4410-20030	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M20	Stainless D8-70	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
4762-1.4410-20065	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M20	Stainless D8-70	M20 x 65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
4762-1.4410-24070	ISO 4762 Socket Head Screw with Hex Drive, Stainless D8-70, M24	Stainless D8-70	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
4762-1.4462-06012	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762-1.4462-20060	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
4762-1.4462-20080	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M20 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
4762-1.4462-24310	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M24 x 310	Plain (no plating)	24 mm	310 mm	19 mm	36 mm
4762-1.4501-06012	ISO 4762 Socket Head Screw with Hex Drive, Stainless EN 1.4501	Stainless EN 1.4501	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762-1.4501-06016	ISO 4762 Socket Head Screw with Hex Drive, Stainless EN 1.4501	Stainless EN 1.4501	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
476205008D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
476206010D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
476206012D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
476208035D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
476208045D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
47620806045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45, P	Steel 8.8	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
476208060D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
476210016D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
47621002500251	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M2.5 x 25

Steel 10.9	M2.5 x 25	Zinc Bright Passivation Fe/Zn P1	2.5 mm	25 mm	2 mm	4.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762100250061	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M2.5 x 6	Steel 10.9	M2.5 x 6	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm	2 mm	4.5 mm
47621003006	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 6	Steel 10.9	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
476210030061	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 6, P	Steel 10.9	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2.5 mm	5.5 mm
47621003008	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 6, Z	Steel 10.9	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
476210030081	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 8, P	Steel 10.9	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
47621003010	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 8, Z	Steel 10.9	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
476210030101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 10	Steel 10.9	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	2.5 mm	5.5 mm
47621003012	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 10,	Steel 10.9	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
476210030121	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 12	Steel 10.9	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	2.5 mm	5.5 mm
476210030121SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 12,	Steel 10.9	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	2.5 mm	5.5 mm
47621003016	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 16	Steel 10.9	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
47621003020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 20	Steel 10.9	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
476210030201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 20,	Steel 10.9	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2.5 mm	5.5 mm
476210030201SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 20,	Steel 10.9	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2.5 mm	5.5 mm
47621003025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 25	Steel 10.9	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
476210030251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 25,	Steel 10.9	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2.5 mm	5.5 mm
47621003030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 30	Steel 10.9	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
47621003040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M3 x 40,	Steel 10.9	M3 x 40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
47621004006	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 6	Steel 10.9	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
476210040061	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 6, P	Steel 10.9	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	3 mm	7 mm
47621004008	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 6, Z	Steel 10.9	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
476210040081	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 8, P	Steel 10.9	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	3 mm	7 mm
47621004010	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 8, Z	Steel 10.9	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
476210040101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 10	Steel 10.9	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
476210040101SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 10,	Steel 10.9	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
47621004012	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 12	Steel 10.9	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
476210040121	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 12,	Steel 10.9	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
476210040121SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 12,	Steel 10.9	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
47621004016	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 16	Steel 10.9	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
476210040161	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 16,	Steel 10.9	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
476210040161SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 16,	Steel 10.9	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
47621004020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 20	Steel 10.9	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
476210040201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 20,	Steel 10.9	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	3 mm	7 mm
476210040201SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 20,	Steel 10.9	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	3 mm	7 mm
476210040201SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 20,	Steel 10.9	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	3 mm	7 mm
47621004022	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 22	Steel 10.9	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
47621004025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 25	Steel 10.9	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
476210040251SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 25,	Steel 10.9	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
47621004030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 30	Steel 10.9	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
476210040301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 30,	Steel 10.9	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	3 mm	7 mm
476210040301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 30,	Steel 10.9	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	3 mm	7 mm
47621004035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 35	Steel 10.9	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
476210040351SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 35,	Steel 10.9	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm	3 mm	7 mm
47621004040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 40	Steel 10.9	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
476210040401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 40,	Steel 10.9	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	3 mm	7 mm
476210040401SST0								

ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,

M4 x 40,

Steel 10.9	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	3 mm	7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621004045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 45	Steel 10.9	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
476210040451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 45	Steel 10.9	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm	3 mm	7 mm
476210040451SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 45	Steel 10.9	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm	3 mm	7 mm
47621004050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 50	Steel 10.9	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
476210040501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 50	Steel 10.9	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm	3 mm	7 mm
476210040501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 50	Steel 10.9	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm	3 mm	7 mm
47621004055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 55	Steel 10.9	M4 x 55	Plain (no plating)	4 mm	55 mm	3 mm	7 mm
47621004060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M4 x 60	Steel 10.9	M4 x 60	Plain (no plating)	4 mm	60 mm	3 mm	7 mm
476210045D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
47621005006	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 6	Steel 10.9	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
47621005008	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 8	Steel 10.9	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
476210050081	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 8	Steel 10.9	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	4 mm	8.5 mm
47621005010	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 10	Steel 10.9	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
476210050101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 10	Steel 10.9	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	4 mm	8.5 mm
476210050103	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 10	Steel 10.9	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
47621005010GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 10	Steel 10.9	M5 x 10	GEOMET 500B	5 mm	10 mm	4 mm	8.5 mm
47621005012	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 12	Steel 10.9	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
476210050121	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 12	Steel 10.9	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	4 mm	8.5 mm
47621005014	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 14	Steel 10.9	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
476210050141SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 14	Steel 10.9	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	4 mm	8.5 mm
47621005016	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 16	Steel 10.9	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
476210050161	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 16	Steel 10.9	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
47621005018	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 18	Steel 10.9	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
47621005020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 20	Steel 10.9	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
476210050201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 20	Steel 10.9	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
47621005022	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 22	Steel 10.9	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm
47621005025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 25	Steel 10.9	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
476210050251	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 25	Steel 10.9	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	4 mm	8.5 mm
47621005030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 30	Steel 10.9	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
476210050301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 30	Steel 10.9	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
47621005035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 35	Steel 10.9	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
476210050351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 35	Steel 10.9	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	4 mm	8.5 mm
476210050351SST209	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 35	Steel 10.9	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	4 mm	8.5 mm
47621005040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 40	Steel 10.9	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
476210050401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 40	Steel 10.9	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	4 mm	8.5 mm
47621005045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 45	Steel 10.9	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
476210050451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 45	Steel 10.9	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	4 mm	8.5 mm
47621005050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 50	Steel 10.9	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
47621005055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 55	Steel 10.9	M5 x 55	Plain (no plating)	5 mm	55 mm	4 mm	8.5 mm
476210050551	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 55	Steel 10.9	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	4 mm	8.5 mm
47621005060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 60	Steel 10.9	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
476210050601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 60	Steel 10.9	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	4 mm	8.5 mm
47621005065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 65	Steel 10.9	M5 x 65	Plain (no plating)	5 mm	65 mm	4 mm	8.5 mm
476210050651	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 65	Steel 10.9	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm	4 mm	8.5 mm
47621005070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 70	Steel 10.9	M5 x 70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
476210050701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M5 x 70,

Steel 10.9	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm	4 mm	8.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621005075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 75	Steel 10.9	M5 x 75	Plain (no plating)	5 mm	75 mm	4 mm	8.5 mm
47621005080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 80	Steel 10.9	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
476210050801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 80	Steel 10.9	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm	4 mm	8.5 mm
47621005085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 85	Steel 10.9	M5 x 85	Plain (no plating)	5 mm	85 mm	4 mm	8.5 mm
476210050851	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 85	Steel 10.9	M5 x 85	Zinc Bright Passivation Fe/Zn P1	5 mm	85 mm	4 mm	8.5 mm
47621005090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 90	Steel 10.9	M5 x 90	Plain (no plating)	5 mm	90 mm	4 mm	8.5 mm
476210050901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 90	Steel 10.9	M5 x 90	Zinc Bright Passivation Fe/Zn P1	5 mm	90 mm	4 mm	8.5 mm
47621005095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 95	Steel 10.9	M5 x 95	Plain (no plating)	5 mm	95 mm	4 mm	8.5 mm
47621005100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 100	Steel 10.9	M5 x 100	Plain (no plating)	5 mm	100 mm	4 mm	8.5 mm
47621005110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 110	Steel 10.9	M5 x 110	Plain (no plating)	5 mm	110 mm	4 mm	8.5 mm
476210051101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 110	Steel 10.9	M5 x 110	Zinc Bright Passivation Fe/Zn P1	5 mm	110 mm	4 mm	8.5 mm
47621005120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 120	Steel 10.9	M5 x 120	Plain (no plating)	5 mm	120 mm	4 mm	8.5 mm
476210051201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 120	Steel 10.9	M5 x 120	Zinc Bright Passivation Fe/Zn P1	5 mm	120 mm	4 mm	8.5 mm
47621005125	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 125	Steel 10.9	M5 x 125	Plain (no plating)	5 mm	125 mm	4 mm	8.5 mm
47621005130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 130	Steel 10.9	M5 x 130	Plain (no plating)	5 mm	130 mm	4 mm	8.5 mm
476210051301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 130	Steel 10.9	M5 x 130	Zinc Bright Passivation Fe/Zn P1	5 mm	130 mm	4 mm	8.5 mm
47621005135	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 135	Steel 10.9	M5 x 135	Plain (no plating)	5 mm	135 mm	4 mm	8.5 mm
47621005140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 140	Steel 10.9	M5 x 140	Plain (no plating)	5 mm	140 mm	4 mm	8.5 mm
47621005150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 150	Steel 10.9	M5 x 150	Plain (no plating)	5 mm	150 mm	4 mm	8.5 mm
47621005160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 160	Steel 10.9	M5 x 160	Plain (no plating)	5 mm	160 mm	4 mm	8.5 mm
47621005170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 170	Steel 10.9	M5 x 170	Plain (no plating)	5 mm	170 mm	4 mm	8.5 mm
47621005180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 180	Steel 10.9	M5 x 180	Plain (no plating)	5 mm	180 mm	4 mm	8.5 mm
47621005200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 200	Steel 10.9	M5 x 200	Plain (no plating)	5 mm	200 mm	4 mm	8.5 mm
47621005220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M5 x 220	Steel 10.9	M5 x 220	Plain (no plating)	5 mm	220 mm	4 mm	8.5 mm
47621006008	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 8	Steel 10.9	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
47621006010	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 10	Steel 10.9	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
476210060101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 10	Steel 10.9	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	5 mm	10 mm
47621006012	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 12	Steel 10.9	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
476210060121	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 12	Steel 10.9	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	5 mm	10 mm
47621006014	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 14	Steel 10.9	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
476210060141	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 14	Steel 10.9	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	5 mm	10 mm
47621006016	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 16	Steel 10.9	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
476210060161	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 16	Steel 10.9	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
476210060162	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 16	Steel 10.9	M6 x 16	HOT DIP GALVANIZED ISO FIT	6 mm	16 mm	5 mm	10 mm
47621006018	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 18	Steel 10.9	M6 x 18	Plain (no plating)	6 mm	18 mm	5 mm	10 mm
47621006020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 20	Steel 10.9	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
476210060201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 20	Steel 10.9	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
47621006022	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 22	Steel 10.9	M6 x 22	Plain (no plating)	6 mm	22 mm	5 mm	10 mm
47621006025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 25	Steel 10.9	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
476210060251	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 25	Steel 10.9	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
47621006030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 30	Steel 10.9	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
476210060301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 30	Steel 10.9	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	5 mm	10 mm
47621006035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 35	Steel 10.9	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
476210060351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 35	Steel 10.9	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47621006040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 40	Steel 10.9	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
476210060401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M6 x 40,

Steel 10.9	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621006045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 45	Steel 10.9	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
476210060451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 45	Steel 10.9	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
47621006050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 50	Steel 10.9	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
476210060501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 50	Steel 10.9	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
476210060501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 50	Steel 10.9	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
47621006055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 55	Steel 10.9	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
47621006060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 60	Steel 10.9	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
476210060601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 60	Steel 10.9	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
47621006060GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 60	Steel 10.9	M6 x 60	GEOMET 500B	6 mm	60 mm	5 mm	10 mm
47621006065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 65	Steel 10.9	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
476210060651	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 65	Steel 10.9	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	5 mm	10 mm
47621006070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 70	Steel 10.9	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
47621006075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 75	Steel 10.9	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
476210060751	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 75	Steel 10.9	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm	5 mm	10 mm
47621006080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 80	Steel 10.9	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
47621006085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 85	Steel 10.9	M6 x 85	Plain (no plating)	6 mm	85 mm	5 mm	10 mm
47621006090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 90	Steel 10.9	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
47621006095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 95	Steel 10.9	M6 x 95	Plain (no plating)	6 mm	95 mm	5 mm	10 mm
47621006100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 100	Steel 10.9	M6 x 100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
476210061001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 100	Steel 10.9	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	5 mm	10 mm
47621006110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 110	Steel 10.9	M6 x 110	Plain (no plating)	6 mm	110 mm	5 mm	10 mm
47621006115	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 115	Steel 10.9	M6 x 115	Plain (no plating)	6 mm	115 mm	5 mm	10 mm
47621006120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 120	Steel 10.9	M6 x 120	Plain (no plating)	6 mm	120 mm	5 mm	10 mm
47621006125	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 125	Steel 10.9	M6 x 125	Plain (no plating)	6 mm	125 mm	5 mm	10 mm
47621006130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 130	Steel 10.9	M6 x 130	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
47621006135	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 135	Steel 10.9	M6 x 135	Plain (no plating)	6 mm	135 mm	5 mm	10 mm
47621006140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 140	Steel 10.9	M6 x 140	Plain (no plating)	6 mm	140 mm	5 mm	10 mm
47621006145	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 145	Steel 10.9	M6 x 145	Plain (no plating)	6 mm	145 mm	5 mm	10 mm
47621006150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 150	Steel 10.9	M6 x 150	Plain (no plating)	6 mm	150 mm	5 mm	10 mm
47621006160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 160	Steel 10.9	M6 x 160	Plain (no plating)	6 mm	160 mm	5 mm	10 mm
47621006170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 170	Steel 10.9	M6 x 170	Plain (no plating)	6 mm	170 mm	5 mm	10 mm
47621006180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 180	Steel 10.9	M6 x 180	Plain (no plating)	6 mm	180 mm	5 mm	10 mm
47621006190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 190	Steel 10.9	M6 x 190	Plain (no plating)	6 mm	190 mm	5 mm	10 mm
47621006200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 200	Steel 10.9	M6 x 200	Plain (no plating)	6 mm	200 mm	5 mm	10 mm
47621006210	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 210	Steel 10.9	M6 x 210	Plain (no plating)	6 mm	210 mm	5 mm	10 mm
47621006220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 220	Steel 10.9	M6 x 220	Plain (no plating)	6 mm	220 mm	5 mm	10 mm
47621006230	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 230	Steel 10.9	M6 x 230	Plain (no plating)	6 mm	230 mm	5 mm	10 mm
47621006240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 240	Steel 10.9	M6 x 240	Plain (no plating)	6 mm	240 mm	5 mm	10 mm
476210062781	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M6 x 278	Steel 10.9	M6 x 278	Zinc Bright Passivation Fe/Zn P1	6 mm	278 mm	5 mm	10 mm
476210065D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M10 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
47621008010	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 10	Steel 10.9	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm
476210080101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 10	Steel 10.9	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm	6 mm	13 mm
47621008012	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 12	Steel 10.9	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
476210080121	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 12	Steel 10.9	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	6 mm	13 mm
476210080141	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 14	Steel 10.9	M8 x 14	Zinc Bright Passivation Fe/Zn P1	8 mm	14 mm	6 mm	13 mm
47621008016	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M8 x 16,

Steel 10.9	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476210080161	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 16	Steel 10.9	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
47621008018	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 18	Steel 10.9	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
476210080181	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 18	Steel 10.9	M8 x 18	Zinc Bright Passivation Fe/Zn P1	8 mm	18 mm	6 mm	13 mm
47621008020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 20	Steel 10.9	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
476210080201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 20	Steel 10.9	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47621008020GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 20	Steel 10.9	M8 x 20	GEOMET 500B	8 mm	20 mm	6 mm	13 mm
47621008022	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 22	Steel 10.9	M8 x 22	Plain (no plating)	8 mm	22 mm	6 mm	13 mm
47621008025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 25	Steel 10.9	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
476210080251	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 25	Steel 10.9	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47621008030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 30	Steel 10.9	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
476210080301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 30	Steel 10.9	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47621008030GEO5 00A	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 30	Steel 10.9	M8 x 30	GEOMET 500A	8 mm	30 mm	6 mm	13 mm
47621008030ZB	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 30	Steel 10.9	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47621008035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 35	Steel 10.9	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
476210080351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 35	Steel 10.9	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47621008040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 40	Steel 10.9	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
476210080401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 40	Steel 10.9	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47621008045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 45	Steel 10.9	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
476210080451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 45	Steel 10.9	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	6 mm	13 mm
47621008050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 50	Steel 10.9	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
476210080501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 50	Steel 10.9	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
47621008055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 55	Steel 10.9	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
476210080551	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 55	Steel 10.9	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
47621008060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 60	Steel 10.9	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
476210080601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 60	Steel 10.9	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
47621008065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 65	Steel 10.9	M8 x 65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
47621008070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 70	Steel 10.9	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
476210080701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 70	Steel 10.9	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
47621008070GEO5 A	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 70	Steel 10.9	M8 x 70	GEOMET 500A	8 mm	70 mm	6 mm	13 mm
47621008075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 75	Steel 10.9	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
47621008080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 80	Steel 10.9	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
476210080801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 80	Steel 10.9	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
47621008085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 85	Steel 10.9	M8 x 85	Plain (no plating)	8 mm	85 mm	6 mm	13 mm
47621008090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 90	Steel 10.9	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
476210080901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 90	Steel 10.9	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	6 mm	13 mm
47621008095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 95	Steel 10.9	M8 x 95	Plain (no plating)	8 mm	95 mm	6 mm	13 mm
47621008100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 100	Steel 10.9	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
476210081001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 100	Steel 10.9	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	6 mm	13 mm
47621008105	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 105	Steel 10.9	M8 x 105	Plain (no plating)	8 mm	105 mm	6 mm	13 mm
47621008110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 110	Steel 10.9	M8 x 110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
47621008115	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 115	Steel 10.9	M8 x 115	Plain (no plating)	8 mm	115 mm	6 mm	13 mm
476210081170TL65	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 1.0	Steel 10.9	M8 x 1.0 x 170/65	Plain (no plating)	8 mm	170 mm	6 mm	13 mm
47621008120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 120	Steel 10.9	M8 x 120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
47621008125	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 125	Steel 10.9	M8 x 125	Plain (no plating)	8 mm	125 mm	6 mm	13 mm
47621008130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 130	Steel 10.9	M8 x 130	Plain (no plating)	8 mm	130 mm	6 mm	13 mm
47621008135	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M8 x 135,

Steel 10.9	M8 x 135	Plain (no plating)	8 mm	135 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621008140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 140	Steel 10.9	M8 x 140	Plain (no plating)	8 mm	140 mm	6 mm	13 mm
476210081401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 140	Steel 10.9	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm	6 mm	13 mm
47621008150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 150	Steel 10.9	M8 x 150	Plain (no plating)	8 mm	150 mm	6 mm	13 mm
47621008160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 160	Steel 10.9	M8 x 160	Plain (no plating)	8 mm	160 mm	6 mm	13 mm
47621008170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 170	Steel 10.9	M8 x 170	Plain (no plating)	8 mm	170 mm	6 mm	13 mm
47621008180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 180	Steel 10.9	M8 x 180	Plain (no plating)	8 mm	180 mm	6 mm	13 mm
47621008190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 190	Steel 10.9	M8 x 190	Plain (no plating)	8 mm	190 mm	6 mm	13 mm
47621008200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 200	Steel 10.9	M8 x 200	Plain (no plating)	8 mm	200 mm	6 mm	13 mm
476210082001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 200	Steel 10.9	M8 x 200	Zinc Bright Passivation Fe/Zn P1	8 mm	200 mm	6 mm	13 mm
47621008240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 240	Steel 10.9	M8 x 240	Plain (no plating)	8 mm	240 mm	6 mm	13 mm
47621008250	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 250	Steel 10.9	M8 x 250	Plain (no plating)	8 mm	250 mm	6 mm	13 mm
476210082501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 250	Steel 10.9	M8 x 250	Zinc Bright Passivation Fe/Zn P1	8 mm	250 mm	6 mm	13 mm
47621008315	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M8 x 315	Steel 10.9	M8 x 315	Plain (no plating)	8 mm	315 mm	6 mm	13 mm
47621010016	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 16	Steel 10.9	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
47621010020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 20	Steel 10.9	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
476210100201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 20	Steel 10.9	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
47621010022	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 22	Steel 10.9	M10 x 22	Plain (no plating)	10 mm	22 mm	8 mm	16 mm
47621010025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 25	Steel 10.9	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
476210100251	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 25	Steel 10.9	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
47621010030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 30	Steel 10.9	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
476210100301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 30	Steel 10.9	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
47621010030GEO5A	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 30	Steel 10.9	M10 x 30	GEOMET 500A	10 mm	30 mm	8 mm	16 mm
47621010035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 35	Steel 10.9	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
476210100351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 35	Steel 10.9	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
47621010035GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 35	Steel 10.9	M10 x 35	GEOMET 500B	10 mm	35 mm	8 mm	16 mm
47621010040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 40	Steel 10.9	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
476210100401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 40	Steel 10.9	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
476210100401I	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 40	Steel 10.9	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47621010040GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 40	Steel 10.9	M10 x 40	GEOMET 500B	10 mm	40 mm	8 mm	16 mm
47621010045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 45	Steel 10.9	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
476210100451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 45	Steel 10.9	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
47621010045GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 45	Steel 10.9	M10 x 45	GEOMET 500B	10 mm	45 mm	8 mm	16 mm
47621010050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 50	Steel 10.9	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
476210100501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 50	Steel 10.9	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
47621010050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 50	Steel 10.9	M10 x 50	GEOMET 500B	10 mm	50 mm	8 mm	16 mm
47621010055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 55	Steel 10.9	M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
476210100551	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 55	Steel 10.9	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
47621010060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 60	Steel 10.9	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
476210100601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 60	Steel 10.9	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	8 mm	16 mm
47621010065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 65	Steel 10.9	M10 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
47621010070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 70	Steel 10.9	M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
476210100701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 70	Steel 10.9	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	8 mm	16 mm
47621010075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 75	Steel 10.9	M10 x 75	Plain (no plating)	10 mm	75 mm	8 mm	16 mm
47621010080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 80	Steel 10.9	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
476210100801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 80	Steel 10.9	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	8 mm	16 mm
47621010085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M10 x 85,

Steel 10.9	M10 x 85	Plain (no plating)	10 mm	85 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621010090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 90	Steel 10.9	M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
476210100901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 90	Steel 10.9	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	8 mm	16 mm
47621010090GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 90	Steel 10.9	M10 x 90	GEOMET 500B	10 mm	90 mm	8 mm	16 mm
47621010095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 95	Steel 10.9	M10 x 95	Plain (no plating)	10 mm	95 mm	8 mm	16 mm
47621010100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 100	Steel 10.9	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
476210101001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 100	Steel 10.9	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	8 mm	16 mm
47621010110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 110	Steel 10.9	M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
47621010120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 120	Steel 10.9	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
476210101201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 120	Steel 10.9	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	8 mm	16 mm
47621010130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 130	Steel 10.9	M10 x 130	Plain (no plating)	10 mm	130 mm	8 mm	16 mm
47621010135	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 135	Steel 10.9	M10 x 135	Plain (no plating)	10 mm	135 mm	8 mm	16 mm
47621010140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 140	Steel 10.9	M10 x 140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
476210101401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 140	Steel 10.9	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	8 mm	16 mm
47621010150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 150	Steel 10.9	M10 x 150	Plain (no plating)	10 mm	150 mm	8 mm	16 mm
47621010160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 160	Steel 10.9	M10 x 160	Plain (no plating)	10 mm	160 mm	8 mm	16 mm
476210101601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 160	Steel 10.9	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	8 mm	16 mm
47621010180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 180	Steel 10.9	M10 x 180	Plain (no plating)	10 mm	180 mm	8 mm	16 mm
47621010190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 190	Steel 10.9	M10 x 190	Plain (no plating)	10 mm	190 mm	8 mm	16 mm
476210101901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 190	Steel 10.9	M10 x 190	Zinc Bright Passivation Fe/Zn P1	10 mm	190 mm	8 mm	16 mm
47621010200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 200	Steel 10.9	M10 x 200	Plain (no plating)	10 mm	200 mm	8 mm	16 mm
47621010210	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 210	Steel 10.9	M10 x 210	Plain (no plating)	10 mm	210 mm	8 mm	16 mm
47621010220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 220	Steel 10.9	M10 x 220	Plain (no plating)	10 mm	220 mm	8 mm	16 mm
47621010270	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 270	Steel 10.9	M10 x 270	Plain (no plating)	10 mm	270 mm	8 mm	16 mm
47621010300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 300	Steel 10.9	M10 x 300	Plain (no plating)	10 mm	300 mm	8 mm	16 mm
47621010360	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M10 x 360	Steel 10.9	M10 x 360	Plain (no plating)	10 mm	360 mm	8 mm	16 mm
47621012016	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 16	Steel 10.9	M12 x 16	Plain (no plating)	12 mm	16 mm	10 mm	18 mm
47621012020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 20	Steel 10.9	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
476210120201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 20	Steel 10.9	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	10 mm	18 mm
47621012020GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 20	Steel 10.9	M12 x 20	GEOMET 500A	12 mm	20 mm	10 mm	18 mm
47621012025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 25	Steel 10.9	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
476210120251	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 25	Steel 10.9	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
47621012030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 30	Steel 10.9	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
476210120301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 30	Steel 10.9	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
47621012035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 35	Steel 10.9	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
476210120351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 35	Steel 10.9	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	10 mm	18 mm
47621012040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 40	Steel 10.9	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
476210120401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 40	Steel 10.9	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
4762101204018SST	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 40	Steel 10.9	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
476210120401I	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 40	Steel 10.9	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
47621012045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 45	Steel 10.9	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
476210120451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 45	Steel 10.9	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	10 mm	18 mm
47621012045FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 45/45	Steel 10.9	M12 x 45/45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
47621012050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 50	Steel 10.9	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
476210120501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 50	Steel 10.9	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
47621012055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 55	Steel 10.9	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
476210120551	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M12 x 55,

Steel 10.9	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621012060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 60	Steel 10.9	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
476210120601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 60	Steel 10.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
47621012065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 65	Steel 10.9	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
476210120651	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 65	Steel 10.9	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	10 mm	18 mm
47621012070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 70	Steel 10.9	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
476210120701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 70	Steel 10.9	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	10 mm	18 mm
47621012075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 75	Steel 10.9	M12 x 75	Plain (no plating)	12 mm	75 mm	10 mm	18 mm
47621012080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 80	Steel 10.9	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
476210120801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 80	Steel 10.9	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	10 mm	18 mm
47621012085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 85	Steel 10.9	M12 x 85	Plain (no plating)	12 mm	85 mm	10 mm	18 mm
47621012090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 90	Steel 10.9	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
476210120901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 90	Steel 10.9	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	10 mm	18 mm
47621012095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 95	Steel 10.9	M12 x 95	Plain (no plating)	12 mm	95 mm	10 mm	18 mm
476210120D	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
47621012100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 100	Steel 10.9	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
476210121001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 100	Steel 10.9	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	10 mm	18 mm
47621012110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 110	Steel 10.9	M12 x 110	Plain (no plating)	12 mm	110 mm	10 mm	18 mm
476210121101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 110	Steel 10.9	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	10 mm	18 mm
4762101211102O	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 110	Steel 10.9	M12 x 110	Hot Dip Galvanizing	12 mm	110 mm	10 mm	18 mm
47621012120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 120	Steel 10.9	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
476210121201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 120	Steel 10.9	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	10 mm	18 mm
47621012120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 120	Steel 10.9	M12 x 120	GEOMET 500B	12 mm	120 mm	10 mm	18 mm
47621012125	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 125	Steel 10.9	M12 x 125	Plain (no plating)	12 mm	125 mm	10 mm	18 mm
47621012130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 130	Steel 10.9	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
47621012135	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 135	Steel 10.9	M12 x 135	Plain (no plating)	12 mm	135 mm	10 mm	18 mm
47621012140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 140	Steel 10.9	M12 x 140	Plain (no plating)	12 mm	140 mm	10 mm	18 mm
476210121401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 140	Steel 10.9	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	10 mm	18 mm
47621012150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 150	Steel 10.9	M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm
47621012160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 160	Steel 10.9	M12 x 160	Plain (no plating)	12 mm	160 mm	10 mm	18 mm
476210121601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 160	Steel 10.9	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	10 mm	18 mm
476210121602	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 160	Steel 10.9	M12 x 160	HOT DIP GALVANIZED ISO FIT	12 mm	160 mm	10 mm	18 mm
47621012170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 170	Steel 10.9	M12 x 170	Plain (no plating)	12 mm	170 mm	10 mm	18 mm
476210121701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 170	Steel 10.9	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	10 mm	18 mm
47621012180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 180	Steel 10.9	M12 x 180	Plain (no plating)	12 mm	180 mm	10 mm	18 mm
476210121801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 180	Steel 10.9	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	10 mm	18 mm
47621012190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 190	Steel 10.9	M12 x 190	Plain (no plating)	12 mm	190 mm	10 mm	18 mm
47621012200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 200	Steel 10.9	M12 x 200	Plain (no plating)	12 mm	200 mm	10 mm	18 mm
476210122001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 200	Steel 10.9	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm	10 mm	18 mm
47621012210	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 210	Steel 10.9	M12 x 210	Plain (no plating)	12 mm	210 mm	10 mm	18 mm
47621012215	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 215	Steel 10.9	M12 x 215	Plain (no plating)	12 mm	215 mm	10 mm	18 mm
47621012220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 220	Steel 10.9	M12 x 220	Plain (no plating)	12 mm	220 mm	10 mm	18 mm
47621012230	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 230	Steel 10.9	M12 x 230	Plain (no plating)	12 mm	230 mm	10 mm	18 mm
47621012240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 240	Steel 10.9	M12 x 240	Plain (no plating)	12 mm	240 mm	10 mm	18 mm
47621012250	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 250	Steel 10.9	M12 x 250	Plain (no plating)	12 mm	250 mm	10 mm	18 mm
47621012260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 260	Steel 10.9	M12 x 260	Plain (no plating)	12 mm	260 mm	10 mm	18 mm
47621012280	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M12 x 280

Steel 10.9	M12 x 280	Plain (no plating)	12 mm	280 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621012300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 300	Steel 10.9	M12 x 300	Plain (no plating)	12 mm	300 mm	10 mm	18 mm
476210123301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 330	Steel 10.9	M12 x 330	Zinc Bright Passivation Fe/Zn P1	12 mm	330 mm	10 mm	18 mm
476210123601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M12 x 360	Steel 10.9	M12 x 360	Zinc Bright Passivation Fe/Zn P1	12 mm	360 mm	10 mm	18 mm
47621014020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 20	Steel 10.9	M14 x 20	Plain (no plating)	14 mm	20 mm	12 mm	21 mm
47621014025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 25	Steel 10.9	M14 x 25	Plain (no plating)	14 mm	25 mm	12 mm	21 mm
47621014035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 35	Steel 10.9	M14 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
476210140351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 35	Steel 10.9	M14 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	12 mm	21 mm
47621014040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 40	Steel 10.9	M14 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
476210140401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 40	Steel 10.9	M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	12 mm	21 mm
47621014045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 45	Steel 10.9	M14 x 45	Plain (no plating)	14 mm	45 mm	12 mm	21 mm
476210140451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 45	Steel 10.9	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	12 mm	21 mm
47621014050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 50	Steel 10.9	M14 x 50	Plain (no plating)	14 mm	50 mm	12 mm	21 mm
476210140501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 50	Steel 10.9	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	12 mm	21 mm
47621014055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 55	Steel 10.9	M14 x 55	Plain (no plating)	14 mm	55 mm	12 mm	21 mm
476210140551	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 55	Steel 10.9	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	12 mm	21 mm
47621014060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 60	Steel 10.9	M14 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
476210140651	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 65	Steel 10.9	M14 x 65	Zinc Bright Passivation Fe/Zn P1	14 mm	65 mm	12 mm	21 mm
47621014070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 70	Steel 10.9	M14 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
476210140701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 70	Steel 10.9	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	12 mm	21 mm
47621014080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 80	Steel 10.9	M14 x 80	Plain (no plating)	14 mm	80 mm	12 mm	21 mm
47621014090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 90	Steel 10.9	M14 x 90	Plain (no plating)	14 mm	90 mm	12 mm	21 mm
47621014100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 100	Steel 10.9	M14 x 100	Plain (no plating)	14 mm	100 mm	12 mm	21 mm
47621014110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 110	Steel 10.9	M14 x 110	Plain (no plating)	14 mm	110 mm	12 mm	21 mm
47621014120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 120	Steel 10.9	M14 x 120	Plain (no plating)	14 mm	120 mm	12 mm	21 mm
47621014120 1	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 120	Steel 10.9	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	12 mm	21 mm
47621014125040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 1.2	Steel 10.9	M14 x 1.25 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
47621014130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 130	Steel 10.9	M14 x 130	Plain (no plating)	14 mm	130 mm	12 mm	21 mm
47621014130GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 130	Steel 10.9	M14 x 130	GEOMET 500B	14 mm	130 mm	12 mm	21 mm
47621014140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 140	Steel 10.9	M14 x 140	Plain (no plating)	14 mm	140 mm	12 mm	21 mm
47621014150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 150	Steel 10.9	M14 x 150	Plain (no plating)	14 mm	150 mm	12 mm	21 mm
47621014150040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 1.5	Steel 10.9	M14 x 1.5 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
47621014150090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 1.5	Steel 10.9	M14 x 1.5 x 90	Plain (no plating)	14 mm	90 mm	12 mm	21 mm
47621014150701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 1.5	Steel 10.9	M14 x 1.5 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	12 mm	21 mm
47621014170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 170	Steel 10.9	M14 x 170	Plain (no plating)	14 mm	170 mm	12 mm	21 mm
476210141701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 170	Steel 10.9	M14 x 170	Zinc Bright Passivation Fe/Zn P1	14 mm	170 mm	12 mm	21 mm
47621014180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 180	Steel 10.9	M14 x 180	Plain (no plating)	14 mm	180 mm	12 mm	21 mm
47621014190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 190	Steel 10.9	M14 x 190	Zinc Bright Passivation Fe/Zn P1	14 mm	190 mm	12 mm	21 mm
47621014200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M14 x 200	Steel 10.9	M14 x 200	Plain (no plating)	14 mm	200 mm	12 mm	21 mm
47621016020	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 20	Steel 10.9	M16 x 20	Plain (no plating)	16 mm	20 mm	14 mm	24 mm
47621016025	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 25	Steel 10.9	M16 x 25	Plain (no plating)	16 mm	25 mm	14 mm	24 mm
47621016030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 30	Steel 10.9	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
47621016035	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 35	Steel 10.9	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
476210160351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 35	Steel 10.9	M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	14 mm	24 mm
47621016040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 40	Steel 10.9	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
476210160401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 40	Steel 10.9	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	14 mm	24 mm
47621016040GEO5	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 40,							

00B

ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,

M16 x 40,

Steel 10.9	M16 x 40	GEOMET 500B	16 mm	40 mm	14 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621016045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 45	Steel 10.9	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
476210160451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 45	Steel 10.9	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	14 mm	24 mm
47621016050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 50	Steel 10.9	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
476210160501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 50	Steel 10.9	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	14 mm	24 mm
47621016050I	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 50	Steel 10.9	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
47621016055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 55	Steel 10.9	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
476210160551	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 55	Steel 10.9	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	14 mm	24 mm
476210160552O	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 55	Steel 10.9	M16 x 55	Hot Dip Galvanizing	16 mm	55 mm	14 mm	24 mm
47621016060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 60	Steel 10.9	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
476210160601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 60	Steel 10.9	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	14 mm	24 mm
47621016065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 65	Steel 10.9	M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
47621016070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 70	Steel 10.9	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
476210160701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 70	Steel 10.9	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	14 mm	24 mm
47621016070GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 70	Steel 10.9	M16 x 70	GEOMET 500B	16 mm	70 mm	14 mm	24 mm
47621016075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 75	Steel 10.9	M16 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm
476210160751	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 75	Steel 10.9	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	14 mm	24 mm
47621016080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 80	Steel 10.9	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
476210160801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 80	Steel 10.9	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	14 mm	24 mm
47621016085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 85	Steel 10.9	M16 x 85	Plain (no plating)	16 mm	85 mm	14 mm	24 mm
47621016090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 90	Steel 10.9	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
476210160901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 90	Steel 10.9	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	14 mm	24 mm
47621016095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 95	Steel 10.9	M16 x 95	Plain (no plating)	16 mm	95 mm	14 mm	24 mm
47621016100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 100	Steel 10.9	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
476210161001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 100	Steel 10.9	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	14 mm	24 mm
47621016110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 110	Steel 10.9	M16 x 110	Plain (no plating)	16 mm	110 mm	14 mm	24 mm
476210161101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 110	Steel 10.9	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	14 mm	24 mm
47621016120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 120	Steel 10.9	M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
476210161201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 120	Steel 10.9	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	14 mm	24 mm
47621016125	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 125	Steel 10.9	M16 x 125	Plain (no plating)	16 mm	125 mm	14 mm	24 mm
47621016130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 130	Steel 10.9	M16 x 130	Plain (no plating)	16 mm	130 mm	14 mm	24 mm
476210161301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 130	Steel 10.9	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	14 mm	24 mm
47621016140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 140	Steel 10.9	M16 x 140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
47621016150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 150	Steel 10.9	M16 x 150	Plain (no plating)	16 mm	150 mm	14 mm	24 mm
47621016150030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
47621016150040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
47621016150045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
47621016150050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 50/50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
47621016150070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
47621016150090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
476210161501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 150	Steel 10.9	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	14 mm	24 mm
4762101615030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
47621016150301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	14 mm	24 mm
4762101615070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762101615075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm
4762101615080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
47621016150GEO5								

00B

ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,

M16 x 150

Steel 10.9	M16 x 150	GEOMET 500B	16 mm	150 mm	14 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621016160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 160	Steel 10.9	M16 x 160	Plain (no plating)	16 mm	160 mm	14 mm	24 mm
476210161601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 160	Steel 10.9	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	14 mm	24 mm
47621016160GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 160	Steel 10.9	M16 x 160	GEOMET 500B	16 mm	160 mm	14 mm	24 mm
47621016170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 170	Steel 10.9	M16 x 170	Plain (no plating)	16 mm	170 mm	14 mm	24 mm
47621016180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 180	Steel 10.9	M16 x 180	Plain (no plating)	16 mm	180 mm	14 mm	24 mm
47621016190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 190	Steel 10.9	M16 x 190	Plain (no plating)	16 mm	190 mm	14 mm	24 mm
47621016200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 200	Steel 10.9	M16 x 200	Plain (no plating)	16 mm	200 mm	14 mm	24 mm
476210162001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 200	Steel 10.9	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	14 mm	24 mm
47621016210	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 210	Steel 10.9	M16 x 210	Plain (no plating)	16 mm	210 mm	14 mm	24 mm
476210162101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 210	Steel 10.9	M16 x 210	Zinc Bright Passivation Fe/Zn P1	16 mm	210 mm	14 mm	24 mm
47621016220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 220	Steel 10.9	M16 x 220	Plain (no plating)	16 mm	220 mm	14 mm	24 mm
47621016230	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 230	Steel 10.9	M16 x 230	Plain (no plating)	16 mm	230 mm	14 mm	24 mm
47621016240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 240	Steel 10.9	M16 x 240	Plain (no plating)	16 mm	240 mm	14 mm	24 mm
47621016250	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 250	Steel 10.9	M16 x 250	Plain (no plating)	16 mm	250 mm	14 mm	24 mm
47621016260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 260	Steel 10.9	M16 x 260	Plain (no plating)	16 mm	260 mm	14 mm	24 mm
47621016270	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 270	Steel 10.9	M16 x 270	Plain (no plating)	16 mm	270 mm	14 mm	24 mm
47621016275	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 275	Steel 10.9	M16 x 275	Plain (no plating)	16 mm	275 mm	14 mm	24 mm
47621016280	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 280	Steel 10.9	M16 x 280	Plain (no plating)	16 mm	280 mm	14 mm	24 mm
47621016300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 300	Steel 10.9	M16 x 300	Plain (no plating)	16 mm	300 mm	14 mm	24 mm
47621016320	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 320	Steel 10.9	M16 x 320	Plain (no plating)	16 mm	320 mm	14 mm	24 mm
47621016340	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 340	Steel 10.9	M16 x 340	Plain (no plating)	16 mm	340 mm	14 mm	24 mm
47621018040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 40	Steel 10.9	M18 x 40	Plain (no plating)	18 mm	40 mm	14 mm	27 mm
476210180401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 40	Steel 10.9	M18 x 40	Zinc Bright Passivation Fe/Zn P1	18 mm	40 mm	14 mm	27 mm
47621018045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 45	Steel 10.9	M18 x 45	Plain (no plating)	18 mm	45 mm	14 mm	27 mm
476210180451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 45	Steel 10.9	M18 x 45	Zinc Bright Passivation Fe/Zn P1	18 mm	45 mm	14 mm	27 mm
47621018050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 50	Steel 10.9	M18 x 50	Plain (no plating)	18 mm	50 mm	14 mm	27 mm
476210180501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 50	Steel 10.9	M18 x 50	Zinc Bright Passivation Fe/Zn P1	18 mm	50 mm	14 mm	27 mm
47621018080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 80	Steel 10.9	M18 x 80	Plain (no plating)	18 mm	80 mm	14 mm	27 mm
47621018130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 130	Steel 10.9	M18 x 130	Plain (no plating)	18 mm	130 mm	14 mm	27 mm
47621018140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 140	Steel 10.9	M18 x 140	Plain (no plating)	18 mm	140 mm	14 mm	27 mm
47621018150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 150	Steel 10.9	M18 x 150	Plain (no plating)	18 mm	150 mm	14 mm	27 mm
47621018150045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 1.5 x 45	Steel 10.9	M18 x 1.5 x 45	Plain (no plating)	18 mm	45 mm	14 mm	27 mm
47621018150050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 1.5 x 50	Steel 10.9	M18 x 1.5 x 50	Plain (no plating)	18 mm	50 mm	14 mm	27 mm
47621018150070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 1.5 x 70	Steel 10.9	M18 x 1.5 x 70	Plain (no plating)	18 mm	70 mm	14 mm	27 mm
47621018150100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 1.5 x 100	Steel 10.9	M18 x 1.5 x 100	Plain (no plating)	18 mm	100 mm	14 mm	27 mm
47621018180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 180	Steel 10.9	M18 x 180	Plain (no plating)	18 mm	180 mm	14 mm	27 mm
476210182045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M18 x 2.0 x 45	Steel 10.9	M18 x 2.0 x 45	Plain (no plating)	18 mm	45 mm	14 mm	27 mm
47621020030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 30	Steel 10.9	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
476210200351	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 35	Steel 10.9	M20 x 35	Zinc Bright Passivation Fe/Zn P1	20 mm	35 mm	17 mm	30 mm
47621020040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 40	Steel 10.9	M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
476210200401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 40	Steel 10.9	M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	17 mm	30 mm
476210200402O	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 40	Steel 10.9	M20 x 40	Hot Dip Galvanizing	20 mm	40 mm	17 mm	30 mm
47621020045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 45	Steel 10.9	M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
47621020050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 50	Steel 10.9	M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
476210200501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 50,	Steel 10.9	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	17 mm	30 mm
47621020050GEO5								

00B

ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,

M20 x 50,

Steel 10.9	M20 x 50	GEOMET 500B	20 mm	50 mm	17 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621020055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 55	Steel 10.9	M20 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
476210200551	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 55	Steel 10.9	M20 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	17 mm	30 mm
47621020060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 60	Steel 10.9	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
476210200601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 60	Steel 10.9	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	17 mm	30 mm
47621020065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 65	Steel 10.9	M20 x 65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
476210200651	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 65	Steel 10.9	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	17 mm	30 mm
47621020070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 70	Steel 10.9	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
476210200701	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 70	Steel 10.9	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	17 mm	30 mm
47621020075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 75	Steel 10.9	M20 x 75	Plain (no plating)	20 mm	75 mm	17 mm	30 mm
476210200751	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 75	Steel 10.9	M20 x 75	Zinc Bright Passivation Fe/Zn P1	20 mm	75 mm	17 mm	30 mm
47621020080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 80	Steel 10.9	M20 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
476210200801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 80	Steel 10.9	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	17 mm	30 mm
47621020085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 85	Steel 10.9	M20 x 85	Plain (no plating)	20 mm	85 mm	17 mm	30 mm
47621020090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 90	Steel 10.9	M20 x 90	Plain (no plating)	20 mm	90 mm	17 mm	30 mm
476210200901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 90	Steel 10.9	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	17 mm	30 mm
476210200902	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 90	Steel 10.9	M20 x 90	HOT DIP GALVANIZED ISO FIT	20 mm	90 mm	17 mm	30 mm
47621020095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 95	Steel 10.9	M20 x 95	Plain (no plating)	20 mm	95 mm	17 mm	30 mm
47621020100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 100	Steel 10.9	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
476210201001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 100	Steel 10.9	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	17 mm	30 mm
47621020110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 110	Steel 10.9	M20 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
476210201101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 110	Steel 10.9	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	17 mm	30 mm
47621020120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 120	Steel 10.9	M20 x 120	Plain (no plating)	20 mm	120 mm	17 mm	30 mm
476210201201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 120	Steel 10.9	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	17 mm	30 mm
476210201202	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 120	Steel 10.9	M20 x 120	HOT DIP GALVANIZED ISO FIT	20 mm	120 mm	17 mm	30 mm
47621020130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 130	Steel 10.9	M20 x 130	Plain (no plating)	20 mm	130 mm	17 mm	30 mm
476210201301	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 130	Steel 10.9	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	17 mm	30 mm
476210201302O	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 130	Steel 10.9	M20 x 130	Hot Dip Galvanizing	20 mm	130 mm	17 mm	30 mm
47621020135	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 135	Steel 10.9	M20 x 135	Plain (no plating)	20 mm	135 mm	17 mm	30 mm
47621020140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 140	Steel 10.9	M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
476210201401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 140	Steel 10.9	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	17 mm	30 mm
47621020150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 150	Steel 10.9	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
476210201500045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 150	Steel 10.9	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
476210201501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 150	Steel 10.9	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	17 mm	30 mm
4762102015110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 1.5	Steel 10.9	M20 x 1.5 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
4762102015150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 1.5	Steel 10.9	M20 x 1.5 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
47621020160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 160	Steel 10.9	M20 x 160	Plain (no plating)	20 mm	160 mm	17 mm	30 mm
476210201601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 160	Steel 10.9	M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	17 mm	30 mm
47621020170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 170	Steel 10.9	M20 x 170	Plain (no plating)	20 mm	170 mm	17 mm	30 mm
47621020180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 180	Steel 10.9	M20 x 180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
476210201801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 180	Steel 10.9	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	17 mm	30 mm
47621020190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 190	Steel 10.9	M20 x 190	Plain (no plating)	20 mm	190 mm	17 mm	30 mm
476210201901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 190	Steel 10.9	M20 x 190	Zinc Bright Passivation Fe/Zn P1	20 mm	190 mm	17 mm	30 mm
47621020200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 200	Steel 10.9	M20 x 200	Plain (no plating)	20 mm	200 mm	17 mm	30 mm
476210202001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 200	Steel 10.9	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	17 mm	30 mm
476210202050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 2.0	Steel 10.9	M20 x 2.0 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
476210202060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M20 x 2.0

Steel 10.9	M20 x 2.0 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621020210	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 210	Steel 10.9	M20 x 210	Plain (no plating)	20 mm	210 mm	17 mm	30 mm
47621020220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 220	Steel 10.9	M20 x 220	Plain (no plating)	20 mm	220 mm	17 mm	30 mm
476210202201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 220	Steel 10.9	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm	17 mm	30 mm
47621020230	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 230	Steel 10.9	M20 x 230	Plain (no plating)	20 mm	230 mm	17 mm	30 mm
47621020240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 240	Steel 10.9	M20 x 240	Plain (no plating)	20 mm	240 mm	17 mm	30 mm
476210202401	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 240	Steel 10.9	M20 x 240	Zinc Bright Passivation Fe/Zn P1	20 mm	240 mm	17 mm	30 mm
47621020250	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 250	Steel 10.9	M20 x 250	Plain (no plating)	20 mm	250 mm	17 mm	30 mm
47621020260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 260	Steel 10.9	M20 x 260	Plain (no plating)	20 mm	260 mm	17 mm	30 mm
476210202601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 260	Steel 10.9	M20 x 260	Zinc Bright Passivation Fe/Zn P1	20 mm	260 mm	17 mm	30 mm
47621020270	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 270	Steel 10.9	M20 x 270	Plain (no plating)	20 mm	270 mm	17 mm	30 mm
47621020280	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 280	Steel 10.9	M20 x 280	Plain (no plating)	20 mm	280 mm	17 mm	30 mm
47621020290	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 290	Steel 10.9	M20 x 290	Plain (no plating)	20 mm	290 mm	17 mm	30 mm
47621020295	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 295	Steel 10.9	M20 x 295	Plain (no plating)	20 mm	295 mm	17 mm	30 mm
47621020300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 300	Steel 10.9	M20 x 300	Plain (no plating)	20 mm	300 mm	17 mm	30 mm
47621020320	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 320	Steel 10.9	M20 x 320	Plain (no plating)	20 mm	320 mm	17 mm	30 mm
47621020330	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 330	Steel 10.9	M20 x 330	Plain (no plating)	20 mm	330 mm	17 mm	30 mm
47621020340	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 340	Steel 10.9	M20 x 340	Plain (no plating)	20 mm	340 mm	17 mm	30 mm
47621020350	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 350	Steel 10.9	M20 x 350	Plain (no plating)	20 mm	350 mm	17 mm	30 mm
47621020380	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 360	Steel 10.9	M20 x 360	Plain (no plating)	20 mm	360 mm	17 mm	30 mm
47621020390	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M20 x 390	Steel 10.9	M20 x 390	Plain (no plating)	20 mm	390 mm	17 mm	30 mm
47621022050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 50	Steel 10.9	M22 x 50	Plain (no plating)	22 mm	50 mm	17 mm	33 mm
47621022070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 70	Steel 10.9	M22 x 70	Plain (no plating)	22 mm	70 mm	17 mm	33 mm
47621022080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 80	Steel 10.9	M22 x 80	Plain (no plating)	22 mm	80 mm	17 mm	33 mm
47621022100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 100	Steel 10.9	M22 x 100	Plain (no plating)	22 mm	100 mm	17 mm	33 mm
47621022110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 110	Steel 10.9	M22 x 110	Plain (no plating)	22 mm	110 mm	17 mm	33 mm
4762102215055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 1.5	Steel 10.9	M22 x 1.5 x 55	Plain (no plating)	22 mm	55 mm	17 mm	33 mm
4762102215060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 1.5	Steel 10.9	M22 x 1.5 x 60	Plain (no plating)	22 mm	60 mm	17 mm	33 mm
4762102215145	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M22 x 1.5	Steel 10.9	M22 x 1.5 x 145	Plain (no plating)	22 mm	145 mm	17 mm	33 mm
47621024030	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 30	Steel 10.9	M24 x 30	Plain (no plating)	24 mm	30 mm	19 mm	36 mm
476210240451	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 45	Steel 10.9	M24 x 45	Zinc Bright Passivation Fe/Zn P1	24 mm	45 mm	19 mm	36 mm
47621024050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 50	Steel 10.9	M24 x 50	Plain (no plating)	24 mm	50 mm	19 mm	36 mm
47621024055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 55	Steel 10.9	M24 x 55	Plain (no plating)	24 mm	55 mm	19 mm	36 mm
47621024060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 60	Steel 10.9	M24 x 60	Plain (no plating)	24 mm	60 mm	19 mm	36 mm
476210240601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 60	Steel 10.9	M24 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	19 mm	36 mm
47621024065	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 65	Steel 10.9	M24 x 65	Plain (no plating)	24 mm	65 mm	19 mm	36 mm
476210240652	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 65	Steel 10.9	M24 x 65	HOT DIP GALVANIZED ISO FIT	24 mm	65 mm	19 mm	36 mm
47621024070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 70	Steel 10.9	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
47621024075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 75	Steel 10.9	M24 x 75	Plain (no plating)	24 mm	75 mm	19 mm	36 mm
47621024080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 80	Steel 10.9	M24 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
47621024085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 85	Steel 10.9	M24 x 85	Plain (no plating)	24 mm	85 mm	19 mm	36 mm
476210240851	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 85	Steel 10.9	M24 x 85	Zinc Bright Passivation Fe/Zn P1	24 mm	85 mm	19 mm	36 mm
47621024090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 90	Steel 10.9	M24 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
476210240901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 90	Steel 10.9	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	19 mm	36 mm
47621024095	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 95	Steel 10.9	M24 x 95	Plain (no plating)	24 mm	95 mm	19 mm	36 mm
47621024100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 100	Steel 10.9	M24 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
476210241001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M24 x 100

Steel 10.9	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	19 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476210241002	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 100	Steel 10.9	M24 x 100	HOT DIP GALVANIZED ISO FIT	24 mm	100 mm	19 mm	36 mm
47621024110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 110	Steel 10.9	M24 x 110	Plain (no plating)	24 mm	110 mm	19 mm	36 mm
476210241101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 110	Steel 10.9	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	19 mm	36 mm
476210241102	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 110	Steel 10.9	M24 x 110	HOT DIP GALVANIZED ISO FIT	24 mm	110 mm	19 mm	36 mm
47621024120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 120	Steel 10.9	M24 x 120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
476210241201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 120	Steel 10.9	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	19 mm	36 mm
47621024130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 130	Steel 10.9	M24 x 130	Plain (no plating)	24 mm	130 mm	19 mm	36 mm
47621024140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 140	Steel 10.9	M24 x 140	Plain (no plating)	24 mm	140 mm	19 mm	36 mm
47621024150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 150	Steel 10.9	M24 x 150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
476210241501	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 150	Steel 10.9	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	19 mm	36 mm
4762102415120170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 1.5	Steel 10.9	M24 x 1.5 x 120/70	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	19 mm	36 mm
47621024160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 160	Steel 10.9	M24 x 160	Plain (no plating)	24 mm	160 mm	19 mm	36 mm
47621024170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 170	Steel 10.9	M24 x 170	Plain (no plating)	24 mm	170 mm	19 mm	36 mm
47621024180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 180	Steel 10.9	M24 x 180	Plain (no plating)	24 mm	180 mm	19 mm	36 mm
476210241801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 180	Steel 10.9	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	19 mm	36 mm
47621024190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 190	Steel 10.9	M24 x 190	Plain (no plating)	24 mm	190 mm	19 mm	36 mm
476210241901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 190	Steel 10.9	M24 x 190	Zinc Bright Passivation Fe/Zn P1	24 mm	190 mm	19 mm	36 mm
47621024200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 200	Steel 10.9	M24 x 200	Plain (no plating)	24 mm	200 mm	19 mm	36 mm
476210242001	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 200	Steel 10.9	M24 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm	19 mm	36 mm
47621024220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 220	Steel 10.9	M24 x 220	Plain (no plating)	24 mm	220 mm	19 mm	36 mm
47621024230	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 230	Steel 10.9	M24 x 230	Plain (no plating)	24 mm	230 mm	19 mm	36 mm
47621024240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 240	Steel 10.9	M24 x 240	Plain (no plating)	24 mm	240 mm	19 mm	36 mm
47621024260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 260	Steel 10.9	M24 x 260	Plain (no plating)	24 mm	260 mm	19 mm	36 mm
47621024280	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 280	Steel 10.9	M24 x 280	Plain (no plating)	24 mm	280 mm	19 mm	36 mm
47621024300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 300	Steel 10.9	M24 x 300	Plain (no plating)	24 mm	300 mm	19 mm	36 mm
47621024320	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 320	Steel 10.9	M24 x 320	Plain (no plating)	24 mm	320 mm	19 mm	36 mm
47621024360	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 360	Steel 10.9	M24 x 360	Plain (no plating)	24 mm	360 mm	19 mm	36 mm
47621024400	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 400	Steel 10.9	M24 x 400	Plain (no plating)	24 mm	400 mm	19 mm	36 mm
47621024500	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 500	Steel 10.9	M24 x 500	Plain (no plating)	24 mm	500 mm	19 mm	36 mm
47621024520	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 520	Steel 10.9	M24 x 520	Plain (no plating)	24 mm	520 mm	19 mm	36 mm
47621024560	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M24 x 560	Steel 10.9	M24 x 560	Plain (no plating)	24 mm	560 mm	19 mm	36 mm
476210270601	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 60	Steel 10.9	M27 x 60	Zinc Bright Passivation Fe/Zn P1	27 mm	60 mm	19 mm	40 mm
47621027070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 70	Steel 10.9	M27 x 70	Plain (no plating)	27 mm	70 mm	19 mm	40 mm
47621027080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 80	Steel 10.9	M27 x 80	Plain (no plating)	27 mm	80 mm	19 mm	40 mm
47621027090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 90	Steel 10.9	M27 x 90	Plain (no plating)	27 mm	90 mm	19 mm	40 mm
476210270901	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 90	Steel 10.9	M27 x 90	Zinc Bright Passivation Fe/Zn P1	27 mm	90 mm	19 mm	40 mm
47621027100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 100	Steel 10.9	M27 x 100	Plain (no plating)	27 mm	100 mm	19 mm	40 mm
47621027110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 110	Steel 10.9	M27 x 110	Plain (no plating)	27 mm	110 mm	19 mm	40 mm
47621027120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 120	Steel 10.9	M27 x 120	Plain (no plating)	27 mm	120 mm	19 mm	40 mm
47621027130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 130	Steel 10.9	M27 x 130	Plain (no plating)	27 mm	130 mm	19 mm	40 mm
47621027150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 150	Steel 10.9	M27 x 150	Plain (no plating)	27 mm	150 mm	19 mm	40 mm
47621027220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 220	Steel 10.9	M27 x 220	Plain (no plating)	27 mm	220 mm	19 mm	40 mm
47621027260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 260	Steel 10.9	M27 x 260	Plain (no plating)	27 mm	260 mm	19 mm	40 mm
47621027320	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 320	Steel 10.9	M27 x 320	Plain (no plating)	27 mm	320 mm	19 mm	40 mm
47621027340	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M27 x 340	Steel 10.9	M27 x 340	Plain (no plating)	27 mm	340 mm	19 mm	40 mm
47621030040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M30 x 40,

Steel 10.9	M30 x 40	Plain (no plating)	30 mm	40 mm	22 mm	45 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621030045	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 45	Steel 10.9	M30 x 45	Plain (no plating)	30 mm	45 mm	22 mm	45 mm
47621030050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 50	Steel 10.9	M30 x 50	Plain (no plating)	30 mm	50 mm	22 mm	45 mm
47621030060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 60	Steel 10.9	M30 x 60	Plain (no plating)	30 mm	60 mm	22 mm	45 mm
47621030070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 70	Steel 10.9	M30 x 70	Plain (no plating)	30 mm	70 mm	22 mm	45 mm
47621030075	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 75	Steel 10.9	M30 x 75	Plain (no plating)	30 mm	75 mm	22 mm	45 mm
47621030080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 80	Steel 10.9	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
476210300801	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 80	Steel 10.9	M30 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	22 mm	45 mm
47621030085	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 85	Steel 10.9	M30 x 85	Plain (no plating)	30 mm	85 mm	22 mm	45 mm
47621030090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 90	Steel 10.9	M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
47621030100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 100	Steel 10.9	M30 x 100	Plain (no plating)	30 mm	100 mm	22 mm	45 mm
47621030100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 100/100	Steel 10.9	M30 x 100/100	Plain (no plating)	30 mm	100 mm	22 mm	45 mm
47621030105	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 105	Steel 10.9	M30 x 105	Plain (no plating)	30 mm	105 mm	22 mm	45 mm
47621030110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 110	Steel 10.9	M30 x 110	Plain (no plating)	30 mm	110 mm	22 mm	45 mm
47621030120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 120	Steel 10.9	M30 x 120	Plain (no plating)	30 mm	120 mm	22 mm	45 mm
47621030130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 130	Steel 10.9	M30 x 130	Plain (no plating)	30 mm	130 mm	22 mm	45 mm
47621030140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 140	Steel 10.9	M30 x 140	Plain (no plating)	30 mm	140 mm	22 mm	45 mm
47621030140GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 140	Steel 10.9	M30 x 140	GEOMET 500B	30 mm	140 mm	22 mm	45 mm
47621030150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 150	Steel 10.9	M30 x 150	Plain (no plating)	30 mm	150 mm	22 mm	45 mm
47621030160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 160	Steel 10.9	M30 x 160	Plain (no plating)	30 mm	160 mm	22 mm	45 mm
47621030170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 170	Steel 10.9	M30 x 170	Plain (no plating)	30 mm	170 mm	22 mm	45 mm
47621030180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 180	Steel 10.9	M30 x 180	Plain (no plating)	30 mm	180 mm	22 mm	45 mm
47621030190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 190	Steel 10.9	M30 x 190	Plain (no plating)	30 mm	190 mm	22 mm	45 mm
47621030200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 200	Steel 10.9	M30 x 200	Plain (no plating)	30 mm	200 mm	22 mm	45 mm
4762103020220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 2.0 x 220	Steel 10.9	M30 x 2.0 x 220	Plain (no plating)	30 mm	220 mm	22 mm	45 mm
476210302050	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 2.0 x 50	Steel 10.9	M30 x 2.0 x 50	Plain (no plating)	30 mm	50 mm	22 mm	45 mm
476210302070	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 2.0 x 70	Steel 10.9	M30 x 2.0 x 70	Plain (no plating)	30 mm	70 mm	22 mm	45 mm
47621030210	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 210	Steel 10.9	M30 x 210	Plain (no plating)	30 mm	210 mm	22 mm	45 mm
47621030220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 220	Steel 10.9	M30 x 220	Plain (no plating)	30 mm	220 mm	22 mm	45 mm
47621030230	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 230	Steel 10.9	M30 x 230	Plain (no plating)	30 mm	230 mm	22 mm	45 mm
47621030240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 240	Steel 10.9	M30 x 240	Plain (no plating)	30 mm	240 mm	22 mm	45 mm
47621030260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 260	Steel 10.9	M30 x 260	Plain (no plating)	30 mm	260 mm	22 mm	45 mm
47621030280	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 280	Steel 10.9	M30 x 280	Plain (no plating)	30 mm	280 mm	22 mm	45 mm
47621030290	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 290	Steel 10.9	M30 x 290	Plain (no plating)	30 mm	290 mm	22 mm	45 mm
47621030300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 300	Steel 10.9	M30 x 300	Plain (no plating)	30 mm	300 mm	22 mm	45 mm
47621030340	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 340	Steel 10.9	M30 x 340	Plain (no plating)	30 mm	340 mm	22 mm	45 mm
47621030400	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 400	Steel 10.9	M30 x 400	Plain (no plating)	30 mm	400 mm	22 mm	45 mm
47621030420	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 420	Steel 10.9	M30 x 420	Plain (no plating)	30 mm	420 mm	22 mm	45 mm
47621030510	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M30 x 510	Steel 10.9	M30 x 510	Plain (no plating)	30 mm	510 mm	22 mm	45 mm
47621033110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M33 x 110	Steel 10.9	M33 x 110	Plain (no plating)	33 mm	110 mm	24 mm	50 mm
47621033120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M33 x 120	Steel 10.9	M33 x 120	Plain (no plating)	33 mm	120 mm	24 mm	50 mm
47621033130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M33 x 130	Steel 10.9	M33 x 130	Plain (no plating)	33 mm	130 mm	24 mm	50 mm
47621033140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M33 x 140	Steel 10.9	M33 x 140	Plain (no plating)	33 mm	140 mm	24 mm	50 mm
47621033160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M33 x 160	Steel 10.9	M33 x 160	Plain (no plating)	33 mm	160 mm	24 mm	50 mm
476210332170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M33 x 2.0 x 170	Steel 10.9	M33 x 2.0 x 170	Plain (no plating)	33 mm	170 mm	24 mm	50 mm
476210332180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M33 x 2.0 x 180	Steel 10.9	M33 x 2.0 x 180	Plain (no plating)	33 mm	180 mm	24 mm	50 mm
47621033220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M33 x 220

Steel 10.9	M33 x 220	Plain (no plating)	33 mm	220 mm	24 mm	50 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621036055	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 55	Steel 10.9	M36 x 55	Plain (no plating)	36 mm	55 mm	27 mm	54 mm
47621036060	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 60	Steel 10.9	M36 x 60	Plain (no plating)	36 mm	60 mm	27 mm	54 mm
476210360601	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M36	Stainless A2-70	M36 x 60	Zinc Bright Passivation Fe/Zn P1	36 mm	60 mm	27 mm	54 mm
47621036080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 80	Steel 10.9	M36 x 80	Plain (no plating)	36 mm	80 mm	27 mm	54 mm
47621036090	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 90	Steel 10.9	M36 x 90	Plain (no plating)	36 mm	90 mm	27 mm	54 mm
47621036100	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 100	Steel 10.9	M36 x 100	Plain (no plating)	36 mm	100 mm	27 mm	54 mm
47621036110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 110	Steel 10.9	M36 x 110	Plain (no plating)	36 mm	110 mm	27 mm	54 mm
476210361101	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 110	Steel 10.9	M36 x 110	Zinc Bright Passivation Fe/Zn P1	36 mm	110 mm	27 mm	54 mm
47621036115	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 115	Steel 10.9	M36 x 115	Plain (no plating)	36 mm	115 mm	27 mm	54 mm
47621036120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 120	Steel 10.9	M36 x 120	Plain (no plating)	36 mm	120 mm	27 mm	54 mm
47621036130	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 130	Steel 10.9	M36 x 130	Plain (no plating)	36 mm	130 mm	27 mm	54 mm
47621036140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 140	Steel 10.9	M36 x 140	Plain (no plating)	36 mm	140 mm	27 mm	54 mm
47621036150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 150	Steel 10.9	M36 x 150	Plain (no plating)	36 mm	150 mm	27 mm	54 mm
47621036160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 160	Steel 10.9	M36 x 160	Plain (no plating)	36 mm	160 mm	27 mm	54 mm
47621036160GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 160	Steel 10.9	M36 x 160	GEOMET 500B	36 mm	160 mm	27 mm	54 mm
47621036170	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 170	Steel 10.9	M36 x 170	Plain (no plating)	36 mm	170 mm	27 mm	54 mm
47621036175	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 175	Steel 10.9	M36 x 175	Plain (no plating)	36 mm	175 mm	27 mm	54 mm
47621036180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 180	Steel 10.9	M36 x 180	Plain (no plating)	36 mm	180 mm	27 mm	54 mm
47621036200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 200	Steel 10.9	M36 x 200	Plain (no plating)	36 mm	200 mm	27 mm	54 mm
47621036210	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 210	Steel 10.9	M36 x 210	Plain (no plating)	36 mm	210 mm	27 mm	54 mm
47621036220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 220	Steel 10.9	M36 x 220	Plain (no plating)	36 mm	220 mm	27 mm	54 mm
47621036230	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 230	Steel 10.9	M36 x 230	Plain (no plating)	36 mm	230 mm	27 mm	54 mm
47621036240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 240	Steel 10.9	M36 x 240	Plain (no plating)	36 mm	240 mm	27 mm	54 mm
47621036260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 260	Steel 10.9	M36 x 260	Plain (no plating)	36 mm	260 mm	27 mm	54 mm
47621036290	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 290	Steel 10.9	M36 x 290	Plain (no plating)	36 mm	290 mm	27 mm	54 mm
47621036300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 300	Steel 10.9	M36 x 300	Plain (no plating)	36 mm	300 mm	27 mm	54 mm
47621036320	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 320	Steel 10.9	M36 x 320	Plain (no plating)	36 mm	320 mm	27 mm	54 mm
47621036330	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 330	Steel 10.9	M36 x 330	Plain (no plating)	36 mm	330 mm	27 mm	54 mm
47621036340	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M36 x 340	Steel 10.9	M36 x 340	Plain (no plating)	36 mm	340 mm	27 mm	54 mm
47621042110	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 110	Steel 10.9	M42 x 110	Plain (no plating)	42 mm	110 mm	32 mm	63 mm
47621042120	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 120	Steel 10.9	M42 x 120	Plain (no plating)	42 mm	120 mm	32 mm	63 mm
47621042140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 140	Steel 10.9	M42 x 140	Plain (no plating)	42 mm	140 mm	32 mm	63 mm
47621042150	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 150	Steel 10.9	M42 x 150	Plain (no plating)	42 mm	150 mm	32 mm	63 mm
47621042180	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 180	Steel 10.9	M42 x 180	Plain (no plating)	42 mm	180 mm	32 mm	63 mm
47621042200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 200	Steel 10.9	M42 x 200	Plain (no plating)	42 mm	200 mm	32 mm	63 mm
47621042220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 220	Steel 10.9	M42 x 220	Plain (no plating)	42 mm	220 mm	32 mm	63 mm
47621042240	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 240	Steel 10.9	M42 x 240	Plain (no plating)	42 mm	240 mm	32 mm	63 mm
47621042300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 300	Steel 10.9	M42 x 300	Plain (no plating)	42 mm	300 mm	32 mm	63 mm
47621042320	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 320	Steel 10.9	M42 x 320	Plain (no plating)	42 mm	320 mm	32 mm	63 mm
47621042360	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 360	Steel 10.9	M42 x 360	Plain (no plating)	42 mm	360 mm	32 mm	63 mm
47621042400	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 400	Steel 10.9	M42 x 400	Plain (no plating)	42 mm	400 mm	32 mm	63 mm
47621042420	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 420	Steel 10.9	M42 x 420	Plain (no plating)	42 mm	420 mm	32 mm	63 mm
47621042440	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M42 x 440	Steel 10.9	M42 x 440	Plain (no plating)	42 mm	440 mm	32 mm	63 mm
47621048080	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 80	Steel 10.9	M48 x 80	Plain (no plating)	48 mm	80 mm	36 mm	72 mm
47621048140	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 140	Steel 10.9	M48 x 140	Plain (no plating)	48 mm	140 mm	36 mm	72 mm
47621048190	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9,							

M48 x 190

Steel 10.9	M48 x 190	Plain (no plating)	48 mm	190 mm	36 mm	72 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621048200	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 200	Steel 10.9	M48 x 200	Plain (no plating)	48 mm	200 mm	36 mm	72 mm
47621048250	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 250	Steel 10.9	M48 x 250	Plain (no plating)	48 mm	250 mm	36 mm	72 mm
47621048280	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 280	Steel 10.9	M48 x 280	Plain (no plating)	48 mm	280 mm	36 mm	72 mm
47621048320	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 320	Steel 10.9	M48 x 320	Plain (no plating)	48 mm	320 mm	36 mm	72 mm
47621048340	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 340	Steel 10.9	M48 x 340	Plain (no plating)	48 mm	340 mm	36 mm	72 mm
47621048420	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M48 x 420	Steel 10.9	M48 x 420	Plain (no plating)	48 mm	420 mm	36 mm	72 mm
47621056160	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M56 x 160	Steel 10.9	M56 x 160	Plain (no plating)	56 mm	160 mm	41 mm	84 mm
47621056260	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M56 x 260	Steel 10.9	M56 x 260	Plain (no plating)	56 mm	260 mm	41 mm	84 mm
47621064300	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M64 x 300	Steel 10.9	M64 x 300	Plain (no plating)	64 mm	300 mm	46 mm	96 mm
47621064380	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M64 x 380	Steel 10.9	M64 x 380	Plain (no plating)	64 mm	380 mm	46 mm	96 mm
476210916220	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 220	Steel 10.9	M16 x 220	Plain (no plating)	16 mm	220 mm	14 mm	24 mm
4762109162201	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 220	Steel 10.9	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm	14 mm	24 mm
476212016003	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M1.6 x 3	Steel 12.9	M1.6 x 3	Plain (no plating)	1.6 mm	3 mm	1.5 mm	3 mm
476212016004	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M1.6 x 4	Steel 12.9	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm	1.5 mm	3 mm
476212016005	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M1.6 x 5	Steel 12.9	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm	1.5 mm	3 mm
476212016005KNURL	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M1.6 x 5	Steel 12.9	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm	1.5 mm	3 mm
476212016006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M1.6 x 6	Steel 12.9	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm	1.5 mm	3 mm
476212016008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M1.6 x 8	Steel 12.9	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm	1.5 mm	3 mm
476212016010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M1.6 x 10	Steel 12.9	M1.6 x 10	Plain (no plating)	1.6 mm	10 mm	1.5 mm	3 mm
47621202004	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 4	Steel 12.9	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
476212020041	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 4_P	Steel 12.9	M2 x 4	Zinc Bright Passivation Fe/Zn P1	2 mm	4 mm	1.5 mm	3.8 mm
47621202005	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 4_Z	Steel 12.9	M2 x 5	Plain (no plating)	2 mm	5 mm	1.5 mm	3.8 mm
476212020051	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 5_P	Steel 12.9	M2 x 5	Zinc Bright Passivation Fe/Zn P1	2 mm	5 mm	1.5 mm	3.8 mm
47621202006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 5_Z	Steel 12.9	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
476212020061	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 6_P	Steel 12.9	M2 x 6	Zinc Bright Passivation Fe/Zn P1	2 mm	6 mm	1.5 mm	3.8 mm
47621202006W	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 6_Z	Steel 12.9	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
47621202008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 6_P	Steel 12.9	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
476212020081	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 8_P	Steel 12.9	M2 x 8	Zinc Bright Passivation Fe/Zn P1	2 mm	8 mm	1.5 mm	3.8 mm
47621202010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 8_Z	Steel 12.9	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
476212020101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 10_P	Steel 12.9	M2 x 10	Zinc Bright Passivation Fe/Zn P1	2 mm	10 mm	1.5 mm	3.8 mm
47621202010W	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 10_Z	Steel 12.9	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
47621202012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 10	Steel 12.9	M2 x 12	Plain (no plating)	2 mm	12 mm	1.5 mm	3.8 mm
476212020121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 12_P	Steel 12.9	M2 x 12	Zinc Bright Passivation Fe/Zn P1	2 mm	12 mm	1.5 mm	3.8 mm
47621202014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 12	Steel 12.9	M2 x 14	Plain (no plating)	2 mm	14 mm	1.5 mm	3.8 mm
47621202016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 14	Steel 12.9	M2 x 16	Plain (no plating)	2 mm	16 mm	1.5 mm	3.8 mm
47621202020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 16	Steel 12.9	M2 x 20	Plain (no plating)	2 mm	20 mm	1.5 mm	3.8 mm
476212020201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 20	Steel 12.9	M2 x 20	Zinc Bright Passivation Fe/Zn P1	2 mm	20 mm	1.5 mm	3.8 mm
47621202025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 20	Steel 12.9	M2 x 25	Plain (no plating)	2 mm	25 mm	1.5 mm	3.8 mm
476212025004	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2 x 25	Steel 12.9	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	2 mm	4.5 mm
4762120250041	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 4	Steel 12.9	M2.5 x 4	Zinc Bright Passivation Fe/Zn P1	2.5 mm	4 mm	2 mm	4.5 mm
476212025005	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 4	Steel 12.9	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	2 mm	4.5 mm
4762120250051	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 5	Steel 12.9	M2.5 x 5	Zinc Bright Passivation Fe/Zn P1	2.5 mm	5 mm	2 mm	4.5 mm
476212025006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 5	Steel 12.9	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762120250061	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 6	Steel 12.9	M2.5 x 6	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm	2 mm	4.5 mm
4762120250061SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 6	Steel 12.9	M2.5 x 6	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm	2 mm	4.5 mm
476212025008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M2.5 x 8,

Steel 12.9	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	2 mm	4.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762120250081	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 8	Steel 12.9	M2.5 x 8	Zinc Bright Passivation Fe/Zn P1	2.5 mm	8 mm	2 mm	4.5 mm
4762120250081SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 8	Steel 12.9	M2.5 x 8	Zinc Bright Passivation Fe/Zn P1	2.5 mm	8 mm	2 mm	4.5 mm
476212025010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 10	Steel 12.9	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
4762120250101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 10	Steel 12.9	M2.5 x 10	Zinc Bright Passivation Fe/Zn P1	2.5 mm	10 mm	2 mm	4.5 mm
476212025012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 12	Steel 12.9	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	2 mm	4.5 mm
4762120250121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 12	Steel 12.9	M2.5 x 12	Zinc Bright Passivation Fe/Zn P1	2.5 mm	12 mm	2 mm	4.5 mm
476212025014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 14	Steel 12.9	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm	2 mm	4.5 mm
476212025016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 16	Steel 12.9	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	2 mm	4.5 mm
4762120250161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 16	Steel 12.9	M2.5 x 16	Zinc Bright Passivation Fe/Zn P1	2.5 mm	16 mm	2 mm	4.5 mm
476212025016GLE605	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 16	Steel 12.9	M2.5 x 16	WAX GLEITMO 605	2.5 mm	16 mm	2 mm	4.5 mm
476212025020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 20	Steel 12.9	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	2 mm	4.5 mm
4762120250201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 20	Steel 12.9	M2.5 x 20	Zinc Bright Passivation Fe/Zn P1	2.5 mm	20 mm	2 mm	4.5 mm
476212025025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 25	Steel 12.9	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	2 mm	4.5 mm
476212025030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 30	Steel 12.9	M2.5 x 30	Plain (no plating)	2.5 mm	30 mm	2 mm	4.5 mm
476212025161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 16	Steel 12.9	M2.5 x 16	Zinc Bright Passivation Fe/Zn P1	2.5 mm	16 mm	2 mm	4.5 mm
476212025201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M2.5 x 20	Steel 12.9	M2.5 x 20	Zinc Bright Passivation Fe/Zn P1	2.5 mm	20 mm	2 mm	4.5 mm
47621203004	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 4	Steel 12.9	M3 x 4	Plain (no plating)	3 mm	4 mm	2.5 mm	5.5 mm
476212030041	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 4	Steel 12.9	M3 x 4	Zinc Bright Passivation Fe/Zn P1	3 mm	4 mm	2.5 mm	5.5 mm
47621203005	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 5	Steel 12.9	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
476212030051	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 5	Steel 12.9	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm	2.5 mm	5.5 mm
47621203006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 6	Steel 12.9	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
476212030061	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 6	Steel 12.9	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2.5 mm	5.5 mm
47621203006GLE605	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 6	Steel 12.9	M3 x 6	WAX GLEITMO 605	3 mm	6 mm	2.5 mm	5.5 mm
47621203008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 8	Steel 12.9	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
476212030081	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 8	Steel 12.9	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
476212030081ANU180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 8	Steel 12.9	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
476212030081ANU180R	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 8	Steel 12.9	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
47621203008GLE605	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 8	Steel 12.9	M3 x 8	WAX GLEITMO 605	3 mm	8 mm	2.5 mm	5.5 mm
47621203008ZB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 8	Steel 12.9	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
47621203010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 10	Steel 12.9	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
476212030101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 10	Steel 12.9	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	2.5 mm	5.5 mm
47621203010ABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 10	Steel 12.9	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
47621203012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 12	Steel 12.9	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
476212030121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 12	Steel 12.9	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	2.5 mm	5.5 mm
47621203012W	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 12	Steel 12.9	M3 x 12	WAX GLEITMO 605	3 mm	12 mm	2.5 mm	5.5 mm
47621203014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 14	Steel 12.9	M3 x 14	Plain (no plating)	3 mm	14 mm	2.5 mm	5.5 mm
476212030141	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 14	Steel 12.9	M3 x 14	Zinc Bright Passivation Fe/Zn P1	3 mm	14 mm	2.5 mm	5.5 mm
476212030141ANU180R	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 14	Steel 12.9	M3 x 14	Zinc Bright Passivation Fe/Zn P1	3 mm	14 mm	2.5 mm	5.5 mm
47621203015	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 15	Steel 12.9	M3 x 15	Plain (no plating)	3 mm	15 mm	2.5 mm	5.5 mm
47621203016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 16	Steel 12.9	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
476212030161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 16	Steel 12.9	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2.5 mm	5.5 mm
476212030161ANU180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 16	Steel 12.9	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
476212030161ANU180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 16	Steel 12.9	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2.5 mm	5.5 mm
47621203016ZB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 16	Steel 12.9	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2.5 mm	5.5 mm
47621203018	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 18	Steel 12.9	M3 x 18	Plain (no plating)	3 mm	18 mm	2.5 mm	5.5 mm
47621203020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 20	Steel 12.9	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
476212030201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M3 x 20,

Steel 12.9	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2.5 mm	5.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212030201ANU180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 20	Steel 12.9	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2.5 mm	5.5 mm
476212030201ANU180B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 20	Steel 12.9	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2.5 mm	5.5 mm
47621203025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 25	Steel 12.9	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
476212030251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 25	Steel 12.9	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2.5 mm	5.5 mm
47621203025ZB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 25	Steel 12.9	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2.5 mm	5.5 mm
47621203030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 30	Steel 12.9	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
476212030301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 30	Steel 12.9	M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm	2.5 mm	5.5 mm
47621203035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 35	Steel 12.9	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
476212030351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 35	Steel 12.9	M3 x 35	Zinc Bright Passivation Fe/Zn P1	3 mm	35 mm	2.5 mm	5.5 mm
47621203040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 40	Steel 12.9	M3 x 40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
476212030401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 40	Steel 12.9	M3 x 40	Zinc Bright Passivation Fe/Zn P1	3 mm	40 mm	2.5 mm	5.5 mm
47621203045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 45	Steel 12.9	M3 x 45	Plain (no plating)	3 mm	45 mm	2.5 mm	5.5 mm
476212030451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 45	Steel 12.9	M3 x 45	Zinc Bright Passivation Fe/Zn P1	3 mm	45 mm	2.5 mm	5.5 mm
47621203050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 50	Steel 12.9	M3 x 50	Plain (no plating)	3 mm	50 mm	2.5 mm	5.5 mm
476212030501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 50	Steel 12.9	M3 x 50	Zinc Bright Passivation Fe/Zn P1	3 mm	50 mm	2.5 mm	5.5 mm
47621203060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 60	Steel 12.9	M3 x 60	Plain (no plating)	3 mm	60 mm	2.5 mm	5.5 mm
47621203075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M3 x 75	Steel 12.9	M3 x 75	Plain (no plating)	3 mm	75 mm	2.5 mm	5.5 mm
47621204005	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 5	Steel 12.9	M4 x 5	Plain (no plating)	4 mm	5 mm	3 mm	7 mm
476212040051	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 5	Steel 12.9	M4 x 5	Zinc Bright Passivation Fe/Zn P1	4 mm	5 mm	3 mm	7 mm
47621204006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 6	Steel 12.9	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
476212040061	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 6	Steel 12.9	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	3 mm	7 mm
476212040061ANU180B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 6	Steel 12.9	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	3 mm	7 mm
47621204008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 8	Steel 12.9	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
476212040081	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 8	Steel 12.9	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	3 mm	7 mm
47621204010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 10	Steel 12.9	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
476212040101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 10	Steel 12.9	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
476212040101ANU180B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 10	Steel 12.9	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
47621204010GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 10	Steel 12.9	M4 x 10	GEOMET 500B	4 mm	10 mm	3 mm	7 mm
47621204012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 12	Steel 12.9	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
476212040121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 12	Steel 12.9	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
476212040121ANU180B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 12	Steel 12.9	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
47621204014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 14	Steel 12.9	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
476212040141	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 14	Steel 12.9	M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm	3 mm	7 mm
47621204014W	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 14	Steel 12.9	M4 x 14	WAX GLEITMO 605	4 mm	14 mm	3 mm	7 mm
47621204015	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 15	Steel 12.9	M4 x 15	Plain (no plating)	4 mm	15 mm	3 mm	7 mm
47621204016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 16	Steel 12.9	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
476212040161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 16	Steel 12.9	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
47621204018	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 18	Steel 12.9	M4 x 18	Plain (no plating)	4 mm	18 mm	3 mm	7 mm
476212040181	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 18	Steel 12.9	M4 x 18	Zinc Bright Passivation Fe/Zn P1	4 mm	18 mm	3 mm	7 mm
47621204020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 20	Steel 12.9	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
476212040201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 20	Steel 12.9	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	3 mm	7 mm
47621204020GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 20	Steel 12.9	M4 x 20	GEOMET 500B	4 mm	20 mm	3 mm	7 mm
47621204022	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 22	Steel 12.9	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
47621204025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 25	Steel 12.9	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
476212040251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 25	Steel 12.9	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
47621204030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M4 x 30,

Steel 12.9	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212040301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 30	Steel 12.9	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	3 mm	7 mm
47621204035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 35	Steel 12.9	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
476212040351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 35	Steel 12.9	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm	3 mm	7 mm
47621204035FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 35	Steel 12.9	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
47621204040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 40	Steel 12.9	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
476212040401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 40	Steel 12.9	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	3 mm	7 mm
47621204040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 40/4	Steel 12.9	M4 x 40/40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
47621204045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 45	Steel 12.9	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
476212040451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 45	Steel 12.9	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm	3 mm	7 mm
47621204050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 50	Steel 12.9	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
476212040501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 50	Steel 12.9	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm	3 mm	7 mm
47621204050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 50	Steel 12.9	M4 x 50	GEOMET 500B	4 mm	50 mm	3 mm	7 mm
47621204055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 55	Steel 12.9	M4 x 55	Plain (no plating)	4 mm	55 mm	3 mm	7 mm
476212040551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 55	Steel 12.9	M4 x 55	Zinc Bright Passivation Fe/Zn P1	4 mm	55 mm	3 mm	7 mm
47621204060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 60	Steel 12.9	M4 x 60	Plain (no plating)	4 mm	60 mm	3 mm	7 mm
476212040601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 60	Steel 12.9	M4 x 60	Zinc Bright Passivation Fe/Zn P1	4 mm	60 mm	3 mm	7 mm
47621204065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 65	Steel 12.9	M4 x 65	Plain (no plating)	4 mm	65 mm	3 mm	7 mm
476212040651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 65	Steel 12.9	M4 x 65	Zinc Bright Passivation Fe/Zn P1	4 mm	65 mm	3 mm	7 mm
47621204070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 70	Steel 12.9	M4 x 70	Plain (no plating)	4 mm	70 mm	3 mm	7 mm
47621204075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 75	Steel 12.9	M4 x 75	Plain (no plating)	4 mm	75 mm	3 mm	7 mm
476212040751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 75	Steel 12.9	M4 x 75	Zinc Bright Passivation Fe/Zn P1	4 mm	75 mm	3 mm	7 mm
47621204080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 80	Steel 12.9	M4 x 80	Plain (no plating)	4 mm	80 mm	3 mm	7 mm
47621204100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 100	Steel 12.9	M4 x 100	Plain (no plating)	4 mm	100 mm	3 mm	7 mm
476212041001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 100	Steel 12.9	M4 x 100	Zinc Bright Passivation Fe/Zn P1	4 mm	100 mm	3 mm	7 mm
47621204120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 120	Steel 12.9	M4 x 120	Plain (no plating)	4 mm	120 mm	3 mm	7 mm
47621205005	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 5 K	Steel 12.9	M5 x 5	Plain (no plating)	5 mm	5 mm	4 mm	8.5 mm
47621205006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 6 P	Steel 12.9	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
476212050061	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 6 P	Steel 12.9	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm	4 mm	8.5 mm
47621205008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 8 Z	Steel 12.9	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
476212050081	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 8 P	Steel 12.9	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	4 mm	8.5 mm
47621205010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 10 Z	Steel 12.9	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
476212050101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 10	Steel 12.9	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	4 mm	8.5 mm
47621205012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 12	Steel 12.9	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
476212050120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 120	Steel 12.9	M5 x 120	Plain (no plating)	5 mm	120 mm	4 mm	8.5 mm
476212050121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 12	Steel 12.9	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	4 mm	8.5 mm
47621205012GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 12	Steel 12.9	M5 x 12	GEOMET 500B	5 mm	12 mm	4 mm	8.5 mm
47621205014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 14	Steel 12.9	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
476212050141	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 14	Steel 12.9	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	4 mm	8.5 mm
47621205015	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 15	Steel 12.9	M5 x 15	Plain (no plating)	5 mm	15 mm	4 mm	8.5 mm
47621205016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 16	Steel 12.9	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
476212050161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 16	Steel 12.9	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
47621205018	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 18	Steel 12.9	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
47621205020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 20	Steel 12.9	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
476212050201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 20	Steel 12.9	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
4762120502070ZB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 20	Steel 12.9	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
47621205022	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M5 x 22,

Steel 12.9	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212050221	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 22	Steel 12.9	M5 x 22	Zinc Bright Passivation Fe/Zn P1	5 mm	22 mm	4 mm	8.5 mm
47621205025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 25	Steel 12.9	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
476212050251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 25	Steel 12.9	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	4 mm	8.5 mm
47621205025GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 25	Steel 12.9	M5 x 25	GEOMET 500B	5 mm	25 mm	4 mm	8.5 mm
47621205030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 30	Steel 12.9	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
476212050301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 30	Steel 12.9	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
476212050301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 30	Steel 12.9	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
47621205035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 35	Steel 12.9	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
476212050351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 35	Steel 12.9	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	4 mm	8.5 mm
47621205035FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 35/3	Steel 12.9	M5 x 35/35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
47621205040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 40	Steel 12.9	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
476212050401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 40	Steel 12.9	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	4 mm	8.5 mm
47621205040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 40	Steel 12.9	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
47621205045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 45	Steel 12.9	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
476212050451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 45	Steel 12.9	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	4 mm	8.5 mm
476212050451SST209	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 45	Steel 12.9	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	4 mm	8.5 mm
47621205050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 50	Steel 12.9	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
476212050501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 50	Steel 12.9	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	4 mm	8.5 mm
476212050501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 50	Steel 12.9	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	4 mm	8.5 mm
47621205050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 50/5	Steel 12.9	M5 x 50/50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
47621205050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 50	Steel 12.9	M5 x 50	GEOMET 500B	5 mm	50 mm	4 mm	8.5 mm
47621205055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 55	Steel 12.9	M5 x 55	Plain (no plating)	5 mm	55 mm	4 mm	8.5 mm
476212050551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 55	Steel 12.9	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	4 mm	8.5 mm
47621205060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 60	Steel 12.9	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
476212050601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 60	Steel 12.9	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	4 mm	8.5 mm
47621205060GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 60	Steel 12.9	M5 x 60	GEOMET 500B	5 mm	60 mm	4 mm	8.5 mm
47621205065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 65	Steel 12.9	M5 x 65	Plain (no plating)	5 mm	65 mm	4 mm	8.5 mm
476212050651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 65	Steel 12.9	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm	4 mm	8.5 mm
47621205070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 70	Steel 12.9	M5 x 70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
476212050701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 70	Steel 12.9	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm	4 mm	8.5 mm
47621205070GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 70	Steel 12.9	M5 x 70	GEOMET 500B	5 mm	70 mm	4 mm	8.5 mm
47621205075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 75	Steel 12.9	M5 x 75	Plain (no plating)	5 mm	75 mm	4 mm	8.5 mm
476212050751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 75	Steel 12.9	M5 x 75	Zinc Bright Passivation Fe/Zn P1	5 mm	75 mm	4 mm	8.5 mm
47621205080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 80	Steel 12.9	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
476212050801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 80	Steel 12.9	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm	4 mm	8.5 mm
47621205085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 85	Steel 12.9	M5 x 85	Plain (no plating)	5 mm	85 mm	4 mm	8.5 mm
47621205090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 90	Steel 12.9	M5 x 90	Plain (no plating)	5 mm	90 mm	4 mm	8.5 mm
47621205095	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 95	Steel 12.9	M5 x 95	Plain (no plating)	5 mm	95 mm	4 mm	8.5 mm
476212050951SST209	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 95	Steel 12.9	M5 x 95	Zinc Bright Passivation Fe/Zn P1	5 mm	95 mm	4 mm	8.5 mm
47621205100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 100	Steel 12.9	M5 x 100	Plain (no plating)	5 mm	100 mm	4 mm	8.5 mm
476212051001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 100	Steel 12.9	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm	4 mm	8.5 mm
476212051001SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 100	Steel 12.9	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm	4 mm	8.5 mm
47621205110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 110	Steel 12.9	M5 x 110	Plain (no plating)	5 mm	110 mm	4 mm	8.5 mm
476212051101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 110	Steel 12.9	M5 x 110	Zinc Bright Passivation Fe/Zn P1	5 mm	110 mm	4 mm	8.5 mm
476212051101SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 110	Steel 12.9	M5 x 110	Zinc Bright Passivation Fe/Zn P1	5 mm	110 mm	4 mm	8.5 mm
47621205115	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M5 x 115,

Steel 12.9	M5 x 115	Plain (no plating)	5 mm	115 mm	4 mm	8.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621205120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 120	Steel 12.9	M5 x 120	Plain (no plating)	5 mm	120 mm	4 mm	8.5 mm
47621205125	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 125	Steel 12.9	M5 x 125	Plain (no plating)	5 mm	125 mm	4 mm	8.5 mm
47621205130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 130	Steel 12.9	M5 x 130	Plain (no plating)	5 mm	130 mm	4 mm	8.5 mm
476212051301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 130	Steel 12.9	M5 x 130	Zinc Bright Passivation Fe/Zn P1	5 mm	130 mm	4 mm	8.5 mm
47621205135	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 135	Steel 12.9	M5 x 135	Plain (no plating)	5 mm	135 mm	4 mm	8.5 mm
47621205140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 140	Steel 12.9	M5 x 140	Plain (no plating)	5 mm	140 mm	4 mm	8.5 mm
476212051401SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 140	Steel 12.9	M5 x 140	Zinc Bright Passivation Fe/Zn P1	5 mm	140 mm	4 mm	8.5 mm
476212051401SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 140	Steel 12.9	M5 x 140	Zinc Bright Passivation Fe/Zn P1	5 mm	140 mm	4 mm	8.5 mm
47621205145	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 145	Steel 12.9	M5 x 145	Plain (no plating)	5 mm	145 mm	4 mm	8.5 mm
47621205150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 150	Steel 12.9	M5 x 150	Plain (no plating)	5 mm	150 mm	4 mm	8.5 mm
47621205155	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 155	Steel 12.9	M5 x 155	Plain (no plating)	5 mm	155 mm	4 mm	8.5 mm
47621205160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 160	Steel 12.9	M5 x 160	Plain (no plating)	5 mm	160 mm	4 mm	8.5 mm
47621205165	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 165	Steel 12.9	M5 x 165	Plain (no plating)	5 mm	165 mm	4 mm	8.5 mm
47621205170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 170	Steel 12.9	M5 x 170	Plain (no plating)	5 mm	170 mm	4 mm	8.5 mm
47621205175	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 175	Steel 12.9	M5 x 175	Plain (no plating)	5 mm	175 mm	4 mm	8.5 mm
47621205180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 180	Steel 12.9	M5 x 180	Plain (no plating)	5 mm	180 mm	4 mm	8.5 mm
47621205190	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 190	Steel 12.9	M5 x 190	Plain (no plating)	5 mm	190 mm	4 mm	8.5 mm
47621205200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 200	Steel 12.9	M5 x 200	Plain (no plating)	5 mm	200 mm	4 mm	8.5 mm
47621205210	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 210	Steel 12.9	M5 x 210	Plain (no plating)	5 mm	210 mm	4 mm	8.5 mm
47621205220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 220	Steel 12.9	M5 x 220	Plain (no plating)	5 mm	220 mm	4 mm	8.5 mm
476212052201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 220	Steel 12.9	M5 x 220	Zinc Bright Passivation Fe/Zn P1	5 mm	220 mm	4 mm	8.5 mm
47621205230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 230	Steel 12.9	M5 x 230	Plain (no plating)	5 mm	230 mm	4 mm	8.5 mm
476212052301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 230	Steel 12.9	M5 x 230	Zinc Bright Passivation Fe/Zn P1	5 mm	230 mm	4 mm	8.5 mm
47621205240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M5 x 240	Steel 12.9	M5 x 240	Plain (no plating)	5 mm	240 mm	4 mm	8.5 mm
47621206006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 6	Steel 12.9	M6 x 6	Plain (no plating)	6 mm	6 mm	5 mm	10 mm
47621206008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 8 P	Steel 12.9	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
476212060081	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 8 P	Steel 12.9	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	5 mm	10 mm
47621206010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 10 Z	Steel 12.9	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
476212060101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 10	Steel 12.9	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	5 mm	10 mm
47621206012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 10	Steel 12.9	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
476212060121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 12	Steel 12.9	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	5 mm	10 mm
47621206012GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 12	Steel 12.9	M6 x 12	GEOMET 500B	6 mm	12 mm	5 mm	10 mm
47621206014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 12	Steel 12.9	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
476212060141	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 14	Steel 12.9	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	5 mm	10 mm
47621206015	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 14	Steel 12.9	M6 x 15	Plain (no plating)	6 mm	15 mm	5 mm	10 mm
476212060151	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 15	Steel 12.9	M6 x 15	Zinc Bright Passivation Fe/Zn P1	6 mm	15 mm	5 mm	10 mm
47621206016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 15	Steel 12.9	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
476212060161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 16	Steel 12.9	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47621206016GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 16	Steel 12.9	M6 x 16	GEOMET 500A	6 mm	16 mm	5 mm	10 mm
47621206016GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 16	Steel 12.9	M6 x 16	GEOMET 500B	6 mm	16 mm	5 mm	10 mm
47621206018	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 16	Steel 12.9	M6 x 18	Plain (no plating)	6 mm	18 mm	5 mm	10 mm
476212060181	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 18	Steel 12.9	M6 x 18	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm	5 mm	10 mm
47621206020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 18	Steel 12.9	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
476212060201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 20	Steel 12.9	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
47621206020GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 20	Steel 12.9	M6 x 20	GEOMET 500B	6 mm	20 mm	5 mm	10 mm
47621206022	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M6 x 22,

Steel 12.9	M6 x 22	Plain (no plating)	6 mm	22 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212060221	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 22	Steel 12.9	M6 x 22	Zinc Bright Passivation Fe/Zn P1	6 mm	22 mm	5 mm	10 mm
47621206025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 25	Steel 12.9	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
476212060251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 25	Steel 12.9	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
47621206025GEO5 00A	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 25	Steel 12.9	M6 x 25	GEOMET 500A	6 mm	25 mm	5 mm	10 mm
47621206025GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 25	Steel 12.9	M6 x 25	GEOMET 500B	6 mm	25 mm	5 mm	10 mm
47621206030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 30	Steel 12.9	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
476212060301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 30	Steel 12.9	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	5 mm	10 mm
47621206030H	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 30/30	Steel 12.9	M6 x 30/30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
47621206035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 35	Steel 12.9	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
476212060351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 35	Steel 12.9	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47621206035FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 35/3	Steel 12.9	M6 x 35/35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
47621206035GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 35	Steel 12.9	M6 x 35	GEOMET 500B	6 mm	35 mm	5 mm	10 mm
47621206038	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 38	Steel 12.9	M6 x 38	Plain (no plating)	6 mm	38 mm	5 mm	10 mm
47621206040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 40	Steel 12.9	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
476212060401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 40	Steel 12.9	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm
47621206040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 40/4	Steel 12.9	M6 x 40/40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
47621206040GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 40	Steel 12.9	M6 x 40	GEOMET 500B	6 mm	40 mm	5 mm	10 mm
47621206045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 45	Steel 12.9	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
476212060451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 45	Steel 12.9	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
476212060451SST0 96	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 45	Steel 12.9	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
47621206045FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 45/4	Steel 12.9	M6 x 45/45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
47621206045GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 45	Steel 12.9	M6 x 45	GEOMET 500B	6 mm	45 mm	5 mm	10 mm
47621206050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 50	Steel 12.9	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
476212060501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 50	Steel 12.9	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
47621206050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 50/5	Steel 12.9	M6 x 50/50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
47621206050FTI	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 50/5	Steel 12.9	M6 x 50/50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
47621206055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 55	Steel 12.9	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
476212060551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 55	Steel 12.9	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	5 mm	10 mm
47621206055ABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 55	Steel 12.9	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
47621206055FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 55/5	Steel 12.9	M6 x 55/55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
47621206060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 60	Steel 12.9	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
476212060601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 60	Steel 12.9	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
47621206060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 60/6	Steel 12.9	M6 x 60/60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
47621206060FTI	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 60/6	Steel 12.9	M6 x 60/60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
47621206060GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 60	Steel 12.9	M6 x 60	GEOMET 500B	6 mm	60 mm	5 mm	10 mm
47621206065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 65	Steel 12.9	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
476212060651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 65	Steel 12.9	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	5 mm	10 mm
47621206065ABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 65	Steel 12.9	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
47621206065GEO5 00B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 65	Steel 12.9	M6 x 65	GEOMET 500B	6 mm	65 mm	5 mm	10 mm
47621206070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 70	Steel 12.9	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
476212060701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 70	Steel 12.9	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	5 mm	10 mm
47621206075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 75	Steel 12.9	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
47621206075016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 16	Steel 12.9	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
476212060751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 75	Steel 12.9	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm	5 mm	10 mm
47621206080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 80	Steel 12.9	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
476212060801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 80							

M6 x 80,

Steel 12.9	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212060801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 80/8	Steel 12.9	M6 x 80/80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm
476212060801SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 80	Steel 12.9	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm
47621206080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 80/8	Steel 12.9	M6 x 80/80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
47621206085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 85	Steel 12.9	M6 x 85	Plain (no plating)	6 mm	85 mm	5 mm	10 mm
476212060851	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 85	Steel 12.9	M6 x 85	Zinc Bright Passivation Fe/Zn P1	6 mm	85 mm	5 mm	10 mm
47621206085FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 85/8	Steel 12.9	M6 x 85/85	Plain (no plating)	6 mm	85 mm	5 mm	10 mm
47621206090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 90	Steel 12.9	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
476212060901	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 90	Steel 12.9	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	5 mm	10 mm
47621206090FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 90/9	Steel 12.9	M6 x 90/90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
47621206090GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 90	Steel 12.9	M6 x 90	GEOMET 500B	6 mm	90 mm	5 mm	10 mm
47621206095	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 95	Steel 12.9	M6 x 95	Plain (no plating)	6 mm	95 mm	5 mm	10 mm
47621206100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 100	Steel 12.9	M6 x 100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
476212061001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 100	Steel 12.9	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	5 mm	10 mm
4762120610016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0	Steel 12.9	M8 x 1.0 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
47621206100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 100/	Steel 12.9	M6 x 100/100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
47621206105	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 105	Steel 12.9	M6 x 105	Plain (no plating)	6 mm	105 mm	5 mm	10 mm
47621206110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 110	Steel 12.9	M6 x 110	Plain (no plating)	6 mm	110 mm	5 mm	10 mm
476212061101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 110	Steel 12.9	M6 x 110	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm	5 mm	10 mm
47621206120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 120	Steel 12.9	M6 x 120	Plain (no plating)	6 mm	120 mm	5 mm	10 mm
476212061201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 120	Steel 12.9	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm	5 mm	10 mm
47621206120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 120	Steel 12.9	M6 x 120	GEOMET 500B	6 mm	120 mm	5 mm	10 mm
47621206125	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 120	Steel 12.9	M6 x 125	Plain (no plating)	6 mm	125 mm	5 mm	10 mm
47621206130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 130	Steel 12.9	M6 x 130	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
476212061301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 130	Steel 12.9	M6 x 130	Zinc Bright Passivation Fe/Zn P1	6 mm	130 mm	5 mm	10 mm
47621206140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 140	Steel 12.9	M6 x 140	Plain (no plating)	6 mm	140 mm	5 mm	10 mm
476212061401SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 140	Steel 12.9	M6 x 140	Zinc Bright Passivation Fe/Zn P1	6 mm	140 mm	5 mm	10 mm
47621206150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 150	Steel 12.9	M6 x 150	Plain (no plating)	6 mm	150 mm	5 mm	10 mm
47621206160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 160	Steel 12.9	M6 x 160	Plain (no plating)	6 mm	160 mm	5 mm	10 mm
476212061601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 160	Steel 12.9	M6 x 160	Zinc Bright Passivation Fe/Zn P1	6 mm	160 mm	5 mm	10 mm
47621206170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 170	Steel 12.9	M6 x 170	Plain (no plating)	6 mm	170 mm	5 mm	10 mm
476212061701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 170	Steel 12.9	M6 x 170	Zinc Bright Passivation Fe/Zn P1	6 mm	170 mm	5 mm	10 mm
47621206180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 180	Steel 12.9	M6 x 180	Plain (no plating)	6 mm	180 mm	5 mm	10 mm
47621206190	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 190	Steel 12.9	M6 x 190	Plain (no plating)	6 mm	190 mm	5 mm	10 mm
47621206200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 200	Steel 12.9	M6 x 200	Plain (no plating)	6 mm	200 mm	5 mm	10 mm
47621206230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 230	Steel 12.9	M6 x 230	Plain (no plating)	6 mm	230 mm	5 mm	10 mm
47621206240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 240	Steel 12.9	M6 x 240	Plain (no plating)	6 mm	240 mm	5 mm	10 mm
47621206300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 300	Steel 12.9	M6 x 300	Plain (no plating)	6 mm	300 mm	5 mm	10 mm
47621208008	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 8	Steel 12.9	M8 x 8	Plain (no plating)	8 mm	8 mm	6 mm	13 mm
476212080081	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 8	Steel 12.9	M8 x 8	Zinc Bright Passivation Fe/Zn P1	8 mm	8 mm	6 mm	13 mm
47621208010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 10	Steel 12.9	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm
476212080100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 100	Steel 12.9	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
476212080101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 10	Steel 12.9	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm	6 mm	13 mm
47621208010GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 10	Steel 12.9	M8 x 10	GEOMET 500B	8 mm	10 mm	6 mm	13 mm
476212080121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 12	Steel 12.9	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	6 mm	13 mm
47621208012GEO5	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 12,							

00B

ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,

M8 x 12,

Steel 12.9	M8 x 12	GEOMET 500B	8 mm	12 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621208014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 14	Steel 12.9	M8 x 14	Plain (no plating)	8 mm	14 mm	6 mm	13 mm
47621208014GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 14	Steel 12.9	M8 x 14	GEOMET 500B	8 mm	14 mm	6 mm	13 mm
47621208015	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 15	Steel 12.9	M8 x 15	Plain (no plating)	8 mm	15 mm	6 mm	13 mm
476212080151	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 15	Steel 12.9	M8 x 15	Zinc Bright Passivation Fe/Zn P1	8 mm	15 mm	6 mm	13 mm
47621208016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 16	Steel 12.9	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
476212080161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 16	Steel 12.9	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
476212080161SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 16	Steel 12.9	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
47621208016GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 16	Steel 12.9	M8 x 16	GEOMET 500B	8 mm	16 mm	6 mm	13 mm
47621208018	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 18	Steel 12.9	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
476212080180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 180	Steel 12.9	M8 x 180	Plain (no plating)	8 mm	180 mm	6 mm	13 mm
47621208020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 20	Steel 12.9	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
476212080201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 20	Steel 12.9	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47621208022	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 22	Steel 12.9	M8 x 22	Plain (no plating)	8 mm	22 mm	6 mm	13 mm
476212080221	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 22	Steel 12.9	M8 x 22	Zinc Bright Passivation Fe/Zn P1	8 mm	22 mm	6 mm	13 mm
47621208025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 25	Steel 12.9	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
476212080251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 25	Steel 12.9	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47621208025GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 25	Steel 12.9	M8 x 25	GEOMET 500B	8 mm	25 mm	6 mm	13 mm
47621208030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 30	Steel 12.9	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
476212080301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 30	Steel 12.9	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47621208030GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 30	Steel 12.9	M8 x 30	GEOMET 500B	8 mm	30 mm	6 mm	13 mm
47621208035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 35	Steel 12.9	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
476212080351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 35	Steel 12.9	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47621208040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 40	Steel 12.9	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
476212080401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 40	Steel 12.9	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47621208040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 40/40	Steel 12.9	M8 x 40/40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
47621208040GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 40/4	Steel 12.9	M8 x 40	GEOMET 500B	8 mm	40 mm	6 mm	13 mm
47621208045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 40	Steel 12.9	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
476212080451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 45	Steel 12.9	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	6 mm	13 mm
47621208045ABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 45	Steel 12.9	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
47621208045FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 45	Steel 12.9	M8 x 45/45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
47621208045GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 45/4	Steel 12.9	M8 x 45	GEOMET 500B	8 mm	45 mm	6 mm	13 mm
47621208050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 45	Steel 12.9	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
476212080501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 50	Steel 12.9	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
476212080501FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 50	Steel 12.9	M8 x 50/50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
47621208050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 50/5	Steel 12.9	M8 x 50/50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
47621208055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 50/5	Steel 12.9	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
476212080551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 55	Steel 12.9	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
47621208055FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 55	Steel 12.9	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
47621208060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 55	Steel 12.9	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
476212080601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 60	Steel 12.9	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
47621208060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 60	Steel 12.9	M8 x 60/60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
47621208060GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 60/6	Steel 12.9	M8 x 60	GEOMET 500B	8 mm	60 mm	6 mm	13 mm
47621208065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 60	Steel 12.9	M8 x 65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
476212080651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 65	Steel 12.9	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	6 mm	13 mm
47621208065GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 65	Steel 12.9	M8 x 65	GEOMET 500B	8 mm	65 mm	6 mm	13 mm
47621208070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M8 x 70,

Steel 12.9	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212080701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 70	Steel 12.9	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
476212080701SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 70	Steel 12.9	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
47621208070FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 70/7	Steel 12.9	M8 x 70/70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
47621208075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 75	Steel 12.9	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
476212080751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 75	Steel 12.9	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	6 mm	13 mm
47621208080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 80	Steel 12.9	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
476212080801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 80	Steel 12.9	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
476212080801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 80/80	Steel 12.9	M8 x 80/80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
47621208080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 80/8	Steel 12.9	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
47621208080GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 80	Steel 12.9	M8 x 80	GEOMET 500B	8 mm	80 mm	6 mm	13 mm
47621208085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 85	Steel 12.9	M8 x 85	Plain (no plating)	8 mm	85 mm	6 mm	13 mm
47621208090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 90	Steel 12.9	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
476212080901	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 90	Steel 12.9	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	6 mm	13 mm
47621208095	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 95	Steel 12.9	M8 x 95	Plain (no plating)	8 mm	95 mm	6 mm	13 mm
47621208100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 100	Steel 12.9	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
476212081001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 100	Steel 12.9	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	6 mm	13 mm
4762120810012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 12	Steel 12.9	M8 x 1.0 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
47621208100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 100/100	Steel 12.9	M8 x 100/100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
476212081016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 16	Steel 12.9	M8 x 1.0 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
476212081020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 20	Steel 12.9	M8 x 1.0 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
476212081025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 25	Steel 12.9	M8 x 1.0 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
476212081030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 30	Steel 12.9	M8 x 1.0 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
476212081035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 35	Steel 12.9	M8 x 1.0 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
476212081040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 40	Steel 12.9	M8 x 1.0 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762120810401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 1.0 x 40	Steel 12.9	M8 x 1.0 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47621208105	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 105	Steel 12.9	M8 x 105	Plain (no plating)	8 mm	105 mm	6 mm	13 mm
47621208110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 110	Steel 12.9	M8 x 110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
47621208110FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 110/110	Steel 12.9	M8 x 110/110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
47621208120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 120	Steel 12.9	M8 x 120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
476212081201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 120	Steel 12.9	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	6 mm	13 mm
47621208120FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 120/120	Steel 12.9	M8 x 120/120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
47621208125	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 125	Steel 12.9	M8 x 125	Plain (no plating)	8 mm	125 mm	6 mm	13 mm
47621208130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 130	Steel 12.9	M8 x 130	Plain (no plating)	8 mm	130 mm	6 mm	13 mm
476212081301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 130	Steel 12.9	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	6 mm	13 mm
47621208140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 140	Steel 12.9	M8 x 140	Plain (no plating)	8 mm	140 mm	6 mm	13 mm
476212081451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 145	Steel 12.9	M8 x 145	Zinc Bright Passivation Fe/Zn P1	8 mm	145 mm	6 mm	13 mm
47621208150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 150	Steel 12.9	M8 x 150	Plain (no plating)	8 mm	150 mm	6 mm	13 mm
476212081501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 150	Steel 12.9	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm	6 mm	13 mm
47621208150FL	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 150	Steel 12.9	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm	6 mm	13 mm
47621208160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 160	Steel 12.9	M8 x 160	Plain (no plating)	8 mm	160 mm	6 mm	13 mm
476212081601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 160	Steel 12.9	M8 x 160	Zinc Bright Passivation Fe/Zn P1	8 mm	160 mm	6 mm	13 mm
47621208170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 170	Steel 12.9	M8 x 170	Plain (no plating)	8 mm	170 mm	6 mm	13 mm
47621208180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 180	Steel 12.9	M8 x 180	Plain (no plating)	8 mm	180 mm	6 mm	13 mm
476212081801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 180	Steel 12.9	M8 x 180	Zinc Bright Passivation Fe/Zn P1	8 mm	180 mm	6 mm	13 mm
47621208200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 200	Steel 12.9	M8 x 200	Plain (no plating)	8 mm	200 mm	6 mm	13 mm
47621208210	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M8 x 210,

Steel 12.9	M8 x 210	Plain (no plating)	8 mm	210 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621208220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 220	Steel 12.9	M8 x 220	Plain (no plating)	8 mm	220 mm	6 mm	13 mm
47621208230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 230	Steel 12.9	M8 x 230	Plain (no plating)	8 mm	230 mm	6 mm	13 mm
47621208240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 240	Steel 12.9	M8 x 240	Plain (no plating)	8 mm	240 mm	6 mm	13 mm
47621208250	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 250	Steel 12.9	M8 x 250	Plain (no plating)	8 mm	250 mm	6 mm	13 mm
47621208260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M8 x 260	Steel 12.9	M8 x 260	Plain (no plating)	8 mm	260 mm	6 mm	13 mm
47621210010	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 10	Steel 12.9	M10 x 10	Plain (no plating)	10 mm	10 mm	8 mm	16 mm
47621210012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 12	Steel 12.9	M10 x 12	Plain (no plating)	10 mm	12 mm	8 mm	16 mm
476212100121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 12	Steel 12.9	M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	8 mm	16 mm
47621210014	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 14	Steel 12.9	M10 x 14	Plain (no plating)	10 mm	14 mm	8 mm	16 mm
476212100141	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 14	Steel 12.9	M10 x 14	Zinc Bright Passivation Fe/Zn P1	10 mm	14 mm	8 mm	16 mm
47621210015	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 15	Steel 12.9	M10 x 15	Plain (no plating)	10 mm	15 mm	8 mm	16 mm
47621210016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 16	Steel 12.9	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
476212100161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 16	Steel 12.9	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	8 mm	16 mm
47621210016GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 16	Steel 12.9	M10 x 16	GEOMET 500B	10 mm	16 mm	8 mm	16 mm
47621210018	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 18	Steel 12.9	M10 x 18	Plain (no plating)	10 mm	18 mm	8 mm	16 mm
47621210020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 20	Steel 12.9	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
476212100201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 20	Steel 12.9	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
47621210022	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 22	Steel 12.9	M10 x 22	Plain (no plating)	10 mm	22 mm	8 mm	16 mm
47621210025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 25	Steel 12.9	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
476212100251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 25	Steel 12.9	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
476212100251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 25	Steel 12.9	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
47621210025KNURLED	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 25	Steel 12.9	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
47621210030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 30	Steel 12.9	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
476212100301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 30	Steel 12.9	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
476212100301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 30	Steel 12.9	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
47621210030GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 30	Steel 12.9	M10 x 30	GEOMET 500A	10 mm	30 mm	8 mm	16 mm
47621210030GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 30	Steel 12.9	M10 x 30	GEOMET 500B	10 mm	30 mm	8 mm	16 mm
47621210035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 35	Steel 12.9	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
476212100351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 35	Steel 12.9	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
476212100351SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 35	Steel 12.9	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
47621210035GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 35	Steel 12.9	M10 x 35	GEOMET 500B	10 mm	35 mm	8 mm	16 mm
47621210040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 40	Steel 12.9	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
476212100401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 40	Steel 12.9	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47621210040GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 40	Steel 12.9	M10 x 40	GEOMET 500B	10 mm	40 mm	8 mm	16 mm
47621210045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 45	Steel 12.9	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
476212100451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 45	Steel 12.9	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
476212100451FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 45/	Steel 12.9	M10 x 45/45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
47621210050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 50	Steel 12.9	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
476212100501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 50	Steel 12.9	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
47621210050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 50/	Steel 12.9	M10 x 50/50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
47621210050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 50	Steel 12.9	M10 x 50	GEOMET 500B	10 mm	50 mm	8 mm	16 mm
47621210055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 55	Steel 12.9	M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
476212100551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 55	Steel 12.9	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
476212100551FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 55/	Steel 12.9	M10 x 55/55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
47621210055FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 55/	Steel 12.9	M10 x 55/55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
47621210060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M10 x 60,

Steel 12.9	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212100601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 60	Steel 12.9	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	8 mm	16 mm
47621210060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 60/	Steel 12.9	M10 x 60/60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
47621210060GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 60	Steel 12.9	M10 x 60	GEOMET 500B	10 mm	60 mm	8 mm	16 mm
47621210065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 65	Steel 12.9	M10 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
476212100651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 65	Steel 12.9	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	8 mm	16 mm
47621210065GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 65	Steel 12.9	M10 x 65	GEOMET 500B	10 mm	65 mm	8 mm	16 mm
47621210070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 70	Steel 12.9	M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
476212100701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 70	Steel 12.9	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	8 mm	16 mm
47621210070FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 70/	Steel 12.9	M10 x 70/70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
47621210075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 75	Steel 12.9	M10 x 75	Plain (no plating)	10 mm	75 mm	8 mm	16 mm
476212100751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 75	Steel 12.9	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	8 mm	16 mm
47621210080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 80	Steel 12.9	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
476212100801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 80	Steel 12.9	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	8 mm	16 mm
476212100801SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 80	Steel 12.9	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	8 mm	16 mm
47621210080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 80/	Steel 12.9	M10 x 80/80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
47621210080GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 80	Steel 12.9	M10 x 80	GEOMET 500B	10 mm	80 mm	8 mm	16 mm
47621210085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 85	Steel 12.9	M10 x 85	Plain (no plating)	10 mm	85 mm	8 mm	16 mm
476212100851	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 85	Steel 12.9	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	8 mm	16 mm
47621210090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 90	Steel 12.9	M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
476212100901	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 90	Steel 12.9	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	8 mm	16 mm
47621210090GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 90	Steel 12.9	M10 x 90	GEOMET 500B	10 mm	90 mm	8 mm	16 mm
47621210095	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 95	Steel 12.9	M10 x 95	Plain (no plating)	10 mm	95 mm	8 mm	16 mm
476212100951	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 95	Steel 12.9	M10 x 95	Zinc Bright Passivation Fe/Zn P1	10 mm	95 mm	8 mm	16 mm
47621210100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 100	Steel 12.9	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
476212101001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 100	Steel 12.9	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	8 mm	16 mm
4762121010016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.0 x 16	Steel 12.9	M10 x 1.0 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
4762121010040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.0 x 40	Steel 12.9	M10 x 1.0 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
47621210100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 100/	Steel 12.9	M10 x 100/100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
476212101025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.0 x 25	Steel 12.9	M10 x 1.0 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
476212101030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.0 x 30	Steel 12.9	M10 x 1.0 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
476212101050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.0 x 50	Steel 12.9	M10 x 1.0 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
47621210110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 110	Steel 12.9	M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
476212101101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 110	Steel 12.9	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	8 mm	16 mm
47621210115	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 115	Steel 12.9	M10 x 115	Plain (no plating)	10 mm	115 mm	8 mm	16 mm
47621210120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 120	Steel 12.9	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
476212101201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 120	Steel 12.9	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	8 mm	16 mm
47621210120FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 120/	Steel 12.9	M10 x 120/120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
47621210125020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
47621210125025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
47621210125030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
47621210125035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
476212101250351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
47621210125040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
476212101250401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47621210125050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
47621210125055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M10 x 1.2

Steel 12.9	M10 x 1.25 x 55	Plain (no plating)		10 mm	55 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621210125060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
47621210125065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
47621210125070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
476212101250701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 70	Steel 12.9	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	8 mm	16 mm
4762121012540	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 1.2	Steel 12.9	M10 x 1.25 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
47621210130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 130	Steel 12.9	M10 x 130	Plain (no plating)	10 mm	130 mm	8 mm	16 mm
476212101301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 130	Steel 12.9	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	8 mm	16 mm
47621210140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 140	Steel 12.9	M10 x 140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
47621210145	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 145	Steel 12.9	M10 x 145	Plain (no plating)	10 mm	145 mm	8 mm	16 mm
47621210150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 150	Steel 12.9	M10 x 150	Plain (no plating)	10 mm	150 mm	8 mm	16 mm
47621210160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 160	Steel 12.9	M10 x 160	Plain (no plating)	10 mm	160 mm	8 mm	16 mm
476212101601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 160	Steel 12.9	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	8 mm	16 mm
47621210170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 170	Steel 12.9	M10 x 170	Plain (no plating)	10 mm	170 mm	8 mm	16 mm
47621210180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 180	Steel 12.9	M10 x 180	Plain (no plating)	10 mm	180 mm	8 mm	16 mm
47621210180GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 180	Steel 12.9	M10 x 180	GEOMET 500A	10 mm	180 mm	8 mm	16 mm
47621210190	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 190	Steel 12.9	M10 x 190	Plain (no plating)	10 mm	190 mm	8 mm	16 mm
476212101901SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 190	Steel 12.9	M10 x 190	Zinc Bright Passivation Fe/Zn P1	10 mm	190 mm	8 mm	16 mm
47621210200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 200	Steel 12.9	M10 x 200	Plain (no plating)	10 mm	200 mm	8 mm	16 mm
47621210210	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 210	Steel 12.9	M10 x 210	Plain (no plating)	10 mm	210 mm	8 mm	16 mm
47621210220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 220	Steel 12.9	M10 x 220	Plain (no plating)	10 mm	220 mm	8 mm	16 mm
47621210240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 240	Steel 12.9	M10 x 240	Plain (no plating)	10 mm	240 mm	8 mm	16 mm
47621210250	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 250	Steel 12.9	M10 x 250	Plain (no plating)	10 mm	250 mm	8 mm	16 mm
47621210260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 260	Steel 12.9	M10 x 260	Plain (no plating)	10 mm	260 mm	8 mm	16 mm
47621210280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 280	Steel 12.9	M10 x 280	Plain (no plating)	10 mm	280 mm	8 mm	16 mm
47621210300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 300	Steel 12.9	M10 x 300	Plain (no plating)	10 mm	300 mm	8 mm	16 mm
47621212012	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 12	Steel 12.9	M12 x 12	Plain (no plating)	12 mm	12 mm	10 mm	18 mm
47621212016	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 16	Steel 12.9	M12 x 16	Plain (no plating)	12 mm	16 mm	10 mm	18 mm
476212120161	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 16	Steel 12.9	M12 x 16	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	10 mm	18 mm
47621212020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 20	Steel 12.9	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
476212120201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 20	Steel 12.9	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	10 mm	18 mm
47621212020GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 20	Steel 12.9	M12 x 20	GEOMET 500B	12 mm	20 mm	10 mm	18 mm
47621212022	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 22	Steel 12.9	M12 x 22	Plain (no plating)	12 mm	22 mm	10 mm	18 mm
47621212025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 25	Steel 12.9	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
476212120251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 25	Steel 12.9	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
476212120251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 25	Steel 12.9	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
47621212025GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 25	Steel 12.9	M12 x 25	GEOMET 500B	12 mm	25 mm	10 mm	18 mm
47621212030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 30	Steel 12.9	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
476212120301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 30	Steel 12.9	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
476212120301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 30	Steel 12.9	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
47621212030GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 30	Steel 12.9	M12 x 30	GEOMET 500B	12 mm	30 mm	10 mm	18 mm
47621212035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 35	Steel 12.9	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
476212120351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 35	Steel 12.9	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	10 mm	18 mm
47621212035GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 35	Steel 12.9	M12 x 35	GEOMET 500B	12 mm	35 mm	10 mm	18 mm
47621212040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 40	Steel 12.9	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
476212120401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 40	Steel 12.9	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
47621212040GEO5	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 40,							

00B

ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,

M12 x 40,

Steel 12.9	M12 x 40	GEOMET 500B	12 mm	40 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621212045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 45	Steel 12.9	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
476212120451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 45	Steel 12.9	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	10 mm	18 mm
476212120451SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 45	Steel 12.9	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	10 mm	18 mm
47621212050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 50	Steel 12.9	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
476212120501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 50	Steel 12.9	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
47621212050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 50	Steel 12.9	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
47621212050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 50	Steel 12.9	M12 x 50	GEOMET 500B	12 mm	50 mm	10 mm	18 mm
47621212055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 55	Steel 12.9	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
476212120551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 55	Steel 12.9	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	10 mm	18 mm
476212120551SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 55	Steel 12.9	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	10 mm	18 mm
47621212060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 60	Steel 12.9	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
476212120601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 60	Steel 12.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
476212120601CR6	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 60	Steel 12.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
476212120601SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 60	Steel 12.9	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
47621212060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 60/60	Steel 12.9	M12 x 60/60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
47621212065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 65	Steel 12.9	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
476212120651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 65	Steel 12.9	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	10 mm	18 mm
476212120653	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 65	Steel 12.9	M12 x 65	Zinc Yellow Passivation Fe/Zn P2	12 mm	65 mm	10 mm	18 mm
47621212065FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 65	Steel 12.9	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
47621212070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 70	Steel 12.9	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
476212120701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 70	Steel 12.9	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	10 mm	18 mm
476212120701SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 70	Steel 12.9	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	10 mm	18 mm
47621212070FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 70/70	Steel 12.9	M12 x 70/70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
47621212070GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 70	Steel 12.9	M12 x 70	GEOMET 500B	12 mm	70 mm	10 mm	18 mm
47621212075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 75	Steel 12.9	M12 x 75	Plain (no plating)	12 mm	75 mm	10 mm	18 mm
476212120751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 75	Steel 12.9	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	10 mm	18 mm
476212120751SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 75	Steel 12.9	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	10 mm	18 mm
47621212080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 80	Steel 12.9	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
476212120801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 80	Steel 12.9	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	10 mm	18 mm
476212120801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 80	Steel 12.9	M12 x 80/80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	10 mm	18 mm
47621212080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 80/80	Steel 12.9	M12 x 80/80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
47621212080GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 80	Steel 12.9	M12 x 80	GEOMET 500B	12 mm	80 mm	10 mm	18 mm
47621212085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 85	Steel 12.9	M12 x 85	Plain (no plating)	12 mm	85 mm	10 mm	18 mm
47621212090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 90	Steel 12.9	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
476212120901	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 90	Steel 12.9	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	10 mm	18 mm
47621212090FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 90	Steel 12.9	M12 x 90/90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
47621212095	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 95	Steel 12.9	M12 x 95	Plain (no plating)	12 mm	95 mm	10 mm	18 mm
47621212095GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 95	Steel 12.9	M12 x 95	GEOMET 500B	12 mm	95 mm	10 mm	18 mm
47621212100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 100	Steel 12.9	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
476212121001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 100	Steel 12.9	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	10 mm	18 mm
47621212100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 100	Steel 12.9	M12 x 100/100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
47621212100GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 100	Steel 12.9	M12 x 100	GEOMET 500B	12 mm	100 mm	10 mm	18 mm
47621212110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 110	Steel 12.9	M12 x 110	Plain (no plating)	12 mm	110 mm	10 mm	18 mm
476212121101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 110	Steel 12.9	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	10 mm	18 mm
47621212110GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 110	Steel 12.9	M12 x 110	GEOMET 500B	12 mm	110 mm	10 mm	18 mm
47621212115	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M12 x 115

Steel 12.9	M12 x 115	Plain (no plating)	12 mm	115 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621212120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 120	Steel 12.9	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
476212121201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 120	Steel 12.9	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	10 mm	18 mm
47621212120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 120	Steel 12.9	M12 x 120	GEOMET 500B	12 mm	120 mm	10 mm	18 mm
47621212125	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 125	Steel 12.9	M12 x 125	Plain (no plating)	12 mm	125 mm	10 mm	18 mm
47621212125025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
47621212125030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
476212121250301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
47621212125040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
47621212125045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
47621212125050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
47621212125060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
47621212125090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
47621212125100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.2	Steel 12.9	M12 x 1.25 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
47621212130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 130	Steel 12.9	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
476212121301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 130	Steel 12.9	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	10 mm	18 mm
47621212140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 140	Steel 12.9	M12 x 140	Plain (no plating)	12 mm	140 mm	10 mm	18 mm
476212121401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 140	Steel 12.9	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	10 mm	18 mm
47621212145	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 145	Steel 12.9	M12 x 145	Plain (no plating)	12 mm	145 mm	10 mm	18 mm
47621212150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 150	Steel 12.9	M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm
476212121501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 150	Steel 12.9	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	10 mm	18 mm
4762121215020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
4762121215030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
47621212150301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
4762121215035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
4762121215040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762121215050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762121215055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
4762121215060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762121215070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762121215100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
47621212155	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 155	Steel 12.9	M12 x 155	Plain (no plating)	12 mm	155 mm	10 mm	18 mm
476212121570	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 1.5	Steel 12.9	M12 x 1.5 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
47621212160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 160	Steel 12.9	M12 x 160	Plain (no plating)	12 mm	160 mm	10 mm	18 mm
47621212165	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 165	Steel 12.9	M12 x 165	Plain (no plating)	12 mm	165 mm	10 mm	18 mm
47621212170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 170	Steel 12.9	M12 x 170	Plain (no plating)	12 mm	170 mm	10 mm	18 mm
47621212175	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 175	Steel 12.9	M12 x 175	Plain (no plating)	12 mm	175 mm	10 mm	18 mm
47621212180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 180	Steel 12.9	M12 x 180	Plain (no plating)	12 mm	180 mm	10 mm	18 mm
476212121801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 180	Steel 12.9	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	10 mm	18 mm
47621212190	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 190	Steel 12.9	M12 x 190	Plain (no plating)	12 mm	190 mm	10 mm	18 mm
47621212200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 200	Steel 12.9	M12 x 200	Plain (no plating)	12 mm	200 mm	10 mm	18 mm
47621212210	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 210	Steel 12.9	M12 x 210	Plain (no plating)	12 mm	210 mm	10 mm	18 mm
47621212215	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 215	Steel 12.9	M12 x 215	Plain (no plating)	12 mm	215 mm	10 mm	18 mm
47621212220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 220	Steel 12.9	M12 x 220	Plain (no plating)	12 mm	220 mm	10 mm	18 mm
47621212230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 230	Steel 12.9	M12 x 230	Plain (no plating)	12 mm	230 mm	10 mm	18 mm
47621212240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 240	Steel 12.9	M12 x 240	Plain (no plating)	12 mm	240 mm	10 mm	18 mm
47621212250	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M12 x 250

Steel 12.9	M12 x 250	Plain (no plating)	12 mm	250 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621212255	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 255	Steel 12.9	M12 x 255	Plain (no plating)	12 mm	255 mm	10 mm	18 mm
47621212260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 260	Steel 12.9	M12 x 260	Plain (no plating)	12 mm	260 mm	10 mm	18 mm
47621212280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 280	Steel 12.9	M12 x 280	Plain (no plating)	12 mm	280 mm	10 mm	18 mm
47621212300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 300	Steel 12.9	M12 x 300	Plain (no plating)	12 mm	300 mm	10 mm	18 mm
47621212320	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 320	Steel 12.9	M12 x 320	Plain (no plating)	12 mm	320 mm	10 mm	18 mm
47621212340	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 340	Steel 12.9	M12 x 340	Plain (no plating)	12 mm	340 mm	10 mm	18 mm
47621212360	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 360	Steel 12.9	M12 x 360	Plain (no plating)	12 mm	360 mm	10 mm	18 mm
47621212380	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 380	Steel 12.9	M12 x 380	Plain (no plating)	12 mm	380 mm	10 mm	18 mm
47621212400	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 400	Steel 12.9	M12 x 400	Plain (no plating)	12 mm	400 mm	10 mm	18 mm
47621214020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 20	Steel 12.9	M14 x 20	Plain (no plating)	14 mm	20 mm	12 mm	21 mm
47621214025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 25	Steel 12.9	M14 x 25	Plain (no plating)	14 mm	25 mm	12 mm	21 mm
476212140251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 25	Steel 12.9	M14 x 25	Zinc Bright Passivation Fe/Zn P1	14 mm	25 mm	12 mm	21 mm
476212140251SST006	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 25	Steel 12.9	M14 x 25	Zinc Bright Passivation Fe/Zn P1	14 mm	25 mm	12 mm	21 mm
47621214030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 30	Steel 12.9	M14 x 30	Plain (no plating)	14 mm	30 mm	12 mm	21 mm
476212140301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 30	Steel 12.9	M14 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	12 mm	21 mm
47621214035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 35	Steel 12.9	M14 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
476212140351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 35	Steel 12.9	M14 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	12 mm	21 mm
47621214040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 40	Steel 12.9	M14 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
476212140401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 40	Steel 12.9	M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	12 mm	21 mm
47621214045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 45	Steel 12.9	M14 x 45	Plain (no plating)	14 mm	45 mm	12 mm	21 mm
476212140451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 45	Steel 12.9	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	12 mm	21 mm
47621214050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 50	Steel 12.9	M14 x 50	Plain (no plating)	14 mm	50 mm	12 mm	21 mm
476212140501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 50	Steel 12.9	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	12 mm	21 mm
47621214055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 55	Steel 12.9	M14 x 55	Plain (no plating)	14 mm	55 mm	12 mm	21 mm
476212140551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 55	Steel 12.9	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	12 mm	21 mm
47621214055GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 55	Steel 12.9	M14 x 55	GEOMET 500B	14 mm	55 mm	12 mm	21 mm
47621214060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 60	Steel 12.9	M14 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
476212140601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 60	Steel 12.9	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	12 mm	21 mm
47621214060GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 60	Steel 12.9	M14 x 60	GEOMET 500B	14 mm	60 mm	12 mm	21 mm
47621214065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 65	Steel 12.9	M14 x 65	Plain (no plating)	14 mm	65 mm	12 mm	21 mm
47621214070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 70	Steel 12.9	M14 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
476212140701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 70	Steel 12.9	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	12 mm	21 mm
47621214075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 75	Steel 12.9	M14 x 75	Plain (no plating)	14 mm	75 mm	12 mm	21 mm
47621214080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 80	Steel 12.9	M14 x 80	Plain (no plating)	14 mm	80 mm	12 mm	21 mm
47621214085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 85	Steel 12.9	M14 x 85	Plain (no plating)	14 mm	85 mm	12 mm	21 mm
47621214090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 90	Steel 12.9	M14 x 90	Plain (no plating)	14 mm	90 mm	12 mm	21 mm
47621214090GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 90	Steel 12.9	M14 x 90	GEOMET 500B	14 mm	90 mm	12 mm	21 mm
47621214100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 100	Steel 12.9	M14 x 100	Plain (no plating)	14 mm	100 mm	12 mm	21 mm
47621214100GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 100	Steel 12.9	M14 x 100	GEOMET 500B	14 mm	100 mm	12 mm	21 mm
47621214110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 110	Steel 12.9	M14 x 110	Plain (no plating)	14 mm	110 mm	12 mm	21 mm
476212141101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 110	Steel 12.9	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	12 mm	21 mm
47621214110GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 110	Steel 12.9	M14 x 110	GEOMET 500B	14 mm	110 mm	12 mm	21 mm
47621214120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 120	Steel 12.9	M14 x 120	Plain (no plating)	14 mm	120 mm	12 mm	21 mm
47621214120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 120	Steel 12.9	M14 x 120	GEOMET 500B	14 mm	120 mm	12 mm	21 mm
47621214125	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 125	Steel 12.9	M14 x 125	Plain (no plating)	14 mm	125 mm	12 mm	21 mm
4762121412540	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M14 x 1.2

Steel 12.9	M14 x 1.25 x 40	Plain (no plating)		14 mm	40 mm	12 mm	21 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621214130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 130	Steel 12.9	M14 x 130	Plain (no plating)	14 mm	130 mm	12 mm	21 mm
47621214140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 140	Steel 12.9	M14 x 140	Plain (no plating)	14 mm	140 mm	12 mm	21 mm
47621214150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 150	Steel 12.9	M14 x 150	Plain (no plating)	14 mm	150 mm	12 mm	21 mm
4762121415035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 1.5	Steel 12.9	M14 x 1.5 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
4762121415045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 1.5	Steel 12.9	M14 x 1.5 x 45	Plain (no plating)	14 mm	45 mm	12 mm	21 mm
4762121415060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 1.5	Steel 12.9	M14 x 1.5 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
4762121415065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 1.5	Steel 12.9	M14 x 1.5 x 65	Plain (no plating)	14 mm	65 mm	12 mm	21 mm
4762121415070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 1.5	Steel 12.9	M14 x 1.5 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
4762121415075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 1.5	Steel 12.9	M14 x 1.5 x 75	Plain (no plating)	14 mm	75 mm	12 mm	21 mm
4762121415080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 1.5	Steel 12.9	M14 x 1.5 x 80	Plain (no plating)	14 mm	80 mm	12 mm	21 mm
47621214160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 160	Steel 12.9	M14 x 160	Plain (no plating)	14 mm	160 mm	12 mm	21 mm
47621214160GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 160	Steel 12.9	M14 x 160	GEOMET 500B	14 mm	160 mm	12 mm	21 mm
47621214170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 170	Steel 12.9	M14 x 170	Plain (no plating)	14 mm	170 mm	12 mm	21 mm
47621214170GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 170	Steel 12.9	M14 x 170	GEOMET 500B	14 mm	170 mm	12 mm	21 mm
47621214180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 180	Steel 12.9	M14 x 180	Plain (no plating)	14 mm	180 mm	12 mm	21 mm
47621214200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 200	Steel 12.9	M14 x 200	Plain (no plating)	14 mm	200 mm	12 mm	21 mm
47621214220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 220	Steel 12.9	M14 x 220	Plain (no plating)	14 mm	220 mm	12 mm	21 mm
47621216020	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 20	Steel 12.9	M16 x 20	Plain (no plating)	16 mm	20 mm	14 mm	24 mm
47621216025	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 25	Steel 12.9	M16 x 25	Plain (no plating)	16 mm	25 mm	14 mm	24 mm
476212160251	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 25	Steel 12.9	M16 x 25	Zinc Bright Passivation Fe/Zn P1	16 mm	25 mm	14 mm	24 mm
47621216025GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 25	Steel 12.9	M16 x 25	GEOMET 500B	16 mm	25 mm	14 mm	24 mm
47621216030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 30	Steel 12.9	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
476212160301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 30	Steel 12.9	M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	14 mm	24 mm
47621216035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 35	Steel 12.9	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
476212160351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 35	Steel 12.9	M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	14 mm	24 mm
47621216035GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 35	Steel 12.9	M16 x 35	GEOMET 500B	16 mm	35 mm	14 mm	24 mm
47621216040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 40	Steel 12.9	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
476212160401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 40	Steel 12.9	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	14 mm	24 mm
47621216045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 45	Steel 12.9	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
476212160451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 45	Steel 12.9	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	14 mm	24 mm
47621216050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 50	Steel 12.9	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
476212160501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 50	Steel 12.9	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	14 mm	24 mm
47621216050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 50	Steel 12.9	M16 x 50	GEOMET 500B	16 mm	50 mm	14 mm	24 mm
47621216055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 55	Steel 12.9	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
476212160551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 55	Steel 12.9	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	14 mm	24 mm
47621216060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 60	Steel 12.9	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
476212160601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 60	Steel 12.9	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	14 mm	24 mm
47621216060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 60/	Steel 12.9	M16 x 60/60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
47621216060GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 60	Steel 12.9	M16 x 60	GEOMET 500B	16 mm	60 mm	14 mm	24 mm
47621216065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 65	Steel 12.9	M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
476212160651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 65	Steel 12.9	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	14 mm	24 mm
47621216070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 70	Steel 12.9	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
476212160701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 70	Steel 12.9	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	14 mm	24 mm
47621216070FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 70/	Steel 12.9	M16 x 70/70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
47621216070GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 70	Steel 12.9	M16 x 70	GEOMET 500B	16 mm	70 mm	14 mm	24 mm
47621216075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M16 x 75,

Steel 12.9	M16 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212160751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 75	Steel 12.9	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	14 mm	24 mm
47621216080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 80	Steel 12.9	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
476212160801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 80	Steel 12.9	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	14 mm	24 mm
47621216080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 80/	Steel 12.9	M16 x 80/80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
47621216080GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 80	Steel 12.9	M16 x 80	GEOMET 500B	16 mm	80 mm	14 mm	24 mm
47621216085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 85	Steel 12.9	M16 x 85	Plain (no plating)	16 mm	85 mm	14 mm	24 mm
47621216090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 90	Steel 12.9	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
476212160901	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 90	Steel 12.9	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	14 mm	24 mm
47621216090FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 90/	Steel 12.9	M16 x 90/90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
47621216100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 100	Steel 12.9	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
476212161001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 100	Steel 12.9	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	14 mm	24 mm
47621216100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 100	Steel 12.9	M16 x 100/100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
47621216110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 110	Steel 12.9	M16 x 110	Plain (no plating)	16 mm	110 mm	14 mm	24 mm
476212161101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 110	Steel 12.9	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	14 mm	24 mm
476212161101SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 110	Steel 12.9	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	14 mm	24 mm
47621216110GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 110	Steel 12.9	M16 x 110	GEOMET 500B	16 mm	110 mm	14 mm	24 mm
47621216120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 120	Steel 12.9	M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
476212161201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 120	Steel 12.9	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	14 mm	24 mm
47621216120FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 120	Steel 12.9	M16 x 120/120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
47621216120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 120	Steel 12.9	M16 x 120	GEOMET 500B	16 mm	120 mm	14 mm	24 mm
47621216130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 130	Steel 12.9	M16 x 130	Plain (no plating)	16 mm	130 mm	14 mm	24 mm
47621216135	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 135	Steel 12.9	M16 x 135	Plain (no plating)	16 mm	135 mm	14 mm	24 mm
47621216140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 140	Steel 12.9	M16 x 140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
47621216145	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 145	Steel 12.9	M16 x 145	Plain (no plating)	16 mm	145 mm	14 mm	24 mm
47621216150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 150	Steel 12.9	M16 x 150	Plain (no plating)	16 mm	150 mm	14 mm	24 mm
47621216150070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 70	Steel 12.9	M16 x 1.5 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
476212161501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 150	Steel 12.9	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	14 mm	24 mm
4762121615030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 30	Steel 12.9	M16 x 1.5 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
4762121615040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 40	Steel 12.9	M16 x 1.5 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
47621216150401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 40	Steel 12.9	M16 x 1.5 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	14 mm	24 mm
4762121615045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 45	Steel 12.9	M16 x 1.5 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
4762121615050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 50	Steel 12.9	M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
4762121615055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 55	Steel 12.9	M16 x 1.5 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
4762121615060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 60	Steel 12.9	M16 x 1.5 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762121615070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 70	Steel 12.9	M16 x 1.5 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762121615080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 80	Steel 12.9	M16 x 1.5 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762121615090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 90	Steel 12.9	M16 x 1.5 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
47621216150FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 150/150	Steel 12.9	M16 x 150/150	Plain (no plating)	16 mm	150 mm	14 mm	24 mm
4762121615100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 100	Steel 12.9	M16 x 1.5 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762121615100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 100	Steel 12.9	M16 x 1.5 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762121615120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 1.5 x 120	Steel 12.9	M16 x 1.5 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
47621216160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 160	Steel 12.9	M16 x 160	Plain (no plating)	16 mm	160 mm	14 mm	24 mm
476212161601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 160	Steel 12.9	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	14 mm	24 mm
47621216160FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 160/	Steel 12.9	M16 x 160/160	Plain (no plating)	16 mm	160 mm	14 mm	24 mm
47621216170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 170	Steel 12.9	M16 x 170	Plain (no plating)	16 mm	170 mm	14 mm	24 mm
47621216180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M16 x 180

Steel 12.9	M16 x 180	Plain (no plating)	16 mm	180 mm	14 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621216190	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 190	Steel 12.9	M16 x 190	Plain (no plating)	16 mm	190 mm	14 mm	24 mm
47621216200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 200	Steel 12.9	M16 x 200	Plain (no plating)	16 mm	200 mm	14 mm	24 mm
476212162001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 200	Steel 12.9	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	14 mm	24 mm
47621216210	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 210	Steel 12.9	M16 x 210	Plain (no plating)	16 mm	210 mm	14 mm	24 mm
47621216220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 220	Steel 12.9	M16 x 220	Plain (no plating)	16 mm	220 mm	14 mm	24 mm
476212162201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 220	Steel 12.9	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm	14 mm	24 mm
47621216230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 230	Steel 12.9	M16 x 230	Plain (no plating)	16 mm	230 mm	14 mm	24 mm
47621216240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 240	Steel 12.9	M16 x 240	Plain (no plating)	16 mm	240 mm	14 mm	24 mm
47621216250	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 250	Steel 12.9	M16 x 250	Plain (no plating)	16 mm	250 mm	14 mm	24 mm
47621216260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 260	Steel 12.9	M16 x 260	Plain (no plating)	16 mm	260 mm	14 mm	24 mm
47621216280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 280	Steel 12.9	M16 x 280	Plain (no plating)	16 mm	280 mm	14 mm	24 mm
47621216300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 300	Steel 12.9	M16 x 300	Plain (no plating)	16 mm	300 mm	14 mm	24 mm
476212163001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 300	Steel 12.9	M16 x 300	Zinc Bright Passivation Fe/Zn P1	16 mm	300 mm	14 mm	24 mm
47621216310	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 310	Steel 12.9	M16 x 310	Plain (no plating)	16 mm	310 mm	14 mm	24 mm
47621216320	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 320	Steel 12.9	M16 x 320	Plain (no plating)	16 mm	320 mm	14 mm	24 mm
47621216320GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 320	Steel 12.9	M16 x 320	GEOMET 500B	16 mm	320 mm	14 mm	24 mm
47621216340	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 340	Steel 12.9	M16 x 340	Plain (no plating)	16 mm	340 mm	14 mm	24 mm
47621216360	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 360	Steel 12.9	M16 x 360	Plain (no plating)	16 mm	360 mm	14 mm	24 mm
47621216400	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M16 x 400	Steel 12.9	M16 x 400	Plain (no plating)	16 mm	400 mm	14 mm	24 mm
47621218030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 30	Steel 12.9	M18 x 30	Plain (no plating)	18 mm	30 mm	14 mm	27 mm
47621218035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 35	Steel 12.9	M18 x 35	Plain (no plating)	18 mm	35 mm	14 mm	27 mm
47621218040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 40	Steel 12.9	M18 x 40	Plain (no plating)	18 mm	40 mm	14 mm	27 mm
47621218045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 45	Steel 12.9	M18 x 45	Plain (no plating)	18 mm	45 mm	14 mm	27 mm
47621218050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 50	Steel 12.9	M18 x 50	Plain (no plating)	18 mm	50 mm	14 mm	27 mm
47621218055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 55	Steel 12.9	M18 x 55	Plain (no plating)	18 mm	55 mm	14 mm	27 mm
47621218060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 60	Steel 12.9	M18 x 60	Plain (no plating)	18 mm	60 mm	14 mm	27 mm
47621218070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 70	Steel 12.9	M18 x 70	Plain (no plating)	18 mm	70 mm	14 mm	27 mm
47621218080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 80	Steel 12.9	M18 x 80	Plain (no plating)	18 mm	80 mm	14 mm	27 mm
47621218090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 90	Steel 12.9	M18 x 90	Plain (no plating)	18 mm	90 mm	14 mm	27 mm
47621218100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 100	Steel 12.9	M18 x 100	Plain (no plating)	18 mm	100 mm	14 mm	27 mm
47621218110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 110	Steel 12.9	M18 x 110	Plain (no plating)	18 mm	110 mm	14 mm	27 mm
47621218120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 120	Steel 12.9	M18 x 120	Plain (no plating)	18 mm	120 mm	14 mm	27 mm
47621218130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 130	Steel 12.9	M18 x 130	Plain (no plating)	18 mm	130 mm	14 mm	27 mm
47621218140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 140	Steel 12.9	M18 x 140	Plain (no plating)	18 mm	140 mm	14 mm	27 mm
4762121815060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 1.5	Steel 12.9	M18 x 1.5 x 60/60	Plain (no plating)	18 mm	60 mm	14 mm	27 mm
4762121815065FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 1.5	Steel 12.9	M18 x 1.5 x 65/65	Plain (no plating)	18 mm	65 mm	14 mm	27 mm
4762121815070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 1.5	Steel 12.9	M18 x 1.5 x 70	Plain (no plating)	18 mm	70 mm	14 mm	27 mm
4762121815120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 1.5	Steel 12.9	M18 x 1.5 x 120	Plain (no plating)	18 mm	120 mm	14 mm	27 mm
47621218160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 160	Steel 12.9	M18 x 160	Plain (no plating)	18 mm	160 mm	14 mm	27 mm
47621218180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M18 x 180	Steel 12.9	M18 x 180	Plain (no plating)	18 mm	180 mm	14 mm	27 mm
47621220030	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 30	Steel 12.9	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
47621220035	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 35	Steel 12.9	M20 x 35	Plain (no plating)	20 mm	35 mm	17 mm	30 mm
476212200351	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 35	Steel 12.9	M20 x 35	Zinc Bright Passivation Fe/Zn P1	20 mm	35 mm	17 mm	30 mm
47621220040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 40	Steel 12.9	M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
476212200401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 40	Steel 12.9	M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	17 mm	30 mm
47621220045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M20 x 45,

Steel 12.9	M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
476212200451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 45	Steel 12.9	M20 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	17 mm	30 mm
476212200451SST0096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 45	Steel 12.9	M20 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	17 mm	30 mm
47621220050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 50	Steel 12.9	M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
476212200501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 50	Steel 12.9	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	17 mm	30 mm
47621220050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 50	Steel 12.9	M20 x 50	GEOMET 500B	20 mm	50 mm	17 mm	30 mm
47621220055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 55	Steel 12.9	M20 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
476212200551	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 55	Steel 12.9	M20 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	17 mm	30 mm
47621220055GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 55	Steel 12.9	M20 x 55	GEOMET 500B	20 mm	55 mm	17 mm	30 mm
47621220060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 60	Steel 12.9	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
476212200601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 60	Steel 12.9	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	17 mm	30 mm
47621220065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 65	Steel 12.9	M20 x 65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
476212200651	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 65	Steel 12.9	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	17 mm	30 mm
47621220065FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 65/	Steel 12.9	M20 x 65/65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
47621220070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 70	Steel 12.9	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
476212200701	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 70	Steel 12.9	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	17 mm	30 mm
47621220070GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 70	Steel 12.9	M20 x 70	GEOMET 500B	20 mm	70 mm	17 mm	30 mm
47621220075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 75	Steel 12.9	M20 x 75	Plain (no plating)	20 mm	75 mm	17 mm	30 mm
476212200751	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 75	Steel 12.9	M20 x 75	Zinc Bright Passivation Fe/Zn P1	20 mm	75 mm	17 mm	30 mm
47621220080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 80	Steel 12.9	M20 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
476212200801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 80	Steel 12.9	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	17 mm	30 mm
47621220080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 80/	Steel 12.9	M20 x 80/80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
47621220085	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 85	Steel 12.9	M20 x 85	Plain (no plating)	20 mm	85 mm	17 mm	30 mm
47621220085FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 85/	Steel 12.9	M20 x 85/85	Plain (no plating)	20 mm	85 mm	17 mm	30 mm
47621220085GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 85	Steel 12.9	M20 x 85	GEOMET 500B	20 mm	85 mm	17 mm	30 mm
47621220090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 90	Steel 12.9	M20 x 90	Plain (no plating)	20 mm	90 mm	17 mm	30 mm
476212200901	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 90	Steel 12.9	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	17 mm	30 mm
47621220090GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 90	Steel 12.9	M20 x 90	GEOMET 500A	20 mm	90 mm	17 mm	30 mm
47621220090GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 90	Steel 12.9	M20 x 90	GEOMET 500B	20 mm	90 mm	17 mm	30 mm
47621220095	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 95	Steel 12.9	M20 x 95	Plain (no plating)	20 mm	95 mm	17 mm	30 mm
47621220100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 100	Steel 12.9	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
476212201001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 100	Steel 12.9	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	17 mm	30 mm
47621220100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 100/	Steel 12.9	M20 x 100/100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
47621220100GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 100	Steel 12.9	M20 x 100	GEOMET 500B	20 mm	100 mm	17 mm	30 mm
47621220110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 110	Steel 12.9	M20 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
476212201101	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 110	Steel 12.9	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	17 mm	30 mm
47621220120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 120	Steel 12.9	M20 x 120	Plain (no plating)	20 mm	120 mm	17 mm	30 mm
476212201201	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 120/9	Steel 12.9	M20 x 120/9	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	17 mm	30 mm
47621220120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 120	Steel 12.9	M20 x 120	GEOMET 500B	20 mm	120 mm	17 mm	30 mm
47621220130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 130	Steel 12.9	M20 x 130	Plain (no plating)	20 mm	130 mm	17 mm	30 mm
476212201301	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 130	Steel 12.9	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	17 mm	30 mm
47621220140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 140	Steel 12.9	M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
47621220150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 150	Steel 12.9	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
4762122015040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
4762122015045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
4762122015050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
4762122015055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M20 x 1.5

Steel 12.9	M20 x 1.5 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762122015060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
4762122015070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
4762122015075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 75	Plain (no plating)	20 mm	75 mm	17 mm	30 mm
4762122015080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
4762122015090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 90	Plain (no plating)	20 mm	90 mm	17 mm	30 mm
4762122015100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 1.5	Steel 12.9	M20 x 1.5 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
47621220160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 160	Steel 12.9	M20 x 160	Plain (no plating)	20 mm	160 mm	17 mm	30 mm
47621220160GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 160	Steel 12.9	M20 x 160	GEOMET 500B	20 mm	160 mm	17 mm	30 mm
47621220170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 170	Steel 12.9	M20 x 170	Plain (no plating)	20 mm	170 mm	17 mm	30 mm
47621220180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 180	Steel 12.9	M20 x 180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
476212201801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 180	Steel 12.9	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	17 mm	30 mm
47621220190	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 190	Steel 12.9	M20 x 190	Plain (no plating)	20 mm	190 mm	17 mm	30 mm
47621220200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 200	Steel 12.9	M20 x 200	Plain (no plating)	20 mm	200 mm	17 mm	30 mm
47621220210	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 210	Steel 12.9	M20 x 210	Plain (no plating)	20 mm	210 mm	17 mm	30 mm
47621220220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 220	Steel 12.9	M20 x 220	Plain (no plating)	20 mm	220 mm	17 mm	30 mm
47621220230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 230	Steel 12.9	M20 x 230	Plain (no plating)	20 mm	230 mm	17 mm	30 mm
47621220240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 240	Steel 12.9	M20 x 240	Plain (no plating)	20 mm	240 mm	17 mm	30 mm
47621220240GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 240	Steel 12.9	M20 x 240	GEOMET 500B	20 mm	240 mm	17 mm	30 mm
47621220250	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 250	Steel 12.9	M20 x 250	Plain (no plating)	20 mm	250 mm	17 mm	30 mm
47621220260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 260	Steel 12.9	M20 x 260	Plain (no plating)	20 mm	260 mm	17 mm	30 mm
47621220280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 280	Steel 12.9	M20 x 280	Plain (no plating)	20 mm	280 mm	17 mm	30 mm
47621220300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 300	Steel 12.9	M20 x 300	Plain (no plating)	20 mm	300 mm	17 mm	30 mm
47621220325	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 325	Steel 12.9	M20 x 325	Plain (no plating)	20 mm	325 mm	17 mm	30 mm
47621220325GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 325	Steel 12.9	M20 x 325	GEOMET 500B	20 mm	325 mm	17 mm	30 mm
47621220340	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 340	Steel 12.9	M20 x 340	Plain (no plating)	20 mm	340 mm	17 mm	30 mm
47621220360	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 360	Steel 12.9	M20 x 360	Plain (no plating)	20 mm	360 mm	17 mm	30 mm
47621220400	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 400	Steel 12.9	M20 x 400	Plain (no plating)	20 mm	400 mm	17 mm	30 mm
47621220440	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 440	Steel 12.9	M20 x 440	Plain (no plating)	20 mm	440 mm	17 mm	30 mm
47621220500	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M20 x 500	Steel 12.9	M20 x 500	Plain (no plating)	20 mm	500 mm	17 mm	30 mm
47621222040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 40	Steel 12.9	M22 x 40	Plain (no plating)	22 mm	40 mm	17 mm	33 mm
47621222050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 50	Steel 12.9	M22 x 50	Plain (no plating)	22 mm	50 mm	17 mm	33 mm
476212220501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 50	Steel 12.9	M22 x 50	Zinc Bright Passivation Fe/Zn P1	22 mm	50 mm	17 mm	33 mm
476212220501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 50	Steel 12.9	M22 x 50	Zinc Bright Passivation Fe/Zn P1	22 mm	50 mm	17 mm	33 mm
47621222055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 55	Steel 12.9	M22 x 55	Plain (no plating)	22 mm	55 mm	17 mm	33 mm
47621222060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 60	Steel 12.9	M22 x 60	Plain (no plating)	22 mm	60 mm	17 mm	33 mm
476212220601SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 60	Steel 12.9	M22 x 60	Zinc Bright Passivation Fe/Zn P1	22 mm	60 mm	17 mm	33 mm
47621222065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 65	Steel 12.9	M22 x 65	Plain (no plating)	22 mm	65 mm	17 mm	33 mm
47621222070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 70	Steel 12.9	M22 x 70	Plain (no plating)	22 mm	70 mm	17 mm	33 mm
476212220701SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 70	Steel 12.9	M22 x 70	Zinc Bright Passivation Fe/Zn P1	22 mm	70 mm	17 mm	33 mm
47621222075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 75	Steel 12.9	M22 x 75	Plain (no plating)	22 mm	75 mm	17 mm	33 mm
47621222080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 80	Steel 12.9	M22 x 80	Plain (no plating)	22 mm	80 mm	17 mm	33 mm
476212220801	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 80	Steel 12.9	M22 x 80	Zinc Bright Passivation Fe/Zn P1	22 mm	80 mm	17 mm	33 mm
47621222090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 90	Steel 12.9	M22 x 90	Plain (no plating)	22 mm	90 mm	17 mm	33 mm
47621222100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 100	Steel 12.9	M22 x 100	Plain (no plating)	22 mm	100 mm	17 mm	33 mm
476212221001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 100	Steel 12.9	M22 x 100	Zinc Bright Passivation Fe/Zn P1	22 mm	100 mm	17 mm	33 mm
47621222120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M22 x 120

Steel 12.9	M22 x 120	Plain (no plating)	22 mm	120 mm	17 mm	33 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621222130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 130	Steel 12.9	M22 x 130	Plain (no plating)	22 mm	130 mm	17 mm	33 mm
47621222165	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 165	Steel 12.9	M22 x 165	Plain (no plating)	22 mm	165 mm	17 mm	33 mm
47621222180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 180	Steel 12.9	M22 x 180	Plain (no plating)	22 mm	180 mm	17 mm	33 mm
47621222200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 200	Steel 12.9	M22 x 200	Plain (no plating)	22 mm	200 mm	17 mm	33 mm
47621222240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M22 x 240	Steel 12.9	M22 x 240	Plain (no plating)	22 mm	240 mm	17 mm	33 mm
47621224040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 40	Steel 12.9	M24 x 40	Plain (no plating)	24 mm	40 mm	19 mm	36 mm
47621224045	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 45	Steel 12.9	M24 x 45	Plain (no plating)	24 mm	45 mm	19 mm	36 mm
476212240451	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 45	Steel 12.9	M24 x 45	Zinc Bright Passivation Fe/Zn P1	24 mm	45 mm	19 mm	36 mm
47621224050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 50	Steel 12.9	M24 x 50	Plain (no plating)	24 mm	50 mm	19 mm	36 mm
476212240501	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 50	Steel 12.9	M24 x 50	Zinc Bright Passivation Fe/Zn P1	24 mm	50 mm	19 mm	36 mm
47621224055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 55	Steel 12.9	M24 x 55	Plain (no plating)	24 mm	55 mm	19 mm	36 mm
47621224060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 60	Steel 12.9	M24 x 60	Plain (no plating)	24 mm	60 mm	19 mm	36 mm
476212240601	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 60	Steel 12.9	M24 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	19 mm	36 mm
47621224065	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 65	Steel 12.9	M24 x 65	Plain (no plating)	24 mm	65 mm	19 mm	36 mm
47621224070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 70	Steel 12.9	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
47621224075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 75	Steel 12.9	M24 x 75	Plain (no plating)	24 mm	75 mm	19 mm	36 mm
47621224080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 80	Steel 12.9	M24 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
47621224090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 90	Steel 12.9	M24 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
47621224100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 100	Steel 12.9	M24 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
476212241001	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 100	Steel 12.9	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	19 mm	36 mm
47621224100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 100/100	Steel 12.9	M24 x 100/100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
47621224110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 110	Steel 12.9	M24 x 110	Plain (no plating)	24 mm	110 mm	19 mm	36 mm
47621224120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 120	Steel 12.9	M24 x 120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
47621224120FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 120/120	Steel 12.9	M24 x 120/120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
47621224120GEO500	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 120	Steel 12.9	M24 x 120	GEOMET 500	24 mm	120 mm	19 mm	36 mm
47621224130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 130	Steel 12.9	M24 x 130	Plain (no plating)	24 mm	130 mm	19 mm	36 mm
47621224140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 140	Steel 12.9	M24 x 140	Plain (no plating)	24 mm	140 mm	19 mm	36 mm
476212241401	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 140	Steel 12.9	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	19 mm	36 mm
47621224150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 150	Steel 12.9	M24 x 150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
47621224150GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 150	Steel 12.9	M24 x 150	GEOMET 500B	24 mm	150 mm	19 mm	36 mm
47621224160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 160	Steel 12.9	M24 x 160	Plain (no plating)	24 mm	160 mm	19 mm	36 mm
47621224160GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 160	Steel 12.9	M24 x 160	GEOMET 500A	24 mm	160 mm	19 mm	36 mm
47621224180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 180	Steel 12.9	M24 x 180	Plain (no plating)	24 mm	180 mm	19 mm	36 mm
47621224190	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 190	Steel 12.9	M24 x 190	Plain (no plating)	24 mm	190 mm	19 mm	36 mm
47621224200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 200	Steel 12.9	M24 x 200	Plain (no plating)	24 mm	200 mm	19 mm	36 mm
4762122420100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 2.0	Steel 12.9	M24 x 2.0 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
476212242070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 2.0	Steel 12.9	M24 x 2.0 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
476212242080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 2.0	Steel 12.9	M24 x 2.0 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
476212242090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 2.0	Steel 12.9	M24 x 2.0 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
47621224210	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 210	Steel 12.9	M24 x 210	Plain (no plating)	24 mm	210 mm	19 mm	36 mm
476212242100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 2.0	Steel 12.9	M24 x 2.0 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
47621224220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 220	Steel 12.9	M24 x 220	Plain (no plating)	24 mm	220 mm	19 mm	36 mm
47621224220THD110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 220	Steel 12.9	M24 x 220/110	Plain (no plating)	24 mm	220 mm	19 mm	36 mm
47621224230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 230	Steel 12.9	M24 x 230	Plain (no plating)	24 mm	230 mm	19 mm	36 mm
47621224240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 240	Steel 12.9	M24 x 240	Plain (no plating)	24 mm	240 mm	19 mm	36 mm
47621224250	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M24 x 250

Steel 12.9	M24 x 250	Plain (no plating)	24 mm	250 mm	19 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621224260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 260	Steel 12.9	M24 x 260	Plain (no plating)	24 mm	260 mm	19 mm	36 mm
47621224280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 280	Steel 12.9	M24 x 280	Plain (no plating)	24 mm	280 mm	19 mm	36 mm
47621224300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 300	Steel 12.9	M24 x 300	Plain (no plating)	24 mm	300 mm	19 mm	36 mm
47621224320	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 320	Steel 12.9	M24 x 320	Plain (no plating)	24 mm	320 mm	19 mm	36 mm
47621224380	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 380	Steel 12.9	M24 x 380	Plain (no plating)	24 mm	380 mm	19 mm	36 mm
47621224425	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 425	Steel 12.9	M24 x 425	Plain (no plating)	24 mm	425 mm	19 mm	36 mm
47621224600	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M24 x 600	Steel 12.9	M24 x 600	Plain (no plating)	24 mm	600 mm	19 mm	36 mm
47621227050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 50	Steel 12.9	M27 x 50	Plain (no plating)	27 mm	50 mm	19 mm	40 mm
47621227060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 60	Steel 12.9	M27 x 60	Plain (no plating)	27 mm	60 mm	19 mm	40 mm
47621227090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 90	Steel 12.9	M27 x 90	Plain (no plating)	27 mm	90 mm	19 mm	40 mm
47621227100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 100	Steel 12.9	M27 x 100	Plain (no plating)	27 mm	100 mm	19 mm	40 mm
47621227110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 110	Steel 12.9	M27 x 110	Plain (no plating)	27 mm	110 mm	19 mm	40 mm
47621227120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 120	Steel 12.9	M27 x 120	Plain (no plating)	27 mm	120 mm	19 mm	40 mm
47621227130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 130	Steel 12.9	M27 x 130	Plain (no plating)	27 mm	130 mm	19 mm	40 mm
47621227140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 140	Steel 12.9	M27 x 140	Plain (no plating)	27 mm	140 mm	19 mm	40 mm
47621227160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 160	Steel 12.9	M27 x 160	Plain (no plating)	27 mm	160 mm	19 mm	40 mm
47621227170	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 170	Steel 12.9	M27 x 170	Plain (no plating)	27 mm	170 mm	19 mm	40 mm
47621227180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 180	Steel 12.9	M27 x 180	Plain (no plating)	27 mm	180 mm	19 mm	40 mm
47621227200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 200	Steel 12.9	M27 x 200	Plain (no plating)	27 mm	200 mm	19 mm	40 mm
47621227220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 220	Steel 12.9	M27 x 220	Plain (no plating)	27 mm	220 mm	19 mm	40 mm
47621227240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 240	Steel 12.9	M27 x 240	Plain (no plating)	27 mm	240 mm	19 mm	40 mm
47621227260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 260	Steel 12.9	M27 x 260	Plain (no plating)	27 mm	260 mm	19 mm	40 mm
47621227280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 280	Steel 12.9	M27 x 280	Plain (no plating)	27 mm	280 mm	19 mm	40 mm
47621227300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 300	Steel 12.9	M27 x 300	Plain (no plating)	27 mm	300 mm	19 mm	40 mm
47621227300GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 300	Steel 12.9	M27 x 300	GEOMET 500B	27 mm	300 mm	19 mm	40 mm
47621227380GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 380	Steel 12.9	M27 x 380	GEOMET 500B	27 mm	380 mm	19 mm	40 mm
47621227620	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M27 x 620	Steel 12.9	M27 x 620	Plain (no plating)	27 mm	620 mm	19 mm	40 mm
47621230040	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 40	Steel 12.9	M30 x 40	Plain (no plating)	30 mm	40 mm	22 mm	45 mm
47621230050	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 50	Steel 12.9	M30 x 50	Plain (no plating)	30 mm	50 mm	22 mm	45 mm
47621230055	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 55	Steel 12.9	M30 x 55	Plain (no plating)	30 mm	55 mm	22 mm	45 mm
47621230060	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 60	Steel 12.9	M30 x 60	Plain (no plating)	30 mm	60 mm	22 mm	45 mm
47621230070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 70	Steel 12.9	M30 x 70	Plain (no plating)	30 mm	70 mm	22 mm	45 mm
47621230075	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 75	Steel 12.9	M30 x 75	Plain (no plating)	30 mm	75 mm	22 mm	45 mm
47621230080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 80	Steel 12.9	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
47621230090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 90	Steel 12.9	M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
47621230100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 100	Steel 12.9	M30 x 100	Plain (no plating)	30 mm	100 mm	22 mm	45 mm
47621230110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 110	Steel 12.9	M30 x 110	Plain (no plating)	30 mm	110 mm	22 mm	45 mm
47621230120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 120	Steel 12.9	M30 x 120	Plain (no plating)	30 mm	120 mm	22 mm	45 mm
47621230130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 130	Steel 12.9	M30 x 130	Plain (no plating)	30 mm	130 mm	22 mm	45 mm
47621230140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 140	Steel 12.9	M30 x 140	Plain (no plating)	30 mm	140 mm	22 mm	45 mm
47621230150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 150	Steel 12.9	M30 x 150	Plain (no plating)	30 mm	150 mm	22 mm	45 mm
47621230160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 160	Steel 12.9	M30 x 160	Plain (no plating)	30 mm	160 mm	22 mm	45 mm
47621230180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 180	Steel 12.9	M30 x 180	Plain (no plating)	30 mm	180 mm	22 mm	45 mm
47621230200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 200	Steel 12.9	M30 x 200	Plain (no plating)	30 mm	200 mm	22 mm	45 mm
4762123020090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 2.0 x 90	Steel 12.9	M30 x 2.0 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
47621230220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,							

M30 x 220

Steel 12.9	M30 x 220	Plain (no plating)	30 mm	220 mm	22 mm	45 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621230230	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 230	Steel 12.9	M30 x 230	Plain (no plating)	30 mm	230 mm	22 mm	45 mm
47621230240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 240	Steel 12.9	M30 x 240	Plain (no plating)	30 mm	240 mm	22 mm	45 mm
47621230260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 260	Steel 12.9	M30 x 260	Plain (no plating)	30 mm	260 mm	22 mm	45 mm
47621230280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 280	Steel 12.9	M30 x 280	Plain (no plating)	30 mm	280 mm	22 mm	45 mm
47621230290	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 290	Steel 12.9	M30 x 290	Plain (no plating)	30 mm	290 mm	22 mm	45 mm
47621230300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 300	Steel 12.9	M30 x 300	Plain (no plating)	30 mm	300 mm	22 mm	45 mm
47621230320GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 320	Steel 12.9	M30 x 320	GEOMET 500B	30 mm	320 mm	22 mm	45 mm
47621230370GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 370	Steel 12.9	M30 x 370	GEOMET 500B	30 mm	370 mm	22 mm	45 mm
47621230380	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 380	Steel 12.9	M30 x 380	Plain (no plating)	30 mm	380 mm	22 mm	45 mm
47621230400	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 400	Steel 12.9	M30 x 400	Plain (no plating)	30 mm	400 mm	22 mm	45 mm
47621230420GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 420	Steel 12.9	M30 x 420	GEOMET 500B	30 mm	420 mm	22 mm	45 mm
47621230460GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 460	Steel 12.9	M30 x 460	GEOMET 500B	30 mm	460 mm	22 mm	45 mm
47621230500	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 500	Steel 12.9	M30 x 500	Plain (no plating)	30 mm	500 mm	22 mm	45 mm
47621230500GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M30 x 500	Steel 12.9	M30 x 500	GEOMET 500B	30 mm	500 mm	22 mm	45 mm
47621233070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M33 x 70	Steel 12.9	M33 x 70	Plain (no plating)	33 mm	70 mm	24 mm	50 mm
47621233110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M33 x 110	Steel 12.9	M33 x 110	Plain (no plating)	33 mm	110 mm	24 mm	50 mm
47621233120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M33 x 120	Steel 12.9	M33 x 120	Plain (no plating)	33 mm	120 mm	24 mm	50 mm
47621236080	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 80	Steel 12.9	M36 x 80	Plain (no plating)	36 mm	80 mm	27 mm	54 mm
47621236090	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 90	Steel 12.9	M36 x 90	Plain (no plating)	36 mm	90 mm	27 mm	54 mm
47621236100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 100	Steel 12.9	M36 x 100	Plain (no plating)	36 mm	100 mm	27 mm	54 mm
47621236110	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 110	Steel 12.9	M36 x 110	Plain (no plating)	36 mm	110 mm	27 mm	54 mm
47621236120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 120	Steel 12.9	M36 x 120	Plain (no plating)	36 mm	120 mm	27 mm	54 mm
47621236130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 130	Steel 12.9	M36 x 130	Plain (no plating)	36 mm	130 mm	27 mm	54 mm
47621236140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 140	Steel 12.9	M36 x 140	Plain (no plating)	36 mm	140 mm	27 mm	54 mm
47621236150	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 150	Steel 12.9	M36 x 150	Plain (no plating)	36 mm	150 mm	27 mm	54 mm
47621236160	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 160	Steel 12.9	M36 x 160	Plain (no plating)	36 mm	160 mm	27 mm	54 mm
47621236180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 180	Steel 12.9	M36 x 180	Plain (no plating)	36 mm	180 mm	27 mm	54 mm
47621236200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 200	Steel 12.9	M36 x 200	Plain (no plating)	36 mm	200 mm	27 mm	54 mm
47621236220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 220	Steel 12.9	M36 x 220	Plain (no plating)	36 mm	220 mm	27 mm	54 mm
47621236240	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 240	Steel 12.9	M36 x 240	Plain (no plating)	36 mm	240 mm	27 mm	54 mm
47621236250	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 250	Steel 12.9	M36 x 250	Plain (no plating)	36 mm	250 mm	27 mm	54 mm
47621236260	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 260	Steel 12.9	M36 x 260	Plain (no plating)	36 mm	260 mm	27 mm	54 mm
47621236280	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 280	Steel 12.9	M36 x 280	Plain (no plating)	36 mm	280 mm	27 mm	54 mm
47621236300	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 300	Steel 12.9	M36 x 300	Plain (no plating)	36 mm	300 mm	27 mm	54 mm
47621236320	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 320	Steel 12.9	M36 x 320	Plain (no plating)	36 mm	320 mm	27 mm	54 mm
47621236360	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 360	Steel 12.9	M36 x 360	Plain (no plating)	36 mm	360 mm	27 mm	54 mm
47621236380	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M36 x 380	Steel 12.9	M36 x 380	Plain (no plating)	36 mm	380 mm	27 mm	54 mm
47621242100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 100	Steel 12.9	M42 x 100	Plain (no plating)	42 mm	100 mm	32 mm	63 mm
47621242120	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 120	Steel 12.9	M42 x 120	Plain (no plating)	42 mm	120 mm	32 mm	63 mm
47621242125	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 125	Steel 12.9	M42 x 125	Plain (no plating)	42 mm	125 mm	32 mm	63 mm
47621242130	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 130	Steel 12.9	M42 x 130	Plain (no plating)	42 mm	130 mm	32 mm	63 mm
47621242140	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 140	Steel 12.9	M42 x 140	Plain (no plating)	42 mm	140 mm	32 mm	63 mm
47621242155	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 155	Steel 12.9	M42 x 155	Plain (no plating)	42 mm	155 mm	32 mm	63 mm
47621242180	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 180	Steel 12.9	M42 x 180	Plain (no plating)	42 mm	180 mm	32 mm	63 mm
47621242220	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 220	Steel 12.9	M42 x 220	Plain (no plating)	42 mm	220 mm	32 mm	63 mm
47621242260GEO5								

00B

ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9,

M42 x 260

Steel 12.9	M42 x 260	GEOMET 500B	42 mm	260 mm	32 mm	63 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47621242400	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 400	Steel 12.9	M42 x 400	Plain (no plating)	42 mm	400 mm	32 mm	63 mm
47621242400GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 400	Steel 12.9	M42 x 400	GEOMET 500B	42 mm	400 mm	32 mm	63 mm
47621242460	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M42 x 460	Steel 12.9	M42 x 460	Plain (no plating)	42 mm	460 mm	32 mm	63 mm
47621248100	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M48 x 100	Steel 12.9	M48 x 100	Plain (no plating)	48 mm	100 mm	36 mm	72 mm
47621248200	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M48 x 200	Steel 12.9	M48 x 200	Plain (no plating)	48 mm	200 mm	36 mm	72 mm
47621248200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M48 x 200	Steel 12.9	M48 x 200/200	Plain (no plating)	48 mm	200 mm	36 mm	72 mm
47621248450	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M48 x 450	Steel 12.9	M48 x 450	Plain (no plating)	48 mm	450 mm	36 mm	72 mm
476212L1015040TL15	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M10 x 40/15	Steel 12.9	M10 x 40/15	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
47621454705035	ISO 4762 Socket Head Screw with Hex Drive, Stainless EN 1.4547	Stainless EN 1.4547	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
47621454712020	ISO 4762 Socket Head Screw with Hex Drive, Stainless EN 1.4547	Stainless EN 1.4547	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
47621454712035	ISO 4762 Socket Head Screw with Hex Drive, Stainless EN 1.4547	Stainless EN 1.4547	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
47621454712040	ISO 4762 Socket Head Screw with Hex Drive, Stainless EN 1.4547	Stainless EN 1.4547	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
47628016016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M1.6 x 16	Steel 8.8	M1.6 x 16	Plain (no plating)	1.6 mm	16 mm	1.5 mm	3 mm
47628020051	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M2 x 5 Zi	Steel 8.8	M2 x 5	Zinc Bright Passivation Fe/Zn P1	2 mm	5 mm	1.5 mm	3.8 mm
4762802008	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M2 x 8 Pl	Steel 8.8	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
47628020101SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M2 x 10 S	Steel 8.8	M2 x 10	Zinc Bright Passivation Fe/Zn P1	2 mm	10 mm	1.5 mm	3.8 mm
476280250061	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M2.5 x 6	Steel 8.8	M2.5 x 6	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm	2 mm	4.5 mm
476280250161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M2.5 x 16	Steel 8.8	M2.5 x 16	Zinc Bright Passivation Fe/Zn P1	2.5 mm	16 mm	2 mm	4.5 mm
47628025161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M2.5 x 16	Steel 8.8	M2.5 x 16	Zinc Bright Passivation Fe/Zn P1	2.5 mm	16 mm	2 mm	4.5 mm
4762803004	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 4	Steel 8.8	M3 x 4	Plain (no plating)	3 mm	4 mm	2.5 mm	5.5 mm
47628030041	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 4 Pl	Steel 8.8	M3 x 4	Zinc Bright Passivation Fe/Zn P1	3 mm	4 mm	2.5 mm	5.5 mm
4762803005	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 4 Zi	Steel 8.8	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
47628030051	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 5 Pl	Steel 8.8	M3 x 5	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm	2.5 mm	5.5 mm
4762803006	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 5 Zi	Steel 8.8	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
47628030061	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 6 Pl	Steel 8.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2.5 mm	5.5 mm
47628030061SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 6 Zi	Steel 8.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2.5 mm	5.5 mm
47628030061W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 6 SS	Steel 8.8	M3 x 6	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm	2.5 mm	5.5 mm
4762803008	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 6 Gl	Steel 8.8	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
47628030081	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 8 Pl	Steel 8.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
47628030081I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 8 Zi	Steel 8.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
47628030081SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 8 Zi	Steel 8.8	M3 x 8	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm	2.5 mm	5.5 mm
4762803010	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 8 SS	Steel 8.8	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
47628030101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 10 P	Steel 8.8	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	2.5 mm	5.5 mm
47628030101SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 10 Z	Steel 8.8	M3 x 10	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm	2.5 mm	5.5 mm
4762803012	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 10 S	Steel 8.8	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
47628030121	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 12 P	Steel 8.8	M3 x 12	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm	2.5 mm	5.5 mm
4762803014	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 12 Z	Steel 8.8	M3 x 14	Plain (no plating)	3 mm	14 mm	2.5 mm	5.5 mm
47628030141	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 14 P	Steel 8.8	M3 x 14	Zinc Bright Passivation Fe/Zn P1	3 mm	14 mm	2.5 mm	5.5 mm
4762803016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 14 Z	Steel 8.8	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
47628030161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 16 P	Steel 8.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2.5 mm	5.5 mm
47628030161DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 16 Z	Steel 8.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2.5 mm	5.5 mm
47628030161SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 16 Z	Steel 8.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2.5 mm	5.5 mm
47628030161SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 16 S	Steel 8.8	M3 x 16	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm	2.5 mm	5.5 mm
4762803018	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 16 S	Steel 8.8	M3 x 18	Plain (no plating)	3 mm	18 mm	2.5 mm	5.5 mm
47628030181	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 18 P	Steel 8.8	M3 x 18	Zinc Bright Passivation Fe/Zn P1	3 mm	18 mm	2.5 mm	5.5 mm
4762803020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 18 Z							

M3 x 20, P

Steel 8.8	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628030201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 20, Z	Steel 8.8	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2.5 mm	5.5 mm
47628030201SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 20, S	Steel 8.8	M3 x 20	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm	2.5 mm	5.5 mm
4762803022	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 22, P	Steel 8.8	M3 x 22	Plain (no plating)	3 mm	22 mm	2.5 mm	5.5 mm
47628030221	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 22, Z	Steel 8.8	M3 x 22	Zinc Bright Passivation Fe/Zn P1	3 mm	22 mm	2.5 mm	5.5 mm
4762803025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 25, P	Steel 8.8	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
47628030251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 25, Z	Steel 8.8	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2.5 mm	5.5 mm
47628030251FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 25/25	Steel 8.8	M3 x 25/25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2.5 mm	5.5 mm
47628030251SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 25, S	Steel 8.8	M3 x 25	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm	2.5 mm	5.5 mm
4762803030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 30, P	Steel 8.8	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
47628030301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 30, Z	Steel 8.8	M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm	2.5 mm	5.5 mm
47628030301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 30, S	Steel 8.8	M3 x 30	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm	2.5 mm	5.5 mm
4762803035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 35, P	Steel 8.8	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
47628030351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 35, Z	Steel 8.8	M3 x 35	Zinc Bright Passivation Fe/Zn P1	3 mm	35 mm	2.5 mm	5.5 mm
4762803040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 40, P	Steel 8.8	M3 x 40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
47628030401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 40, Z	Steel 8.8	M3 x 40	Zinc Bright Passivation Fe/Zn P1	3 mm	40 mm	2.5 mm	5.5 mm
4762803045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 45, P	Steel 8.8	M3 x 45	Plain (no plating)	3 mm	45 mm	2.5 mm	5.5 mm
47628030451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 45, Z	Steel 8.8	M3 x 45	Zinc Bright Passivation Fe/Zn P1	3 mm	45 mm	2.5 mm	5.5 mm
4762803050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 50, P	Steel 8.8	M3 x 50	Plain (no plating)	3 mm	50 mm	2.5 mm	5.5 mm
47628030501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 50, Z	Steel 8.8	M3 x 50	Zinc Bright Passivation Fe/Zn P1	3 mm	50 mm	2.5 mm	5.5 mm
4762803055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 55, P	Steel 8.8	M3 x 55	Plain (no plating)	3 mm	55 mm	2.5 mm	5.5 mm
4762803060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 60, P	Steel 8.8	M3 x 60	Plain (no plating)	3 mm	60 mm	2.5 mm	5.5 mm
47628030601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 60, Z	Steel 8.8	M3 x 60	Zinc Bright Passivation Fe/Zn P1	3 mm	60 mm	2.5 mm	5.5 mm
47628030701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 70, Z	Steel 8.8	M3 x 70	Zinc Bright Passivation Fe/Zn P1	3 mm	70 mm	2.5 mm	5.5 mm
47628030801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M3 x 80, Z	Steel 8.8	M3 x 80	Zinc Bright Passivation Fe/Zn P1	3 mm	80 mm	2.5 mm	5.5 mm
4762804004	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 4, Pl	Steel 8.8	M4 x 4	Plain (no plating)	4 mm	4 mm	3 mm	7 mm
47628040041	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 4, Zi	Steel 8.8	M4 x 4	Zinc Bright Passivation Fe/Zn P1	4 mm	4 mm	3 mm	7 mm
47628040051	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 5, Zi	Steel 8.8	M4 x 5	Zinc Bright Passivation Fe/Zn P1	4 mm	5 mm	3 mm	7 mm
4762804006	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 6, Pl	Steel 8.8	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
47628040061	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 6, Zi	Steel 8.8	M4 x 6	Zinc Bright Passivation Fe/Zn P1	4 mm	6 mm	3 mm	7 mm
4762804008	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 8, Pl	Steel 8.8	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
47628040081	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 8, Zi	Steel 8.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	3 mm	7 mm
47628040081SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 8, SS	Steel 8.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	3 mm	7 mm
47628040081SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 8, SS	Steel 8.8	M4 x 8	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm	3 mm	7 mm
4762804010	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 10, P	Steel 8.8	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
47628040101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 10, Z	Steel 8.8	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
47628040101DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 10, Z	Steel 8.8	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
47628040101SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 10, S	Steel 8.8	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
47628040101SST144	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 10, S	Steel 8.8	M4 x 10	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm	3 mm	7 mm
4762804012	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 12, P	Steel 8.8	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
47628040121	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 12, Z	Steel 8.8	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
47628040121SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 12, S	Steel 8.8	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
47628040121SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 12, S	Steel 8.8	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
47628040121SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 12, S	Steel 8.8	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
4762804014	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 14, P	Steel 8.8	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
47628040141	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 14, Z	Steel 8.8	M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm	3 mm	7 mm
47628040141SST07								

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M4 x 14, S

Steel 8.8	M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm	3 mm	7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762804014ZIG	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 14 K	Steel 8.8	M4 x 14	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm	3 mm	7 mm
4762804016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 16 P	Steel 8.8	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
47628040161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 16 Z	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
47628040161DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 16 Z	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
47628040161SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 16 S	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
47628040161SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 16 S	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
47628040161SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 16 S	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
47628040161SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 16 S	Steel 8.8	M4 x 16	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm	3 mm	7 mm
4762804018	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 18 P	Steel 8.8	M4 x 18	Plain (no plating)	4 mm	18 mm	3 mm	7 mm
47628040181	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 18 Z	Steel 8.8	M4 x 18	Zinc Bright Passivation Fe/Zn P1	4 mm	18 mm	3 mm	7 mm
4762804020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 20 P	Steel 8.8	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
47628040201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 20 Z	Steel 8.8	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	3 mm	7 mm
47628040201SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 20 S	Steel 8.8	M4 x 20	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm	3 mm	7 mm
47628040221	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 22 Z	Steel 8.8	M4 x 22	Zinc Bright Passivation Fe/Zn P1	4 mm	22 mm	3 mm	7 mm
4762804025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 25 P	Steel 8.8	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
47628040251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 25 Z	Steel 8.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
47628040251FL	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 25 Z	Steel 8.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
47628040251SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 25 S	Steel 8.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
47628040251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 25 S	Steel 8.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
47628040251SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 25 S	Steel 8.8	M4 x 25	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm	3 mm	7 mm
4762804030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 30 P	Steel 8.8	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
47628040301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 30 P	Steel 8.8	M4 x 30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	3 mm	7 mm
47628040301FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 30 Z	Steel 8.8	M4 x 30/30	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm	3 mm	7 mm
47628040321	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 30/30	Steel 8.8	M4 x 32	Zinc Bright Passivation Fe/Zn P1	4 mm	32 mm	3 mm	7 mm
4762804035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 32 Z	Steel 8.8	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
47628040351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 35 P	Steel 8.8	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm	3 mm	7 mm
47628040351DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 35 Z	Steel 8.8	M4 x 35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm	3 mm	7 mm
47628040351FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 35 Z	Steel 8.8	M4 x 35/35	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm	3 mm	7 mm
47628040371TL14	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 35/35	Steel 8.8	M4 x 37/14	Zinc Bright Passivation Fe/Zn P1	4 mm	37 mm	3 mm	7 mm
4762804040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 37/14	Steel 8.8	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
47628040401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 40 P	Steel 8.8	M4 x 40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	3 mm	7 mm
47628040401FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 40 Z	Steel 8.8	M4 x 40/40	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm	3 mm	7 mm
4762804045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 40/40	Steel 8.8	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
47628040451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 45 P	Steel 8.8	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm	3 mm	7 mm
47628040451FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 45 Z	Steel 8.8	M4 x 45/45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm	3 mm	7 mm
47628040451SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 45/45	Steel 8.8	M4 x 45	Zinc Bright Passivation Fe/Zn P1	4 mm	45 mm	3 mm	7 mm
4762804050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 45 S	Steel 8.8	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
47628040501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 50 P	Steel 8.8	M4 x 50	Zinc Bright Passivation Fe/Zn P1	4 mm	50 mm	3 mm	7 mm
4762804055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 50 Z	Steel 8.8	M4 x 55	Plain (no plating)	4 mm	55 mm	3 mm	7 mm
47628040551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 55 P	Steel 8.8	M4 x 55	Zinc Bright Passivation Fe/Zn P1	4 mm	55 mm	3 mm	7 mm
4762804060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 55 Z	Steel 8.8	M4 x 60	Plain (no plating)	4 mm	60 mm	3 mm	7 mm
47628040601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 60 P	Steel 8.8	M4 x 60	Zinc Bright Passivation Fe/Zn P1	4 mm	60 mm	3 mm	7 mm
4762804065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 60 Z	Steel 8.8	M4 x 65	Plain (no plating)	4 mm	65 mm	3 mm	7 mm
47628040651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 65 P	Steel 8.8	M4 x 65	Zinc Bright Passivation Fe/Zn P1	4 mm	65 mm	3 mm	7 mm
4762804070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 65 Z	Steel 8.8	M4 x 70	Plain (no plating)	4 mm	70 mm	3 mm	7 mm
47628040701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 70 P							

M4 x 70, Z

Steel 8.8	M4 x 70	Zinc Bright Passivation Fe/Zn P1	4 mm	70 mm	3 mm	7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628040751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 75 Zi	Steel 8.8	M4 x 75	Zinc Bright Passivation Fe/Zn P1	4 mm	75 mm	3 mm	7 mm
4762804080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 80 Pl	Steel 8.8	M4 x 80	Plain (no plating)	4 mm	80 mm	3 mm	7 mm
47628040801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 80 Zi	Steel 8.8	M4 x 80	Zinc Bright Passivation Fe/Zn P1	4 mm	80 mm	3 mm	7 mm
47628040851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 85 Zi	Steel 8.8	M4 x 85	Zinc Bright Passivation Fe/Zn P1	4 mm	85 mm	3 mm	7 mm
4762804090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 90 Pl	Steel 8.8	M4 x 90	Plain (no plating)	4 mm	90 mm	3 mm	7 mm
47628040901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 90 Zi	Steel 8.8	M4 x 90	Zinc Bright Passivation Fe/Zn P1	4 mm	90 mm	3 mm	7 mm
4762804100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 100 Pl	Steel 8.8	M4 x 100	Plain (no plating)	4 mm	100 mm	3 mm	7 mm
47628041001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 100 Zi	Steel 8.8	M4 x 100	Zinc Bright Passivation Fe/Zn P1	4 mm	100 mm	3 mm	7 mm
47628041101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 110 Zi	Steel 8.8	M4 x 110	Zinc Bright Passivation Fe/Zn P1	4 mm	110 mm	3 mm	7 mm
4762804120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 120 Pl	Steel 8.8	M4 x 120	Plain (no plating)	4 mm	120 mm	3 mm	7 mm
47628041201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 120 Zi	Steel 8.8	M4 x 120	Zinc Bright Passivation Fe/Zn P1	4 mm	120 mm	3 mm	7 mm
47628041251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 125 Zi	Steel 8.8	M4 x 125	Zinc Bright Passivation Fe/Zn P1	4 mm	125 mm	3 mm	7 mm
47628041601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M4 x 160 Zi	Steel 8.8	M4 x 160	Zinc Bright Passivation Fe/Zn P1	4 mm	160 mm	3 mm	7 mm
47628050014	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 14 Pl	Steel 8.8	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
47628050051	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 5 Zi	Steel 8.8	M5 x 5	Zinc Bright Passivation Fe/Zn P1	5 mm	5 mm	4 mm	8.5 mm
4762805006	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 6 Pl	Steel 8.8	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
47628050061	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 6 Zi	Steel 8.8	M5 x 6	Zinc Bright Passivation Fe/Zn P1	5 mm	6 mm	4 mm	8.5 mm
4762805008	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 8 Pl	Steel 8.8	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
47628050081	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 8 Zi	Steel 8.8	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	4 mm	8.5 mm
47628050081SST20	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 8 SS	Steel 8.8	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	4 mm	8.5 mm
47628050081UR	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 8 Kn	Steel 8.8	M5 x 8	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm	4 mm	8.5 mm
4762805010	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 10 Pl	Steel 8.8	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
47628050101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 10 Zi	Steel 8.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	4 mm	8.5 mm
47628050101SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 10 S	Steel 8.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	4 mm	8.5 mm
47628050101SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 10 S	Steel 8.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	4 mm	8.5 mm
47628050101TB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 10 K	Steel 8.8	M5 x 10	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm	4 mm	8.5 mm
4762805012	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 12 Pl	Steel 8.8	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
47628050121	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 12 Zi	Steel 8.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	4 mm	8.5 mm
47628050121I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 12 Zi	Steel 8.8	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
47628050121SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 12 Pl	Steel 8.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	4 mm	8.5 mm
47628050121SST144	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 12 S	Steel 8.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	4 mm	8.5 mm
47628050121SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 12 S	Steel 8.8	M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	4 mm	8.5 mm
4762805014	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 14 Pl	Steel 8.8	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
47628050141	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 14 Zi	Steel 8.8	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	4 mm	8.5 mm
47628050141FL	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 14 Zi	Steel 8.8	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	4 mm	8.5 mm
47628050141UR	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 14 K	Steel 8.8	M5 x 14	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm	4 mm	8.5 mm
47628050151SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 15 S	Steel 8.8	M5 x 15	Zinc Bright Passivation Fe/Zn P1	5 mm	15 mm	4 mm	8.5 mm
4762805016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 16 Pl	Steel 8.8	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
47628050161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 16 Zi	Steel 8.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
47628050161KNURL	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 16 Zi	Steel 8.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
47628050161SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 16 K	Steel 8.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
47628050161SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 16 S	Steel 8.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
47628050161WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 16 S	Steel 8.8	M5 x 16	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm	4 mm	8.5 mm
4762805018	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 16 G	Steel 8.8	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
47628050181	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 18 Pl	Steel 8.8	M5 x 18	Zinc Bright Passivation Fe/Zn P1	5 mm	18 mm	4 mm	8.5 mm
4762805018I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 18 Zi							

M5 x 18, P

Steel 8.8	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762805020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 20	Steel 8.8	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
47628050201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 20-P	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
47628050201PRE30	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 20-Z	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
47628050201SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 20-Z	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
47628050201WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 20-S	Steel 8.8	M5 x 20	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm	4 mm	8.5 mm
4762805022	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 20-G	Steel 8.8	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm
47628050221	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 22-P	Steel 8.8	M5 x 22	Zinc Bright Passivation Fe/Zn P1	5 mm	22 mm	4 mm	8.5 mm
4762805025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 22-Z	Steel 8.8	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
47628050251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 25-P	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	4 mm	8.5 mm
47628050251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 25-Z	Steel 8.8	M5 x 25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	4 mm	8.5 mm
47628050251SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 25-S	Steel 8.8	M5 x 25/25	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm	4 mm	8.5 mm
4762805030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 25/25	Steel 8.8	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
47628050301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 30-P	Steel 8.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
47628050301FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 30-Z	Steel 8.8	M5 x 30/30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
47628050301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 30/30	Steel 8.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
47628050301SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 30-S	Steel 8.8	M5 x 30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
47628050301SST200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 30-S	Steel 8.8	M5 x 30/30	Zinc Bright Passivation Fe/Zn P1	5 mm	30 mm	4 mm	8.5 mm
4762805030FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 30/30	Steel 8.8	M5 x 30/30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762805035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 30/30	Steel 8.8	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
47628050351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 35-P	Steel 8.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	4 mm	8.5 mm
47628050351SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 35-Z	Steel 8.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	4 mm	8.5 mm
47628050351SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 35-S	Steel 8.8	M5 x 35	Zinc Bright Passivation Fe/Zn P1	5 mm	35 mm	4 mm	8.5 mm
4762805035FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 35-S	Steel 8.8	M5 x 35/35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762805040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 35/35	Steel 8.8	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
47628050401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 40-P	Steel 8.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	4 mm	8.5 mm
47628050401FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 40-Z	Steel 8.8	M5 x 40/40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	4 mm	8.5 mm
47628050401SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 40/40	Steel 8.8	M5 x 40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	4 mm	8.5 mm
47628050401SST200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 40-S	Steel 8.8	M5 x 40/40	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm	4 mm	8.5 mm
4762805040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 40/40	Steel 8.8	M5 x 40/40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762805045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 40/40	Steel 8.8	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
47628050451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 45-P	Steel 8.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	4 mm	8.5 mm
47628050451FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 45-Z	Steel 8.8	M5 x 45/45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	4 mm	8.5 mm
47628050451SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 45/45	Steel 8.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	4 mm	8.5 mm
47628050451SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 45-S	Steel 8.8	M5 x 45	Zinc Bright Passivation Fe/Zn P1	5 mm	45 mm	4 mm	8.5 mm
4762805050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 45-S	Steel 8.8	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
47628050501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 50-P	Steel 8.8	M5 x 50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	4 mm	8.5 mm
47628050501FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 50-Z	Steel 8.8	M5 x 50/50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	4 mm	8.5 mm
47628050501SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 50/50	Steel 8.8	M5 x 50/50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	4 mm	8.5 mm
47628050501SST200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 50-S	Steel 8.8	M5 x 50/50	Zinc Bright Passivation Fe/Zn P1	5 mm	50 mm	4 mm	8.5 mm
4762805050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 50/50	Steel 8.8	M5 x 50/50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762805055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 50/50	Steel 8.8	M5 x 55	Plain (no plating)	5 mm	55 mm	4 mm	8.5 mm
47628050551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 55-P	Steel 8.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	4 mm	8.5 mm
47628050551SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 55-Z	Steel 8.8	M5 x 55	Zinc Bright Passivation Fe/Zn P1	5 mm	55 mm	4 mm	8.5 mm
4762805060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 55-S	Steel 8.8	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
47628050601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 60-P	Steel 8.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	4 mm	8.5 mm
47628050601FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 60-Z	Steel 8.8	M5 x 60/60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	4 mm	8.5 mm
47628050601SST07	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 60/60							

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M5 x 60, S

Steel 8.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	4 mm	8.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628050601SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 60, S	Steel 8.8	M5 x 60	Zinc Bright Passivation Fe/Zn P1	5 mm	60 mm	4 mm	8.5 mm
4762805065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 65, P	Steel 8.8	M5 x 65	Plain (no plating)	5 mm	65 mm	4 mm	8.5 mm
47628050651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 65, Z	Steel 8.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm	4 mm	8.5 mm
47628050651SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 65, S	Steel 8.8	M5 x 65	Zinc Bright Passivation Fe/Zn P1	5 mm	65 mm	4 mm	8.5 mm
4762805070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 70, P	Steel 8.8	M5 x 70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
47628050701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 70, Z	Steel 8.8	M5 x 70	Zinc Bright Passivation Fe/Zn P1	5 mm	70 mm	4 mm	8.5 mm
4762805075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 75, P	Steel 8.8	M5 x 75	Plain (no plating)	5 mm	75 mm	4 mm	8.5 mm
47628050751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 75, Z	Steel 8.8	M5 x 75	Zinc Bright Passivation Fe/Zn P1	5 mm	75 mm	4 mm	8.5 mm
47628050751SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 75, S	Steel 8.8	M5 x 75	Zinc Bright Passivation Fe/Zn P1	5 mm	75 mm	4 mm	8.5 mm
4762805080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 80, P	Steel 8.8	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
47628050801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 80, Z	Steel 8.8	M5 x 80	Zinc Bright Passivation Fe/Zn P1	5 mm	80 mm	4 mm	8.5 mm
4762805080I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 80, P	Steel 8.8	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
47628050851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 85, Z	Steel 8.8	M5 x 85	Zinc Bright Passivation Fe/Zn P1	5 mm	85 mm	4 mm	8.5 mm
4762805090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 90, P	Steel 8.8	M5 x 90	Plain (no plating)	5 mm	90 mm	4 mm	8.5 mm
47628050901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 90, Z	Steel 8.8	M5 x 90	Zinc Bright Passivation Fe/Zn P1	5 mm	90 mm	4 mm	8.5 mm
4762805100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 100, P	Steel 8.8	M5 x 100	Plain (no plating)	5 mm	100 mm	4 mm	8.5 mm
47628051001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 100, Z	Steel 8.8	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm	4 mm	8.5 mm
47628051001SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 100, S	Steel 8.8	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm	4 mm	8.5 mm
47628051001SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 100, S	Steel 8.8	M5 x 100	Zinc Bright Passivation Fe/Zn P1	5 mm	100 mm	4 mm	8.5 mm
4762805110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 110, P	Steel 8.8	M5 x 110	Plain (no plating)	5 mm	110 mm	4 mm	8.5 mm
47628051101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 110, Z	Steel 8.8	M5 x 110	Zinc Bright Passivation Fe/Zn P1	5 mm	110 mm	4 mm	8.5 mm
47628051101SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 110, S	Steel 8.8	M5 x 110	Zinc Bright Passivation Fe/Zn P1	5 mm	110 mm	4 mm	8.5 mm
4762805115	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 115, P	Steel 8.8	M5 x 115	Plain (no plating)	5 mm	115 mm	4 mm	8.5 mm
47628051151	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 115, Z	Steel 8.8	M5 x 115	Zinc Bright Passivation Fe/Zn P1	5 mm	115 mm	4 mm	8.5 mm
47628051201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 120, Z	Steel 8.8	M5 x 120	Zinc Bright Passivation Fe/Zn P1	5 mm	120 mm	4 mm	8.5 mm
4762805130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 130, P	Steel 8.8	M5 x 130	Plain (no plating)	5 mm	130 mm	4 mm	8.5 mm
47628051301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 130, Z	Steel 8.8	M5 x 130	Zinc Bright Passivation Fe/Zn P1	5 mm	130 mm	4 mm	8.5 mm
47628051401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 140, Z	Steel 8.8	M5 x 140	Zinc Bright Passivation Fe/Zn P1	5 mm	140 mm	4 mm	8.5 mm
47628051501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 150, Z	Steel 8.8	M5 x 150	Zinc Bright Passivation Fe/Zn P1	5 mm	150 mm	4 mm	8.5 mm
4762805160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 160, P	Steel 8.8	M5 x 160	Plain (no plating)	5 mm	160 mm	4 mm	8.5 mm
47628051601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 160, Z	Steel 8.8	M5 x 160	Zinc Bright Passivation Fe/Zn P1	5 mm	160 mm	4 mm	8.5 mm
47628051701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 170, Z	Steel 8.8	M5 x 170	Zinc Bright Passivation Fe/Zn P1	5 mm	170 mm	4 mm	8.5 mm
4762805200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 200, P	Steel 8.8	M5 x 200	Plain (no plating)	5 mm	200 mm	4 mm	8.5 mm
47628052001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M5 x 200, Z	Steel 8.8	M5 x 200	Zinc Bright Passivation Fe/Zn P1	5 mm	200 mm	4 mm	8.5 mm
47628060061	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 6, Zi	Steel 8.8	M6 x 6	Zinc Bright Passivation Fe/Zn P1	6 mm	6 mm	5 mm	10 mm
4762806008	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 8, Pl	Steel 8.8	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
47628060081	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 8, Zi	Steel 8.8	M6 x 8	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	5 mm	10 mm
4762806010	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 10, P	Steel 8.8	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
47628060101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 10, Z	Steel 8.8	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	5 mm	10 mm
47628060101SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 10, S	Steel 8.8	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	5 mm	10 mm
47628060101SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 10, S	Steel 8.8	M6 x 10	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm	5 mm	10 mm
4762806012	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 12, P	Steel 8.8	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
47628060121	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 12, Z	Steel 8.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	5 mm	10 mm
47628060121FTKH	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 12, K	Steel 8.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	5 mm	10 mm
47628060121SST09								

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M6 x 12, S

Steel 8.8	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	5 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762806012I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 12, P	Steel 8.8	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762806014	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 14, P	Steel 8.8	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
47628060141	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 14, Z	Steel 8.8	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	5 mm	10 mm
47628060141SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 14, S	Steel 8.8	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	5 mm	10 mm
47628060141SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 14, S	Steel 8.8	M6 x 14	Zinc Bright Passivation Fe/Zn P1	6 mm	14 mm	5 mm	10 mm
4762806016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, P	Steel 8.8	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
47628060161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, Z	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, Z	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, Z	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, S	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161SST096CV	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, S	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, S	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161T	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, Z	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, G	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060161WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, G	Steel 8.8	M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	5 mm	10 mm
47628060162	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, H	Steel 8.8	M6 x 16	HOT DIP GALVANIZED ISO FIT	6 mm	16 mm	5 mm	10 mm
4762806016GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, Z	Steel 8.8	M6 x 16	GEOMET 500A	6 mm	16 mm	5 mm	10 mm
4762806016I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 16, P	Steel 8.8	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762806018	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 18, P	Steel 8.8	M6 x 18	Plain (no plating)	6 mm	18 mm	5 mm	10 mm
47628060181	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 18, Z	Steel 8.8	M6 x 18	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm	5 mm	10 mm
47628060181SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 18, S	Steel 8.8	M6 x 18	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm	5 mm	10 mm
4762806018GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 18, Z	Steel 8.8	M6 x 18	GEOMET 500B	6 mm	18 mm	5 mm	10 mm
4762806020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 20, P	Steel 8.8	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
47628060201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 20, Z	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
47628060201SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 20, S	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
47628060201SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 20, S	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
47628060201W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 20, G	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
47628060201WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 20, G	Steel 8.8	M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	5 mm	10 mm
4762806020I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 20, P	Steel 8.8	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762806022	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 22, P	Steel 8.8	M6 x 22	Plain (no plating)	6 mm	22 mm	5 mm	10 mm
47628060221	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 22, Z	Steel 8.8	M6 x 22	Zinc Bright Passivation Fe/Zn P1	6 mm	22 mm	5 mm	10 mm
47628060221SST096W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 22, S	Steel 8.8	M6 x 22	Zinc Bright Passivation Fe/Zn P1	6 mm	22 mm	5 mm	10 mm
4762806022GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 22, Z	Steel 8.8	M6 x 22	GEOMET 500B	6 mm	22 mm	5 mm	10 mm
4762806025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, P	Steel 8.8	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
47628060251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, Z	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
47628060251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, S	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
47628060251SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, S	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
47628060251WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, G	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
4762806025I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, P	Steel 8.8	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762806025R	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, P	Steel 8.8	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762806025SER	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 25, Z	Steel 8.8	M6 x 25	Zinc Bright Passivation Fe/Zn P1	6 mm	25 mm	5 mm	10 mm
4762806028	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 28, P	Steel 8.8	M6 x 28	Plain (no plating)	6 mm	28 mm	5 mm	10 mm
476280602801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 280	Steel 8.8	M6 x 280	Zinc Bright Passivation Fe/Zn P1	6 mm	280 mm	5 mm	10 mm
4762806030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 30, P	Steel 8.8	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
47628060301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 30, Z	Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	5 mm	10 mm
47628060301SST20								

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M6 x 30, S

Steel 8.8	M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	5 mm	10 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762806030GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 30 Z	Steel 8.8	M6 x 30	GEOMET 500A	6 mm	30 mm	5 mm	10 mm
4762806030I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 30 P	Steel 8.8	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762806035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 35 P	Steel 8.8	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
47628060351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 35 Z	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47628060351FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 35/35	Steel 8.8	M6 x 35/35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47628060351SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 35 S	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47628060351SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 35 S	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47628060351SST200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 35/35	Steel 8.8	M6 x 35/35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47628060351WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 35 G	Steel 8.8	M6 x 35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
47628060361	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 36.5	Steel 8.8	M6 x 36.5	Zinc Bright Passivation Fe/Zn P1	6 mm	36.5 mm	5 mm	10 mm
4762806040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40 P	Steel 8.8	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
47628060401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40 P	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm
47628060401FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40 Z	Steel 8.8	M6 x 40/40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm
47628060401SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40/40	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm
47628060401SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40 S	Steel 8.8	M6 x 40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm
47628060401SST200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40 S	Steel 8.8	M6 x 40/40	Zinc Bright Passivation Fe/Zn P1	6 mm	40 mm	5 mm	10 mm
4762806040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40/40	Steel 8.8	M6 x 40/40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762806040I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40/40	Steel 8.8	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762806045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 40 P	Steel 8.8	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
47628060451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45 P	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
47628060451DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45 Z	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
47628060451FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45 Z	Steel 8.8	M6 x 45/45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
47628060451SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45/45	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
47628060451SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45 S	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
47628060451WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45 S	Steel 8.8	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
4762806050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 45 G	Steel 8.8	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
47628060501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 50 P	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
47628060501FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 50 Z	Steel 8.8	M6 x 50/50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
47628060501SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 50 S	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
47628060501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 50 S	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
47628060501SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 50 S	Steel 8.8	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm
4762806050GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 50 Z	Steel 8.8	M6 x 50	GEOMET 500B	6 mm	50 mm	5 mm	10 mm
4762806050I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 50 P	Steel 8.8	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762806055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 55 P	Steel 8.8	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
47628060551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 55 P	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	5 mm	10 mm
47628060551FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 55 Z	Steel 8.8	M6 x 55/55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	5 mm	10 mm
47628060551SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 55/55	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	5 mm	10 mm
47628060551SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 55 S	Steel 8.8	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	5 mm	10 mm
4762806055I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 55 S	Steel 8.8	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
4762806060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 55 P	Steel 8.8	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
47628060601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 60 P	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
47628060601FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 60 Z	Steel 8.8	M6 x 60/60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
47628060601LT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 60/60	Steel 8.8	M6 x 60/60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
47628060601SST048	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 60/60	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
47628060601SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 60 S	Steel 8.8	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
4762806060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 60 S							

M6 x 60/60

Steel 8.8	M6 x 60/60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762806065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 65 P	Steel 8.8	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
47628060651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 65 Z	Steel 8.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	5 mm	10 mm
47628060651FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 65/65	Steel 8.8	M6 x 65/65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	5 mm	10 mm
47628060651SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 65 S	Steel 8.8	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	5 mm	10 mm
4762806070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 70 P	Steel 8.8	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
47628060701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 70 Z	Steel 8.8	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	5 mm	10 mm
47628060701FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 70/70	Steel 8.8	M6 x 70/70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	5 mm	10 mm
4762806075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 75 P	Steel 8.8	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
47628060751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 75 Z	Steel 8.8	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm	5 mm	10 mm
47628060751SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 75 S	Steel 8.8	M6 x 75	Zinc Bright Passivation Fe/Zn P1	6 mm	75 mm	5 mm	10 mm
4762806075GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 75 Z	Steel 8.8	M6 x 75	GEOMET 500B	6 mm	75 mm	5 mm	10 mm
4762806080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 80 P	Steel 8.8	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
47628060801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 80 Z	Steel 8.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm
47628060801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 80/80	Steel 8.8	M6 x 80/80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm
47628060801SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 80 S	Steel 8.8	M6 x 80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm
47628060801SST200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 80/80	Steel 8.8	M6 x 80/80	Zinc Bright Passivation Fe/Zn P1	6 mm	80 mm	5 mm	10 mm
4762806080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 80/80	Steel 8.8	M6 x 80/80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762806085	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 85 P	Steel 8.8	M6 x 85	Plain (no plating)	6 mm	85 mm	5 mm	10 mm
47628060851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 85 Z	Steel 8.8	M6 x 85	Zinc Bright Passivation Fe/Zn P1	6 mm	85 mm	5 mm	10 mm
47628060851FTI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 85/85	Steel 8.8	M6 x 85/85	Zinc Bright Passivation Fe/Zn P1	6 mm	85 mm	5 mm	10 mm
4762806090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 90 P	Steel 8.8	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
47628060901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 90 Z	Steel 8.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	5 mm	10 mm
47628060901FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 90/90	Steel 8.8	M6 x 90/90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	5 mm	10 mm
47628060901FTE	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 90/90	Steel 8.8	M6 x 90/90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	5 mm	10 mm
47628060901GY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 90 Z	Steel 8.8	M6 x 90	Zinc Bright Passivation Fe/Zn P1	6 mm	90 mm	5 mm	10 mm
4762806090GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 90 Z	Steel 8.8	M6 x 90	GEOMET 500B	6 mm	90 mm	5 mm	10 mm
4762806095	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 95 P	Steel 8.8	M6 x 95	Plain (no plating)	6 mm	95 mm	5 mm	10 mm
47628060951	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 95 Z	Steel 8.8	M6 x 95	Zinc Bright Passivation Fe/Zn P1	6 mm	95 mm	5 mm	10 mm
4762806100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 100	Steel 8.8	M6 x 100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
47628061001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 100	Steel 8.8	M6 x 100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	5 mm	10 mm
47628061001FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 100	Steel 8.8	M6 x 100/100	Zinc Bright Passivation Fe/Zn P1	6 mm	100 mm	5 mm	10 mm
4762806105	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 100/1	Steel 8.8	M6 x 105	Plain (no plating)	6 mm	105 mm	5 mm	10 mm
47628061051	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 105	Steel 8.8	M6 x 105	Zinc Bright Passivation Fe/Zn P1	6 mm	105 mm	5 mm	10 mm
4762806110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 105	Steel 8.8	M6 x 110	Plain (no plating)	6 mm	110 mm	5 mm	10 mm
47628061101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 110	Steel 8.8	M6 x 110	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm	5 mm	10 mm
47628061101TL40	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 110	Steel 8.8	M6 x 110/40	Zinc Bright Passivation Fe/Zn P1	6 mm	110 mm	5 mm	10 mm
47628061151	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 110/4	Steel 8.8	M6 x 115	Zinc Bright Passivation Fe/Zn P1	6 mm	115 mm	5 mm	10 mm
4762806120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 115	Steel 8.8	M6 x 120	Plain (no plating)	6 mm	120 mm	5 mm	10 mm
47628061201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 120	Steel 8.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm	5 mm	10 mm
47628061201SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 120	Steel 8.8	M6 x 120	Zinc Bright Passivation Fe/Zn P1	6 mm	120 mm	5 mm	10 mm
4762806120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 120	Steel 8.8	M6 x 120	GEOMET 500B	6 mm	120 mm	5 mm	10 mm
47628061251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 120	Steel 8.8	M6 x 125	Zinc Bright Passivation Fe/Zn P1	6 mm	125 mm	5 mm	10 mm
4762806130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 125	Steel 8.8	M6 x 130	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
47628061301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 130	Steel 8.8	M6 x 130	Zinc Bright Passivation Fe/Zn P1	6 mm	130 mm	5 mm	10 mm
4762806130TL50	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 130	Steel 8.8	M6 x 130/50	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
4762806135	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 130/5							

M6 x 135,

Steel 8.8	M6 x 135	Plain (no plating)	6 mm	135 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628061401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 140	Steel 8.8	M6 x 140	Zinc Bright Passivation Fe/Zn P1	6 mm	140 mm	5 mm	10 mm
47628061451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 145	Steel 8.8	M6 x 145	Zinc Bright Passivation Fe/Zn P1	6 mm	145 mm	5 mm	10 mm
4762806150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 150	Steel 8.8	M6 x 150	Plain (no plating)	6 mm	150 mm	5 mm	10 mm
47628061501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 150	Steel 8.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm	5 mm	10 mm
47628061501SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 150	Steel 8.8	M6 x 150	Zinc Bright Passivation Fe/Zn P1	6 mm	150 mm	5 mm	10 mm
47628061601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 160	Steel 8.8	M6 x 160	Zinc Bright Passivation Fe/Zn P1	6 mm	160 mm	5 mm	10 mm
4762806165	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 165	Steel 8.8	M6 x 165	Plain (no plating)	6 mm	165 mm	5 mm	10 mm
47628061651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 165	Steel 8.8	M6 x 165	Zinc Bright Passivation Fe/Zn P1	6 mm	165 mm	5 mm	10 mm
4762806170	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 170	Steel 8.8	M6 x 170	Plain (no plating)	6 mm	170 mm	5 mm	10 mm
47628061701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 170	Steel 8.8	M6 x 170	Zinc Bright Passivation Fe/Zn P1	6 mm	170 mm	5 mm	10 mm
47628061801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 180	Steel 8.8	M6 x 180	Zinc Bright Passivation Fe/Zn P1	6 mm	180 mm	5 mm	10 mm
4762806190	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 190	Steel 8.8	M6 x 190	Plain (no plating)	6 mm	190 mm	5 mm	10 mm
47628062001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 200	Steel 8.8	M6 x 200	Zinc Bright Passivation Fe/Zn P1	6 mm	200 mm	5 mm	10 mm
47628062101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 210	Steel 8.8	M6 x 210	Zinc Bright Passivation Fe/Zn P1	6 mm	210 mm	5 mm	10 mm
47628062201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 220	Steel 8.8	M6 x 220	Zinc Bright Passivation Fe/Zn P1	6 mm	220 mm	5 mm	10 mm
47628062401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 240	Steel 8.8	M6 x 240	Zinc Bright Passivation Fe/Zn P1	6 mm	240 mm	5 mm	10 mm
47628062451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 245	Steel 8.8	M6 x 245	Zinc Bright Passivation Fe/Zn P1	6 mm	245 mm	5 mm	10 mm
47628062651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 265	Steel 8.8	M6 x 265	Zinc Bright Passivation Fe/Zn P1	6 mm	265 mm	5 mm	10 mm
4762806280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 280	Steel 8.8	M6 x 280	Plain (no plating)	6 mm	280 mm	5 mm	10 mm
47628062801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M6 x 280	Steel 8.8	M6 x 280	Zinc Bright Passivation Fe/Zn P1	6 mm	280 mm	5 mm	10 mm
47628080081	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 8	Steel 8.8	M8 x 8	Zinc Bright Passivation Fe/Zn P1	8 mm	8 mm	6 mm	13 mm
4762808010	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 10	Steel 8.8	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm
47628080101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 10	Steel 8.8	M8 x 10	Zinc Bright Passivation Fe/Zn P1	8 mm	10 mm	6 mm	13 mm
4762808010601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 1.0 x 60	Steel 8.8	M8 x 1.0 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
4762808012	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 12	Steel 8.8	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
47628080120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 120	Steel 8.8	M8 x 120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
47628080121	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 12	Steel 8.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	6 mm	13 mm
47628080121SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 12	Steel 8.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	6 mm	13 mm
47628080121SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 12	Steel 8.8	M8 x 12	Zinc Bright Passivation Fe/Zn P1	8 mm	12 mm	6 mm	13 mm
4762808012GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 12	Steel 8.8	M8 x 12	GEOMET 500B	8 mm	12 mm	6 mm	13 mm
4762808014	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 14	Steel 8.8	M8 x 14	Plain (no plating)	8 mm	14 mm	6 mm	13 mm
47628080141	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 14	Steel 8.8	M8 x 14	Zinc Bright Passivation Fe/Zn P1	8 mm	14 mm	6 mm	13 mm
4762808016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 16	Steel 8.8	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
47628080161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 16	Steel 8.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
47628080161I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 16	Steel 8.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
47628080161SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 16	Steel 8.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
47628080161SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 16	Steel 8.8	M8 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
4762808016I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 16	Steel 8.8	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
4762808018	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 18	Steel 8.8	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
47628080181	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 18	Steel 8.8	M8 x 18	Zinc Bright Passivation Fe/Zn P1	8 mm	18 mm	6 mm	13 mm
47628080181SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 18	Steel 8.8	M8 x 18	Zinc Bright Passivation Fe/Zn P1	8 mm	18 mm	6 mm	13 mm
4762808020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20	Steel 8.8	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
47628080201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47628080201ABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47628080201I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47628080201SST09	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20, Z							

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M8 x 20, S

Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628080201SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20, S	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47628080201SST120CY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20, S	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47628080201SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20, S	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47628080201WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20, S	Steel 8.8	M8 x 20	Zinc Bright Passivation Fe/Zn P1	8 mm	20 mm	6 mm	13 mm
47628080202O	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20, G	Steel 8.8	M8 x 20	HOT DIP GALVANIZED ISO FIT	8 mm	20 mm	6 mm	13 mm
4762808022	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 20, H	Steel 8.8	M8 x 22	Plain (no plating)	8 mm	22 mm	6 mm	13 mm
47628080221	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 22, P	Steel 8.8	M8 x 22	Zinc Bright Passivation Fe/Zn P1	8 mm	22 mm	6 mm	13 mm
47628080221SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 22, Z	Steel 8.8	M8 x 22	Zinc Bright Passivation Fe/Zn P1	8 mm	22 mm	6 mm	13 mm
4762808025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 22, S	Steel 8.8	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
47628080251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, P	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47628080251FTKH	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, Z	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47628080251GY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, K	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47628080251I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, Z	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47628080251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, Z	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47628080251SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, S	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
47628080251WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, S	Steel 8.8	M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	6 mm	13 mm
4762808025GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, G	Steel 8.8	M8 x 25	GEOMET 500A	8 mm	25 mm	6 mm	13 mm
4762808025GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, Z	Steel 8.8	M8 x 25	GEOMET 500B	8 mm	25 mm	6 mm	13 mm
4762808030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 25, Z	Steel 8.8	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
47628080301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, P	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
476280803018	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, Z	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47628080301SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, Z	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47628080301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, S	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47628080301SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, S	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47628080301W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, S	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
47628080301WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, G	Steel 8.8	M8 x 30	Zinc Bright Passivation Fe/Zn P1	8 mm	30 mm	6 mm	13 mm
4762808035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 30, G	Steel 8.8	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
47628080351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, P	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, Z	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351DRII	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, Z	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, Z	Steel 8.8	M8 x 35/35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35/35	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, S	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, S	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, S	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351TL13	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, S	Steel 8.8	M8 x 35/13	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
47628080351WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35/13	Steel 8.8	M8 x 35	Zinc Bright Passivation Fe/Zn P1	8 mm	35 mm	6 mm	13 mm
4762808035GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, G	Steel 8.8	M8 x 35	GEOMET 500B	8 mm	35 mm	6 mm	13 mm
4762808040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 35, Z	Steel 8.8	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
47628080401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, P	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47628080401DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, Z	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47628080401FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, Z	Steel 8.8	M8 x 40/40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47628080401PRE30	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40/40	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47628080401SST07	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, Z	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47628080401SST092	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, S	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
47628080401SST206	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, S							

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M8 x 40, S

Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628080401SST40 0W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, S	Steel 8.8	M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	6 mm	13 mm
4762808040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40/40	Steel 8.8	M8 x 40/40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762808040FTI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40/40	Steel 8.8	M8 x 40/40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762808040GEO50 0B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 40, Z	Steel 8.8	M8 x 40	GEOMET 500B	8 mm	40 mm	6 mm	13 mm
4762808045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 45, P	Steel 8.8	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
47628080451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 45, Z	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	6 mm	13 mm
47628080451FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 45/45	Steel 8.8	M8 x 45/45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	6 mm	13 mm
47628080451SST09 6	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 45, S	Steel 8.8	M8 x 45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	6 mm	13 mm
47628080451SST12 0FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 45/45	Steel 8.8	M8 x 45/45	Zinc Bright Passivation Fe/Zn P1	8 mm	45 mm	6 mm	13 mm
4762808045FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 45/45	Steel 8.8	M8 x 45/45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762808045GEO50 0B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 45, Z	Steel 8.8	M8 x 45	GEOMET 500B	8 mm	45 mm	6 mm	13 mm
4762808050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 50, P	Steel 8.8	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
47628080501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 50, Z	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
47628080501FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 50/50	Steel 8.8	M8 x 50/50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
47628080501GY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 50, Z	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
47628080501SST09 6	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 50, S	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
47628080501SST20 0	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 50, S	Steel 8.8	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	6 mm	13 mm
4762808050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 50/50	Steel 8.8	M8 x 50/50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762808055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 55, P	Steel 8.8	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
47628080551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 55, Z	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
47628080551FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 55/55	Steel 8.8	M8 x 55/55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
47628080551PRE30	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 55/55	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
47628080551SST20 0	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 55, S	Steel 8.8	M8 x 55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
47628080551SST20 0FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 55/55	Steel 8.8	M8 x 55/55	Zinc Bright Passivation Fe/Zn P1	8 mm	55 mm	6 mm	13 mm
4762808055GEO50 0B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 55, Z	Steel 8.8	M8 x 55	GEOMET 500B	8 mm	55 mm	6 mm	13 mm
4762808060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 60, P	Steel 8.8	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
47628080601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 60, Z	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
47628080601FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 60/60	Steel 8.8	M8 x 60/60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
47628080601SST09 6	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 60, S	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
47628080601SST12 0	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 60, S	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
47628080601SST40 0W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 60, S	Steel 8.8	M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	6 mm	13 mm
4762808060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 60/60	Steel 8.8	M8 x 60/60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762808065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 65, P	Steel 8.8	M8 x 65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
47628080651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 65, Z	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	6 mm	13 mm
47628080651FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 65/65	Steel 8.8	M8 x 65/65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	6 mm	13 mm
47628080651PRE30	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 65, Z	Steel 8.8	M8 x 65	Zinc Bright Passivation Fe/Zn P1	8 mm	65 mm	6 mm	13 mm
4762808070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 70, P	Steel 8.8	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
47628080701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 70, Z	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
47628080701DRI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 70, Z	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
47628080701FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 70/70	Steel 8.8	M8 x 70/70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
47628080701SST09 6	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 70, S	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
47628080701SST20 0	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 70, S	Steel 8.8	M8 x 70	Zinc Bright Passivation Fe/Zn P1	8 mm	70 mm	6 mm	13 mm
4762808070FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 70/70	Steel 8.8	M8 x 70/70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762808075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 75, P	Steel 8.8	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
47628080751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 75, Z	Steel 8.8	M8 x 75	Zinc Bright Passivation Fe/Zn P1	8 mm	75 mm	6 mm	13 mm
47628080751FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M8 x 75/75

Steel 8.8	M8 x 75/75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762808080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 80 P	Steel 8.8	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
47628080801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 80 Z	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
47628080801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 80/80 Z	Steel 8.8	M8 x 80/80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
47628080801SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 80 S	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
47628080801SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 80 S	Steel 8.8	M8 x 80	Zinc Bright Passivation Fe/Zn P1	8 mm	80 mm	6 mm	13 mm
4762808080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 80/80	Steel 8.8	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762808080FTI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 80/80	Steel 8.8	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
47628080851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 85 Z	Steel 8.8	M8 x 85	Zinc Bright Passivation Fe/Zn P1	8 mm	85 mm	6 mm	13 mm
47628080871TL20SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 87/20 Z	Steel 8.8	M8 x 87/20	Zinc Bright Passivation Fe/Zn P1	8 mm	87 mm	6 mm	13 mm
4762808090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 90	Steel 8.8	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
47628080901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 90 P	Steel 8.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	6 mm	13 mm
47628080901FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 90 Z	Steel 8.8	M8 x 90/90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	6 mm	13 mm
47628080901SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 90/90	Steel 8.8	M8 x 90	Zinc Bright Passivation Fe/Zn P1	8 mm	90 mm	6 mm	13 mm
4762808095	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 90 S	Steel 8.8	M8 x 95	Plain (no plating)	8 mm	95 mm	6 mm	13 mm
47628080951	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 95 P	Steel 8.8	M8 x 95	Zinc Bright Passivation Fe/Zn P1	8 mm	95 mm	6 mm	13 mm
4762808100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 95 Z	Steel 8.8	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
47628081001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 100	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	6 mm	13 mm
476280810016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 100	Steel 8.8	M8 x 1.0 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
47628081001FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 1.0 x	Steel 8.8	M8 x 100/100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	6 mm	13 mm
47628081001SST048	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 100/1	Steel 8.8	M8 x 100	Zinc Bright Passivation Fe/Zn P1	8 mm	100 mm	6 mm	13 mm
4762808100FTI	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 100	Steel 8.8	M8 x 100/100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
4762808100GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 100/1	Steel 8.8	M8 x 100	GEOMET 500B	8 mm	100 mm	6 mm	13 mm
47628081016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 100	Steel 8.8	M8 x 1.0 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
476280810161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 1.0 x	Steel 8.8	M8 x 1.0 x 16	Zinc Bright Passivation Fe/Zn P1	8 mm	16 mm	6 mm	13 mm
4762808105	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 1.0 x	Steel 8.8	M8 x 105	Plain (no plating)	8 mm	105 mm	6 mm	13 mm
47628081051	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 105	Steel 8.8	M8 x 105	Zinc Bright Passivation Fe/Zn P1	8 mm	105 mm	6 mm	13 mm
47628081051SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 105	Steel 8.8	M8 x 105	Zinc Bright Passivation Fe/Zn P1	8 mm	105 mm	6 mm	13 mm
4762808110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 105	Steel 8.8	M8 x 110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
47628081101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 110	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	6 mm	13 mm
47628081101FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 110	Steel 8.8	M8 x 110/110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	6 mm	13 mm
47628081101SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 110/1	Steel 8.8	M8 x 110	Zinc Bright Passivation Fe/Zn P1	8 mm	110 mm	6 mm	13 mm
4762808115	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 110	Steel 8.8	M8 x 115	Plain (no plating)	8 mm	115 mm	6 mm	13 mm
47628081151	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 115	Steel 8.8	M8 x 115	Zinc Bright Passivation Fe/Zn P1	8 mm	115 mm	6 mm	13 mm
4762808120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 115	Steel 8.8	M8 x 120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
47628081201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 120	Steel 8.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	6 mm	13 mm
47628081201FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 120	Steel 8.8	M8 x 120/120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	6 mm	13 mm
47628081201SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 120/1	Steel 8.8	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	6 mm	13 mm
47628081251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 120	Steel 8.8	M8 x 125	Zinc Bright Passivation Fe/Zn P1	8 mm	125 mm	6 mm	13 mm
4762808130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 125	Steel 8.8	M8 x 130	Plain (no plating)	8 mm	130 mm	6 mm	13 mm
47628081301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 130	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	6 mm	13 mm
47628081301SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 130	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	6 mm	13 mm
47628081301SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 130	Steel 8.8	M8 x 130	Zinc Bright Passivation Fe/Zn P1	8 mm	130 mm	6 mm	13 mm
47628081351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 130	Steel 8.8	M8 x 135	Zinc Bright Passivation Fe/Zn P1	8 mm	135 mm	6 mm	13 mm
4762808140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 135	Steel 8.8	M8 x 140	Plain (no plating)	8 mm	140 mm	6 mm	13 mm
47628081401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 140	Steel 8.8	M8 x 140	Zinc Bright Passivation Fe/Zn P1	8 mm	140 mm	6 mm	13 mm
4762808150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 140							

M8 x 150,

Steel 8.8	M8 x 150	Plain (no plating)	8 mm	150 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628081501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 150	Steel 8.8	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm	6 mm	13 mm
47628081501SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 150	Steel 8.8	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm	6 mm	13 mm
47628081501SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 150	Steel 8.8	M8 x 150	Zinc Bright Passivation Fe/Zn P1	8 mm	150 mm	6 mm	13 mm
4762808160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 160	Steel 8.8	M8 x 160	Plain (no plating)	8 mm	160 mm	6 mm	13 mm
47628081601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 160	Steel 8.8	M8 x 160	Zinc Bright Passivation Fe/Zn P1	8 mm	160 mm	6 mm	13 mm
47628081651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 165	Steel 8.8	M8 x 165	Zinc Bright Passivation Fe/Zn P1	8 mm	165 mm	6 mm	13 mm
47628081701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 170	Steel 8.8	M8 x 170	Zinc Bright Passivation Fe/Zn P1	8 mm	170 mm	6 mm	13 mm
4762808170GEO320	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 170	Steel 8.8	M8 x 170	GEOMET 320	8 mm	170 mm	6 mm	13 mm
47628081801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 180	Steel 8.8	M8 x 180	Zinc Bright Passivation Fe/Zn P1	8 mm	180 mm	6 mm	13 mm
4762808190	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 190	Steel 8.8	M8 x 190	Plain (no plating)	8 mm	190 mm	6 mm	13 mm
47628081901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 190	Steel 8.8	M8 x 190	Zinc Bright Passivation Fe/Zn P1	8 mm	190 mm	6 mm	13 mm
47628081901SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 190	Steel 8.8	M8 x 190	Zinc Bright Passivation Fe/Zn P1	8 mm	190 mm	6 mm	13 mm
4762808200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 200	Steel 8.8	M8 x 200	Plain (no plating)	8 mm	200 mm	6 mm	13 mm
47628082001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 200	Steel 8.8	M8 x 200	Zinc Bright Passivation Fe/Zn P1	8 mm	200 mm	6 mm	13 mm
47628082001SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 200	Steel 8.8	M8 x 200	Zinc Bright Passivation Fe/Zn P1	8 mm	200 mm	6 mm	13 mm
47628082201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 220	Steel 8.8	M8 x 220	Zinc Bright Passivation Fe/Zn P1	8 mm	220 mm	6 mm	13 mm
47628082301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 230	Steel 8.8	M8 x 230	Zinc Bright Passivation Fe/Zn P1	8 mm	230 mm	6 mm	13 mm
47628082601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 260	Steel 8.8	M8 x 260	Zinc Bright Passivation Fe/Zn P1	8 mm	260 mm	6 mm	13 mm
47628082801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 280	Steel 8.8	M8 x 280	Zinc Bright Passivation Fe/Zn P1	8 mm	280 mm	6 mm	13 mm
47628083001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 300	Steel 8.8	M8 x 300	Zinc Bright Passivation Fe/Zn P1	8 mm	300 mm	6 mm	13 mm
47628083151SST048	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M8 x 315	Steel 8.8	M8 x 315	Zinc Bright Passivation Fe/Zn P1	8 mm	315 mm	6 mm	13 mm
4762810010	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 10	Steel 8.8	M10 x 10	Plain (no plating)	10 mm	10 mm	8 mm	16 mm
47628100101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 10	Steel 8.8	M10 x 10	Zinc Bright Passivation Fe/Zn P1	10 mm	10 mm	8 mm	16 mm
47628100102	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 10	Steel 8.8	M10 x 10	HOT DIP GALVANIZED ISO FIT	10 mm	10 mm	8 mm	16 mm
4762810010201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.0	Steel 8.8	M10 x 1.0 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
4762810012	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 12	Steel 8.8	M10 x 12	Plain (no plating)	10 mm	12 mm	8 mm	16 mm
476281001201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 120	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	8 mm	16 mm
47628100121	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 12	Steel 8.8	M10 x 12	Zinc Bright Passivation Fe/Zn P1	10 mm	12 mm	8 mm	16 mm
47628100122	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 12	Steel 8.8	M10 x 12	HOT DIP GALVANIZED ISO FIT	10 mm	12 mm	8 mm	16 mm
4762810014	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 14	Steel 8.8	M10 x 14	Plain (no plating)	10 mm	14 mm	8 mm	16 mm
47628100141	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 14	Steel 8.8	M10 x 14	Zinc Bright Passivation Fe/Zn P1	10 mm	14 mm	8 mm	16 mm
4762810016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 16	Steel 8.8	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
47628100161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 16	Steel 8.8	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	8 mm	16 mm
47628100161SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 16	Steel 8.8	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	8 mm	16 mm
47628100161SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 16	Steel 8.8	M10 x 16	Zinc Bright Passivation Fe/Zn P1	10 mm	16 mm	8 mm	16 mm
47628100181	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 18	Steel 8.8	M10 x 18	Zinc Bright Passivation Fe/Zn P1	10 mm	18 mm	8 mm	16 mm
4762810020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 20	Steel 8.8	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
47628100201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 20	Steel 8.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
47628100201SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 20	Steel 8.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
47628100201SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 20	Steel 8.8	M10 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
4762810020GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 20	Steel 8.8	M10 x 20	GEOMET 500A	10 mm	20 mm	8 mm	16 mm
4762810022	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 22	Steel 8.8	M10 x 22	Plain (no plating)	10 mm	22 mm	8 mm	16 mm
47628100221	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 22	Steel 8.8	M10 x 22	Zinc Bright Passivation Fe/Zn P1	10 mm	22 mm	8 mm	16 mm
4762810025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 25	Steel 8.8	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
47628100251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 25	Steel 8.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
476281002518	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M10 x 25,

Steel 8.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628100251SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 25	Steel 8.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
47628100251SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 25	Steel 8.8	M10 x 25	Zinc Bright Passivation Fe/Zn P1	10 mm	25 mm	8 mm	16 mm
47628100252	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 25	Steel 8.8	M10 x 25	HOT DIP GALVANIZED ISO FIT	10 mm	25 mm	8 mm	16 mm
4762810025I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 25	Steel 8.8	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
4762810028	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 28	Steel 8.8	M10 x 28	Plain (no plating)	10 mm	28 mm	8 mm	16 mm
47628100281	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 28	Steel 8.8	M10 x 28	Zinc Bright Passivation Fe/Zn P1	10 mm	28 mm	8 mm	16 mm
4762810030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 30	Steel 8.8	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
47628100301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 30	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
47628100301I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 30	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
47628100301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 30	Steel 8.8	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
4762810035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 35	Steel 8.8	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
47628100351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 35	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
47628100351SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 35	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
47628100351SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 35	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
47628100351SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 35	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
47628100351WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 35	Steel 8.8	M10 x 35	Zinc Bright Passivation Fe/Zn P1	10 mm	35 mm	8 mm	16 mm
4762810040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40	Steel 8.8	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
47628100401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47628100401FTKH	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40	Steel 8.8	M10 x 40/40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47628100401I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40/4	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47628100401SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47628100401SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40	Steel 8.8	M10 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47628100402	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40	Steel 8.8	M10 x 40	HOT DIP GALVANIZED ISO FIT	10 mm	40 mm	8 mm	16 mm
4762810040FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40	Steel 8.8	M10 x 40/40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762810045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 40/4	Steel 8.8	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
47628100451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 45	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
47628100451FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 45	Steel 8.8	M10 x 45/45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
47628100451I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 45/4	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
47628100451SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 45	Steel 8.8	M10 x 45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
47628100451SST200FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 45	Steel 8.8	M10 x 45/45	Zinc Bright Passivation Fe/Zn P1	10 mm	45 mm	8 mm	16 mm
4762810045FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 45/4	Steel 8.8	M10 x 45/45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762810050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 45/4	Steel 8.8	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
47628100501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
47628100501FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50	Steel 8.8	M10 x 50/50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
47628100501G627	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50/5	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
47628100501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
47628100501SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
47628100501SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50	Steel 8.8	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	8 mm	16 mm
4762810050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50	Steel 8.8	M10 x 50/50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762810055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 50/5	Steel 8.8	M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
47628100551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 55	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
47628100551FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 55	Steel 8.8	M10 x 55/55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
47628100551SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 55/5	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
47628100551SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 55	Steel 8.8	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm
4762810055FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 55	Steel 8.8	M10 x 55/55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762810060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 55/5							

M10 x 60,

Steel 8.8	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628100601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 60	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	8 mm	16 mm
47628100601FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 60/6	Steel 8.8	M10 x 60/60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	8 mm	16 mm
47628100601FTKH	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 60/6	Steel 8.8	M10 x 60/60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	8 mm	16 mm
47628100601SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 60	Steel 8.8	M10 x 60	Zinc Bright Passivation Fe/Zn P1	10 mm	60 mm	8 mm	16 mm
4762810060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 60/6	Steel 8.8	M10 x 60/60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762810065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 65	Steel 8.8	M10 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
47628100651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 65	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	8 mm	16 mm
47628100651FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 65/6	Steel 8.8	M10 x 65/65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	8 mm	16 mm
47628100651SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 65	Steel 8.8	M10 x 65	Zinc Bright Passivation Fe/Zn P1	10 mm	65 mm	8 mm	16 mm
4762810070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 70	Steel 8.8	M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
47628100701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 70	Steel 8.8	M10 x 70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	8 mm	16 mm
47628100701FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 70/7	Steel 8.8	M10 x 70/70	Zinc Bright Passivation Fe/Zn P1	10 mm	70 mm	8 mm	16 mm
4762810070FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 70/7	Steel 8.8	M10 x 70/70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762810075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 75	Steel 8.8	M10 x 75	Plain (no plating)	10 mm	75 mm	8 mm	16 mm
47628100751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 75	Steel 8.8	M10 x 75	Zinc Bright Passivation Fe/Zn P1	10 mm	75 mm	8 mm	16 mm
4762810080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 80	Steel 8.8	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
47628100801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 80	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	8 mm	16 mm
47628100801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 80/8	Steel 8.8	M10 x 80/80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	8 mm	16 mm
47628100801SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 80	Steel 8.8	M10 x 80	Zinc Bright Passivation Fe/Zn P1	10 mm	80 mm	8 mm	16 mm
4762810080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 80/8	Steel 8.8	M10 x 80/80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762810085	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 85	Steel 8.8	M10 x 85	Plain (no plating)	10 mm	85 mm	8 mm	16 mm
47628100851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 85	Steel 8.8	M10 x 85	Zinc Bright Passivation Fe/Zn P1	10 mm	85 mm	8 mm	16 mm
4762810085GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 85	Steel 8.8	M10 x 85	GEOMET 500B	10 mm	85 mm	8 mm	16 mm
4762810090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 90	Steel 8.8	M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
47628100901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 90	Steel 8.8	M10 x 90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	8 mm	16 mm
47628100901FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 90/9	Steel 8.8	M10 x 90/90	Zinc Bright Passivation Fe/Zn P1	10 mm	90 mm	8 mm	16 mm
4762810090GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 90	Steel 8.8	M10 x 90	GEOMET 500A	10 mm	90 mm	8 mm	16 mm
4762810095	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 95	Steel 8.8	M10 x 95	Plain (no plating)	10 mm	95 mm	8 mm	16 mm
47628100951	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 95	Steel 8.8	M10 x 95	Zinc Bright Passivation Fe/Zn P1	10 mm	95 mm	8 mm	16 mm
4762810100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 100	Steel 8.8	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
47628101001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 100	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	8 mm	16 mm
476281010016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.0 x 16	Steel 8.8	M10 x 1.0 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
47628101001FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 100/	Steel 8.8	M10 x 100/100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	8 mm	16 mm
47628101001SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 100	Steel 8.8	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	8 mm	16 mm
4762810100GEO500A	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 100	Steel 8.8	M10 x 100	GEOMET 500A	10 mm	100 mm	8 mm	16 mm
4762810105	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 105	Steel 8.8	M10 x 105	Plain (no plating)	10 mm	105 mm	8 mm	16 mm
4762810110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 110	Steel 8.8	M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
47628101101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 110	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	8 mm	16 mm
47628101101SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 110	Steel 8.8	M10 x 110	Zinc Bright Passivation Fe/Zn P1	10 mm	110 mm	8 mm	16 mm
4762810115	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 115	Steel 8.8	M10 x 115	Plain (no plating)	10 mm	115 mm	8 mm	16 mm
47628101151	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 115	Steel 8.8	M10 x 115	Zinc Bright Passivation Fe/Zn P1	10 mm	115 mm	8 mm	16 mm
47628101152	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 115	Steel 8.8	M10 x 115	HOT DIP GALVANIZED ISO FIT	10 mm	115 mm	8 mm	16 mm
4762810120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 120	Steel 8.8	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
47628101201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 120	Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	8 mm	16 mm
47628101201FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 120/	Steel 8.8	M10 x 120/120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	8 mm	16 mm
47628101201SST20								

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M10 x 120,

Steel 8.8	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762810120GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 120,	Steel 8.8	M10 x 120	GEOMET 500B	10 mm	120 mm	8 mm	16 mm
47628101250201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.25,	Steel 8.8	M10 x 1.25 x 20	Zinc Bright Passivation Fe/Zn P1	10 mm	20 mm	8 mm	16 mm
4762810125025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.25,	Steel 8.8	M10 x 1.25 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
4762810125030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.25,	Steel 8.8	M10 x 1.25 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
47628101250301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.25,	Steel 8.8	M10 x 1.25 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
47628101250401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.25,	Steel 8.8	M10 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	10 mm	40 mm	8 mm	16 mm
47628101251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 125,	Steel 8.8	M10 x 125	Zinc Bright Passivation Fe/Zn P1	10 mm	125 mm	8 mm	16 mm
4762810130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 130,	Steel 8.8	M10 x 130	Plain (no plating)	10 mm	130 mm	8 mm	16 mm
47628101301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 130,	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	8 mm	16 mm
47628101301SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 130,	Steel 8.8	M10 x 130	Zinc Bright Passivation Fe/Zn P1	10 mm	130 mm	8 mm	16 mm
4762810140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 140,	Steel 8.8	M10 x 140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
47628101401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 140,	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	8 mm	16 mm
47628101401SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 140,	Steel 8.8	M10 x 140	Zinc Bright Passivation Fe/Zn P1	10 mm	140 mm	8 mm	16 mm
4762810140FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 140/140	Steel 8.8	M10 x 140/140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
4762810150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 150,	Steel 8.8	M10 x 150	Plain (no plating)	10 mm	150 mm	8 mm	16 mm
47628101501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 150,	Steel 8.8	M10 x 150	Zinc Bright Passivation Fe/Zn P1	10 mm	150 mm	8 mm	16 mm
4762810160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 160,	Steel 8.8	M10 x 160	Plain (no plating)	10 mm	160 mm	8 mm	16 mm
47628101601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 160,	Steel 8.8	M10 x 160	Zinc Bright Passivation Fe/Zn P1	10 mm	160 mm	8 mm	16 mm
47628101701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 170,	Steel 8.8	M10 x 170	Zinc Bright Passivation Fe/Zn P1	10 mm	170 mm	8 mm	16 mm
4762810180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 180,	Steel 8.8	M10 x 180	Plain (no plating)	10 mm	180 mm	8 mm	16 mm
47628101801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 180,	Steel 8.8	M10 x 180	Zinc Bright Passivation Fe/Zn P1	10 mm	180 mm	8 mm	16 mm
47628101901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 190,	Steel 8.8	M10 x 190	Zinc Bright Passivation Fe/Zn P1	10 mm	190 mm	8 mm	16 mm
47628102001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 200,	Steel 8.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm	8 mm	16 mm
4762810210	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 210,	Steel 8.8	M10 x 210	Plain (no plating)	10 mm	210 mm	8 mm	16 mm
47628102101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 210,	Steel 8.8	M10 x 210	Zinc Bright Passivation Fe/Zn P1	10 mm	210 mm	8 mm	16 mm
47628102201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 220,	Steel 8.8	M10 x 220	Zinc Bright Passivation Fe/Zn P1	10 mm	220 mm	8 mm	16 mm
47628102301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 230,	Steel 8.8	M10 x 230	Zinc Bright Passivation Fe/Zn P1	10 mm	230 mm	8 mm	16 mm
47628102401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 240,	Steel 8.8	M10 x 240	Zinc Bright Passivation Fe/Zn P1	10 mm	240 mm	8 mm	16 mm
47628102601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 260,	Steel 8.8	M10 x 260	Zinc Bright Passivation Fe/Zn P1	10 mm	260 mm	8 mm	16 mm
47628102701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 270,	Steel 8.8	M10 x 270	Zinc Bright Passivation Fe/Zn P1	10 mm	270 mm	8 mm	16 mm
4762810280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 280,	Steel 8.8	M10 x 280	Plain (no plating)	10 mm	280 mm	8 mm	16 mm
47628103201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 320,	Steel 8.8	M10 x 320	Zinc Bright Passivation Fe/Zn P1	10 mm	320 mm	8 mm	16 mm
47628103801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 380,	Steel 8.8	M10 x 380	Zinc Bright Passivation Fe/Zn P1	10 mm	380 mm	8 mm	16 mm
47628120101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 10,	Steel 8.8	M12 x 10	Zinc Bright Passivation Fe/Zn P1	12 mm	10 mm	10 mm	18 mm
4762812012	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 12,	Steel 8.8	M12 x 12	Plain (no plating)	12 mm	12 mm	10 mm	18 mm
476281201401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 140,	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	10 mm	18 mm
4762812016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 16,	Steel 8.8	M12 x 16	Plain (no plating)	12 mm	16 mm	10 mm	18 mm
47628120161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 16,	Steel 8.8	M12 x 16	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	10 mm	18 mm
4762812020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 20,	Steel 8.8	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
47628120201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 20,	Steel 8.8	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	10 mm	18 mm
47628120201SST120FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 20,	Steel 8.8	M12 x 20	Zinc Bright Passivation Fe/Zn P1	12 mm	20 mm	10 mm	18 mm
4762812020GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 20,	Steel 8.8	M12 x 20	GEOMET 500B	12 mm	20 mm	10 mm	18 mm
4762812025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 25,	Steel 8.8	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
47628120251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 25,	Steel 8.8	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
47628120251GY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 25,	Steel 8.8	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
47628120251SST20								

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M12 x 25,

Steel 8.8	M12 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762812030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 30	Steel 8.8	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
47628120301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 30	Steel 8.8	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
47628120301SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 30	Steel 8.8	M12 x 30	Zinc Bright Passivation Fe/Zn P1	12 mm	30 mm	10 mm	18 mm
47628120302	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 30	Steel 8.8	M12 x 30	Hot Dip Galvanizing	12 mm	30 mm	10 mm	18 mm
4762812030I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 30	Steel 8.8	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762812035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 35	Steel 8.8	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
47628120351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 35	Steel 8.8	M12 x 35	Zinc Bright Passivation Fe/Zn P1	12 mm	35 mm	10 mm	18 mm
47628120352	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 35	Steel 8.8	M12 x 35	HOT DIP GALVANIZED ISO FIT	12 mm	35 mm	10 mm	18 mm
47628120352O	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 35	Steel 8.8	M12 x 35	Hot Dip Galvanizing	12 mm	35 mm	10 mm	18 mm
4762812035GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 35	Steel 8.8	M12 x 35	GEOMET 500B	12 mm	35 mm	10 mm	18 mm
4762812035I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 35	Steel 8.8	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
4762812040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 40	Steel 8.8	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
47628120401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 40	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
47628120401PRE30	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 40	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
47628120401SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 40	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
47628120401WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 40	Steel 8.8	M12 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
4762812040GEO500	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 40	Steel 8.8	M12 x 40	GEOMET 500B	12 mm	40 mm	10 mm	18 mm
4762812045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 45	Steel 8.8	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
47628120451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 45	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	10 mm	18 mm
47628120451SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 45	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	10 mm	18 mm
47628120451SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 45	Steel 8.8	M12 x 45	Zinc Bright Passivation Fe/Zn P1	12 mm	45 mm	10 mm	18 mm
47628120452	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 45	Steel 8.8	M12 x 45	HOT DIP GALVANIZED ISO FIT	12 mm	45 mm	10 mm	18 mm
4762812050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50	Steel 8.8	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
47628120501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
47628120501FTSST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50/5	Steel 8.8	M12 x 50/50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
47628120501SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
47628120501SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
47628120501WABB	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50	Steel 8.8	M12 x 50	Zinc Bright Passivation Fe/Zn P1	12 mm	50 mm	10 mm	18 mm
47628120502	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50	Steel 8.8	M12 x 50	Hot Dip Galvanizing	12 mm	50 mm	10 mm	18 mm
4762812050FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 50/5	Steel 8.8	M12 x 50/50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762812055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 55	Steel 8.8	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
47628120551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 55	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	10 mm	18 mm
47628120551G627	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 55	Steel 8.8	M12 x 55	Zinc Bright Passivation Fe/Zn P1	12 mm	55 mm	10 mm	18 mm
4762812060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 60	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
47628120601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 60	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
47628120601FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 60/6	Steel 8.8	M12 x 60/60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
47628120601SST400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 60	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
47628120601SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 60	Steel 8.8	M12 x 60	Zinc Bright Passivation Fe/Zn P1	12 mm	60 mm	10 mm	18 mm
47628120602	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 60	Steel 8.8	M12 x 60	HOT DIP GALVANIZED ISO FIT	12 mm	60 mm	10 mm	18 mm
4762812060I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 60	Steel 8.8	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762812065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 65	Steel 8.8	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
47628120651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 65	Steel 8.8	M12 x 65	Zinc Bright Passivation Fe/Zn P1	12 mm	65 mm	10 mm	18 mm
4762812070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 70	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
47628120701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 70	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	10 mm	18 mm
47628120701I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 70	Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	10 mm	18 mm
47628120701SST12	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 70,							

ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,

M12 x 70,

Steel 8.8	M12 x 70	Zinc Bright Passivation Fe/Zn P1	12 mm	70 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762812070FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 70/7	Steel 8.8	M12 x 70/70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762812070I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 70	Steel 8.8	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762812075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 75	Steel 8.8	M12 x 75	Plain (no plating)	12 mm	75 mm	10 mm	18 mm
47628120751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 75	Steel 8.8	M12 x 75	Zinc Bright Passivation Fe/Zn P1	12 mm	75 mm	10 mm	18 mm
4762812080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 80	Steel 8.8	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
47628120801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 80	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	10 mm	18 mm
47628120801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 80	Steel 8.8	M12 x 80/80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	10 mm	18 mm
47628120801SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 80/8	Steel 8.8	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	10 mm	18 mm
4762812080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 80	Steel 8.8	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762812080I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 80	Steel 8.8	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762812085	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 80	Steel 8.8	M12 x 85	Plain (no plating)	12 mm	85 mm	10 mm	18 mm
47628120851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 85	Steel 8.8	M12 x 85	Zinc Bright Passivation Fe/Zn P1	12 mm	85 mm	10 mm	18 mm
4762812090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 85	Steel 8.8	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
47628120901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 90	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	10 mm	18 mm
47628120901GY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 90	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	10 mm	18 mm
47628120901SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 90	Steel 8.8	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	10 mm	18 mm
4762812090FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 90	Steel 8.8	M12 x 90/90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
47628120951	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 90/9	Steel 8.8	M12 x 95	Zinc Bright Passivation Fe/Zn P1	12 mm	95 mm	10 mm	18 mm
47628120951SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 95	Steel 8.8	M12 x 95	Zinc Bright Passivation Fe/Zn P1	12 mm	95 mm	10 mm	18 mm
4762812100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 95	Steel 8.8	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
47628121001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 100	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	10 mm	18 mm
47628121001SST144	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 100	Steel 8.8	M12 x 100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	10 mm	18 mm
47628121002	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 100	Steel 8.8	M12 x 100	HOT DIP GALVANIZED ISO FIT	12 mm	100 mm	10 mm	18 mm
4762812100FT1	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 100/	Steel 8.8	M12 x 100/100	Zinc Bright Passivation Fe/Zn P1	12 mm	100 mm	10 mm	18 mm
4762812110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 110	Steel 8.8	M12 x 110	Plain (no plating)	12 mm	110 mm	10 mm	18 mm
47628121101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 110	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	10 mm	18 mm
47628121101FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 110	Steel 8.8	M12 x 110/110	Plain (no plating)	12 mm	110 mm	10 mm	18 mm
47628121101SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 110/	Steel 8.8	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	10 mm	18 mm
4762812120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 110	Steel 8.8	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
47628121201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 120	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	10 mm	18 mm
47628121201SST120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 120	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	10 mm	18 mm
47628121201SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 120	Steel 8.8	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	10 mm	18 mm
4762812125025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.25	Steel 8.8	M12 x 1.25 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
47628121250251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.25	Steel 8.8	M12 x 1.25 x 25	Zinc Bright Passivation Fe/Zn P1	12 mm	25 mm	10 mm	18 mm
4762812125030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.25	Steel 8.8	M12 x 1.25 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762812125040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.25	Steel 8.8	M12 x 1.25 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
47628121250401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.25	Steel 8.8	M12 x 1.25 x 40	Zinc Bright Passivation Fe/Zn P1	12 mm	40 mm	10 mm	18 mm
47628121251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.25	Steel 8.8	M12 x 125	Zinc Bright Passivation Fe/Zn P1	12 mm	125 mm	10 mm	18 mm
4762812125160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 125	Steel 8.8	M12 x 1.25 x 160	Plain (no plating)	12 mm	160 mm	10 mm	18 mm
4762812130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.25	Steel 8.8	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
47628121301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 130	Steel 8.8	M12 x 130	Zinc Bright Passivation Fe/Zn P1	12 mm	130 mm	10 mm	18 mm
4762812140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 130	Steel 8.8	M12 x 140	Plain (no plating)	12 mm	140 mm	10 mm	18 mm
47628121401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 140	Steel 8.8	M12 x 140	Zinc Bright Passivation Fe/Zn P1	12 mm	140 mm	10 mm	18 mm
4762812145	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 140	Steel 8.8	M12 x 145	Plain (no plating)	12 mm	146 mm	10 mm	18 mm
47628121451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 145	Steel 8.8	M12 x 145	Zinc Bright Passivation Fe/Zn P1	12 mm	145 mm	10 mm	18 mm
4762812150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 145							

M12 x 150,

Steel 8.8	M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628121501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 150	Steel 8.8	M12 x 150	Zinc Bright Passivation Fe/Zn P1	12 mm	150 mm	10 mm	18 mm
476281215030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.5	Steel 8.8	M12 x 1.5 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
476281215050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 1.5	Steel 8.8	M12 x 1.5 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762812150I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 150	Steel 8.8	M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm
4762812160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 160	Steel 8.8	M12 x 160	Plain (no plating)	12 mm	160 mm	10 mm	18 mm
47628121601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 160	Steel 8.8	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	10 mm	18 mm
47628121601SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 160	Steel 8.8	M12 x 160	Zinc Bright Passivation Fe/Zn P1	12 mm	160 mm	10 mm	18 mm
47628121602	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 160	Steel 8.8	M12 x 160	HOT DIP GALVANIZED ISO FIT	12 mm	160 mm	10 mm	18 mm
47628121701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 170	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	10 mm	18 mm
47628121701SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 170	Steel 8.8	M12 x 170	Zinc Bright Passivation Fe/Zn P1	12 mm	170 mm	10 mm	18 mm
4762812180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 180	Steel 8.8	M12 x 180	Plain (no plating)	12 mm	180 mm	10 mm	18 mm
47628121801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 180	Steel 8.8	M12 x 180	Zinc Bright Passivation Fe/Zn P1	12 mm	180 mm	10 mm	18 mm
4762812190	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 190	Steel 8.8	M12 x 190	Plain (no plating)	12 mm	190 mm	10 mm	18 mm
47628121901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 190	Steel 8.8	M12 x 190	Zinc Bright Passivation Fe/Zn P1	12 mm	190 mm	10 mm	18 mm
4762812200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 200	Steel 8.8	M12 x 200	Plain (no plating)	12 mm	200 mm	10 mm	18 mm
47628122001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 200	Steel 8.8	M12 x 200	Zinc Bright Passivation Fe/Zn P1	12 mm	200 mm	10 mm	18 mm
47628122002	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 200	Steel 8.8	M12 x 200	HOT DIP GALVANIZED ISO FIT	12 mm	200 mm	10 mm	18 mm
4762812210	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 210	Steel 8.8	M12 x 210	Plain (no plating)	12 mm	210 mm	10 mm	18 mm
47628122101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 210	Steel 8.8	M12 x 210	Zinc Bright Passivation Fe/Zn P1	12 mm	210 mm	10 mm	18 mm
4762812220	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 220	Steel 8.8	M12 x 220	Plain (no plating)	12 mm	220 mm	10 mm	18 mm
47628122201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 220	Steel 8.8	M12 x 220	Zinc Bright Passivation Fe/Zn P1	12 mm	220 mm	10 mm	18 mm
47628122301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 230	Steel 8.8	M12 x 230	Zinc Bright Passivation Fe/Zn P1	12 mm	230 mm	10 mm	18 mm
4762812240	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 240	Steel 8.8	M12 x 240	Plain (no plating)	12 mm	240 mm	10 mm	18 mm
4762812260	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 260	Steel 8.8	M12 x 260	Plain (no plating)	12 mm	260 mm	10 mm	18 mm
4762812270	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 270	Steel 8.8	M12 x 270	Plain (no plating)	12 mm	270 mm	10 mm	18 mm
4762812280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 280	Steel 8.8	M12 x 280	Plain (no plating)	12 mm	280 mm	10 mm	18 mm
47628122801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 280	Steel 8.8	M12 x 280	Zinc Bright Passivation Fe/Zn P1	12 mm	280 mm	10 mm	18 mm
47628122901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 290	Steel 8.8	M12 x 290	Zinc Bright Passivation Fe/Zn P1	12 mm	290 mm	10 mm	18 mm
4762812300	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 300	Steel 8.8	M12 x 300	Plain (no plating)	12 mm	300 mm	10 mm	18 mm
4762812320	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M12 x 320	Steel 8.8	M12 x 320	Plain (no plating)	12 mm	320 mm	10 mm	18 mm
476281271401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M27 x 140	Steel 8.8	M27 x 140	Zinc Bright Passivation Fe/Zn P1	27 mm	140 mm	19 mm	40 mm
4762814020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 20	Steel 8.8	M14 x 20	Plain (no plating)	14 mm	20 mm	12 mm	21 mm
47628140201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 20	Steel 8.8	M14 x 20	Zinc Bright Passivation Fe/Zn P1	14 mm	20 mm	12 mm	21 mm
4762814025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 25	Steel 8.8	M14 x 25	Plain (no plating)	14 mm	25 mm	12 mm	21 mm
47628140251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 25	Steel 8.8	M14 x 25	Zinc Bright Passivation Fe/Zn P1	14 mm	25 mm	12 mm	21 mm
4762814030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 30	Steel 8.8	M14 x 30	Plain (no plating)	14 mm	30 mm	12 mm	21 mm
47628140301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 30	Steel 8.8	M14 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	12 mm	21 mm
47628140301SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 30	Steel 8.8	M14 x 30	Zinc Bright Passivation Fe/Zn P1	14 mm	30 mm	12 mm	21 mm
4762814035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 35	Steel 8.8	M14 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
47628140351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 35	Steel 8.8	M14 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	12 mm	21 mm
47628140351FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 35	Steel 8.8	M14 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	12 mm	21 mm
47628140351SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 35	Steel 8.8	M14 x 35	Zinc Bright Passivation Fe/Zn P1	14 mm	35 mm	12 mm	21 mm
4762814040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 40	Steel 8.8	M14 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
47628140401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 40	Steel 8.8	M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	12 mm	21 mm
47628140401SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 40	Steel 8.8	M14 x 40	Zinc Bright Passivation Fe/Zn P1	14 mm	40 mm	12 mm	21 mm
4762814045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M14 x 45,

Steel 8.8	M14 x 45	Plain (no plating)	14 mm	45 mm	12 mm	21 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628140451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 45	Steel 8.8	M14 x 45	Zinc Bright Passivation Fe/Zn P1	14 mm	45 mm	12 mm	21 mm
4762814050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 50	Steel 8.8	M14 x 50	Plain (no plating)	14 mm	50 mm	12 mm	21 mm
47628140501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 50	Steel 8.8	M14 x 50	Zinc Bright Passivation Fe/Zn P1	14 mm	50 mm	12 mm	21 mm
4762814055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 55	Steel 8.8	M14 x 55	Plain (no plating)	14 mm	55 mm	12 mm	21 mm
47628140551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 55	Steel 8.8	M14 x 55	Zinc Bright Passivation Fe/Zn P1	14 mm	55 mm	12 mm	21 mm
4762814060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 60	Steel 8.8	M14 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
47628140601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 60	Steel 8.8	M14 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	12 mm	21 mm
4762814065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 65	Steel 8.8	M14 x 65	Plain (no plating)	14 mm	65 mm	12 mm	21 mm
47628140651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 65	Steel 8.8	M14 x 65	Zinc Bright Passivation Fe/Zn P1	14 mm	65 mm	12 mm	21 mm
4762814070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 70	Steel 8.8	M14 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
47628140701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 70	Steel 8.8	M14 x 70	Zinc Bright Passivation Fe/Zn P1	14 mm	70 mm	12 mm	21 mm
4762814080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 80	Steel 8.8	M14 x 80	Plain (no plating)	14 mm	80 mm	12 mm	21 mm
47628140801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 80	Steel 8.8	M14 x 80	Zinc Bright Passivation Fe/Zn P1	14 mm	80 mm	12 mm	21 mm
4762814085	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 85	Steel 8.8	M14 x 85	Plain (no plating)	14 mm	85 mm	12 mm	21 mm
4762814090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 90	Steel 8.8	M14 x 90	Plain (no plating)	14 mm	90 mm	12 mm	21 mm
47628140901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 90	Steel 8.8	M14 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	12 mm	21 mm
47628140901SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 90	Steel 8.8	M14 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	12 mm	21 mm
4762814100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 100	Steel 8.8	M14 x 100	Plain (no plating)	14 mm	100 mm	12 mm	21 mm
47628141001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 100	Steel 8.8	M14 x 100	Zinc Bright Passivation Fe/Zn P1	14 mm	100 mm	12 mm	21 mm
4762814110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 110	Steel 8.8	M14 x 110	Plain (no plating)	14 mm	110 mm	12 mm	21 mm
47628141101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 110	Steel 8.8	M14 x 110	Zinc Bright Passivation Fe/Zn P1	14 mm	110 mm	12 mm	21 mm
4762814120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 120	Steel 8.8	M14 x 120	Plain (no plating)	14 mm	120 mm	12 mm	21 mm
47628141201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 120	Steel 8.8	M14 x 120	Zinc Bright Passivation Fe/Zn P1	14 mm	120 mm	12 mm	21 mm
47628141301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 130	Steel 8.8	M14 x 130	Zinc Bright Passivation Fe/Zn P1	14 mm	130 mm	12 mm	21 mm
4762814140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 140	Steel 8.8	M14 x 140	Plain (no plating)	14 mm	140 mm	12 mm	21 mm
47628141401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 140	Steel 8.8	M14 x 140	Zinc Bright Passivation Fe/Zn P1	14 mm	140 mm	12 mm	21 mm
476281415025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 1.5	Steel 8.8	M14 x 1.5 x 25	Plain (no plating)	14 mm	25 mm	12 mm	21 mm
476281415060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 1.5	Steel 8.8	M14 x 1.5 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
4762814150601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 1.5	Steel 8.8	M14 x 1.5 x 60	Zinc Bright Passivation Fe/Zn P1	14 mm	60 mm	12 mm	21 mm
4762814150901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 1.5	Steel 8.8	M14 x 1.5 x 90	Zinc Bright Passivation Fe/Zn P1	14 mm	90 mm	12 mm	21 mm
4762814150951	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 1.5	Steel 8.8	M14 x 1.5 x 95	Zinc Bright Passivation Fe/Zn P1	14 mm	95 mm	12 mm	21 mm
4762814160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 160	Steel 8.8	M14 x 160	Plain (no plating)	14 mm	160 mm	12 mm	21 mm
47628141601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 160	Steel 8.8	M14 x 160	Zinc Bright Passivation Fe/Zn P1	14 mm	160 mm	12 mm	21 mm
47628141701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 170	Steel 8.8	M14 x 170	Zinc Bright Passivation Fe/Zn P1	14 mm	170 mm	12 mm	21 mm
47628141801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 180	Steel 8.8	M14 x 180	Zinc Bright Passivation Fe/Zn P1	14 mm	180 mm	12 mm	21 mm
4762814200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M14 x 200	Steel 8.8	M14 x 200	Plain (no plating)	14 mm	200 mm	12 mm	21 mm
4762816016	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 16	Steel 8.8	M16 x 16	Plain (no plating)	16 mm	16 mm	14 mm	24 mm
47628160161	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 16	Steel 8.8	M16 x 16	Zinc Bright Passivation Fe/Zn P1	16 mm	16 mm	14 mm	24 mm
4762816020	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 20	Steel 8.8	M16 x 20	Plain (no plating)	16 mm	20 mm	14 mm	24 mm
47628160201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 20	Steel 8.8	M16 x 20	Zinc Bright Passivation Fe/Zn P1	16 mm	20 mm	14 mm	24 mm
4762816025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 25	Steel 8.8	M16 x 25	Plain (no plating)	16 mm	25 mm	14 mm	24 mm
47628160251	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 25	Steel 8.8	M16 x 25	Zinc Bright Passivation Fe/Zn P1	16 mm	25 mm	14 mm	24 mm
4762816030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 30	Steel 8.8	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
47628160301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 30	Steel 8.8	M16 x 30	Zinc Bright Passivation Fe/Zn P1	16 mm	30 mm	14 mm	24 mm
47628160302	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 30	Steel 8.8	M16 x 30	HOT DIP GALVANIZED ISO FIT	16 mm	30 mm	14 mm	24 mm
4762816035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M16 x 35,

Steel 8.8	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628160351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 35	Steel 8.8	M16 x 35	Zinc Bright Passivation Fe/Zn P1	16 mm	35 mm	14 mm	24 mm
47628160352	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 35	Steel 8.8	M16 x 35	HOT DIP GALVANIZED ISO FIT	16 mm	35 mm	14 mm	24 mm
4762816040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 40	Steel 8.8	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
47628160401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 40	Steel 8.8	M16 x 40	Zinc Bright Passivation Fe/Zn P1	16 mm	40 mm	14 mm	24 mm
47628160402	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 40	Steel 8.8	M16 x 40	HOT DIP GALVANIZED ISO FIT	16 mm	40 mm	14 mm	24 mm
4762816045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 45	Steel 8.8	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
47628160451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 45	Steel 8.8	M16 x 45	Zinc Bright Passivation Fe/Zn P1	16 mm	45 mm	14 mm	24 mm
4762816050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 50	Steel 8.8	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
47628160501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 50	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	14 mm	24 mm
47628160501GY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 50	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	14 mm	24 mm
47628160501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 50	Steel 8.8	M16 x 50	Zinc Bright Passivation Fe/Zn P1	16 mm	50 mm	14 mm	24 mm
47628160502	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 50	Steel 8.8	M16 x 50	HOT DIP GALVANIZED ISO FIT	16 mm	50 mm	14 mm	24 mm
4762816055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 55	Steel 8.8	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
47628160551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 55	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	14 mm	24 mm
47628160551SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 55	Steel 8.8	M16 x 55	Zinc Bright Passivation Fe/Zn P1	16 mm	55 mm	14 mm	24 mm
4762816055I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 55	Steel 8.8	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
4762816060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 60	Steel 8.8	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
47628160601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 60	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	14 mm	24 mm
47628160601FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 60/6	Steel 8.8	M16 x 60/60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	14 mm	24 mm
47628160601SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 60	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	14 mm	24 mm
47628160601SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 60	Steel 8.8	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	14 mm	24 mm
47628160602	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 60	Steel 8.8	M16 x 60	HOT DIP GALVANIZED ISO FIT	16 mm	60 mm	14 mm	24 mm
4762816060FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 60/6	Steel 8.8	M16 x 60/60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762816065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 65	Steel 8.8	M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
47628160651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 65	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	14 mm	24 mm
47628160651SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 65	Steel 8.8	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	14 mm	24 mm
4762816070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 70	Steel 8.8	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
47628160701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 70	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	14 mm	24 mm
47628160701FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 70/7	Steel 8.8	M16 x 70/70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	14 mm	24 mm
47628160701G627	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 70	Steel 8.8	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	14 mm	24 mm
4762816075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 75	Steel 8.8	M16 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm
47628160751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 75	Steel 8.8	M16 x 75	Zinc Bright Passivation Fe/Zn P1	16 mm	75 mm	14 mm	24 mm
47628160752	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 75	Steel 8.8	M16 x 75	HOT DIP GALVANIZED ISO FIT	16 mm	75 mm	14 mm	24 mm
4762816080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 80	Steel 8.8	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
47628160801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 80	Steel 8.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	14 mm	24 mm
47628160801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 80/8	Steel 8.8	M16 x 80/80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	14 mm	24 mm
47628160801SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 80	Steel 8.8	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	14 mm	24 mm
47628160802	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 80	Steel 8.8	M16 x 80	HOT DIP GALVANIZED ISO FIT	16 mm	80 mm	14 mm	24 mm
4762816080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 80/8	Steel 8.8	M16 x 80/80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762816080GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 80	Steel 8.8	M16 x 80	GEOMET 500B	16 mm	80 mm	14 mm	24 mm
4762816085	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 85	Steel 8.8	M16 x 85	Plain (no plating)	16 mm	85 mm	14 mm	24 mm
47628160851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 85	Steel 8.8	M16 x 85	Zinc Bright Passivation Fe/Zn P1	16 mm	85 mm	14 mm	24 mm
47628160852	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 85	Steel 8.8	M16 x 85	HOT DIP GALVANIZED ISO FIT	16 mm	85 mm	14 mm	24 mm
4762816090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 90	Steel 8.8	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
47628160901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 90	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	14 mm	24 mm
47628160901FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M16 x 90/9

Steel 8.8	M16 x 90/90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	14 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628160901I	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 90	Steel 8.8	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
47628160901SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 90	Steel 8.8	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	14 mm	24 mm
4762816095	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 95	Steel 8.8	M16 x 95	Plain (no plating)	16 mm	95 mm	14 mm	24 mm
4762816100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 100	Steel 8.8	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
47628161001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 100	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	14 mm	24 mm
47628161001SST200S	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 100	Steel 8.8	M16 x 100	Zinc Bright Passivation Fe/Zn P1	16 mm	100 mm	14 mm	24 mm
4762816100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 100/	Steel 8.8	M16 x 100/100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762816110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 110	Steel 8.8	M16 x 110	Plain (no plating)	16 mm	110 mm	14 mm	24 mm
47628161101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 110	Steel 8.8	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	14 mm	24 mm
4762816120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 120	Steel 8.8	M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
47628161201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 120	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	14 mm	24 mm
47628161201SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 120	Steel 8.8	M16 x 120	Zinc Bright Passivation Fe/Zn P1	16 mm	120 mm	14 mm	24 mm
47628161202	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 120	Steel 8.8	M16 x 120	HOT DIP GALVANIZED ISO FIT	16 mm	120 mm	14 mm	24 mm
4762816130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 130	Steel 8.8	M16 x 130	Plain (no plating)	16 mm	130 mm	14 mm	24 mm
47628161301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 130	Steel 8.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	14 mm	24 mm
47628161301SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 130	Steel 8.8	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	14 mm	24 mm
4762816140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 140	Steel 8.8	M16 x 140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
47628161401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 140	Steel 8.8	M16 x 140	Zinc Bright Passivation Fe/Zn P1	16 mm	140 mm	14 mm	24 mm
4762816150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 150	Steel 8.8	M16 x 150	Plain (no plating)	16 mm	150 mm	14 mm	24 mm
47628161501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 150	Steel 8.8	M16 x 150	Zinc Bright Passivation Fe/Zn P1	16 mm	150 mm	14 mm	24 mm
4762816150130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 1.5	Steel 8.8	M16 x 1.5 x 130	Plain (no plating)	16 mm	130 mm	14 mm	24 mm
476281615030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 1.5	Steel 8.8	M16 x 1.5 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
476281615035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 1.5	Steel 8.8	M16 x 1.5 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
476281615040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 1.5	Steel 8.8	M16 x 1.5 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
476281615050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 1.5	Steel 8.8	M16 x 1.5 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
4762816160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 160	Steel 8.8	M16 x 160	Plain (no plating)	16 mm	160 mm	14 mm	24 mm
47628161601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 160	Steel 8.8	M16 x 160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	14 mm	24 mm
47628161601FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 160/	Steel 8.8	M16 x 160/160	Zinc Bright Passivation Fe/Zn P1	16 mm	160 mm	14 mm	24 mm
47628161701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 170	Steel 8.8	M16 x 170	Zinc Bright Passivation Fe/Zn P1	16 mm	170 mm	14 mm	24 mm
4762816180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 180	Steel 8.8	M16 x 180	Plain (no plating)	16 mm	180 mm	14 mm	24 mm
47628161801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 180	Steel 8.8	M16 x 180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	14 mm	24 mm
47628161801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 180/	Steel 8.8	M16 x 180/180	Zinc Bright Passivation Fe/Zn P1	16 mm	180 mm	14 mm	24 mm
4762816190	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 190	Steel 8.8	M16 x 190	Plain (no plating)	16 mm	190 mm	14 mm	24 mm
47628161901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 190	Steel 8.8	M16 x 190	Zinc Bright Passivation Fe/Zn P1	16 mm	190 mm	14 mm	24 mm
4762816200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 200	Steel 8.8	M16 x 200	Plain (no plating)	16 mm	200 mm	14 mm	24 mm
47628162001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 200	Steel 8.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	14 mm	24 mm
47628162001SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 200	Steel 8.8	M16 x 200	Zinc Bright Passivation Fe/Zn P1	16 mm	200 mm	14 mm	24 mm
4762816210	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 210	Steel 8.8	M16 x 210	Plain (no plating)	16 mm	210 mm	14 mm	24 mm
47628162101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 210	Steel 8.8	M16 x 210	Zinc Bright Passivation Fe/Zn P1	16 mm	210 mm	14 mm	24 mm
4762816220	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 220	Steel 8.8	M16 x 220	Plain (no plating)	16 mm	220 mm	14 mm	24 mm
47628162201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 220	Steel 8.8	M16 x 220	Zinc Bright Passivation Fe/Zn P1	16 mm	220 mm	14 mm	24 mm
47628162202	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 220	Steel 8.8	M16 x 220	HOT DIP GALVANIZED ISO FIT	16 mm	220 mm	14 mm	24 mm
4762816230	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 230	Steel 8.8	M16 x 230	Plain (no plating)	16 mm	230 mm	14 mm	24 mm
4762816240	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 240	Steel 8.8	M16 x 240	Plain (no plating)	16 mm	240 mm	14 mm	24 mm
47628162401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 240	Steel 8.8	M16 x 240	Zinc Bright Passivation Fe/Zn P1	16 mm	240 mm	14 mm	24 mm
47628162402	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M16 x 240,

Steel 8.8	M16 x 240	HOT DIP GALVANIZED ISO FIT	16 mm	240 mm	14 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762816250	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 250	Steel 8.8	M16 x 250	Plain (no plating)	16 mm	250 mm	14 mm	24 mm
4762816260	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 260	Steel 8.8	M16 x 260	Plain (no plating)	16 mm	260 mm	14 mm	24 mm
47628162601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 260	Steel 8.8	M16 x 260	Zinc Bright Passivation Fe/Zn P1	16 mm	260 mm	14 mm	24 mm
4762816270	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 270	Steel 8.8	M16 x 270	Plain (no plating)	16 mm	270 mm	14 mm	24 mm
4762816280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 280	Steel 8.8	M16 x 280	Plain (no plating)	16 mm	280 mm	14 mm	24 mm
47628162801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 280	Steel 8.8	M16 x 280	Zinc Bright Passivation Fe/Zn P1	16 mm	280 mm	14 mm	24 mm
4762816320	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 320	Steel 8.8	M16 x 320	Plain (no plating)	16 mm	320 mm	14 mm	24 mm
4762816340	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 340	Steel 8.8	M16 x 340	Plain (no plating)	16 mm	340 mm	14 mm	24 mm
4762816400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 400	Steel 8.8	M16 x 400	Plain (no plating)	16 mm	400 mm	14 mm	24 mm
47628164001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M16 x 400	Steel 8.8	M16 x 400	Zinc Bright Passivation Fe/Zn P1	16 mm	400 mm	14 mm	24 mm
4762818030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 30	Steel 8.8	M18 x 30	Plain (no plating)	18 mm	30 mm	14 mm	27 mm
47628180401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 40	Steel 8.8	M18 x 40	Zinc Bright Passivation Fe/Zn P1	18 mm	40 mm	14 mm	27 mm
47628180451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 45	Steel 8.8	M18 x 45	Zinc Bright Passivation Fe/Zn P1	18 mm	45 mm	14 mm	27 mm
4762818050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 50	Steel 8.8	M18 x 50	Plain (no plating)	18 mm	50 mm	14 mm	27 mm
47628180501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 50	Steel 8.8	M18 x 50	Zinc Bright Passivation Fe/Zn P1	18 mm	50 mm	14 mm	27 mm
47628180501SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 50	Steel 8.8	M18 x 50	Zinc Bright Passivation Fe/Zn P1	18 mm	50 mm	14 mm	27 mm
4762818060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 60	Steel 8.8	M18 x 60	Plain (no plating)	18 mm	60 mm	14 mm	27 mm
47628180601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 60	Steel 8.8	M18 x 60	Zinc Bright Passivation Fe/Zn P1	18 mm	60 mm	14 mm	27 mm
4762818080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 80	Steel 8.8	M18 x 80	Plain (no plating)	18 mm	80 mm	14 mm	27 mm
47628180801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 80	Steel 8.8	M18 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	14 mm	27 mm
47628180801SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 80	Steel 8.8	M18 x 80	Zinc Bright Passivation Fe/Zn P1	18 mm	80 mm	14 mm	27 mm
47628180851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 85	Steel 8.8	M18 x 85	Zinc Bright Passivation Fe/Zn P1	18 mm	85 mm	14 mm	27 mm
47628181001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 100	Steel 8.8	M18 x 100	Zinc Bright Passivation Fe/Zn P1	18 mm	100 mm	14 mm	27 mm
4762818130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 130	Steel 8.8	M18 x 130	Plain (no plating)	18 mm	130 mm	14 mm	27 mm
4762818140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 140	Steel 8.8	M18 x 140	Plain (no plating)	18 mm	140 mm	14 mm	27 mm
47628181401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 140	Steel 8.8	M18 x 140	Zinc Bright Passivation Fe/Zn P1	18 mm	140 mm	14 mm	27 mm
4762818160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 160	Steel 8.8	M18 x 160	Plain (no plating)	18 mm	160 mm	14 mm	27 mm
4762818180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 180	Steel 8.8	M18 x 180	Plain (no plating)	18 mm	180 mm	14 mm	27 mm
47628181801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 180	Steel 8.8	M18 x 180	Zinc Bright Passivation Fe/Zn P1	18 mm	180 mm	14 mm	27 mm
4762818190	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 190	Steel 8.8	M18 x 190	Plain (no plating)	18 mm	190 mm	14 mm	27 mm
47628182001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 200	Steel 8.8	M18 x 200	Zinc Bright Passivation Fe/Zn P1	18 mm	200 mm	14 mm	27 mm
4762818220	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 220	Steel 8.8	M18 x 220	Plain (no plating)	18 mm	220 mm	14 mm	27 mm
47628182201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 220	Steel 8.8	M18 x 220	Zinc Bright Passivation Fe/Zn P1	18 mm	220 mm	14 mm	27 mm
47628182401TL48	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M18 x 240	Steel 8.8	M18 x 240	Zinc Bright Passivation Fe/Zn P1	18 mm	240 mm	14 mm	27 mm
4762820030	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 30	Steel 8.8	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
47628200301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 30	Steel 8.8	M20 x 30	Zinc Bright Passivation Fe/Zn P1	20 mm	30 mm	17 mm	30 mm
47628200301SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 30	Steel 8.8	M20 x 30	Zinc Bright Passivation Fe/Zn P1	20 mm	30 mm	17 mm	30 mm
4762820035	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 35	Steel 8.8	M20 x 35	Plain (no plating)	20 mm	35 mm	17 mm	30 mm
47628200351	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 35	Steel 8.8	M20 x 35	Zinc Bright Passivation Fe/Zn P1	20 mm	35 mm	17 mm	30 mm
4762820040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 40	Steel 8.8	M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
47628200401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 40	Steel 8.8	M20 x 40	Zinc Bright Passivation Fe/Zn P1	20 mm	40 mm	17 mm	30 mm
4762820045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 45	Steel 8.8	M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
47628200451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 45	Steel 8.8	M20 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	17 mm	30 mm
47628200451SST400W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 45	Steel 8.8	M20 x 45	Zinc Bright Passivation Fe/Zn P1	20 mm	45 mm	17 mm	30 mm
4762820050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 50	Steel 8.8	M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
47628200501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M20 x 50,

Steel 8.8	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	17 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628200501SST096	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 50	Steel 8.8	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	17 mm	30 mm
47628200501SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 50	Steel 8.8	M20 x 50	Zinc Bright Passivation Fe/Zn P1	20 mm	50 mm	17 mm	30 mm
4762820055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 55	Steel 8.8	M20 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
47628200551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 55	Steel 8.8	M20 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	17 mm	30 mm
4762820060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 60	Steel 8.8	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
47628200601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 60	Steel 8.8	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	17 mm	30 mm
47628200601GY	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 60	Steel 8.8	M20 x 60	Zinc Bright Passivation Fe/Zn P1	20 mm	60 mm	17 mm	30 mm
47628200602	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 60	Steel 8.8	M20 x 60	Hot Dip Galvanizing	20 mm	60 mm	17 mm	30 mm
4762820065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 65	Steel 8.8	M20 x 65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
47628200651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 65	Steel 8.8	M20 x 65	Zinc Bright Passivation Fe/Zn P1	20 mm	65 mm	17 mm	30 mm
4762820070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 70	Steel 8.8	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
47628200701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 70	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	17 mm	30 mm
47628200701SST40W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 70	Steel 8.8	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	17 mm	30 mm
4762820070GEO500B	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 70	Steel 8.8	M20 x 70	GEOMET 500B	20 mm	70 mm	17 mm	30 mm
4762820075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 75	Steel 8.8	M20 x 75	Plain (no plating)	20 mm	75 mm	17 mm	30 mm
47628200751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 75	Steel 8.8	M20 x 75	Zinc Bright Passivation Fe/Zn P1	20 mm	75 mm	17 mm	30 mm
4762820080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 80	Steel 8.8	M20 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
47628200801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 80	Steel 8.8	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	17 mm	30 mm
4762820080FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 80/8	Steel 8.8	M20 x 80/80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
47628200851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 85	Steel 8.8	M20 x 85	Zinc Bright Passivation Fe/Zn P1	20 mm	85 mm	17 mm	30 mm
4762820090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 90	Steel 8.8	M20 x 90	Plain (no plating)	20 mm	90 mm	17 mm	30 mm
47628200901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 90	Steel 8.8	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	17 mm	30 mm
47628200901SST40W	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 90	Steel 8.8	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	17 mm	30 mm
4762820095	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 95	Steel 8.8	M20 x 95	Plain (no plating)	20 mm	95 mm	17 mm	30 mm
47628200951	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 95	Steel 8.8	M20 x 95	Zinc Bright Passivation Fe/Zn P1	20 mm	95 mm	17 mm	30 mm
4762820100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 100	Steel 8.8	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
47628201001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 100	Steel 8.8	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	17 mm	30 mm
47628201001FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 100/	Steel 8.8	M20 x 100/100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	17 mm	30 mm
47628201002	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 100/	Steel 8.8	M20 x 100	HOT DIP GALVANIZED ISO FIT	20 mm	100 mm	17 mm	30 mm
4762820100FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 100/	Steel 8.8	M20 x 100/100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
4762820110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 110	Steel 8.8	M20 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
47628201101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 110	Steel 8.8	M20 x 110	Zinc Bright Passivation Fe/Zn P1	20 mm	110 mm	17 mm	30 mm
47628201102	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 110	Steel 8.8	M20 x 110	HOT DIP GALVANIZED ISO FIT	20 mm	110 mm	17 mm	30 mm
4762820120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 120	Steel 8.8	M20 x 120	Plain (no plating)	20 mm	120 mm	17 mm	30 mm
47628201201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 120	Steel 8.8	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	17 mm	30 mm
4762820130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 130	Steel 8.8	M20 x 130	Plain (no plating)	20 mm	130 mm	17 mm	30 mm
47628201301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 130	Steel 8.8	M20 x 130	Zinc Bright Passivation Fe/Zn P1	20 mm	130 mm	17 mm	30 mm
4762820140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 140	Steel 8.8	M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
47628201401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 140	Steel 8.8	M20 x 140	Zinc Bright Passivation Fe/Zn P1	20 mm	140 mm	17 mm	30 mm
47628201402	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 140	Steel 8.8	M20 x 140	HOT DIP GALVANIZED ISO FIT	20 mm	140 mm	17 mm	30 mm
4762820150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 150	Steel 8.8	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
4762820150055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 1.5	Steel 8.8	M20 x 1.5 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
47628201501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 150	Steel 8.8	M20 x 150	Zinc Bright Passivation Fe/Zn P1	20 mm	150 mm	17 mm	30 mm
47628201502	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 150	Steel 8.8	M20 x 150	HOT DIP GALVANIZED ISO FIT	20 mm	150 mm	17 mm	30 mm
4762820150301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 1.5	Steel 8.8	M20 x 1.5 x 30	Zinc Bright Passivation Fe/Zn P1	20 mm	30 mm	17 mm	30 mm
4762820150551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M20 x 1.5

Steel 8.8	M20 x 1.5 x 55	Zinc Bright Passivation Fe/Zn P1	20 mm	55 mm	17 mm	30 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762820150FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 150/	Steel 8.8	M20 x 150/150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
4762820160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 160	Steel 8.8	M20 x 160	Plain (no plating)	20 mm	160 mm	17 mm	30 mm
47628201601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 160	Steel 8.8	M20 x 160	Zinc Bright Passivation Fe/Zn P1	20 mm	160 mm	17 mm	30 mm
4762820170	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 170	Steel 8.8	M20 x 170	Plain (no plating)	20 mm	170 mm	17 mm	30 mm
47628201701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 170	Steel 8.8	M20 x 170	Zinc Bright Passivation Fe/Zn P1	20 mm	170 mm	17 mm	30 mm
4762820180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 180	Steel 8.8	M20 x 180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
47628201801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 180	Steel 8.8	M20 x 180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	17 mm	30 mm
47628201801FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 180	Steel 8.8	M20 x 180/180	Zinc Bright Passivation Fe/Zn P1	20 mm	180 mm	17 mm	30 mm
4762820180FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 180/	Steel 8.8	M20 x 180/180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
4762820200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 180/	Steel 8.8	M20 x 200	Plain (no plating)	20 mm	200 mm	17 mm	30 mm
47628202001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 200	Steel 8.8	M20 x 200	Zinc Bright Passivation Fe/Zn P1	20 mm	200 mm	17 mm	30 mm
476282020180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 200	Steel 8.8	M20 x 2.0 x 180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
47628202101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 2.0	Steel 8.8	M20 x 210	Zinc Bright Passivation Fe/Zn P1	20 mm	210 mm	17 mm	30 mm
4762820220	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 210	Steel 8.8	M20 x 220	Plain (no plating)	20 mm	220 mm	17 mm	30 mm
47628202201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 220	Steel 8.8	M20 x 220	Zinc Bright Passivation Fe/Zn P1	20 mm	220 mm	17 mm	30 mm
4762820240	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 220	Steel 8.8	M20 x 240	Plain (no plating)	20 mm	240 mm	17 mm	30 mm
47628202401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 240	Steel 8.8	M20 x 240	Zinc Bright Passivation Fe/Zn P1	20 mm	240 mm	17 mm	30 mm
4762820250	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 240	Steel 8.8	M20 x 250	Plain (no plating)	20 mm	250 mm	17 mm	30 mm
47628202501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 250	Steel 8.8	M20 x 250	Zinc Bright Passivation Fe/Zn P1	20 mm	250 mm	17 mm	30 mm
47628202701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 250	Steel 8.8	M20 x 270	Zinc Bright Passivation Fe/Zn P1	20 mm	270 mm	17 mm	30 mm
4762820280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 270	Steel 8.8	M20 x 280	Plain (no plating)	20 mm	280 mm	17 mm	30 mm
47628202801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 280	Steel 8.8	M20 x 280	Zinc Bright Passivation Fe/Zn P1	20 mm	280 mm	17 mm	30 mm
47628203001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 280	Steel 8.8	M20 x 300	Zinc Bright Passivation Fe/Zn P1	20 mm	300 mm	17 mm	30 mm
4762820320	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 300	Steel 8.8	M20 x 320	Plain (no plating)	20 mm	320 mm	17 mm	30 mm
4762820350	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 320	Steel 8.8	M20 x 350	Plain (no plating)	20 mm	350 mm	17 mm	30 mm
47628203601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 350	Steel 8.8	M20 x 360	Zinc Bright Passivation Fe/Zn P1	20 mm	360 mm	17 mm	30 mm
47628203751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 360	Steel 8.8	M20 x 375	Zinc Bright Passivation Fe/Zn P1	20 mm	375 mm	17 mm	30 mm
4762822045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M20 x 375	Steel 8.8	M22 x 45	Plain (no plating)	22 mm	45 mm	17 mm	33 mm
4762822060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M22 x 45	Steel 8.8	M22 x 60	Plain (no plating)	22 mm	60 mm	17 mm	33 mm
4762822065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M22 x 60	Steel 8.8	M22 x 65	Plain (no plating)	22 mm	65 mm	17 mm	33 mm
47628221201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M22 x 65	Steel 8.8	M22 x 120	Zinc Bright Passivation Fe/Zn P1	22 mm	120 mm	17 mm	33 mm
47628240302	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M22 x 120	Steel 8.8	M24 x 30	HOT DIP GALVANIZED ISO FIT	24 mm	30 mm	19 mm	36 mm
4762824040	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 30	Steel 8.8	M24 x 40	Plain (no plating)	24 mm	40 mm	19 mm	36 mm
47628240401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 40	Steel 8.8	M24 x 40	Zinc Bright Passivation Fe/Zn P1	24 mm	40 mm	19 mm	36 mm
4762824045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 40	Steel 8.8	M24 x 45	Plain (no plating)	24 mm	45 mm	19 mm	36 mm
47628240451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 45	Steel 8.8	M24 x 45	Zinc Bright Passivation Fe/Zn P1	24 mm	45 mm	19 mm	36 mm
4762824050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 45	Steel 8.8	M24 x 50	Plain (no plating)	24 mm	50 mm	19 mm	36 mm
47628240501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 50	Steel 8.8	M24 x 50	Zinc Bright Passivation Fe/Zn P1	24 mm	50 mm	19 mm	36 mm
4762824055	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 50	Steel 8.8	M24 x 55	Plain (no plating)	24 mm	55 mm	19 mm	36 mm
47628240551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 55	Steel 8.8	M24 x 55	Zinc Bright Passivation Fe/Zn P1	24 mm	55 mm	19 mm	36 mm
4762824060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 55	Steel 8.8	M24 x 60	Plain (no plating)	24 mm	60 mm	19 mm	36 mm
47628240601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 60	Steel 8.8	M24 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	19 mm	36 mm
47628240601SST200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 60	Steel 8.8	M24 x 60	Zinc Bright Passivation Fe/Zn P1	24 mm	60 mm	19 mm	36 mm
47628240651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 60	Steel 8.8	M24 x 65	Zinc Bright Passivation Fe/Zn P1	24 mm	65 mm	19 mm	36 mm
4762824070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 65	Steel 8.8	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
47628240701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 70							

M24 x 70,

Steel 8.8	M24 x 70	Zinc Bright Passivation Fe/Zn P1	24 mm	70 mm	19 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762824075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 75	Steel 8.8	M24 x 75	Plain (no plating)	24 mm	75 mm	19 mm	36 mm
47628240751	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 75	Steel 8.8	M24 x 75	Zinc Bright Passivation Fe/Zn P1	24 mm	75 mm	19 mm	36 mm
4762824080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 80	Steel 8.8	M24 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
47628240801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 80	Steel 8.8	M24 x 80	Zinc Bright Passivation Fe/Zn P1	24 mm	80 mm	19 mm	36 mm
4762824090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 90	Steel 8.8	M24 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
47628240901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 90	Steel 8.8	M24 x 90	Zinc Bright Passivation Fe/Zn P1	24 mm	90 mm	19 mm	36 mm
4762824095	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 95	Steel 8.8	M24 x 95	Plain (no plating)	24 mm	95 mm	19 mm	36 mm
4762824100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 100	Steel 8.8	M24 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
47628241001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 100	Steel 8.8	M24 x 100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	19 mm	36 mm
47628241001FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 100/	Steel 8.8	M24 x 100/100	Zinc Bright Passivation Fe/Zn P1	24 mm	100 mm	19 mm	36 mm
4762824110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 110	Steel 8.8	M24 x 110	Plain (no plating)	24 mm	110 mm	19 mm	36 mm
47628241101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 110	Steel 8.8	M24 x 110	Zinc Bright Passivation Fe/Zn P1	24 mm	110 mm	19 mm	36 mm
47628241102	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 110	Steel 8.8	M24 x 110	HOT DIP GALVANIZED ISO FIT	24 mm	110 mm	19 mm	36 mm
4762824120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 120	Steel 8.8	M24 x 120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
47628241201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 120	Steel 8.8	M24 x 120	Zinc Bright Passivation Fe/Zn P1	24 mm	120 mm	19 mm	36 mm
4762824130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 130	Steel 8.8	M24 x 130	Plain (no plating)	24 mm	130 mm	19 mm	36 mm
47628241301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 130	Steel 8.8	M24 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	19 mm	36 mm
4762824140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 140	Steel 8.8	M24 x 140	Plain (no plating)	24 mm	140 mm	19 mm	36 mm
47628241401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 140	Steel 8.8	M24 x 140	Zinc Bright Passivation Fe/Zn P1	24 mm	140 mm	19 mm	36 mm
4762824150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 150	Steel 8.8	M24 x 150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
47628241501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 150	Steel 8.8	M24 x 150	Zinc Bright Passivation Fe/Zn P1	24 mm	150 mm	19 mm	36 mm
4762824150FT	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 150/	Steel 8.8	M24 x 150/150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
4762824160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 160	Steel 8.8	M24 x 160	Plain (no plating)	24 mm	160 mm	19 mm	36 mm
47628241601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 160	Steel 8.8	M24 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	19 mm	36 mm
4762824170	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 170	Steel 8.8	M24 x 170	Plain (no plating)	24 mm	170 mm	19 mm	36 mm
47628241701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 170	Steel 8.8	M24 x 170	Zinc Bright Passivation Fe/Zn P1	24 mm	170 mm	19 mm	36 mm
4762824180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 180	Steel 8.8	M24 x 180	Plain (no plating)	24 mm	180 mm	19 mm	36 mm
47628241801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 180	Steel 8.8	M24 x 180	Zinc Bright Passivation Fe/Zn P1	24 mm	180 mm	19 mm	36 mm
47628241901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 190	Steel 8.8	M24 x 190	Zinc Bright Passivation Fe/Zn P1	24 mm	190 mm	19 mm	36 mm
4762824200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 200	Steel 8.8	M24 x 200	Plain (no plating)	24 mm	200 mm	19 mm	36 mm
47628242001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 200	Steel 8.8	M24 x 200	Zinc Bright Passivation Fe/Zn P1	24 mm	200 mm	19 mm	36 mm
47628242013 01	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 2.0	Steel 8.8	M24 x 2.0 x 130	Zinc Bright Passivation Fe/Zn P1	24 mm	130 mm	19 mm	36 mm
47628242016 01	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 2.0	Steel 8.8	M24 x 2.0 x 160	Zinc Bright Passivation Fe/Zn P1	24 mm	160 mm	19 mm	36 mm
4762824210	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 210	Steel 8.8	M24 x 210	Plain (no plating)	24 mm	210 mm	19 mm	36 mm
47628242100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 2.0	Steel 8.8	M24 x 2.0 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
4762824220	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 220	Steel 8.8	M24 x 220	Plain (no plating)	24 mm	220 mm	19 mm	36 mm
47628242401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 240	Steel 8.8	M24 x 240	Zinc Bright Passivation Fe/Zn P1	24 mm	240 mm	19 mm	36 mm
4762824260	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 260	Steel 8.8	M24 x 260	Plain (no plating)	24 mm	260 mm	19 mm	36 mm
47628242601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 260	Steel 8.8	M24 x 260	Zinc Bright Passivation Fe/Zn P1	24 mm	260 mm	19 mm	36 mm
4762824280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 280	Steel 8.8	M24 x 280	Plain (no plating)	24 mm	280 mm	19 mm	36 mm
4762824300	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 300	Steel 8.8	M24 x 300	Plain (no plating)	24 mm	300 mm	19 mm	36 mm
47628243001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 300	Steel 8.8	M24 x 300	Zinc Bright Passivation Fe/Zn P1	24 mm	300 mm	19 mm	36 mm
4762824310	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 310	Steel 8.8	M24 x 310	Plain (no plating)	24 mm	310 mm	19 mm	36 mm
4762824350	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 350	Steel 8.8	M24 x 350	Plain (no plating)	24 mm	350 mm	19 mm	36 mm
4762824360	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M24 x 360	Steel 8.8	M24 x 360	Plain (no plating)	24 mm	360 mm	19 mm	36 mm
4762824500	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M24 x 500,

Steel 8.8	M24 x 500	Plain (no plating)	24 mm	500 mm	19 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628250081SST072	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M2.5 x 8	Steel 8.8	M2.5 x 8	Zinc Bright Passivation Fe/Zn P1	2.5 mm	8 mm	2 mm	4.5 mm
4762827090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M27 x 90	Steel 8.8	M27 x 90	Plain (no plating)	27 mm	90 mm	19 mm	40 mm
4762827100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M27 x 100	Steel 8.8	M27 x 100	Plain (no plating)	27 mm	100 mm	19 mm	40 mm
47628271001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M27 x 100	Steel 8.8	M27 x 100	Zinc Bright Passivation Fe/Zn P1	27 mm	100 mm	19 mm	40 mm
4762827120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M27 x 120	Steel 8.8	M27 x 120	Plain (no plating)	27 mm	120 mm	19 mm	40 mm
47628271401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M27 x 140	Steel 8.8	M27 x 140	Zinc Bright Passivation Fe/Zn P1	27 mm	140 mm	19 mm	40 mm
4762827340	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M27 x 340	Steel 8.8	M27 x 340	Plain (no plating)	27 mm	340 mm	19 mm	40 mm
4762830045	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 45	Steel 8.8	M30 x 45	Plain (no plating)	30 mm	45 mm	22 mm	45 mm
47628300451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 45	Steel 8.8	M30 x 45	Zinc Bright Passivation Fe/Zn P1	30 mm	45 mm	22 mm	45 mm
4762830050	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 50	Steel 8.8	M30 x 50	Plain (no plating)	30 mm	50 mm	22 mm	45 mm
47628300501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 50	Steel 8.8	M30 x 50	Zinc Bright Passivation Fe/Zn P1	30 mm	50 mm	22 mm	45 mm
47628300551	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 55	Steel 8.8	M30 x 55	Zinc Bright Passivation Fe/Zn P1	30 mm	55 mm	22 mm	45 mm
4762830060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 60	Steel 8.8	M30 x 60	Plain (no plating)	30 mm	60 mm	22 mm	45 mm
47628300601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 60	Steel 8.8	M30 x 60	Zinc Bright Passivation Fe/Zn P1	30 mm	60 mm	22 mm	45 mm
4762830065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 65	Steel 8.8	M30 x 65	Plain (no plating)	30 mm	65 mm	22 mm	45 mm
47628300651	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 65	Steel 8.8	M30 x 65	Zinc Bright Passivation Fe/Zn P1	30 mm	65 mm	22 mm	45 mm
4762830070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 70	Steel 8.8	M30 x 70	Plain (no plating)	30 mm	70 mm	22 mm	45 mm
47628300701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 70	Steel 8.8	M30 x 70	Zinc Bright Passivation Fe/Zn P1	30 mm	70 mm	22 mm	45 mm
47628300703	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M30	Stainless A2-70	M30 x 70	Plain (no plating)	30 mm	70 mm	22 mm	45 mm
4762830075	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 75	Steel 8.8	M30 x 75	Plain (no plating)	30 mm	75 mm	22 mm	45 mm
4762830080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 80	Steel 8.8	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
47628300801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 80	Steel 8.8	M30 x 80	Zinc Bright Passivation Fe/Zn P1	30 mm	80 mm	22 mm	45 mm
4762830085	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 85	Steel 8.8	M30 x 85	Plain (no plating)	30 mm	85 mm	22 mm	45 mm
47628300851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 85	Steel 8.8	M30 x 85	Zinc Bright Passivation Fe/Zn P1	30 mm	85 mm	22 mm	45 mm
4762830090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 90	Steel 8.8	M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
47628300901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 90	Steel 8.8	M30 x 90	Zinc Bright Passivation Fe/Zn P1	30 mm	90 mm	22 mm	45 mm
4762830100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 100	Steel 8.8	M30 x 100	Plain (no plating)	30 mm	100 mm	22 mm	45 mm
47628301001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 100	Steel 8.8	M30 x 100	Zinc Bright Passivation Fe/Zn P1	30 mm	100 mm	22 mm	45 mm
4762830110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 110	Steel 8.8	M30 x 110	Plain (no plating)	30 mm	110 mm	22 mm	45 mm
47628301101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 110	Steel 8.8	M30 x 110	Zinc Bright Passivation Fe/Zn P1	30 mm	110 mm	22 mm	45 mm
4762830120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 120	Steel 8.8	M30 x 120	Plain (no plating)	30 mm	120 mm	22 mm	45 mm
47628301201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 120	Steel 8.8	M30 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	22 mm	45 mm
47628301202	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 120	Steel 8.8	M30 x 120	HOT DIP GALVANIZED ISO FIT	30 mm	120 mm	22 mm	45 mm
4762830130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 130	Steel 8.8	M30 x 130	Plain (no plating)	30 mm	130 mm	22 mm	45 mm
47628301301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 130	Steel 8.8	M30 x 130	Zinc Bright Passivation Fe/Zn P1	30 mm	130 mm	22 mm	45 mm
4762830140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 140	Steel 8.8	M30 x 140	Plain (no plating)	30 mm	140 mm	22 mm	45 mm
4762830150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 150	Steel 8.8	M30 x 150	Plain (no plating)	30 mm	150 mm	22 mm	45 mm
47628301501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 150	Steel 8.8	M30 x 150	Zinc Bright Passivation Fe/Zn P1	30 mm	150 mm	22 mm	45 mm
47628301502	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 150	Steel 8.8	M30 x 150	HOT DIP GALVANIZED ISO FIT	30 mm	150 mm	22 mm	45 mm
4762830160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 160	Steel 8.8	M30 x 160	Plain (no plating)	30 mm	160 mm	22 mm	45 mm
47628301601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 160	Steel 8.8	M30 x 160	Zinc Bright Passivation Fe/Zn P1	30 mm	160 mm	22 mm	45 mm
47628301701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 170	Steel 8.8	M30 x 170	Zinc Bright Passivation Fe/Zn P1	30 mm	170 mm	22 mm	45 mm
4762830180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 180	Steel 8.8	M30 x 180	Plain (no plating)	30 mm	180 mm	22 mm	45 mm
47628301801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 180	Steel 8.8	M30 x 180	Zinc Bright Passivation Fe/Zn P1	30 mm	180 mm	22 mm	45 mm
47628301802	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 180	Steel 8.8	M30 x 180	HOT DIP GALVANIZED ISO FIT	30 mm	180 mm	22 mm	45 mm
4762830200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M30 x 200,

Steel 8.8	M30 x 200	Plain (no plating)	30 mm	200 mm	22 mm	45 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762830210	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 210	Steel 8.8	M30 x 210	Plain (no plating)	30 mm	210 mm	22 mm	45 mm
47628302120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 2.0 x 120	Steel 8.8	M30 x 2.0 x 120	Plain (no plating)	30 mm	120 mm	22 mm	45 mm
476283021201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 2.0 x 120	Steel 8.8	M30 x 2.0 x 120	Zinc Bright Passivation Fe/Zn P1	30 mm	120 mm	22 mm	45 mm
47628302140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 2.0 x 140	Steel 8.8	M30 x 2.0 x 140	Plain (no plating)	30 mm	140 mm	22 mm	45 mm
4762830220	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 220	Steel 8.8	M30 x 220	Plain (no plating)	30 mm	220 mm	22 mm	45 mm
47628302201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 220	Steel 8.8	M30 x 220	Zinc Bright Passivation Fe/Zn P1	30 mm	220 mm	22 mm	45 mm
4762830240	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 240	Steel 8.8	M30 x 240	Plain (no plating)	30 mm	240 mm	22 mm	45 mm
47628302401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 240	Steel 8.8	M30 x 240	Zinc Bright Passivation Fe/Zn P1	30 mm	240 mm	22 mm	45 mm
4762830250	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 250	Steel 8.8	M30 x 250	Plain (no plating)	30 mm	250 mm	22 mm	45 mm
47628302501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 250	Steel 8.8	M30 x 250	Zinc Bright Passivation Fe/Zn P1	30 mm	250 mm	22 mm	45 mm
4762830260	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 260	Steel 8.8	M30 x 260	Plain (no plating)	30 mm	260 mm	22 mm	45 mm
4762830280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 280	Steel 8.8	M30 x 280	Plain (no plating)	30 mm	280 mm	22 mm	45 mm
47628302801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 280	Steel 8.8	M30 x 280	Zinc Bright Passivation Fe/Zn P1	30 mm	280 mm	22 mm	45 mm
4762830300	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 300	Steel 8.8	M30 x 300	Plain (no plating)	30 mm	300 mm	22 mm	45 mm
47628303001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 300	Steel 8.8	M30 x 300	Zinc Bright Passivation Fe/Zn P1	30 mm	300 mm	22 mm	45 mm
4762830340	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 340	Steel 8.8	M30 x 340	Plain (no plating)	30 mm	340 mm	22 mm	45 mm
47628303401	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 340	Steel 8.8	M30 x 340	Zinc Bright Passivation Fe/Zn P1	30 mm	340 mm	22 mm	45 mm
4762830360	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 360	Steel 8.8	M30 x 360	Plain (no plating)	30 mm	360 mm	22 mm	45 mm
4762830380	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 380	Steel 8.8	M30 x 380	Plain (no plating)	30 mm	380 mm	22 mm	45 mm
4762830400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 400	Steel 8.8	M30 x 400	Plain (no plating)	30 mm	400 mm	22 mm	45 mm
4762830420	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 420	Steel 8.8	M30 x 420	Plain (no plating)	30 mm	420 mm	22 mm	45 mm
4762830440	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 440	Steel 8.8	M30 x 440	Plain (no plating)	30 mm	440 mm	22 mm	45 mm
4762830500	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M30 x 500	Steel 8.8	M30 x 500	Plain (no plating)	30 mm	500 mm	22 mm	45 mm
4762833080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M33 x 80	Steel 8.8	M33 x 80	Plain (no plating)	33 mm	80 mm	24 mm	50 mm
47628330801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M33 x 80	Steel 8.8	M33 x 80	Zinc Bright Passivation Fe/Zn P1	33 mm	80 mm	24 mm	50 mm
4762833100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M33 x 100	Steel 8.8	M33 x 100	Plain (no plating)	33 mm	100 mm	24 mm	50 mm
4762833110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M33 x 110	Steel 8.8	M33 x 110	Plain (no plating)	33 mm	110 mm	24 mm	50 mm
4762833200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M33 x 200	Steel 8.8	M33 x 200	Plain (no plating)	33 mm	200 mm	24 mm	50 mm
4762836060	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 60	Steel 8.8	M36 x 60	Plain (no plating)	36 mm	60 mm	27 mm	54 mm
47628360601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 60	Steel 8.8	M36 x 60	Zinc Bright Passivation Fe/Zn P1	36 mm	60 mm	27 mm	54 mm
4762836070	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 70	Steel 8.8	M36 x 70	Plain (no plating)	36 mm	70 mm	27 mm	54 mm
47628360752	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 75	Steel 8.8	M36 x 75	HOT DIP GALVANIZED ISO FIT	36 mm	75 mm	27 mm	54 mm
4762836080	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 80	Steel 8.8	M36 x 80	Plain (no plating)	36 mm	80 mm	27 mm	54 mm
47628360801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 80	Steel 8.8	M36 x 80	Zinc Bright Passivation Fe/Zn P1	36 mm	80 mm	27 mm	54 mm
4762836085	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 85	Steel 8.8	M36 x 85	Plain (no plating)	36 mm	85 mm	27 mm	54 mm
47628360851	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 85	Steel 8.8	M36 x 85	Zinc Bright Passivation Fe/Zn P1	36 mm	85 mm	27 mm	54 mm
4762836090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 90	Steel 8.8	M36 x 90	Plain (no plating)	36 mm	90 mm	27 mm	54 mm
47628360901	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 90	Steel 8.8	M36 x 90	Zinc Bright Passivation Fe/Zn P1	36 mm	90 mm	27 mm	54 mm
4762836100	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 100	Steel 8.8	M36 x 100	Plain (no plating)	36 mm	100 mm	27 mm	54 mm
47628361001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 100	Steel 8.8	M36 x 100	Zinc Bright Passivation Fe/Zn P1	36 mm	100 mm	27 mm	54 mm
4762836110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 110	Steel 8.8	M36 x 110	Plain (no plating)	36 mm	110 mm	27 mm	54 mm
4762836120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 120	Steel 8.8	M36 x 120	Plain (no plating)	36 mm	120 mm	27 mm	54 mm
47628361201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 120	Steel 8.8	M36 x 120	Zinc Bright Passivation Fe/Zn P1	36 mm	120 mm	27 mm	54 mm
4762836130	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 130	Steel 8.8	M36 x 130	Plain (no plating)	36 mm	130 mm	27 mm	54 mm
47628361301	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 130	Steel 8.8	M36 x 130	Zinc Bright Passivation Fe/Zn P1	36 mm	130 mm	27 mm	54 mm
4762836140	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M36 x 140,

Steel 8.8	M36 x 140	Plain (no plating)	36 mm	140 mm	27 mm	54 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762836150	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 150	Steel 8.8	M36 x 150	Plain (no plating)	36 mm	150 mm	27 mm	54 mm
4762836160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 160	Steel 8.8	M36 x 160	Plain (no plating)	36 mm	160 mm	27 mm	54 mm
47628361601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 160	Steel 8.8	M36 x 160	Zinc Bright Passivation Fe/Zn P1	36 mm	160 mm	27 mm	54 mm
47628361801	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 180	Steel 8.8	M36 x 180	Zinc Bright Passivation Fe/Zn P1	36 mm	180 mm	27 mm	54 mm
4762836190	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 190	Steel 8.8	M36 x 190	Plain (no plating)	36 mm	190 mm	27 mm	54 mm
4762836200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 200	Steel 8.8	M36 x 200	Plain (no plating)	36 mm	200 mm	27 mm	54 mm
47628362001	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 200	Steel 8.8	M36 x 200	Zinc Bright Passivation Fe/Zn P1	36 mm	200 mm	27 mm	54 mm
47628362102	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 210	Steel 8.8	M36 x 210	HOT DIP GALVANIZED ISO FIT	36 mm	210 mm	27 mm	54 mm
47628362201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 220	Steel 8.8	M36 x 220	Zinc Bright Passivation Fe/Zn P1	36 mm	220 mm	27 mm	54 mm
4762836230	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 230	Steel 8.8	M36 x 230	Plain (no plating)	36 mm	230 mm	27 mm	54 mm
4762836240	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 240	Steel 8.8	M36 x 240	Plain (no plating)	36 mm	240 mm	27 mm	54 mm
4762836250	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 250	Steel 8.8	M36 x 250	Plain (no plating)	36 mm	250 mm	27 mm	54 mm
4762836280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 280	Steel 8.8	M36 x 280	Plain (no plating)	36 mm	280 mm	27 mm	54 mm
4762836300	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 300	Steel 8.8	M36 x 300	Plain (no plating)	36 mm	300 mm	27 mm	54 mm
476283630701	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 3.0	Steel 8.8	M36 x 3.0 x 70	Zinc Bright Passivation Fe/Zn P1	36 mm	70 mm	27 mm	54 mm
47628363120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 3.0	Steel 8.8	M36 x 3.0 x 120	Plain (no plating)	36 mm	120 mm	27 mm	54 mm
4762836320	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 320	Steel 8.8	M36 x 320	Plain (no plating)	36 mm	320 mm	27 mm	54 mm
47628363280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 3.0	Steel 8.8	M36 x 3.0 x 280	Plain (no plating)	36 mm	280 mm	27 mm	54 mm
4762836400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 400	Steel 8.8	M36 x 400	Plain (no plating)	36 mm	400 mm	27 mm	54 mm
4762836420	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 420	Steel 8.8	M36 x 420	Plain (no plating)	36 mm	420 mm	27 mm	54 mm
47628364201	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M36 x 420	Steel 8.8	M36 x 420	Zinc Bright Passivation Fe/Zn P1	36 mm	420 mm	27 mm	54 mm
4762842065	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 65	Steel 8.8	M42 x 65	Plain (no plating)	42 mm	65 mm	32 mm	63 mm
4762842110	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 110	Steel 8.8	M42 x 110	Plain (no plating)	42 mm	110 mm	32 mm	63 mm
47628421101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 110	Steel 8.8	M42 x 110	Zinc Bright Passivation Fe/Zn P1	42 mm	110 mm	32 mm	63 mm
4762842160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 160	Steel 8.8	M42 x 160	Plain (no plating)	42 mm	160 mm	32 mm	63 mm
4762842180	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 180	Steel 8.8	M42 x 180	Plain (no plating)	42 mm	180 mm	32 mm	63 mm
4762842190	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 190	Steel 8.8	M42 x 190	Plain (no plating)	42 mm	190 mm	32 mm	63 mm
4762842200	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 200	Steel 8.8	M42 x 200	Plain (no plating)	42 mm	200 mm	32 mm	63 mm
4762842220	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 220	Steel 8.8	M42 x 220	Plain (no plating)	42 mm	220 mm	32 mm	63 mm
4762842240	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 240	Steel 8.8	M42 x 240	Plain (no plating)	42 mm	240 mm	32 mm	63 mm
47628423280	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 3.0	Steel 8.8	M42 x 3.0 x 280	Plain (no plating)	42 mm	280 mm	32 mm	63 mm
4762842350	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 350	Steel 8.8	M42 x 350	Plain (no plating)	42 mm	350 mm	32 mm	63 mm
47628423501	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 350	Steel 8.8	M42 x 350	Zinc Bright Passivation Fe/Zn P1	42 mm	350 mm	32 mm	63 mm
4762842400	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M42 x 400	Steel 8.8	M42 x 400	Plain (no plating)	42 mm	400 mm	32 mm	63 mm
4762848090	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 90	Steel 8.8	M48 x 90	Plain (no plating)	48 mm	90 mm	36 mm	72 mm
47628481101	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 110	Steel 8.8	M48 x 110	Zinc Bright Passivation Fe/Zn P1	48 mm	110 mm	36 mm	72 mm
4762848120	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 120	Steel 8.8	M48 x 120	Plain (no plating)	48 mm	120 mm	36 mm	72 mm
4762848160	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 160	Steel 8.8	M48 x 160	Plain (no plating)	48 mm	160 mm	36 mm	72 mm
4762848240	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 240	Steel 8.8	M48 x 240	Plain (no plating)	48 mm	240 mm	36 mm	72 mm
47628482451	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 245	Steel 8.8	M48 x 245	Zinc Bright Passivation Fe/Zn P1	48 mm	30 mm	36 mm	72 mm
4762848250	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 250	Steel 8.8	M48 x 250	Plain (no plating)	48 mm	250 mm	36 mm	72 mm
4762848260	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 260	Steel 8.8	M48 x 260	Plain (no plating)	48 mm	260 mm	36 mm	72 mm
47628482601	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 260	Steel 8.8	M48 x 260	Zinc Bright Passivation Fe/Zn P1	48 mm	260 mm	36 mm	72 mm
47628483011 01	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 3.0	Steel 8.8	M48 x 3.0 x 110	Zinc Bright Passivation Fe/Zn P1	48 mm	110 mm	36 mm	72 mm
4762848310	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 310	Steel 8.8	M48 x 310	Plain (no plating)	48 mm	310 mm	36 mm	72 mm
4762848330	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8,							

M48 x 330,

Steel 8.8	M48 x 330	Plain (no plating)	48 mm	330 mm	36 mm	72 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
47628483320	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 3.0	Steel 8.8	M48 x 3.0 x 320	Plain (no plating)	48 mm	320 mm	36 mm	72 mm
4762848585	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M48 x 585	Steel 8.8	M48 x 585	Plain (no plating)	48 mm	585 mm	36 mm	72 mm
4762A2016002570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 2.5	Plain (no plating)	1.6 mm	2.5 mm	1.5 mm	3 mm
4762A201600370FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 3	Plain (no plating)	1.6 mm	3 mm	1.5 mm	3 mm
4762A2016004	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm	1.5 mm	3 mm
4762A201600470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm	1.5 mm	3 mm
4762A201600570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm	1.5 mm	3 mm
4762A201600670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm	1.5 mm	3 mm
4762A201600670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm	1.5 mm	3 mm
4762A201600870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm	1.5 mm	3 mm
4762A201600870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm	1.5 mm	3 mm
4762A2016010	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 10	Plain (no plating)	1.6 mm	10 mm	1.5 mm	3 mm
4762A201601070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 10	Plain (no plating)	1.6 mm	10 mm	1.5 mm	3 mm
4762A201601070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 10	Plain (no plating)	1.6 mm	10 mm	1.5 mm	3 mm
4762A201601270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 12	Plain (no plating)	1.6 mm	12 mm	1.5 mm	3 mm
4762A201601470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 14	Plain (no plating)	1.6 mm	14 mm	1.5 mm	3 mm
4762A2016016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 16	Plain (no plating)	1.6 mm	16 mm	1.5 mm	3 mm
4762A201601670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 16	Plain (no plating)	1.6 mm	16 mm	1.5 mm	3 mm
4762A2016018	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 18	Plain (no plating)	1.6 mm	18 mm	1.5 mm	3 mm
4762A201602070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M1.6	Stainless A2-70	M1.6 x 20	Plain (no plating)	1.6 mm	20 mm	1.5 mm	3 mm
4762A20200370	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 3	Plain (no plating)	2 mm	3 mm	1.5 mm	3.8 mm
4762A202004	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762A20200470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762A20200470FL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762A20200470KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762A20200570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 5	Plain (no plating)	2 mm	5 mm	1.5 mm	3.8 mm
4762A202006	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
4762A20200670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
4762A20200670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
4762A20200670TB	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
4762A20200770	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 7	Plain (no plating)	2 mm	7 mm	1.5 mm	3.8 mm
4762A20200870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
4762A20200870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
4762A20201070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
4762A20201070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
4762A20201270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 12	Plain (no plating)	2 mm	12 mm	1.5 mm	3.8 mm
4762A20201270KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 12	Plain (no plating)	2 mm	12 mm	1.5 mm	3.8 mm
4762A20201470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 14	Plain (no plating)	2 mm	14 mm	1.5 mm	3.8 mm
4762A20201570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 15	Plain (no plating)	2 mm	15 mm	1.5 mm	3.8 mm
4762A20201670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 16	Plain (no plating)	2 mm	16 mm	1.5 mm	3.8 mm
4762A20201670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 16	Plain (no plating)	2 mm	16 mm	1.5 mm	3.8 mm
4762A20201870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 18	Plain (no plating)	2 mm	18 mm	1.5 mm	3.8 mm
4762A20202070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 20	Plain (no plating)	2 mm	20 mm	1.5 mm	3.8 mm
4762A20202570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 25	Plain (no plating)	2 mm	25 mm	1.5 mm	3.8 mm
4762A20202570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 25	Plain (no plating)	2 mm	25 mm	1.5 mm	3.8 mm
4762A202030	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A2-70, M2 x

Stainless A2-70	M2 x 30	Plain (no plating)	2 mm	30 mm	1.5 mm	3.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A20203070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 30	Plain (no plating)	2 mm	30 mm	1.5 mm	3.8 mm
4762A20203570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2 x	Stainless A2-70	M2 x 35	Plain (no plating)	2 mm	35 mm	1.5 mm	3.8 mm
4762A202500370	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 3	Plain (no plating)	2.5 mm	3 mm	2 mm	4.5 mm
4762A2025004	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	2 mm	4.5 mm
4762A202500470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	2 mm	4.5 mm
4762A202500470KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	2 mm	4.5 mm
4762A2025005	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	2 mm	4.5 mm
4762A202500570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	2 mm	4.5 mm
4762A202500570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	2 mm	4.5 mm
4762A2025006	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762A202500670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762A202500670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762A202500870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	2 mm	4.5 mm
4762A202500870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	2 mm	4.5 mm
4762A202501070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
4762A202501070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
4762A2025011	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2, M2.5 x	Stainless A2	M2.5 x 11	Plain (no plating)	2.5 mm	11 mm	2 mm	4.5 mm
4762A202501270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	2 mm	4.5 mm
4762A202501270KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	2 mm	4.5 mm
4762A202501470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm	2 mm	4.5 mm
4762A202501470FL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm	2 mm	4.5 mm
4762A202501670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	2 mm	4.5 mm
4762A202501670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	2 mm	4.5 mm
4762A202501870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 18	Plain (no plating)	2.5 mm	18 mm	2 mm	4.5 mm
4762A202502070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	2 mm	4.5 mm
4762A202502070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	2 mm	4.5 mm
4762A202502270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 22	Plain (no plating)	2.5 mm	22 mm	2 mm	4.5 mm
4762A202502550	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	2 mm	4.5 mm
4762A202502570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	2 mm	4.5 mm
4762A202503070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 30	Plain (no plating)	2.5 mm	30 mm	2 mm	4.5 mm
4762A2025035	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 35	Plain (no plating)	2.5 mm	35 mm	2 mm	4.5 mm
4762A202503570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 35	Plain (no plating)	2.5 mm	35 mm	2 mm	4.5 mm
4762A202503570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 35	Plain (no plating)	2.5 mm	35 mm	2 mm	4.5 mm
4762A202504070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M2.5 x	Stainless A2-70	M2.5 x 40	Plain (no plating)	2.5 mm	40 mm	2 mm	4.5 mm
4762A20300370	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 3	Plain (no plating)	3 mm	3 mm	2.5 mm	5.5 mm
4762A20300470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 4	Plain (no plating)	3 mm	4 mm	2.5 mm	5.5 mm
4762A20300470KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 4	Plain (no plating)	3 mm	4 mm	2.5 mm	5.5 mm
4762A203005	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
4762A20300570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
4762A20300570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
4762A203006	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762A20300670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762A20300670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762A20300670TB	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762A20300770	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 7	Plain (no plating)	3 mm	7 mm	2.5 mm	5.5 mm
4762A203008	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A2-70, M3 x

Stainless A2-70	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A20300870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 8	Stainless A2-70	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
4762A20300870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 8	Stainless A2-70	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
URL 4762A203009	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2, M3 x 9	Stainless A2	M3 x 9	Plain (no plating)	3 mm	9 mm	2.5 mm	5.5 mm
4762A203010	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 10	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
4762A20301070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 10	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
4762A20301070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 10	Stainless A2-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
URL 4762A203011	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2, M3 x 11	Stainless A2	M3 x 11	Plain (no plating)	3 mm	11 mm	2.5 mm	5.5 mm
4762A203012	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 12	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
4762A20301270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 12	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
4762A20301270KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 12	Stainless A2-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
URL 4762A20301470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 14	Stainless A2-70	M3 x 14	Plain (no plating)	3 mm	14 mm	2.5 mm	5.5 mm
4762A20301470KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 14	Stainless A2-70	M3 x 14	Plain (no plating)	3 mm	14 mm	2.5 mm	5.5 mm
URL 4762A20301570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 15	Stainless A2-70	M3 x 15	Plain (no plating)	3 mm	15 mm	2.5 mm	5.5 mm
4762A20301570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 15	Stainless A2-70	M3 x 15	Plain (no plating)	3 mm	15 mm	2.5 mm	5.5 mm
URL 4762A203016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 16	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A20301670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 16	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A20301670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 16	Stainless A2-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
URL 4762A203018	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 18	Stainless A2-70	M3 x 18	Plain (no plating)	3 mm	18 mm	2.5 mm	5.5 mm
4762A20301870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 18	Stainless A2-70	M3 x 18	Plain (no plating)	3 mm	18 mm	2.5 mm	5.5 mm
4762A20301870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 18	Stainless A2-70	M3 x 18	Plain (no plating)	3 mm	18 mm	2.5 mm	5.5 mm
URL 4762A203020	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 20	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
4762A20302070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 20	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
4762A20302070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 20	Stainless A2-70	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
URL 4762A20302270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 22	Stainless A2-70	M3 x 22	Plain (no plating)	3 mm	22 mm	2.5 mm	5.5 mm
4762A20302570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 25	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A20302570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 25/25	Stainless A2-70	M3 x 25/25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A20302570FTN /KNURL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 25/25	Stainless A2-70	M3 x 25/25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A20302570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 25	Stainless A2-70	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
URL 4762A20303070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 30	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
4762A20303070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 30/30	Stainless A2-70	M3 x 30/30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
4762A20303070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 30	Stainless A2-70	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
URL 4762A203035	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 35	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
4762A20303570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 35	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
4762A20303570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 35/35	Stainless A2-70	M3 x 35/35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
4762A20303570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 35	Stainless A2-70	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
URL 4762A20304070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 40	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
4762A20304070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 40	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
4762A20304070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 40	Stainless A2-70	M3 x 40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
URL 4762A203040FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 40/40	Stainless A2-70	M3 x 40/40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
4762A20304570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 45	Stainless A2-70	M3 x 45	Plain (no plating)	3 mm	45 mm	2.5 mm	5.5 mm
4762A20305070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 50	Stainless A2-70	M3 x 50	Plain (no plating)	3 mm	50 mm	2.5 mm	5.5 mm
4762A20305550	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-50, M3 x 55	Stainless A2-50	M3 x 55	Plain (no plating)	3 mm	55 mm	2.5 mm	5.5 mm
4762A20305570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 55	Stainless A2-70	M3 x 55	Plain (no plating)	3 mm	55 mm	2.5 mm	5.5 mm
4762A20306070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 60	Stainless A2-70	M3 x 60	Plain (no plating)	3 mm	60 mm	2.5 mm	5.5 mm
4762A20306570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x 65	Stainless A2-70	M3 x 65	Plain (no plating)	3 mm	65 mm	2.5 mm	5.5 mm
4762A20307070	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A2-70, M3 x

Stainless A2-70	M3 x 70	Plain (no plating)	3 mm	70 mm	2.5 mm	5.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A20308070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M3 x	Stainless A2-70	M3 x 80	Plain (no plating)	3 mm	80 mm	2.5 mm	5.5 mm
4762A20400470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 4	Plain (no plating)	4 mm	4 mm	3 mm	7 mm
4762A20400570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 5	Plain (no plating)	4 mm	5 mm	3 mm	7 mm
4762A20400570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 5	Plain (no plating)	4 mm	5 mm	3 mm	7 mm
4762A20400670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
4762A20400670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
4762A204008	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
4762A20400870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
4762A20400870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
4762A204010	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
4762A20401070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
4762A20401070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
4762A20401270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
4762A20401270KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
4762A204012CAPTIVE	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
4762A204014	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
4762A20401470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
4762A20401470KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
4762A20401570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 15	Plain (no plating)	4 mm	15 mm	3 mm	7 mm
4762A20401570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 15	Plain (no plating)	4 mm	15 mm	3 mm	7 mm
4762A204016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A20401670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A20401670I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A20401670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A20401670WI	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 16	WAX GLEITMO 627	4 mm	16 mm	3 mm	7 mm
4762A20401870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 18	Plain (no plating)	4 mm	18 mm	3 mm	7 mm
4762A20402070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
4762A20402070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
4762A20402270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
4762A20402270FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
4762A20402270FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
4762A20402570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
4762A20402570FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
4762A20402870FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 28	Plain (no plating)	4 mm	28 mm	3 mm	7 mm
4762A20402870FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 28	Plain (no plating)	4 mm	28 mm	3 mm	7 mm
4762A204030	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A20403070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A20403070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 30/30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A20403070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A204035	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A20403570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A20403570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 35/35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A20403570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A20404070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
4762A20404070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 40/40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
4762A20404070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x							

URL

ISO 4762 Socket Head Screw with Hex Drive, Stainless

A2-70, M4 x

Stainless A2-70	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A204040FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 40/40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
4762A204045	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
4762A20404570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
4762A20404570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
4762A20404570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
4762A20405070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
4762A20405070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 50/50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
4762A20405070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
4762A204055	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 55	Plain (no plating)	4 mm	55 mm	3 mm	7 mm
4762A20405570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 55	Plain (no plating)	4 mm	55 mm	3 mm	7 mm
4762A20406070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 60	Plain (no plating)	4 mm	60 mm	3 mm	7 mm
4762A20406070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 60	Plain (no plating)	4 mm	60 mm	3 mm	7 mm
4762A204065	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 65	Plain (no plating)	4 mm	65 mm	3 mm	7 mm
4762A20406570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 65	Plain (no plating)	4 mm	65 mm	3 mm	7 mm
4762A204070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-50, M4 x	Stainless A2-50	M4 x 70	Plain (no plating)	4 mm	70 mm	3 mm	7 mm
4762A20407070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 70	Plain (no plating)	4 mm	70 mm	3 mm	7 mm
4762A20407570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 75	Plain (no plating)	4 mm	75 mm	3 mm	7 mm
4762A20407570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 75	Plain (no plating)	4 mm	75 mm	3 mm	7 mm
4762A20408070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 80	Plain (no plating)	4 mm	80 mm	3 mm	7 mm
4762A20408270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 82	Plain (no plating)	4 mm	82 mm	3 mm	7 mm
4762A20409070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 90	Plain (no plating)	4 mm	90 mm	3 mm	7 mm
4762A20410070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 100	Plain (no plating)	4 mm	100 mm	3 mm	7 mm
4762A20410570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 105	Plain (no plating)	4 mm	105 mm	3 mm	7 mm
4762A20411070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M4 x	Stainless A2-70	M4 x 110	Plain (no plating)	4 mm	110 mm	3 mm	7 mm
4762A20500570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 5	Plain (no plating)	5 mm	5 mm	4 mm	8.5 mm
4762A20500670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
4762A20500670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
4762A20500870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
4762A20500870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
4762A20500870S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
4762A20501070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
4762A20501070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
4762A20501270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
4762A20501270KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
4762A20501270S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
4762A20501470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
4762A20501570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 15	Plain (no plating)	5 mm	15 mm	4 mm	8.5 mm
4762A20501670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
4762A20501670S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
4762A20501870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
4762A20501870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
4762A20502070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
4762A20502070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
4762A20502070S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
4762A20502270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm
4762A20502570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x							

A2-70, M5 x

Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A20502570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
4762A20502570S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
4762A20503070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762A20503070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 30/30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762A20503070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
URL								
4762A20503570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762A20503570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 35/35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762A20503570S55	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
77								
4762A20504070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762A20504070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 40/40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762A20504070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
URL								
4762A20504070TB	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762A20504570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A20504570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 45/45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A20504570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
URL								
4762A20504570V	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A205045THE	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A20505070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A20505070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 50/50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A20505070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
URL								
4762A20505070THE	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A20505570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 55	Plain (no plating)	5 mm	55 mm	4 mm	8.5 mm
4762A20505570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 55	Plain (no plating)	5 mm	55 mm	4 mm	8.5 mm
4762A20506050	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 60/50	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762A20506070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762A20506070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 60/60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762A20506070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
URL								
4762A20506570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 65	Plain (no plating)	5 mm	65 mm	4 mm	8.5 mm
4762A20507070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
4762A20507070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 70/70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
4762A20507570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 75	Plain (no plating)	5 mm	75 mm	4 mm	8.5 mm
4762A20508070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
4762A20508570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 85	Plain (no plating)	5 mm	85 mm	4 mm	8.5 mm
4762A20509070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 90	Plain (no plating)	5 mm	90 mm	4 mm	8.5 mm
4762A20509570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 95	Plain (no plating)	5 mm	95 mm	4 mm	8.5 mm
4762A20510070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 100	Plain (no plating)	5 mm	100 mm	4 mm	8.5 mm
4762A20511070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 110	Plain (no plating)	5 mm	110 mm	4 mm	8.5 mm
4762A20512070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 120	Plain (no plating)	5 mm	120 mm	4 mm	8.5 mm
4762A20513070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 130	Plain (no plating)	5 mm	130 mm	4 mm	8.5 mm
4762A20514070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M5 x	Stainless A2-70	M5 x 140	Plain (no plating)	5 mm	140 mm	4 mm	8.5 mm
4762A20600670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 6	Plain (no plating)	6 mm	6 mm	5 mm	10 mm
4762A20600870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
4762A20600870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
URL								
4762A20601070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
4762A20601070DR	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
C								
4762A20601070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x							

URL

ISO 4762 Socket Head Screw with Hex Drive, Stainless

A2-70, M6 x

Stainless A2-70	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A20601270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762A20601270S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762A20601270W627	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 12	WAX GLEITMO 627	6 mm	12 mm	5 mm	10 mm
4762A20601470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
4762A20601470KN URL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
4762A20601570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 15	Plain (no plating)	6 mm	15 mm	5 mm	10 mm
4762A206016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A20601670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A20601670I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A20601670S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A206016DRI	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A20601870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 18	Plain (no plating)	6 mm	18 mm	5 mm	10 mm
4762A20601870W627	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 18	WAX GLEITMO 627	6 mm	18 mm	5 mm	10 mm
4762A20602070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A20602070S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A20602070TB	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A20602070V20	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A20602270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 22	Plain (no plating)	6 mm	22 mm	5 mm	10 mm
4762A20602570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A20602570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A20602570FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A206025ANU1 NURL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A20603070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A20603070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A20603070FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A20603070S	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A20603070W627	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 30	WAX GLEITMO 627	6 mm	30 mm	5 mm	10 mm
4762A20603570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A206035701FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 35/35	Zinc Bright Passivation Fe/Zn P1	6 mm	35 mm	5 mm	10 mm
4762A20603570DRI	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A20603570DRII	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A20603570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 35/35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A20603570HT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A20603570KN URL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A20604070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A20604070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 40/40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A20604070KN URL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A206040FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 40/40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A20604570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A206045701	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 45	Zinc Bright Passivation Fe/Zn P1	6 mm	45 mm	5 mm	10 mm
4762A20604570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 45/45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A20604570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A20604570KN URL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 45/45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A20604570S50 URLFT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A20605070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M6 x	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762A206050701	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A2-70, M6 x

Stainless A2-70	M6 x 50	Zinc Bright Passivation Fe/Zn P1	6 mm	50 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A20605070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
URL	A2-70, M6 x							
4762A20605070W627	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 50	WAX GLEITMO 627	6 mm	50 mm	5 mm	10 mm
4762A206050FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 50/50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762A20605570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
4762A206055701	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 55	Zinc Bright Passivation Fe/Zn P1	6 mm	55 mm	5 mm	10 mm
4762A20605570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 55/55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
4762A20605570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
URL	A2-70, M6 x							
4762A20606070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
4762A206060701	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 60	Zinc Bright Passivation Fe/Zn P1	6 mm	60 mm	5 mm	10 mm
4762A20606070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 60/60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
4762A20606070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
URL	A2-70, M6 x							
4762A20606570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
4762A206065701	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 65	Zinc Bright Passivation Fe/Zn P1	6 mm	65 mm	5 mm	10 mm
4762A20606570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 65/65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
4762A20606570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
URL	A2-70, M6 x							
4762A20607070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A206070701	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 70	Zinc Bright Passivation Fe/Zn P1	6 mm	70 mm	5 mm	10 mm
4762A20607070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 70/70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A20607070S316	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A20607503570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A20607570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
4762A20607570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
4762A20608070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762A20608070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 80/80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762A20608070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
URL	A2-70, M6 x							
4762A206080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 80/80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762A20608570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 85	Plain (no plating)	6 mm	85 mm	5 mm	10 mm
4762A20609070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
4762A20609070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
4762A20609570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 95	Plain (no plating)	6 mm	95 mm	5 mm	10 mm
4762A20610070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
4762A20610070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 100/100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
4762A206100FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 100/100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
4762A20611070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 110	Plain (no plating)	6 mm	110 mm	5 mm	10 mm
4762A20612070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 120	Plain (no plating)	6 mm	120 mm	5 mm	10 mm
4762A20613070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 130	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
4762A20614070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 140	Plain (no plating)	6 mm	140 mm	5 mm	10 mm
4762A20615070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 150	Plain (no plating)	6 mm	150 mm	5 mm	10 mm
4762A20615070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 150/150	Plain (no plating)	6 mm	150 mm	5 mm	10 mm
4762A20616070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 160	Plain (no plating)	6 mm	160 mm	5 mm	10 mm
4762A20617070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 170	Plain (no plating)	6 mm	170 mm	5 mm	10 mm
4762A20618070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 180	Plain (no plating)	6 mm	180 mm	5 mm	10 mm
4762A20620070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M6 x 200	Plain (no plating)	6 mm	200 mm	5 mm	10 mm
4762A20800870	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M8 x 8	Plain (no plating)	8 mm	8 mm	6 mm	13 mm
4762A20801070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm
4762A20801070KN	A2-70, M8 x							

URL

ISO 4762 Socket Head Screw with Hex Drive, Stainless

A2-70, M8 x

Stainless A2-70	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A208012	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
4762A20801270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
4762A20801470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 14	Plain (no plating)	8 mm	14 mm	6 mm	13 mm
4762A20801670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
4762A20801870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
4762A20801870KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
URL								
4762A20802070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
4762A20802070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
URL								
4762A20802070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 20	WAX GLEITMO 627	8 mm	20 mm	6 mm	13 mm
4762A20802270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 22	Plain (no plating)	8 mm	22 mm	6 mm	13 mm
4762A20802570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762A20802570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762A20803070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A20803070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A20803070FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
NURL								
4762A20803070V	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A20803080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-80, M8 x	Stainless A2-80	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A20803570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
4762A20803570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
4762A20803570FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
NURL								
4762A20803570TL1	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 35/13	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
3								
4762A20803570W62	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 35	WAX GLEITMO 627	8 mm	35 mm	6 mm	13 mm
7								
4762A20804070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762A20804070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 40/40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762A20804070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
URL								
4762A208040HT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762A20804570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A20804570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 45/45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A20804570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
URL								
4762A20804580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-80, M8 x	Stainless A2-80	M8 x 45/45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A20805070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A20805070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 50/50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A20805070W62	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 50	WAX GLEITMO 627	8 mm	50 mm	6 mm	13 mm
7								
4762A208050FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 50/50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A20805570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
4762A20805570KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
URL								
4762A20806070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A20806070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 60/60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A20806570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
4762A20806570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 65/65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
4762A20807070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A20807070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 70/70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A20807070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
URL								
4762A208070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 70/70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A20807570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
4762A20808070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x							

A2-70, M8 x

Stainless A2-70	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A20808070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762A20808570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 85	Plain (no plating)	8 mm	85 mm	6 mm	13 mm
4762A20809070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
4762A20809070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 90/90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
4762A20809570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 95	Plain (no plating)	8 mm	95 mm	6 mm	13 mm
4762A20810070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
4762A20810070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 100/100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
4762A20810570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 105	Plain (no plating)	8 mm	105 mm	6 mm	13 mm
4762A20811070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
4762A20812070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
4762A20813070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 130	Plain (no plating)	8 mm	130 mm	6 mm	13 mm
4762A20814070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 140	Plain (no plating)	8 mm	140 mm	6 mm	13 mm
4762A20815070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 150	Plain (no plating)	8 mm	150 mm	6 mm	13 mm
4762A20816070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 160	Plain (no plating)	8 mm	160 mm	6 mm	13 mm
4762A20817070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 170	Plain (no plating)	8 mm	170 mm	6 mm	13 mm
4762A20818070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 180	Plain (no plating)	8 mm	180 mm	6 mm	13 mm
4762A20819070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 190	Plain (no plating)	8 mm	190 mm	6 mm	13 mm
4762A20820070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 200	Plain (no plating)	8 mm	200 mm	6 mm	13 mm
4762A20823070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 230	Plain (no plating)	8 mm	230 mm	6 mm	13 mm
4762A20827070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 270	Plain (no plating)	8 mm	270 mm	6 mm	13 mm
4762A20828070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 280	Plain (no plating)	8 mm	280 mm	6 mm	13 mm
4762A20830070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 300	Plain (no plating)	8 mm	300 mm	6 mm	13 mm
4762A21001270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 12	Plain (no plating)	10 mm	12 mm	8 mm	16 mm
4762A21001670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
4762A21001870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 18	Plain (no plating)	10 mm	18 mm	8 mm	16 mm
4762A21002070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762A21002070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
URL								
4762A21002080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-80, M10 x	Stainless A2-80	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762A21002270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 22	Plain (no plating)	10 mm	22 mm	8 mm	16 mm
4762A21002570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
4762A21003070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
4762A210030701	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 30	Zinc Bright Passivation Fe/Zn P1	10 mm	30 mm	8 mm	16 mm
4762A21003070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
4762A21003570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
4762A21004070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A21004070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A21004070FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
NURL								
4762A21004080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-80, M10 x	Stainless A2-80	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A21004570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762A21004570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 45/45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762A210045FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 45/45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762A21005070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A21005070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 50/50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A21005080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-80, M10 x	Stainless A2-80	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A21005570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x	Stainless A2-70	M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A210055701	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10 x							

A2-70, M10

Stainless A2-70	M10 x 55	Zinc Bright Passivation Fe/Zn P1	10 mm	55 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A21005570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 55/55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A21005570H	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 55/55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A21006070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762A21006070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 60/60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762A21006570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
4762A21007070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762A21007070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 70/70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762A21007570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 75	Plain (no plating)	10 mm	75 mm	8 mm	16 mm
4762A21008070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A21008070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 80/80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A21008070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A21008570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 85	Plain (no plating)	10 mm	85 mm	8 mm	16 mm
4762A21009070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
4762A21009070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 90/90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
4762A21009570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 95	Plain (no plating)	10 mm	95 mm	8 mm	16 mm
4762A21010070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A21010070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 100/100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A21010070GW	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A21011070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
4762A21012070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
4762A210125020	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 1.25 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762A210125030	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
4762A210125035	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
4762A210125040	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A210125045	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762A210125050	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 1.25 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A210125060	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762A210125070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 70/70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762A2101252570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 1.25 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
4762A21013070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 130	Plain (no plating)	10 mm	130 mm	8 mm	16 mm
4762A210140	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
4762A21014070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
4762A21015070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 150	Plain (no plating)	10 mm	150 mm	8 mm	16 mm
4762A21016070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 160	Plain (no plating)	10 mm	160 mm	8 mm	16 mm
4762A21017070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 170	Plain (no plating)	10 mm	170 mm	8 mm	16 mm
4762A21018070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 180	Plain (no plating)	10 mm	180 mm	8 mm	16 mm
4762A21020070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 200	Plain (no plating)	10 mm	200 mm	8 mm	16 mm
4762A21020070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 200/200	Plain (no plating)	10 mm	200 mm	8 mm	16 mm
4762A21024070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 240	Plain (no plating)	10 mm	240 mm	8 mm	16 mm
4762A21025070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 250	Plain (no plating)	10 mm	250 mm	8 mm	16 mm
4762A21026070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 260	Plain (no plating)	10 mm	260 mm	8 mm	16 mm
4762A21030070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 300	Plain (no plating)	10 mm	300 mm	8 mm	16 mm
4762A21201270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M12	Stainless A2-70	M12 x 12	Plain (no plating)	12 mm	12 mm	10 mm	18 mm
4762A21201670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M12	Stainless A2-70	M12 x 16	Plain (no plating)	12 mm	16 mm	10 mm	18 mm
4762A21202015070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M12	Stainless A2-70	M12 x 1.5 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
4762A21202070	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A2-70, M12

Stainless A2-70	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A21202070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
URL	A2-70-M12							
4762A21202570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
4762A21202570I	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
4762A21203070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762A21203070I	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762A21203570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
4762A21203580	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-80	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
4762A21204070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A21204070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A21204070FTK	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
NURL	A2-70-M12							
4762A21204070I	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A21204070TB	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A21204570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A21204570I	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A21205070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A21205070I	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A21205570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
4762A21205570I	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
4762A21206070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762A21206070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 60/60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762A21206570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
4762A21207070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762A21207070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 70/70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762A21207570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 75	Plain (no plating)	12 mm	75 mm	10 mm	18 mm
4762A21208070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762A21208070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 80/80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762A21208570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 85	Plain (no plating)	12 mm	85 mm	10 mm	18 mm
4762A21209070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
4762A212090701	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 90	Zinc Bright Passivation Fe/Zn P1	12 mm	90 mm	10 mm	18 mm
4762A21210070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762A21210070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 100/100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762A21211070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 110	Plain (no plating)	12 mm	110 mm	10 mm	18 mm
4762A212110701	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	10 mm	18 mm
4762A21212070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
4762A212120701	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	10 mm	18 mm
4762A212125012	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 1.25 x 12	Plain (no plating)	12 mm	12 mm	10 mm	18 mm
4762A21213070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
4762A21214070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 140	Plain (no plating)	12 mm	140 mm	10 mm	18 mm
4762A21215070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm
4762A21216070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 160	Plain (no plating)	12 mm	160 mm	10 mm	18 mm
4762A21217070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 170	Plain (no plating)	12 mm	170 mm	10 mm	18 mm
4762A21217070LT2	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 170/26	Plain (no plating)	12 mm	170 mm	10 mm	18 mm
6	A2-70-M12							
4762A21218070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 180	Plain (no plating)	12 mm	180 mm	10 mm	18 mm
4762A21219070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 190	Plain (no plating)	12 mm	190 mm	10 mm	18 mm
4762A21220070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M12 x 200	Plain (no plating)	12 mm	200 mm	10 mm	18 mm
4762A21226070	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A2-70, M12

Stainless A2-70	M12 x 260	Plain (no plating)	12 mm	260 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A21228070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M12	Stainless A2-70	M12 x 280	Plain (no plating)	12 mm	280 mm	10 mm	18 mm
4762A21229070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M12	Stainless A2-70	M12 x 290	Plain (no plating)	12 mm	290 mm	10 mm	18 mm
4762A21402070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 20	Plain (no plating)	14 mm	20 mm	12 mm	21 mm
4762A21402570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 25	Plain (no plating)	14 mm	25 mm	12 mm	21 mm
4762A21403070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 30	Plain (no plating)	14 mm	30 mm	12 mm	21 mm
4762A21403570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
4762A21404070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
4762A21404570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 45	Plain (no plating)	14 mm	45 mm	12 mm	21 mm
4762A21405070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 50	Plain (no plating)	14 mm	50 mm	12 mm	21 mm
4762A21405570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 55	Plain (no plating)	14 mm	55 mm	12 mm	21 mm
4762A21406070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
4762A21407070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
4762A21407570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 75	Plain (no plating)	14 mm	75 mm	12 mm	21 mm
4762A21408070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 80	Plain (no plating)	14 mm	80 mm	12 mm	21 mm
4762A21409070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 90	Plain (no plating)	14 mm	90 mm	12 mm	21 mm
4762A21410070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 100	Plain (no plating)	14 mm	100 mm	12 mm	21 mm
4762A21411070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 110	Plain (no plating)	14 mm	110 mm	12 mm	21 mm
4762A21412070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 120	Plain (no plating)	14 mm	120 mm	12 mm	21 mm
4762A21414070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 140	Plain (no plating)	14 mm	140 mm	12 mm	21 mm
4762A21415070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 150	Plain (no plating)	14 mm	150 mm	12 mm	21 mm
4762A21416070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 160	Plain (no plating)	14 mm	160 mm	12 mm	21 mm
4762A21418070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 180	Plain (no plating)	14 mm	180 mm	12 mm	21 mm
4762A21420070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M14	Stainless A2-70	M14 x 200	Plain (no plating)	14 mm	200 mm	12 mm	21 mm
4762A21602070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 20	Plain (no plating)	16 mm	20 mm	14 mm	24 mm
4762A21602570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 25	Plain (no plating)	16 mm	25 mm	14 mm	24 mm
4762A21603070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
4762A21603570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
4762A21604070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762A21604070I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762A21604570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
4762A21604570I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
4762A21605070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
4762A21605070I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
4762A21605570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
4762A21605570I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
4762A21606070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762A21606570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
4762A21607070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762A21607070I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762A21607570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm
4762A21608070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762A21609070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
4762A21610070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762A21611070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 110	Plain (no plating)	16 mm	110 mm	14 mm	24 mm
4762A21612070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16	Stainless A2-70	M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
4762A2161259070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M16							

A2-70, M16

Stainless A2-70	M16 x 1.25 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A21613070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 130	Plain (no plating)	16 mm	130 mm	14 mm	24 mm
4762A21614070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
4762A21615070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 150	Plain (no plating)	16 mm	150 mm	14 mm	24 mm
4762A21616070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 160	Plain (no plating)	16 mm	160 mm	14 mm	24 mm
4762A21617070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 170	Plain (no plating)	16 mm	170 mm	14 mm	24 mm
4762A21618070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 180	Plain (no plating)	16 mm	180 mm	14 mm	24 mm
4762A21620070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 200	Plain (no plating)	16 mm	200 mm	14 mm	24 mm
4762A21621070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 210	Plain (no plating)	16 mm	210 mm	14 mm	24 mm
4762A21623070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M16 x 230	Plain (no plating)	16 mm	230 mm	14 mm	24 mm
4762A21803570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M18 x 35	Plain (no plating)	18 mm	35 mm	14 mm	27 mm
4762A21804070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M18 x 40	Plain (no plating)	18 mm	40 mm	14 mm	27 mm
4762A21804570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M18 x 45	Plain (no plating)	18 mm	45 mm	14 mm	27 mm
4762A21809070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A21811070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M18 x 110	Plain (no plating)	18 mm	110 mm	14 mm	27 mm
4762A22002070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 20	Plain (no plating)	20 mm	20 mm	17 mm	30 mm
4762A22003070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
4762A22003570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 35	Plain (no plating)	20 mm	35 mm	17 mm	30 mm
4762A22004070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
4762A22004570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
4762A22005070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
4762A22005570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
4762A22006070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
4762A22006570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
4762A22007070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
4762A22007570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 75	Plain (no plating)	20 mm	75 mm	17 mm	30 mm
4762A22008070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
4762A22008570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 85	Plain (no plating)	20 mm	85 mm	17 mm	30 mm
4762A22009070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 90	Plain (no plating)	20 mm	90 mm	17 mm	30 mm
4762A22010070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
4762A22011070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
4762A22012070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 120	Plain (no plating)	20 mm	120 mm	17 mm	30 mm
4762A22013070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 130	Plain (no plating)	20 mm	130 mm	17 mm	30 mm
4762A22014070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
4762A22015070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
4762A22016070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 160	Plain (no plating)	20 mm	160 mm	17 mm	30 mm
4762A22018070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
4762A22020070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 200	Plain (no plating)	20 mm	200 mm	17 mm	30 mm
4762A22022070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 220	Plain (no plating)	20 mm	220 mm	17 mm	30 mm
4762A220230	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 230	Plain (no plating)	20 mm	230 mm	17 mm	30 mm
4762A22024070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 240	Plain (no plating)	20 mm	240 mm	17 mm	30 mm
4762A2202407061	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M20 x 240	Plain (no plating)	20 mm	240 mm	17 mm	30 mm
4762A22203070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M22 x 30	Plain (no plating)	22 mm	30 mm	17 mm	33 mm
4762A22204070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M22 x 40	Plain (no plating)	22 mm	40 mm	17 mm	33 mm
4762A22404070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M24 x 40	Plain (no plating)	24 mm	40 mm	19 mm	36 mm
4762A22405070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A2-70	M24 x 50	Plain (no plating)	24 mm	50 mm	19 mm	36 mm
4762A22405570	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A2-70, M24

Stainless A2-70	M24 x 55	Plain (no plating)	24 mm	55 mm	19 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A22406070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 60	Plain (no plating)	24 mm	60 mm	19 mm	36 mm
4762A22406570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 65	Plain (no plating)	24 mm	65 mm	19 mm	36 mm
4762A22407070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
4762A22407570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 75	Plain (no plating)	24 mm	75 mm	19 mm	36 mm
4762A22408070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
4762A22408570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 85	Plain (no plating)	24 mm	85 mm	19 mm	36 mm
4762A22409070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
4762A22410070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
4762A22411070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 110	Plain (no plating)	24 mm	110 mm	19 mm	36 mm
4762A22412070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
4762A22413070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 130	Plain (no plating)	24 mm	130 mm	19 mm	36 mm
4762A22414070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 140	Plain (no plating)	24 mm	140 mm	19 mm	36 mm
4762A22415070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
4762A22416070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 160	Plain (no plating)	24 mm	160 mm	19 mm	36 mm
4762A22417070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 170	Plain (no plating)	24 mm	170 mm	19 mm	36 mm
4762A22420070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M24 x 200	Plain (no plating)	24 mm	200 mm	19 mm	36 mm
4762A22715070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M24	Stainless A2-70	M27 x 150	Plain (no plating)	27 mm	150 mm	19 mm	40 mm
4762A23006070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M27	Stainless A2-70	M30 x 60	Plain (no plating)	30 mm	60 mm	22 mm	45 mm
4762A23008070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M30	Stainless A2-70	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
4762A23009070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M30	Stainless A2-70	M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
4762A23610070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M30	Stainless A2-70	M36 x 100	Plain (no plating)	36 mm	100 mm	27 mm	54 mm
4762A24211070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M36	Stainless A2-70	M42 x 110	Plain (no plating)	42 mm	110 mm	32 mm	63 mm
4762A4006020FL3M	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M42	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
2353								
4762A4016003	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M1.6 x 3	Plain (no plating)	1.6 mm	3 mm	1.5 mm	3 mm
4762A401600370	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 3	Plain (no plating)	1.6 mm	3 mm	1.5 mm	3 mm
4762A401600370W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 3	Plain (no plating)	1.6 mm	3 mm	1.5 mm	3 mm
4762A401600470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 4	Plain (no plating)	1.6 mm	4 mm	1.5 mm	3 mm
4762A401600570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm	1.5 mm	3 mm
4762A401600570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 5	Plain (no plating)	1.6 mm	5 mm	1.5 mm	3 mm
4762A401600670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm	1.5 mm	3 mm
4762A401600670W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm	1.5 mm	3 mm
4762A401600870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm	1.5 mm	3 mm
4762A401600870W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 8	Plain (no plating)	1.6 mm	8 mm	1.5 mm	3 mm
4762A401601070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 10	Plain (no plating)	1.6 mm	10 mm	1.5 mm	3 mm
4762A401601270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 12	Plain (no plating)	1.6 mm	12 mm	1.5 mm	3 mm
4762A401601670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 16	Plain (no plating)	1.6 mm	16 mm	1.5 mm	3 mm
4762A401602070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M1.6	Stainless A4-70	M1.6 x 20	Plain (no plating)	1.6 mm	20 mm	1.5 mm	3 mm
4762A40200350	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M2 x	Stainless A4-50	M2 x 3	Plain (no plating)	2 mm	3 mm	1.5 mm	3.8 mm
4762A40200370	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 3	Plain (no plating)	2 mm	3 mm	1.5 mm	3.8 mm
4762A402004	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762A40200470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762A40200470W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762A402005	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 5	Plain (no plating)	2 mm	5 mm	1.5 mm	3.8 mm
4762A40200570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 5	Plain (no plating)	2 mm	5 mm	1.5 mm	3.8 mm
4762A40200570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 5	Plain (no plating)	2 mm	5 mm	1.5 mm	3.8 mm
4762A402006	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M2 x

Stainless A4-70	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40200670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
4762A40200670W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 6	Plain (no plating)	2 mm	6 mm	1.5 mm	3.8 mm
4762A402008	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
4762A40200870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
4762A4020087021	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
4762A40200870W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
4762A40201050	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M2 x	Stainless A4-50	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
4762A40201070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
4762A402010W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
4762A40201270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 12	Plain (no plating)	2 mm	12 mm	1.5 mm	3.8 mm
4762A40201270W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 12	Plain (no plating)	2 mm	12 mm	1.5 mm	3.8 mm
4762A40201470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 14	Plain (no plating)	2 mm	14 mm	1.5 mm	3.8 mm
4762A40201470W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 14	Plain (no plating)	2 mm	14 mm	1.5 mm	3.8 mm
4762A402016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M2 x	Stainless A4-50	M2 x 16	Plain (no plating)	2 mm	16 mm	1.5 mm	3.8 mm
4762A40201670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 16	Plain (no plating)	2 mm	16 mm	1.5 mm	3.8 mm
4762A40201670W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 16	Plain (no plating)	2 mm	16 mm	1.5 mm	3.8 mm
4762A402020	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 20	Plain (no plating)	2 mm	20 mm	1.5 mm	3.8 mm
4762A40202070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 20	Plain (no plating)	2 mm	20 mm	1.5 mm	3.8 mm
4762A40202070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 20	Plain (no plating)	2 mm	20 mm	1.5 mm	3.8 mm
4762A40202570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 25	Plain (no plating)	2 mm	25 mm	1.5 mm	3.8 mm
4762A402030W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2 x	Stainless A4-70	M2 x 30	Plain (no plating)	2 mm	30 mm	1.5 mm	3.8 mm
4762A402500470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5 x	Stainless A4-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	2 mm	4.5 mm
4762A402500470W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 4	Plain (no plating)	2.5 mm	4 mm	2 mm	4.5 mm
4762A402500570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	2 mm	4.5 mm
4762A402500570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 5	Plain (no plating)	2.5 mm	5 mm	2 mm	4.5 mm
4762A4025006	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762A402500670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762A402500670W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762A402500670W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
SGBS 4762A402500680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M2.5	Stainless A4-80	M2.5 x 6	Plain (no plating)	2.5 mm	6 mm	2 mm	4.5 mm
4762A4025008	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	2 mm	4.5 mm
4762A402500870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	2 mm	4.5 mm
4762A402500870W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	2 mm	4.5 mm
4762A4025010	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
4762A402501070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
4762A402501070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
4762A402501070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
SGBS 4762A402501080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M2.5	Stainless A4-80	M2.5 x 10	Plain (no plating)	2.5 mm	10 mm	2 mm	4.5 mm
4762A402501250	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M2.5	Stainless A4-50	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	2 mm	4.5 mm
4762A402501270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 12	Plain (no plating)	2.5 mm	12 mm	2 mm	4.5 mm
4762A402501470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M2.5	Stainless A4-50	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm	2 mm	4.5 mm
4762A402501470W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 14	Plain (no plating)	2.5 mm	14 mm	2 mm	4.5 mm
4762A4025016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	2 mm	4.5 mm
4762A402501670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	2 mm	4.5 mm
4762A402501670W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M2.5	Stainless A4-70	M2.5 x 16	Plain (no plating)	2.5 mm	16 mm	2 mm	4.5 mm
4762A402501870	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M2.5

Stainless A4-70	M2.5 x 18	Plain (no plating)	2.5 mm	18 mm	2 mm	4.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A4025020	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	2 mm	4.5 mm
4762A402502070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	2 mm	4.5 mm
4762A402502070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	2 mm	4.5 mm
4762A4025020W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 20	Plain (no plating)	2.5 mm	20 mm	2 mm	4.5 mm
4762A4025025	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	2 mm	4.5 mm
4762A402502570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	2 mm	4.5 mm
4762A402502570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 25	Plain (no plating)	2.5 mm	25 mm	2 mm	4.5 mm
4762A4025030	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 30	Plain (no plating)	2.5 mm	30 mm	2 mm	4.5 mm
4762A402503070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70 M2.5	Stainless A2-70	M2.5 x 30	Plain (no plating)	2.5 mm	30 mm	2 mm	4.5 mm
4762A4025035	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 35	Plain (no plating)	2.5 mm	35 mm	2 mm	4.5 mm
4762A4025040	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M2.5	Stainless A4-70	M2.5 x 40	Plain (no plating)	2.5 mm	40 mm	2 mm	4.5 mm
4762A402504070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70 M2.5	Stainless A2-70	M2.5 x 40	Plain (no plating)	2.5 mm	40 mm	2 mm	4.5 mm
4762A403003	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 3	Plain (no plating)	3 mm	3 mm	2.5 mm	5.5 mm
4762A40300370	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 3	Plain (no plating)	3 mm	3 mm	2.5 mm	5.5 mm
4762A40300470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 4	Plain (no plating)	3 mm	4 mm	2.5 mm	5.5 mm
4762A40300480	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 4	Plain (no plating)	3 mm	4 mm	2.5 mm	5.5 mm
4762A403005	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
4762A40300570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
4762A40300580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
4762A403006	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762A40300670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762A40300680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762A403008	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
4762A40300870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
4762A40300880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
4762A4030088012	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
4762A4030088021	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
4762A40300888	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M3 x 8	Plain (no plating)	3 mm	8 mm	2.5 mm	5.5 mm
4762A403010	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
4762A40301050	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
4762A40301070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
4762A40301088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M3 x 10	Plain (no plating)	3 mm	10 mm	2.5 mm	5.5 mm
4762A40301250	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50 M3 x	Stainless A4-50	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
4762A40301270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
4762A40301280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
4762A40301288	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
4762A40301470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 14	Plain (no plating)	3 mm	14 mm	2.5 mm	5.5 mm
4762A40301480	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 14	Plain (no plating)	3 mm	14 mm	2.5 mm	5.5 mm
4762A403016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A40301650	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A40301670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A403016703M2510	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M3 x	Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A40301680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A40301680W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M3 x	Stainless A4-80	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A40301688	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm
4762A403016C20	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M3 x

Stainless A4-70	M3 x 16	Plain (no plating)	3 mm	16 mm	2.5 mm	5.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A403018	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 18	Plain (no plating)	3 mm	18 mm	2.5 mm	5.5 mm
4762A40301870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 18	Plain (no plating)	3 mm	18 mm	2.5 mm	5.5 mm
4762A40302050	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M3 x	Stainless A4-50	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
4762A40302070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
4762A40302080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M3 x	Stainless A4-80	M3 x 20	Plain (no plating)	3 mm	20 mm	2.5 mm	5.5 mm
4762A40302270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 22	Plain (no plating)	3 mm	22 mm	2.5 mm	5.5 mm
4762A403025	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A40302550	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M3 x	Stainless A4-50	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A40302570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A40302580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M3 x	Stainless A4-80	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A40302580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M3 x	Stainless A4-80	M3 x 25	Plain (no plating)	3 mm	25 mm	2.5 mm	5.5 mm
4762A403030	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
4762A40303070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
4762A40303070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 30/30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
4762A40303088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M3 x 30	Plain (no plating)	3 mm	30 mm	2.5 mm	5.5 mm
4762A403035	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
4762A40303570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
4762A40303580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M3 x	Stainless A4-80	M3 x 35	Plain (no plating)	3 mm	35 mm	2.5 mm	5.5 mm
4762A403040	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 4	Plain (no plating)	3 mm	4 mm	2.5 mm	5.5 mm
4762A40304070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
4762A40304070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 40/40	Plain (no plating)	3 mm	40 mm	2.5 mm	5.5 mm
4762A403045	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 45	Plain (no plating)	3 mm	45 mm	2.5 mm	5.5 mm
4762A40304570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 45	Plain (no plating)	3 mm	45 mm	2.5 mm	5.5 mm
4762A40305070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 50	Plain (no plating)	3 mm	50 mm	2.5 mm	5.5 mm
4762A40305570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 55	Plain (no plating)	3 mm	55 mm	2.5 mm	5.5 mm
4762A40306070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 60	Plain (no plating)	3 mm	60 mm	2.5 mm	5.5 mm
4762A40306570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M3 x	Stainless A4-70	M3 x 65	Plain (no plating)	3 mm	65 mm	2.5 mm	5.5 mm
4762A40400470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 4	Plain (no plating)	4 mm	4 mm	3 mm	7 mm
4762A404005	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 5	Plain (no plating)	4 mm	5 mm	3 mm	7 mm
4762A40400570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 5	Plain (no plating)	4 mm	5 mm	3 mm	7 mm
4762A40400580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 5	Plain (no plating)	4 mm	5 mm	3 mm	7 mm
4762A40400670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
4762A40400680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 6	Plain (no plating)	4 mm	6 mm	3 mm	7 mm
4762A404008	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
4762A40400870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
4762A40400880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
4762A40401070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
4762A40401080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
4762A40401080DRI	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
4762A404012	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
4762A40401250	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
4762A40401270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
4762A40401280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 12	Plain (no plating)	4 mm	12 mm	3 mm	7 mm
4762A404014	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
4762A40401470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
4762A40401480	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M4 x

Stainless A4-80	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A404014C20	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 14	Plain (no plating)	4 mm	14 mm	3 mm	7 mm
4762A404016	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A40401670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A40401670FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A40401680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A40401680DRI	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762A40401680W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 16	WAX GLEITMO 627	4 mm	16 mm	3 mm	7 mm
4762A40401870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 18	Plain (no plating)	4 mm	18 mm	3 mm	7 mm
4762A40401880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 18	Plain (no plating)	4 mm	18 mm	3 mm	7 mm
4762A40402070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
4762A40402080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
4762A40402088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
4762A404022	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
4762A40402270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
4762A40402280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 22	Plain (no plating)	4 mm	22 mm	3 mm	7 mm
4762A40402570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
4762A40402570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 25	WAX GLEITMO 627	4 mm	25 mm	3 mm	7 mm
4762A40402580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
4762A404030	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A40403070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A40403080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A40403088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M4 x 30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A404030FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 30/30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A404030PT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 30/30	Plain (no plating)	4 mm	30 mm	3 mm	7 mm
4762A40403570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A40403570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 35/35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A40403580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A40403580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 35/35	Plain (no plating)	4 mm	35 mm	3 mm	7 mm
4762A40404070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
4762A40404070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 40	WAX GLEITMO 627	4 mm	40 mm	3 mm	7 mm
4762A40404080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 40	Plain (no plating)	4 mm	40 mm	3 mm	7 mm
4762A40404570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
4762A40404580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
4762A404045FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 45/45	Plain (no plating)	4 mm	45 mm	3 mm	7 mm
4762A40405070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
4762A40405080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
4762A40405088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M4 x 50	Plain (no plating)	4 mm	50 mm	3 mm	7 mm
4762A40405570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 55	Plain (no plating)	4 mm	55 mm	3 mm	7 mm
4762A40405580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 55	Plain (no plating)	4 mm	55 mm	3 mm	7 mm
4762A40406070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 60	Plain (no plating)	4 mm	60 mm	3 mm	7 mm
4762A40406080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 60	Plain (no plating)	4 mm	60 mm	3 mm	7 mm
4762A40406570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 65	Plain (no plating)	4 mm	65 mm	3 mm	7 mm
4762A40407070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 70	Plain (no plating)	4 mm	70 mm	3 mm	7 mm
4762A40407080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M4 x	Stainless A4-80	M4 x 70	Plain (no plating)	4 mm	70 mm	3 mm	7 mm
4762A404080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 80	Plain (no plating)	4 mm	80 mm	3 mm	7 mm
4762A40408070	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M4 x

Stainless A4-70	M4 x 80	Plain (no plating)	4 mm	80 mm	3 mm	7 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40409070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 90	Plain (no plating)	4 mm	90 mm	3 mm	7 mm
4762A40410070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M4 x	Stainless A4-70	M4 x 100	Plain (no plating)	4 mm	100 mm	3 mm	7 mm
4762A40500570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 5	Plain (no plating)	5 mm	5 mm	4 mm	8.5 mm
4762A40500670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
4762A40500680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
4762A40500680W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 6	Plain (no plating)	5 mm	6 mm	4 mm	8.5 mm
4762A40500870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
4762A40500870DRI	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
4762A40500880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
4762A40500880W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 8	Plain (no plating)	5 mm	8 mm	4 mm	8.5 mm
4762A40501070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
4762A40501080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
4762A40501080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
4762A40501270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
4762A40501280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
4762A40501280W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 12	Plain (no plating)	5 mm	12 mm	4 mm	8.5 mm
4762A40501470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
4762A40501480	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
4762A40501480W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 14	Plain (no plating)	5 mm	14 mm	4 mm	8.5 mm
4762A40501670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
4762A40501680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
4762A40501680W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 16	Plain (no plating)	5 mm	16 mm	4 mm	8.5 mm
4762A4050187	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
4762A40501870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
4762A40501880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
4762A40501880W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 18	Plain (no plating)	5 mm	18 mm	4 mm	8.5 mm
4762A40502070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
4762A40502070KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
UPL								
4762A40502080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
4762A40502080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 20	Plain (no plating)	5 mm	20 mm	4 mm	8.5 mm
4762A405022	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm
4762A40502270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm
4762A40502280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm
4762A40502280W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 22	Plain (no plating)	5 mm	22 mm	4 mm	8.5 mm
4762A405025	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
4762A40502570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
4762A40502580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
4762A40502580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 25	Plain (no plating)	5 mm	25 mm	4 mm	8.5 mm
4762A40503070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762A40503070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 30/30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762A40503080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762A40503080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762A40503088	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless BUMAX 88 (A4 high-stre	M5 x 30	Plain (no plating)	5 mm	30 mm	4 mm	8.5 mm
4762A40503570	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762A40503570PT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762A40503580	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M5 x

Stainless A4-80	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40503580BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762A40503580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762A40503588	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M5 x 35	Plain (no plating)	5 mm	35 mm	4 mm	8.5 mm
4762A40504070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762A40504070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 40/40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762A40504070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 40	WAX GLEITMO 627	5 mm	40 mm	4 mm	8.5 mm
4762A40504080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762A405045	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A40504570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A40504570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 45/45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A40504580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A40504580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 45	Plain (no plating)	5 mm	45 mm	4 mm	8.5 mm
4762A40505070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A40505070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 50/50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A40505080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A40505080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A40505570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 55	Plain (no plating)	5 mm	55 mm	4 mm	8.5 mm
4762A40505580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 55	Plain (no plating)	5 mm	55 mm	4 mm	8.5 mm
4762A40506070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762A40506080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762A40506080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762A40506088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762A40506570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 65	Plain (no plating)	5 mm	65 mm	4 mm	8.5 mm
4762A40507070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
4762A40507070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 70/70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
4762A40507080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
4762A40507080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 70	Plain (no plating)	5 mm	70 mm	4 mm	8.5 mm
4762A40507570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 75	Plain (no plating)	5 mm	75 mm	4 mm	8.5 mm
4762A40507580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 75	Plain (no plating)	5 mm	75 mm	4 mm	8.5 mm
4762A405080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
4762A40508070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
4762A40508080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
4762A40508080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 80	Plain (no plating)	5 mm	80 mm	4 mm	8.5 mm
4762A40509070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 90	Plain (no plating)	5 mm	90 mm	4 mm	8.5 mm
4762A40509080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 90	Plain (no plating)	5 mm	90 mm	4 mm	8.5 mm
4762A40510070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 100	Plain (no plating)	5 mm	100 mm	4 mm	8.5 mm
4762A40510080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M5 x	Stainless A4-80	M5 x 100	Plain (no plating)	5 mm	100 mm	4 mm	8.5 mm
4762A40511070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 110	Plain (no plating)	5 mm	110 mm	4 mm	8.5 mm
4762A40511370	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 113	Plain (no plating)	5 mm	113 mm	4 mm	8.5 mm
4762A40511570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 115	Plain (no plating)	5 mm	115 mm	4 mm	8.5 mm
4762A40512070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 120	Plain (no plating)	5 mm	120 mm	4 mm	8.5 mm
4762A40513070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 130	Plain (no plating)	5 mm	130 mm	4 mm	8.5 mm
4762A40514070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M5 x	Stainless A4-70	M5 x 140	Plain (no plating)	5 mm	140 mm	4 mm	8.5 mm
4762A40600670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 6	Plain (no plating)	6 mm	6 mm	5 mm	10 mm
4762A40600870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm
4762A40600880	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M6 x

Stainless A4-80	M6 x 8	Plain (no plating)	6 mm	8 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A406010	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
4762A40601070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
4762A40601080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
4762A40601270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762A40601270NO KNURL	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762A40601280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 12	Plain (no plating)	6 mm	12 mm	5 mm	10 mm
4762A40601280W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 12	WAX GLEITMO 625	6 mm	12 mm	5 mm	10 mm
4762A40601470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
4762A40601480	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
4762A40601480BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
4762A40601480W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
4762A40601670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A40601680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A406016W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A406016WW	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762A40601870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 18	Plain (no plating)	6 mm	18 mm	5 mm	10 mm
4762A40601880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 18	Plain (no plating)	6 mm	18 mm	5 mm	10 mm
4762A40601880W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 18	Plain (no plating)	6 mm	18 mm	5 mm	10 mm
4762A406020	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A406020109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A40602070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A40602080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A40602080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A40602080DRI	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A40602080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A40602088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762A40602270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 22	Plain (no plating)	6 mm	22 mm	5 mm	10 mm
4762A40602270W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 22	Plain (no plating)	6 mm	22 mm	5 mm	10 mm
4762A40602280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 22	Plain (no plating)	6 mm	22 mm	5 mm	10 mm
4762A40602570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A40602570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A40602580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A40602580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762A406030109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A40603070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A40603070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 30	WAX GLEITMO 625	6 mm	30 mm	5 mm	10 mm
4762A40603080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A40603080DEL CZ	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A40603080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762A40603570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A40603570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 35/35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A40603580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A40603580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762A40604070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A40604070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 40/40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A40604080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M6 x

Stainless A4-80	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40604080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A40604080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A40604088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762A40604570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A40604570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 45/45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A40604580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 45	Plain (no plating)	6 mm	45 mm	5 mm	10 mm
4762A40605070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762A40605070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 50/50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762A40605080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762A40605080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762A40605570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
4762A40605580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
4762A40605580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 55/55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
4762A40606034	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 60/34	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
4762A40606070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
4762A40606070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 60/60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
4762A40606080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 60	Plain (no plating)	6 mm	60 mm	5 mm	10 mm
4762A40606570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
4762A40606580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
4762A40606580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 65	Plain (no plating)	6 mm	65 mm	5 mm	10 mm
4762A40607070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A40607070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 70/70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A40607070H	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 70/70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A40607080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A40607080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 70/70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A40607080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762A40607570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
4762A40607570GL605	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 75	WAX GLEITMO 605	6 mm	75 mm	5 mm	10 mm
4762A40607580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
4762A40607580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 75	Plain (no plating)	6 mm	75 mm	5 mm	10 mm
4762A40608070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762A40608070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 80/80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762A40608080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762A40608088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M6 x 80	Plain (no plating)	6 mm	80 mm	5 mm	10 mm
4762A40608570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 85	Plain (no plating)	6 mm	85 mm	5 mm	10 mm
4762A406090	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
4762A40609070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
4762A40609070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 90/90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
4762A40609080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
4762A40609080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 90	Plain (no plating)	6 mm	90 mm	5 mm	10 mm
4762A40609570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 95	Plain (no plating)	6 mm	95 mm	5 mm	10 mm
4762A40610070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
4762A40610070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 100/100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
4762A40610080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M6 x	Stainless A4-80	M6 x 100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
4762A406100FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M6 x	Stainless A4-70	M6 x 100/100	Plain (no plating)	6 mm	100 mm	5 mm	10 mm
4762A40610580	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M6 x

Stainless A4-80	M6 x 105	Plain (no plating)	6 mm	105 mm	5 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40611070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 110	Plain (no plating)	6 mm	110 mm	5 mm	10 mm
4762A40611070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 110/110	Plain (no plating)	6 mm	110 mm	5 mm	10 mm
4762A40611080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 110	Plain (no plating)	6 mm	110 mm	5 mm	10 mm
4762A40612070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 120	Plain (no plating)	6 mm	120 mm	5 mm	10 mm
4762A40612070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 120/120	Plain (no plating)	6 mm	120 mm	5 mm	10 mm
4762A40612080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 120	Plain (no plating)	6 mm	120 mm	5 mm	10 mm
4762A406130	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 130	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
4762A40613070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 130	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
4762A40613080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 130	Plain (no plating)	6 mm	130 mm	5 mm	10 mm
4762A40614070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 140	Plain (no plating)	6 mm	140 mm	5 mm	10 mm
4762A40614070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 140/140	Plain (no plating)	6 mm	140 mm	5 mm	10 mm
4762A40614080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 140	Plain (no plating)	6 mm	140 mm	5 mm	10 mm
4762A40614580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 145	Plain (no plating)	6 mm	145 mm	5 mm	10 mm
4762A40615070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 150	Plain (no plating)	6 mm	150 mm	5 mm	10 mm
4762A40615080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M6 x	Stainless A4-80	M6 x 150	Plain (no plating)	6 mm	150 mm	5 mm	10 mm
4762A40616070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 160	Plain (no plating)	6 mm	160 mm	5 mm	10 mm
4762A40617070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 170	Plain (no plating)	6 mm	170 mm	5 mm	10 mm
4762A40618070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 180	Plain (no plating)	6 mm	180 mm	5 mm	10 mm
4762A40620070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M6 x	Stainless A4-70	M6 x 200	Plain (no plating)	6 mm	200 mm	5 mm	10 mm
4762A40800870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 8	Plain (no plating)	8 mm	8 mm	6 mm	13 mm
4762A40800880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 8	Plain (no plating)	8 mm	8 mm	6 mm	13 mm
4762A40801070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm
4762A40801080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 10	Plain (no plating)	8 mm	10 mm	6 mm	13 mm
4762A408011070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
4762A40801270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
4762A40801280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
4762A40801280W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 12	Plain (no plating)	8 mm	12 mm	6 mm	13 mm
4762A40801470	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 14	Plain (no plating)	8 mm	14 mm	6 mm	13 mm
4762A40801480	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 14	Plain (no plating)	8 mm	14 mm	6 mm	13 mm
4762A40801670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
4762A40801670EP	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
4762A40801670EPK	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
4762A40801670KN	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
4762A40801680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 16	Plain (no plating)	8 mm	16 mm	6 mm	13 mm
4762A40801680W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 16	WAX GLEITMO 627	8 mm	16 mm	6 mm	13 mm
4762A40801870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
4762A40801880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
4762A40801880BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 18	Plain (no plating)	8 mm	18 mm	6 mm	13 mm
4762A40802070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
4762A40802080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
4762A40802080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
4762A40802270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 22	Plain (no plating)	8 mm	22 mm	6 mm	13 mm
4762A40802280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 22	Plain (no plating)	8 mm	22 mm	6 mm	13 mm
4762A40802570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762A40802580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762A40802580I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x							

A4-80, M8 x

Stainless A4-80	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40802580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762A40802588	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762A408030109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A40803070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A40803080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A40803080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A40803088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A408035109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
4762A40803570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
4762A40803580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
4762A40803580I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
4762A40803580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 35	Plain (no plating)	8 mm	35 mm	6 mm	13 mm
4762A408040109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762A40804070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762A40804070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 40/40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762A40804080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 40	Plain (no plating)	8 mm	40 mm	6 mm	13 mm
4762A40804570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A40804570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 45/45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A40804580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A40804580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 45/45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A40804580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A40804588	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762A408050100	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A40805070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A40805070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 50/50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A40805070G627	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 50	WAX GLEITMO 627	8 mm	50 mm	6 mm	13 mm
4762A40805080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A40805080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A40805088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762A40805570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
4762A40805580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
4762A40805580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 55/55	Plain (no plating)	8 mm	55 mm	6 mm	13 mm
4762A408060109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A40806070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A40806070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 60/60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A40806070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 60	WAX GLEITMO 627	8 mm	60 mm	6 mm	13 mm
4762A40806080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A40806088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M8 x 60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A408060FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 60/60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm
4762A40806570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
4762A40806570W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 65	WAX GLEITMO 627	8 mm	65 mm	6 mm	13 mm
4762A40806580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
4762A40806580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M8 x	Stainless A4-80	M8 x 65/65	Plain (no plating)	8 mm	65 mm	6 mm	13 mm
4762A40807070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A40807070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M8 x	Stainless A4-70	M8 x 70/70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A40807080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M8 x

Stainless A4-80	M8 x 70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40807080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 70/70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A408070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 70/70	Plain (no plating)	8 mm	70 mm	6 mm	13 mm
4762A408075	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
4762A40807570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
4762A40807580	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
4762A40807580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 75	Plain (no plating)	8 mm	75 mm	6 mm	13 mm
4762A40808070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762A40808070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762A40808070H	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762A40808080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762A40808080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762A40808080H	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 80/80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762A40808570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 85	Plain (no plating)	8 mm	85 mm	6 mm	13 mm
4762A40809070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
4762A40809070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 90/90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
4762A40809080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 90	Plain (no plating)	8 mm	90 mm	6 mm	13 mm
4762A40809570	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 95	Plain (no plating)	8 mm	95 mm	6 mm	13 mm
4762A40809580	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 95	Plain (no plating)	8 mm	95 mm	6 mm	13 mm
4762A40810070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
4762A40810080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
4762A40810080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
4762A408100FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 100/100	Plain (no plating)	8 mm	100 mm	6 mm	13 mm
4762A408103080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 1.0 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762A40811070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
4762A40811080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 110	Plain (no plating)	8 mm	110 mm	6 mm	13 mm
4762A40812070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
4762A40812080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 120	Plain (no plating)	8 mm	120 mm	6 mm	13 mm
4762A40813070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 130	Plain (no plating)	8 mm	130 mm	6 mm	13 mm
4762A40813080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 130	Plain (no plating)	8 mm	130 mm	6 mm	13 mm
4762A40814070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 140	Plain (no plating)	8 mm	140 mm	6 mm	13 mm
4762A40814080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 140	Plain (no plating)	8 mm	140 mm	6 mm	13 mm
4762A40815070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 150	Plain (no plating)	8 mm	150 mm	6 mm	13 mm
4762A40815080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 150	Plain (no plating)	8 mm	150 mm	6 mm	13 mm
4762A40816070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 160	Plain (no plating)	8 mm	160 mm	6 mm	13 mm
4762A40816080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 160	Plain (no plating)	8 mm	160 mm	6 mm	13 mm
4762A40817070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 170	Plain (no plating)	8 mm	170 mm	6 mm	13 mm
4762A40817080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 170	Plain (no plating)	8 mm	170 mm	6 mm	13 mm
4762A40818070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 180	Plain (no plating)	8 mm	180 mm	6 mm	13 mm
4762A40818080	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-80	M8 x 180	Plain (no plating)	8 mm	180 mm	6 mm	13 mm
4762A408190	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 190	Plain (no plating)	8 mm	190 mm	6 mm	13 mm
4762A40819070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 190	Plain (no plating)	8 mm	190 mm	6 mm	13 mm
4762A40820070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 200	Plain (no plating)	8 mm	200 mm	6 mm	13 mm
4762A40822070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 220	Plain (no plating)	8 mm	220 mm	6 mm	13 mm
4762A40823070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 230	Plain (no plating)	8 mm	230 mm	6 mm	13 mm
4762A40824070	ISO 4762 Socket Head Screw with Hex Drive, Stainless	Stainless A4-70	M8 x 240	Plain (no plating)	8 mm	240 mm	6 mm	13 mm
4762A40826070	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M8 x

Stainless A4-70	M8 x 260	Plain (no plating)	8 mm	260 mm	6 mm	13 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A40827070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x	Stainless A4-70	M8 x 270	Plain (no plating)	8 mm	270 mm	6 mm	13 mm
4762A40828070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x	Stainless A4-70	M8 x 280	Plain (no plating)	8 mm	280 mm	6 mm	13 mm
4762A40829070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x	Stainless A4-70	M8 x 290	Plain (no plating)	8 mm	290 mm	6 mm	13 mm
4762A40830070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M8 x	Stainless A4-70	M8 x 300	Plain (no plating)	8 mm	300 mm	6 mm	13 mm
4762A41001270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 12	Plain (no plating)	10 mm	12 mm	8 mm	16 mm
4762A41001280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 12	Plain (no plating)	10 mm	12 mm	8 mm	16 mm
4762A41001480	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 14	Plain (no plating)	10 mm	14 mm	8 mm	16 mm
4762A41001670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
4762A41001680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 16	Plain (no plating)	10 mm	16 mm	8 mm	16 mm
4762A41001870	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 18	Plain (no plating)	10 mm	18 mm	8 mm	16 mm
4762A41001880	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 18	Plain (no plating)	10 mm	18 mm	8 mm	16 mm
4762A41002070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762A41002080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762A41002080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762A41002080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762A41002570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
4762A41002580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
4762A41003070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
4762A41003080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
4762A41003080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm
4762A41003570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
4762A41003580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
4762A41003580I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
4762A410040109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A41004070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A41004080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A41004080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A41004080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762A41004180	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 41	Plain (no plating)	10 mm	41 mm	8 mm	16 mm
4762A41004570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762A41004580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762A41004580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762A41005070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A41005070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 50/50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A41005080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A41005080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 50/50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A41005080H	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 50/50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A41005080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762A41005570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A41005570FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 55/55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A41005580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A41005580BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A41005580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 55/55	Plain (no plating)	10 mm	55 mm	8 mm	16 mm
4762A41006070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762A41006070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 60/60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762A41006080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M10

Stainless A4-80	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A41006080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 60/60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762A41006080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762A41006570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
4762A41006580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 65	Plain (no plating)	10 mm	65 mm	8 mm	16 mm
4762A41007070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762A41007080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762A41007088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M10 x 70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762A410070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 70/70	Plain (no plating)	10 mm	70 mm	8 mm	16 mm
4762A41007570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 75	Plain (no plating)	10 mm	75 mm	8 mm	16 mm
4762A41007580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 75	Plain (no plating)	10 mm	75 mm	8 mm	16 mm
4762A41008070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A41008070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 80/80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A41008080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A41008080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 80/80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A41008080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762A41008570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 85	Plain (no plating)	10 mm	85 mm	8 mm	16 mm
4762A41008580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 85	Plain (no plating)	10 mm	85 mm	8 mm	16 mm
4762A41009070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
4762A41009070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 90/90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
4762A41009080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
4762A41009080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 90/90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
4762A41009080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 90	Plain (no plating)	10 mm	90 mm	8 mm	16 mm
4762A410100	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A41010070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A41010070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A41010080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A41010080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 100/100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A41010080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A410100FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 100/100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762A41011070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
4762A41011080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
4762A41011080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 110/110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
4762A410120	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
4762A41012070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
4762A41012080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
4762A41012080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 120	Plain (no plating)	10 mm	120 mm	8 mm	16 mm
4762A41013070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 130	Plain (no plating)	10 mm	130 mm	8 mm	16 mm
4762A41013080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 130	Plain (no plating)	10 mm	130 mm	8 mm	16 mm
4762A41014070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
4762A41014080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 140	Plain (no plating)	10 mm	140 mm	8 mm	16 mm
4762A41014570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 145	Plain (no plating)	10 mm	145 mm	8 mm	16 mm
4762A41015070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 150	Plain (no plating)	10 mm	150 mm	8 mm	16 mm
4762A41015080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 150	Plain (no plating)	10 mm	150 mm	8 mm	16 mm
4762A41016070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 160	Plain (no plating)	10 mm	160 mm	8 mm	16 mm
4762A41016070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 160/160	Plain (no plating)	10 mm	160 mm	8 mm	16 mm
4762A41016080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M10

Stainless A4-80	M10 x 160	Plain (no plating)	10 mm	160 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A41016580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 165	Plain (no plating)	10 mm	165 mm	8 mm	16 mm
4762A41017070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 170	Plain (no plating)	10 mm	170 mm	8 mm	16 mm
4762A41018070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 180	Plain (no plating)	10 mm	180 mm	8 mm	16 mm
4762A41018080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 180	Plain (no plating)	10 mm	180 mm	8 mm	16 mm
4762A41018580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 185	Plain (no plating)	10 mm	185 mm	8 mm	16 mm
4762A41020070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 200	Plain (no plating)	10 mm	200 mm	8 mm	16 mm
4762A41020080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M10	Stainless A4-80	M10 x 200	Plain (no plating)	10 mm	200 mm	8 mm	16 mm
4762A41021070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 210	Plain (no plating)	10 mm	210 mm	8 mm	16 mm
4762A410220	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 220	Plain (no plating)	10 mm	220 mm	8 mm	16 mm
4762A41023070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 230	Plain (no plating)	10 mm	230 mm	8 mm	16 mm
4762A41025070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 250	Plain (no plating)	10 mm	250 mm	8 mm	16 mm
4762A41028070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 280	Plain (no plating)	10 mm	280 mm	8 mm	16 mm
4762A410410	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 410/35	Plain (no plating)	10 mm	410 mm	8 mm	16 mm
4762A410410/35	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 410/35	Plain (no plating)	10 mm	410 mm	8 mm	16 mm
4762A410450	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M10	Stainless A4-70	M10 x 450	Plain (no plating)	10 mm	450 mm	8 mm	16 mm
4762A412002570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
4762A412007070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762A412008570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 85	Plain (no plating)	12 mm	85 mm	10 mm	18 mm
4762A41201070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762A41201280	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 12	Plain (no plating)	12 mm	12 mm	10 mm	18 mm
4762A41201670	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 16	Plain (no plating)	12 mm	16 mm	10 mm	18 mm
4762A41201680	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 16	Plain (no plating)	12 mm	16 mm	10 mm	18 mm
4762A41202070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
4762A41202080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
4762A41202080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 20	Plain (no plating)	12 mm	20 mm	10 mm	18 mm
4762A41202570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
4762A41202580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
4762A41202580I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 25	Plain (no plating)	12 mm	25 mm	10 mm	18 mm
4762A41203070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762A41203080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762A41203080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762A41203570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
4762A41203580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
4762A41203580W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 35	Plain (no plating)	12 mm	35 mm	10 mm	18 mm
4762A412040109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A41204070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A41204070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A41204080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A41204080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762A412045109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A41204570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M12	Stainless A4-70	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A41204580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A41204580I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A41204580IW	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M12	Stainless A4-80	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A41204588	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M12 x 45	Plain (no plating)	12 mm	45 mm	10 mm	18 mm
4762A41205070	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M12

Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A41205070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 50/50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A41205070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A41205080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A41205080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A41205080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 50/50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A41205080HT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A41205088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A4-80, M12	Stainless BUMAX 88 (A4 high-stre	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762A41205570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
4762A41205580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
4762A41205580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 55/55	Plain (no plating)	12 mm	55 mm	10 mm	18 mm
4762A41206070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762A41206070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 60/60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762A41206080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762A41206080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762A41206088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A4-80, M12	Stainless BUMAX 88 (A4 high-stre	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762A41206570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
4762A41206580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
4762A41206580FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 65/65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
4762A41207070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762A41207070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 70/70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762A41207080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762A41207080W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762A41207570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 75	Plain (no plating)	12 mm	75 mm	10 mm	18 mm
4762A41207580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 75	Plain (no plating)	12 mm	75 mm	10 mm	18 mm
4762A41208070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762A41208070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 80/80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762A41208080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762A41208080BS	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762A41208088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A4-80, M12	Stainless BUMAX 88 (A4 high-stre	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762A41209070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
4762A41209070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 90/90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
4762A41209070W	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 90	WAX GLEITMO 625	12 mm	90 mm	10 mm	18 mm
4762A41209080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
4762A41209088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A4-80, M12	Stainless BUMAX 88 (A4 high-stre	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
4762A412100	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762A41210070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762A41210070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 100/100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762A41210080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762A41211070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 110	Plain (no plating)	12 mm	110 mm	10 mm	18 mm
4762A41211080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 110	Plain (no plating)	12 mm	110 mm	10 mm	18 mm
4762A41212070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
4762A41212080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
4762A41212080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 120/120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
4762A41212088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A4-80, M12	Stainless BUMAX 88 (A4 high-stre	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
4762A41213070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
4762A41213070F	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M12

Stainless A4-70	M12 x 130/130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A41213080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
4762A41213088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
4762A41214070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 140	Plain (no plating)	12 mm	140 mm	10 mm	18 mm
4762A41214080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 140	Plain (no plating)	12 mm	140 mm	10 mm	18 mm
4762A41215070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm
4762A41215080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 150	Plain (no plating)	12 mm	150 mm	10 mm	18 mm
4762A41216070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 160	Plain (no plating)	12 mm	160 mm	10 mm	18 mm
4762A41216080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 160	Plain (no plating)	12 mm	160 mm	10 mm	18 mm
4762A412170	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 170	Plain (no plating)	12 mm	170 mm	10 mm	18 mm
4762A41217070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 170	Plain (no plating)	12 mm	170 mm	10 mm	18 mm
4762A41218070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 180	Plain (no plating)	12 mm	180 mm	10 mm	18 mm
4762A41218070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 180/180	Plain (no plating)	12 mm	180 mm	10 mm	18 mm
4762A41218080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 180	Plain (no plating)	12 mm	180 mm	10 mm	18 mm
4762A41219070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 190	Plain (no plating)	12 mm	190 mm	10 mm	18 mm
4762A41220070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 200	Plain (no plating)	12 mm	200 mm	10 mm	18 mm
4762A41220080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 200	Plain (no plating)	12 mm	200 mm	10 mm	18 mm
4762A41221070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 210	Plain (no plating)	12 mm	210 mm	10 mm	18 mm
4762A41222070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 220	Plain (no plating)	12 mm	220 mm	10 mm	18 mm
4762A41222080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M12	Stainless A4-80	M12 x 220	Plain (no plating)	12 mm	220 mm	10 mm	18 mm
4762A41223070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 230	Plain (no plating)	12 mm	230 mm	10 mm	18 mm
4762A41230070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M12	Stainless A4-70	M12 x 300	Plain (no plating)	12 mm	300 mm	10 mm	18 mm
4762A41402570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 25	Plain (no plating)	14 mm	25 mm	12 mm	21 mm
4762A41402580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 25	Plain (no plating)	14 mm	25 mm	12 mm	21 mm
4762A41403070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 30	Plain (no plating)	14 mm	30 mm	12 mm	21 mm
4762A41403080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 30	Plain (no plating)	14 mm	30 mm	12 mm	21 mm
4762A41403570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
4762A41403580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 35	Plain (no plating)	14 mm	35 mm	12 mm	21 mm
4762A41404070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
4762A41404080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 40	Plain (no plating)	14 mm	40 mm	12 mm	21 mm
4762A41404570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 45	Plain (no plating)	14 mm	45 mm	12 mm	21 mm
4762A41404580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 45	Plain (no plating)	14 mm	45 mm	12 mm	21 mm
4762A41405070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 50	Plain (no plating)	14 mm	50 mm	12 mm	21 mm
4762A41405080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 50	Plain (no plating)	14 mm	50 mm	12 mm	21 mm
4762A41405570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 55	Plain (no plating)	14 mm	55 mm	12 mm	21 mm
4762A41405580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 55	Plain (no plating)	14 mm	55 mm	12 mm	21 mm
4762A41406070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
4762A41406080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 60	Plain (no plating)	14 mm	60 mm	12 mm	21 mm
4762A41406570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 65	Plain (no plating)	14 mm	65 mm	12 mm	21 mm
4762A41406580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 65	Plain (no plating)	14 mm	65 mm	12 mm	21 mm
4762A41407070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
4762A41407080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
4762A41407570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 75	Plain (no plating)	14 mm	75 mm	12 mm	21 mm
4762A41408070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 80	Plain (no plating)	14 mm	80 mm	12 mm	21 mm
4762A41408080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M14	Stainless A4-80	M14 x 80	Plain (no plating)	14 mm	80 mm	12 mm	21 mm
4762A41409070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M14	Stainless A4-70	M14 x 90	Plain (no plating)	14 mm	90 mm	12 mm	21 mm
4762A41409080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M14

Stainless A4-80	M14 x 90	Plain (no plating)	14 mm	90 mm	12 mm	21 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A41410070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M14	Stainless A4-70	M14 x 100	Plain (no plating)	14 mm	100 mm	12 mm	21 mm
4762A41410080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M14	Stainless A4-80	M14 x 100	Plain (no plating)	14 mm	100 mm	12 mm	21 mm
4762A41411070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M14	Stainless A4-70	M14 x 110	Plain (no plating)	14 mm	110 mm	12 mm	21 mm
4762A41411080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M14	Stainless A4-80	M14 x 110	Plain (no plating)	14 mm	110 mm	12 mm	21 mm
4762A41412080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M14	Stainless A4-80	M14 x 120	Plain (no plating)	14 mm	120 mm	12 mm	21 mm
4762A41413070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M14	Stainless A4-70	M14 x 130	Plain (no plating)	14 mm	130 mm	12 mm	21 mm
4762A41413080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M14	Stainless A4-80	M14 x 130	Plain (no plating)	14 mm	130 mm	12 mm	21 mm
4762A41415080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M14	Stainless A4-80	M14 x 150	Plain (no plating)	14 mm	150 mm	12 mm	21 mm
4762A41601270	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 12	Plain (no plating)	16 mm	12 mm	14 mm	24 mm
4762A41602070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 20	Plain (no plating)	16 mm	20 mm	14 mm	24 mm
4762A41602080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 20	Plain (no plating)	16 mm	20 mm	14 mm	24 mm
4762A41602570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 25	Plain (no plating)	16 mm	25 mm	14 mm	24 mm
4762A41602580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 25	Plain (no plating)	16 mm	25 mm	14 mm	24 mm
4762A41603070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
4762A41603080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 30	Plain (no plating)	16 mm	30 mm	14 mm	24 mm
4762A41603570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
4762A41603580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 35	Plain (no plating)	16 mm	35 mm	14 mm	24 mm
4762A416040109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762A41604070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762A41604080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762A41604088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762A41604570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
4762A41604580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 45	Plain (no plating)	16 mm	45 mm	14 mm	24 mm
4762A416050109	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 109 (	Stainless BUMAX 109 (A4 high-str	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
4762A41605070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
4762A41605080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 50	Plain (no plating)	16 mm	50 mm	14 mm	24 mm
4762A41605570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
4762A41605580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 55	Plain (no plating)	16 mm	55 mm	14 mm	24 mm
4762A41606070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762A41606080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762A41606080I	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762A41606080IW	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762A416065	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
4762A41606570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
4762A41606580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 65	Plain (no plating)	16 mm	65 mm	14 mm	24 mm
4762A41607070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762A41607080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762A41607570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm
4762A41607580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm
4762A41608070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762A41608080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762A41608088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762A41608570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 85	Plain (no plating)	16 mm	85 mm	14 mm	24 mm
4762A41609070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
4762A41609080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
4762A41609570	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M16

Stainless A4-70	M16 x 95	Plain (no plating)	16 mm	95 mm	14 mm	24 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A41610070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762A41610080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762A41610088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762A41611070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 110	Plain (no plating)	16 mm	110 mm	14 mm	24 mm
4762A41611080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 110	Plain (no plating)	16 mm	110 mm	14 mm	24 mm
4762A41611088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M16 x 110	Plain (no plating)	16 mm	110 mm	14 mm	24 mm
4762A41612070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
4762A41612080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
4762A41612080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 120/120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
4762A41613070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 130	Plain (no plating)	16 mm	130 mm	14 mm	24 mm
4762A41613080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 130	Plain (no plating)	16 mm	130 mm	14 mm	24 mm
4762A41614070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
4762A41614080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
4762A41614080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 140/140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
4762A41615070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 150	Plain (no plating)	16 mm	150 mm	14 mm	24 mm
4762A41615080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 150	Plain (no plating)	16 mm	150 mm	14 mm	24 mm
4762A41616070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 160	Plain (no plating)	16 mm	160 mm	14 mm	24 mm
4762A41616080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 160	Plain (no plating)	16 mm	160 mm	14 mm	24 mm
4762A41617070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 170	Plain (no plating)	16 mm	170 mm	14 mm	24 mm
4762A41618070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 180	Plain (no plating)	16 mm	180 mm	14 mm	24 mm
4762A41618080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 180	Plain (no plating)	16 mm	180 mm	14 mm	24 mm
4762A41619080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 190	Plain (no plating)	16 mm	190 mm	14 mm	24 mm
4762A41620070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 200	Plain (no plating)	16 mm	200 mm	14 mm	24 mm
4762A41620080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 200	Plain (no plating)	16 mm	200 mm	14 mm	24 mm
4762A41621070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 210	Plain (no plating)	16 mm	210 mm	14 mm	24 mm
4762A41622070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 220	Plain (no plating)	16 mm	220 mm	14 mm	24 mm
4762A41622080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 220	Plain (no plating)	16 mm	220 mm	14 mm	24 mm
4762A41622570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 225	Plain (no plating)	16 mm	225 mm	14 mm	24 mm
4762A41623070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 230	Plain (no plating)	16 mm	230 mm	14 mm	24 mm
4762A41623080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 230	Plain (no plating)	16 mm	230 mm	14 mm	24 mm
4762A41624070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M16	Stainless A4-70	M16 x 240	Plain (no plating)	16 mm	240 mm	14 mm	24 mm
4762A41625080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 250	Plain (no plating)	16 mm	250 mm	14 mm	24 mm
4762A41626080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M16	Stainless A4-80	M16 x 260	Plain (no plating)	16 mm	260 mm	14 mm	24 mm
4762A41803070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M18	Stainless A4-70	M18 x 30	Plain (no plating)	18 mm	30 mm	14 mm	27 mm
4762A41805070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M18	Stainless A4-70	M18 x 50	Plain (no plating)	18 mm	50 mm	14 mm	27 mm
4762A41805570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M18	Stainless A4-70	M18 x 55	Plain (no plating)	18 mm	55 mm	14 mm	27 mm
4762A41806070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M18	Stainless A4-70	M18 x 60	Plain (no plating)	18 mm	60 mm	14 mm	27 mm
4762A41807070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M18	Stainless A4-70	M18 x 70	Plain (no plating)	18 mm	70 mm	14 mm	27 mm
4762A41809070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M18	Stainless A4-70	M18 x 90	Plain (no plating)	18 mm	90 mm	14 mm	27 mm
4762A41812070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M18	Stainless A4-70	M18 x 120	Plain (no plating)	18 mm	120 mm	14 mm	27 mm
4762A42002580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M20	Stainless A4-80	M20 x 25	Plain (no plating)	20 mm	25 mm	17 mm	30 mm
4762A42003070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M20	Stainless A4-70	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
4762A42003080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80 M20	Stainless A4-80	M20 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
4762A42003570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M20	Stainless A4-70	M20 x 35	Plain (no plating)	20 mm	35 mm	17 mm	30 mm
4762A42004070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70 M20	Stainless A4-70	M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm
4762A42004080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M20

Stainless A4-80	M20 x 40	Plain (no plating)	20 mm	40 mm	17 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A42004570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
4762A42004580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 45	Plain (no plating)	20 mm	45 mm	17 mm	30 mm
4762A42005070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
4762A42005080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 50	Plain (no plating)	20 mm	50 mm	17 mm	30 mm
4762A42005570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
4762A42005580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 55	Plain (no plating)	20 mm	55 mm	17 mm	30 mm
4762A42006070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
4762A42006080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 60	Plain (no plating)	20 mm	60 mm	17 mm	30 mm
4762A42006570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
4762A42006580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 65	Plain (no plating)	20 mm	65 mm	17 mm	30 mm
4762A42007070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
4762A42007080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 70	Plain (no plating)	20 mm	70 mm	17 mm	30 mm
4762A42007570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 75	Plain (no plating)	20 mm	75 mm	17 mm	30 mm
4762A42007580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 75	Plain (no plating)	20 mm	75 mm	17 mm	30 mm
4762A42008070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
4762A42008080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 80	Plain (no plating)	20 mm	80 mm	17 mm	30 mm
4762A42009070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 90	Plain (no plating)	20 mm	90 mm	17 mm	30 mm
4762A42009080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 90	Plain (no plating)	20 mm	90 mm	17 mm	30 mm
4762A42010070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
4762A42010080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
4762A42010088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M20 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
4762A42011070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
4762A42011080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 110	Plain (no plating)	20 mm	110 mm	17 mm	30 mm
4762A42012070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 120	Plain (no plating)	20 mm	120 mm	17 mm	30 mm
4762A42012080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 120	Plain (no plating)	20 mm	120 mm	17 mm	30 mm
4762A42012080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 120/120	Plain (no plating)	20 mm	120 mm	17 mm	30 mm
4762A42013070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 130	Plain (no plating)	20 mm	130 mm	17 mm	30 mm
4762A42013080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 130	Plain (no plating)	20 mm	130 mm	17 mm	30 mm
4762A42014070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
4762A42014080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
4762A42014088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A4 high-stre	Stainless BUMAX 88 (A4 high-stre	M20 x 140	Plain (no plating)	20 mm	140 mm	17 mm	30 mm
4762A4201503080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 1.5 x 30	Plain (no plating)	20 mm	30 mm	17 mm	30 mm
4762A42015070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
4762A42015080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
4762A42016070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 160	Plain (no plating)	20 mm	160 mm	17 mm	30 mm
4762A42016080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 160	Plain (no plating)	20 mm	160 mm	17 mm	30 mm
4762A42017070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 170	Plain (no plating)	20 mm	170 mm	17 mm	30 mm
4762A42018070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
4762A42018080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 180	Plain (no plating)	20 mm	180 mm	17 mm	30 mm
4762A42019070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 190	Plain (no plating)	20 mm	190 mm	17 mm	30 mm
4762A42020070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 200	Plain (no plating)	20 mm	200 mm	17 mm	30 mm
4762A42020080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 200	Plain (no plating)	20 mm	200 mm	17 mm	30 mm
4762A42021070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 210	Plain (no plating)	20 mm	210 mm	17 mm	30 mm
4762A4202107061	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 210	Plain (no plating)	20 mm	210 mm	17 mm	30 mm
4762A42022070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 220	Plain (no plating)	20 mm	220 mm	17 mm	30 mm
4762A42022080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M20

Stainless A4-80	M20 x 220	Plain (no plating)	20 mm	220 mm	17 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A42023070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 230	Plain (no plating)	20 mm	230 mm	17 mm	30 mm
4762A42023080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M20	Stainless A4-80	M20 x 230	Plain (no plating)	20 mm	230 mm	17 mm	30 mm
4762A42024070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 240	Plain (no plating)	20 mm	240 mm	17 mm	30 mm
4762A42029070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 290	Plain (no plating)	20 mm	290 mm	17 mm	30 mm
4762A42030070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M20	Stainless A4-70	M20 x 300	Plain (no plating)	20 mm	300 mm	17 mm	30 mm
4762A42204070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M22	Stainless A4-70	M22 x 40	Plain (no plating)	22 mm	40 mm	17 mm	33 mm
4762A42207070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M22	Stainless A4-70	M22 x 70	Plain (no plating)	22 mm	70 mm	17 mm	33 mm
4762A42209070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M22	Stainless A4-70	M22 x 90	Plain (no plating)	22 mm	90 mm	17 mm	33 mm
4762A42211080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M22	Stainless A4-80	M22 x 110	Plain (no plating)	22 mm	110 mm	17 mm	33 mm
4762A42212080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M22	Stainless A4-80	M22 x 120	Plain (no plating)	22 mm	120 mm	17 mm	33 mm
4762A4240213070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M22	Stainless A4-70	M24 x 2.0 x 130	Plain (no plating)	24 mm	130 mm	19 mm	36 mm
4762A42403570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 35	Plain (no plating)	24 mm	35 mm	19 mm	36 mm
4762A42404070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 40	Plain (no plating)	24 mm	40 mm	19 mm	36 mm
4762A42404080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 40	Plain (no plating)	24 mm	40 mm	19 mm	36 mm
4762A42404570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 45	Plain (no plating)	24 mm	45 mm	19 mm	36 mm
4762A42404580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 45	Plain (no plating)	24 mm	45 mm	19 mm	36 mm
4762A42405070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 50	Plain (no plating)	24 mm	50 mm	19 mm	36 mm
4762A42405080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 50	Plain (no plating)	24 mm	50 mm	19 mm	36 mm
4762A42405088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M24 x 50	Plain (no plating)	24 mm	50 mm	19 mm	36 mm
4762A42405570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 55	Plain (no plating)	24 mm	55 mm	19 mm	36 mm
4762A42405580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 55	Plain (no plating)	24 mm	55 mm	19 mm	36 mm
4762A42406070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 60	Plain (no plating)	24 mm	60 mm	19 mm	36 mm
4762A42406080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 60	Plain (no plating)	24 mm	60 mm	19 mm	36 mm
4762A42406570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 65	Plain (no plating)	24 mm	65 mm	19 mm	36 mm
4762A42406580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 65	Plain (no plating)	24 mm	65 mm	19 mm	36 mm
4762A42407070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
4762A42407070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 70/70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
4762A42407080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
4762A42407088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M24 x 70	Plain (no plating)	24 mm	70 mm	19 mm	36 mm
4762A42407570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 75	Plain (no plating)	24 mm	75 mm	19 mm	36 mm
4762A42407580	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 75	Plain (no plating)	24 mm	75 mm	19 mm	36 mm
4762A42408070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
4762A42408080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 80	Plain (no plating)	24 mm	80 mm	19 mm	36 mm
4762A42409070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
4762A42409080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
4762A42409088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M24 x 90	Plain (no plating)	24 mm	90 mm	19 mm	36 mm
4762A42410070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
4762A42410080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
4762A42410080FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 100/100	Plain (no plating)	24 mm	100 mm	19 mm	36 mm
4762A42411070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 110	Plain (no plating)	24 mm	110 mm	19 mm	36 mm
4762A42411080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 110	Plain (no plating)	24 mm	110 mm	19 mm	36 mm
4762A42412070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
4762A42412080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 120	Plain (no plating)	24 mm	120 mm	19 mm	36 mm
4762A42412570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 125	Plain (no plating)	24 mm	125 mm	19 mm	36 mm
4762A42413070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 130	Plain (no plating)	24 mm	130 mm	19 mm	36 mm
4762A42413080	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-80, M24

Stainless A4-80	M24 x 130	Plain (no plating)	24 mm	130 mm	19 mm	36 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A42414070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 140	Plain (no plating)	24 mm	140 mm	19 mm	36 mm
4762A42414080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 140	Plain (no plating)	24 mm	140 mm	19 mm	36 mm
4762A42414088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M24 x 140	Plain (no plating)	24 mm	140 mm	19 mm	36 mm
4762A42415070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
4762A42415080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
4762A42415088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M24 x 150	Plain (no plating)	24 mm	150 mm	19 mm	36 mm
4762A42416070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 160	Plain (no plating)	24 mm	160 mm	19 mm	36 mm
4762A42417070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 170	Plain (no plating)	24 mm	170 mm	19 mm	36 mm
4762A42418080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 180	Plain (no plating)	24 mm	180 mm	19 mm	36 mm
4762A42419070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 190	Plain (no plating)	24 mm	190 mm	19 mm	36 mm
4762A42419080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 190	Plain (no plating)	24 mm	190 mm	19 mm	36 mm
4762A42420070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 200	Plain (no plating)	24 mm	200 mm	19 mm	36 mm
4762A42420070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M24	Stainless A4-70	M24 x 200/200	Plain (no plating)	24 mm	200 mm	19 mm	36 mm
4762A42422080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M24	Stainless A4-80	M24 x 220	Plain (no plating)	24 mm	220 mm	19 mm	36 mm
4762A42708070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M27	Stainless A4-70	M27 x 80	Plain (no plating)	27 mm	80 mm	19 mm	40 mm
4762A43005070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 50	Plain (no plating)	30 mm	50 mm	22 mm	45 mm
4762A43005570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 55	Plain (no plating)	30 mm	55 mm	22 mm	45 mm
4762A43006070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 60	Plain (no plating)	30 mm	60 mm	22 mm	45 mm
4762A43006080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 60	Plain (no plating)	30 mm	60 mm	22 mm	45 mm
4762A43006570	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 65	Plain (no plating)	30 mm	65 mm	22 mm	45 mm
4762A43007070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 70	Plain (no plating)	30 mm	70 mm	22 mm	45 mm
4762A43007080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 70	Plain (no plating)	30 mm	70 mm	22 mm	45 mm
4762A43008070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
4762A43008080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
4762A43008088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
4762A43009070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
4762A43009080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
4762A43010070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 100	Plain (no plating)	30 mm	100 mm	22 mm	45 mm
4762A43010080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 100	Plain (no plating)	30 mm	100 mm	22 mm	45 mm
4762A43011070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 110	Plain (no plating)	30 mm	110 mm	22 mm	45 mm
4762A43012070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 120	Plain (no plating)	30 mm	120 mm	22 mm	45 mm
4762A430130	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 130	Plain (no plating)	30 mm	130 mm	22 mm	45 mm
4762A43013080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 130	Plain (no plating)	30 mm	130 mm	22 mm	45 mm
4762A43014088	ISO 4762 Socket Head Screw with Hex Drive, Stainless BUMAX 88 (A	Stainless BUMAX 88 (A4 high-stre	M30 x 140	Plain (no plating)	30 mm	140 mm	22 mm	45 mm
4762A43015070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 150	Plain (no plating)	30 mm	150 mm	22 mm	45 mm
4762A43016070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 160	Plain (no plating)	30 mm	160 mm	22 mm	45 mm
4762A43016080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 160	Plain (no plating)	30 mm	160 mm	22 mm	45 mm
4762A43018070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 180	Plain (no plating)	30 mm	180 mm	22 mm	45 mm
4762A43018080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 180	Plain (no plating)	30 mm	180 mm	22 mm	45 mm
4762A430200	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 200	Plain (no plating)	30 mm	200 mm	22 mm	45 mm
4762A43020070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M30	Stainless A4-70	M30 x 200	Plain (no plating)	30 mm	200 mm	22 mm	45 mm
4762A43024080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M30	Stainless A4-80	M30 x 240	Plain (no plating)	30 mm	240 mm	22 mm	45 mm
4762A43609050	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-50, M36	Stainless A4-50	M36 x 90	Plain (no plating)	36 mm	90 mm	27 mm	54 mm
4762A43610070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M36	Stainless A4-70	M36 x 100	Plain (no plating)	36 mm	100 mm	27 mm	54 mm
4762A43610080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M36	Stainless A4-80	M36 x 100	Plain (no plating)	36 mm	100 mm	27 mm	54 mm
4762A43616070	ISO 4762 Socket Head Screw with Hex Drive, Stainless							

A4-70, M36

Stainless A4-70	M36 x 160	Plain (no plating)	36 mm	160 mm	27 mm	54 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762A43618080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M36	Stainless A4-80	M36 x 180	Plain (no plating)	36 mm	180 mm	27 mm	54 mm
4762A43630080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M36	Stainless A4-80	M36 x 300	Plain (no plating)	36 mm	300 mm	27 mm	54 mm
4762A44211070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M42	Stainless A4-70	M42 x 110/110	Plain (no plating)	42 mm	110 mm	32 mm	63 mm
4762A44214080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M42	Stainless A4-80	M42 x 140	Plain (no plating)	42 mm	140 mm	32 mm	63 mm
4762A44818080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M48	Stainless A4-80	M48 x 180	Plain (no plating)	48 mm	180 mm	36 mm	72 mm
4762A44819070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-70, M48	Stainless A4-70	M48 x 190	Plain (no plating)	48 mm	190 mm	36 mm	72 mm
4762A44820080	ISO 4762 Socket Head Screw with Hex Drive, Stainless A4-80, M48	Stainless A4-80	M48 x 200	Plain (no plating)	48 mm	200 mm	36 mm	72 mm
4762A4L0505080FT	ISO 4762 Socket Head Screw with Hex Drive, A4L-80, M5 x 50/50, P	A4L-80	M5 x 50/50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762A4L0605580	ISO 4762 Socket Head Screw with Hex Drive, A4L-80, M6 x 55, Plai	A4L-80	M6 x 55	Plain (no plating)	6 mm	55 mm	5 mm	10 mm
4762A4L1608080FT	ISO 4762 Socket Head Screw with Hex Drive, A4L-80, M16 x 80/80,	A4L-80	M16 x 80/80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762B06010	ISO 4762 Socket Head Screw with Hex Drive, Brass, M6 x 10, Plain	Brass	M6 x 10	Plain (no plating)	6 mm	10 mm	5 mm	10 mm
4762C30802580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M8 x 25, Plain	C3-80	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762C31004080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M10 x 40, Plai	C3-80	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762C31004580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M10 x 45, Plai	C3-80	M10 x 45	Plain (no plating)	10 mm	45 mm	8 mm	16 mm
4762C31204080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 40, Plai	C3-80	M12 x 40	Plain (no plating)	12 mm	40 mm	10 mm	18 mm
4762C31205080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 50, Plai	C3-80	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762C31206580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 65, Plai	C3-80	M12 x 65	Plain (no plating)	12 mm	65 mm	10 mm	18 mm
4762C31207080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 70, Plai	C3-80	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762C31207080STA NAL400	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 70, Plai	C3-80	M12 x 70	Plain (no plating)	12 mm	70 mm	10 mm	18 mm
4762C31207580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 75, Plai	C3-80	M12 x 75	Plain (no plating)	12 mm	75 mm	10 mm	18 mm
4762C31210080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 100, Pla	C3-80	M12 x 100	Plain (no plating)	12 mm	100 mm	10 mm	18 mm
4762C31213080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M12 x 130, Pla	C3-80	M12 x 130	Plain (no plating)	12 mm	130 mm	10 mm	18 mm
4762C31602580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 25, Plai	C3-80	M16 x 25	Plain (no plating)	16 mm	25 mm	14 mm	24 mm
4762C31604080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 40, Plai	C3-80	M16 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762C31606080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 60, Plai	C3-80	M16 x 60	Plain (no plating)	16 mm	60 mm	14 mm	24 mm
4762C31607080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 70, Plai	C3-80	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762C31607580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 75, Plai	C3-80	M16 x 75	Plain (no plating)	16 mm	75 mm	14 mm	24 mm
4762C31608080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 80, Plai	C3-80	M16 x 80	Plain (no plating)	16 mm	80 mm	14 mm	24 mm
4762C31609580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 95, Plai	C3-80	M16 x 95	Plain (no plating)	16 mm	95 mm	14 mm	24 mm
4762C31610080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 100, Pla	C3-80	M16 x 100	Plain (no plating)	16 mm	100 mm	14 mm	24 mm
4762C31612080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 120, Pla	C3-80	M16 x 120	Plain (no plating)	16 mm	120 mm	14 mm	24 mm
4762C31614080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 140, Pla	C3-80	M16 x 140	Plain (no plating)	16 mm	140 mm	14 mm	24 mm
4762C31624080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M16 x 240, Pla	C3-80	M16 x 240	Plain (no plating)	16 mm	240 mm	14 mm	24 mm
4762C320110080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M20 x 1.0 x 10	C3-80	M20 x 1.0 x 100	Plain (no plating)	20 mm	100 mm	17 mm	30 mm
4762C32015080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M20 x 150, Pla	C3-80	M20 x 150	Plain (no plating)	20 mm	150 mm	17 mm	30 mm
4762C32016080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M20 x 160, Pla	C3-80	M20 x 160	Plain (no plating)	20 mm	160 mm	17 mm	30 mm
4762C32406580	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M24 x 65, Plai	C3-80	M24 x 65	Plain (no plating)	24 mm	65 mm	19 mm	36 mm
4762C32411080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M24 x 110, Pla	C3-80	M24 x 110	Plain (no plating)	24 mm	110 mm	19 mm	36 mm
4762C32416080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M24 x 160, Pla	C3-80	M24 x 160	Plain (no plating)	24 mm	160 mm	19 mm	36 mm
4762C32420080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M24 x 200, Pla	C3-80	M24 x 200	Plain (no plating)	24 mm	200 mm	19 mm	36 mm
4762C32423080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M24 x 230, Pla	C3-80	M24 x 230	Plain (no plating)	24 mm	230 mm	19 mm	36 mm
4762C33008080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M30 x 80, Plai	C3-80	M30 x 80	Plain (no plating)	30 mm	80 mm	22 mm	45 mm
4762C33009080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M30 x 90, Plai	C3-80	M30 x 90	Plain (no plating)	30 mm	90 mm	22 mm	45 mm
4762C33010080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M30 x 100, Pla	C3-80	M30 x 100	Plain (no plating)	30 mm	100 mm	22 mm	45 mm
4762C33011080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M30 x 110, Pla	C3-80	M30 x 110	Plain (no plating)	30 mm	110 mm	22 mm	45 mm
4762C33012080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M30							

x 120, Pla

C3-80	M30 x 120	Plain (no plating)	30 mm	120 mm	22 mm	45 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762C33020080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M30 x 200, Pla	C3-80	M30 x 200	Plain (no plating)	30 mm	200 mm	22 mm	45 mm
4762C33620080	ISO 4762 Socket Head Screw with Hex Drive, C3-80, M36 x 200, Pla	C3-80	M36 x 200	Plain (no plating)	36 mm	200 mm	27 mm	54 mm
4762D606020129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M6 x 20	BUMAX DX129	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762D606025129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M6 x 25	BUMAX DX129	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762D60602580	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762D606030129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M6 x 30	BUMAX DX129	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762D606035129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M6 x 35	BUMAX DX129	M6 x 35	Plain (no plating)	6 mm	35 mm	5 mm	10 mm
4762D606040129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M6 x 40	BUMAX DX129	M6 x 40	Plain (no plating)	6 mm	40 mm	5 mm	10 mm
4762D606050129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M6 x 50	BUMAX DX129	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762D606070129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M6 x 70	BUMAX DX129	M6 x 70	Plain (no plating)	6 mm	70 mm	5 mm	10 mm
4762D608025129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M8 x 25	BUMAX DX129	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762D60802580	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M8 x 25	Plain (no plating)	8 mm	25 mm	6 mm	13 mm
4762D60804580	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M8 x 45	Plain (no plating)	8 mm	45 mm	6 mm	13 mm
4762D608080129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M8 x 80	BUMAX DX129	M8 x 80	Plain (no plating)	8 mm	80 mm	6 mm	13 mm
4762D610040129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M10 x 40	BUMAX DX129	M10 x 40	Plain (no plating)	10 mm	40 mm	8 mm	16 mm
4762D610050129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M10 x 50	BUMAX DX129	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762D610060129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M10 x 60	BUMAX DX129	M10 x 60	Plain (no plating)	10 mm	60 mm	8 mm	16 mm
4762D610080129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M10 x 80	BUMAX DX129	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762D61008080	ISO 4762 Socket Head Screw with Hex Drive, Duplex stainless D6-7	Duplex stainless D6-70 (1.4462)	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762D610100129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M10 x 10	BUMAX DX129	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762D610110129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M10 x 11	BUMAX DX129	M10 x 110	Plain (no plating)	10 mm	110 mm	8 mm	16 mm
4762D612050129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M12 x 50	BUMAX DX129	M12 x 50	Plain (no plating)	12 mm	50 mm	10 mm	18 mm
4762D612080129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M12 x 80	BUMAX DX129	M12 x 80	Plain (no plating)	12 mm	80 mm	10 mm	18 mm
4762D612090129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M12 x 90	BUMAX DX129	M12 x 90	Plain (no plating)	12 mm	90 mm	10 mm	18 mm
4762D612120129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M12 x 12	BUMAX DX129	M12 x 120	Plain (no plating)	12 mm	120 mm	10 mm	18 mm
4762D616070129	ISO 4762 Socket Head Screw with Hex Drive, BUMAX DX129, M16 x 70	BUMAX DX129	M16 x 70	Plain (no plating)	16 mm	70 mm	14 mm	24 mm
4762D806030109	ISO 4762 Socket Head Screw with Hex Drive, BUMAX SDX109, M6 x 30	BUMAX SDX109	M6 x 30	Plain (no plating)	6 mm	30 mm	5 mm	10 mm
4762D808030109	ISO 4762 Socket Head Screw with Hex Drive, BUMAX SDX109, M8 x 30	BUMAX SDX109	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762D810080109	ISO 4762 Socket Head Screw with Hex Drive, BUMAX SDX109, M10 x 8	BUMAX SDX109	M10 x 80	Plain (no plating)	10 mm	80 mm	8 mm	16 mm
4762D810100109	ISO 4762 Socket Head Screw with Hex Drive, BUMAX SDX109, M10 x 1	BUMAX SDX109	M10 x 100	Plain (no plating)	10 mm	100 mm	8 mm	16 mm
4762D812060109	ISO 4762 Socket Head Screw with Hex Drive, BUMAX SDX109, M12 x 6	BUMAX SDX109	M12 x 60	Plain (no plating)	12 mm	60 mm	10 mm	18 mm
4762F12040121	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M4 x 12	Steel 12.9	M4 x 12	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm	3 mm	7 mm
4762F12060121SER	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M6 x 12	Steel 12.9	M6 x 12	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm	5 mm	10 mm
4762F1212030B	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M12 x 30	Steel 12.9	M12 x 30	Plain (no plating)	12 mm	30 mm	10 mm	18 mm
4762L101615040	ISO 4762 Socket Head Screw with Hex Drive, Steel 10.9, M16 x 1.5	Steel 10.9	M16 x 1.5 x 40	Plain (no plating)	16 mm	40 mm	14 mm	24 mm
4762L1214070	ISO 4762 Socket Head Screw with Hex Drive, Steel 12.9, M14 x 70	Steel 12.9	M14 x 70	Plain (no plating)	14 mm	70 mm	12 mm	21 mm
4762L810125025	ISO 4762 Socket Head Screw with Hex Drive, Steel 8.8, M10 x 1.25	Steel 8.8	M10 x 1.25 x 25	Plain (no plating)	10 mm	25 mm	8 mm	16 mm
4762LA21002070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M10	Stainless A2-70	M10 x 20	Plain (no plating)	10 mm	20 mm	8 mm	16 mm
4762P03006	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M3 x 6, Pl	Polyamide	M3 x 6	Plain (no plating)	3 mm	6 mm	2.5 mm	5.5 mm
4762P05040	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M5 x 40, P	Polyamide	M5 x 40	Plain (no plating)	5 mm	40 mm	4 mm	8.5 mm
4762P05060	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M5 x 60, P	Polyamide	M5 x 60	Plain (no plating)	5 mm	60 mm	4 mm	8.5 mm
4762P06016	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M6 x 16, P	Polyamide	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762P06020	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M6 x 20, P	Polyamide	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762P08030	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M8 x 30, P	Polyamide	M8 x 30	Plain (no plating)	8 mm	30 mm	6 mm	13 mm
4762P08050	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M8 x 50, P	Polyamide	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762P10030	ISO 4762 Socket Head Screw with Hex Drive, Polyamide,							

M10 x 30,

Polyamide	M10 x 30	Plain (no plating)	10 mm	30 mm	8 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
4762P10035	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M10 x 35	Polyamide	M10 x 35	Plain (no plating)	10 mm	35 mm	8 mm	16 mm
4762P10050	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M10 x 50	Polyamide	M10 x 50	Plain (no plating)	10 mm	50 mm	8 mm	16 mm
4762P16090	ISO 4762 Socket Head Screw with Hex Drive, Polyamide, M16 x 90	Polyamide	M16 x 90	Plain (no plating)	16 mm	90 mm	14 mm	24 mm
4762T016006	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M1.6 x	TITANIUM GR.2	M1.6 x 6	Plain (no plating)	1.6 mm	6 mm	1.5 mm	3 mm
4762T02004	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M2 x 4	TITANIUM GR.2	M2 x 4	Plain (no plating)	2 mm	4 mm	1.5 mm	3.8 mm
4762T02008GR5	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.5, M2 x 8	TITANIUM GR.5	M2 x 8	Plain (no plating)	2 mm	8 mm	1.5 mm	3.8 mm
4762T02010GR5	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.5, M2 x 10	TITANIUM GR.5	M2 x 10	Plain (no plating)	2 mm	10 mm	1.5 mm	3.8 mm
4762T025008	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M2.5 x 8 P	TITANIUM	M2.5 x 8	Plain (no plating)	2.5 mm	8 mm	2 mm	4.5 mm
4762T03005	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M3 x 5	TITANIUM GR.2	M3 x 5	Plain (no plating)	3 mm	5 mm	2.5 mm	5.5 mm
4762T03012GRD5	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.5, M3 x 12	TITANIUM GR.5	M3 x 12	Plain (no plating)	3 mm	12 mm	2.5 mm	5.5 mm
4762T03015	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M3 x 15 Pl	TITANIUM	M3 x 15	Plain (no plating)	3 mm	15 mm	2.5 mm	5.5 mm
4762T040020	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M4 x 20	TITANIUM GR.2	M4 x 20	Plain (no plating)	4 mm	20 mm	3 mm	7 mm
4762T04008	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M4 x 8 Pla	TITANIUM	M4 x 8	Plain (no plating)	4 mm	8 mm	3 mm	7 mm
4762T04010	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M4 x 10 Pl	TITANIUM	M4 x 10	Plain (no plating)	4 mm	10 mm	3 mm	7 mm
4762T04016	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M4 x 1	TITANIUM GR.2	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762T04016GR5	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.5, M4 x 1	TITANIUM GR.5	M4 x 16	Plain (no plating)	4 mm	16 mm	3 mm	7 mm
4762T04025GR5	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.5, M4 x 2	TITANIUM GR.5	M4 x 25	Plain (no plating)	4 mm	25 mm	3 mm	7 mm
4762T05010	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M5 x 10 Pl	TITANIUM	M5 x 10	Plain (no plating)	5 mm	10 mm	4 mm	8.5 mm
4762T05050	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M5 x 50 Pl	TITANIUM	M5 x 50	Plain (no plating)	5 mm	50 mm	4 mm	8.5 mm
4762T06014	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M6 x 14 Pl	TITANIUM	M6 x 14	Plain (no plating)	6 mm	14 mm	5 mm	10 mm
4762T06016	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M6 x 1	TITANIUM GR.2	M6 x 16	Plain (no plating)	6 mm	16 mm	5 mm	10 mm
4762T06020	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M6 x 2	TITANIUM GR.2	M6 x 20	Plain (no plating)	6 mm	20 mm	5 mm	10 mm
4762T06025	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M6 x 2	TITANIUM GR.2	M6 x 25	Plain (no plating)	6 mm	25 mm	5 mm	10 mm
4762T06050	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM, M6 x 50 Pl	TITANIUM	M6 x 50	Plain (no plating)	6 mm	50 mm	5 mm	10 mm
4762T08032	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.2, M8 x 3	TITANIUM GR.2	M8 x 32	Plain (no plating)	8 mm	32 mm	6 mm	13 mm
4762T08050GR5	ISO 4762 Socket Head Screw with Hex Drive, TITANIUM GR.5, M8 x 5	TITANIUM GR.5	M8 x 50	Plain (no plating)	8 mm	50 mm	6 mm	13 mm
4762ZA20802070	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 20	Plain (no plating)	8 mm	20 mm	6 mm	13 mm
4762ZA20806070FT	ISO 4762 Socket Head Screw with Hex Drive, Stainless A2-70, M8 x	Stainless A2-70	M8 x 60/60	Plain (no plating)	8 mm	60 mm	6 mm	13 mm