

ISO 7040 — Hexagon Lock Nut

Catalogue data sheet · 114 sizes · category Nuts · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
70400033SST072	ISO 7040 Hexagon Lock Nut, Steel class 6, M3, SST 72 h, Zinc Pla	Steel class 6	M3	Zinc Yellow Passivation Fe/Zn P2	3 mm		5.5 mm	
7040012ZN8	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, Zinc Plated	Steel class 8	M12	ZINC PLATED, 8 MICRON	12 mm		19 mm	
7040012ZN8CNT2	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, Zinc Plated	Steel class 8	M12	ZINC PLATED, 8 MICRON, SEALED	12 mm		19 mm	
704005	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M5	Stainless A4-80	M5	Plain (no plating)	5 mm		8 mm	
704005ZN5CNT2	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated	Steel class 8	M5	ZINC PLATED, 5 MICRON, SEALED	5 mm		8 mm	
704006	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M6	Stainless A4-80	M6	Plain (no plating)	6 mm		10 mm	
704008	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M8	Stainless A4-80	M8	Plain (no plating)	8 mm		13 mm	
704010	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M10	Stainless A4-80	M10	Plain (no plating)	10 mm		17 mm	
704010051	ISO 7040 Hexagon Lock Nut, Steel class 10, M5, Zinc Plated	Steel class 10	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
70401006ZN5CNT2	ISO 7040 Hexagon Lock Nut, Steel class 10, M6, EN 10204 3.1 Cert	Steel class 10	M6	ZINC PLATED, 5 MICRON, SEALED	6 mm		10 mm	
70401006ZNBSST720	ISO 7040 Hexagon Lock Nut, Steel class 10, M6, SST 720 h, Zinc-N	Steel class 10	M6	Zn-Ni BLACK, SEALED WITH LUBRICA	6 mm		10 mm	
70401008	ISO 7040 Hexagon Lock Nut, Steel class 10, M8, Plain	Steel class 10	M8	Plain (no plating)	8 mm		13 mm	
70401008ZN8CNT2	ISO 7040 Hexagon Lock Nut, Steel class 10, M8, EN 10204 3.1 Cert	Steel class 10	M8	ZINC PLATED, 8 MICRON, SEALED	8 mm		13 mm	
704010121	ISO 7040 Hexagon Lock Nut, Steel class 10, M12, Zinc Plated	Steel class 10	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		19 mm	
70401012GEO500	ISO 7040 Hexagon Lock Nut, Steel class 10, M12, Zinc Flake, Silv	Steel class 10	M12	GEOMET 500A	12 mm		19 mm	
70401020	ISO 7040 Hexagon Lock Nut, Steel class 10, M20, Plain	Steel class 10	M20	Plain (no plating)	20 mm		30 mm	
704010201	ISO 7040 Hexagon Lock Nut, Steel class 10, M20, Zinc Plated	Steel class 10	M20	Zinc Bright Passivation Fe/Zn P1	20 mm		30 mm	
70401020GEO500	ISO 7040 Hexagon Lock Nut, Steel class 10, M20, Zinc Flake, Silv	Steel class 10	M20	GEOMET 500A	20 mm		30 mm	
70401020ZFS720	ISO 7040 Hexagon Lock Nut, Steel class 10, M20, SST 720 h, Zinc	Steel class 10	M20	DELTA KL100x2/SEAL+GZ	20 mm		30 mm	
704010241	ISO 7040 Hexagon Lock Nut, Steel class 10, M24, Zinc Plated	Steel class 10	M24	Zinc Bright Passivation Fe/Zn P1	24 mm		36 mm	
70401024GEO321VL	ISO 7040 Hexagon Lock Nut, Steel class 10, M24, Geomet Silver	Steel class 10	M24	GEOMET 321A+VL	24 mm		36 mm	
704012	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M12	Stainless A4-80	M12	Plain (no plating)	12 mm		19 mm	
7040121	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, Zinc Plated	Steel class 8	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		19 mm	
704012FLZNNC	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, EN 10204 3.1 Cert	Steel class 8	M12	ZINC FLAKES SILVER Salt Spray Te	12 mm		19 mm	
704016	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M16	Stainless A4-80	M16	Plain (no plating)	16 mm		24 mm	
704020	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M20	Stainless A4-80	M20	Plain (no plating)	20 mm		30 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
704024	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M24	Stainless A4-80	M24	Plain (no plating)	24 mm		36 mm	
7040301	ISO 7040 Hexagon Lock Nut, Steel class 8, M30, Zinc Plated	Steel class 8	M30	Zinc Bright Passivation Fe/Zn P1	30 mm		46 mm	
70408014ZN8CNT2	ISO 7040 Hexagon Lock Nut, Steel class 8, M14, Zinc Plated	Steel class 8	M14	ZINC PLATED, 8 MICRON, SEALED	14 mm		22 mm	
70408016ZN8CNT2	ISO 7040 Hexagon Lock Nut, Steel class 8, M16, Zinc Plated	Steel class 8	M16	ZINC PLATED, 8 MICRON, SEALED	16 mm		24 mm	
70408031SST072	ISO 7040 Hexagon Lock Nut, Steel class 8, M3, SST 72 h, Zinc Pla	Steel class 8	M3	Zinc Bright Passivation Fe/Zn P1	3 mm		5.5 mm	
70408051	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated	Steel class 8	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
70408053SST144	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, SST 144 h, Zinc Pl	Steel class 8	M5	Zinc Yellow Passivation Fe/Zn P2	5 mm		8 mm	
7040805DELSI	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, With Certificate	Steel class 8	M5	DELTA KL100x2/VH301+GZ	5 mm		8 mm	
7040805ZN5	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated	Steel class 8	M5	ZINC PLATED, 5 MICRON	5 mm		8 mm	
7040805ZN5CNT2	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, Zinc Plated	Steel class 8	M5	ZINC PLATED, 5 MICRON, SEALED	5 mm		8 mm	
70408061	ISO 7040 Hexagon Lock Nut, Steel class 8, M6, Zinc Plated	Steel class 8	M6	Zinc Bright Passivation Fe/Zn P1	6 mm		10 mm	
7040806ZFS	ISO 7040 Hexagon Lock Nut, Steel class 8, M6, Zinc Flake, Silver	Steel class 8	M6	ZINC FLAKES SILVER Salt Spray Te	6 mm		10 mm	
70408081	ISO 7040 Hexagon Lock Nut, Steel class 8, M8, Zinc Plated	Steel class 8	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
7040808ZNNI8FNT2	ISO 7040 Hexagon Lock Nut, Steel class 8, M8, Zinc-Nickel, Black	Steel class 8	M8	Zn-Ni BLACK, SEALED WITH LUBRICA	8 mm		13 mm	
7040810	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, Plain	Steel class 8	M10	Plain (no plating)	10 mm		17 mm	
70408100ZNNI8FNT2	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, Zinc-Nickel, Blac	Steel class 8	M10	Zn-Ni BLACK, 8 MICRON, SEALED WI	10 mm		17 mm	
70408101	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, Zinc Plated	Steel class 8	M10	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
70408101SST120	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, SST 120 h, Zinc P	Steel class 8	M10	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
7040810GEO	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, Zinc Flake, Silve	Steel class 8	M10	GEOMET 321A	10 mm		17 mm	
7040810GEO321VL	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, Geomet Silver	Steel class 8	M10	GEOMET 321A+VL	10 mm		17 mm	
7040810ZFS	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, Zinc Flake, Silve	Steel class 8	M10	ZINC FLAKES SILVER Salt Spray Te	10 mm		17 mm	
7040812	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, Plain	Steel class 8	M12	Plain (no plating)	12 mm		19 mm	
70408121	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, Zinc Plated	Steel class 8	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		19 mm	
7040812GEO321VL	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, Geomet Silver	Steel class 8	M12	GEOMET 321A+VL	12 mm		19 mm	
7040812GEO5A	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, Zinc Flake, Silve	Steel class 8	M12	GEOMET 500A	12 mm		19 mm	
70408161	ISO 7040 Hexagon Lock Nut, Steel class 8, M16, Zinc Plated	Steel class 8	M16	Zinc Bright Passivation Fe/Zn P1	16 mm		24 mm	
7040816GEO321AVL	ISO 7040 Hexagon Lock Nut, Steel class 8, M16, Geomet Silver	Steel class 8	M16	GEOMET 321A+VL	16 mm		24 mm	
70408201	ISO 7040 Hexagon Lock Nut, Steel class 8, M20, Zinc Plated	Steel class 8	M20	Zinc Bright Passivation Fe/Zn P1	20 mm		30 mm	
70408241	ISO 7040 Hexagon Lock Nut, Steel class 8, M24, Zinc Plated	Steel class 8	M24	Zinc Bright Passivation Fe/Zn P1	24 mm		36 mm	
70408361	ISO 7040 Hexagon Lock Nut, Steel class 8, M36, Zinc Plated	Steel class 8	M36	Zinc Bright Passivation Fe/Zn P1	36 mm		55 mm	
70408363	ISO 7040 Hexagon Lock Nut, Steel class 8, M36, Zinc Plated, Yell	Steel class 8	M36	Zinc Yellow Passivation Fe/Zn P2	36 mm		55 mm	
7040A20370	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M3	Stainless A2-70	M3	Plain (no plating)	3 mm		5.5 mm	
7040A20470	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M4	Stainless A2-70	M4	Plain (no plating)	4 mm		7 mm	
7040A20570	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M5	Stainless A2-70	M5	Plain (no plating)	5 mm		8 mm	
7040A20670	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M6	Stainless A2-70	M6	Plain (no plating)	6 mm		10 mm	
7040A20870	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M8	Stainless A2-70	M8	Plain (no plating)	8 mm		13 mm	
7040A21070	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M10	Stainless A2-70	M10	Plain (no plating)	10 mm		17 mm	
7040A21270	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M12	Stainless A2-70	M12	Plain (no plating)	12 mm		19 mm	
7040A21670	ISO 7040 Hexagon Lock Nut, Stainless A2-70, M16	Stainless A2-70	M16	Plain (no plating)	16 mm		24 mm	
7040A404	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M4	Stainless A4-70	M4	Plain (no plating)	4 mm		7 mm	
7040A405	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M5	Stainless A4-70	M5	Plain (no plating)	5 mm		8 mm	
7040A406	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M6	Stainless A4-70	M6	Plain (no plating)	6 mm		10 mm	
7040A40680	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M6	Stainless A4-80	M6	Plain (no plating)	6 mm		10 mm	
7040A408	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M8	Stainless A4-70	M8	Plain (no plating)	8 mm		13 mm	
7040A40880	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M8	Stainless A4-80	M8	Plain (no plating)	8 mm		13 mm	
7040A410	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M10	Stainless A4-70	M10	Plain (no plating)	10 mm		17 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7040A41080	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M10	Stainless A4-80	M10	Plain (no plating)	10 mm		17 mm	
7040A41080I	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M10	Stainless A4-80	M10	Plain (no plating)	10 mm		17 mm	
7040A412	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M12	Stainless A4-70	M12	Plain (no plating)	12 mm		19 mm	
7040A41280	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M12	Stainless A4-80	M12	Plain (no plating)	12 mm		19 mm	
7040A412BS	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M12	Stainless A4-80	M12	Plain (no plating)	12 mm		19 mm	
7040A416	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M16	Stainless A4-70	M16	Plain (no plating)	16 mm		24 mm	
7040A41680	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M16	Stainless A4-80	M16	Plain (no plating)	16 mm		24 mm	
7040A420	ISO 7040 Hexagon Lock Nut, Stainless A4-70, M20	Stainless A4-70	M20	Plain (no plating)	20 mm		30 mm	
7040A42080	ISO 7040 Hexagon Lock Nut, Stainless A4-80, M20	Stainless A4-80	M20	Plain (no plating)	20 mm		30 mm	
7040P08031SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M3, SST 600 h, Nylstop	Steel class 8	M3	Zinc Bright Passivation Fe/Zn P1	3 mm		5.5 mm	
7040P08041SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M4, SST 600 h, Nylstop	Steel class 8	M4	Zinc Bright Passivation Fe/Zn P1	4 mm		7 mm	
7040P08041SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M4, SST 600 h, Nylstop	Steel class 8	M4	Zinc Bright Passivation Fe/Zn P1	4 mm		7 mm	
7040P08050901SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, SST 600 h, Nylstop	Steel class 8	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
7040P08051SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, SST 600 h, Nylstop	Steel class 8	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
7040P08051SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M5, SST 600 h, Nylstop	Steel class 8	M5	Zinc Bright Passivation Fe/Zn P1	5 mm		8 mm	
7040P08061SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M6, SST 600 h, Nylstop	Steel class 8	M6	Zinc Bright Passivation Fe/Zn P1	6 mm		10 mm	
7040P08061SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M6, SST 600 h, Nylstop	Steel class 8	M6	Zinc Bright Passivation Fe/Zn P1	6 mm		10 mm	
7040P08081SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M8, SST 600 h, Nylstop	Steel class 8	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
7040P08081SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M8, SST 600 h, Nylstop	Steel class 8	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
7040P08101251SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M10 x 1.25, SST 600 h	Steel class 8	M10 x 1.25	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
7040P08101SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M10, SST 600 h, Nylstop	Steel class 8	M10	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
7040P08121SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M12, SST 600 h, Nylstop	Steel class 8	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		19 mm	
7040P08141SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M14, SST 600 h, Nylstop	Steel class 8	M14	Zinc Bright Passivation Fe/Zn P1	14 mm		22 mm	
7040P08161SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M16, SST 600 h, Nylstop	Steel class 8	M16	Zinc Bright Passivation Fe/Zn P1	16 mm		24 mm	
7040P08181SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M18, SST 600 h, Nylstop	Steel class 8	M18	Zinc Bright Passivation Fe/Zn P1	18 mm		27 mm	
7040P08201SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M20, SST 600 h, Nylstop	Steel class 8	M20	Zinc Bright Passivation Fe/Zn P1	20 mm		30 mm	
7040P08241SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M24, SST 600 h, Nylstop	Steel class 8	M24	Zinc Bright Passivation Fe/Zn P1	24 mm		36 mm	
7040P08271SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M27, SST 600 h, Nylstop	Steel class 8	M27	Zinc Bright Passivation Fe/Zn P1	27 mm		41 mm	
7040P08301SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M30, SST 600 h, Nylstop	Steel class 8	M30	Zinc Bright Passivation Fe/Zn P1	30 mm		46 mm	
7040P08361SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M36, SST 600 h, Nylstop	Steel class 8	M36	Zinc Bright Passivation Fe/Zn P1	36 mm		55 mm	
7040P08391SST600	ISO 7040 Hexagon Lock Nut, Steel class 8, M39, SST 600 h, Nylstop	Steel class 8	M39	Zinc Bright Passivation Fe/Zn P1	39 mm		60 mm	
7040P10061SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M6, SST 600 h, Nylstop	Steel class 10	M6	Zinc Bright Passivation Fe/Zn P1	6 mm		10 mm	
7040P10081SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M8, SST 600 h, Nylstop	Steel class 10	M8	Zinc Bright Passivation Fe/Zn P1	8 mm		13 mm	
7040P10101SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M10, SST 600 h, Nylst	Steel class 10	M10	Zinc Bright Passivation Fe/Zn P1	10 mm		17 mm	
7040P10121251SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M12 x 1.25, SST 600 h	Steel class 10	M12 x 1.25	Zinc Bright Passivation Fe/Zn P1	12 mm		19 mm	
7040P10121SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M12, SST 600 h, Nylst	Steel class 10	M12	Zinc Bright Passivation Fe/Zn P1	12 mm		19 mm	
7040P10141501SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M14 x 1.5, SST 600 h	Steel class 10	M14 x 1.5	Zinc Bright Passivation Fe/Zn P1	14 mm		22 mm	
7040P10161	ISO 7040 Hexagon Lock Nut, Steel class 10, M16, Nylstop, Zinc Pl	Steel class 10	M16	Zinc Bright Passivation Fe/Zn P1	16 mm		24 mm	
7040P10161501SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M16 x 1.5, SST 600 h	Steel class 10	M16 x 1.5	Zinc Bright Passivation Fe/Zn P1	16 mm		24 mm	
7040P10161SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M16, SST 600 h, Nylst	Steel class 10	M16	Zinc Bright Passivation Fe/Zn P1	16 mm		24 mm	
7040P10181SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M18, SST 600 h, Nylst	Steel class 10	M18	Zinc Bright Passivation Fe/Zn P1	18 mm		27 mm	
7040P10221SST600	ISO 7040 Hexagon Lock Nut, Steel class 10, M22, SST 600 h, Nylst	Steel class 10	M22	Zinc Bright Passivation Fe/Zn P1	22 mm		32 mm	