
ISO 7379 — Rounded Head Shoulder Screw with Hex Drive

Catalogue data sheet · 229 sizes · category Bolts and Screws / Socket Head Shoulder Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
737904012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 4f9 x M3 x 12	Plain (no plating)	3 mm	12 mm	2 mm	7 mm
737905006	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	9 mm
737905008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	9 mm
737905010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 10	Plain (no plating)	4 mm	10 mm	2.5 mm	9 mm
737905012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	9 mm
737905016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10 mm
737905016H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6h8 x M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10 mm
737905020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10 mm
737905020H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6h8 x M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10 mm
737905025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 25	Plain (no plating)	4 mm	25 mm	2.5 mm	9 mm
737905030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	9 mm
737905030H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6h8 x M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10 mm
737905035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	10 mm
737906006	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	10 mm
737906008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	10 mm
737906010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10 mm
737906012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10 mm
7379060121	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 12	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm	3 mm	10 mm
737906012H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6h8 x M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10 mm
737906016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10 mm
737906020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10 mm
737906020H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6h8 x M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10 mm
737906025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10 mm
737906025H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6h8 x M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10 mm
737906030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10 mm
737906030H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,							

Steel 12.9,

Steel 12.9	012.9 6h8 x M5 x 30	Plain (no plating)		5 mm	30 mm	3 mm	10 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
737906035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 6f9 x M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	10 mm
737906040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 6f9 x M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	10 mm
737906045	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	13 mm
737906050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 6f9 x M5 x 50	Plain (no plating)	5 mm	50 mm	3 mm	10 mm
737908006	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 6	Plain (no plating)	6 mm	6 mm	4 mm	13 mm
737908008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 8	Plain (no plating)	6 mm	8 mm	4 mm	13 mm
737908010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	13 mm
737908010H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8h8 x M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	13 mm
737908012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	13 mm
737908012H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8h8 x M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	13 mm
737908016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	13 mm
7379080161	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 16	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm	4 mm	13 mm
737908020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	13 mm
7379080201	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 20	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm	4 mm	13 mm
737908020H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8h8 x M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	13 mm
737908025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	13 mm
737908030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	13 mm
7379080301	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 30	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm	4 mm	13 mm
737908030H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8h8 x M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	13 mm
737908035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 35	Plain (no plating)	6 mm	35 mm	4 mm	13 mm
737908040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	13 mm
737908045	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 45	Plain (no plating)	6 mm	45 mm	4 mm	13 mm
737908050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	13 mm
737908060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 60	Plain (no plating)	6 mm	60 mm	4 mm	13 mm
737908070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 8f9 x M6 x 70	Plain (no plating)	6 mm	70 mm	4 mm	13 mm
737910010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	16 mm
737910012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 12	Plain (no plating)	8 mm	12 mm	5 mm	16 mm
737910016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16 mm
737910016H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10h8 x M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16 mm
737910020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16 mm
737910020H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10h8 x M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16 mm
737910025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16 mm
7379100251	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 25	Zinc Bright Passivation Fe/Zn P1	8 mm	25 mm	5 mm	16 mm
737910030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16 mm
737910035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16 mm
737910040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16 mm
737910040H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10h8 x M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16 mm
737910045	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	16 mm
737910050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	16 mm
737910060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16 mm
7379100601	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 60	Zinc Bright Passivation Fe/Zn P1	8 mm	60 mm	5 mm	16 mm
737910065	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 65	Plain (no plating)	8 mm	65 mm	5 mm	16 mm
737910070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 70	Plain (no plating)	8 mm	70 mm	5 mm	16 mm
737910080H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10h8 x M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	16 mm
737910090	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,	Steel 12.9	012.9 10f9 x M8 x 90	Plain (no plating)	8 mm	90 mm	5 mm	16 mm
737910100	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,							

Steel 12.9,

Steel 12.9	012.9 10f9 x M8 x 100	Plain (no plating)		8 mm	100 mm	5 mm	16 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
73791010030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 10.9	Steel 10.9	010.9 10f9 x M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16 mm
73791010065	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 10.9	Steel 10.9	010.9 10f9 x M8 x 65	Plain (no plating)	8 mm	65 mm	5 mm	16 mm
73791012075	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 10.9	Steel 10.9	010.9 12f9 x M10 x 75	Plain (no plating)	10 mm	75 mm	6 mm	18 mm
737912012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 12	Plain (no plating)	10 mm	12 mm	6 mm	18 mm
737912016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 16	Plain (no plating)	10 mm	16 mm	6 mm	18 mm
737912020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	18 mm
737912025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	18 mm
737912030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	18 mm
737912035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 35	Plain (no plating)	10 mm	35 mm	6 mm	18 mm
737912035H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12h8 x M10 x 35	Plain (no plating)	10 mm	35 mm	6 mm	18 mm
737912040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	18 mm
73791204012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	9 mm
73791204020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 20	Plain (no plating)	4 mm	20 mm	2.5 mm	9 mm
73791204030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 5f9 x M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	9 mm
737912050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	18 mm
73791205008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	10 mm
73791205012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10 mm
73791205025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6f9 x M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10 mm
737912050H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12h8 x M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	18 mm
737912060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 60	Plain (no plating)	10 mm	60 mm	6 mm	18 mm
73791206010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8f9 x M6 x 10	Plain (no plating)	6 mm	10 mm	4 mm	13 mm
73791206012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8f9 x M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	13 mm
73791206016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8f9 x M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	13 mm
73791206020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8f9 x M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	13 mm
73791206030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8f9 x M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	13 mm
73791206035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8f9 x M6 x 35	Plain (no plating)	6 mm	35 mm	4 mm	13 mm
73791206035H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 6h8 x M5 x 35	Plain (no plating)	5 mm	35 mm	3 mm	10 mm
737912065	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 65	Plain (no plating)	10 mm	65 mm	6 mm	18 mm
737912065F9	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 65	Plain (no plating)	10 mm	65 mm	6 mm	18 mm
737912070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 70	Plain (no plating)	10 mm	70 mm	6 mm	18 mm
737912075	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 75	Plain (no plating)	10 mm	75 mm	6 mm	18 mm
737912080	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 80	Plain (no plating)	10 mm	80 mm	6 mm	18 mm
73791208010KNURL	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	16.27 mm
73791208016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16 mm
73791208025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16 mm
73791208030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 30	Plain (no plating)	8 mm	30 mm	5 mm	16 mm
73791208045	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	16 mm
73791208050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8f9 x M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	13 mm
73791208060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16 mm
73791208080	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 80	Plain (no plating)	8 mm	80 mm	5 mm	16 mm
737912090	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 90	Plain (no plating)	10 mm	90 mm	6 mm	18 mm
73791210020H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10h8 x M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16 mm
73791210040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 40	Plain (no plating)	10 mm	40 mm	6 mm	18 mm
73791210060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 10f9 x M8 x 60	Plain (no plating)	8 mm	60 mm	5 mm	16 mm
737912120	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 12f9 x M10 x 120	Plain (no plating)	10 mm	120 mm	6 mm	18 mm
73791216040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,							

Steel 12.9,

Steel 12.9	012.9 20f9 x M16 x 40	Plain (no plating)		16 mm	40 mm	10 mm	30 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
737912H806016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 8h8 x M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	13 mm
737916016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 16	Plain (no plating)	12 mm	16 mm	8 mm	24 mm
737916020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 20	Plain (no plating)	12 mm	20 mm	8 mm	24 mm
737916025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 25	Plain (no plating)	12 mm	25 mm	8 mm	24 mm
737916030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24 mm
737916040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	24 mm
737916045	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 45	Plain (no plating)	12 mm	45 mm	8 mm	24 mm
737916050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	24 mm
737916050F9	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 50	Plain (no plating)	12 mm	50 mm	8 mm	24 mm
737916055	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 55	Plain (no plating)	12 mm	55 mm	8 mm	24 mm
737916060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 60	Plain (no plating)	12 mm	60 mm	8 mm	24 mm
737916065	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 65	Plain (no plating)	12 mm	65 mm	8 mm	24 mm
737916070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	24 mm
737916080	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 80	Plain (no plating)	12 mm	80 mm	8 mm	24 mm
737916090	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 90	Plain (no plating)	12 mm	90 mm	8 mm	24 mm
737916100	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 100	Plain (no plating)	12 mm	100 mm	8 mm	24 mm
737916120	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 16f9 x M12 x 120	Plain (no plating)	12 mm	120 mm	8 mm	24 mm
737920030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 30	Plain (no plating)	16 mm	30 mm	10 mm	30 mm
737920035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 35	Plain (no plating)	16 mm	35 mm	10 mm	30 mm
737920040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30 mm
737920050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 50	Plain (no plating)	16 mm	50 mm	10 mm	30 mm
737920055	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 55	Plain (no plating)	16 mm	55 mm	10 mm	30 mm
737920060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 60	Plain (no plating)	16 mm	60 mm	10 mm	30 mm
737920070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 70	Plain (no plating)	16 mm	70 mm	10 mm	30 mm
737920080	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 80	Plain (no plating)	16 mm	80 mm	10 mm	30 mm
737920090	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 90	Plain (no plating)	16 mm	90 mm	10 mm	30 mm
737920100	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 100	Plain (no plating)	16 mm	100 mm	10 mm	30 mm
737920120	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 20f9 x M16 x 120	Plain (no plating)	16 mm	120 mm	10 mm	30 mm
737924030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 24f9 x M20 x 30	Plain (no plating)	20 mm	30 mm	12 mm	36 mm
737924050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 24f9 x M20 x 50	Plain (no plating)	20 mm	50 mm	12 mm	36 mm
737924070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 24f9 x M20 x 70	Plain (no plating)	20 mm	70 mm	12 mm	36 mm
737924080	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 24f9 x M20 x 80	Plain (no plating)	20 mm	80 mm	12 mm	36 mm
737924090	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 24f9 x M20 x 90	Plain (no plating)	20 mm	90 mm	12 mm	36 mm
737924160	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 24f9 x M20 x 160	Plain (no plating)	20 mm	160 mm	12 mm	36 mm
737924200	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 24f9 x M20 x 200	Plain (no plating)	20 mm	200 mm	12 mm	36 mm
737925060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9	Steel 12.9	012.9 25f9 x M20 x 60	Plain (no plating)	20 mm	60 mm	12 mm	36 mm
73798100401	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 8.8	Steel 8.8	08.8 10f9 x M8 x 40	Zinc Bright Passivation Fe/Zn P1	8 mm	40 mm	5 mm	16 mm
7379A203008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø4 f9 x M3 x 8	Plain (no plating)	3 mm	8 mm	2 mm	7 mm
7379A203020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø4 f9 x M3 x 20	Plain (no plating)	3 mm	20 mm	2 mm	7 mm
7379A204004	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø4 f9 x M3 x 4	Plain (no plating)	3 mm	4 mm	2 mm	7 mm
7379A204005	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø5 f9 x M4 x 5	Plain (no plating)	4 mm	5 mm	2.5 mm	9 mm
7379A204006	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø4 f9 x M3 x 6	Plain (no plating)	3 mm	6 mm	2 mm	7 mm
7379A204010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø4 f9 x M3 x 10	Plain (no plating)	3 mm	10 mm	2 mm	7 mm
7379A204012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø5 f9 x M4 x 12	Plain (no plating)	4 mm	12 mm	2.5 mm	9 mm
7379A204016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø4 f9 x M3 x 16	Plain (no plating)	3 mm	16 mm	2 mm	7 mm
7379A204020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,							

Stainless A

Stainless A2-70	shoulder Ø5 f9 x M4 x 20	Plain (no plating)		4 mm	20 mm	2.5 mm	9 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7379A204030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø5 f9 x M4 x 30	Plain (no plating)	4 mm	30 mm	2.5 mm	9 mm
7379A205005	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø5 f9 x M4 x 5	Plain (no plating)	4 mm	5 mm	2.5 mm	9 mm
7379A205006	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø5 f9 x M4 x 6	Plain (no plating)	4 mm	6 mm	2.5 mm	9 mm
7379A205008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø5 f9 x M4 x 8	Plain (no plating)	4 mm	8 mm	2.5 mm	9 mm
7379A205010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø6 f9 x M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10 mm
7379A205012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø6 f9 x M5 x 12	Plain (no plating)	5 mm	12 mm	3 mm	10 mm
7379A205016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10 mm
7379A205020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10 mm
7379A205025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10 mm
7379A205045	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 45	Plain (no plating)	5 mm	45 mm	3 mm	10 mm
7379A205050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 50	Plain (no plating)	5 mm	50 mm	3 mm	10 mm
7379A206006	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø6 f9 x M5 x 6	Plain (no plating)	5 mm	6 mm	3 mm	10 mm
7379A206008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 f9 x M6 x 6	Plain (no plating)	6 mm	6 mm	4 mm	13 mm
7379A206008F	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø6 f9 x M5 x 8	Plain (no plating)	5 mm	8 mm	3 mm	10 mm
7379A206010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø6 f9 x M5 x 10	Plain (no plating)	5 mm	10 mm	3 mm	10 mm
7379A206016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 16	Plain (no plating)	5 mm	16 mm	3 mm	10 mm
7379A206020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 20	Plain (no plating)	5 mm	20 mm	3 mm	10 mm
7379A206025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 25	Plain (no plating)	5 mm	25 mm	3 mm	10 mm
7379A206030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 30	Plain (no plating)	5 mm	30 mm	3 mm	10 mm
7379A206040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø6 f9 x M5 x 40	Plain (no plating)	5 mm	40 mm	3 mm	10 mm
7379A208006	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 f9 x M6 x 9	Plain (no plating)	6 mm	9 mm	4 mm	13 mm
7379A208006H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 h8 x M6 x 6	Plain (no plating)	6 mm	6 mm	4 mm	13 mm
7379A208008	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 f9 x M6 x 9	Plain (no plating)	6 mm	9 mm	4 mm	13 mm
7379A208010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 f9 x M6 x 9	Plain (no plating)	6 mm	9 mm	4 mm	13 mm
7379A208012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 f9 x M6 x 12	Plain (no plating)	6 mm	12 mm	4 mm	13 mm
7379A208016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 f9 x M6 x 9	Plain (no plating)	6 mm	9 mm	4 mm	13 mm
7379A208016H8	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø8 h8 x M6 x 16	Plain (no plating)	6 mm	16 mm	4 mm	13 mm
7379A208020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø8 f9 x M6 x 20	Plain (no plating)	6 mm	20 mm	4 mm	13 mm
7379A208025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø8 f9 x M6 x 25	Plain (no plating)	6 mm	25 mm	4 mm	13 mm
7379A208030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø8 f9 x M6 x 30	Plain (no plating)	6 mm	30 mm	4 mm	13 mm
7379A208040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø8 f9 x M6 x 40	Plain (no plating)	6 mm	40 mm	4 mm	13 mm
7379A208045	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø10 f9 x M8 x 45	Plain (no plating)	8 mm	45 mm	5 mm	16 mm
7379A208050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø8 f9 x M6 x 50	Plain (no plating)	6 mm	50 mm	4 mm	13 mm
7379A208080	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø8 f9 x M6 x 80	Plain (no plating)	6 mm	80 mm	4 mm	13 mm
7379A210010	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø10 f9 x M8 x 10	Plain (no plating)	8 mm	10 mm	5 mm	16 mm
7379A210012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø10 f9 x M8 x 12	Plain (no plating)	8 mm	12 mm	5 mm	16 mm
7379A210016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø10 f9 x M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16 mm
7379A210020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø10 f9 x M8 x 20	Plain (no plating)	8 mm	20 mm	5 mm	16 mm
7379A210025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø10 f9 x M8 x 25	Plain (no plating)	8 mm	25 mm	5 mm	16 mm
7379A210035	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø10 f9 x M8 x 35	Plain (no plating)	8 mm	35 mm	5 mm	16 mm
7379A210040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø10 f9 x M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16 mm
7379A210050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø10 f9 x M8 x 50	Plain (no plating)	8 mm	50 mm	5 mm	16 mm
7379A212012	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø12 f9 x M10 x 12	Plain (no plating)	10 mm	12 mm	6 mm	18 mm
7379A212016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø12 f9 x M10 x 16	Plain (no plating)	10 mm	16 mm	6 mm	18 mm
7379A212020	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø12 f9 x M10 x 20	Plain (no plating)	10 mm	20 mm	6 mm	18 mm
7379A212025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive,							

Stainless A

Stainless A2	shoulder Ø12 f9 x M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	18 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
7379A212030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø12 f9 x M10 x 30	Plain (no plating)	10 mm	30 mm	6 mm	18 mm
7379A212050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø12 f9 x M10 x 50	Plain (no plating)	10 mm	50 mm	6 mm	18 mm
7379A212060	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø12 f9 x M10 x 60	Plain (no plating)	10 mm	60 mm	6 mm	18 mm
7379A212090	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø12 f9 x M10 x 90	Plain (no plating)	10 mm	90 mm	6 mm	18 mm
7379A212100	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø12 f9 x M10 x 100	Plain (no plating)	10 mm	100 mm	6 mm	18 mm
7379A216030	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø16 f9 x M12 x 30	Plain (no plating)	12 mm	30 mm	8 mm	24 mm
7379A216040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø16 f9 x M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	24 mm
7379A216070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø16 f9 x M12 x 70	Plain (no plating)	12 mm	70 mm	8 mm	24 mm
7379A216100	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø16 f9 x M12 x 100	Plain (no plating)	12 mm	100 mm	8 mm	24 mm
7379A220040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2	shoulder Ø20 f9 x M16 x 40	Plain (no plating)	16 mm	40 mm	10 mm	30 mm
7379A220050	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A2-70	shoulder Ø20 f9 x M16 x 50	Plain (no plating)	16 mm	50 mm	10 mm	30 mm
7379A410040	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A4-70	shoulder Ø10 f9 x M8 x 40	Plain (no plating)	8 mm	40 mm	5 mm	16 mm
7379A410070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A4-70	shoulder Ø12 f9 x M10 x 70	Plain (no plating)	10 mm	70 mm	6 mm	18 mm
7379A412025	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A4	shoulder Ø12 f9 x M10 x 25	Plain (no plating)	10 mm	25 mm	6 mm	18 mm
7379A41604070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A4-70	shoulder Ø16 f9 x M12 x 40	Plain (no plating)	12 mm	40 mm	8 mm	24 mm
7379A416055	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A4-70	shoulder Ø16 f9 x M12 x 55	Plain (no plating)	12 mm	55 mm	8 mm	24 mm
7379A420070	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A4-70	shoulder Ø20 f9 x M16 x 70	Plain (no plating)	16 mm	70 mm	10 mm	30 mm
7379A420080	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Stainless A	Stainless A4-70	shoulder Ø20 f9 x M16 x 80	Plain (no plating)	16 mm	80 mm	10 mm	30 mm
7379L10016	ISO 7379 Rounded Head Shoulder Screw with Hex Drive, Steel 12.9,	Steel 12.9	012.9 10f9 x M8 x 16	Plain (no plating)	8 mm	16 mm	5 mm	16 mm