
ISO 8752 — Slotted Pin

Catalogue data sheet · 926 sizes · category Pins / Slotted Pins · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
136	ISO 8752 Slotted Pin, Steel, 5 x 31 mm, Plain	Steel	5 x 31 mm	Plain (no plating)				
148102012	ISO 8752 Slotted Pin, Steel, 2 x 12 mm, Plain	Steel	2 x 12 mm	Plain (no plating)				
1481A2025012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 12 mm	Stainless AISI 301/EN 1.4310	2.5 x 12 mm	Plain (no plating)				
1481A205022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 22 mm	Stainless AISI 301/EN 1.4310	5 x 22 mm	Plain (no plating)				
1481A205030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 30 mm	Stainless AISI 301/EN 1.4310	5 x 30 mm	Plain (no plating)				
1481A208024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 24 mm	Stainless AISI 301/EN 1.4310	8 x 24 mm	Plain (no plating)				
1481A210020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 20 mm	Stainless AISI 301/EN 1.4310	10 x 20 mm	Plain (no plating)				
2ISM020005ISO8752	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 5 mm	Stainless AISI 301/EN 1.4310	2 x 5 mm	Plain (no plating)				
875201004	ISO 8752 Slotted Pin, Steel, 1 x 4 mm, Plain	Steel	1 x 4 mm	Plain (no plating)				
8752010047A	ISO 8752 Slotted Pin, Steel, 1 x 4 mm, Black Oxide	Steel	1 x 4 mm	Black Oxide				
875201005	ISO 8752 Slotted Pin, Steel, 1 x 5 mm, Plain	Steel	1 x 5 mm	Plain (no plating)				
875201006	ISO 8752 Slotted Pin, Steel, 1 x 6 mm, Plain	Steel	1 x 6 mm	Plain (no plating)				
875201007	ISO 8752 Slotted Pin, Steel, 1 x 7 mm, Plain	Steel	1 x 7 mm	Plain (no plating)				
875201008	ISO 8752 Slotted Pin, Steel, 1 x 8 mm, Plain	Steel	1 x 8 mm	Plain (no plating)				
875201010	ISO 8752 Slotted Pin, Steel, 1 x 10 mm, Plain	Steel	1 x 10 mm	Plain (no plating)				
875201012	ISO 8752 Slotted Pin, Steel, 1 x 12 mm, Plain	Steel	1 x 12 mm	Plain (no plating)				
875201014	ISO 8752 Slotted Pin, Steel, 1 x 14 mm, Plain	Steel	1 x 14 mm	Plain (no plating)				
875201016	ISO 8752 Slotted Pin, Steel, 1 x 16 mm, Plain	Steel	1 x 16 mm	Plain (no plating)				
875201018	ISO 8752 Slotted Pin, Steel, 1 x 18 mm, Plain	Steel	1 x 18 mm	Plain (no plating)				
875201020	ISO 8752 Slotted Pin, Steel, 1 x 20 mm, Plain	Steel	1 x 20 mm	Plain (no plating)				
875201230	ISO 8752 Slotted Pin, Steel, 12 x 30 mm, Plain	Steel	12 x 30 mm	Plain (no plating)				
8752015004	ISO 8752 Slotted Pin, Steel, 1.5 x 4 mm, Plain	Steel	1.5 x 4 mm	Plain (no plating)				
87520150047A	ISO 8752 Slotted Pin, Steel, 1.5 x 4 mm, Black Oxide	Steel	1.5 x 4 mm	Black Oxide				
8752015005	ISO 8752 Slotted Pin, Steel, 1.5 x 5 mm, Plain	Steel	1.5 x 5 mm	Plain (no plating)				
8752015006	ISO 8752 Slotted Pin, Steel 420-560 HV, 1.5 x 6 mm, Plain	Steel 420-560 HV	1.5 x 6 mm	Plain (no plating)				
87520150067	ISO 8752 Slotted Pin, Steel, 1.5 x 6 mm, Black Oxide	Steel	1.5 x 6 mm	Black Oxide				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
87520150067A	ISO 8752 Slotted Pin, Steel, 1.5 x 6 mm, Black Oxide	Steel	1.5 x 6 mm	Black Oxide				
8752015008	ISO 8752 Slotted Pin, Steel, 1.5 x 8 mm, Plain	Steel	1.5 x 8 mm	Plain (no plating)				
8752015010	ISO 8752 Slotted Pin, Steel 420-560 HV, 1.5 x 10 mm, Plain	Steel 420-560 HV	1.5 x 10 mm	Plain (no plating)				
8752015012	ISO 8752 Slotted Pin, Steel, 1.5 x 12 mm, Plain	Steel	1.5 x 12 mm	Plain (no plating)				
8752015012ISO	ISO 8752 Slotted Pin, Steel, 1.5 x 12 mm, Plain	Steel	1.5 x 12 mm	Plain (no plating)				
8752015016	ISO 8752 Slotted Pin, Steel, 1.5 x 16 mm, Plain	Steel	1.5 x 16 mm	Plain (no plating)				
8752015016S	ISO 8752 Slotted Pin, Steel, 1.5 x 16 mm, Plain	Steel	1.5 x 16 mm	Plain (no plating)				
8752015016S15407	ISO 8752 Slotted Pin, Steel, 1.5 x 16 mm, Plain	Steel	1.5 x 16 mm	Plain (no plating)				
8752015020	ISO 8752 Slotted Pin, Steel, 1.5 x 20 mm, Plain	Steel	1.5 x 20 mm	Plain (no plating)				
875202004	ISO 8752 Slotted Pin, Steel 420-560 HV, 2 x 4 mm, Plain	Steel 420-560 HV	2 x 4 mm	Plain (no plating)				
875202005	ISO 8752 Slotted Pin, Steel, 2 x 5 mm, Plain	Steel	2 x 5 mm	Plain (no plating)				
875202006	ISO 8752 Slotted Pin, Steel, 2 x 6 mm, Plain	Steel	2 x 6 mm	Plain (no plating)				
875202008	ISO 8752 Slotted Pin, Steel, 2 x 8 mm, Plain	Steel	2 x 8 mm	Plain (no plating)				
8752020087A	ISO 8752 Slotted Pin, Steel, 2 x 8 mm, Black Oxide	Steel	2 x 8 mm	Black Oxide				
875202010	ISO 8752 Slotted Pin, Steel, 2 x 10 mm, Plain	Steel	2 x 10 mm	Plain (no plating)				
8752020101	ISO 8752 Slotted Pin, Steel, 2 x 10 mm, Zinc Plated	Steel	2 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
8752020107	ISO 8752 Slotted Pin, Steel, 2 x 10 mm, Black Oxide	Steel	2 x 10 mm	Black Oxide				
875202012	ISO 8752 Slotted Pin, Steel, 2 x 12 mm, Plain	Steel	2 x 12 mm	Plain (no plating)				
8752020127A	ISO 8752 Slotted Pin, Steel, 2 x 12 mm, Black Oxide	Steel	2 x 12 mm	Black Oxide				
875202014	ISO 8752 Slotted Pin, Steel, 2 x 14 mm, Plain	Steel	2 x 14 mm	Plain (no plating)				
8752020147A	ISO 8752 Slotted Pin, Steel, 2 x 14 mm, Black Oxide	Steel	2 x 14 mm	Black Oxide				
875202015	ISO 8752 Slotted Pin, Steel, 2 x 15 mm, Plain	Steel	2 x 15 mm	Plain (no plating)				
875202016	ISO 8752 Slotted Pin, Steel, 2 x 16 mm, Plain	Steel	2 x 16 mm	Plain (no plating)				
875202018	ISO 8752 Slotted Pin, Steel, 2 x 18 mm, Plain	Steel	2 x 18 mm	Plain (no plating)				
875202020	ISO 8752 Slotted Pin, Steel, 2 x 20 mm, Plain	Steel	2 x 20 mm	Plain (no plating)				
875202022	ISO 8752 Slotted Pin, Steel, 2 x 22 mm, Plain	Steel	2 x 22 mm	Plain (no plating)				
875202024	ISO 8752 Slotted Pin, Steel, 2 x 24 mm, Plain	Steel	2 x 24 mm	Plain (no plating)				
8752020241	ISO 8752 Slotted Pin, Steel, 2 x 24 mm, Zinc Plated	Steel	2 x 24 mm	Zinc Bright Passivation Fe/Zn P1				
875202025	ISO 8752 Slotted Pin, Steel, 2 x 25 mm, Plain	Steel	2 x 25 mm	Plain (no plating)				
875202026	ISO 8752 Slotted Pin, Steel, 2 x 26 mm, Plain	Steel	2 x 26 mm	Plain (no plating)				
875202028	ISO 8752 Slotted Pin, Steel, 2 x 28 mm, Plain	Steel	2 x 28 mm	Plain (no plating)				
875202030	ISO 8752 Slotted Pin, Steel, 2 x 30 mm, Plain	Steel	2 x 30 mm	Plain (no plating)				
875202036	ISO 8752 Slotted Pin, Steel, 2 x 36 mm, Plain	Steel	2 x 36 mm	Plain (no plating)				
875202040	ISO 8752 Slotted Pin, Steel, 2 x 40 mm, Plain	Steel	2 x 40 mm	Plain (no plating)				
8752025004	ISO 8752 Slotted Pin, Steel, 2.5 x 4 mm, Plain	Steel	2.5 x 4 mm	Plain (no plating)				
8752025005	ISO 8752 Slotted Pin, Steel, 2.5 x 5 mm, Plain	Steel	2.5 x 5 mm	Plain (no plating)				
8752025006	ISO 8752 Slotted Pin, Steel, 2.5 x 6 mm, Plain	Steel	2.5 x 6 mm	Plain (no plating)				
8752025008	ISO 8752 Slotted Pin, Steel, 2.5 x 8 mm, Plain	Steel	2.5 x 8 mm	Plain (no plating)				
8752025010	ISO 8752 Slotted Pin, Steel, 2.5 x 10 mm, Plain	Steel	2.5 x 10 mm	Plain (no plating)				
8752025012	ISO 8752 Slotted Pin, Steel, 2.5 x 12 mm, Plain	Steel	2.5 x 12 mm	Plain (no plating)				
8752025014	ISO 8752 Slotted Pin, Steel, 2.5 x 14 mm, Plain	Steel	2.5 x 14 mm	Plain (no plating)				
8752025016	ISO 8752 Slotted Pin, Steel, 2.5 x 16 mm, Plain	Steel	2.5 x 16 mm	Plain (no plating)				
8752025018	ISO 8752 Slotted Pin, Steel, 2.5 x 18 mm, Plain	Steel	2.5 x 18 mm	Plain (no plating)				
8752025020	ISO 8752 Slotted Pin, Steel, 2.5 x 20 mm, Plain	Steel	2.5 x 20 mm	Plain (no plating)				
8752025022	ISO 8752 Slotted Pin, Steel, 2.5 x 22 mm, Plain	Steel	2.5 x 22 mm	Plain (no plating)				
8752025024	ISO 8752 Slotted Pin, Steel, 2.5 x 24 mm, Plain	Steel	2.5 x 24 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752025025	ISO 8752 Slotted Pin, Steel, 2.5 x 25 mm, Plain	Steel	2.5 x 25 mm	Plain (no plating)				
8752025026	ISO 8752 Slotted Pin, Steel, 2.5 x 26 mm, Plain	Steel	2.5 x 26 mm	Plain (no plating)				
8752025028	ISO 8752 Slotted Pin, Steel, 2.5 x 28 mm, Plain	Steel	2.5 x 28 mm	Plain (no plating)				
8752025030	ISO 8752 Slotted Pin, Steel, 2.5 x 30 mm, Plain	Steel	2.5 x 30 mm	Plain (no plating)				
8752025036	ISO 8752 Slotted Pin, Steel, 2.5 x 36 mm, Plain	Steel	2.5 x 36 mm	Plain (no plating)				
8752025040	ISO 8752 Slotted Pin, Steel, 2.5 x 40 mm, Plain	Steel	2.5 x 40 mm	Plain (no plating)				
8752030032	ISO 8752 Slotted Pin, Steel, 3 x 32 mm, Plain	Steel	3 x 32 mm	Plain (no plating)				
875203004	ISO 8752 Slotted Pin, Steel, 3 x 4 mm, Plain	Steel	3 x 4 mm	Plain (no plating)				
875203005	ISO 8752 Slotted Pin, Steel, 3 x 5 mm, Plain	Steel	3 x 5 mm	Plain (no plating)				
875203006	ISO 8752 Slotted Pin, Steel, 3 x 6 mm, Plain	Steel	3 x 6 mm	Plain (no plating)				
8752030061	ISO 8752 Slotted Pin, Steel, 3 x 6 mm, Zinc Plated	Steel	3 x 6 mm	Zinc Bright Passivation Fe/Zn P1				
875203008	ISO 8752 Slotted Pin, Steel, 3 x 8 mm, Plain	Steel	3 x 8 mm	Plain (no plating)				
8752030081	ISO 8752 Slotted Pin, Steel, 3 x 8 mm, Zinc Plated	Steel	3 x 8 mm	Zinc Bright Passivation Fe/Zn P1				
875203010	ISO 8752 Slotted Pin, Steel, 3 x 10 mm, Plain	Steel	3 x 10 mm	Plain (no plating)				
8752030101	ISO 8752 Slotted Pin, Steel, 3 x 10 mm, Zinc Plated	Steel	3 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
8752030107A	ISO 8752 Slotted Pin, Steel, 3 x 10 mm, Black Oxide	Steel	3 x 10 mm	Black Oxide				
875203012	ISO 8752 Slotted Pin, Steel, 3 x 12 mm, Plain	Steel	3 x 12 mm	Plain (no plating)				
8752030121	ISO 8752 Slotted Pin, Steel, 3 x 12 mm, Zinc Plated	Steel	3 x 12 mm	Zinc Bright Passivation Fe/Zn P1				
8752030127A	ISO 8752 Slotted Pin, Steel, 3 x 12 mm, Black Oxide	Steel	3 x 12 mm	Black Oxide				
875203012PHM	ISO 8752 Slotted Pin, Steel, 3 x 12 mm, Zinc Phosphated	Steel	3 x 12 mm	MANGAN PHOSPHATED				
875203014	ISO 8752 Slotted Pin, Steel, 3 x 14 mm, Plain	Steel	3 x 14 mm	Plain (no plating)				
8752030141	ISO 8752 Slotted Pin, Steel, 3 x 14 mm, Zinc Plated	Steel	3 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
875203014XY	ISO 8752 Slotted Pin, Steel, 3 x 14 mm, Plain	Steel	3 x 14 mm	Plain (no plating)				
875203016	ISO 8752 Slotted Pin, Steel, 3 x 16 mm, Plain	Steel	3 x 16 mm	Plain (no plating)				
8752030161	ISO 8752 Slotted Pin, Steel, 3 x 16 mm, Zinc Plated	Steel	3 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
875203018	ISO 8752 Slotted Pin, Steel, 3 x 18 mm, Plain	Steel	3 x 18 mm	Plain (no plating)				
875203020	ISO 8752 Slotted Pin, Steel, 3 x 20 mm, Plain	Steel	3 x 20 mm	Plain (no plating)				
8752030201	ISO 8752 Slotted Pin, Steel, 3 x 20 mm, Zinc Plated	Steel	3 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875203022	ISO 8752 Slotted Pin, Steel, 3 x 22 mm, Plain	Steel	3 x 22 mm	Plain (no plating)				
875203024	ISO 8752 Slotted Pin, Steel, 3 x 24 mm, Plain	Steel	3 x 24 mm	Plain (no plating)				
8752030241	ISO 8752 Slotted Pin, Steel, 3 x 24 mm, Zinc Plated	Steel	3 x 24 mm	Zinc Bright Passivation Fe/Zn P1				
875203025	ISO 8752 Slotted Pin, Steel, 3 x 25 mm, Plain	Steel	3 x 25 mm	Plain (no plating)				
8752030251	ISO 8752 Slotted Pin, Steel, 3 x 25 mm, Zinc Plated	Steel	3 x 25 mm	Zinc Bright Passivation Fe/Zn P1				
875203026	ISO 8752 Slotted Pin, Steel, 3 x 26 mm, Plain	Steel	3 x 26 mm	Plain (no plating)				
875203028	ISO 8752 Slotted Pin, Steel, 3 x 28 mm, Plain	Steel	3 x 28 mm	Plain (no plating)				
875203030	ISO 8752 Slotted Pin, Steel, 3 x 30 mm, Plain	Steel	3 x 30 mm	Plain (no plating)				
875203030P1000	ISO 8752 Slotted Pin, Steel, 3 x 30 mm, Plain	Steel	3 x 30 mm	Plain (no plating)				
875203032	ISO 8752 Slotted Pin, Steel, 3 x 32 mm, Plain	Steel	3 x 32 mm	Plain (no plating)				
875203034	ISO 8752 Slotted Pin, Steel, 3 x 34 mm, Plain	Steel	3 x 34 mm	Plain (no plating)				
875203035PQ100	ISO 8752 Slotted Pin, Steel, 3 x 35 mm, Plain	Steel	3 x 35 mm	Plain (no plating)				
875203036	ISO 8752 Slotted Pin, Steel, 3 x 36 mm, Plain	Steel	3 x 36 mm	Plain (no plating)				
8752030361	ISO 8752 Slotted Pin, Steel, 3 x 36 mm, Zinc Plated	Steel	3 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
875203040	ISO 8752 Slotted Pin, Steel, 3 x 40 mm, Plain	Steel	3 x 40 mm	Plain (no plating)				
875203045	ISO 8752 Slotted Pin, Steel, 3 x 45 mm, Plain	Steel	3 x 45 mm	Plain (no plating)				
8752035004	ISO 8752 Slotted Pin, Steel, 3.5 x 4 mm, Plain	Steel	3.5 x 4 mm	Plain (no plating)				
8752035005	ISO 8752 Slotted Pin, Steel, 3.5 x 5 mm, Plain	Steel	3.5 x 5 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752035006	ISO 8752 Slotted Pin, Steel, 3.5 x 6 mm, Plain	Steel	3.5 x 6 mm	Plain (no plating)				
8752035008	ISO 8752 Slotted Pin, Steel, 3.5 x 8 mm, Plain	Steel	3.5 x 8 mm	Plain (no plating)				
8752035010	ISO 8752 Slotted Pin, Steel, 3.5 x 10 mm, Plain	Steel	3.5 x 10 mm	Plain (no plating)				
8752035012	ISO 8752 Slotted Pin, Steel, 3.5 x 12 mm, Plain	Steel	3.5 x 12 mm	Plain (no plating)				
8752035014	ISO 8752 Slotted Pin, Steel, 3.5 x 14 mm, Plain	Steel	3.5 x 14 mm	Plain (no plating)				
8752035016	ISO 8752 Slotted Pin, Steel, 3.5 x 16 mm, Plain	Steel	3.5 x 16 mm	Plain (no plating)				
8752035018	ISO 8752 Slotted Pin, Steel, 3.5 x 18 mm, Plain	Steel	3.5 x 18 mm	Plain (no plating)				
8752035020	ISO 8752 Slotted Pin, Steel, 3.5 x 20 mm, Plain	Steel	3.5 x 20 mm	Plain (no plating)				
87520350201	ISO 8752 Slotted Pin, Steel, 3.5 x 20 mm, Zinc Plated	Steel	3.5 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
8752035022	ISO 8752 Slotted Pin, Steel, 3.5 x 22 mm, Plain	Steel	3.5 x 22 mm	Plain (no plating)				
8752035024	ISO 8752 Slotted Pin, Steel, 3.5 x 24 mm, Plain	Steel	3.5 x 24 mm	Plain (no plating)				
8752035026	ISO 8752 Slotted Pin, Steel, 3.5 x 26 mm, Plain	Steel	3.5 x 26 mm	Plain (no plating)				
8752035028	ISO 8752 Slotted Pin, Steel, 3.5 x 26 mm, Plain	Steel	3.5 x 26 mm	Plain (no plating)				
8752035030	ISO 8752 Slotted Pin, Steel, 3.5 x 30 mm, Plain	Steel	3.5 x 30 mm	Plain (no plating)				
8752035032	ISO 8752 Slotted Pin, Steel, 3.5 x 32 mm, Plain	Steel	3.5 x 32 mm	Plain (no plating)				
8752035035	ISO 8752 Slotted Pin, Steel, 3.5 x 35 mm, Plain	Steel	3.5 x 35 mm	Plain (no plating)				
8752035036	ISO 8752 Slotted Pin, Steel, 3.5 x 36 mm, Plain	Steel	3.5 x 36 mm	Plain (no plating)				
8752035040	ISO 8752 Slotted Pin, Steel, 3.5 x 40 mm, Plain	Steel	3.5 x 40 mm	Plain (no plating)				
8752035040PQ25	ISO 8752 Slotted Pin, Steel, 3.5 x 40 mm, Plain	Steel	3.5 x 40 mm	Plain (no plating)				
8752035050	ISO 8752 Slotted Pin, Steel, 3.5 x 50 mm, Plain	Steel	3.5 x 50 mm	Plain (no plating)				
875203508	ISO 8752 Slotted Pin, Steel, 3.5 x 8 mm, Plain	Steel	3.5 x 8 mm	Plain (no plating)				
875204004	ISO 8752 Slotted Pin, Steel, 4 x 4 mm, Plain	Steel	4 x 4 mm	Plain (no plating)				
875204005	ISO 8752 Slotted Pin, Steel, 4 x 5 mm, Plain	Steel	4 x 5 mm	Plain (no plating)				
875204006	ISO 8752 Slotted Pin, Steel, 4 x 6 mm, Plain	Steel	4 x 6 mm	Plain (no plating)				
875204008	ISO 8752 Slotted Pin, Steel, 4 x 8 mm, Plain	Steel	4 x 8 mm	Plain (no plating)				
875204010	ISO 8752 Slotted Pin, Steel, 4 x 10 mm, Plain	Steel	4 x 10 mm	Plain (no plating)				
8752040101	ISO 8752 Slotted Pin, Steel, 4 x 10 mm, Zinc Plated	Steel	4 x 10 mm	Zinc Bright Passivation Fe/Zn P1				
875204012	ISO 8752 Slotted Pin, Steel, 4 x 12 mm, Plain	Steel	4 x 12 mm	Plain (no plating)				
875204014	ISO 8752 Slotted Pin, Steel, 4 x 14 mm, Plain	Steel	4 x 14 mm	Plain (no plating)				
8752040141	ISO 8752 Slotted Pin, Steel, 4 x 14 mm, Zinc Plated	Steel	4 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
875204015PQ500	ISO 8752 Slotted Pin, Steel, 4 x 15 mm, Plain	Steel	4 x 15 mm	Plain (no plating)				
875204016	ISO 8752 Slotted Pin, Steel, 4 x 16 mm, Plain	Steel	4 x 16 mm	Plain (no plating)				
8752040161	ISO 8752 Slotted Pin, Steel, 4 x 16 mm, Zinc Plated	Steel	4 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
875204018	ISO 8752 Slotted Pin, Steel, 4 x 18 mm, Plain	Steel	4 x 18 mm	Plain (no plating)				
875204020	ISO 8752 Slotted Pin, Steel 420-560 HV, 4 x 20 mm, Plain	Steel 420-560 HV	4 x 20 mm	Plain (no plating)				
8752040201	ISO 8752 Slotted Pin, Steel, 4 x 20 mm, Zinc Plated	Steel	4 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875204020P1000	ISO 8752 Slotted Pin, Steel, 4 x 20 mm, Plain	Steel	4 x 20 mm	Plain (no plating)				
875204022	ISO 8752 Slotted Pin, Steel, 4 x 22 mm, Plain	Steel	4 x 22 mm	Plain (no plating)				
8752040221	ISO 8752 Slotted Pin, Steel, 4 x 22 mm, Zinc Plated	Steel	4 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
875204024	ISO 8752 Slotted Pin, Steel, 4 x 24 mm, Plain	Steel	4 x 24 mm	Plain (no plating)				
8752040241	ISO 8752 Slotted Pin, Steel, 4 x 24 mm, Zinc Plated	Steel	4 x 24 mm	Zinc Bright Passivation Fe/Zn P1				
875204025	ISO 8752 Slotted Pin, Steel, 4 x 25 mm, Plain	Steel	4 x 25 mm	Plain (no plating)				
875204025QD	ISO 8752 Slotted Pin, Steel, 4 x 25 mm, Plain	Steel	4 x 25 mm	Plain (no plating)				
875204026	ISO 8752 Slotted Pin, Steel, 4 x 26 mm, Plain	Steel	4 x 26 mm	Plain (no plating)				
875204026P1000	ISO 8752 Slotted Pin, Steel, 4 x 26 mm, Plain	Steel	4 x 26 mm	Plain (no plating)				
875204028	ISO 8752 Slotted Pin, Steel, 4 x 28 mm, Plain	Steel	4 x 28 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875204030	ISO 8752 Slotted Pin, Steel, 4 x 30 mm, Plain	Steel	4 x 30 mm	Plain (no plating)				
8752040301	ISO 8752 Slotted Pin, Steel, 4 x 30 mm, Zinc Plated	Steel	4 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
875204030P1000	ISO 8752 Slotted Pin, Steel, 4 x 30 mm, Plain	Steel	4 x 30 mm	Plain (no plating)				
875204032	ISO 8752 Slotted Pin, Steel, 4 x 32 mm, Plain	Steel	4 x 32 mm	Plain (no plating)				
8752040321	ISO 8752 Slotted Pin, Steel, 4 x 32 mm, Zinc Plated	Steel	4 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
875204035	ISO 8752 Slotted Pin, Steel, 4 x 35 mm, Plain	Steel	4 x 35 mm	Plain (no plating)				
875204035PQ5000	ISO 8752 Slotted Pin, Steel, 4 x 35 mm, Plain	Steel	4 x 35 mm	Plain (no plating)				
875204036	ISO 8752 Slotted Pin, Steel, 4 x 36 mm, Plain	Steel	4 x 36 mm	Plain (no plating)				
875204036P1000	ISO 8752 Slotted Pin, Steel, 4 x 36 mm, Plain	Steel	4 x 36 mm	Plain (no plating)				
875204040	ISO 8752 Slotted Pin, Steel, 4 x 40 mm, Plain	Steel	4 x 40 mm	Plain (no plating)				
8752040401	ISO 8752 Slotted Pin, Steel, 4 x 40 mm, Zinc Plated	Steel	4 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
875204040P1000	ISO 8752 Slotted Pin, Steel, 4 x 40 mm, Plain	Steel	4 x 40 mm	Plain (no plating)				
875204045	ISO 8752 Slotted Pin, Steel, 4 x 45 mm, Plain	Steel	4 x 45 mm	Plain (no plating)				
875204050	ISO 8752 Slotted Pin, Steel, 4 x 50 mm, Plain	Steel	4 x 50 mm	Plain (no plating)				
875204055	ISO 8752 Slotted Pin, Steel, 4 x 55 mm, Plain	Steel	4 x 55 mm	Plain (no plating)				
875204060	ISO 8752 Slotted Pin, Steel, 4 x 60 mm, Plain	Steel	4 x 60 mm	Plain (no plating)				
8752045005	ISO 8752 Slotted Pin, Steel, 4.5 x 5 mm, Plain	Steel	4.5 x 5 mm	Plain (no plating)				
8752045006	ISO 8752 Slotted Pin, Steel, 4.5 x 6 mm, Plain	Steel	4.5 x 6 mm	Plain (no plating)				
8752045008	ISO 8752 Slotted Pin, Steel, 4.5 x 8 mm, Plain	Steel	4.5 x 8 mm	Plain (no plating)				
8752045010	ISO 8752 Slotted Pin, Steel, 4.5 x 10 mm, Plain	Steel	4.5 x 10 mm	Plain (no plating)				
8752045012	ISO 8752 Slotted Pin, Steel, 4.5 x 12 mm, Plain	Steel	4.5 x 12 mm	Plain (no plating)				
8752045014	ISO 8752 Slotted Pin, Steel, 4.5 x 14 mm, Plain	Steel	4.5 x 14 mm	Plain (no plating)				
8752045018	ISO 8752 Slotted Pin, Steel, 4.5 x 18 mm, Plain	Steel	4.5 x 18 mm	Plain (no plating)				
87520450181	ISO 8752 Slotted Pin, Steel, 4.5 x 18 mm, Zinc Plated	Steel	4.5 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
8752045020	ISO 8752 Slotted Pin, Steel, 4.5 x 20 mm, Plain	Steel	4.5 x 20 mm	Plain (no plating)				
8752045022	ISO 8752 Slotted Pin, Steel, 4.5 x 22 mm, Plain	Steel	4.5 x 22 mm	Plain (no plating)				
8752045024	ISO 8752 Slotted Pin, Steel, 4.5 x 24 mm, Plain	Steel	4.5 x 24 mm	Plain (no plating)				
8752045026	ISO 8752 Slotted Pin, Steel, 4.5 x 26 mm, Plain	Steel	4.5 x 26 mm	Plain (no plating)				
8752045028	ISO 8752 Slotted Pin, Steel, 4.5 x 28 mm, Plain	Steel	4.5 x 28 mm	Plain (no plating)				
87520450281	ISO 8752 Slotted Pin, Steel, 4.5 x 28 mm, Zinc Plated	Steel	4.5 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
8752045030	ISO 8752 Slotted Pin, Steel, 4.5 x 30 mm, Plain	Steel	4.5 x 30 mm	Plain (no plating)				
8752045032	ISO 8752 Slotted Pin, Steel, 4.5 x 32 mm, Plain	Steel	4.5 x 32 mm	Plain (no plating)				
8752045035	ISO 8752 Slotted Pin, Steel, 4.5 x 35 mm, Plain	Steel	4.5 x 35 mm	Plain (no plating)				
8752045036	ISO 8752 Slotted Pin, Steel, 4.5 x 36 mm, Plain	Steel	4.5 x 36 mm	Plain (no plating)				
8752045040	ISO 8752 Slotted Pin, Steel, 4.5 x 40 mm, Plain	Steel	4.5 x 40 mm	Plain (no plating)				
8752045045	ISO 8752 Slotted Pin, Steel, 4.5 x 45 mm, Plain	Steel	4.5 x 45 mm	Plain (no plating)				
8752045050	ISO 8752 Slotted Pin, Steel, 4.5 x 50 mm, Plain	Steel	4.5 x 50 mm	Plain (no plating)				
875205005	ISO 8752 Slotted Pin, Steel, 5 x 5 mm, Plain	Steel	5 x 5 mm	Plain (no plating)				
875205006	ISO 8752 Slotted Pin, Steel, 5 x 6 mm, Plain	Steel	5 x 6 mm	Plain (no plating)				
875205008	ISO 8752 Slotted Pin, Steel, 5 x 8 mm, Plain	Steel	5 x 8 mm	Plain (no plating)				
875205010	ISO 8752 Slotted Pin, Steel, 5 x 10 mm, Plain	Steel	5 x 10 mm	Plain (no plating)				
875205012	ISO 8752 Slotted Pin, Steel, 5 x 12 mm, Plain	Steel	5 x 12 mm	Plain (no plating)				
875205014	ISO 8752 Slotted Pin, Steel, 5 x 14 mm, Plain	Steel	5 x 14 mm	Plain (no plating)				
8752050141	ISO 8752 Slotted Pin, Steel, 5 x 14 mm, Zinc Plated	Steel	5 x 14 mm	Zinc Bright Passivation Fe/Zn P1				
875205015	ISO 8752 Slotted Pin, Steel, 5 x 15 mm, Plain	Steel	5 x 15 mm	Plain (no plating)				
8752050151SST200	ISO 8752 Slotted Pin, Steel, 5 x 15 mm, SST 200 h, Zinc							

Plated

Steel	5 x 15 mm	Zinc Bright Passivation Fe/Zn P1

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875205016	ISO 8752 Slotted Pin, Steel, 5 x 16 mm, Plain	Steel	5 x 16 mm	Plain (no plating)				
875205016XY	ISO 8752 Slotted Pin, Steel, 5 x 16 mm, Plain	Steel	5 x 16 mm	Plain (no plating)				
875205018	ISO 8752 Slotted Pin, Steel, 5 x 18 mm, Plain	Steel	5 x 18 mm	Plain (no plating)				
875205020	ISO 8752 Slotted Pin, Steel, 5 x 20 mm, Plain	Steel	5 x 20 mm	Plain (no plating)				
8752050201	ISO 8752 Slotted Pin, Steel, 5 x 20 mm, Zinc Plated	Steel	5 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875205022	ISO 8752 Slotted Pin, Steel, 5 x 22 mm, Plain	Steel	5 x 22 mm	Plain (no plating)				
8752050221	ISO 8752 Slotted Pin, Steel, 5 x 22 mm, Zinc Plated	Steel	5 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
875205024	ISO 8752 Slotted Pin, Steel, 5 x 24 mm, Plain	Steel	5 x 24 mm	Plain (no plating)				
8752050241	ISO 8752 Slotted Pin, Steel, 5 x 24 mm, Zinc Plated	Steel	5 x 24 mm	Zinc Bright Passivation Fe/Zn P1				
8752050243	ISO 8752 Slotted Pin, Steel 420-560 HV, 5 x 24 mm, Zinc Plated	Steel 420-560 HV	5 x 24 mm	Zinc Yellow Passivation Fe/Zn P2				
875205025	ISO 8752 Slotted Pin, Steel, 5 x 25 mm, Plain	Steel	5 x 25 mm	Plain (no plating)				
875205026	ISO 8752 Slotted Pin, Steel, 5 x 26 mm, Plain	Steel	5 x 26 mm	Plain (no plating)				
8752050261	ISO 8752 Slotted Pin, Steel, 5 x 26 mm, Zinc Plated	Steel	5 x 26 mm	Zinc Bright Passivation Fe/Zn P1				
875205026P1000	ISO 8752 Slotted Pin, Steel, 5 x 26 mm, Plain	Steel	5 x 26 mm	Plain (no plating)				
875205028	ISO 8752 Slotted Pin, Steel, 5 x 28 mm, Plain	Steel	5 x 28 mm	Plain (no plating)				
8752050281	ISO 8752 Slotted Pin, Steel, 5 x 28 mm, Zinc Plated	Steel	5 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
875205030	ISO 8752 Slotted Pin, Steel, 5 x 30 mm, Plain	Steel	5 x 30 mm	Plain (no plating)				
8752050301	ISO 8752 Slotted Pin, Steel, 5 x 30 mm, Zinc Plated	Steel	5 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
875205030P1000	ISO 8752 Slotted Pin, Steel, 5 x 30 mm, Plain	Steel	5 x 30 mm	Plain (no plating)				
875205032	ISO 8752 Slotted Pin, Steel, 5 x 32 mm, Plain	Steel	5 x 32 mm	Plain (no plating)				
8752050321	ISO 8752 Slotted Pin, Steel, 5 x 32 mm, Zinc Plated	Steel	5 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
875205032P1000	ISO 8752 Slotted Pin, Steel, 5 x 32 mm, Plain	Steel	5 x 32 mm	Plain (no plating)				
875205032UTG	ISO 8752 Slotted Pin, Steel, 5 x 32 mm, Plain	Steel	5 x 32 mm	Plain (no plating)				
875205035	ISO 8752 Slotted Pin, Steel, 5 x 35 mm, Plain	Steel	5 x 35 mm	Plain (no plating)				
875205036	ISO 8752 Slotted Pin, Steel, 5 x 36 mm, Plain	Steel	5 x 36 mm	Plain (no plating)				
8752050361	ISO 8752 Slotted Pin, Steel, 5 x 36 mm, Zinc Plated	Steel	5 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
875205036P1000	ISO 8752 Slotted Pin, Steel, 5 x 36 mm, Plain	Steel	5 x 36 mm	Plain (no plating)				
875205040	ISO 8752 Slotted Pin, Steel, 5 x 40 mm, Plain	Steel	5 x 40 mm	Plain (no plating)				
8752050401	ISO 8752 Slotted Pin, Steel, 5 x 40 mm, Zinc Plated	Steel	5 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
875205040MZB	ISO 8752 Slotted Pin, Steel, 5 x 40 mm, Mech ZPL	Steel	5 x 40 mm	Mechanical Zinc Bright Passivati				
875205040P1000	ISO 8752 Slotted Pin, Steel, 5 x 40 mm, Plain	Steel	5 x 40 mm	Plain (no plating)				
875205040PQ100	ISO 8752 Slotted Pin, Steel, 5 x 40 mm, Plain	Steel	5 x 40 mm	Plain (no plating)				
875205045	ISO 8752 Slotted Pin, Steel, 5 x 45 mm, Plain	Steel	5 x 45 mm	Plain (no plating)				
8752050451	ISO 8752 Slotted Pin, Steel, 5 x 45 mm, Zinc Plated	Steel	5 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
875205050	ISO 8752 Slotted Pin, Steel, 5 x 50 mm, Plain	Steel	5 x 50 mm	Plain (no plating)				
8752050501	ISO 8752 Slotted Pin, Steel, 5 x 50 mm, Zinc Plated	Steel	5 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
875205050P1000	ISO 8752 Slotted Pin, Steel, 5 x 50 mm, Plain	Steel	5 x 50 mm	Plain (no plating)				
875205055	ISO 8752 Slotted Pin, Steel, 5 x 55 mm, Plain	Steel	5 x 55 mm	Plain (no plating)				
875205060	ISO 8752 Slotted Pin, Steel, 5 x 60 mm, Plain	Steel	5 x 60 mm	Plain (no plating)				
8752050601	ISO 8752 Slotted Pin, Steel, 5 x 60 mm, Zinc Plated	Steel	5 x 60 mm	Zinc Bright Passivation Fe/Zn P1				
875205065	ISO 8752 Slotted Pin, Steel, 5 x 65 mm, Plain	Steel	5 x 65 mm	Plain (no plating)				
875205070	ISO 8752 Slotted Pin, Steel, 5 x 70 mm, Plain	Steel	5 x 70 mm	Plain (no plating)				
875205075	ISO 8752 Slotted Pin, Steel, 5 x 75 mm, Plain	Steel	5 x 75 mm	Plain (no plating)				
875205080	ISO 8752 Slotted Pin, Steel, 5 x 80 mm, Plain	Steel	5 x 80 mm	Plain (no plating)				
875206008	ISO 8752 Slotted Pin, Steel, 6 x 8 mm, Plain	Steel	6 x 8 mm	Plain (no plating)				
875206010	ISO 8752 Slotted Pin, Steel, 6 x 10 mm, Plain	Steel	6 x 10 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875206012	ISO 8752 Slotted Pin, Steel, 6 x 12 mm, Plain	Steel	6 x 12 mm	Plain (no plating)				
875206014	ISO 8752 Slotted Pin, Steel, 6 x 14 mm, Plain	Steel	6 x 14 mm	Plain (no plating)				
875206016	ISO 8752 Slotted Pin, Steel, 6 x 16 mm, Plain	Steel	6 x 16 mm	Plain (no plating)				
8752060161	ISO 8752 Slotted Pin, Steel, 6 x 16 mm, Zinc Plated	Steel	6 x 16 mm	Zinc Bright Passivation Fe/Zn P1				
875206016P1000	ISO 8752 Slotted Pin, Steel, 6 x 16 mm, Plain	Steel	6 x 16 mm	Plain (no plating)				
875206018	ISO 8752 Slotted Pin, Steel, 6 x 18 mm, Plain	Steel	6 x 18 mm	Plain (no plating)				
875206020	ISO 8752 Slotted Pin, Steel, 6 x 20 mm, Plain	Steel	6 x 20 mm	Plain (no plating)				
8752060201	ISO 8752 Slotted Pin, Steel, 6 x 20 mm, Zinc Plated	Steel	6 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875206020P1000	ISO 8752 Slotted Pin, Steel, 6 x 20 mm, Plain	Steel	6 x 20 mm	Plain (no plating)				
875206022	ISO 8752 Slotted Pin, Steel, 6 x 22 mm, Plain	Steel	6 x 22 mm	Plain (no plating)				
8752060221	ISO 8752 Slotted Pin, Steel, 6 x 22 mm, Zinc Plated	Steel	6 x 22 mm	Zinc Bright Passivation Fe/Zn P1				
875206024	ISO 8752 Slotted Pin, Steel, 6 x 24 mm, Plain	Steel	6 x 24 mm	Plain (no plating)				
8752060241	ISO 8752 Slotted Pin, Steel, 6 x 24 mm, Zinc Plated	Steel	6 x 24 mm	Zinc Bright Passivation Fe/Zn P1				
875206024P1000	ISO 8752 Slotted Pin, Steel, 6 x 24 mm, Plain	Steel	6 x 24 mm	Plain (no plating)				
875206024PQ100	ISO 8752 Slotted Pin, Steel, 6 x 24 mm, Plain	Steel	6 x 24 mm	Plain (no plating)				
875206025	ISO 8752 Slotted Pin, Steel, 6 x 25 mm, Plain	Steel	6 x 25 mm	Plain (no plating)				
875206026	ISO 8752 Slotted Pin, Steel, 6 x 26 mm, Plain	Steel	6 x 26 mm	Plain (no plating)				
8752060261	ISO 8752 Slotted Pin, Steel, 6 x 26 mm, Zinc Plated	Steel	6 x 26 mm	Zinc Bright Passivation Fe/Zn P1				
875206028	ISO 8752 Slotted Pin, Steel, 6 x 28 mm, Plain	Steel	6 x 28 mm	Plain (no plating)				
8752060281	ISO 8752 Slotted Pin, Steel, 6 x 28 mm, Zinc Plated	Steel	6 x 28 mm	Zinc Bright Passivation Fe/Zn P1				
875206030	ISO 8752 Slotted Pin, Steel, 6 x 30 mm, Plain	Steel	6 x 30 mm	Plain (no plating)				
8752060301	ISO 8752 Slotted Pin, Steel, 6 x 30 mm, Zinc Plated	Steel	6 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
875206030P1000	ISO 8752 Slotted Pin, Steel, 6 x 30 mm, Plain	Steel	6 x 30 mm	Plain (no plating)				
875206030PQ100	ISO 8752 Slotted Pin, Steel, 6 x 30 mm, Plain	Steel	6 x 30 mm	Plain (no plating)				
875206032	ISO 8752 Slotted Pin, Steel, 6 x 32 mm, Plain	Steel	6 x 32 mm	Plain (no plating)				
8752060321	ISO 8752 Slotted Pin, Steel, 6 x 32 mm, Zinc Plated	Steel	6 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
875206034	ISO 8752 Slotted Pin, Steel, 6 x 34 mm, Plain	Steel	6 x 34 mm	Plain (no plating)				
8752060341	ISO 8752 Slotted Pin, Steel, 6 x 34 mm, Zinc Plated	Steel	6 x 34 mm	Zinc Bright Passivation Fe/Zn P1				
875206035	ISO 8752 Slotted Pin, Steel, 6 x 35 mm, Plain	Steel	6 x 35 mm	Plain (no plating)				
8752060351	ISO 8752 Slotted Pin, Steel, 6 x 35 mm, Zinc Plated	Steel	6 x 35 mm	Zinc Bright Passivation Fe/Zn P1				
875206036	ISO 8752 Slotted Pin, Steel, 6 x 36 mm, Plain	Steel	6 x 36 mm	Plain (no plating)				
8752060361	ISO 8752 Slotted Pin, Steel, 6 x 36 mm, Zinc Plated	Steel	6 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
875206036P1000	ISO 8752 Slotted Pin, Steel, 6 x 36 mm, Plain	Steel	6 x 36 mm	Plain (no plating)				
875206040	ISO 8752 Slotted Pin, Steel, 6 x 40 mm, Plain	Steel	6 x 40 mm	Plain (no plating)				
8752060401	ISO 8752 Slotted Pin, Steel, 6 x 40 mm, Zinc Plated	Steel	6 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
8752060401SST200	ISO 8752 Slotted Pin, Steel, 6 x 40 mm, SST 200 h, Zinc Plated	Steel	6 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
875206040P1000	ISO 8752 Slotted Pin, Steel, 6 x 40 mm, Plain	Steel	6 x 40 mm	Plain (no plating)				
875206040PQ25	ISO 8752 Slotted Pin, Steel, 6 x 40 mm, Plain	Steel	6 x 40 mm	Plain (no plating)				
875206045	ISO 8752 Slotted Pin, Steel, 6 x 45 mm, Plain	Steel	6 x 45 mm	Plain (no plating)				
8752060451	ISO 8752 Slotted Pin, Steel, 6 x 45 mm, Zinc Plated	Steel	6 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
875206050	ISO 8752 Slotted Pin, Steel, 6 x 50 mm, Plain	Steel	6 x 50 mm	Plain (no plating)				
8752060501	ISO 8752 Slotted Pin, Steel, 6 x 50 mm, Zinc Plated	Steel	6 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
875206050P1000	ISO 8752 Slotted Pin, Steel, 6 x 50 mm, Plain	Steel	6 x 50 mm	Plain (no plating)				
875206055	ISO 8752 Slotted Pin, Steel, 6 x 55 mm, Plain	Steel	6 x 55 mm	Plain (no plating)				
8752060551	ISO 8752 Slotted Pin, Steel, 6 x 55 mm, Zinc Plated	Steel	6 x 55 mm	Zinc Bright Passivation Fe/Zn P1				
875206060	ISO 8752 Slotted Pin, Steel, 6 x 60 mm, Plain	Steel	6 x 60 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875206060P1000	ISO 8752 Slotted Pin, Steel, 6 x 60 mm, Plain	Steel	6 x 60 mm	Plain (no plating)				
875206065	ISO 8752 Slotted Pin, Steel, 6 x 65 mm, Plain	Steel	6 x 65 mm	Plain (no plating)				
8752060651	ISO 8752 Slotted Pin, Steel, 6 x 65 mm, Zinc Plated	Steel	6 x 65 mm	Zinc Bright Passivation Fe/Zn P1				
875206070	ISO 8752 Slotted Pin, Steel, 6 x 70 mm, Plain	Steel	6 x 70 mm	Plain (no plating)				
875206075	ISO 8752 Slotted Pin, Steel, 6 x 75 mm, Plain	Steel	6 x 75 mm	Plain (no plating)				
875206080	ISO 8752 Slotted Pin, Steel, 6 x 80 mm, Plain	Steel	6 x 80 mm	Plain (no plating)				
8752060801	ISO 8752 Slotted Pin, Steel, 6 x 80 mm, Zinc Plated	Steel	6 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
875206085	ISO 8752 Slotted Pin, Steel, 6 x 85 mm, Plain	Steel	6 x 85 mm	Plain (no plating)				
875206090	ISO 8752 Slotted Pin, Steel, 6 x 90 mm, Plain	Steel	6 x 90 mm	Plain (no plating)				
875206095	ISO 8752 Slotted Pin, Steel, 6 x 95 mm, Plain	Steel	6 x 95 mm	Plain (no plating)				
875206100	ISO 8752 Slotted Pin, Steel, 6 x 100 mm, Plain	Steel	6 x 100 mm	Plain (no plating)				
875207010	ISO 8752 Slotted Pin, Steel, 7 x 10 mm, Plain	Steel	7 x 10 mm	Plain (no plating)				
875207016	ISO 8752 Slotted Pin, Steel, 7 x 16 mm, Plain	Steel	7 x 16 mm	Plain (no plating)				
875207020	ISO 8752 Slotted Pin, Steel, 7 x 20 mm, Plain	Steel	7 x 20 mm	Plain (no plating)				
875207025	ISO 8752 Slotted Pin, Steel 420-560 HV, 7 x 25 mm, Plain	Steel 420-560 HV	7 x 25 mm	Plain (no plating)				
875207026	ISO 8752 Slotted Pin, Steel, 7 x 26 mm, Plain	Steel	7 x 26 mm	Plain (no plating)				
875207030	ISO 8752 Slotted Pin, Steel, 7 x 30 mm, Plain	Steel	7 x 30 mm	Plain (no plating)				
875207035	ISO 8752 Slotted Pin, Steel, 7 x 35 mm, Plain	Steel	7 x 35 mm	Plain (no plating)				
875207036	ISO 8752 Slotted Pin, Steel, 7 x 36 mm, Plain	Steel	7 x 36 mm	Plain (no plating)				
875207036P1000	ISO 8752 Slotted Pin, Steel, 7 x 36 mm, Plain	Steel	7 x 36 mm	Plain (no plating)				
875207040	ISO 8752 Slotted Pin, Steel, 7 x 40 mm, Plain	Steel	7 x 40 mm	Plain (no plating)				
8752070453	ISO 8752 Slotted Pin, Steel 420-560 HV, 7 x 45 mm, Zinc Plated	Steel 420-560 HV	7 x 45 mm	Zinc Yellow Passivation Fe/Zn P2				
875207050	ISO 8752 Slotted Pin, Steel, 7 x 50 mm, Plain	Steel	7 x 50 mm	Plain (no plating)				
875207060	ISO 8752 Slotted Pin, Steel, 7 x 60 mm, Plain	Steel	7 x 60 mm	Plain (no plating)				
875207080	ISO 8752 Slotted Pin, Steel, 7 x 80 mm, Plain	Steel	7 x 80 mm	Plain (no plating)				
875207090	ISO 8752 Slotted Pin, Steel, 7 x 90 mm, Plain	Steel	7 x 90 mm	Plain (no plating)				
8752080 2	ISO 8752 Slotted Pin, Steel, 8 x 22 mm, Plain (8752080 2)	Steel	8 x 22 mm	Plain (no plating)				
875208010	ISO 8752 Slotted Pin, Steel, 8 x 10 mm, Plain	Steel	8 x 10 mm	Plain (no plating)				
875208012	ISO 8752 Slotted Pin, Steel, 8 x 12 mm, Plain	Steel	8 x 12 mm	Plain (no plating)				
875208014	ISO 8752 Slotted Pin, Steel, 8 x 14 mm, Plain	Steel	8 x 14 mm	Plain (no plating)				
875208016	ISO 8752 Slotted Pin, Steel, 8 x 16 mm, Plain	Steel	8 x 16 mm	Plain (no plating)				
875208018	ISO 8752 Slotted Pin, Steel, 8 x 18 mm, Plain	Steel	8 x 18 mm	Plain (no plating)				
875208020	ISO 8752 Slotted Pin, Steel, 8 x 20 mm, Plain	Steel	8 x 20 mm	Plain (no plating)				
8752080201	ISO 8752 Slotted Pin, Steel, 8 x 20 mm, Zinc Plated	Steel	8 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875208022	ISO 8752 Slotted Pin, Steel, 8 x 22 mm, Plain	Steel	8 x 22 mm	Plain (no plating)				
875208024	ISO 8752 Slotted Pin, Steel, 8 x 24 mm, Plain	Steel	8 x 24 mm	Plain (no plating)				
8752080241	ISO 8752 Slotted Pin, Steel, 8 x 24 mm, Zinc Plated	Steel	8 x 24 mm	Zinc Bright Passivation Fe/Zn P1				
8752080243	ISO 8752 Slotted Pin, Steel 420-560 HV, 8 x 24 mm, Zinc Plated	Steel 420-560 HV	8 x 24 mm	Zinc Yellow Passivation Fe/Zn P2				
875208026	ISO 8752 Slotted Pin, Steel, 8 x 26 mm, Plain	Steel	8 x 26 mm	Plain (no plating)				
875208028	ISO 8752 Slotted Pin, Steel, 8 x 28 mm, Plain	Steel	8 x 28 mm	Plain (no plating)				
875208030	ISO 8752 Slotted Pin, Steel, 8 x 30 mm, Plain	Steel	8 x 30 mm	Plain (no plating)				
8752080301	ISO 8752 Slotted Pin, Steel, 8 x 30 mm, Zinc Plated	Steel	8 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
875208030P1000	ISO 8752 Slotted Pin, Steel, 8 x 30 mm, Plain	Steel	8 x 30 mm	Plain (no plating)				
875208032	ISO 8752 Slotted Pin, Steel, 8 x 32 mm, Plain	Steel	8 x 32 mm	Plain (no plating)				
8752080321	ISO 8752 Slotted Pin, Steel, 8 x 32 mm, Zinc Plated	Steel	8 x 32 mm	Zinc Bright Passivation Fe/Zn P1				
875208032UTG	ISO 8752 Slotted Pin, Steel, 8 x 32 mm, Plain	Steel	8 x 32 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875208034	ISO 8752 Slotted Pin, Steel, 8 x 34 mm, Plain	Steel	8 x 34 mm	Plain (no plating)				
875208035	ISO 8752 Slotted Pin, Steel, 8 x 35 mm, Plain	Steel	8 x 35 mm	Plain (no plating)				
875208035P1000	ISO 8752 Slotted Pin, Steel, 8 x 35 mm, Plain	Steel	8 x 35 mm	Plain (no plating)				
875208036	ISO 8752 Slotted Pin, Steel, 8 x 36 mm, Plain	Steel	8 x 36 mm	Plain (no plating)				
8752080361	ISO 8752 Slotted Pin, Steel, 8 x 36 mm, Zinc Plated	Steel	8 x 36 mm	Zinc Bright Passivation Fe/Zn P1				
875208040	ISO 8752 Slotted Pin, Steel, 8 x 40 mm, Plain	Steel	8 x 40 mm	Plain (no plating)				
8752080401	ISO 8752 Slotted Pin, Steel, 8 x 40 mm, Zinc Plated	Steel	8 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
875208040P1000	ISO 8752 Slotted Pin, Steel, 8 x 40 mm, Plain	Steel	8 x 40 mm	Plain (no plating)				
875208045	ISO 8752 Slotted Pin, Steel, 8 x 45 mm, Plain	Steel	8 x 45 mm	Plain (no plating)				
8752080451	ISO 8752 Slotted Pin, Steel, 8 x 45 mm, Zinc Plated	Steel	8 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
875208045P1000	ISO 8752 Slotted Pin, Steel, 8 x 45 mm, Plain	Steel	8 x 45 mm	Plain (no plating)				
875208050	ISO 8752 Slotted Pin, Steel, 8 x 50 mm, Plain	Steel	8 x 50 mm	Plain (no plating)				
8752080501	ISO 8752 Slotted Pin, Steel, 8 x 50 mm, Zinc Plated	Steel	8 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
875208050P1000	ISO 8752 Slotted Pin, Steel, 8 x 50 mm, Plain	Steel	8 x 50 mm	Plain (no plating)				
875208050PQ25	ISO 8752 Slotted Pin, Steel, 8 x 50 mm, Plain	Steel	8 x 50 mm	Plain (no plating)				
875208055	ISO 8752 Slotted Pin, Steel, 8 x 55 mm, Plain	Steel	8 x 55 mm	Plain (no plating)				
875208060	ISO 8752 Slotted Pin, Steel, 8 x 60 mm, Plain	Steel	8 x 60 mm	Plain (no plating)				
8752080601	ISO 8752 Slotted Pin, Steel, 8 x 60 mm, Zinc Plated	Steel	8 x 60 mm	Zinc Bright Passivation Fe/Zn P1				
875208060P1000	ISO 8752 Slotted Pin, Steel, 8 x 60 mm, Plain	Steel	8 x 60 mm	Plain (no plating)				
875208065	ISO 8752 Slotted Pin, Steel, 8 x 65 mm, Plain	Steel	8 x 65 mm	Plain (no plating)				
875208070	ISO 8752 Slotted Pin, Steel, 8 x 70 mm, Plain	Steel	8 x 70 mm	Plain (no plating)				
8752080701	ISO 8752 Slotted Pin, Steel, 8 x 70 mm, Zinc Plated	Steel	8 x 70 mm	Zinc Bright Passivation Fe/Zn P1				
875208075	ISO 8752 Slotted Pin, Steel, 8 x 75 mm, Plain	Steel	8 x 75 mm	Plain (no plating)				
875208080	ISO 8752 Slotted Pin, Steel, 8 x 80 mm, Plain	Steel	8 x 80 mm	Plain (no plating)				
875208080P1000	ISO 8752 Slotted Pin, Steel, 8 x 80 mm, Plain	Steel	8 x 80 mm	Plain (no plating)				
875208085	ISO 8752 Slotted Pin, Steel, 8 x 85 mm, Plain	Steel	8 x 85 mm	Plain (no plating)				
875208090	ISO 8752 Slotted Pin, Steel, 8 x 90 mm, Plain	Steel	8 x 90 mm	Plain (no plating)				
875208100	ISO 8752 Slotted Pin, Steel, 8 x 100 mm, Plain	Steel	8 x 100 mm	Plain (no plating)				
875208120	ISO 8752 Slotted Pin, Steel, 8 x 120 mm, Plain	Steel	8 x 120 mm	Plain (no plating)				
875209018	ISO 8752 Slotted Pin, Steel, 9 x 18 mm, Plain	Steel	9 x 18 mm	Plain (no plating)				
875209020	ISO 8752 Slotted Pin, Steel, 9 x 20 mm, Plain	Steel	9 x 20 mm	Plain (no plating)				
875209022	ISO 8752 Slotted Pin, Steel, 9 x 22 mm, Plain	Steel	9 x 22 mm	Plain (no plating)				
875209026	ISO 8752 Slotted Pin, Steel, 9 x 26 mm, Plain	Steel	9 x 26 mm	Plain (no plating)				
875209028	ISO 8752 Slotted Pin, Steel, 9 x 28 mm, Plain	Steel	9 x 28 mm	Plain (no plating)				
875209032	ISO 8752 Slotted Pin, Steel, 9 x 32 mm, Plain	Steel	9 x 32 mm	Plain (no plating)				
875209040	ISO 8752 Slotted Pin, Steel, 9 x 40 mm, Plain	Steel	9 x 40 mm	Plain (no plating)				
875209050	ISO 8752 Slotted Pin, Steel, 9 x 50 mm, Plain	Steel	9 x 50 mm	Plain (no plating)				
875209060	ISO 8752 Slotted Pin, Steel, 9 x 60 mm, Plain	Steel	9 x 60 mm	Plain (no plating)				
875209065	ISO 8752 Slotted Pin, Steel, 9 x 65 mm, Plain	Steel	9 x 65 mm	Plain (no plating)				
875209070	ISO 8752 Slotted Pin, Steel, 9 x 70 mm, Plain	Steel	9 x 70 mm	Plain (no plating)				
875209090	ISO 8752 Slotted Pin, Steel, 9 x 90 mm, Plain	Steel	9 x 90 mm	Plain (no plating)				
875210010	ISO 8752 Slotted Pin, Steel, 10 x 10 mm, Plain	Steel	10 x 10 mm	Plain (no plating)				
875210012	ISO 8752 Slotted Pin, Steel, 10 x 12 mm, Plain	Steel	10 x 12 mm	Plain (no plating)				
875210014	ISO 8752 Slotted Pin, Steel, 10 x 14 mm, Plain	Steel	10 x 14 mm	Plain (no plating)				
875210016	ISO 8752 Slotted Pin, Steel, 10 x 16 mm, Plain	Steel	10 x 16 mm	Plain (no plating)				
875210018	ISO 8752 Slotted Pin, Steel, 10 x 18 mm, Plain	Steel	10 x 18 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875210018CH	ISO 8752 Slotted Pin, Steel, 10 x 18 mm, Chamfer, Plain	Steel	10 x 18 mm	Plain (no plating)				
875210020	ISO 8752 Slotted Pin, Steel, 10 x 20 mm, Plain	Steel	10 x 20 mm	Plain (no plating)				
875210022	ISO 8752 Slotted Pin, Steel, 10 x 22 mm, Plain	Steel	10 x 22 mm	Plain (no plating)				
875210024	ISO 8752 Slotted Pin, Steel, 10 x 24 mm, Plain	Steel	10 x 24 mm	Plain (no plating)				
875210026	ISO 8752 Slotted Pin, Steel, 10 x 26 mm, Plain	Steel	10 x 26 mm	Plain (no plating)				
8752100261	ISO 8752 Slotted Pin, Steel, 10 x 26 mm, Zinc Plated	Steel	10 x 26 mm	Zinc Bright Passivation Fe/Zn P1				
875210028	ISO 8752 Slotted Pin, Steel, 10 x 28 mm, Plain	Steel	10 x 28 mm	Plain (no plating)				
875210030	ISO 8752 Slotted Pin, Steel, 10 x 30 mm, Plain	Steel	10 x 30 mm	Plain (no plating)				
875210030P1000	ISO 8752 Slotted Pin, Steel, 10 x 30 mm, Plain	Steel	10 x 30 mm	Plain (no plating)				
875210030PQ100	ISO 8752 Slotted Pin, Steel, 10 x 30 mm, Plain	Steel	10 x 30 mm	Plain (no plating)				
875210030XY	ISO 8752 Slotted Pin, Steel, 10 x 30 mm, Plain	Steel	10 x 30 mm	Plain (no plating)				
875210032	ISO 8752 Slotted Pin, Steel, 10 x 32 mm, Plain	Steel	10 x 32 mm	Plain (no plating)				
875210035	ISO 8752 Slotted Pin, Steel, 10 x 35 mm, Plain	Steel	10 x 35 mm	Plain (no plating)				
875210036	ISO 8752 Slotted Pin, Steel, 10 x 36 mm, Plain	Steel	10 x 36 mm	Plain (no plating)				
875210040	ISO 8752 Slotted Pin, Steel, 10 x 40 mm, Plain	Steel	10 x 40 mm	Plain (no plating)				
8752100401	ISO 8752 Slotted Pin, Steel, 10 x 40 mm, Zinc Plated	Steel	10 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
875210040P1000	ISO 8752 Slotted Pin, Steel, 10 x 40 mm, Plain	Steel	10 x 40 mm	Plain (no plating)				
875210045	ISO 8752 Slotted Pin, Steel, 10 x 45 mm, Plain	Steel	10 x 45 mm	Plain (no plating)				
8752100451	ISO 8752 Slotted Pin, Steel, 10 x 45 mm, Zinc Plated	Steel	10 x 45 mm	Zinc Bright Passivation Fe/Zn P1				
875210045P1000	ISO 8752 Slotted Pin, Steel, 10 x 45 mm, Plain	Steel	10 x 45 mm	Plain (no plating)				
875210045PQ10	ISO 8752 Slotted Pin, Steel, 10 x 45 mm, Plain	Steel	10 x 45 mm	Plain (no plating)				
875210050	ISO 8752 Slotted Pin, Steel, 10 x 50 mm, Plain	Steel	10 x 50 mm	Plain (no plating)				
8752100501	ISO 8752 Slotted Pin, Steel, 10 x 50 mm, Zinc Plated	Steel	10 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
8752100507	ISO 8752 Slotted Pin, Steel, 10 x 50 mm, Black Oxide	Steel	10 x 50 mm	Black Oxide				
875210050P1000	ISO 8752 Slotted Pin, Steel, 10 x 50 mm, Plain	Steel	10 x 50 mm	Plain (no plating)				
875210055	ISO 8752 Slotted Pin, Steel, 10 x 55 mm, Plain	Steel	10 x 55 mm	Plain (no plating)				
875210060	ISO 8752 Slotted Pin, Steel, 10 x 60 mm, Plain	Steel	10 x 60 mm	Plain (no plating)				
8752100601	ISO 8752 Slotted Pin, Steel, 10 x 60 mm, Zinc Plated	Steel	10 x 60 mm	Zinc Bright Passivation Fe/Zn P1				
875210060P1000	ISO 8752 Slotted Pin, Steel, 10 x 60 mm, Plain	Steel	10 x 60 mm	Plain (no plating)				
875210065	ISO 8752 Slotted Pin, Steel, 10 x 65 mm, Plain	Steel	10 x 65 mm	Plain (no plating)				
875210070	ISO 8752 Slotted Pin, Steel, 10 x 70 mm, Plain	Steel	10 x 70 mm	Plain (no plating)				
8752100701	ISO 8752 Slotted Pin, Steel, 10 x 70 mm, Zinc Plated	Steel	10 x 70 mm	Zinc Bright Passivation Fe/Zn P1				
875210075	ISO 8752 Slotted Pin, Steel, 10 x 75 mm, Plain	Steel	10 x 75 mm	Plain (no plating)				
875210080	ISO 8752 Slotted Pin, Steel, 10 x 80 mm, Plain	Steel	10 x 80 mm	Plain (no plating)				
8752100801	ISO 8752 Slotted Pin, Steel, 10 x 80 mm, Zinc Plated	Steel	10 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
875210080P1000	ISO 8752 Slotted Pin, Steel, 10 x 80 mm, Plain	Steel	10 x 80 mm	Plain (no plating)				
875210085	ISO 8752 Slotted Pin, Steel, 10 x 85 mm, Plain	Steel	10 x 85 mm	Plain (no plating)				
875210090	ISO 8752 Slotted Pin, Steel, 10 x 90 mm, Plain	Steel	10 x 90 mm	Plain (no plating)				
8752100901	ISO 8752 Slotted Pin, Steel, 10 x 90 mm, Zinc Plated	Steel	10 x 90 mm	Zinc Bright Passivation Fe/Zn P1				
875210095	ISO 8752 Slotted Pin, Steel, 10 x 95 mm, Plain	Steel	10 x 95 mm	Plain (no plating)				
875210100	ISO 8752 Slotted Pin, Steel, 10 x 100 mm, Plain	Steel	10 x 100 mm	Plain (no plating)				
875210120	ISO 8752 Slotted Pin, Steel, 10 x 120 mm, Plain	Steel	10 x 120 mm	Plain (no plating)				
8752101201	ISO 8752 Slotted Pin, Steel, 10 x 120 mm, Zinc Plated	Steel	10 x 120 mm	Zinc Bright Passivation Fe/Zn P1				
875210140	ISO 8752 Slotted Pin, Steel, 10 x 140 mm, Plain	Steel	10 x 140 mm	Plain (no plating)				
875210160	ISO 8752 Slotted Pin, Steel, 10 x 160 mm, Plain	Steel	10 x 160 mm	Plain (no plating)				
875211075	ISO 8752 Slotted Pin, Steel, 11 x 75 mm, Plain	Steel	11 x 75 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875211080	ISO 8752 Slotted Pin, Steel, 11 x 80 mm, Plain	Steel	11 x 80 mm	Plain (no plating)				
875212012	ISO 8752 Slotted Pin, Steel, 12 x 12 mm, Plain	Steel	12 x 12 mm	Plain (no plating)				
875212016	ISO 8752 Slotted Pin, Steel, 12 x 16 mm, Plain	Steel	12 x 16 mm	Plain (no plating)				
875212020	ISO 8752 Slotted Pin, Steel, 12 x 20 mm, Plain	Steel	12 x 20 mm	Plain (no plating)				
8752120201	ISO 8752 Slotted Pin, Steel, 12 x 20 mm, Zinc Plated	Steel	12 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875212022	ISO 8752 Slotted Pin, Steel, 12 x 22 mm, Plain	Steel	12 x 22 mm	Plain (no plating)				
875212024	ISO 8752 Slotted Pin, Steel, 12 x 24 mm, Plain	Steel	12 x 24 mm	Plain (no plating)				
8752120241	ISO 8752 Slotted Pin, Steel, 12 x 24 mm, Zinc Plated	Steel	12 x 24 mm	Zinc Bright Passivation Fe/Zn P1				
875212026	ISO 8752 Slotted Pin, Steel, 12 x 26 mm, Plain	Steel	12 x 26 mm	Plain (no plating)				
875212028	ISO 8752 Slotted Pin, Steel, 12 x 28 mm, Plain	Steel	12 x 28 mm	Plain (no plating)				
875212030	ISO 8752 Slotted Pin, Steel, 12 x 30 mm, Plain	Steel	12 x 30 mm	Plain (no plating)				
8752120301	ISO 8752 Slotted Pin, Steel, 12 x 30 mm, Zinc Plated	Steel	12 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
875212030P1000	ISO 8752 Slotted Pin, Steel, 12 x 30 mm, Plain	Steel	12 x 30 mm	Plain (no plating)				
875212030ZN8	ISO 8752 Slotted Pin, Steel, 12 x 30 mm, Zinc Plated (Zn8/Cn/T0)	Steel	12 x 30 mm	ZINC PLATED, 8 MICRON				
875212032	ISO 8752 Slotted Pin, Steel, 12 x 32 mm, Plain	Steel	12 x 32 mm	Plain (no plating)				
875212035	ISO 8752 Slotted Pin, Steel, 12 x 35 mm, Plain	Steel	12 x 35 mm	Plain (no plating)				
875212036	ISO 8752 Slotted Pin, Steel, 12 x 36 mm, Plain	Steel	12 x 36 mm	Plain (no plating)				
875212036P1000	ISO 8752 Slotted Pin, Steel, 12 x 36 mm, Plain	Steel	12 x 36 mm	Plain (no plating)				
875212040	ISO 8752 Slotted Pin, Steel, 12 x 40 mm, Plain	Steel	12 x 40 mm	Plain (no plating)				
8752120401	ISO 8752 Slotted Pin, Steel, 12 x 40 mm, Zinc Plated	Steel	12 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
875212045	ISO 8752 Slotted Pin, Steel, 12 x 45 mm, Plain	Steel	12 x 45 mm	Plain (no plating)				
875212045P1000	ISO 8752 Slotted Pin, Steel, 12 x 45 mm, Plain	Steel	12 x 45 mm	Plain (no plating)				
875212050	ISO 8752 Slotted Pin, Steel, 12 x 50 mm, Plain	Steel	12 x 50 mm	Plain (no plating)				
8752120501	ISO 8752 Slotted Pin, Steel, 12 x 50 mm, Zinc Plated	Steel	12 x 50 mm	Zinc Bright Passivation Fe/Zn P1				
875212050ZN8	ISO 8752 Slotted Pin, Steel, 12 x 50 mm, Zinc Plated (Zn8/Cn/T0)	Steel	12 x 50 mm	ZINC PLATED, 8 MICRON				
875212055	ISO 8752 Slotted Pin, Steel, 12 x 55 mm, Plain	Steel	12 x 55 mm	Plain (no plating)				
875212060	ISO 8752 Slotted Pin, Steel, 12 x 60 mm, Plain	Steel	12 x 60 mm	Plain (no plating)				
8752120601	ISO 8752 Slotted Pin, Steel, 12 x 60 mm, Zinc Plated	Steel	12 x 60 mm	Zinc Bright Passivation Fe/Zn P1				
875212060P1000	ISO 8752 Slotted Pin, Steel, 12 x 60 mm, Plain	Steel	12 x 60 mm	Plain (no plating)				
875212065	ISO 8752 Slotted Pin, Steel, 12 x 65 mm, Plain	Steel	12 x 65 mm	Plain (no plating)				
875212070	ISO 8752 Slotted Pin, Steel, 12 x 70 mm, Plain	Steel	12 x 70 mm	Plain (no plating)				
8752120701	ISO 8752 Slotted Pin, Steel, 12 x 70 mm, Zinc Plated	Steel	12 x 70 mm	Zinc Bright Passivation Fe/Zn P1				
875212075	ISO 8752 Slotted Pin, Steel, 12 x 75 mm, Plain	Steel	12 x 75 mm	Plain (no plating)				
875212075S5595	ISO 8752 Slotted Pin, Steel, 12 x 75 mm, Plain	Steel	12 x 75 mm	Plain (no plating)				
875212080	ISO 8752 Slotted Pin, Steel, 12 x 80 mm, Plain	Steel	12 x 80 mm	Plain (no plating)				
8752120801	ISO 8752 Slotted Pin, Steel, 12 x 80 mm, Zinc Plated	Steel	12 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
875212085	ISO 8752 Slotted Pin, Steel, 12 x 85 mm, Plain	Steel	12 x 85 mm	Plain (no plating)				
875212090	ISO 8752 Slotted Pin, Steel, 12 x 90 mm, Plain	Steel	12 x 90 mm	Plain (no plating)				
875212100	ISO 8752 Slotted Pin, Steel, 12 x 100 mm, Plain	Steel	12 x 100 mm	Plain (no plating)				
875212100P1000	ISO 8752 Slotted Pin, Steel, 12 x 100 mm, Plain	Steel	12 x 100 mm	Plain (no plating)				
875212120	ISO 8752 Slotted Pin, Steel, 12 x 120 mm, Plain	Steel	12 x 120 mm	Plain (no plating)				
875213012	ISO 8752 Slotted Pin, Steel, 13 x 12 mm, Plain	Steel	13 x 12 mm	Plain (no plating)				
875213016	ISO 8752 Slotted Pin, Steel, 13 x 16 mm, Plain	Steel	13 x 16 mm	Plain (no plating)				
8752130181	ISO 8752 Slotted Pin, Steel, 13 x 18 mm, Zinc Plated	Steel	13 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
8752130201	ISO 8752 Slotted Pin, Steel, 13 x 20 mm, Zinc Plated	Steel	13 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875213026	ISO 8752 Slotted Pin, Steel, 13 x 26 mm, Plain	Steel	13 x 26 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875213028	ISO 8752 Slotted Pin, Steel, 13 x 28 mm, Plain	Steel	13 x 28 mm	Plain (no plating)				
875213030	ISO 8752 Slotted Pin, Steel, 13 x 30 mm, Plain	Steel	13 x 30 mm	Plain (no plating)				
875213036	ISO 8752 Slotted Pin, Steel, 13 x 36 mm, Plain	Steel	13 x 36 mm	Plain (no plating)				
875213050	ISO 8752 Slotted Pin, Steel, 13 x 50 mm, Plain	Steel	13 x 50 mm	Plain (no plating)				
875213060	ISO 8752 Slotted Pin, Steel, 13 x 60 mm, Plain	Steel	13 x 60 mm	Plain (no plating)				
8752130601	ISO 8752 Slotted Pin, Steel, 13 x 60 mm, Zinc Plated	Steel	13 x 60 mm	Zinc Bright Passivation Fe/Zn P1				
875213065	ISO 8752 Slotted Pin, Steel, 13 x 65 mm, Plain	Steel	13 x 65 mm	Plain (no plating)				
875213070	ISO 8752 Slotted Pin, Steel, 13 x 70 mm, Plain	Steel	13 x 70 mm	Plain (no plating)				
875213080	ISO 8752 Slotted Pin, Steel, 13 x 80 mm, Plain	Steel	13 x 80 mm	Plain (no plating)				
875213100	ISO 8752 Slotted Pin, Steel, 13 x 100 mm, Plain	Steel	13 x 100 mm	Plain (no plating)				
875213120	ISO 8752 Slotted Pin, Steel, 13 x 120 mm, Plain	Steel	13 x 120 mm	Plain (no plating)				
875213160	ISO 8752 Slotted Pin, Steel, 13 x 160 mm, Plain	Steel	13 x 160 mm	Plain (no plating)				
875213180	ISO 8752 Slotted Pin, Steel, 13 x 180 mm, Plain	Steel	13 x 180 mm	Plain (no plating)				
875214012	ISO 8752 Slotted Pin, Steel, 14 x 12 mm, Plain	Steel	14 x 12 mm	Plain (no plating)				
875214014	ISO 8752 Slotted Pin, Steel, 14 x 14 mm, Plain	Steel	14 x 14 mm	Plain (no plating)				
875214018	ISO 8752 Slotted Pin, Steel, 14 x 18 mm, Plain	Steel	14 x 18 mm	Plain (no plating)				
8752140181	ISO 8752 Slotted Pin, Steel, 14 x 18 mm, Zinc Plated	Steel	14 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
875214024	ISO 8752 Slotted Pin, Steel, 14 x 24 mm, Plain	Steel	14 x 24 mm	Plain (no plating)				
875214026	ISO 8752 Slotted Pin, Steel, 14 x 26 mm, Plain	Steel	14 x 26 mm	Plain (no plating)				
875214030	ISO 8752 Slotted Pin, Steel, 14 x 30 mm, Plain	Steel	14 x 30 mm	Plain (no plating)				
8752140301	ISO 8752 Slotted Pin, Steel, 14 x 30 mm, Zinc Plated	Steel	14 x 30 mm	Zinc Bright Passivation Fe/Zn P1				
875214040	ISO 8752 Slotted Pin, Steel, 14 x 40 mm, Plain	Steel	14 x 40 mm	Plain (no plating)				
875214045	ISO 8752 Slotted Pin, Steel, 14 x 45 mm, Plain	Steel	14 x 45 mm	Plain (no plating)				
875214050	ISO 8752 Slotted Pin, Steel, 14 x 50 mm, Plain	Steel	14 x 50 mm	Plain (no plating)				
875214055	ISO 8752 Slotted Pin, Steel, 14 x 55 mm, Plain	Steel	14 x 55 mm	Plain (no plating)				
875214060	ISO 8752 Slotted Pin, Steel, 14 x 60 mm, Plain	Steel	14 x 60 mm	Plain (no plating)				
8752140601	ISO 8752 Slotted Pin, Steel, 14 x 60 mm, Zinc Plated	Steel	14 x 60 mm	Zinc Bright Passivation Fe/Zn P1				
875214065	ISO 8752 Slotted Pin, Steel, 14 x 65 mm, Plain	Steel	14 x 65 mm	Plain (no plating)				
8752140651	ISO 8752 Slotted Pin, Steel, 14 x 65 mm, Zinc Plated	Steel	14 x 65 mm	Zinc Bright Passivation Fe/Zn P1				
875214070	ISO 8752 Slotted Pin, Steel, 14 x 70 mm, Plain	Steel	14 x 70 mm	Plain (no plating)				
875214080	ISO 8752 Slotted Pin, Steel, 14 x 80 mm, Plain	Steel	14 x 80 mm	Plain (no plating)				
875214100	ISO 8752 Slotted Pin, Steel, 14 x 100 mm, Plain	Steel	14 x 100 mm	Plain (no plating)				
875214120	ISO 8752 Slotted Pin, Steel, 14 x 120 mm, Plain	Steel	14 x 120 mm	Plain (no plating)				
875216014	ISO 8752 Slotted Pin, Steel, 16 x 14 mm, Plain	Steel	16 x 14 mm	Plain (no plating)				
875216024	ISO 8752 Slotted Pin, Steel, 16 x 24 mm, Plain	Steel	16 x 24 mm	Plain (no plating)				
875216026	ISO 8752 Slotted Pin, Steel, 16 x 26 mm, Plain	Steel	16 x 26 mm	Plain (no plating)				
875216028	ISO 8752 Slotted Pin, Steel, 16 x 28 mm, Plain	Steel	16 x 28 mm	Plain (no plating)				
875216030	ISO 8752 Slotted Pin, Steel, 16 x 30 mm, Plain	Steel	16 x 30 mm	Plain (no plating)				
875216030CH	ISO 8752 Slotted Pin, Steel, 16 x 30 mm, Chamfer, Plain	Steel	16 x 30 mm	Plain (no plating)				
875216032	ISO 8752 Slotted Pin, Steel, 16 x 32 mm, Plain	Steel	16 x 32 mm	Plain (no plating)				
875216036	ISO 8752 Slotted Pin, Steel, 16 x 36 mm, Plain	Steel	16 x 36 mm	Plain (no plating)				
875216040	ISO 8752 Slotted Pin, Steel, 16 x 40 mm, Plain	Steel	16 x 40 mm	Plain (no plating)				
8752160401	ISO 8752 Slotted Pin, Steel, 16 x 40 mm, Zinc Plated	Steel	16 x 40 mm	Zinc Bright Passivation Fe/Zn P1				
875216040P1000	ISO 8752 Slotted Pin, Steel, 16 x 40 mm, Plain	Steel	16 x 40 mm	Plain (no plating)				
875216045	ISO 8752 Slotted Pin, Steel, 16 x 45 mm, Plain	Steel	16 x 45 mm	Plain (no plating)				
875216050	ISO 8752 Slotted Pin, Steel, 16 x 50 mm, Plain	Steel	16 x 50 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875216055	ISO 8752 Slotted Pin, Steel, 16 x 55 mm, Plain	Steel	16 x 55 mm	Plain (no plating)				
875216060	ISO 8752 Slotted Pin, Steel, 16 x 60 mm, Plain	Steel	16 x 60 mm	Plain (no plating)				
8752160601	ISO 8752 Slotted Pin, Steel, 16 x 60 mm, Zinc Plated	Steel	16 x 60 mm	Zinc Bright Passivation Fe/Zn P1				
875216065	ISO 8752 Slotted Pin, Steel, 16 x 65 mm, Plain	Steel	16 x 65 mm	Plain (no plating)				
875216070	ISO 8752 Slotted Pin, Steel, 16 x 70 mm, Plain	Steel	16 x 70 mm	Plain (no plating)				
8752160701	ISO 8752 Slotted Pin, Steel, 16 x 70 mm, Zinc Plated	Steel	16 x 70 mm	Zinc Bright Passivation Fe/Zn P1				
875216080	ISO 8752 Slotted Pin, Steel, 16 x 80 mm, Plain	Steel	16 x 80 mm	Plain (no plating)				
8752160801	ISO 8752 Slotted Pin, Steel, 16 x 80 mm, Zinc Plated	Steel	16 x 80 mm	Zinc Bright Passivation Fe/Zn P1				
875216090	ISO 8752 Slotted Pin, Steel, 16 x 90 mm, Plain	Steel	16 x 90 mm	Plain (no plating)				
875216100	ISO 8752 Slotted Pin, Steel, 16 x 100 mm, Plain	Steel	16 x 100 mm	Plain (no plating)				
875216120	ISO 8752 Slotted Pin, Steel, 16 x 120 mm, Plain	Steel	16 x 120 mm	Plain (no plating)				
875216140	ISO 8752 Slotted Pin, Steel, 16 x 140 mm, Plain	Steel	16 x 140 mm	Plain (no plating)				
8752180201	ISO 8752 Slotted Pin, Steel, 18 x 20 mm, Zinc Plated	Steel	18 x 20 mm	Zinc Bright Passivation Fe/Zn P1				
875218022	ISO 8752 Slotted Pin, Steel, 18 x 22 mm, Plain	Steel	18 x 22 mm	Plain (no plating)				
875218024	ISO 8752 Slotted Pin, Steel, 18 x 24 mm, Plain	Steel	18 x 24 mm	Plain (no plating)				
875218026	ISO 8752 Slotted Pin, Steel, 18 x 26 mm, Plain	Steel	18 x 26 mm	Plain (no plating)				
875218028	ISO 8752 Slotted Pin, Steel, 18 x 28 mm, Plain	Steel	18 x 28 mm	Plain (no plating)				
875218030	ISO 8752 Slotted Pin, Steel, 18 x 30 mm, Plain	Steel	18 x 30 mm	Plain (no plating)				
875218032	ISO 8752 Slotted Pin, Steel, 18 x 32 mm, Plain	Steel	18 x 32 mm	Plain (no plating)				
875218035	ISO 8752 Slotted Pin, Steel, 18 x 35 mm, Plain	Steel	18 x 35 mm	Plain (no plating)				
875218040	ISO 8752 Slotted Pin, Steel, 18 x 40 mm, Plain	Steel	18 x 40 mm	Plain (no plating)				
875218050	ISO 8752 Slotted Pin, Steel, 18 x 50 mm, Plain	Steel	18 x 50 mm	Plain (no plating)				
875218065	ISO 8752 Slotted Pin, Steel, 18 x 65 mm, Plain	Steel	18 x 65 mm	Plain (no plating)				
875218070	ISO 8752 Slotted Pin, Steel, 18 x 70 mm, Plain	Steel	18 x 70 mm	Plain (no plating)				
875218100	ISO 8752 Slotted Pin, Steel, 18 x 100 mm, Plain	Steel	18 x 100 mm	Plain (no plating)				
875220016	ISO 8752 Slotted Pin, Steel, 20 x 16 mm, Plain	Steel	20 x 16 mm	Plain (no plating)				
8752200181	ISO 8752 Slotted Pin, Steel, 20 x 18 mm, Zinc Plated	Steel	20 x 18 mm	Zinc Bright Passivation Fe/Zn P1				
875220024	ISO 8752 Slotted Pin, Steel, 20 x 24 mm, Plain	Steel	20 x 24 mm	Plain (no plating)				
875220026	ISO 8752 Slotted Pin, Steel, 20 x 26 mm, Plain	Steel	20 x 26 mm	Plain (no plating)				
875220030	ISO 8752 Slotted Pin, Steel, 20 x 30 mm, Plain	Steel	20 x 30 mm	Plain (no plating)				
875220032	ISO 8752 Slotted Pin, Steel, 20 x 32 mm, Plain	Steel	20 x 32 mm	Plain (no plating)				
875220036	ISO 8752 Slotted Pin, Steel, 20 x 36 mm, Plain	Steel	20 x 36 mm	Plain (no plating)				
875220040	ISO 8752 Slotted Pin, Steel, 20 x 40 mm, Plain	Steel	20 x 40 mm	Plain (no plating)				
875220050	ISO 8752 Slotted Pin, Steel, 20 x 50 mm, Plain	Steel	20 x 50 mm	Plain (no plating)				
875220055	ISO 8752 Slotted Pin, Steel, 20 x 55 mm, Plain	Steel	20 x 55 mm	Plain (no plating)				
875220060	ISO 8752 Slotted Pin, Steel, 20 x 60 mm, Plain	Steel	20 x 60 mm	Plain (no plating)				
875220065	ISO 8752 Slotted Pin, Steel, 20 x 65 mm, Plain	Steel	20 x 65 mm	Plain (no plating)				
875220070	ISO 8752 Slotted Pin, Steel, 20 x 70 mm, Plain	Steel	20 x 70 mm	Plain (no plating)				
875220075	ISO 8752 Slotted Pin, Steel, 20 x 75 mm, Plain	Steel	20 x 75 mm	Plain (no plating)				
875220080	ISO 8752 Slotted Pin, Steel, 20 x 80 mm, Plain	Steel	20 x 80 mm	Plain (no plating)				
875220085	ISO 8752 Slotted Pin, Steel, 20 x 85 mm, Plain	Steel	20 x 85 mm	Plain (no plating)				
875220090	ISO 8752 Slotted Pin, Steel, 20 x 90 mm, Plain	Steel	20 x 90 mm	Plain (no plating)				
875220100	ISO 8752 Slotted Pin, Steel, 20 x 100 mm, Plain	Steel	20 x 100 mm	Plain (no plating)				
875220100GEO500B	ISO 8752 Slotted Pin, Steel 420-560 HV, 20 x 100 mm, Zinc Flake	Steel 420-560 HV	20 x 100 mm	GEOMET 500B				
875220110	ISO 8752 Slotted Pin, Steel, 20 x 110 mm, Plain	Steel	20 x 110 mm	Plain (no plating)				
875220120	ISO 8752 Slotted Pin, Steel, 20 x 120 mm, Plain	Steel	20 x 120 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875220140	ISO 8752 Slotted Pin, Steel, 20 x 140 mm, Plain	Steel	20 x 140 mm	Plain (no plating)				
875221020	ISO 8752 Slotted Pin, Steel, 21 x 20 mm, Plain	Steel	21 x 20 mm	Plain (no plating)				
875221028	ISO 8752 Slotted Pin, Steel, 21 x 28 mm, Plain	Steel	21 x 28 mm	Plain (no plating)				
875221036	ISO 8752 Slotted Pin, Steel, 21 x 36 mm, Plain	Steel	21 x 36 mm	Plain (no plating)				
875221040	ISO 8752 Slotted Pin, Steel, 21 x 40 mm, Plain	Steel	21 x 40 mm	Plain (no plating)				
875221050	ISO 8752 Slotted Pin, Steel, 21 x 50 mm, Plain	Steel	21 x 50 mm	Plain (no plating)				
875221060	ISO 8752 Slotted Pin, Steel, 21 x 60 mm, Plain	Steel	21 x 60 mm	Plain (no plating)				
875221070	ISO 8752 Slotted Pin, Steel, 21 x 70 mm, Plain	Steel	21 x 70 mm	Plain (no plating)				
875221075	ISO 8752 Slotted Pin, Steel, 21 x 75 mm, Plain	Steel	21 x 75 mm	Plain (no plating)				
875225032	ISO 8752 Slotted Pin, Steel, 25 x 32 mm, Plain	Steel	25 x 32 mm	Plain (no plating)				
875225036	ISO 8752 Slotted Pin, Steel, 25 x 36 mm, Plain	Steel	25 x 36 mm	Plain (no plating)				
875225040	ISO 8752 Slotted Pin, Steel, 25 x 40 mm, Plain	Steel	25 x 40 mm	Plain (no plating)				
875225050	ISO 8752 Slotted Pin, Steel, 25 x 50 mm, Plain	Steel	25 x 50 mm	Plain (no plating)				
875225055	ISO 8752 Slotted Pin, Steel, 25 x 55 mm, Plain	Steel	25 x 55 mm	Plain (no plating)				
875225060	ISO 8752 Slotted Pin, Steel, 25 x 60 mm, Plain	Steel	25 x 60 mm	Plain (no plating)				
875225065	ISO 8752 Slotted Pin, Steel, 25 x 65 mm, Plain	Steel	25 x 65 mm	Plain (no plating)				
875225070	ISO 8752 Slotted Pin, Steel, 25 x 70 mm, Plain	Steel	25 x 70 mm	Plain (no plating)				
875225080	ISO 8752 Slotted Pin, Steel, 25 x 80 mm, Plain	Steel	25 x 80 mm	Plain (no plating)				
875225100	ISO 8752 Slotted Pin, Steel, 25 x 100 mm, Plain	Steel	25 x 100 mm	Plain (no plating)				
875225120	ISO 8752 Slotted Pin, Steel, 25 x 120 mm, Plain	Steel	25 x 120 mm	Plain (no plating)				
875228020	ISO 8752 Slotted Pin, Steel 420-560 HV, 28 x 20 mm, Plain	Steel 420-560 HV	28 x 20 mm	Plain (no plating)				
875228028	ISO 8752 Slotted Pin, Steel, 28 x 28 mm, Plain	Steel	28 x 28 mm	Plain (no plating)				
875228030	ISO 8752 Slotted Pin, Steel, 28 x 30 mm, Plain	Steel	28 x 30 mm	Plain (no plating)				
875228032	ISO 8752 Slotted Pin, Steel, 28 x 32 mm, Plain	Steel	28 x 32 mm	Plain (no plating)				
875228040	ISO 8752 Slotted Pin, Steel, 28 x 40 mm, Plain	Steel	28 x 40 mm	Plain (no plating)				
875228050	ISO 8752 Slotted Pin, Steel, 28 x 50 mm, Plain	Steel	28 x 50 mm	Plain (no plating)				
875228055	ISO 8752 Slotted Pin, Steel, 28 x 55 mm, Plain	Steel	28 x 55 mm	Plain (no plating)				
875228060	ISO 8752 Slotted Pin, Steel, 28 x 60 mm, Plain	Steel	28 x 60 mm	Plain (no plating)				
875228070	ISO 8752 Slotted Pin, Steel, 28 x 70 mm, Plain	Steel	28 x 70 mm	Plain (no plating)				
875228080	ISO 8752 Slotted Pin, Steel, 28 x 80 mm, Plain	Steel	28 x 80 mm	Plain (no plating)				
875228085	ISO 8752 Slotted Pin, Steel, 28 x 85 mm, Plain	Steel	28 x 85 mm	Plain (no plating)				
875230040	ISO 8752 Slotted Pin, Steel, 30 x 40 mm, Plain	Steel	30 x 40 mm	Plain (no plating)				
875230045	ISO 8752 Slotted Pin, Steel, 30 x 45 mm, Plain	Steel	30 x 45 mm	Plain (no plating)				
875230050	ISO 8752 Slotted Pin, Steel, 30 x 50 mm, Plain	Steel	30 x 50 mm	Plain (no plating)				
875230060	ISO 8752 Slotted Pin, Steel, 30 x 60 mm, Plain	Steel	30 x 60 mm	Plain (no plating)				
875230070	ISO 8752 Slotted Pin, Steel, 30 x 70 mm, Plain	Steel	30 x 70 mm	Plain (no plating)				
875230090	ISO 8752 Slotted Pin, Steel, 30 x 90 mm, Plain	Steel	30 x 90 mm	Plain (no plating)				
875230180	ISO 8752 Slotted Pin, Steel, 30 x 180 mm, Plain	Steel	30 x 180 mm	Plain (no plating)				
875232036	ISO 8752 Slotted Pin, Steel, 32 x 36 mm, Plain	Steel	32 x 36 mm	Plain (no plating)				
875232040	ISO 8752 Slotted Pin, Steel, 32 x 40 mm, Plain	Steel	32 x 40 mm	Plain (no plating)				
875232080	ISO 8752 Slotted Pin, Steel, 32 x 80 mm, Plain	Steel	32 x 80 mm	Plain (no plating)				
875235030	ISO 8752 Slotted Pin, Steel, 35 x 30 mm, Plain	Steel	35 x 30 mm	Plain (no plating)				
875235050	ISO 8752 Slotted Pin, Steel, 35 x 50 mm, Plain	Steel	35 x 50 mm	Plain (no plating)				
875235060	ISO 8752 Slotted Pin, Steel, 35 x 60 mm, Plain	Steel	35 x 60 mm	Plain (no plating)				
875235070	ISO 8752 Slotted Pin, Steel, 35 x 70 mm, Plain	Steel	35 x 70 mm	Plain (no plating)				
875235080	ISO 8752 Slotted Pin, Steel, 35 x 80 mm, Plain	Steel	35 x 80 mm	Plain (no plating)				

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
875235120	ISO 8752 Slotted Pin, Steel, 35 x 120 mm, Plain	Steel	35 x 120 mm	Plain (no plating)				
875240050	ISO 8752 Slotted Pin, Steel, 40 x 50 mm, Plain	Steel	40 x 50 mm	Plain (no plating)				
8752400651	ISO 8752 Slotted Pin, Steel, 40 x 65 mm, Zinc Plated	Steel	40 x 65 mm	Zinc Bright Passivation Fe/Zn P1				
875240090	ISO 8752 Slotted Pin, Steel, 40 x 90 mm, Plain	Steel	40 x 90 mm	Plain (no plating)				
875240095	ISO 8752 Slotted Pin, Steel, 40 x 95 mm, Plain	Steel	40 x 95 mm	Plain (no plating)				
875240100	ISO 8752 Slotted Pin, Steel, 40 x 100 mm, Plain	Steel	40 x 100 mm	Plain (no plating)				
875240120	ISO 8752 Slotted Pin, Steel, 40 x 120 mm, Plain	Steel	40 x 120 mm	Plain (no plating)				
875245080	ISO 8752 Slotted Pin, Steel, 45 x 80 mm, Plain	Steel	45 x 80 mm	Plain (no plating)				
875245090	ISO 8752 Slotted Pin, Steel, 45 x 90 mm, Plain	Steel	45 x 90 mm	Plain (no plating)				
875250035	ISO 8752 Slotted Pin, Steel, 50 x 35 mm, Plain	Steel	50 x 35 mm	Plain (no plating)				
875250045	ISO 8752 Slotted Pin, Steel, 50 x 45 mm, Plain	Steel	50 x 45 mm	Plain (no plating)				
875250070	ISO 8752 Slotted Pin, Steel, 50 x 70 mm, Plain	Steel	50 x 70 mm	Plain (no plating)				
875250120	ISO 8752 Slotted Pin, Steel, 50 x 120 mm, Plain	Steel	50 x 120 mm	Plain (no plating)				
875250160	ISO 8752 Slotted Pin, Steel, 50 x 160 mm, Plain	Steel	50 x 160 mm	Plain (no plating)				
8752A02007	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 7 mm	Stainless AISI 301/EN 1.4310	2 x 7 mm	Plain (no plating)				
8752A1015004	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 4 mm	Stainless AISI 301/EN 1.4310	1.5 x 4 mm	Plain (no plating)				
8752A1015006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 6 mm	Stainless AISI 301/EN 1.4310	1.5 x 6 mm	Plain (no plating)				
8752A1015008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 8 mm	Stainless AISI 301/EN 1.4310	1.5 x 8 mm	Plain (no plating)				
8752A1015012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 12 mm	Stainless AISI 301/EN 1.4310	1.5 x 12 mm	Plain (no plating)				
8752A1015016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 16 mm	Stainless AISI 301/EN 1.4310	1.5 x 16 mm	Plain (no plating)				
8752A1015018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 18 mm	Stainless AISI 301/EN 1.4310	1.5 x 18 mm	Plain (no plating)				
8752A102004	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 4 mm	Stainless AISI 301/EN 1.4310	2 x 4 mm	Plain (no plating)				
8752A102006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 6 mm	Stainless AISI 301/EN 1.4310	2 x 6 mm	Plain (no plating)				
8752A102008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 8 mm	Stainless AISI 301/EN 1.4310	2 x 8 mm	Plain (no plating)				
8752A102010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 10 mm	Stainless AISI 301/EN 1.4310	2 x 10 mm	Plain (no plating)				
8752A102012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 12 mm	Stainless AISI 301/EN 1.4310	2 x 12 mm	Plain (no plating)				
8752A102014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 14 mm	Stainless AISI 301/EN 1.4310	2 x 14 mm	Plain (no plating)				
8752A102016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 16 mm	Stainless AISI 301/EN 1.4310	2 x 16 mm	Plain (no plating)				
8752A1025008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 8 mm	Stainless AISI 301/EN 1.4310	2.5 x 8 mm	Plain (no plating)				
8752A1025012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 12 mm	Stainless AISI 301/EN 1.4310	2.5 x 12 mm	Plain (no plating)				
8752A1025030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 30 mm	Stainless AISI 301/EN 1.4310	2.5 x 30 mm	Plain (no plating)				
8752A103006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 6 mm	Stainless AISI 301/EN 1.4310	3 x 6 mm	Plain (no plating)				
8752A103008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 8 mm	Stainless AISI 301/EN 1.4310	3 x 8 mm	Plain (no plating)				
8752A103010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 10 mm	Stainless AISI 301/EN 1.4310	3 x 10 mm	Plain (no plating)				
8752A103014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 14 mm	Stainless AISI 301/EN 1.4310	3 x 14 mm	Plain (no plating)				
8752A103016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 16 mm	Stainless AISI 301/EN 1.4310	3 x 16 mm	Plain (no plating)				
8752A103018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 18 mm	Stainless AISI 301/EN 1.4310	3 x 18 mm	Plain (no plating)				
8752A103020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 20 mm	Stainless AISI 301/EN 1.4310	3 x 20 mm	Plain (no plating)				
8752A103024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 24 mm	Stainless AISI 301/EN 1.4310	3 x 24 mm	Plain (no plating)				
8752A103026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 26 mm	Stainless AISI 301/EN 1.4310	3 x 26 mm	Plain (no plating)				
8752A103028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 28 mm	Stainless AISI 301/EN 1.4310	3 x 28 mm	Plain (no plating)				
8752A103030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 30 mm	Stainless AISI 301/EN 1.4310	3 x 30 mm	Plain (no plating)				
8752A103032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 32 mm	Stainless AISI 301/EN 1.4310	3 x 32 mm	Plain (no plating)				
8752A103036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 36 mm	Stainless AISI 301/EN 1.4310	3 x 36 mm	Plain (no plating)				
8752A104006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 6 mm	Stainless AISI 301/EN 1.4310	4 x 6 mm	Plain (no plating)				
8752A104012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x							

12 mm

Stainless AISI 301/EN 1.4310 4 x 12 mm Plain (no plating)

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752A104014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 14 mm	Stainless AISI 301/EN 1.4310	4 x 14 mm	Plain (no plating)				
8752A104016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 16 mm	Stainless AISI 301/EN 1.4310	4 x 16 mm	Plain (no plating)				
8752A104022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 22 mm	Stainless AISI 301/EN 1.4310	4 x 22 mm	Plain (no plating)				
8752A104024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 24 mm	Stainless AISI 301/EN 1.4310	4 x 24 mm	Plain (no plating)				
8752A104026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 26 mm	Stainless AISI 301/EN 1.4310	4 x 26 mm	Plain (no plating)				
8752A104028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 28 mm	Stainless AISI 301/EN 1.4310	4 x 28 mm	Plain (no plating)				
8752A104030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 30 mm	Stainless AISI 301/EN 1.4310	4 x 30 mm	Plain (no plating)				
8752A104032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 32 mm	Stainless AISI 301/EN 1.4310	4 x 32 mm	Plain (no plating)				
8752A104040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 40 mm	Stainless AISI 301/EN 1.4310	4 x 40 mm	Plain (no plating)				
8752A104050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 50 mm	Stainless AISI 301/EN 1.4310	4 x 50 mm	Plain (no plating)				
8752A1045018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 18 mm	Stainless AISI 301/EN 1.4310	4.5 x 18 mm	Plain (no plating)				
8752A1045026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 26 mm	Stainless AISI 301/EN 1.4310	4.5 x 26 mm	Plain (no plating)				
8752A105006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 6 mm	Stainless AISI 301/EN 1.4310	5 x 6 mm	Plain (no plating)				
8752A105012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 12 mm	Stainless AISI 301/EN 1.4310	5 x 12 mm	Plain (no plating)				
8752A105014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 14 mm	Stainless AISI 301/EN 1.4310	5 x 14 mm	Plain (no plating)				
8752A105016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 16 mm	Stainless AISI 301/EN 1.4310	5 x 16 mm	Plain (no plating)				
8752A105022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 22 mm	Stainless AISI 301/EN 1.4310	5 x 22 mm	Plain (no plating)				
8752A105024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 24 mm	Stainless AISI 301/EN 1.4310	5 x 24 mm	Plain (no plating)				
8752A105026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 26 mm	Stainless AISI 301/EN 1.4310	5 x 26 mm	Plain (no plating)				
8752A105028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 28 mm	Stainless AISI 301/EN 1.4310	5 x 28 mm	Plain (no plating)				
8752A105030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 30 mm	Stainless AISI 301/EN 1.4310	5 x 30 mm	Plain (no plating)				
8752A105036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 36 mm	Stainless AISI 301/EN 1.4310	5 x 36 mm	Plain (no plating)				
8752A105045	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 45 mm	Stainless AISI 301/EN 1.4310	5 x 45 mm	Plain (no plating)				
8752A106018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 18 mm	Stainless AISI 301/EN 1.4310	6 x 18 mm	Plain (no plating)				
8752A106024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 24 mm	Stainless AISI 301/EN 1.4310	6 x 24 mm	Plain (no plating)				
8752A106036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 36 mm	Stainless AISI 301/EN 1.4310	6 x 36 mm	Plain (no plating)				
8752A106040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 40 mm	Stainless AISI 301/EN 1.4310	6 x 40 mm	Plain (no plating)				
8752A108016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 16 mm	Stainless AISI 301/EN 1.4310	8 x 16 mm	Plain (no plating)				
8752A108030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 30 mm	Stainless AISI 301/EN 1.4310	8 x 30 mm	Plain (no plating)				
8752A108040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 40 mm	Stainless AISI 301/EN 1.4310	8 x 40 mm	Plain (no plating)				
8752A108050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 50 mm	Stainless AISI 301/EN 1.4310	8 x 50 mm	Plain (no plating)				
8752A110026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 26 mm	Stainless AISI 301/EN 1.4310	10 x 26 mm	Plain (no plating)				
8752A110032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 32 mm	Stainless AISI 301/EN 1.4310	10 x 32 mm	Plain (no plating)				
8752A110036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 36 mm	Stainless AISI 301/EN 1.4310	10 x 36 mm	Plain (no plating)				
8752A114030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 14 x 30 mm	Stainless AISI 301/EN 1.4310	14 x 30 mm	Plain (no plating)				
8752A201004	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1 x 4 mm	Stainless AISI 301/EN 1.4310	1 x 4 mm	Plain (no plating)				
8752A201006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1 x 6 mm	Stainless AISI 301/EN 1.4310	1 x 6 mm	Plain (no plating)				
8752A201008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1 x 8 mm	Stainless AISI 301/EN 1.4310	1 x 8 mm	Plain (no plating)				
8752A201016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1 x 16 mm	Stainless AISI 301/EN 1.4310	1 x 16 mm	Plain (no plating)				
8752A201020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1 x 20 mm	Stainless AISI 301/EN 1.4310	1 x 20 mm	Plain (no plating)				
8752A2015004	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 4 mm	Stainless AISI 301/EN 1.4310	1.5 x 4 mm	Plain (no plating)				
8752A2015005	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 5 mm	Stainless AISI 301/EN 1.4310	1.5 x 5 mm	Plain (no plating)				
8752A2015006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 6 mm	Stainless AISI 301/EN 1.4310	1.5 x 6 mm	Plain (no plating)				
8752A2015008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 8 mm	Stainless AISI 301/EN 1.4310	1.5 x 8 mm	Plain (no plating)				
8752A2015010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 10 mm	Stainless AISI 301/EN 1.4310	1.5 x 10 mm	Plain (no plating)				
8752A2015012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x							

12 mm

Stainless AISI 301/EN 1.4310	1.5 x 12 mm	Plain (no plating)

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752A2015014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 14 mm	Stainless AISI 301/EN 1.4310	1.5 x 14 mm	Plain (no plating)				
8752A2015016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 16 mm	Stainless AISI 301/EN 1.4310	1.5 x 16 mm	Plain (no plating)				
8752A2015018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 18 mm	Stainless AISI 301/EN 1.4310	1.5 x 18 mm	Plain (no plating)				
8752A2015020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 1.5 x 20 mm	Stainless AISI 301/EN 1.4310	1.5 x 20 mm	Plain (no plating)				
8752A202004	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 4 mm	Stainless AISI 301/EN 1.4310	2 x 4 mm	Plain (no plating)				
8752A202005	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 5 mm	Stainless AISI 301/EN 1.4310	2 x 5 mm	Plain (no plating)				
8752A202006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 6 mm	Stainless AISI 301/EN 1.4310	2 x 6 mm	Plain (no plating)				
8752A202008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 8 mm	Stainless AISI 301/EN 1.4310	2 x 8 mm	Plain (no plating)				
8752A202010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 10 mm	Stainless AISI 301/EN 1.4310	2 x 10 mm	Plain (no plating)				
8752A202010CZ	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 10 mm-B	Stainless AISI 301/EN 1.4310	2 x 10 mm	Black Oxide				
8752A202012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 12 mm	Stainless AISI 301/EN 1.4310	2 x 12 mm	Plain (no plating)				
8752A202014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 14 mm	Stainless AISI 301/EN 1.4310	2 x 14 mm	Plain (no plating)				
8752A202016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 16 mm	Stainless AISI 301/EN 1.4310	2 x 16 mm	Plain (no plating)				
8752A202018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 18 mm	Stainless AISI 301/EN 1.4310	2 x 18 mm	Plain (no plating)				
8752A202020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 20 mm	Stainless AISI 301/EN 1.4310	2 x 20 mm	Plain (no plating)				
8752A202022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 22 mm	Stainless AISI 301/EN 1.4310	2 x 22 mm	Plain (no plating)				
8752A202024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 24 mm	Stainless AISI 301/EN 1.4310	2 x 24 mm	Plain (no plating)				
8752A202026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 26 mm	Stainless AISI 301/EN 1.4310	2 x 26 mm	Plain (no plating)				
8752A202028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 28 mm	Stainless AISI 301/EN 1.4310	2 x 28 mm	Plain (no plating)				
8752A202030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 30 mm	Stainless AISI 301/EN 1.4310	2 x 30 mm	Plain (no plating)				
8752A2025004	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 4 mm	Stainless AISI 301/EN 1.4310	2.5 x 4 mm	Plain (no plating)				
8752A2025005	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 5 mm	Stainless AISI 301/EN 1.4310	2.5 x 5 mm	Plain (no plating)				
8752A2025006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 6 mm	Stainless AISI 301/EN 1.4310	2.5 x 6 mm	Plain (no plating)				
8752A2025008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 8 mm	Stainless AISI 301/EN 1.4310	2.5 x 8 mm	Plain (no plating)				
8752A20250087	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 8 mm	Stainless AISI 301/EN 1.4310	2.5 x 8 mm	Black Oxide				
8752A2025010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 10 mm	Stainless AISI 301/EN 1.4310	2.5 x 10 mm	Plain (no plating)				
8752A2025012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 12 mm	Stainless AISI 301/EN 1.4310	2.5 x 12 mm	Plain (no plating)				
8752A2025014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 14 mm	Stainless AISI 301/EN 1.4310	2.5 x 14 mm	Plain (no plating)				
8752A2025016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 16 mm	Stainless AISI 301/EN 1.4310	2.5 x 16 mm	Plain (no plating)				
8752A2025018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 18 mm	Stainless AISI 301/EN 1.4310	2.5 x 18 mm	Plain (no plating)				
8752A2025020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 20 mm	Stainless AISI 301/EN 1.4310	2.5 x 20 mm	Plain (no plating)				
8752A2025020CZ	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 20 mm	Stainless AISI 301/EN 1.4310	2.5 x 20 mm	Black Oxide				
8752A2025024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 24 mm	Stainless AISI 301/EN 1.4310	2.5 x 24 mm	Plain (no plating)				
8752A2025026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 26 mm	Stainless AISI 301/EN 1.4310	2.5 x 26 mm	Plain (no plating)				
8752A2025030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 30 mm	Stainless AISI 301/EN 1.4310	2.5 x 30 mm	Plain (no plating)				
8752A202516	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2.5 x 16 mm	Stainless AISI 301/EN 1.4310	2.5 x 16 mm	Plain (no plating)				
8752A203005	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 5 mm	Stainless AISI 301/EN 1.4310	3 x 5 mm	Plain (no plating)				
8752A203006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 6 mm	Stainless AISI 301/EN 1.4310	3 x 6 mm	Plain (no plating)				
8752A203008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 8 mm	Stainless AISI 301/EN 1.4310	3 x 8 mm	Plain (no plating)				
8752A203010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 10 mm	Stainless AISI 301/EN 1.4310	3 x 10 mm	Plain (no plating)				
8752A203012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 12 mm	Stainless AISI 301/EN 1.4310	3 x 12 mm	Plain (no plating)				
8752A203014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 14 mm	Stainless AISI 301/EN 1.4310	3 x 14 mm	Plain (no plating)				
8752A2030147	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 14 mm-B	Stainless AISI 301/EN 1.4310	3 x 14 mm	Black Oxide				
8752A203016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 16 mm	Stainless AISI 301/EN 1.4310	3 x 16 mm	Plain (no plating)				
8752A2030167	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 16 mm-B	Stainless AISI 301/EN 1.4310	3 x 16 mm	Black Oxide				
8752A203018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x							

18 mm

Stainless AISI 301/EN 1.4310	3 x 18 mm	Plain (no plating)

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752A203020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 20 mm	Stainless AISI 301/EN 1.4310	3 x 20 mm	Plain (no plating)				
8752A203022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 22 mm	Stainless AISI 301/EN 1.4310	3 x 22 mm	Plain (no plating)				
8752A203024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 24 mm	Stainless AISI 301/EN 1.4310	3 x 24 mm	Plain (no plating)				
8752A203025	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 25 mm	Stainless AISI 301/EN 1.4310	3 x 25 mm	Plain (no plating)				
8752A203026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 26 mm	Stainless AISI 301/EN 1.4310	3 x 26 mm	Plain (no plating)				
8752A203028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 28 mm	Stainless AISI 301/EN 1.4310	3 x 28 mm	Plain (no plating)				
8752A203030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 30 mm	Stainless AISI 301/EN 1.4310	3 x 30 mm	Plain (no plating)				
8752A203030S316	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 30 mm	Stainless AISI 301/EN 1.4310	3 x 30 mm	Plain (no plating)				
8752A203032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 32 mm	Stainless AISI 301/EN 1.4310	3 x 32 mm	Plain (no plating)				
8752A203036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 36 mm	Stainless AISI 301/EN 1.4310	3 x 36 mm	Plain (no plating)				
8752A203040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 40 mm	Stainless AISI 301/EN 1.4310	3 x 40 mm	Plain (no plating)				
8752A2035008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 8 mm	Stainless AISI 301/EN 1.4310	3.5 x 8 mm	Plain (no plating)				
8752A2035012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 12 mm	Stainless AISI 301/EN 1.4310	3.5 x 12 mm	Plain (no plating)				
8752A2035018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 18 mm	Stainless AISI 301/EN 1.4310	3.5 x 18 mm	Plain (no plating)				
8752A2035020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 20 mm	Stainless AISI 301/EN 1.4310	3.5 x 20 mm	Plain (no plating)				
8752A2035022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 22 mm	Stainless AISI 301/EN 1.4310	3.5 x 22 mm	Plain (no plating)				
8752A2035024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 24 mm	Stainless AISI 301/EN 1.4310	3.5 x 24 mm	Plain (no plating)				
8752A2035030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 30 mm	Stainless AISI 301/EN 1.4310	3.5 x 30 mm	Plain (no plating)				
8752A2035040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3.5 x 40 mm	Stainless AISI 301/EN 1.4310	3.5 x 40 mm	Plain (no plating)				
8752A204005	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 5 mm	Stainless AISI 301/EN 1.4310	4 x 5 mm	Plain (no plating)				
8752A204006	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 6 mm	Stainless AISI 301/EN 1.4310	4 x 6 mm	Plain (no plating)				
8752A204008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 8 mm	Stainless AISI 301/EN 1.4310	4 x 8 mm	Plain (no plating)				
8752A204010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 10 mm	Stainless AISI 301/EN 1.4310	4 x 10 mm	Plain (no plating)				
8752A204012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 12 mm	Stainless AISI 301/EN 1.4310	4 x 12 mm	Plain (no plating)				
8752A204014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 14 mm	Stainless AISI 301/EN 1.4310	4 x 14 mm	Plain (no plating)				
8752A204016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 16 mm	Stainless AISI 301/EN 1.4310	4 x 16 mm	Plain (no plating)				
8752A204018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 18 mm	Stainless AISI 301/EN 1.4310	4 x 18 mm	Plain (no plating)				
8752A204020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 20 mm	Stainless AISI 301/EN 1.4310	4 x 20 mm	Plain (no plating)				
8752A204022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 22 mm	Stainless AISI 301/EN 1.4310	4 x 22 mm	Plain (no plating)				
8752A204024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 24 mm	Stainless AISI 301/EN 1.4310	4 x 24 mm	Plain (no plating)				
8752A204026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 26 mm	Stainless AISI 301/EN 1.4310	4 x 26 mm	Plain (no plating)				
8752A204028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 28 mm	Stainless AISI 301/EN 1.4310	4 x 28 mm	Plain (no plating)				
8752A204030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 30 mm	Stainless AISI 301/EN 1.4310	4 x 30 mm	Plain (no plating)				
8752A204032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 32 mm	Stainless AISI 301/EN 1.4310	4 x 32 mm	Plain (no plating)				
8752A204035	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 35 mm	Stainless AISI 301/EN 1.4310	4 x 35 mm	Plain (no plating)				
8752A204036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 36 mm	Stainless AISI 301/EN 1.4310	4 x 36 mm	Plain (no plating)				
8752A204040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 40 mm	Stainless AISI 301/EN 1.4310	4 x 40 mm	Plain (no plating)				
8752A204045	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 45 mm	Stainless AISI 301/EN 1.4310	4 x 45 mm	Plain (no plating)				
8752A204050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4 x 50 mm	Stainless AISI 301/EN 1.4310	4 x 50 mm	Plain (no plating)				
8752A2045014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 14 mm	Stainless AISI 301/EN 1.4310	4.5 x 14 mm	Plain (no plating)				
8752A2045016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 16 mm	Stainless AISI 301/EN 1.4310	4.5 x 16 mm	Plain (no plating)				
8752A2045020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 20 mm	Stainless AISI 301/EN 1.4310	4.5 x 20 mm	Plain (no plating)				
8752A2045030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 30 mm	Stainless AISI 301/EN 1.4310	4.5 x 30 mm	Plain (no plating)				
8752A2045036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 36 mm	Stainless AISI 301/EN 1.4310	4.5 x 36 mm	Plain (no plating)				
8752A2045040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x 40 mm	Stainless AISI 301/EN 1.4310	4.5 x 40 mm	Plain (no plating)				
8752A2045050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 4.5 x							

50 mm

Stainless AISI 301/EN 1.4310	4.5 x 50 mm	Plain (no plating)

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752A205008	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 8 mm	Stainless AISI 301/EN 1.4310	5 x 8 mm	Plain (no plating)				
8752A205010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 10 mm	Stainless AISI 301/EN 1.4310	5 x 10 mm	Plain (no plating)				
8752A205012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 12 mm	Stainless AISI 301/EN 1.4310	5 x 12 mm	Plain (no plating)				
8752A205014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 14 mm	Stainless AISI 301/EN 1.4310	5 x 14 mm	Plain (no plating)				
8752A205016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 16 mm	Stainless AISI 301/EN 1.4310	5 x 16 mm	Plain (no plating)				
8752A205018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 18 mm	Stainless AISI 301/EN 1.4310	5 x 18 mm	Plain (no plating)				
8752A205020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 20 mm	Stainless AISI 301/EN 1.4310	5 x 20 mm	Plain (no plating)				
8752A205022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 22 mm	Stainless AISI 301/EN 1.4310	5 x 22 mm	Plain (no plating)				
8752A205024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 24 mm	Stainless AISI 301/EN 1.4310	5 x 24 mm	Plain (no plating)				
8752A205025	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 25 mm	Stainless AISI 301/EN 1.4310	5 x 25 mm	Plain (no plating)				
8752A205026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 26 mm	Stainless AISI 301/EN 1.4310	5 x 26 mm	Plain (no plating)				
8752A205028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 28 mm	Stainless AISI 301/EN 1.4310	5 x 28 mm	Plain (no plating)				
8752A205030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 30 mm	Stainless AISI 301/EN 1.4310	5 x 30 mm	Plain (no plating)				
8752A205032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 32 mm	Stainless AISI 301/EN 1.4310	5 x 32 mm	Plain (no plating)				
8752A205036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 36 mm	Stainless AISI 301/EN 1.4310	5 x 36 mm	Plain (no plating)				
8752A205040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 40 mm	Stainless AISI 301/EN 1.4310	5 x 40 mm	Plain (no plating)				
8752A205045	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 45 mm	Stainless AISI 301/EN 1.4310	5 x 45 mm	Plain (no plating)				
8752A205050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 50 mm	Stainless AISI 301/EN 1.4310	5 x 50 mm	Plain (no plating)				
8752A205055	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 55 mm	Stainless AISI 301/EN 1.4310	5 x 55 mm	Plain (no plating)				
8752A205060	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 60 mm	Stainless AISI 301/EN 1.4310	5 x 60 mm	Plain (no plating)				
8752A205065	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 65 mm	Stainless AISI 301/EN 1.4310	5 x 65 mm	Plain (no plating)				
8752A205070	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 70 mm	Stainless AISI 301/EN 1.4310	5 x 70 mm	Plain (no plating)				
8752A206010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 10 mm	Stainless AISI 301/EN 1.4310	6 x 10 mm	Plain (no plating)				
8752A206012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 12 mm	Stainless AISI 301/EN 1.4310	6 x 12 mm	Plain (no plating)				
8752A206014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 14 mm	Stainless AISI 301/EN 1.4310	6 x 14 mm	Plain (no plating)				
8752A206016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 16 mm	Stainless AISI 301/EN 1.4310	6 x 16 mm	Plain (no plating)				
8752A206018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 18 mm	Stainless AISI 301/EN 1.4310	6 x 18 mm	Plain (no plating)				
8752A206020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 20 mm	Stainless AISI 301/EN 1.4310	6 x 20 mm	Plain (no plating)				
8752A206022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 22 mm	Stainless AISI 301/EN 1.4310	6 x 22 mm	Plain (no plating)				
8752A206024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 24 mm	Stainless AISI 301/EN 1.4310	6 x 24 mm	Plain (no plating)				
8752A206026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 26 mm	Stainless AISI 301/EN 1.4310	6 x 26 mm	Plain (no plating)				
8752A206028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 28 mm	Stainless AISI 301/EN 1.4310	6 x 28 mm	Plain (no plating)				
8752A206030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 30 mm	Stainless AISI 301/EN 1.4310	6 x 30 mm	Plain (no plating)				
8752A206032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 32 mm	Stainless AISI 301/EN 1.4310	6 x 32 mm	Plain (no plating)				
8752A206035	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 35 mm	Stainless AISI 301/EN 1.4310	6 x 35 mm	Plain (no plating)				
8752A206036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 36 mm	Stainless AISI 301/EN 1.4310	6 x 36 mm	Plain (no plating)				
8752A206040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 40 mm	Stainless AISI 301/EN 1.4310	6 x 40 mm	Plain (no plating)				
8752A206040L419	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 40 mm	Stainless AISI 301/EN 1.4310	6 x 40 mm	Plain (no plating)				
8752A206045	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 45 mm	Stainless AISI 301/EN 1.4310	6 x 45 mm	Plain (no plating)				
8752A206050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 50 mm	Stainless AISI 301/EN 1.4310	6 x 50 mm	Plain (no plating)				
8752A206055	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 55 mm	Stainless AISI 301/EN 1.4310	6 x 55 mm	Plain (no plating)				
8752A206060	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 60 mm	Stainless AISI 301/EN 1.4310	6 x 60 mm	Plain (no plating)				
8752A206065	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 65 mm	Stainless AISI 301/EN 1.4310	6 x 65 mm	Plain (no plating)				
8752A206070	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 70 mm	Stainless AISI 301/EN 1.4310	6 x 70 mm	Plain (no plating)				
8752A206080	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 6 x 80 mm	Stainless AISI 301/EN 1.4310	6 x 80 mm	Plain (no plating)				
8752A207030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 7 x							

30 mm

Stainless AISI 301/EN 1.4310	7 x 30 mm	Plain (no plating)

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752A208010	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 10 mm	Stainless AISI 301/EN 1.4310	8 x 10 mm	Plain (no plating)				
8752A208012	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 12 mm	Stainless AISI 301/EN 1.4310	8 x 12 mm	Plain (no plating)				
8752A208014	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 14 mm	Stainless AISI 301/EN 1.4310	8 x 14 mm	Plain (no plating)				
8752A208016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 16 mm	Stainless AISI 301/EN 1.4310	8 x 16 mm	Plain (no plating)				
8752A208018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 18 mm	Stainless AISI 301/EN 1.4310	8 x 18 mm	Plain (no plating)				
8752A208018PQ10	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 18 mm	Stainless AISI 301/EN 1.4310	8 x 18 mm	Plain (no plating)				
8752A208020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 20 mm	Stainless AISI 301/EN 1.4310	8 x 20 mm	Plain (no plating)				
8752A208022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 22 mm	Stainless AISI 301/EN 1.4310	8 x 22 mm	Plain (no plating)				
8752A208024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 24 mm	Stainless AISI 301/EN 1.4310	8 x 24 mm	Plain (no plating)				
8752A208026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 26 mm	Stainless AISI 301/EN 1.4310	8 x 26 mm	Plain (no plating)				
8752A208028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 28 mm	Stainless AISI 301/EN 1.4310	8 x 28 mm	Plain (no plating)				
8752A208030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 30 mm	Stainless AISI 301/EN 1.4310	8 x 30 mm	Plain (no plating)				
8752A208032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 32 mm	Stainless AISI 301/EN 1.4310	8 x 32 mm	Plain (no plating)				
8752A208036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 36 mm	Stainless AISI 301/EN 1.4310	8 x 36 mm	Plain (no plating)				
8752A208040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 40 mm	Stainless AISI 301/EN 1.4310	8 x 40 mm	Plain (no plating)				
8752A208045	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 45 mm	Stainless AISI 301/EN 1.4310	8 x 45 mm	Plain (no plating)				
8752A208050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 50 mm	Stainless AISI 301/EN 1.4310	8 x 50 mm	Plain (no plating)				
8752A208055	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 55 mm	Stainless AISI 301/EN 1.4310	8 x 55 mm	Plain (no plating)				
8752A208060	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 60 mm	Stainless AISI 301/EN 1.4310	8 x 60 mm	Plain (no plating)				
8752A208065	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 65 mm	Stainless AISI 301/EN 1.4310	8 x 65 mm	Plain (no plating)				
8752A208070	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 70 mm	Stainless AISI 301/EN 1.4310	8 x 70 mm	Plain (no plating)				
8752A208075	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 75 mm	Stainless AISI 301/EN 1.4310	8 x 75 mm	Plain (no plating)				
8752A208080	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 80 mm	Stainless AISI 301/EN 1.4310	8 x 80 mm	Plain (no plating)				
8752A208090	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 90 mm	Stainless AISI 301/EN 1.4310	8 x 90 mm	Plain (no plating)				
8752A208100	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 8 x 100 mm	Stainless AISI 301/EN 1.4310	8 x 100 mm	Plain (no plating)				
8752A209120	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 9 x 120 mm	Stainless AISI 301/EN 1.4310	9 x 120 mm	Plain (no plating)				
8752A210016	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 16 mm	Stainless AISI 301/EN 1.4310	10 x 16 mm	Plain (no plating)				
8752A210018	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 18 mm	Stainless AISI 301/EN 1.4310	10 x 18 mm	Plain (no plating)				
8752A210020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 20 mm	Stainless AISI 301/EN 1.4310	10 x 20 mm	Plain (no plating)				
8752A210022	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 22 mm	Stainless AISI 301/EN 1.4310	10 x 22 mm	Plain (no plating)				
8752A210024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 24 mm	Stainless AISI 301/EN 1.4310	10 x 24 mm	Plain (no plating)				
8752A210026	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 26 mm	Stainless AISI 301/EN 1.4310	10 x 26 mm	Plain (no plating)				
8752A210028	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 28 mm	Stainless AISI 301/EN 1.4310	10 x 28 mm	Plain (no plating)				
8752A210030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 30 mm	Stainless AISI 301/EN 1.4310	10 x 30 mm	Plain (no plating)				
8752A210032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 32 mm	Stainless AISI 301/EN 1.4310	10 x 32 mm	Plain (no plating)				
8752A210036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 36 mm	Stainless AISI 301/EN 1.4310	10 x 36 mm	Plain (no plating)				
8752A210036CH	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 36 mm	Stainless AISI 301/EN 1.4310	10 x 36 mm	Plain (no plating)				
8752A210040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 40 mm	Stainless AISI 301/EN 1.4310	10 x 40 mm	Plain (no plating)				
8752A210045	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 45 mm	Stainless AISI 301/EN 1.4310	10 x 45 mm	Plain (no plating)				
8752A210050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 50 mm	Stainless AISI 301/EN 1.4310	10 x 50 mm	Plain (no plating)				
8752A210055	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 55 mm	Stainless AISI 301/EN 1.4310	10 x 55 mm	Plain (no plating)				
8752A210060	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 60 mm	Stainless AISI 301/EN 1.4310	10 x 60 mm	Plain (no plating)				
8752A210070	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 70 mm	Stainless AISI 301/EN 1.4310	10 x 70 mm	Plain (no plating)				
8752A210080	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 80 mm	Stainless AISI 301/EN 1.4310	10 x 80 mm	Plain (no plating)				
8752A210090	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 90 mm	Stainless AISI 301/EN 1.4310	10 x 90 mm	Plain (no plating)				
8752A210100	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x							

100 mm

Stainless AISI 301/EN 1.4310	10 x 100 mm	Plain (no plating)

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
8752A210120	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 120 mm	Stainless AISI 301/EN 1.4310	10 x 120 mm	Plain (no plating)				
8752A212020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 20 mm	Stainless AISI 301/EN 1.4310	12 x 20 mm	Plain (no plating)				
8752A212024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 24 mm	Stainless AISI 301/EN 1.4310	12 x 24 mm	Plain (no plating)				
8752A212030	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 30 mm	Stainless AISI 301/EN 1.4310	12 x 30 mm	Plain (no plating)				
8752A212032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 32 mm	Stainless AISI 301/EN 1.4310	12 x 32 mm	Plain (no plating)				
8752A212036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 36 mm	Stainless AISI 301/EN 1.4310	12 x 36 mm	Plain (no plating)				
8752A212040	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 40 mm	Stainless AISI 301/EN 1.4310	12 x 40 mm	Plain (no plating)				
8752A212045	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 45 mm	Stainless AISI 301/EN 1.4310	12 x 45 mm	Plain (no plating)				
8752A212060	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 60 mm	Stainless AISI 301/EN 1.4310	12 x 60 mm	Plain (no plating)				
8752A212070	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 12 x 70 mm	Stainless AISI 301/EN 1.4310	12 x 70 mm	Plain (no plating)				
8752A2160142CH	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 14 mm	Stainless AISI 301/EN 1.4310	16 x 14 mm	Plain (no plating)				
8752A216020	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 20 mm	Stainless AISI 301/EN 1.4310	16 x 20 mm	Plain (no plating)				
8752A216032	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 32 mm	Stainless AISI 301/EN 1.4310	16 x 32 mm	Plain (no plating)				
8752A216036	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 36 mm	Stainless AISI 301/EN 1.4310	16 x 36 mm	Plain (no plating)				
8752A216050	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 50 mm	Stainless AISI 301/EN 1.4310	16 x 50 mm	Plain (no plating)				
8752A216055	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 55 mm	Stainless AISI 301/EN 1.4310	16 x 55 mm	Plain (no plating)				
8752A216065	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 65 mm	Stainless AISI 301/EN 1.4310	16 x 65 mm	Plain (no plating)				
8752A216080	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 16 x 80 mm	Stainless AISI 301/EN 1.4310	16 x 80 mm	Plain (no plating)				
8752A408014	ISO 8752 Slotted Pin, Stainless A4, 8 x 14 mm	Stainless A4	8 x 14 mm	Plain (no plating)				
8752A410030	ISO 8752 Slotted Pin, Stainless A4, 10 x 30 mm	Stainless A4	10 x 30 mm	Plain (no plating)				
8752SS30105024	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 5 x 24 mm	Stainless AISI 301/EN 1.4310	5 x 24 mm	Plain (no plating)				
CMW190139-004	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 24 mm	Stainless AISI 301/EN 1.4310	10 x 24 mm	Plain (no plating)				
CMW190139-005	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 10 x 40 mm /	Stainless AISI 301/EN 1.4310	10 x 40 mm	Plain (no plating)				
E141910-1	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 2 x 20 mm (E	Stainless AISI 301/EN 1.4310	2 x 20 mm	Plain (no plating)				
MISM020014	ISO 8752 Slotted Pin, Steel, 2 x 14 mm, Plain	Steel	2 x 14 mm	Plain (no plating)				
S163926-2	ISO 8752 Slotted Pin, Stainless AISI 301/EN 1.4310, 3 x 20 mm (S	Stainless AISI 301/EN 1.4310	3 x 20 mm	Plain (no plating)				