

TPPC (WN 1412) — Thermo Plastic Screw

Catalogue data sheet · 29 sizes · category Bolts and Screws / Thermo Plastic Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.







Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
TPPC25006H1	TPPC (WN 1412) Thermo Plastic Screw, 2.5 x 6 mm, Pan Head, Zinc		2.5 x 6 mm	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm		4.4 mm
TPPC30006H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 6 mm, Pan Head, Zinc		3.0 x 6 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm		5.3 mm
TPPC30008H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 8 mm, Pan Head, Zinc		3.0 x 8 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		5.3 mm
TPPC30010H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 10 mm, Pan Head, Zinc		3.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.3 mm
TPPC30010Z1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 10 mm, Pan Head, Zinc		3.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.3 mm
TPPC30012H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 12 mm, Pan Head, Zinc		3.0 x 12 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		5.3 mm
TPPC30016H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 16 mm, Pan Head, Zinc		3.0 x 16 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm		5.3 mm
TPPC30018H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 18 mm, Pan Head, Zinc		3.0 x 18 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	18 mm		5.3 mm
TPPC30020H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 20 mm, Pan Head, Zinc		3.0 x 20 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm		5.3 mm
TPPC30025H1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 25 mm, Pan Head, Zinc		3.0 x 25 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	25 mm		5.3 mm
TPPC30030Z1	TPPC (WN 1412) Thermo Plastic Screw, 3.0 x 30 mm, Pan Head, Zinc		3.0 x 30 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm		5.3 mm
TPPC35010H1	TPPC (WN 1412) Thermo Plastic Screw, 3.5 x 10 mm, Pan Head, Zinc		3.5 x 10 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	10 mm		6.1 mm
TPPC35012H1	TPPC (WN 1412) Thermo Plastic Screw, 3.5 x 12 mm, Pan Head, Zinc		3.5 x 12 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	12 mm		6.1 mm
TPPC35016H1	TPPC (WN 1412) Thermo Plastic Screw, 3.5 x 16 mm, Pan Head, Zinc		3.5 x 16 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	16 mm		6.1 mm
TPPC35025H1	TPPC (WN 1412) Thermo Plastic Screw, 3.5 x 25 mm, Pan Head, Zinc		3.5 x 25 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	25 mm		6.1 mm
TPPC35030H1	TPPC (WN 1412) Thermo Plastic Screw, 3.5 x 30 mm, Pan Head, Zinc		3.5 x 30 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	30 mm		6.1 mm
TPPC40008H1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 8 mm, Pan Head, Zinc		4.0 x 8 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		7 mm
TPPC40010H1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 10 mm, Pan Head, Zinc		4.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm		7 mm
TPPC40012H1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 12 mm, Pan Head, Zinc		4.0 x 12 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		7 mm
TPPC40014H1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 14 mm, Pan Head, Zinc		4.0 x 14 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm		7 mm
TPPC40016Z1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 16 mm, Pan Head, Zinc		4.0 x 16 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		7 mm
TPPC40020H1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 20 mm, Pan Head, Zinc		4.0 x 20 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm		7 mm
TPPC40030Z1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 30 mm, Pan Head, Zinc		4.0 x 30 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm		7 mm
TPPC40035H1	TPPC (WN 1412) Thermo Plastic Screw, 4.0 x 35 mm, Pan Head, Zinc		4.0 x 35 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm		7 mm
TPPC50010H1	TPPC (WN 1412) Thermo Plastic Screw, 5.0 x 10 mm, Pan Head, Zinc		5.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		8.8 mm
TPPC50010Z1	TPPC (WN 1412) Thermo Plastic Screw, 5.0 x 10 mm, Pan Head, Zinc							

Head, Zinc

5.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		8.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
TPPC50025H1	TPPC (WN 1412) Thermo Plastic Screw, 5.0 x 25 mm, Pan Head, Zinc		5.0 x 25 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		8.8 mm
TPPC50040H1	TPPC (WN 1412) Thermo Plastic Screw, 5.0 x 40 mm, Pan Head, Zinc		5.0 x 40 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	40 mm		8.8 mm
TPPC60018H1	TPPC (WN 1412) Thermo Plastic Screw, 6.0 x 18 mm, Pan Head, Zinc		6.0 x 18 mm	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm		10.5 mm