

TPPT (WN 1452) — Thermo Plastic Screw

Catalogue data sheet · 57 sizes · category Bolts and Screws / Thermo Plastic Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.





Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
TPPT180101	TPPT (WN 1452) Thermo Plastic Screw, 1.8 x 10 mm, Pan Head, Zinc		1.8 x 10 mm	Zinc Bright Passivation Fe/Zn P1	1.8 mm	10 mm		3.6 mm
TPPT2000451	TPPT (WN 1452) Thermo Plastic Screw, 2.0 x 4.5 mm, Pan Head, Zinc		2.0 x 4.5 mm	Zinc Bright Passivation Fe/Zn P1	2 mm	4.5 mm		3.6 mm
TPPT200081	TPPT (WN 1452) Thermo Plastic Screw, 2.0 x 8 mm, Pan Head, Zinc		2.0 x 8 mm	Zinc Bright Passivation Fe/Zn P1	2 mm	8 mm		3.6 mm
TPPT220051	TPPT (WN 1452) Thermo Plastic Screw, 2.2 x 5 mm, Pan Head, Zinc		2.2 x 5 mm	Zinc Bright Passivation Fe/Zn P1	2.2 mm	5 mm		4 mm
TPPT220061	TPPT (WN 1452) Thermo Plastic Screw, 2.0 x 6 mm, Pan Head, Zinc		2.0 x 6 mm	Zinc Bright Passivation Fe/Zn P1	2 mm	6 mm		3.6 mm
TPPT220101	TPPT (WN 1452) Thermo Plastic Screw, 2.2 x 10 mm, Pan Head, Zinc		2.2 x 10 mm	Zinc Bright Passivation Fe/Zn P1	2.2 mm	10 mm		4 mm
TPPT250061	TPPT (WN 1452) Thermo Plastic Screw, 2.5 x 6 mm, Pan Head, Zinc		2.5 x 6 mm	Zinc Bright Passivation Fe/Zn P1	2.5 mm	6 mm		4.2 mm
TPPT250081	TPPT (WN 1452) Thermo Plastic Screw, 2.5 x 8 mm, Pan Head, Zinc		2.5 x 8 mm	Zinc Bright Passivation Fe/Zn P1	2.5 mm	8 mm		4.2 mm
TPPT250101	TPPT (WN 1452) Thermo Plastic Screw, 2.5 x 10 mm, Pan Head, Zinc		2.5 x 10 mm	Zinc Bright Passivation Fe/Zn P1	2.5 mm	10 mm		4.2 mm
TPPT250121	TPPT (WN 1452) Thermo Plastic Screw, 2.5 x 12 mm, Pan Head, Zinc		2.5 x 12 mm	Zinc Bright Passivation Fe/Zn P1	2.5 mm	12 mm		4.2 mm
TPPT250161	TPPT (WN 1452) Thermo Plastic Screw, 2.5 x 16 mm, Pan Head, Zinc		2.5 x 16 mm	Zinc Bright Passivation Fe/Zn P1	2.5 mm	16 mm		4.2 mm
TPPT300051	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 5.0 mm, Pan Head, Zinc		3.0 x 5.0 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	5 mm		5.6 mm
TPPT300061	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 6 mm, Pan Head, Zinc		3.0 x 6 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	6 mm		5.6 mm
TPPT3000771	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 7.7 mm, Pan Head, Zinc		3.0 x 7.7 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	7.7 mm		5.6 mm
TPPT300081	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 8 mm, Pan Head, Zinc		3.0 x 8 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	8 mm		5.6 mm
TPPT300101	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 10 mm, Pan Head, Zinc		3.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	10 mm		5.6 mm
TPPT300121	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 12 mm, Pan Head, Zinc		3.0 x 12 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	12 mm		5.6 mm
TPPT300141	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 14 mm, Pan Head, Zinc		3.0 x 14 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	14 mm		5.6 mm
TPPT300161	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 16 mm, Pan Head, Zinc		3.0 x 16 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	16 mm		5.6 mm
TPPT300181	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 18 mm, Pan Head, Zinc		3.0 x 18 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	18 mm		5.6 mm
TPPT300201	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 20 mm, Pan Head, Zinc		3.0 x 20 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	20 mm		5.6 mm
TPPT300301	TPPT (WN 1452) Thermo Plastic Screw, 3.0 x 30 mm, Pan Head, Zinc		3.0 x 30 mm	Zinc Bright Passivation Fe/Zn P1	3 mm	30 mm		5.6 mm
TPPT350081	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 8 mm, Pan Head, Zinc		3.5 x 8 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	8 mm		6.9 mm
TPPT350101	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 10 mm, Pan Head, Zinc		3.5 x 10 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	10 mm		6.9 mm
TPPT350121	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 12 mm, Pan Head, Zinc		3.5 x 12 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	12 mm		6.9 mm
TPPT350161	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 16 mm, Pan Head, Zinc							

Head, Zinc

3.5 x 16 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	16 mm		6.9 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
TPPT350201	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 20 mm, Pan Head, Zinc		3.5 x 20 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	20 mm		6.9 mm
TPPT350251	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 25 mm, Pan Head, Zinc		3.5 x 25 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	25 mm		6.9 mm
TPPT350301	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 30 mm, Pan Head, Zinc		3.5 x 30 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	30 mm		6.9 mm
TPPT350351	TPPT (WN 1452) Thermo Plastic Screw, 3.5 x 35 mm, Pan Head, Zinc		3.5 x 35 mm	Zinc Bright Passivation Fe/Zn P1	3.5 mm	35 mm		6.9 mm
TPPT400081	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 8 mm, Pan Head, Zinc		4.0 x 8 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	8 mm		7.5 mm
TPPT400101	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 10 mm, Pan Head, Zinc		4.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	10 mm		7.5 mm
TPPT400121	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 12 mm, Pan Head, Zinc		4.0 x 12 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		7.5 mm
TPPT400121T10	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 12 mm, Pan Head, Zinc		4.0 x 12 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	12 mm		7.5 mm
TPPT400141	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 14 mm, Pan Head, Zinc		4.0 x 14 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	14 mm		7.5 mm
TPPT400161	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 16 mm, Pan Head, Zinc		4.0 x 16 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	16 mm		7.5 mm
TPPT400181	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 18 mm, Pan Head, Zinc		4.0 x 18 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	18 mm		7.5 mm
TPPT400201	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 20 mm, Pan Head, Zinc		4.0 x 20 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	20 mm		7.5 mm
TPPT400221	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 22 mm, Pan Head, Zinc		4.0 x 22 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	22 mm		7.5 mm
TPPT400251	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 25 mm, Pan Head, Zinc		4.0 x 25 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	25 mm		7.5 mm
TPPT400301	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 30 mm, Pan Head, Zinc		4.0 x 30 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	30 mm		7.5 mm
TPPT400351	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 35 mm, Pan Head, Zinc		4.0 x 35 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	35 mm		7.5 mm
TPPT400401	TPPT (WN 1452) Thermo Plastic Screw, 4.0 x 40 mm, Pan Head, Zinc		4.0 x 40 mm	Zinc Bright Passivation Fe/Zn P1	4 mm	40 mm		7.5 mm
TPPT500081	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 8 mm, Pan Head, Zinc		5.0 x 8 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	8 mm		8.2 mm
TPPT500101	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 10 mm, Pan Head, Zinc		5.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	10 mm		8.2 mm
TPPT500121	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 12 mm, Pan Head, Zinc		5.0 x 12 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	12 mm		8.2 mm
TPPT500141	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 14 mm, Pan Head, Zinc		5.0 x 14 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	14 mm		8.2 mm
TPPT500161	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 16 mm, Pan Head, Zinc		5.0 x 16 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	16 mm		8.2 mm
TPPT500181	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 18 mm, Pan Head, Zinc		5.0 x 18 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	18 mm		8.2 mm
TPPT500201	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 20 mm, Pan Head, Zinc		5.0 x 20 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	20 mm		8.2 mm
TPPT500251	TPPT (WN 1452) Thermo Plastic Screw, 5.0 x 25 mm, Pan Head, Zinc		5.0 x 25 mm	Zinc Bright Passivation Fe/Zn P1	5 mm	25 mm		8.2 mm
TPPT600101	TPPT (WN 1452) Thermo Plastic Screw, 6.0 x 10 mm, Pan Head, Zinc		6.0 x 10 mm	Zinc Bright Passivation Fe/Zn P1	6 mm	10 mm		10.8 mm
TPPT600121	TPPT (WN 1452) Thermo Plastic Screw, 6.0 x 12 mm, Pan Head, Zinc		6.0 x 12 mm	Zinc Bright Passivation Fe/Zn P1	6 mm	12 mm		10.8 mm
TPPT600161	TPPT (WN 1452) Thermo Plastic Screw, 6.0 x 16 mm, Pan Head, Zinc		6.0 x 16 mm	Zinc Bright Passivation Fe/Zn P1	6 mm	16 mm		10.8 mm
TPPT600181	TPPT (WN 1452) Thermo Plastic Screw, 6.0 x 18 mm, Pan Head, Zinc		6.0 x 18 mm	Zinc Bright Passivation Fe/Zn P1	6 mm	18 mm		10.8 mm
TPPT600201	TPPT (WN 1452) Thermo Plastic Screw, 6.0 x 20 mm, Pan Head, Zinc		6.0 x 20 mm	Zinc Bright Passivation Fe/Zn P1	6 mm	20 mm		10.8 mm
TPPT600301	TPPT (WN 1452) Thermo Plastic Screw, 6.0 x 30 mm, Pan Head, Zinc		6.0 x 30 mm	Zinc Bright Passivation Fe/Zn P1	6 mm	30 mm		10.8 mm