

# Rittal – The System.

Faster – better – everywhere.



## KX 1508.000

## KX terminal box, carbon steel, without flange

State: 7/23/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# KX 1508.000 - KX terminal box, carbon steel, without flange

The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.



## Features

|                                    |                                                                                                                                                        |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.                          | KX 1508.000                                                                                                                                            |
| Product description                | The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category. |
| Material                           | Housing: Carbon steel<br>Cover: Carbon steel, all-round foamed-in PU seal                                                                              |
| Surface finish                     | Housing and cover: Dipcoat primed, powder-coated on the outside, textured paint                                                                        |
| Color                              | RAL 7035                                                                                                                                               |
| Supply includes                    | Housing with cover<br>Mini cam lock                                                                                                                    |
| Protection category NEMA           | NEMA 1<br>NEMA 3R<br>NEMA 4<br>NEMA 12                                                                                                                 |
| Protection category IP to EN 60529 | IP 66                                                                                                                                                  |

# Features

|                                     |                                                                                                                      |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Type rating according to UL 50E     | Type 1<br>Type 3R<br>Type 4<br>Type 12                                                                               |
| IK code                             | IK08                                                                                                                 |
| Dimensions                          | Width: 400 mm<br>Height: 300 mm<br>Depth: 120 mm<br>Width: 15.7 "<br>Height: 11.8 "<br>Depth: 4.72 "                 |
| Material thickness - cover          | 1.25 mm<br>0.05 "                                                                                                    |
| Material thickness - enclosure      | 1.25 mm<br>0.05 "                                                                                                    |
| Base material                       | Carbon steel                                                                                                         |
| Packaging unit                      | 1 pc(s).                                                                                                             |
| Net weight                          | 4.696 kg                                                                                                             |
| Gross weight                        | 4.701 kg                                                                                                             |
| PCF/VE (cradle-to-gate)             | 34.63 kg CO2 eq (Cat B)                                                                                              |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number               | 84879059                                                                                                             |
| ETIM 9                              | EC000261                                                                                                             |
| ETIM 8                              | EC000261                                                                                                             |
| ECLASS 8.0                          | 27180101                                                                                                             |
| Product description                 | KX Terminal box, WHD: 400x300x120 mm, sheet steel, without mounting plate, with cover, without gland plate           |

## Approvals

# Approvals

|              |                              |
|--------------|------------------------------|
| Approvals    | Bureau Veritas               |
|              | DNV                          |
|              | Lloyds Register              |
|              | UL + C-UL (listed)           |
| Certificates | Protection category          |
| Explanations | Manufacturer's declaration   |
|              | Declaration of conformity    |
|              | Declaration of conformity UK |
|              | PCF-declaration              |