

# Rittal – The System.

Faster – better – everywhere.



## SK 3238.300 Blue e+ outlet filter

State: 7/23/2026 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3238.300 - Blue e+ outlet filter

The outlet filter is used in conjunction with the associated filter fan to dissipate lost heat out of the enclosures, to ventilate the enclosure and to protect temperature-sensitive components. This is done via the direct supply of ambient air that must be below the permissible temperature inside the enclosure.



## Features

|                        |                                                                                                                                                                 |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.              | SK 3238.300                                                                                                                                                     |
| Version                | wall-mounted                                                                                                                                                    |
| Benefits               | Easy filter change thanks to a new opening mechanism on the louvre grille<br>Faster assembly on the enclosure due to optimized snap hooks<br>Tool-free mounting |
| Material               | Plastic                                                                                                                                                         |
| Color                  | RAL 7035                                                                                                                                                        |
| Supply includes        | Outlet Filters<br>Pleated filter                                                                                                                                |
| Mounting cut-out       | Width of opening: 124 mm<br>Cut-out height: 124 mm<br>Width of opening: 4.88 "<br>Cut-out height: 4.88 "                                                        |
| Suitable for Model No. | SK 3238.7xx                                                                                                                                                     |

# Features

|                                     |                                                                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dimensions                          | Width: 148.5 mm<br>Height: 148.5 mm<br>Depth: 34.2 mm<br>Width: 5.85 "<br>Height: 5.85 "<br>Depth: 1.35 "                                                          |
| Protection category NEMA            | Type 12 with chopped fiber filter/pleated filter<br>Type 3, 3R, 4, 4X with chopped fiber filter/pleated filter and hose-proof hood                                 |
| Protection category IP to IEC 60529 | IP 54 with chopped fiber filter/pleated filter<br>IP 55 with pleated filter and absorber mat<br>IP 56 with chopped fiber filter/pleated filter and hose-proof hood |
| Packaging unit                      | 1 pc(s).                                                                                                                                                           |
| Net weight                          | 0.161 kg                                                                                                                                                           |
| Gross weight                        | 0.206 kg                                                                                                                                                           |
| Customs tariff number               | 39269097                                                                                                                                                           |
| ETIM 9                              | EC002513                                                                                                                                                           |
| ETIM 8                              | EC002513                                                                                                                                                           |
| ECLASS 8.0                          | 27180706                                                                                                                                                           |
| Product description                 | SK Blue e+ outlet filter, for filter fan 3238.7xx, WxH 148.5 x 148.5 mm, RAL 7035                                                                                  |

# Approvals

|           |                                                   |
|-----------|---------------------------------------------------|
| Approvals | CSA<br>UL + C-UL - FTТА<br>UR + C-UR (recognized) |
|-----------|---------------------------------------------------|