



# Rittal – The System.

Faster – better – everywhere.



## VX 8617.720

## Punched rail 18 x 39 mm

State: 23/07/2026 (Source: [rittal.com/com-en](http://rittal.com/com-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8617.720 - Punched rail 18 x 39 mm for VX, VX SE

For variable, individual interior installation of the enclosure frame on the inner mounting level.

## Features

|                               |                                                                                                                                                                                                                                                                |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.                     | VX 8617.720                                                                                                                                                                                                                                                    |
| Product description           | For variable, individual interior installation of the enclosure frame on the inner mounting level.                                                                                                                                                             |
| Benefits                      | May also be used in conjunction with other punched sections<br>Prepared at the rear to accommodate cable ties for optimum cable routing inside the enclosure<br>Simply insert into the system punchings, even with the mounting panel in its rearmost position |
| Material                      | Sheet steel                                                                                                                                                                                                                                                    |
| Surface finish                | Zinc-plated                                                                                                                                                                                                                                                    |
| Supply includes               | Assembly parts                                                                                                                                                                                                                                                 |
| Installation options          | In VX on the inner mounting level, on the VX enclosure section<br>In VX SE, on the enclosure section in conjunction with VX adaptor rail                                                                                                                       |
| Note                          | In enclosures with a mounting plate, 2 punched rails are already included with the supply.                                                                                                                                                                     |
| To fit                        | Enclosure type: VX<br>VX SE<br>Width/depth: 600 mm                                                                                                                                                                                                             |
| Packs of                      | 4 pc(s).                                                                                                                                                                                                                                                       |
| Net weight                    | 2.2 kg                                                                                                                                                                                                                                                         |
| Gross weight                  | 2.49 kg                                                                                                                                                                                                                                                        |
| PCF per pack (cradle-to-gate) | 25.46                                                                                                                                                                                                                                                          |
| Customs tariff number         | 73269098                                                                                                                                                                                                                                                       |
| ETIM 9                        | EC002620                                                                                                                                                                                                                                                       |
| ECLASS 8.0                    | 27189234                                                                                                                                                                                                                                                       |

# Features

---

|                     |                                             |
|---------------------|---------------------------------------------|
| Product description | VX Punched rail 18 x 38 mm, for W/D: 600 mm |
|---------------------|---------------------------------------------|

# Approvals

---

|              |                 |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|